

Family-group names for termites (Isoptera), redux

Michael S. Engel

Division of Entomology, Natural History Museum, and Department of Ecology & Evolutionary Biology, 1501 Crestline Drive – Suite 140, University of Kansas, Lawrence, Kansas 66049-2811, USA

Corresponding author: Michael S. Engel (msengel@ku.edu)

Academic editor: D. Grimaldi | Received 8 June 2011 | Accepted 29 August 2011 | Published 21 November 2011

Citation: Engel MS (2011) Family-group names for termites (Isoptera), redux. In: Engel MS (Ed) Contributions Celebrating Kumar Krishna. ZooKeys 148: 171–184. doi: [10.3897/zookeys.148.1682](https://doi.org/10.3897/zookeys.148.1682)

Abstract

Forty-eight family-group names are identified for insects among the Isoptera (termites), representing a nearly 19% increase since the last compilation less than 10 years ago. Accordingly, these names are newly catalogued, including various updates from the original summary. The name Reticulitermitidae is recognized as a *nomen nudum* while Caatingatermitinae is newly considered a *nomen invalidum*, and neither is available in zoological nomenclature. A catalogue of the suprafamilial names for Isoptera is appended. The name Xylophagodea is formally proposed for the Isoptera + Cryptocercidae clade.

Keywords

Isoptera, termites, nomenclature, classification, family-group names, type genera

Introduction

During the last 25 years numerous efforts have been undertaken to document family-group names for insects and to provide their correct authorship, date, type genus, combining stem, and availability or validity (e.g., Michener 1986; Wahl and Mason 1995; Menke 1997; Sabrosky 1999; Speidel and Naumann 2004; Engel 2005; Engel and Haas 2007; Menke et al. 2008; Miller 2009; Bouchard et al. 2011). Seven years ago such an exercise was completed for the termites (Engel and Krishna 2004a) and it is remarkable that the number of names has grown significantly for this small insect lineage, of approximately 3500 species, such that a full 19% of the names known today were not included in that original account. Accordingly, I provide an updated list, in order of priority, for all family-group names proposed for termites through to

the present day. The list is an updated and corrected version of that provided by Engel and Krishna (2004a), incorporating the various new names and edits of subsequent works (e.g., Engel and Krishna 2004b, 2007; Cancello and DeSouza 2005; Engel et al. 2009). As in the earlier summary, all names are presented in their original forms, regardless of present day rank or suffix, with type genus and correct combining stem provided for each. Daggers (†) indicate names proposed for fossil taxa. The format generally follows that of Engel and Krishna (2004a).

In addition I have included here for the first time a summary of all names applied for suprafamilial groups of termites (i.e., names above the family-group ranks and not regulated by the ICZN).

Catalog of Family-group names

1. **TERMITINA** Latreille, 1802: 293. Type genus: *Termes* Linnaeus, 1758. Combining stem: Termit–. Note: Latreille (1805, 1810) subsequently changed the name of his “famille” to Termitinae but the name was made first available in 1802 (ICZN 1999: Art. 11.7).
2. **CALOTERMITINAE** Foggatt, 1897: 516 [*recte* Kalotermitinae; in accordance with ICZN (1999) Art. 29.1 the name is automatically emended to Kalotermitinae Foggatt, 1897]. Type genus: *Kalotermes* Hagen, 1853 [*Calotermes* Hagen, 1858 is an unjustified emendation: *vide* Engel and Krishna 2001a; ICZN 2002]. Combining stem: Kalotermit–.
3. **GLYPTOTERMITINAE** Foggatt, 1897: 518. Type genus: *Glyptotermes* Foggatt, 1897. Combining stem: Glyptotermit–.
4. **RHINOTERMITINAE** Foggatt, 1897: 518. Type genus: *Rhinotermes* Hagen, 1858. Combining stem: Rhinotermit–.
5. **HETEROTERMITINAE** Foggatt, 1897: 550. Type genus: *Heterotermes* Foggatt, 1897. Combining stem: Heterotermit–.
6. **MASTOTERMITINAE** Desneux, 1904a: 284. Type genus: *Mastotermes* Foggatt, 1897. Combining stem: Mastotermit–.
7. **HODOTERMITINI** Desneux, 1904c: 284. Type genus: *Hodotermes* Hagen, 1853. Combining stem: Hodotermit–.
8. **STOLOTERMITINAE** Holmgren, 1910a: 285. Type genus: *Stolotermes* Hagen, 1858. Combining stem: Stolotermit–. Note: Stolotermitinae has often been included in an expanded Termopsidae for which the latter name has been used for the combined grouping despite the priority of the name based on *Stolotermes*. A petition was submitted (Engel et al. 2003; Engel and Krishna 2004c) and approved (ICZN 2005) reversing priority in favor of Termopsidae whenever *Termopsis* and *Stolotermes* are placed within the same family group. However, in the present classification (Engel et al. 2009 and table 1 herein) stolotermitines are segregated into their own family.
9. **LEUCOTERMITINAE** Holmgren, 1910a: 285. Type genus: *Leucotermes* Silvestri, 1901. Combining stem: Leucotermit–.

10. **COPTOTERMITINAE** Holmgren, 1910a: 285. Type genus: *Coptotermes* Wasmann, 1896. Combining stem: Coptotermit-. Note: Proposed again as new in Holmgren (1910b).
11. **SERRITERMITINAE** Holmgren, 1910a: 285. Type genus: *Serritermes* Wasmann, 1897. Combining stem: Serritermit-.
12. **TERMITOGETONINAE** Holmgren, 1910a: 286. Type genus: *Termitogeton* Desneux, 1904b. Combining stem: Termitogeton-.
13. **MICROCEROTERMITINAE** Holmgren, 1910b: 145. Type genus: *Microcerotermes* Silvestri, 1901. Combining stem: Microcerotermit-.
14. **EUTERMITINAE** Holmgren, 1910b: 146. Type genus: *Eutermes* Heer, 1849. Combining stem: Eutermit-. Note: Given the uncertainty in the application of the name *Eutermes*, and thereby the family-group name Eutermitinae, a petition to suppress proactively the name was submitted to the ICZN for consideration (Engel and Krishna 2005a) which, after discussion (Roisin 2005; Engel and Krishna 2005b), was not approved (ICZN 2007). The name is presently considered *incertae sedis*.
15. **TERMOPSINAЕ** Holmgren, 1911: 35. Type genus: *Termopsis* Heer, 1849. Combining stem: Termops-. Note: Refer to comments provided for Stolotermitinae (*vide supra*).
16. **PSAMMOTERMITINAE** Holmgren, 1911: 64. Type genus: *Psammotermes* Desneux, 1902. Combining stem: Psammotermit-.
17. **PSEUDOMICROTERMITINAE** Holmgren, 1912: 5. Type genus: *Pseudomicrotermes* Holmgren, 1912. Combining stem: Pseudomicrotermit-.
18. **FORAMINITERMITINAE** Holmgren, 1912: 5. Type genus: *Foraminitermes* Holmgren, 1912. Combining stem: Foraminitermit-.
19. **STYLOTERMITINAE** Holmgren and Holmgren, 1917: 141. Type genus: *Stylotermes* Holmgren and Holmgren, 1917. Combining stem: Stylotermit-.
20. †**PLIOTERMITINAE** Pongrácz 1917: 28. Type genus: †*Pliotermes* Pongrácz, 1917. Combining stem: Pliotermit-.
21. **ARRHINOTERMITINAE** Sjöstedt, 1926: 8. Type genus: *Arrhinotermes* Wasmann, 1902. Combining stem: Arrhinotermit-.
22. **ACANTHOTERMITINAE** Sjöstedt, 1926: 8. Type genus: *Acanthotermes* Sjöstedt, 1900. Combining stem: Acanthotermit-. Note: This name has priority over Macrotermitinae; however, a petition was submitted to conserve the usage of Macrotermitinae (Engel and Krishna 2001b) and was approved by the ICZN (2003). Macrotermitinae is to be used whenever *Macrotermes* and *Acanthotermes* are placed into the same family-group taxon.
23. †**MIOTERMITINAE** Pongrácz, 1926: 29 [chart]. Type genus: †*Miotermes* Rosen, 1913. Combining stem: Miotermit-.
24. **MACROTERMITINAE** Kemner, 1934: 69. Type genus: *Macrotermes* Holmgren, 1909. Combining stem: Macrotermit-. Note: Refer to comments provided for Acanthotermitinae (*vide supra*).
25. **AMITERMITINAE** Kemner, 1934: 110. Type genus: *Amitermes* Silvestri, 1901. Combining stem: Amitermit-.

26. **MIRO-CAPRITERMITINAE** Kemner, 1934: 166. Type genus: *Mirocapritermes* Holmgren, 1914. Combining stem: Mirocapritermit-. Note: Although Kemner (1934) hyphenated the name in its original spelling, the ICBN (1999) does not allow hyphenation and the family-group name must be considered a single word.
27. **NASUTITERMITINAE** Hare, 1937. Type genus: *Nasutitermes* Dudley, 1890. Combining stem: Nasutitermit-.
28. †**ELECTROTERMITINAE** Emerson, 1942: 10. Type genus: †*Electrotermes* Rosen, 1913. Combining stem: Electrotermit-.
29. **POROTERMITINAE** Emerson, 1942: 10. Type genus: *Porotermes* Hagen, 1858. Combining stem: Porotermite-.
30. **APICOTERMITINAE** Grassé and Noirot, 1954 [1955]: 360. Type genus: *Apicotermes* Holmgren, 1912. Combining stem: Apicotermite-.
31. **ODONTOTERMITINI** Weidner, 1956: 82. Type genus: *Odontotermes* Holmgren, 1910a. Combining stem: Odontotermite-.
32. **CUBITERMITINI** Weidner, 1956: 99. Type genus: *Cubitermes* Wasmann, 1906. Combining stem: Cubitermit-.
33. **MIROTERMITINI** Weidner, 1956: 99. Type genus: *Mirotermes* Wasmann, 1897. Combining stem: Mirotermite-.
34. **CAPRITERMITINI** Weidner, 1956: 100. Type genus: *Capritermes* Wasmann, 1897. Combining stem: Capritermit-.
35. **INDOTERMITIDAE** Roonwal and Sen-Sarma In Roonwal, 1958: 81. Type genus: *Indotermes* Roonwal and Sen-Sarma In Roonwal, 1958. Stem: Indotermit-. Note: Proposed as new again in Roonwal and Sen-Sarma (1960).
36. †**CRETATERMITINAE** Emerson, 1967 [1968]: 278. Type genus: †*Cretatermes* Emerson, 1967 [1968]. Combining stem: Cretatermit-.
37. **PRORHINOTERMITINAE** Quennedey and Deligne, 1975: 265. Type genus: *Prorhinotermes* Silvestri, 1909. Combining stem: Prorhinotermit-.
38. †**LUTETIATERMITINAE** Schlüter, 1989: 61. Type genus: †*Lutetiatermes* Schlüter, 1989. Combining stem: Lutetiatermite-.
39. †**CARINATERMITINAE** Krishna and Grimaldi, 2000: 134. Type genus: †*Carinatermes* Krishna and Grimaldi, 2000. Combining stem: Carinatermit-.
40. †**ARCHEORHINOTERMITINAE** Krishna and Grimaldi, 2003: 2. Type genus: †*Archeorhinotermes* Krishna and Grimaldi, 2003. Combining stem: Archeorhinotermit-.
41. **RETICULITERMATIDAE** Szalanski, Austin, and Owen 2003: 1514, *nomen imprecum* [recte Reticulitermitidae] *et nomen nudum*. Note: This name has appeared in several publications (e.g., Sobi et al. 2009) but has not been formally established. It would represent simply a junior synonym of Heterotermitinae.
42. **SYNTERMITINAE** Engel and Krishna, 2004a: 6. Type genus: *Syntermes* Holmgren, 1909. Combining stem: Syntermite-.
43. **SPHAEROTERMITINAE** Engel and Krishna, 2004a: 6. Type genus: *Sphaerotermes* Holmgren, 1912. Combining stem: Sphaerotermit-.

Table 1. Hierarchical and synonymic outline of termite classification (modified after Engel et al. 2009). *Nomina nuda* and *nomina invalida* omitted.

Infraorder Isoptera Brullé, 1832
Family †Cratomastotermitidae Engel et al., 2009
Parvorder Euisoptera Engel et al., 2009
† <i>Cretatermitinae</i> Emerson, 1967 [1968]
† <i>Lutetiatermitinae</i> Schlüter, 1989
† <i>Carinatermitinae</i> Krishna & Grimaldi, 2000
Family Mastotermitidae Desneux, 1904a
= † <i>Pliotermitinae</i> Pongrácz, 1917
= † <i>Miotermitinae</i> Pongrácz, 1926
Family †Termopsidae Holmgren, 1911
Family Hodotermitidae Desneux, 1904c
Family Archotermopsidae Engel et al., 2009
Family Stolotermitidae Holmgren, 1910a
Subfamily Porotermitinae Emerson, 1942
Subfamily Stolotermitinae Holmgren, 1910a
Family Kalotermitidae Froggatt, 1897
= <i>Glyptotermitinae</i> Froggatt, 1897
= † <i>Electrotermitinae</i> Emerson, 1942
Nanorder Neoisoptera Engel et al., 2009
Family †Archeorhinotermitidae Krishna & Grimaldi, 2003
Family Stylotermitidae Holmgren & Holmgren, 1917
Family Rhinotermitidae Froggatt, 1897
Subfamily Coptotermitinae Holmgren, 1910a
= <i>Arrhinotermitinae</i> Sjöstedt, 1926
Subfamily Heterotermitinae Froggatt, 1897
= <i>Leucotermitinae</i> Holmgren, 1910a
Subfamily Prorhinotermitinae Quennedey & Deligne, 1975
Subfamily Psammotermitinae Holmgren, 1911
Subfamily Termitogetoninae Holmgren, 1910a
Subfamily Rhinotermitinae Froggatt, 1897
Family Serritermitidae Holmgren, 1910a
= <i>Glossotermitinae</i> Cancello and DeSouza, 2005
Family Termitidae Latreille, 1802
Subfamily Apicototermitinae Grassé & Noirot, 1954 [1955]
= <i>Indotermitidae</i> Roonwal & Sen Sarma in Roonwal, 1958
Subfamily Foraminitermitinae Holmgren, 1912
= <i>Pseudomicrotermitinae</i> Holmgren, 1912
Subfamily Sphaerotermitinae Engel & Krishna, 2004a
Subfamily Macrotermitinae Kemner, 1934, nomen protectum [ICZN 2003]
= <i>Acanthotermitinae</i> Sjöstedt, 1926, nomen rejiciendum [ICZN 2003]
= <i>Odontotermitti</i> Weidner, 1956
Subfamily Syntermitinae Engel & Krishna, 2004a
= <i>Cornitermitinae</i> Ensaf et al., 2004, nomen nudum

- Subfamily Nasutitermitinae Hare, 1937
 Subfamily Cubitermitinae Weidner, 1956
 Subfamily Termitinae Latreille, 1802
 = *Microcerotermiteinae* Holmgren, 1910b
 = *Amitermitinae* Kemner, 1934
 = *Mirocapritermitinae* Kemner, 1934
 = *Mirotermitini* Weidner, 1956
 = *Capritermitini* Weidner, 1956

Incertae Sedis

Eutermiteinae Holmgren, 1910b

44. CORNITERMITINAE Ensa et al., 2004: 284, *nomen nudum*. Type genus: *Cornitermes* Wasmann, 1897. Combining stem: Cornitermit–.
45. GLOSSOTERMITINAE Cancello and DeSouza, 2005: 35. Type genus: *Glossotermes* Emerson, 1950. Combining stem: Glossotermit–.
46. †CAATINGATERMITINAE Martins-Neto, Ribeiro-Júnior, and Prezoto, 2006: 127, *nomen invalidum*. Note: I consider this name to be unavailable as the type genus was not explicitly indicated. ICZN (1999) Art. 16.2 requires that after 1999 all new family-group names must have the type genus precisely identified, not implied through the formation of the name. Martins-Neto et al. (2006) nowhere mention the type genus for their new subfamily and include two genera and two species within their grouping. Accordingly, this name fails to meet all of the criteria for availability.
47. †CRATOMASTOTERMITIDAE Engel, Grimaldi, and Krishna, 2009: 9. Type genus: †*Cratomastotermes* Bechly, 2007. Combining stem: Cratomastotermi–.
48. ARCHOTERMOPSIDAE Engel, Grimaldi, and Krishna, 2009: 11. Type genus: *Archotermopsis* Desneux, 1904d. Combining stem: Archotermops–.

Catalog of Names above the Family Group

Here I provide a brief checklist of those names applied to termites above the family-group category. While I have included those supraordinal names which combined termites within an expanded taxon alongside one other group of insects (e.g., Aetioptera Enderlein, 1909), I have not listed those older names which united Isoptera with what are today recognized as numerous other orders (e.g., Platyptera Packard, 1883, for Isoptera, Embioidea, Plecoptera, and Psocoptera). In older literature it is often challenging to determine at what rank a particular name was intended or to what categorical level such a name might be equivalent to today. When it has appeared that a name was intended as a family or category loosely equivalent to today's family group ranks, I have not included it here. For example, the 'Termitida' of Haeckel (1866) was as a family of his order Tocoptera, suborder Pseudoneuroptera, section Corrodentia, despite it having a termination reminiscent of that used in other litera-

ture as an ordinal, or other suprafamilial, suffix. Accordingly, I do not consider the Termitida of Haeckel (1866) to be the same as the Termitina or Termitida of Krausse (1906a, 1906b) and Krausse and Wolff (1919), since the former was clearly a family-group name [and thereby a *nomen translatum*, whether intentional or not, of Latreille's (1802) Termitina], while the latter two were explicitly employed as ordinal names. Lastly, despite the considerable biological significance of, and increasing reference in the literature to, the combined Isoptera + Cryptocercidae clade, a name has not formally been proposed for this lineage. Herein I offer the name Xylophagodea for this important biological grouping.

1. **Isoptères** Brullé, 1832: 66 [Latinized by Brauer 1885].
2. **Orthoptera socialia** Gerstaecker, 1863: 40. Originally deemed a 'guild' or 'fraternity' ("Zunft", conceptually equivalent in his system to a suborder); equivalent to Isoptera.
3. **Socialia** Börner, 1904: 526. Originally deemed a suborder; equivalent to Isoptera of today [Note: Börner's 'Isoptera' included both Embiodea (as suborder Oligonura Börner, 1904) and Isoptera (as Socialia *auctorum*)].
4. **Termiten** Krausse, 1906a: 116. Originally deemed an order; equivalent to Isoptera.
5. **Aetioptera** Enderlein, 1909: 171. Originally deemed a superorder; equivalent to Isoptera + Embiodea [as Embiidina].
6. **Cryptoclidoptera** Enderlein, 1909: 171. Originally deemed a suborder; equivalent to all Isoptera excluding Mastotermitidae.
7. **Hemiclidoptera** Enderlein, 1909: 172. Originally deemed a suborder; equivalent to Mastotermitidae.
8. **Termitida** Krausse and Wolff, 1919: 159 [*vide etiam* Rohdendorf 1977]. Equivalent to Isoptera, a form simultaneously used and preferred by the authors.
9. **Termitodea** Kevan, 1977: 12. Originally deemed a suborder; equivalent to Isoptera + Puknoblattinidea Kevan, 1977 [Note: The latter was simultaneously deemed an infraorder for "Puknoblattinidae Sellards, 1908", although Sellards (1908) never established a family-group for his genus *Puknoblattina*. In considering this genus as the sister group to Isoptera, Kevan (1977) was apparently following the notion of Tillyard (1936).].
10. **Termitidea** Kevan, 1977: 12. Originally deemed an infraorder; equivalent to Isoptera.
11. **Isopterodea** Boudreaux, 1979: 217. Originally deemed a superorder; equivalent to Isoptera as it was the only included order.
12. **Afontanella** Myles, 1998: 334. Originally deemed a suborder; equivalent to Mastotermitidae, Termopsidae s.l., Hodotermitidae, and Kalotermitidae (obviously paraphyletic).
13. **Fontanella** Myles, 1998: 334. Originally deemed a suborder; equivalent to Rhinotermidae, Serritermitidae, and Termitidae.
14. **Octatubula** Myles, 1998: 334. Originally deemed an infraorder; equivalent to Rhinotermidae and Serritermitidae.

15. **Quadritudula** Myles, 1998: 334. Originally deemed an infraorder; equivalent to Termitidae.
16. **Euisoptera** Engel, Grimaldi, and Krishna, 2009: 3. Originally rankless; equivalent to all Isoptera exclusive of Cratomastotermidae and Mastotermitidae.
17. **Neoisoptera** Engel, Grimaldi, and Krishna, 2009: 9. Originally rankless; equivalent to clade comprising Stylotermidae, Rhinotermidae, Serritermitidae, and Termitidae.
18. **Xylophagodea**, herein. Originally rankless; equivalent to clade comprising Isoptera and Cryptocercidae.

Acknowledgements

I am grateful for numerous years of fruitful and enjoyable collaboration with Prof. Kumar Krishna. Dr. David A. Grimaldi and an anonymous reviewer provided valuable input on the manuscript. This is a contribution of the Division of Entomology, University of Kansas Natural History Museum.

References

- Bechly G (2007) Isoptera: Termites. In: Martill DM, Bechly G, Loveridge RF (Eds) The Crato Fossil Beds of Brazil: Window into an Ancient World. Cambridge University Press, Cambridge, 249–262 [total volume xvi+625 pp.]
- Börner C (1904) Zur Systematik der Hexapoden. Zoologischer Anzeiger 27(16–17): 511–533.
- Bouchard P, Bousquet Y, Davies AE, Alonso-Zarazaga MA, Lawrence JF, Lyal CHC, Newton AF, Reid CAM, Schmitt M, Ślipiński A, Smith ABT (2011) Family-group names in Coleoptera (Insecta). ZooKeys 88: 1–972. doi: 10.3897/zookeys.88.807
- Boudreault HB (1979) Arthropod Phylogeny with Special Reference to Insects. Wiley and Sons; New York, NY; viii+320 pp.
- Brauer F (1885) Systematisch-zoologische Studien. Sitzungberichte der Kaiserlichen Akademie der Wissenschaften, Matematisch-Naturwissenschaftliche Klasse, Abteilung 1, Mineralogie, Botanik, Zoologie, Anatomie, Geologie und Paläontologie 91(1): 237–413.
- Brullé GA (1832) Expédition Scientifique de Morée. Section des Sciences Physiques. Tome III. Partie 1. Zoologie. Deuxième Section—Des Animaux Articulés. Levrault, Paris, 400 pp.
- Cancello EM, DeSouza O (2005) A new species of *Glossotermes* (Isoptera): Reappraisal of the generic status with transfer from the Rhinotermidae to the Serritermitidae. Sociobiology 45(1): 31–51.
- Constantino R (2002) Notes on the type-species and synonymy of the genus *Nasutitermes* (Isoptera: Termitidae: Nasutitermitinae). Sociobiology 40(3): 533–537.
- Desneux J (1902) Termites du Sahara Algérien recueillis par M. le professeur Lameere. Annales de la Société Entomologique de Belgique 46(10): 436–440.

- Desneux J (1904a) A propos de la phylogénie des Termitides. Annales de la Société Entomologique de Belgique 48(8): 278–286. [Note: date of publication 2 September 1904].
- Desneux J (1904b) Remarques critiques sur la phylogénie et la division systématique des Termitides (réponse à M. Wasmann). Annales de la Société Entomologique de Belgique 48(10): 372–378. [Note: date of publication 10 November 1904]
- Desneux J (1904c) Isoptera, fam. Termitidae. In: P. Wytsman (editor), Genera Insectorum [Fascicle 25]. P. Wytsman, Bruxelles [Brussels], 1–52. [Note: date of publication 15 November 1904]
- Desneux J (1904d) A new termite from India. Journal of the Bombay Natural History Society 15: 445–446.
- Dudley PH (1890) The termites of the Isthmus of Panama – Part II. Transactions of the New York Academy of Sciences 9: 157–180. [Note: date of publication was June 1890, not 28 April 1890 as cited by Constantino (2002). The results of the 5 May 1890 meeting are published on same page as Dudley's article and the date on the top of the facing page is the date of the previous Academy meeting, not of publication. The journal cover indicates an earliest possible publication date of June 1890.]
- Emerson AE (1942) The relations of a relict South African termite (Isoptera: Hodotermitidae, *Stolotermes*). American Museum Novitates 1187: 1–12.
- Emerson AE (1950) Five new genera of termites from South America and Madagascar (Isoptera, Rhinotermitidae, Termitidae). American Museum Novitates 1444: 1–14.
- Emerson AE (1967 [1968]) Cretaceous insects from Labrador. 3. A new genus and species of termite (Isoptera: Hodotermitidae). Psyche 74(4): 276–289.
- Enderlein G (1909) Die Klassifikation der Embiidinen, nebst morphologischen und physiologischen Bemerkungen, besonders über das Spinnen derselben. Zoologischer Anzeiger 35(6): 166–191.
- Engel MS (2005) Family-group names for bees (Hymenoptera: Apoidea). American Museum Novitates 3476: 1–33. doi: 10.1206/0003-0082(2005)476[0001:FNFBHA]2.0.CO;2
- Engel MS, Haas F (2007) Family-group names for earwigs (Dermaptera). American Museum Novitates 3567: 1–20. doi: 10.1206/0003-0082(2007)539[1:FNFED]2.0.CO;2
- Engel MS, Krishna K (2001a) *Kalotermes* Hagen, 1853 (Insecta, Isoptera): Proposed designation of *Termes flavidus* Fabricius, 1793 as the type species. Bulletin of Zoological Nomenclature 58(2): 100–104.
- Engel MS, Krishna K (2001b) Macrotermitinae Kemner, 1934 (Insecta, Isoptera): Proposed precedence over Acanthotermitinae Sjöstedt, 1926. Bulletin of Zoological Nomenclature 58(3): 206–209.
- Engel MS, Krishna K (2004a) Family-group names for termites (Isoptera). American Museum Novitates 3432: 1–9. doi: 10.1206/0003-0082(2004)432<0001:FNFTI>2.0.CO;2
- Engel MS, Krishna K (2004b) An overlooked family-group name for termites (Isoptera). Entomological News 115(3): 168.
- Engel MS, Krishna K (2004c) Comment on the proposed conservation of prevailing usage of *Termopsidae* Holmgren, 1911, *Termopsis* Heer, 1849 and *Miotermes* Rosen, 1913 (Insecta, Isoptera). Bulletin of Zoological Nomenclature 61(3): 169–170.

- Engel MS, Krishna K (2005a) *Nasutitermes* Dudley, 1890, *Microcerotermes* Silvestri, 1901 and *Nasutitermitinae* Hare, 1937 (Insecta, Isoptera): Proposed conservation. Bulletin of Zoological Nomenclature 62(1): 8–13.
- Engel MS, Krishna K (2005b) Comment on the proposed suppression of *Eutermes* Heer, 1849 to conserve the generic names *Nasutitermes* Dudley, 1890 and *Microcerotermes* Silvestri, 1901, and on the proposed designation of *Eutermes costalis* Holmgren, 1910 as type species of *Nasutitermes* Dudley, 1890 (Insecta, Isoptera). Bulletin of Zoological Nomenclature 62(4): 240.
- Engel MS, Krishna K (2007) Two overlooked family-group names for fossil termites (Isoptera: Mastotermitidae). Entomological News 118(1): 105–106. doi: 10.3157/0013-872X(2007)118[105:TOFNFF]2.0.CO;2
- Engel MS, Krishna K, Boyko C (2003) Termopsidae Holmgren, 1911, *Termopsis* Heer, 1849 and *Miotermes* Rosen, 1913 (Insecta, Isoptera): proposed conservation of prevailing usage by the designation of *Termopsis bremii* Heer, 1849 as the type species of *Termopsis*. Bulletin of Zoological Nomenclature 60(2): 119–123.
- Engel MS, Grimaldi DA, Krishna K (2009) Termites (Isoptera): Their phylogeny, classification, and rise to ecological dominance. American Museum Novitates 3650: 1–27. doi: 10.1206/651.1
- Ensaf A, Garrouste RE, Betsch J-M, Nel A (2004) *Dolichorhinotermes longilabius* (Emerson, 1925), new species for French Guiana, with a preliminary list of the termites in French Guiana. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 77(3–4): 277–288.
- Froggatt WW (1897) Australian Termitidae, Part II. Proceedings of the Linnean Society of New South Wales 21(4): 510–552.
- Gerstaecker CEA (1863) Arthropoda. In: Peters WCH, Carus JV, Gerstaecker CEA (Eds) Handbuch der Zoologie: Zweiter Band [Arthropoden (Gerstaecker), Raderthiere [sic], Würmer, Echinodermen, Coelenteraten und Protozoen (Carus)]. Engelmann, Leipzig, Germany, 1– viii+642+8 pp.
- Grassé P-P, Noirot C (1954 [1955]) *Apicotermes arquieri* (Isoptère): Ses constructions, sa biologie. Considérations générales sur la sous-famille des Apicotermitinæ nov. Annales des Sciences Naturelles, Zoologie, Série 11 16(3–4): 345–388. [Note: date of publication February 1955]
- Haeckel E (1866) Generelle Morphologie der Organismen. Allgemeine Grundzüge der organischen Formen-Wissenschaft, mechanisch begründet durch die von Charles Darwin reformirte Descendenz-Theorie. Zweiter Band: Allgemeine Entwicklungsgeschichte der Organismen. Reimer, Berlin, Germany, i–clx+1–462 pp.
- Hagen H (1853) Hr. Peters Berichtete über die von ihm gesammelten und von Hrn. Dr. Hermann Hagen bearbeiten Neuropteren aus Mossambique. Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin 18: 479–484.
- Hagen H (1858) Monographie der Termiten. Linnaea Entomologica 12: 1–342.
- Hare L (1937) Termite phylogeny as evidenced by soldier mandible development. Annals of the Entomological Society of America 37(3): 459–486.

- Heer O (1849) Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens. Zweiter Theil: Heuschrecken, Florfliegen, Aderflügler, Schmetterlinge und Fliegen. Engelmann, Leipzig, iv+264 pp.
- Holmgren K, Holmgren N (1917) Report on a collection of termites from India. Memoirs of the Department of Agriculture in India 5: 137–171.
- Holmgren N (1909) Termitenstudien: 1. Anatomische Untersuchungen. Kungliga Svenska Vetenskapsakademiens Handlingar 44(3): 1–215.
- Holmgren N (1910a) Das System der Termiten. Zoologischer Anzeiger 35(9–10): 284–286. [Note: date of publication 4 January 1910]
- Holmgren N (1910b) Isoptera [The Percy Sladen Trust Expedition to the Indian Ocean in 1905 under the leadership of Mr. J. Stanley Gardiner]. Transactions of the Linnean Society of London, Series 2, Zoology 14(8): 135–148. [Note: date of publication November 1910]
- Holmgren N (1911) Termitenstudien: 2. Systematik der Termiten. Die Familien Protermitidae und Mesotermitidae. Kungliga Svenska Vetenskapsakademiens Handlingar 46(6): 1–86.
- Holmgren N (1912) Termitenstudien: 3. Systematik der Termiten. Die Familie Metatermitidae. Kungliga Svenska Vetenskapsakademiens Handlingar 48(4): 1–166.
- Holmgren N (1914) Wissenschaftliche Ergebnisse einer Forschungsreise nach Ostindien, ausgeführt im Auftrage der Kgl. Preuss. Akademie der Wissenschaften zu Berlin von H. v. Buttel-Reepen. III. Termiten aus Sumatra, Java, Malacca und Ceylon. Gesammelt von Herrn Prof. Dr. v. Buttel-Reepen in den Jahren 1911–1912. Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere 36(2–3): 229–290.
- International Commission on Zoological Nomenclature [ICZN] (1999) International Code of Zoological Nomenclature [Fourth Edition]. International Trust for Zoological Nomenclature, London, xix+306 pp.
- International Commission on Zoological Nomenclature [ICZN] (2002) Opinion 2007: *Kalotermes* Hagen, 1853 (Insecta, Isoptera): *Termes flavigollis* Fabricius, 1793 designated as the type species. Bulletin of Zoological Nomenclature 59(3): 209–210.
- International Commission on Zoological Nomenclature [ICZN] (2003) Opinion 2038: Macrottermitinae Kemner, 1934 (Insecta, Isoptera): Given precedence over Acanthotermitinae Sjöstedt, 1926. Bulletin of Zoological Nomenclature 60(2): 162–163.
- International Commission on Zoological Nomenclature [ICZN] (2005) Opinion 2124: Termopsidae Holmgren, 1911, *Termopsis* Heer, 1849 and *Miotermes* Rosen, 1913 (Insecta, Isoptera): Usage conserved by the designation of *Termopsis bremii* Heer, 1849 as the type species of *Termopsis* and the family-group name Termopsidae given precedence over Stolotermitinae Holmgren, 1910. Bulletin of Zoological Nomenclature 62(3): 164–166.
- International Commission on Zoological Nomenclature [ICZN] (2007) Opinion 2168: *Nasutitermes* Dudley, 1890, *Microcerotermes* Silvestri, 1901 and Nasutitermitinae Hare, 1937 (Insecta, Isoptera): Application to conserve names not approved. Bulletin of Zoological Nomenclature 64(1): 73–74.
- Kemner NA (1934) Systematische und biologische Studien über die Termiten Javas und Celebes'. Kungliga Svenska Vetenskapsakademiens Handlingar 13(4): 1–241.

- Kevan DKM (1977) The higher classification of the orthopteroid insects [+ separately paginated appendix entitled: Suprafamilial classification of “orthopteroid” and related insects; a draft scheme for discussion and consideration]. Lyman Entomological Museum and Research Laboratory Memoir 4(Special Publication 12): 1–52+1–26 [appendix]
- Krausse AH (1906a) Über die Systematik der Insekten. Insekten-Börse 23(29): 115–116.
- Krausse AH (1906b) Über die Systematik der Insekten. Insekten-Börse 23(30): 120.
- Krausse AH, Wolff M (1919) Eine Übersicht über die bisher aufgestellten fossilen und rezenten Insektenordnungen. Archiv für Naturgeschichte, Abteilung A 85(3): 151–171.
- Krishna K, Grimaldi D (2000) A new subfamily, genus, and species of termite (Isoptera) from New Jersey Cretaceous amber. In: Grimaldi D (Ed) Studies on Fossils in Amber, with Particular Reference to the Cretaceous of New Jersey. Backhuys Publishers, Leiden, 133–140 [total volume viii+498 pp.]
- Krishna K, Grimaldi DA (2003) The first Cretaceous Rhinotermitidae (Isoptera): A new species, genus, and subfamily in Burmese amber. American Museum Novitates 3390: 1–10. doi: 10.1206/0003-0082(2003)390<0001:TFCRIA>2.0.CO;2
- Latreille PA (1802) Histoire Naturelle, Générale et Particulière des Crustacés et des Insectes [Volume 3]. Dufart, Paris, xii+467 pp.
- Latreille PA (1805) Histoire Naturelle, Générale et Particulière des Crustacés et des Insectes [Volume 13]. Dufart, Paris, 432 pp.
- Latreille PA (1810) Considérations Générales sur l’ordre Naturel des Animaux composant les Classes des Crustacés, des Arachnides, et des Insectes; avec un tableau méthodique de leurs genres, disposés en familles. F. Schoell, Paris, 444 pp.
- Linnaeus C (1758) *Systema Naturae per Regna Tria Natura, Secundum Classes, Ordines, Genera, Species, cum Characteribus, Differentiis Synonymis, Locis* [10th Edition, revised]. Laurentii Salvii, Holmiae [Stockholm], 824 pp.
- Martins-Neto RG, Ribeiro-Júnior C, Prezoto F (2006) New fossils (Isoptera: Hodotermitidae), from the Santana Formation (Lower Cretaceous, Araripe Basin, northeast Brazil), with descriptions of new taxa including a new subfamily. *Sociobiology* 47(1): 125–134.
- Menke AS (1997) Family-group names in Sphecidae (Hymenoptera: Apoidea). *Journal of Hymenoptera Research* 6(2): 243–255.
- Menke AS, Bouchard P, Buck M (2008) Two overlooked family-group names in Sphecidae (Hymenoptera: Apoidea) and Tenebrionidae (Coleoptera: Tenebrionoidea). *Proceedings of the Entomological Society of Washington* 110(3): 816. doi: 10.4289/0013-8797-110.3.816
- Michener CD (1986) Family-group names among bees. *Journal of the Kansas Entomological Society* 59(2): 219–234.
- Miller KB (2009) Genus- and family-group names in the order Embioptera (Insecta). *Zootaxa* 2055: 1–34.
- Myles TG (1998) Phylogeny and taxonomy of the Isoptera. In: Schwarz MP, Hogendoorn K (Eds) *Social Insects at the Turn of the Millennium*. Flinders University Press, Adelaide, Australia, 334 [total volume [v]+535 pp.]
- Packard AS, Jr (1883) On the classification of the Linnæan orders of Orthoptera and Neuroptera. *American Naturalist* 17(8): 820–829.

- Pongrácz A (1926) Über fossile Termiten Ungarns. Mitteilungen aus dem Jahrbuch der Königlichen Ungarischen Geologischen Anstalt 25: 23–30.
- Pongrácz S (1917) Új harmadidöszaki termeszfaj Radobojról. A Magyar Királyi Földtani Intézet Évkönyve 25: 23–36.
- Quennedey A, Deligne J (1975) L'arme frontale des soldats de termites. I. Rhinotermidae. Insectes Sociaux 22(3): 243–267. doi: 10.1007/BF02223076
- Rohdendorf BB (1977) The rationalization of names of higher taxa in zoology. Paleontologicheskiy Zhurnal 1977(2): 14–22. [In Russian, with English translation in Paleontological Journal, 1977, 11(2): 149–155.]
- Roisin Y (2005) Comment on the proposed conservation of *Nasutitermes* Dudley, 1980, *Microcerotermes* Silvestri, 1901 and Nasutitermitinae Hare, 1937 (Insecta, Isoptera). Bulletin of Zoological Nomenclature 62(3): 149–150.
- Roonwal ML (1958) Recent work on termite research in India (1947–57). Transactions of the Bose Research Institute 22: 77–100.
- Roonwal ML, Sen-Sarma PK (1960) Contributions to the systematics of Oriental termites. Indian Council of Agricultural Research Monograph 1: i–xiv+1–407.
- Rosen K von (1913) Die fossilen Termiten: Eine kurze Zusammenfassung der bis jetzt bekannten Funde. Transactions of the Second International Congress of Entomology, Oxford (1912) 2: 318–335, +6 pls.
- Sabrosky CW (1999) Family-group names in Diptera: An annotated catalog. Myia 10: 1–360.
- Schlüter T (1989) Neue Daten über harzkonservierte Arthropoden aus dem Cenomanium NW-Frankreichs. Documenta Naturae, München 56(5): 59–70.
- Sellards EH (1908) Cockroaches of the Kansas Coal Measures and of the Kansas Permian. University of Kansas Geological Survey Bulletin 9: 501–535, +14 pls.
- Silvestri F (1901) Nota preliminare sui Termitidi sud-americani. Bollettino dei Musei di Zootologia ed Anatomia comparata della Reale Università di Torino 16: 1–8.
- Silvestri F (1909) Isoptera. In: Michaelson W, Hartmeyer R (Eds) Die Fauna Südwest-Australiens. Ergebnisse der Hamburger südwest-australischen Forschungsreise 1905 [Volume 2, Part 17]. Gustav Fischer, Jena, 279–314 [total volume 314 pp.]
- Sjöstedt Y (1900) Vorläufige Diagnosen einiger afrikanischen Termiten. Entomologisk Tidskrift 20(4): 278.
- Sjöstedt Y (1926) Revision der Termiten Afrikas: 3. Monographie. Kungliga Svenska Vetenskapsakademiens Handlingar 3(3): 1–419.
- Sobti RC, Kumari M, Sharma VL, Sodhi M, Mukesh M, Shouche Y (2009) Sequence analysis of a few species of termites (order: Isoptera) on the basis of partial characterization of COII gene. Molecular and Cellular Biochemistry 331(1–2): 145–151. doi: 10.1007/s11010-009-0152-z
- Speidel W, Naumann CM (2004) A survey of family-group names in noctuoid moths (Insecta: Lepidoptera). Systematics and Biodiversity 2(2): 191–221. doi: 10.1017/S1477200004001409
- Szalanski AL, Austin JW, Owens CB (2003) Identification of *Reticulitermes* spp. (Isoptera: Reticulitermatidae [sic]) from south central United States by PCR-RFLP. Journal of Economic Entomology 96(5): 1514–1519. doi: 10.1603/0022-0493-96.5.1514

- Tillyard RJ (1936) Are termites descended from true cockroaches? *Nature* 137(3468): 655. doi: 10.1038/137655a0
- Wahl DB, Mason WRM (1995) The family-group names of the Ichneumoninae (Hymenoptera: Ichneumonidae). *Journal of Hymenoptera Research* 4: 285–293.
- Wasemann E (1896) Viaggio di Leonardo Fea in Birmania e regioni vicine LXXII. Neue Termitophilen und Termiten aus Indien. I–III. *Annali del Museo Civico di Storia Naturale di Genova, Serie 2* 16: 613–630.
- Wasemann E (1897) Termiten von Madagaskar und Ostafrika. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft* 21(1): 137–182.
- Wasemann E (1902) Termiten, Termitophilen und Myrmekophilen, gesammelt auf Ceylon von Dr. W. Horn 1899, mit anderm ostindischen Material bearbeitet. *Zoologischer Jahrbücher, Abteilung für Systematik, Ökologie und Geographie der Tiere* 17: 99–164.
- Wasemann E (1906) Beispiele rezenter Artenbildung bei Ameisengästen und Termitengästen. *Biologisches Centralblatt* 26(17–18): 565–580.
- Weidner H (1956) Beiträge zur Kenntnis der Termiten Angolas, hauptsächlich auf Grund der Sammlungen und Beobachtungen von A. de Barros Machado (I. Beitrag). *Publicações Culturais da Companhia de Diamantes de Angola* 29: 55–106.