

# Host relationships and geographic distribution of species of *Acanthobothrium* Blanchard, 1848 (Onchoproteocephalidea, Onchobothriidae) in elasmobranchs: a metadata analysis

Francisco Zaragoza-Tapia<sup>1</sup>, Griselda Pulido-Flores<sup>1,2</sup>,  
Scott L. Gardner<sup>2</sup>, Scott Monks<sup>1,2</sup>

**1** Universidad Autónoma del Estado de Hidalgo, Centro de Investigaciones Biológicas, Apartado Postal 1-10, C.P. 42001, Pachuca, Hidalgo, México **2** Harold W. Manter Laboratory of Parasitology, University of Nebraska-Lincoln, Lincoln, NE 68588-0514, USA

Corresponding author: Scott Monks (monks.scott@gmail.com)

---

Academic editor: Boyko Georgiev | Received 6 September 2019 | Accepted 7 April 2020 | Published 11 June 2020

---

<http://zoobank.org/95F2582D-A68C-4728-868D-EEDD5D97B7ED>

---

**Citation:** Zaragoza-Tapia F, Pulido-Flores G, Gardner SL, Monks S (2020) Host relationships and geographic distribution of species of *Acanthobothrium* Blanchard, 1848 (Onchoproteocephalidea, Onchobothriidae) in elasmobranchs: a metadata analysis. ZooKeys 940: 1–49. <https://doi.org/10.3897/zookeys.940.46352>

---

## Abstract

Species of *Acanthobothrium* have been documented as parasites of the spiral intestine of elasmobranchs. Results of a metadata analysis indicate that 114 species of elasmobranchs have been reported as hosts of 200 species of *Acanthobothrium*. The metadata analysis revealed that 3.7% of species of sharks and 14.9% of species of rays that have been reported as hosts to date; some species are parasitized by more than one species of *Acanthobothrium*. This work provides a Category designation, as proposed by Ghoshroy and Caira (2001), for each species of *Acanthobothrium*. These Category designations are a tool to facilitate comparisons among members of *Acanthobothrium* for descriptions of new species in the future.

## Keywords

Biodiversity, Elasmobranchii, Eucestoda, geographic distribution, rays, sharks

## Introduction

According to Last et al. (2016b), there are 34 families comprised of 516 valid species of sharks and 26 families that include 633 valid species of rays. Since that publication, six new species of sharks and rays were described by: Yokota and Carvalho (2017) (two species of rays), Vaz and Carvalho (2018) (one species of shark), Rutledge (2019) (one species of ray), Grace et al. (2019) (one species of shark) and Concha et al. (2019) (one species of ray). This brought the current number of recognized species to 517 species of sharks and 637 species of rays.

Elasmobranchs (sharks, skates and rays) are host to a great variety of parasites in nature, particularly helminths. *Acanthobothrium* Blanchard, 1848 (Onchoproteocephalidea) is the most diverse genus that has been reported as parasite of the spiral intestine of elasmobranchs (Caira and Jensen 2017). At the present time, 201 species of *Acanthobothrium* are considered to be valid (Maleki et al. 2013; Caira and Jensen 2017; Rodríguez-Ibarra et al. 2018; Franzese and Ivanov 2018; Maleki et al. 2019; Zaragoza-Tapia et al. 2019, 2020). The genus consists of species that exclusively parasitize elasmobranchs as adults and, in many cases, individual species are thought to parasitize only a single species of elasmobranch (Caira 2011; Caira and Jensen 2017). Therefore, the genus *Acanthobothrium* is an excellent model for future studies of host-parasite co-speciation.

The main goal of this work is to provide a revised checklist based on a metadata analysis of the host relationships of members of *Acanthobothrium* and their geographic distribution based on records that have been generated from different parts of the world. The checklist focuses on the 201 valid species of *Acanthobothrium* and reports correlated with the genera and species of elasmobranchs, and includes the geographical distribution of each.

The number of species of *Acanthobothrium* continues to grow and there are still regions of the world without a single report of this genus (see Figure 1). For some time, the process of distinguishing new species of *Acanthobothrium* from existing species has become more and more unwieldy because of the large number of species. As an identification tool, Ghoshroy and Caira (2001) developed a categorical method for identifying species for initial comparisons. Therefore, in order to provide an update to this method, categorical designations are provided in the present checklist for each species of *Acanthobothrium* in the manner proposed by Ghoshroy and Caira (2001). The categories are based on and obtained from the combination of four quantitative characters: total length of the worm; the number of proglottids comprising the strobila; the number of testes per proglottid; and symmetry of the ovarian lobes. This categorical designation allows parasitologists working with this genus to postulate a group of similar species, those of the same category designation, for comparison of a new species or to aid in the preliminary identification of known species. As an additional aid, in the checklist the accession number, if known, of type specimens of each species is provided.

## Materials and methods


The checklist, updated until March 2020, was based on bibliographical information from two sources of information: 1. a compilation of the records of species of *Acanthobothrium* as originally described, complemented by information gathered from Global Cestode Database (Caira et al. 2019) and from recent compilation studies (e.g., Ghoshroy and Caira 2001; Campbell and Beveridge 2002; Fyler and Caira 2006; Caira and Jensen 2017); and 2. information for the distribution and taxonomy of elasmobranchs that integrated a bibliographical search using different databases of literature published to date (e.g., Del Moral-Flores et al. 2015; Last et al. 2016b; Merlo-Serna and García-Prieto 2016; Alves et al. 2017) and data from FishBase (Froese and Pauly 2019).

In the checklist, the species of *Acanthobothrium* are arranged in alphabetical order. The scientific names and geographic distribution of elasmobranchs have been updated based on Last et al. (2016a, 2016b), Amaral et al. (2018) and Froese and Pauly (2019). The regional classification scheme of the geographic distribution of the hosts is according to Last et al. (2016b) with additional information from Froese and Pauly (2019). The following abbreviations are used for biogeographic regions (see Figure 1):

<b>ARC</b>	Arctic Ocean;	<b>NIO</b>	Northern Indian Ocean;
<b>ECA</b>	Eastern Central Atlantic;	<b>SOC</b>	Southern (Antarctic) Ocean;
<b>ECP</b>	Eastern Central Pacific;	<b>WCA</b>	Western Central Atlantic;
<b>EIO</b>	Eastern Indian Ocean;	<b>WCP</b>	Western Central Pacific;
<b>ENA</b>	Eastern North Atlantic;	<b>WIO</b>	Western Indian Ocean;
<b>ENP</b>	Eastern North Pacific;	<b>WNA</b>	Western North Atlantic;
<b>ESA</b>	Eastern South Atlantic;	<b>WNP</b>	Western North Pacific;
<b>ESP</b>	Eastern South Pacific;	<b>WSA</b>	Western South Atlantic;
<b>MED</b>	Mediterranean Sea;	<b>WSP</b>	Western South Pacific.

Information for each species of *Acanthobothrium* presented herein includes the name of the species, authority (original description referenced in the literature cited), abbreviation of the name of the collection where specimens are deposited and the accession numbers of the specimens, followed by the status of the specimens (holotype, paratype, neotype, syntype or voucher). The acronym “NR” was used for data that are not reported in the original source. Localities (type or/and additional localities) were given and referenced in the literature cited. A Category designation was supplied for all species using the categorical method proposed by Ghoshroy and Caira (2001).

The categorical method was developed as a system of grouping species of *Acanthobothrium* based on the combination of four qualitative characters: the total length of worms- ≤ 15 mm = S (short) or > 15 mm = L (long); the number of proglottids comprising the strobila- ≤ 50 = F (few) or > 50 = M (many); the number of testes per proglottid- ≤ 80 = F (few) or > 80 = M (many); and symmetry of the ovarian lobes-symmetrical = S or asymmetrical = A. Of the possible combinations the following 10



**Figure 1.** Type localities of species of *Acanthobothrium* reported worldwide and the biogeographic regions (Last et al. 2016b) of the geographic distribution of their hosts (see Table 1).

categories currently are recognized and coded as follows: 1 = SFFS; 2 = SFFA; 3 = LMMA; 4 = LMMS; 5 = LMFS; 6 = LMFA; 7 = LFFA; 8 = SMFS; 9 = LFFS; 10 = SMMS. This method limited the number of necessary comparisons required in the description between known species with new species assigned to the same Category. For this work, the categories and characteristics were used as in Ghoshroy and Caira (2001) and Fyler and Caira (2006) but the character values are as given in the original descriptions or as supplemented by the most recent taxonomic publications. In the Category designation, the type species is identified by number for this classification; the symbol “–” was used for the additional reports of species with additional hosts and/or localities.

For specimens deposited in a formal collection, acronyms are as follows:

<b>AMS</b>	Australian Museum, Sydney;
<b>CH-MHNJP</b>	Colecciones Helmintológicas del Museo de Historia Natural “Javier Prado” y del Instituto de Medicina Tropical “Daniel. A. Carrión”, Universidad Mayor de San Marcos, Perú;
<b>CHE</b>	Colección de Helmintos, Centro de Investigaciones Biológicas, Universidad Autónoma del Estado de Hidalgo, Pachuca, México;
<b>CHIOC</b>	Coleção Helmintológica do Instituto Oswaldo Cruz, Rio de Janeiro, Brazil;
<b>CNHE</b>	Colección Nacional de Helmintos del Instituto de Biología, Universidad Nacional Autónoma de México, México;

<b>DMNZ</b>	Dominion Musem (=National Museum), New Zealand;
<b>DZAUW</b>	Department of Zoology, Andhra University, Waltair, India;
<b>DZCJ</b>	Department of Zoology, Bipin Bihari, P. G. College, Jhansi, India;
<b>HWML</b>	University of Nebraska State Museum, Harold W. Manter Laboratory, Division of Parasitology, Lincoln, Nebraska, United States;
<b>IPCAS</b>	Institute of Parasitology, Academy of Sciences of the Czech Republic, České Budějovice, Czech Republic;
<b>IPMB</b>	Institut Penyelidikan Marin Borneo (Borneo Marine Research Institute), Universiti Malaysia Sabah, Kota Kinabalu, Sabah, Malaysia;
<b>LRP</b>	Lawrence R. Penner Parasitology Collection, Helminthological Collection, University of Connecticut, Storrs, Connecticut, United States;
<b>MACN-Pa</b>	Museo Argentino de Ciencias Naturales, Colección Parasitológica, Buenos Aires, Argentina;
<b>MEPN</b>	Museum of the Escuela Politecnica Nacional, Quito, Ecuador;
<b>MHNLS</b>	Museo de Historia Natural La Salle, Caracas, Venezuela;
<b>MHNP</b>	Museo de Historia Natural, Lima, Peru;
<b>MLP</b>	Museo de Ciencias Naturales de La Plata, Departamento de Zoología Invertebrados (Parasitología), Argentina;
<b>MNHG</b>	Museum of Natural History, Geneva, Switzerland;
<b>MNHN</b>	Muséum National d'Histoire Naturelle, Paris;
<b>MNHNC</b>	Museo Nacional de Historia Natural de Chile;
<b>MPM</b>	Meguro Parasitology Museum, Tokyo, Japan;
<b>MZUM (P)</b>	Muzium Zoologi, Universiti Malaya, Kuala Lumpur, Malaysia;
<b>MZUSP</b>	Museu de Zoologia da Universidade de São Paulo, Brazil;
<b>NHMUK</b>	The Natural History Museum, London;
<b>NMNS</b>	National Museum of Natural Science, Taichung, Taiwan;
<b>PRLXU</b>	Parasitology Research Laboratory, Xiamen University, China;
<b>QM</b>	Queensland Museum, Brisbane, Queensland, Australia;
<b>SAM AHC</b>	South Australian Museum, Adelaide, Australia;
<b>SBC</b>	Sarawak Biodiversity Center, Kuching, Sarawak, Malaysia;
<b>SPUK</b>	School of Parasitology, Department of Zoology, University of Karachi, Pakistan;
<b>SYSU</b>	School of Life Sciences, Sun Yat-sen University;
<b>UAA</b>	Department of Zoology, University of Allahabad, Allahabad, India;
<b>USNPC</b>	United States National Parasite Collection, Beltsville, Maryland, United States;
<b>ZCUOK</b>	Zoological Collection, University of Kurdistan, Sanandaj, Iran;
<b>ZIMC</b>	Collection of the Zoological Survey of India, Indian Museum, Calcutta and the Collection of the Department of Zoology, the University of Allahabad, India;
<b>ZMB</b>	Natural History Museum Berlin, Germany;
<b>ZUTC</b>	Collection of the Zoological Museum, University of Tehran, Tehran, Iran.

**Table 1.** Species of *Acanthobothrium* reported from the different species of elasmobranchs of the world. Abbreviations: Gd = Geographical distribution; Ht = Holotype; Nt = Neotype; Pt = Paratype; Va = Voucher; Loc = Locality; Sou = Source; Cd = Category designation; \* = Category designation obtained from Ghoshroy and Caira (2001); § = Category designation obtained from Fyler and Caira (2006); † = Additional locality; ‡ = Category designation obtained from Fyler and Caira (2006); ¶ = Category designation obtained in this study from original descriptions; \*\* = Host identification requiring confirmation.

Species of <i>Acanthobothrium</i>	Ht	Nt, Pt or Va	Species of Host	Gd	Loc	Sou	Cd
<i>A. adlardii</i> Campbell & Beveridge, 2002	SAM AHC 28210	SAM AHC 22723; 22724	<i>Pristiphorus cirratus</i> (Latham, 1794)	EIO, WSP	Port Stanvac, South Australia	Campbell and Beveridge (2002)	4§
<i>A. aerobatidis</i> (Shipley, 1900)	NR	NR	<i>Aeobatitus marinari**</i> (Euphrasen, 1790)	WSA, WCA, WNA, ECA	Lifu, Loyalty Islands	Shipley (1900), Southwell (1925), Baer and Euzet (1962), Goldstein (1967)	6§
<i>A. amazonensis</i> Mayes, Brooks & Thorson, 1978	USNPC 74806	USNPC 74807; HWML 20562	<i>Potamotrygon circularis</i> German, 1913	WSA	Iracuari River, Brazil	Mayes et al. (1978)	5‡
<i>A. americanum</i> Campbell, 1969	USNPC 71355	USNPC 71356	<i>Hypanus americanus</i> (Hildebrand & Schroeder, 1928)	WSA, WCA, WNA	Chesapeake Bay, Virginia, USA	Campbell (1969)	6‡
<i>A. americanum</i> †	NR	NR	<i>Hypanus americanus</i>	WSA, WCA, WNA	Isla Margarita, Venezuela	Mayes and Brooks (1981)	—
<i>A. angelae</i> Campbell & Beveridge, 2002	SAM AHC 22661	SAM AHC 22709; 22712	<i>Hymnos monopterygius</i> (Shaw, 1795)	EIO, WSP	Yarraville Shoals, South Australia	Campbell and Beveridge (2002)	5§
<i>A. annapinkensis</i> Carvajal & Goldstein, 1971	MNHNC 20.003	NR	<i>Zearaja chilensis</i> (Guichenot, 1848)	ESP; WSA,	Anna Pink Bay, Chile	Carvajal-G. and Goldstein (1971)	2‡
<i>A. arthraea</i> Campbell & Beveridge, 2002	SAM AHC 28225	SAM AHC 28226	<i>Aeobatitus marinari**</i>	WSA, WCA, WNA, ECA	Fog Bay, Timor Sea, North Australia	Campbell and Beveridge (2002)	6§
<i>A. asiniae</i> Fyler & Caira, 2006	MZUM (P) 142	USNPC 96413; IRP 3809-3812, IRP 3814 (including cross sections and SEM specimens); MZUM (P) 143-144; IPMB 77.14.04	<i>Urotrygonnus polyplepis</i> (Bleeker, 1852)	NIO, WCP	Off Kampung Abai, Kinabatangan River, Sabah, Malaysia	Fyler and Caira (2006)	1§
<i>A. asiniae</i> Maleki, Malek & Palm, 2015	ZUTC 1325	ZUTC 1326; ZMB E.7569; SEM voucher ZUTC 1327	<i>Rhynchobothrius cf. diuidensis**</i> (Forskå, 1775)	WIO, NIO	Persian Gulf, Iran	Maleki et al. (2015)	1¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. atahualpai</i> Marques, Brooks & Barriga, 1997	MEPN 3029	MNHG 22098; CNHE 3029	<i>Gymnura afuerae</i> (Hildebrand, 1946)	ECP, ESP	Puerto Bolívar, Provincia de El Oro, Ecuador	Marques et al. (1997a)	1‡
<i>A. australis</i> Robinson, 1965	AMS	AMS	<i>Squalus megalops</i> (Macleay, 1881)	ENA, MED, ECA, ESA, WIO, EJO, WSP	Eden, New South Wales, Australia	Robinson (1965)	3§
<i>A. australis</i> †	NR	SAM AHC 22696	<i>Squalus megalops</i>	ENA, MED, ECA, ESA, WIO, EJO, WSP	Beachport, South Australia	Campbell and Beveridge (2002)	—
<i>A. bajaensis</i> Appy & Dailey, 1973	USNPC 72567	USNPC 72568	<i>Heterodontus francisci</i> (Girard, 1855)	ECP, ESP	San Quintin Bay, Baja California, Mexico	Appy and Dailey (1973)	4‡
<i>A. bajaensis</i> †	NR	NR	<i>Heterodontus francisci</i>	ECP, ESP	Newport Bay, California, USA	Appy and Dailey (1973)	—
<i>A. bartonae</i> Campbell & Beveridge, 2002	SAM AHC 28235	NR	<i>Rhynchohobatusdjiddensis</i> **	WIO, NIO	Broomes, Western Australia	Campbell and Beveridge (2002)	1§
<i>A. batailloni</i> Euzet, 1955	NR	NR	<i>Myliobatis aquila</i> (Linnaeus, 1758)	ENA, MED, ECA, ESA, WIO	Mediterranean Sea, Gulf du Lion	Euzet (1955)	7(2)‡
<i>A. batailloni</i> *†	NR	MNHNC 20015	<i>Myliobatis chilensis</i> ** Philippi, 1892	ESP	Antofagasta, Chile	Carvajal-G. and Jéges-G. (1980)	—
<i>A. batailloni</i> *†	NR	NR	<i>Myliobatis chilensis</i> **	ESP	Coquimbo, Chile	Carvajal-G. and Jéges-G. (1980)	—
<i>A. batailloni</i> *†	NR	NR	<i>Myliobatis chilensis</i> **	ESP	Trujillo, Peru	Escalante-A. (1986)	—
<i>A. benedenii</i> (Lönnberg, 1889)	NR	NR	<i>Raja clavata</i> Linnaeus, 1758	ENA, MED, ECA, ESA, WIO	Mediterranean Sea	Lönnberg (1889)	2¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. benedetti</i> *†	NR	NR	<i>Pteroplatyrygon violacea</i> ** (Bonaparte, 1832)	ENP; ECP; ESP; WSA, WCA, WNA, ENA, MED, ECA, ESA, EIO, WSR, WCP; WNP	Naples, Italy	Baer (1948)	—
<i>A. benedetti</i> *†	NR	NR	<i>Torpedo marmorata</i> * Riso, 1810	ENA, MED, ECA, ESA	Casablanca, Marruecos	Euzet (1952), Euzet (1959)	—
<i>A. bengalense</i> Baer & Euzet, 1962	NR	NR	<i>Pastinachus sephen</i> (Forsskål, 1775)	NIO	Nagapattinam, India	Baer and Euzet (1962)	4§
<i>A. blairi</i> Campbell & Beveridge, 2002	SAM AHC 28211	SAM AHC 28212	<i>Dipturus whiteleyi</i> (Iredale, 1938)	EIO, WSP	Stanley, Tasmania	Campbell and Beveridge (2002)	3§
<i>A. blairi</i> †	NR	NR	<i>Dipturus whiteleyi</i>	EIO, WSP	Spencer Gulf, South Australia	Campbell and Beveridge (2002)	—
<i>A. bobcomiorum</i> Fyler & Caira, 2010	QM G23249	QM G232500–G232501; USNPC 104278; LRP 7583–7585; cross sections of one paratype worm and voucher LRP 7586, 7588, 7589; SEM LRP 7587–7590	<i>Rhynchoholatus laevis</i> ** (Bloch & Schneider, 1801)	NIO, WNP	Gove Harbor, Gulf of Carpentaria, Northern Territory, Australia	Fyler and Caira (2010)	2¶
<i>A. brachyacanthum</i> Riser, 1955	USNPC 37418	NR	<i>Rajia stellulata</i> (Gilbert, 1915)	ENP; ECP	Monterey Bay, California, USA	Riser (1955)	2‡
<i>A. brachyacanthum</i> *	NR	NR	<i>Beringrija binoculata</i> ** (Gilbert, 1855)	ENP; ECP	Monterey Bay, California, USA	Riser (1955)	—
<i>A. brayi</i> Campbell & Beveridge, 2002	SAM AHC 22670	SAM AHC 22730	<i>Sutorectus tentaculatus</i> (Peters, 1864)	EIO, WSP	Eastern Shoal, South Australia	Campbell and Beveridge (2002)	2§
<i>A. brevissime</i> Linton, 1909	USNPC 9008	NR	<i>Hypanus say</i> (Lesueur, 1817)	WSA, WCA, WNA	Dry Tortugas, Florida, USA	Linton (1908), Goldstein (1964)	2‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. brevisime*</i> †	NR	NR	<i>Raja eglanteria</i> Bosc, 1800	WCA, WNA	Gulf of Mexico, Chesapeake Bay, Virginia, USA	Campbell (1969)	—
<i>A. brevisime*†</i>	NR	USNPC 71349, 71350	<i>Hypanus americanus</i>	WSA, WCA, WNA	Gulf of Mexico, Chesapeake Bay, Virginia, USA	Campbell (1969)	—
<i>A. brevisime*†</i>	NR	CH-MHNJP 727	<i>Mylabatis peruviana</i> * Garman, 1913	ESP	Lima, Peru	Tantaleán-Vidaura (1991)	—
<i>A. brevisime†</i>	USNPC 9008	USNPC 60178 (neotype)	<i>Hypanus say</i>	WSA, WCA, WNA	Gulf of Mexico, Chesapeake Bay, Virginia, USA	Campbell (1969), Vardo-Zalik and Campbell (2011)	—
<i>A. bullardi</i> Ghoshroy & Caira, 2001	CNHE 4045	CNHE 4046–4047; LRP 2060–2062; USNPC 90466–90468	<i>Hypanus dipterurus</i> (Jordan & Gilbert, 1880)	ECP	Bahía del Los Angeles, Gulf of California, Mexico	Ghoshroy and Caira (2001)	2‡
<i>A. bullardi†</i>	NR	NR	<i>Hypanus dipterurus</i>	ECP	Puercitos, Gulf of California, Mexico	Ghoshroy and Caira (2001)	—
<i>A. bullardi†</i>	NR	NR	<i>Hypanus dipterurus</i>	ECP	Santa Rosalia, Gulf of California, Mexico	Ghoshroy and Caira (2001)	—
<i>A. cairae</i> Vardo-Zalik & Campbell, 2011	USNPC 103801	USNPC 103802–103814	<i>Bathyraja centroura</i> (Mitchill, 1815)	WSA, WCA, WNA	Narragansett Bay off Sakonnet Point, Rhode Island, USA	Vardo-Zalik and Campbell (2011)	3¶
<i>A. campbelli</i> Marques, Brooks & Monks, 1995	MNHG 20014	MNHG 20015–20016; HWML 38546; CNHE 3033	<i>Urotrygon chilensis</i> (Günther, 1872)	ECP, ESP	Costa de Pajaros, Puntarenas, Costa Rica	Marques et al. (1995)	2‡
<i>A. campbelli†</i>	NR	MEPPN 3033	<i>Hypanus longus</i> (Garman, 1880)	ECP	Puerto Huatulco, Provincia de El Oro, Ecuador	Marques et al. (1997a)	—
<i>A. canoni</i> Campbell & Beveridge, 2002	SAM AHC 28236	SAM AHC 28237	<i>Himantura narrata</i> (Gmelin, 1789)	WIO, NIO, EIO, WCP	Fog Bay, Timor Sea, North Australia	Campbell and Beveridge (2002)	4§
<i>A. cartagenensis</i> Brooks & Mayes, 1980	USNPC 75159	NR	<i>Urobatis jamaicensis</i> (Cuvier, 1816)	WCA, WNA	Cartagena, Colombia	Brooks and Mayes (1980)	1¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. cartagenensis</i> †	NR	CNHE 9706; HWML 101020; CHE P00061	<i>Urobatis jamaicensis</i>	WCA, WNA	Ría Lagartos, Yucatán, Quintana Roo	Monks et al. (2015)	—
<i>A. cartagenensis</i> †	NR	CNHE 9706; HWML 101020; CHE P00061	<i>Urobatis jamaicensis</i>	WCA, WNA	Isla Contoy, Quintana Roo	Monks et al. (2015)	—
<i>A. cartagenensis</i> †	NR	CNHE 9706; HWML 101020; CHE P00061	<i>Urobatis jamaicensis</i>	WCA, WNA	Isla Cozumel, El Paso de los Cedros, Quintana Roo	Monks et al. (2015)	—
<i>A. cartagenensis</i> †	NR	CNHE 9706; HWML 101020; CHE P00061	<i>Urobatis jamaicensis</i>	WCA, WNA	Xcalak, Quintana Roo	Monks et al. (2015)	—
<i>A. cestacionis</i> (Yamaguti, 1934)	NR	NR	<i>Heterodontus japonicus</i> Mikloutho-Maclay & MacLeay, 1884	WNP, WCP	Pacific Ocean, Japan	Yamaguti (1934)	4§
<i>A. cestacionis</i> †	NR	NR	<i>Sphyrnaena japonica</i> ** (Bloch & Schneider, 1801)	?	Pacific Ocean, Japan	Goldstein (1967)	—
<i>A. chabaharensis</i> Maleki, Malek & Rastgoor, 2018	ZCUOK 100 and (SME specimen) ZCUOK 113	ZCUOK 101–112 USNPC 72958	<i>Pastinachus cf. sephen</i> ** (Garman, 1880)	NIO	Chabahar coasts, the coast of the Gulf of Oman, Iran	Maleki et al. (2018)	1¶
<i>A. chengi</i> Cornford, 1974	CHIOC 30.308 a-c	SAM AHC 28223	<i>Bathyraja lata</i> (Garman, 1880)	ECP, ENA, MED, ECA, WIO, NIO, EIO, WSR, WCP, WNP	Oahu, Hawaii	Cornford (1974)	3§
<i>A. chilensis</i> Rego, Vincente & Herrera, 1988	CHIOC 30.308 a-c	SAM AHC 28224	<i>Sarda chiliensis</i> ** (Cuvier, 1832)	?	Paita, Piura, Peru	Rego et al. (1968)	3‡
<i>A. chisholmiae</i> Campbell & Beveridge, 2002	MNHG 20017 20020; HWML 38547	MNHG 20018– 38547	<i>Pastinachus sephen</i> **	NIO	Nickol Bay, Western Australia	Campbell and Beveridge (2002)	2§
<i>A. cimari</i> Marques, Brooks & Monks, 1995	SAM AHC 28349	SAM AHC 28350	<i>Hypamus longus</i>	ECP	Punta Morales, Puntarenas Province, Costa Rica	Marques et al. (1995)	2‡
<i>A. clarkeae</i> Campbell & Beveridge, 2002			<i>Urolophus paucimaculatus</i> Dixon, 1969	EIO, WSP	Queenscliff, Victoria, Australia	Campbell and Beveridge (2002)	1§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. clarkeae*</i> †	NR	SAM AHC 28243, 28244	<i>Urolophus cruciatus</i> (Lacepède, 1804)	EIO, WSP	Devonport, Tasmania	Campbell and Beveridge (2002)	—
<i>A. clarkeae*</i> †	NR	SAM AHC 28208	<i>Urolophus expansus</i> McCallum, 1916	EIO	Beachport, South Australia	Campbell and Beveridge (2002)	—
<i>A. cleofamus</i> Monks, Brooks & Lonce de Leon, 1996	CNHE 2670	CNHE 2671; MNHG 38576; HWML 38576.	<i>Hypanus longus</i>	ECP	Chamela Bay, Jalisco, Mexico	(Monks et al. 1996)	3‡
<i>A. colombianum</i> Brooks & Mayes, 1980	USNPC 75160	USNPC 75161	<i>Aetobatus narinari</i>	WWSA, WCA, WNA, ECA	Cartagena, Colombia	Brooks and Mayes (1980)	9‡
<i>A. confusum</i> Baer & Euzet, 1962	NR	NR	<i>Neotrygon kuhlii**</i> (Müller & Henle, 1841)	WSP	Indian Ocean, Sri Lanka	Baer and Euzet (1962)	5§
<i>A. coquimbensis</i> Carvajal & Jeges, 1980	MNHNC 20016	NR	<i>Myliobatis chilensis</i>	ESP	Antofagasta, Chile	Carvajal-G. and Jeges-G. (1980)	2‡
<i>A. coquimbensis†</i>	NR	NR	<i>Myliobatis chilensis</i>	ESP	Coquimbo, Chile	Carvajal-G. and Jeges-G. (1980)	—
<i>A. coronatum</i> (Rudolphi, 1819), Blanchard, 1848	NR	NR	<i>Dipturus batis</i> (Linnaeus, 1758)	ENA	Mediterranean Sea, Italy	Rudolphi (1819), Baer (1948)	4§
<i>A. coronatum*</i>	NR	NR	<i>Scyliorhinus stellaris</i> (Linnaeus, 1758)	ENA, MED, ECA	Mediterranean Sea, Italy	Rudolphi (1819), Baer (1948)	—
<i>A. coronatum*</i>	NR	NR	<i>Torpedo marmorata</i>	ENA, MED, ECA, ESA	Mediterranean Sea, Italy	Rudolphi (1819), Baer (1948)	—
<i>A. coronatum*</i>	NR	NR	<i>Torpedo torpedo</i> (Linnaeus, 1758)	ENA, MED, ECA	Mediterranean Sea, Italy	Rudolphi (1819), Baer (1948)	—
<i>A. coronatum*</i>	NR	NR	<i>Dasysurus pastinaca</i> (Linnaeus, 1758)	ENA, MED, ECA	Mediterranean Sea, Italy	Rudolphi (1819), Baer (1948)	—
<i>A. coronatum*†</i>	NR	NR	<i>Hemitrygon akajei**</i> (Müller & Henle, 1841)	WNP	Nakatsu, West Japan	Yoshida (1917)	—
<i>A. coronatum*†</i>	NR	NR	<i>Aetobatus narinari**</i>	WSA, WCA, WNA, ECA	Batavia, Java, Indonesia	MacCallum (1921)	—
<i>A. coronatum*†</i>	NR	NR	<i>Scyliorhinus stellaris</i>	ENA, MED, ECA	Sète, France	Euzet (1959)	—
<i>A. coronatum*†</i>	NR	NR	<i>Scyliorhinus stellaris</i>	ENA, MED, ECA	Concarneau, France	Euzet (1959)	—
<i>A. coronatum*†</i>	NR	NR	<i>Mistelus mustelus</i> (Linnaeus, 1758)	ENA, MED, ECA, ESA	Naples, Italy	Euzet (1959)	—

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. coronatum*</i> †	NR	NR	<i>Scyliorhinus stellaris</i>	ENA, MED, ECA	Cardigan Bay, UK	Rees and Williams (1965)	—
<i>A. coronatum*</i>	NR	NR	<i>Carcharodon carcharias</i> (Linnaeus, 1758)	MED	Mediterranean Sea	Goldstein (1967)	—
<i>A. coronatum*</i> †	NR	MNHG 40003, 40009	<i>Scyliorhinus canicula</i> (Linnaeus, 1758)	ENA, MED, ECA	Naples, Italy	Euzet (1959), Vardo- Zalik and Campbell (2011)	—
<i>A. costaricensis</i> Marques, Brooks & Monks, 1995	MNHG 20008	MNHG 20009– 2010; HWML 385/4; CNHE 3034	<i>Hypamus longus</i>	ECP	Punta Morales, Puntarenas Province, Costa Rica	Marques et al. (1995)	2‡
<i>A. costaricensis†</i>	NR	MEPN 3034	<i>Hypamus longus</i>	ECP	Puerto Huatulco, Provincia de El Oro, Ecuador	Marques et al. (1997a)	—
<i>A. crassicolle</i> Wedd., 1855	NR	MNHG 40014 88/77	<i>Dasyatis pastinaca</i>	ENA, MED, ECA	Aracaho, Gironde, France	Dollfus (1926), Baer (1948), Goldstein (1967)	3§
<i>A. cribbi</i> Campbell & Beveridge, 2002	SAM AHC 28251	SAM AHC 28252	<i>Gymnura australis</i> (Ramsay & Ogilby, 1886)	EIO, WSP, WCP	Gulf of Carpentaria, Northern Territory, Australia	Campbell and Beveridge (2002)	4§
<i>A. dasi</i> Ghoshroy & Caira, 2001	CNHE 4043	CNHE 4044; HWML 15549– 15551; LRP 2051–2054; USNPC 90463–90465	<i>Hypamus dipterurus</i>	ECP	Puerecitos, Gulf of California, Mexico	Ghoshroy and Caira (2001)	2‡
<i>A. dasybutii</i> Yamaguti, 1934	NR	NR	<i>Hemirrygon akajiei</i>	WNP	Tarumi, Kobe, Japan	Yamaguti (1934)	4§
<i>A. dasybutii†</i>	NR	NR	<i>Okamejei kenojei*</i> * (Müller & Henle, 1841)	WNP	Maisaka, Japan	Yamaguti (1952)	—
<i>A. dasybutii†</i>	NR	NR	<i>Urolophus sp.**</i> ( <i>U. fasciatus</i> )?	?	Hamazima, Mie, Japan	Hamazima, Mie, Yamaguti (1952)	—
<i>A. dighaensis</i> Srivastava & Kapoor, 1980	UAA	NR	<i>Pateobatis uarnacooides</i> (Bleeker, 1852)	NIO, WCP	Digha, Orissa, India	Srivastava and Kapoor (1980)	4§
<i>A. duliae</i> Caira & Burge, 2001	CNHE 4169	CNHE 4170; LRP 2097–2101; USNPC 90837–90839	<i>Diplobatis ornata</i> (Jordan and Gilbert, 1890)	ECP	Bahía de Los Angeles, Gulf of California, Mexico	Caira and Burge (2001)	1¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. dolbyae</i> †	NR	NR	<i>Diplobatis ommata</i>	ECP	Isla San Esteban, Gulf of California, Mexico	Caira and Burge (2001)	—
<i>A. dolbyae</i> †	NR	NR	<i>Diplobatis ommata</i>	ECP	Punta Arena, Gulf of California, Mexico	Caira and Burge (2001)	—
<i>A. dujardini</i> van Beneden, 1850	NR	NR	<i>Rajia clavata</i>	ENA, MED, ECA, ESA, WIO	English Channel, Belgium	van Beneden (1850), Goldstein (1967)	2§
<i>A. dujardini</i>	NR	NR	<i>Rajia clavata</i>	ENA, MED, ECA, ESA, WIO	English Channel, Belgium	Williams (1969)	—
<i>A. dujardini</i> *†	NR	NR	<i>Raja brachyura</i> * Lafont, 1871	ENA, MED, ECA	Roscoff, France	Euzet (1959)	—
<i>A. dujardini</i> *†	NR	NR	<i>Raja montagui</i> * Fowler, 1910	ENA, MED	British Isles	Williams (1960)	—
<i>A. dysbiorus</i> (MacCallum, 1921) Williams, 1969	NR	NR	<i>Aetobatus marinari</i> * <sup>*</sup>	WSA, WCA, WNA, ECA	Batavia, Java, Indonesia	MacCallum (1921), Williams (1969)	—
<i>A. edmondii</i> Campbell & Beveridge, 2002	SAM AHC 28205	SAM AHC 28206, 22704	<i>Parascyllium ferrugineum</i> McCulloch, 1911	EIO, WSP	Port Stanvac, South Australia	Campbell and Beveridge (2002)	4§
<i>A. edmondii</i> †	NR	NR	<i>Parascyllium ferrugineum</i>	EIO, WSP	Holdfast Bay, South Australia	Campbell and Beveridge (2002)	5§
<i>A. edmondii</i> †	NR	NR	<i>Parascyllium ferrugineum</i>	EIO, WSP	Esperance, Western Australia	Campbell and Beveridge (2002)	—
<i>A. edwardsi</i> Williams, 1969	NR	NR	<i>Leucoraja fallonica</i> (Linnaeus, 1758)	ENA, MED, ARC	West coast of Britain, United Kingdom	Williams (1969)	2§
<i>A. electricum</i> Brooks & Mayes, 1978	USNPC 74728	USNPC 74729	<i>Narcine brasiliensis</i> (Olfers, 1831)	WSA	Caribbean Sea, near Cartagena, Colombia	Brooks and Mayes (1978)	9‡
<i>A. elongatum</i> Subhapradha, 1955	NR	NR	<i>Rhynchobothrus djiddensis</i>	WIO, NIO	Madras Coast, India	Subhapradha (1955)	4¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. etini</i> Fyler & Caira, 2006	MZUM (P) 145	USNPC 96414–96415; LRP 3815–3824 (including cross sections and SEM specimen); MZUM (P) 146; IPMB 77.14.05	<i>Urogymnus polylophus</i>	NIO, WCP	Off Kampung Abai, Kinabatangan River, Sabah, Malaysia	Fyler and Caira (2006)	8§
<i>A. filicolle</i> (Zschokke, 1888) Yamaguti, 1959	NR		<i>Torpedo marmorata</i>	ENA, MED, ECA, ESA	Mediterranean Sea	Zschokke (1888), Yamaguti (1959b)	1(8)¶
<i>A. filicolle</i> *	NR		<i>Torpedo torpedo</i>	ENA, MED, ECA	Mediterranean Sea	Williams (1969)	–
<i>A. floridensis</i> Goldstein, 1964	USNPC 60025	NR	<i>Raja eglanteria</i>	WCA, WNA	Gulf of Mexico and Coast of Massachusetts	Goldstein (1964)	8(10)‡
<i>A. floridensis</i> *†	NR	USNPC 103848–103850	<i>Raja texana</i> Chandler, 1921	WCA	Gulf of Mexico	Vardo-Zalik and Campbell (2011)	–
<i>A. floridensis</i> †	NR		<i>Raja eglanteria</i>	WCA, WNA	Gulf of Mexico, Chesapeake Bay, Virginia, USA, USA	Campbell (1969)	–
<i>A. fogeli</i> Goldstein, 1964	USNPC 60024	NR	<i>Gymnura micrura</i> (Bloch & Schneider, 1801)	WSA, WCA, WNA, ECA	Northeastern Gulf of Mexico, Florida	Goldstein (1964)	1‡
<i>A. fogeli</i> †	NR		<i>Gymnura micrura</i>	WSA, WCA, WNA, ECA	Isla Margarita, Venezuela	Mayes and Brooks (1981)	–
<i>A. foulkti</i> Reyda & Caira, 2006	MZUM (P) 168(h)	USNPC 97463–97464; LRP 3850–3853 (including cross sections and SEM specimen); MZUM (P) 169(p)–171(p); IPMB 77.08.14	<i>Pateobatis uarnacoides</i>	NIO, WCP	Off Kampung Terabuan, Sabah, Malaysia	Reyda and Caira (2006)	1¶
<i>A. fransii</i> Marques, Centritto & Stewart, 1997	CNHE 3139	USNPC 87574; CHIOC 33754a, b; CNHE 3140	<i>Narcine entemedor</i> Jordan & Starks, 1895	ECP	Cuajiniquil Beach, Gulf of Santa Helena, Guanacaste, Costa Rica	Marques et al. (1997b)	5(8)‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. filiforme</i> Maleki, Malek & Palm, 2015	ZUTC 1319	ZUTC 1320–1323; ZMB E.7568; SEM voucher ZUTC 1324	<i>Rhynchobatus cf. djiddensis**</i>	WIO, NIO	Gulf of Oman, Iran	Maleki et al. (2015)	1¶
<i>A. gasserii</i> Campbell & Beveridge, 2002	SAM AHC 28217	SAM AHC 28218	<i>Pastinachus sephen**</i>	NIO	Nickol Bay, Western Australia	Campbell and Beveridge (2002)	3§
<i>A. gibsoni</i> Campbell & Beveridge, 2002	SAM AHC 28239	NR	<i>Rhynchobatus djiddensis**</i>	WIO, NIO	Fog Bay, Timor Sea, North Australia	Campbell and Beveridge (2002)	3§
<i>A. giganticum</i> Sanaka, Lakshmi & Hanumantharao, 1993	NR	NR	<i>Gymnura micrura**</i>	WWSA, WCA, WNA, ECA	Waltair coast, India	Sanaka et al. (1993)	5§
<i>A. gloveri</i> Campbell & Beveridge, 2002	SAM AHC 22600	SAM AHC 22715	<i>Trigonorhina fasciata</i> Miller & Henle, 1841	WSP	Goolwa, South Australia	Campbell and Beveridge (2002)	2§
<i>A. gnoma</i> Reyda & Caira, 2006	MZUM (P) 172(h)	USNPC 97465– 97466; LRP 3854– 3859 (includes cross sections and SEM specimens); MZUM (P) 173(p)–175(p); IPMB 77,08.15	<i>Pateobatis uarnacooides</i>	NIO, WCP	Off Kampung Terabuan, Sabah, Malaysia	Reyda and Caira (2006)	1¶
<i>A. goldsteini</i> Appy & Dailey, 1973	USNPC 72569	USNPC 72570	<i>Platyrrhinoidis triseriata</i> (Jordan & Gilbert, 1880)	ENP, ECP	Seal Beach, California, USA	Appy and Dailey (1973)	5(9)‡
<i>A. gonzalezmugilburi</i> Severino & Sarmiento, 1979	CH-MHNJP 340	CH-MHNJP 341, 341a, 341b	<i>Mylabatis peruviana</i>	ESP	Callao, Lima, Peru	Severino and Sarmiento (1979)	7(6)¶
<i>A. gracile</i> Yamaguti, 1952	NR	NR	<i>Narke japonica</i> (Temminck & Schlegel, 1850)	WNP	Tokushima, Japan	Yamaguti (1952)	3§
<i>A. grandiceps</i> Yamaguti, 1952	MPM 22638	NR	<i>Tetarrygon zugaei</i> (Müller & Henle, 1841)	WCP, WNP	East China Sea, Japan	Yamaguti (1952), Yang et al. (2016)	4§
<i>A. grandiceps*</i>	NR	NR	<i>Hemitygon akajei</i>	WNP	East China Sea, Japan	Yamaguti (1952)	—
<i>A. guanghaense</i> Yang, Sun, Zhi, Iwaki, Reyda & Yang, 2016	MPM 21229	MPM 21230; SYSU 20140818-1-4	<i>Hemitygon akajei</i>	WNP	Off Guangzhou Port, Taishan, Guangdong Province, China	Yang et al. (2016)	2¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. haleiae</i> Maleki, Malek & Palm, 2019	ZCUOK 127	ZCUOK 128–130; ZUTC Platy. 1342–1343, 1 SEM voucher ZUTC Platy. 1344	<i>Gymnura cf. pectinata</i> * (Shaw, 1804)	NIO, EIO, WCP, WNP	Chabahar coast, Gulf of Oman, Iran	Maleki et al. (2019)	1¶
<i>A. hanumantharaoi</i> Rao, 1977	NR	NR	<i>Aetomylaeus nichofii</i> (Bloch & Schneider, 1801)	NIO, EIO, WCP, WNP	Waltair coast, Benegal Bay, India	Rao (1977)	4§
<i>A. herdmani</i> Southwell, 1912	NR	NR	<i>Neotrygon kuhlii</i> **	WSP	Ceylon Pearl Bank, Sri Lanka	Southwell (1912), Southwell (1925), Southwell (1930)	3¶
<i>A. heterodonti</i> Drummond, 1937	NR	NR	<i>Heterodontus</i> <i>portusjacksoni</i> (Meyer, 1793)	EIO, WSP	Lady Julia Percy Island, Victoria, Australia	Drummond (1937)	4§
<i>A. heterodonti</i> †	NR	SAM AHC 22595, 22597, 15744	<i>Heterodontus</i> <i>portusjacksoni</i>	EIO, WSP	Dewent Estuary, Hobart, Tasmania	Campbell and Beveridge (2002)	—
<i>A. heterodonti</i> †	NR	NR	<i>Heterodontus</i> <i>portusjacksoni</i>	EIO, WSP	Bunbury, Western Australia	Campbell and Beveridge (2002)	—
<i>A. himanturi</i> Brooks, 1977	USNPC 73963 HWML 20260	USNPC 73964; HWML 20260	<i>Synacuna schmidiae</i> (Werner, 1904)	WCA	Caribbean Sea, La Cienaga, Magdalena, Colombia	Brooks (1977)	1‡
<i>A. hispidum</i> Riser, 1955	USNPC 37416	NR	<i>Tetronarce californica</i> (Ayres, 1855)	ENP, ECP, WNP	Monterey Bay, California, USA	Riser (1955)	5‡
<i>A. holothini</i> Alexander, 1953	USNPC 47853	USNPC 47854	<i>Myliobatis californicus</i> Grill, 1865	ENP, ECP	Long Beach Harbor, California, USA	Alexander (1953)	3‡
<i>A. holothini</i> *†	NR	CHIM/TDC 542	<i>Myliobatis chilensis</i>	ESP	Callao, Peru	Rodriguez and Tantaleán- Vidaurre (1980)	—
<i>A. hypamus</i> Zaragoza-Tapia, Pulido-Flores & Monks, 2020	CNHE 11255	CNHE 11256; HWML 216261	<i>Hypamus longus</i>	ECP	La Puntilla, Mazatlán, Sinaloa, Mexico	Zaragoza-Tapia et al. (2020)	2¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. hypermekolpøs</i> Fyler & Caira, 2010	QM G232506	QM G232507; USNPC 104280; LRP 7591, hologenophores LRP 7592–7593	<i>Rhynchobothrius laevis</i> * <i>Rhynchobothrius laevis</i> *	NIO, WNP	Gove Harbor, Gulf of Carpentaria, Northern Territory, Australia	Fyler and Caira (2010)	1¶
<i>A. icelandicum</i> Manger, 1972	NR	NR	<i>Dipturus batis</i>	ENA	Faxa Bay, Western coasts Iceland	Manger (1972)	3§
<i>A. ijimai</i> Yoshida, 1917	NR	MPM 22639	<i>Hemirynxon akajei</i>	WNP	Tokyo, Japan	Yoshida (1917), Williams (1969), Yang et al. (2016)	4§
<i>A. ijimai</i> †	NR	NR	<i>Hemirynxon akajei</i>	WNP	East China Sea, Japan	Yamaguti (1952)	–
<i>A. inbiorium</i> Marques, Centritto & Stewart, 1997	CNHE 3137	USNPC 87373; CHIOC 33753a, b; CNHE 3138	<i>Narcine entemedor</i>	ECP	Cuauiiquil Beach, Gulf of Santa Helena, Guanacaste, Costa Rica	Marques et al. (1997b)	5‡
<i>A. ingenita</i> (MacCallum, 1921) Wardle & McLeod, 1952	NR	NR	<i>Dasyatis pastinaca</i>	ENA, MED, ECA	New York Aquarium	MacCallum (1921), Southwell (1925), Williams (1969)	2¶
<i>A. indicum</i> (Subhapradha, 1955)	NR	NR	<i>Narcine brasiliensis</i> **	WSA	Madras Coast, India	Subhapradha (1955), Williams (1969)	5§
<i>A. intermedium</i> Perrenoud, 1931	NR	NR	<i>Dasyatis pastinaca</i> **	ENA, MED, ECA	Tauranga, New Zealand	Perrenoud (1931)	4§
<i>A. jalalii</i> Maleki, Malek & Palm, 2013	ZUTC 1291	ZUTC 1292–1295; SEM voucher ZUTC 1296; IPCAS C-639; ZMB E.7559	<i>Pastinachus cf. sephen</i> **	NIO	Gulf of Oman, Iran	Maleki et al. (2013)	1¶
<i>A. jamesi</i> Maleki, Malek & Palm, 2015	ZUTC 1328	ZMB E.7570; SEM voucher ZUTC 1329.	<i>Rhynchobothrius cf. djiddensis</i> **	WTIO, NIO	Persian Gulf, Iran	Maleki et al. (2015)	1¶
<i>A. janinæ</i> Maleki, Malek & Palm, 2015	ZUTC 1311	ZUTC 1312–1316; ZMB E.7566; SEM vouchers ZUTC 1317–1318	<i>Rhynchobothrius cf. djiddensis</i> **	WTIO, NIO	Gulf of Oman, Iran	Maleki et al. (2015)	1¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. jeanneae</i> Fyler & Caira, 2010	QM G232502	QM G232503–G232505; USNPC 104279; LRP 7573–7575, cross sections of one paratype worm and voucher LRP 7580–7582, SEM LRP 7576–7578, hologenophore LRP 7579	<i>Rhynchobothrus laevis</i> * <sup>**</sup>	NIO, WNP	Gove Harbor, Gulf of Carpentaria, Northern Territory, Australia	Fyler and Caira (2010)	1♀
<i>A. jonesi</i> Campbell & Beveridge, 2002	SAM AHC 28227	SAM AHC 28228	<i>Dasyatis</i> sp. <sup>**</sup>	?	Cape Ford, North Australia	Campbell and Beveridge (2002)	6§
<i>A. kanachienense</i> Bilquees, 1980	NR	SPUK 2000 (syntype)	<i>Mustelus manazo</i> Bleeker, 1855	NIO, WCP WNP	Karachi Coast, Pakistan	Bilquees (1980)	4§
<i>A. kurdistanense</i> Maleki, Palm, 2019	ZCUOK 122	ZCUOK 123–127; ZUTC Platy. 1336–1340, 1 SEM voucher ZUTC Platy.	<i>Gymnura cf. poecilura</i> * <sup>**</sup>	NIO, EIO, WCP; WNP	Chabahar coast, Gulf of Oman, Iran	Maleki et al. (2019)	1♀
<i>A. larsoni</i> Reyda & Caira, 2006	MZUM (P) 176(h)	USNPC 974467–3865 (including cross sections and SEM specimens); MZUM (P) 177(p)–180(p); IPMB 77.08.16 1341	<i>Pateobatis uumacoides</i>	NIO, WCP	Off Kampung Terabuan, Sabah, Malaysia	Reyda and Caira (2006)	1♀
<i>A. lasti</i> Campbell & Beveridge, 2002	SAM AHC 28247	SAM AHC 28248	<i>Rhynchobothrus djiddensis</i> * <sup>**</sup>	WIO, NIO	Broome, Western Australia	Campbell and Beveridge (2002)	2§
<i>A. latum</i> Yamaguti, 1952	MPM 22637	NR	<i>Hemitrygon akajei</i>	WNP	Sea of Ariake, Kyusyu, Japan	Yamaguti (1952), Yang et al. (2016)	4§
<i>A. laurentianum</i> Campbell & Beveridge, 2002	SAM AHC 28215	SAM AHC 28216	<i>Pastinachus sephen</i>	NIO	Nickol Bay, Western Australia	Campbell and Beveridge (2002)	1§
<i>A. lentiginosum</i> Vardo-Zalik & Campbell, 2011	USNPC 103815	USNPC 103816–103819	<i>Pseudobatos lentiginosus</i> (Garman, 1880)	WCA, WNA	Gulf of Mexico	Vardo-Zalik and Campbell (2011)	1♀

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. lepidum</i> Reyda & Caira, 2006	MZUM (P) 181(h)	USNPC 97469; LRP 3866–3868 (including cross sections and SEM specimen(s); MZUM (P) 182(p)–183(p); IPMB 77.08.17	<i>Pateobatis uarnacoides</i>	NIO, WCP	Off Kampung Terabuan, Sabah, Malaysia	Reyda and Caira (2006)	1¶
<i>A. liliatum</i> Baer & Euzet, 1962	NR	<i>Dasyatis</i> sp.**	?	Ceylon Pearl Bank, Sri Lanka	Baer and Euzet (1962)	2§	
<i>A. lineatum</i> Campbell, 1969	USNPC 71353	USNPC 71354	<i>Hypanus americanus</i>	WSA, WCA, WNA	Chesapeake Bay, Virginia, USA	Campbell (1969)	1‡
<i>A. lintoni</i> Goldstein, Henson & Schlicht, 1968	USNPC 62938	USNPC 62939	<i>Narcine brasiliensis</i> **	WSA	Gulf of Mexico, Texas, USA	Goldstein et al. (1969)	1(8,9,5)‡
<i>A. limoni</i> †	NR	USNPC 74851	<i>Narcine brasiliensis</i> **	WSA	Gulf of Mexico, Florida, USA	Goldstein et al. (1969)	—
<i>A. longipedunculatum</i> Meheswari, Sanaka, Lakshmi & Rao, 1985	NR		<i>Himantura narrak</i>	WIO, NIO, EIO, WCP	Waltair coast, India	Maheswari et al. (1985)	6§
<i>A. hisarmientoi</i> Severino & Verano, 1980	CH-MHNJP 342	CH-MHNJP 343, 343a	<i>Sympterygia brevicaudata</i> (Cope, 1877)	ECP, ESP	Callao, Lima, Peru	Severino and Verano (1980)	7¶
<i>A. macracanthum</i> Southwell, 1925	NR		<i>Urogyrus</i> sp.**	?	Madras Coast, India	Southwell (1925)	6§
<i>A. macrocephalum</i> Wang & Yang, 2001	MPM 21231	NR	<i>Hemiryncon akaijiei</i>	WNP	Xiamen, Fujian, China	Wang and Yang (2001), Yang et al. (2016)	4§
<i>A. macrocephalum</i> †	MPM 21231	MPM 21232; SYSU 20140620-1-7	<i>Hemiryncon akaijiei</i>	WNP	Off Guanghai Port, Guangdong, China	Yang et al. (2016)	—
<i>A. macrocephalum</i> †	NR		<i>Hemiryncon akaijiei</i>	WNP	Sanya Fishing Port, Sanya, Hainan, China	Yang et al. (2016)	—
<i>A. maculatum</i> Riser, 1955	USNPC 37417	NR	<i>Myliobatis californicus</i>	ENP, ECP	Monterey Bay, California, USA	Riser (1955)	6(3)‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. magnum</i> Euzet, 1959	NR	NR	<i>Pteroplatytrygon violacea</i>	ENP; ECP; ESP; WSA, WCA, WNA, ENA, MED, ECA, ESA, EIO, NIO, WIO, WSP; WCP; WNP	Mediterranean Sea, France	Euzet (1959)	4§
<i>A. makranense</i> Maleki, Malek & Palm, 2019	ZCUOK 130	ZCUOK 131–135; ZUTC Platy. 1345–1350, 1 SEM voucher ZCUOK 139, 1 SEM voucher ZUTC Platy. 1350	<i>Gymnura</i> cf. <i>poculifera</i> **	NIO, EIO, WCP; WNP	Chabahar coast, Gulf of Oman, Iran	Maleki et al. (2019)	1¶
<i>A. manteri</i> Hassan, 1983	IHAHE S1051/A	IHAHE S1051/B	<i>Pastinachus sephen</i> **	NIO	Mediterranean Sea, Egypt	Hassan (1983)	5§
<i>A. margiae</i> Fyler, 2011	NMNS 6356–001	NMNS 6356–002, 6356–003, 6356–004, 6356– 005, 6356–006, 6356–007; LRP 7468–7477; USNPC 10327/4	<i>Orectolobus japonicus</i> Regan, 1906	WNP; WCP	Off Penghu Island, East China Sea, Magong, Taiwan	Fyler (2011)	8¶
<i>A. marplatensis</i> Ivanov & Campbell, 1998	MLP 4025	MLP 4026; USNMPC 87475; NHMUK 1998.2.10.1–2	<i>Atlantoraja castelnaui</i> (Miranda Ribeiro, 1907)	WSA	Mar del Plata, Buenos Aires, Argentina	Ivanov and Campbell (1998)	1‡
<i>A. marquesi</i> Rodriguez-Ibarrá, Pulido-Flores, Violante-González & Monks, 2018	CNHE 10354	CNHE 10555, 10556; HWML 139377–139384; CHE P00061– P00063	<i>Aetobatus</i> cf. <i>narinari</i> **	W/SA, W/CA, WNA, ECA	Laguna de Términos, Ciudad del Carmen, Campeche, Mexico	Rodríguez-Ibarrá et al. (2018)	3¶
<i>A. marquesi</i> †	NR	NR	<i>Aetobatus</i> cf. <i>narinari</i> **	WSA, W/CA, WNA, ECA	Champotón, Campeche, Mexico	Rodríguez-Ibarrá et al. (2018)	—
<i>A. martini</i> Campbell & Beveridge, 2002	SAM AHC 28213	SAM AHC 28214	<i>Mylabatis tenicaudatus</i> Hector, 1877	EIO, WSP	Bunbury, Western Australia	Campbell and Beveridge (2002)	1§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. maryanski</i> Caira & Burge, 2001	CNHE 4171	CNHE 4172; LRP 2012, 2013; USNPC 90840, 90841	<i>Diplobatis ommata</i>	ECP	Loreto, Gulf of California, Mexico	Caira and Burge (2001)	5§
<i>A. marymichaclorum</i> Twohig, Caira & Fyler, 2008	MZUM (P) 699(H)	MZUM(P) 700(P)-702(P); SBC P-00023; USNPC 100700; LRP 4162-4164 (whole mount), 4167-4168 (cross sections)	<i>Brevitrygon waigae</i> Müller & Henle, 1841	NIO	Off Sematan, Sarawak, Malaysia	Twohig et al. (2008)	1¶
<i>A. marymichaclorum</i>	NR		<i>Brevitrygon waigae</i>	NIO	Off Mukah, Sarawak, Malaysia.	Twohig et al. (2008)	—
<i>A. masniliiae</i> Fyler & Caira, 2006	MZUM (P) 147	USNPC 96416-96417; LRP 3825-3835 (including cross sections and SEM specimens); MZUM (P) 148; IPMB 77.14.06	<i>Urogyrus polylepis</i>	NIO, WCP	Kampung Abai, Kinabatangan River, Sabah, Malaysia	Fyler and Caira (2006)	2§
<i>A. mathiasi</i> Euzet, 1959	NR		<i>Mustelus mustelus</i>	ENA, MED, ECA, ESA	Sète, France	Euzet (1959)	1§
<i>A. mathias*</i>	NR		<i>Mustelus canis</i> (Mitchill, 1815)	WNA, WCA, WSA	Sète, France	Euzet (1959)	—
<i>A. mattiatlorii</i> Fyler & Caira, 2010	QM G232508	Hologenophore USNPC 104281	<i>Rhynchobothrium laevis**</i>	NIO, WNP	Gove Harbor, Gulf of Carpentaria, Northern Territory, Australia	Fyler and Caira (2010)	4¶
<i>A. micracanthus</i> Yamaguti, 1952	NR	MPM 22635, 22636	<i>Hemitrygon akaijii</i>	WNP	Nagasaki, East China Sea, Japan	Yamaguti (1952), Yang et al. (2016)	4§
<i>A. micracanthus*</i>	NR	NR	<i>Gymnura micrura**</i>	WSA, WCA, WNA, ECA	Nagasaki, East China Sea, Japan	Yamaguti (1952)	—
<i>A. micracanthus*</i>	NR	NR	<i>Telatrygon zugei</i>	WCP, WNP	Nagasaki, East China Sea, Japan	Yamaguti (1952)	—
<i>A. microcephalum</i> Alexander, 1953	USNPC 47852	NR	<i>Myliobatis californicus</i>	ENP, ECP	Long Beach Harbor, California, USA	Alexander (1953)	4‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. minus</i> † Issad & Fuzei, 2009	MNHN HEL 76, Th 180	MNHN HEL 77, Th 181, HEL 78, Th 182, HEL 79, Th 183; NHMUK 2009.2.10.1-2	<i>Raja asterias</i> <i>Raja asterias</i>	ENA, MED	Cap Djinet, Algérie	Tazerouti et al. (2009)	2§
<i>A. minus</i> †	NR	NR	<i>Raja asterias</i>	ENA, MED	Zemmouri El Bahri, Algérie	Tazerouti et al. (2009)	—
<i>A. minus</i> †	NR	NR	<i>Raja asterias</i>	ENA, MED	Bouharoun, Algérie	Tazerouti et al. (2009)	—
<i>A. minusculus</i> Marques, Brooks & Barriga, 1997	MEPN 3030	MNHG 22099; HWML 39178; CNHE 3030	<i>Urotrygon tumbeensis</i> (Chirichigno F. & McEachran, 1979)	ECP	Puerto Huataco, Provincia de El Oro, Ecuador	Marques et al. (1997a)	1‡
<i>A. monkii</i> Marques, Brooks & Barriga, 1997	MEPN 3031	MNHG 22100; HWML 39179; CNHE 3031	<i>Aetobatus narinari</i> * *synonym of <i>Aetobatus</i>	WSA, WCA, WNA, ECA	Puerto Ijel, Provincia de El Oro, Ecuador	Marques et al. (1997a)	1‡
<i>A. mooreae</i> Campbell & Beveridge, 2002	SAM AHC 28209	SAMAHC 22665, 22718, 28265	<i>Trigonorhina fasciata</i>	WSP	Northhaven, South Australia	Campbell and Beveridge (2002)	2§
<i>A. mijibi</i> Bilquees, 1980	NR	SPUK 2001 (syntype)	<i>Mustelus manazo</i>	NIO, WCP, WNP	Karachi Coast, Pakistan	Bilquees (1980)	?§
<i>A. musculatum</i> (Baer, 1948) Yamaguti, 1959	NR	NR	<i>Perophoravirgata violacea</i>	ENP, ECP, ESP, WSA, WCA, WNA, ENA, MED, ECA, ESA, WTO, NIO, EIO, WSR, WCP, WNP	New Zealand	Baer (1948), Euzet (1959), Yamaguti (1959a), Williams (1969)	4§
<i>A. myliomaculata</i> Srivastav, Shweta & Noopur, 1995	DZCJ	NR	<i>Aetomyiacetus maculatus</i> (Gray, 1834)	NIO, WCP, WNP	Madras Coast, India	Srivastav et al. (1995)	4§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. nangravidum</i> Zschoche, Caira & Fyler, 2011	QM G232166	QM G232167–G23217, cross sections QM G232171, G23217; USNPC 104103; LRP 7480–7483, cross sections LRP 7486–7491, SEM LRP 7484–7485), egg mounts LRP 7492–7493	<i>Pastinachus ater</i> (Macleay, 1883)	WIO, NIO, EIO, WSP, WCP	Gulf of Carpentaria off Weipa, Queensland, Australia.	Zschoche et al. (2011)	1‡
<i>A. nicoyense</i> Brooks & McCorquodale, 1995	USNPC 84477	USNPC 84388; MNHG 18255	<i>Aeolatus marinari</i> * <sup>**</sup>	WSA, WCA, WNA, ECA	Punta Morales, Golfo de Nicoya, Costa Rica	Brooks and McCorquodale (1995)	1‡
<i>A. ningdense</i> Yang, Sun, Zhi, Iwaki, Reyda & Yang, 2016	MPM 21226	MPM 21227, 21228; SYSU 2012113-1-3, 20141002-1-27	<i>Hemitrygon akajei</i>	WNP	Fuhai aquatic market, Ningde, Fujian Province, China	Yang et al. (2016)	4¶
<i>A. ningdense</i> †	NR	NR	<i>Hemitrygon akajei</i>	WNP	Off Wanjichi aquatic wholesale market, Taizhou, Zhejiang Province, China	Yang et al. (2016)	–
<i>A. ningdense</i> †	NR	NR	<i>Hemitrygon akajei</i>	WNP	8th Seafood Market, Xiamen, Fujian Province, China	Yang et al. (2016)	–
<i>A. ningdense</i> †	NR	NR	<i>Hemitrygon akajei</i>	WNP	Guanghai Port, Taishan, Guangdong Province, China	Yang et al. (2016)	–
<i>A. ningdense</i> †	NR	NR	<i>Hemitrygon akajei</i>	WNP	Sanya Fishing Port, Sanya, Hainan Province, China	Yang et al. (2016)	–
<i>A. obuncus</i> Marques, Brooks & Barriga, 1997	MEPN 3032	MNHG 22101; HWML 39180; CNHE 3032, 3167	<i>Hypamus longus</i>	ECP	Puerto Huataco, Provincia de El Oro, Ecuador	Marques et al. (1997a)	6‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. ocellatus</i> Campbell & Beveridge, 2002	SAM AHC 28202	SAM AHC 28203	<i>Aptychotrema vincentiana</i> (Haacke, 1885)	EIO	Musgrave Shoal, South Australia	Campbell and Beveridge (2002)	2§
<i>A. oceanharvestae</i> Fyler, Caira & Jensen, 2009	QM 231345	QM G231346–G231347; USNPC 101957–101958; LRP 4317–4318; cross sections QM 231349, QM G231348; SEM LRP 4319–4320, 4327–4328; holognophores LRP 4321, LRP 4322	<i>Urognathus acanthobothrium</i> Last, White & Kyne, 2016	WSP, WCP	Arafura Sea, east of Wessel Islands, Northern Territory, Australia.	Fyler et al. (2009), Caira and Jensen (2017)	1¶
<i>A. odonoghuei</i> Campbell & Beveridge, 2002	SAM AHC 22699	SAM AHC 22699	<i>Urolophus expansus</i>	EIO	Holdfast Bay, South Australia	Campbell and Beveridge (2002)	1§
<i>A. odonoghuei</i> *†	NR	NR	<i>Urolophus lobatus</i> McKay, 1966	EIO	Esperance, Western Australia	Campbell and Beveridge (2002)	–
<i>A. Olsenii</i> Dailey & Mudry, 1968	USNPC 71216	NR	<i>Pseudobatos productus</i> (Ayres, 1854)	ENP, ECP	Newport Beach, California, USA	Dailey and Mudry (1968)	2‡
<i>A. Olsenii</i> *†	NR	NR	<i>Pseudobatos planiceps</i> (Garman, 1880)	ECP, ESP	Lima, Chorrillos, Peru	Iannaccone et al. (2011)	–
<i>A. Olsenii</i> *†	NR	NR	<i>Urobatis halleri</i> (Cooper, 1863)	ENP, ECP	Anaheim Bay, California, USA	Appy and Dailey (1973)	–
<i>A. Olsenii</i> *†	NR	NR	<i>Urobatis halleri</i>	ENP, ECP	Puerto Penasco, Sonora, Mexico	Friggens and Brown (2005)	–
<i>A. Omanense</i> Maleki, Malek & Palm, 2019	ZCUOK 117	ZCUOK 118–122; ZUTC Platy. 1330–1334, 1 SEM voucher ZUTC Platy. 1335	<i>Gymnura cf. poecilura</i> * <sup>a</sup>	NIO, EIO, WCP, WNP	Chabahar coast, Gulf of Oman, Iran	Maleki et al. (2019)	1¶
<i>A. Omanense</i> *	NR	NR	<i>Gymnura cf. poecilura</i>	NIO, EIO, WCP, WNP	Bandar Abbas, Persian Gulf, Iran	Maleki et al. (2019)	–
<i>A. parvumimatum</i> Young, 1954	USNPC 49095	NR	<i>Urobatis halleri</i>	ENP, ECP	San Diego Bays, California, USA	Young (1954)	8‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. parvumincinatum*</i>	NR	NR	<i>Gymnura marmorata</i> (Cooper, 1864)	ECP	San Diego Bays, California, USA	Young (1954)	—
<i>A. parvumincinatum†</i>	NR	NR	<i>Urobothis balleri</i>	ENP, ECP	Puerto Peñasco, Sonora, Mexico	Friggens and Brown (2005)	—
<i>A. parvum</i> Manger, 1972	NR	NR	<i>Dipturus batis</i>	ENA	Faxa Bay, Western coasts Iceland	Manger (1972)	6§
<i>A. paulum</i> Linton, 1890	NR	USNPC 07683, 35882, 71351, 71352.	<i>Bathytochia centraum</i>	WSA, WCA, WNA	Woods Hole, Massachusetts, USA	Linton (1890), Vardo- Zalik and Campbell (2011)	1(8,9,5)‡
<i>A. paulum*</i> †	NR	NR	<i>Raja eglanteria</i>	WCA, WNA	Chesapeake Bay, Virginia, USA	Campbell (1969)	—
<i>A. paulum*</i> †	NR	NR	<i>Hypanus americanus</i>	WSA, WCA, WNA	Chesapeake Bay, Virginia, USA	Campbell (1969)	—
<i>A. pearsoni</i> Williams, 1962	NR	NR	<i>Orectolobus maculatus</i> (Bonaparte, 1788)	EIO, WSP	Hastings Point NSW, Australia	Williams (1962), Campbell and Beveridge (2002)	1§
<i>A. persicum</i> Maleki, Malek & Palm, 2019	ZCUOK 135	ZCUOK 136–137; ZUTC Plary, 1351–1352, 1 SEM voucher ZCUOK 142, 1 SEM voucher ZUTC Plary, 1353	<i>Gymnura cf. poecilura*</i> **	NIO, EIO, WCP, WNP	Bandar Abbas, Persian Gulf, Iran	Maleki et al. (2019)	1¶
<i>A. peruvianum</i> Reyda, 2008	USNPC 99945	USNPC 99946; LRP 4108–4111 (including whole mounts and SEM specimens); MZUSP 6393a–6393b; MHNTP 2335	<i>Potamotrygon motoro</i> (Müller & Henle, 1841)	WSA, WCA	Madre de Dios River at Boca Manu, Madre de Dios Department, Peru	Reyda (2008)	1(8)¶
<i>A. pichilinae</i> Campbell & Beveridge, 2002	SAM AHC 28229	SAM AHC 28230	<i>Myliobatis tenuicaudatus</i>	EIO, WSP	Devonport, Tasmania	Campbell and Beveridge (2002)	4§
<i>A. pichilinae†</i>	NR	NR	<i>Myliobatis tenuicaudatus</i>	EIO, WSP	Bunbury, Western Australia	Campbell and Beveridge (2002)	—

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. pintanensis</i> Wang, 1984 <sup>†</sup>	NR	NR	<i>Neotrygon kuhlii</i> * <sup>**</sup>	WSP	Fujian Province, China	Wang (1984)	4§
<i>A. polytesticulatus</i> Wang & Yang, 2001	PRLXU	NR	<i>Squalus</i> sp. <sup>**</sup>	?	Xiamen, Fujari, China	Wang and Yang (2001)	4§
<i>A. ponticum</i> Léon-Borcea, 1934	NR	NR	<i>Raja clavata</i>	ENA, MED, ECA, ESA, WIO	Agigéa, Black Sea	Léon-Borcea (1934)	?§
<i>A. ponticum</i> <sup>*</sup>	NR	NR	<i>Dasyatis pastinaca</i>	ENA, MED, ECA	Agigéa, Black Sea	Léon-Borcea (1935)	—
<i>A. popi</i> Fyler, Caira & Jensen, 2009	QM G231350	QM G231351–G231352; USNPC 101959–101960; LRP 4323–4324; cross sections QM G231353; SEM LRP 4329–4330, 4325–4326, hologenophores LRP 4331, 4332	<i>Urogyrus acanthobothrium</i>	WSP; WCP	Arafura Sea, east of Wessel Islands, Northern Territory, Australia.	Fyler et al. (2009), Caira and Jensen (2017)	2¶
<i>A. ppdeleoni</i> Zaragoza-Tapia, Pulido-Flores & Monks, 2020	CNHE 11253; HWM1 216260		<i>Hypanus dipturus</i>	ECP	Bahía de Chamela, Jalisco, Mexico	Zaragoza-Tapia et al. (2020)	2¶
<i>A. psammobati</i> Carvajal & Goldstein, 1969	USNPC 71357	USNPC 71358	<i>Pammobatis scobina</i> (Philippi, 1857)	ESP	South Pacific Ocean, between Papudo and Talcabuano, Chile	Carvajal-G. and Goldstein (1969)	5‡
<i>A. psammobati</i> <sup>*†</sup>	NR	CH-MHNJP 342a, 342b	<i>Sympterigia brevicaudata</i>	ECP; ESP	Callao, Lima, Peru	Tantaleán-Vidaurre (1991)	—
<i>A. puertoricensis</i> Caira & Záhner, 2001	CNHE 4175	CNHE 4176; USNPC 90843; LRP 2105–2106	<i>Heterodontus francisci</i>	ECP; ESP	Puertecitos, Gulf of California, Mexico	Caira and Záhner (2001)	4¶
<i>A. puntarenasense</i> Marques, Brooks & Monks, 1995	MNHG 200005	MNHG 200006–20007; HWML 38543; CNHE 4176,	<i>Hypanus longus</i>	ECP	Punta Morales, Puntarenas Province, Costa Rica	Marques et al. (1995)	2‡
<i>A. quadripartitum</i> Williams, 1968	NR	NR	<i>Leucoraja naevus</i> (Müller & Henle, 1841)	ENA, MED, ECA	North Sea, off Aberdeen	Williams (1968)	2§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. quinonesi</i> Mayes, Brooks & Thorson, 1978	USNPC 74804 HWM 74806	USNPC 74805; HWM 74806	<i>Potamotrygon magdalena</i> e (Duméril, 1865)	WCA	Magdalena River, Ciénaga Jabo, vicinity of San Cristóbal, Bolívar, Colombia	Mayes et al. (1978)	5‡
<i>A. quinonesi</i> *†	NR	NR	<i>Potamotrygon yepesi</i> Castex & Castello, 1970	WCA	Lake Maracaibo area near El Congo and Represa de Tule, Rio Cachirí, Zulia, Venezuela	Brooks et al. (1981)	—
<i>A. njacobatis</i> (Rudolphi, 1810) Euzet, 1959	NR	NR	<i>Dipturus batis</i> **	ENA	Mediterranean Sea	Rudolphi (1810)	5§
<i>A. njacobatis</i> *†	NR	NR	<i>Dipturus oxyrinchus</i> (Linnaeus, 1758)	ENA, MED, ECA	Sète, France	Euzet (1959)	—
<i>A. njacobatis</i> *†	NR	NR	<i>Rostrojia alba</i> (Lacépède, 1803)	ENA, MED, ECA, ESA, WIO	Sète, France	Euzet (1959)	—
<i>A. njacobatis</i> *†	NR	NR	<i>Rostrojia alba</i>	ENA, MED, ECA, ESA, WIO	Lacépède, France	Euzet (1959)	—
<i>A. njacobatis</i> *†	NR	NR	<i>Dipturus batis</i> **	ENA	Sète, France	Euzet (1959)	—
<i>A. njacobatis</i> *†	NR	NR	<i>Dipturus batis</i> **	ENA	Roscoff, France	Euzet (1959)	—
<i>A. njivii</i> Ghoshroy & Cañaa, 2001	CNHE 4038	CNHE 4039; HWM 15552; LRP 2055-2056; USNPC 90461	<i>Hypamus dipherurus</i>	ECP	Puertecitos, Gulf of California, Mexico	Ghoshroy and Cañaa (2001)	2‡
<i>A. namiroi</i> Ivanov, 2005	MACN-Pa 412/1- 4	USNPC 92521	<i>Potamotrygon motoro</i>	WSA, WCA	Río Colastiné, Santa Fé, Argentina	Ivanov (2005)	4¶
<i>A. namiroi</i> *†	NR	NR	<i>Potamotrygon motoro</i>	WSA, WCA	Río Coronda, Santa Fé, Argentina	Ivanov (2005)	—
<i>A. regai</i> Brooks, Mayes & Thorson, 1981	USNPC 75709	USNPC 75710; HWM 21012, 21013	<i>Potamotrygon hystrix</i> (Miller & Henle, 1841)	WSA	Orinoco River Delta, Orinoco River near Los Castillos, Venezuela	Brooks et al. (1981)	5‡

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. regoi*</i> †	NR	NR	<i>Potamotrygon falkneri</i> Castex & Maciel, 1963	WSA	Paraná River, Brazil	Lacerda et al. (2008)	—
<i>A. regoi*</i> †	NR	NR	<i>Potamotrygon motoro</i>	WSA, WCA ENP, ECP	Paraná River, Brazil Santa Monica Harbor, California, USA	Lacerda et al. (2008) Alexander (1953)	— 9(5)‡
<i>A. rhinobati</i> †	NR	NR	<i>Pseudobatos productus</i>	ENP, ECP	Ocean Park Pier, California, USA	Alexander (1953)	—
<i>A. robertsoni</i> * Campbell & Beveridge, 2002	SAM AHC 28197	SAM AHC 225290, 22591, 22592, 22667, 22714	<i>Trigonorrhina fasciata</i>	WSP	Middleton, South Australia	Campbell and Beveridge (2002)	3§
<i>A. robertsoni</i> *†	NR	SAM AHC 28257	<i>Pristiphorus cirratus</i>	EIO, WSP	Port Stanvac, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Aptychotrema vincentiana</i>	EIO	North Haven, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Aptychotrema vincentiana</i>	EIO	Goolwa, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Dentiraja cerva</i> (Whitley, 1939)	EIO, WSP	Port Stanvac, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	SAM AHC 28260	<i>Urolophus bucculentus</i> Mackay, 1884	EIO, WSP	Holdfast Bay, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	SAM AHC 22699	<i>Urolophus expansus</i>	EIO	Rapid Head, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	SAM AHC 28256	<i>Urolophus lobatus</i>	EIO	Esperance, Western Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Trigonorrhina fasciata</i>	WSP	Outer Harbour, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Trigonorrhina fasciata</i>	WSP	North Haven, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Trigonorrhina fasciata</i>	WSP	Port Stanvac, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> *†	NR	NR	<i>Trigonorrhina fasciata</i>	WSP	Goolwa, South Australia	Campbell and Beveridge (2002)	—

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. robertsoni</i> †	NR	NR	<i>Trigonorrhina fasciata</i>	WSP	Port Vincent, South Australia	Campbell and Beveridge (2002)	—
<i>A. robertsoni</i> †	NR	NR	<i>Trigonorrhina fasciata</i>	WSP	Queenscliff, Victoria, Australia	Campbell and Beveridge (2002)	—
<i>A. robustum</i> Alexander, 1953	USNPC 47856	USNPC 47857	<i>Pseudobatos productus</i>	ENP, ECP	Long Beach Harbor, California, USA	Alexander (1953)	4‡
<i>A. robustum</i> † <sup>4</sup>	NR	NR	<i>Pseudobatos planiceps</i>	ECP, ESP	Trujillo, Peru	Escalante-A. (1986)	—
<i>A. robustum</i> † <sup>4</sup> A. rodmani Fyler, Caira & Jensen, 2009	QM G231354	QM G231355-G231357; USNPC 101961-101963; LRP 4333-4335; cross sections QM G231359 G231358; cross sections LRP 4564-4569, 4563), longitudinal sections 4560-4562, 4559, SEM LRP 4336-4339, hologenophores LRP 4340, 4341	<i>Urotrygonus acanthobothrium</i>	WSP, WCP	Arafura Sea, east of Wessel Islands, Northern Territory, Australia.	Fyler et al. (2009), Caira and Jensen (2017)	6¶
<i>A. mohdei</i> Campbell & Beveridge, 2002	SAM AHC 28233	SAM AHC 28234	<i>Urolophus lobatus</i>	EIO	Esperance, Western Australia	Campbell and Beveridge (2002)	1§
<i>A. romaniowii</i> Fyler, Caira & Jensen, 2009	QM G231360	QM G231361-231363; USNPC 101964-101966; LRP 4342-4344; cross sections QM G231365, G231364); cross sections LRP 4351-4356, SEM LRP 4345-4348, hologenophores LRP 4350, 4349.	<i>Urotrygonus acanthobothrium</i>	WSP, WCP	Arafura Sea, east of Wessel Islands, Northern Territory, Australia.	Fyler et al. (2009), Caira and Jensen (2017)	1¶
<i>A. rotundum</i> Subhapradha, 1955	NR	NR	<i>Rhynchobothrius djiddensis</i>	WIO, NIO	Madras Coast, India	Subhapradha (1955)	4¶

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. royi</i> Caira & Burge, 2001	CNHE 4173	CNHE 4174; LRP 2104; USNPC 90842	<i>Diplobatis ornata</i>	ECP	Punta Arena, Gulf of California, Mexico	Caira and Burge (2001)	1¶
<i>A. royi</i> †	NR	NR	<i>Diplobatis ornata</i>	ECP	Loreto, Gulf of California, Mexico	Caira and Burge (2001)	—
<i>A. nubrum</i> Bilquees, 1980	NR	SPUK 2002 (syntype)	<i>Mustelus manazo</i>	NIO, WCP, WNP	Karachi Coast, Pakistan	Bilquees (1980)	6§
<i>A. saliki</i> Fyler & Caira, 2006	MZUM (P) 149	USNPC 96418–96419; LRP 3836–3843 (including cross sections and SEM specimens); MZUM (P) 150; IPMB 77.14.07	<i>Urogyrus polylepis</i>	NIO, WCP	Off Kampung Abai, Kinabatangan River, Sabah, Malaysia	Fyler and Caira (2006)	1§
<i>A. santarosense</i> Caira & Zahner, 2001	CNHE 4177	CNHE 4178; USNPC 90844; LRP 2107	<i>Heterodontus mexicanus</i>	ECP; ESP	Santa Rosalia, Gulf of California, Mexico	Caira and Zahner (2001)	3¶
<i>A. satyanarananai</i> Sanaka, Vijaya Lakshmi & Hanumantha Rao, 1993	DZAUW	NR	<i>Glaucostegus granulatus</i> (Cuvier, 1829)	NIO	Waltair coast, India	Sanaka et al. (1993)	4§
<i>A. schallii</i> Vardo-Zalik & Campbell, 2011	USNPC 103820	USNPC 103821–103826	<i>Mustelus canis</i>	WNNA, WCA, WSA	Gulf of Mexico	Vardo-Zalik and Campbell (2011)	1¶
<i>A. schallii</i> *	NR	NR	<i>Mustelus norrisi</i> Springer, 1939	WNNA, WCA, WSA	Gulf of Mexico	Vardo-Zalik and Campbell (2011)	—
<i>A. semnovesculum</i> Verma, 1928	ZIMC	NR	<i>Pastinachus sephen</i>	NIO	Allahabad (Ganges and Jumna), India	Verma (1928)	2§
<i>A. semnovesculum</i> †	NR	NR	<i>Pastinachus sephen</i> **	NIO	Fog Bay, Timor Sea, North Australia	Campbell and Beveridge (2002)	—
<i>A. semnovesculum</i> †	NR	NR	<i>Pastinachus sephen</i> **	NIO	Nickol Bay, Western Australia	Campbell and Beveridge (2002)	—
<i>A. septentrionale</i> Baer & Euzet, 1962	NR	NR	<i>Dipturus batis</i>	ENA	Atlantic, Nort Sea	Baer and Euzet (1962), Baer (1948), Euzet (1959)	3§
<i>A. septentrionale</i> *	NR	NR	<i>Dipturus oxyrinchus</i>	ENA, MED, ECA	Atlantic, Nort Sea	Williams (1969)	—

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. sinaloensis</i> Zaragoza-Tapia, Pulido-Flores & Monks, 2020	CNHE 11257	CNHE 11258; HWML 216262	<i>Hypanus longus</i>	ECP	La Puntilla, Mazatlán, Sinaloa, Mexico	Zaragoza-Tapia et al. (2020)	2¶
<i>A. soberoni</i> Ghoshroy & Caira, 2001	CNHE 4040	CNHE 4041–4042; HWML 15548; LRP 2057–2059; USNPC 90462	<i>Hypanus dipperurus</i>	ECP	Puertecitos, Gulf of California, Mexico	Ghoshroy and Caira (2001)	6‡
<i>A. soberonii</i>	NR	NR	<i>Hypanus dipperurus</i>	ECP	Bahía de Los Ángeles, Gulf of California, Mexico	Ghoshroy and Caira (2001)	–
<i>A. soniae</i> Zaragoza-Tapia, Pulido-Flores, Violante-Gonzalez & Monks, 2019	CNHE 11136	CNHE 11137; HWML 139978; CHE P00081	<i>Narcine antemodor</i>	ECP	Bahía de Acapulco, Playa Las Hamacas, Guerrero, Mexico	Zaragoza-Tapia et al. (2019)	2¶
<i>A. southwelli</i> Subhapradha, 1955	NR	NR	<i>Rhinobatos schlegelii</i> **	WNP	Madras Coast, India	Subhapradha (1955)	1§
<i>A. sphacera</i> Maleki, Malek & Palm, 2013	ZUTC 1298	ZUTC 1299–1307), SEM vouchers ZUTC 1308–1309; IPCAS C–641; ZMB E7560	<i>Pastinachus cf. sephen</i> *	NIO	Persian Gulf, Iran	Maleki et al. (2013)	2¶
<i>A. stefaniacae</i> Franzese & Ivanov, 2018	MACN-Pa 624	MACN-Pa 625/1–6, 626/1–3, 627/1, 628/1–2; IPCAS C–786; LRP 9403– 9410	<i>Discopuge tschudii</i> Heckel, 1846	ESP, WSA	Coastal waters off Mar Chiquita City, Buenos Aires Province	Franzese and Ivanov (2018)	1¶
<i>A. stefaniacae</i>	NR	NR	<i>Discopuge tschudii</i>	ESP, WSA	Coastal waters off Villa Gesell, Argentina	Franzese and Ivanov (2018)	–
<i>A. stefaniacae</i>	NR	NR	<i>Discopuge tschudii</i>	ESP, WSA	Off San Clemente del Tuyú, Argentina	Franzese and Ivanov (2018)	–
<i>A. stefaniacae</i>	NR	NR	<i>Discopuge tschudii</i>	ESP, WSA	Off Camarones, Argentina	Franzese and Ivanov (2018)	–
<i>A. stevensi</i> Campbell & Beveridge, 2002	SAM AHC 28199	SAM AHC 28199	<i>Trygonorrhina fasciata</i>	WSP	Marion Bay, South Australia	Campbell and Beveridge (2002)	2§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. stevensi</i> <sup>†</sup>	NR	NR	<i>Trygonorrhina fasciata</i>	WSP	Goolwa, South Australia	Campbell and Beveridge (2002)	—
<i>A. stevensi</i> <sup>†</sup>	NR	NR	<i>Trygonorrhina fasciata</i>	WSP	Coorong, Australia	Campbell and Beveridge (2002)	—
<i>A. tasajensis</i> Brooks, 1977	USNPC 73961 HWML 20261		<i>Synacrum schmidiae</i>	WCA	Caribbean Sea, La Cienaga, Magdalena, Colombia	Brooks (1977)	2‡
<i>A. tasajensis</i> <sup>†</sup>	NR		<i>Hopanias guttatus</i> (Bloch & Schneider, 1801) <i>Potamotrygon motoro</i>	WSA, WCA	Lake Maracaibo, Venezuela	Mayes and Brooks (1981)	—
<i>A. terezae</i> Rego & Dias, 1976	CHIOC 31.215c	CHIO 10.847, 10.994, 31.412a-b, 31.215a-b		WSA, WCA	Rio Salobra, Mato Grosso, Brazil	Rego and Luna Dias (1976)	4‡
<i>A. tetabuanense</i> Reyda & Caira, 2006	MZUM (P) 184(h)	USNPC 97470– 97471; IRP 3869– 3873 (including cross sections and SEM specimens); MZUM (P) 185(p)–186(p); IPMB 77.08.18	<i>Pateobatis uarnacooides</i>	NIO, WCP	Off Kampung Terabuan, Sabah, Malaysia	Reyda and Caira (2006)	2¶
<i>A. thomasi</i> Campbell & Beveridge, 2002	SAM AHC 28201	SAM AHC 22676	<i>Aptychotrema vincentiana</i>	EIO	Musgrave Shoal, South Australia	Campbell and Beveridge (2002)	2§
<i>A. thomasi</i> <sup>†</sup>	NR	NR	<i>Aptychotrema vincentiana</i>	EIO	Cowell, Australia	Campbell and Beveridge (2002)	—
<i>A. tortum</i> (Linton, 1916) Baer & Euzet, 1962	NR	NR	<i>Actobatus narinari</i>	WSA, WCA, WNA, ECA	Woods Hole, Massachusetts, USA	Linton (1916)	3‡
<i>A. tortum</i> <sup>†</sup>	NR	NR	<i>Actobatus narinari</i>	WSA, WCA, WNA, ECA	Caimare Chico, Gulf of Venezuela	Mayes and Brooks (1981)	—
<i>A. tortum</i> <sup>†</sup>	NR	USNPC 70494	<i>Actobatus narinari</i>	WSA, WCA, WNA, ECA	Cape Haze Marine Laboratory, Sarasota, Florida.	Campbell (1970)	—
<i>A. triacis</i> Yamaguti, 1952	NR		<i>Triakis scyllium</i> Müller & Henle, 1839	WNP	Hamazima, Mie, Japan	Yamaguti (1952)	4¶
<i>A. tripartitum</i> Williams, 1969	NR	NR	<i>Raja microcellata</i>	ENA, ECA	English Channel, Plumpton	Williams (1969)	2§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. ulmeri</i> Vardo-Zalik & Campbell, 2011	USNPC 103830	USNPC 103831–103837, 103839, 103842, 103846	<i>Raja texana</i>	WCA	Gulf of Mexico	Vardo-Zalik and Campbell (2011)	1¶
<i>A. unilateralis</i> Alexander, 1953	USNPC 47855	NR	<i>Myliobatis californicus</i>	ENP, ECP	Long Beach Harbor, California, USA	Alexander (1953)	7(2)‡
<i>A. urogynni</i> (Hornell, 1912) Southwell, 1925	NR	NR	<i>Urotrygon asperimus</i> (Bloch & Schneider, 1801)	ECA, WIO, NIO, EIO, WSP, WCR	Gulf of Mannar, India	Hornell (1912), Southwell (1925)	?¶
<i>A. urolophi</i> Schmidt, 1973	USNPC 72284	USNPC 72284	<i>Trygonoptera testacea</i> Müller & Henle, 1841	WSP	Glenelg Beach near Adelaide, South Australia	Schmidt (1973)	1§
<i>A. urophrhi*</i> †	NR	NR	<i>Urolophus paucimaculatus</i>	EIO, WSP	Devonport, Tasmania	Campbell and Beveridge (2002)	–
<i>A. urotrygoni</i> Brooks & Mayes, 1980	USNPC 75162	USNPC 75163; HWML 20917	<i>Uroblatis venezuelae</i> Schultz, 1949	WCA	Cartagena, Colombia	Brooks and Mayes (1980)	2‡
<i>A. urotrygoni*</i> †	NR	NR	<i>Hypanus guttatus</i>	WSA, WCA	Lake Maracaibo, Venezuela	Mayes and Brooks (1981)	–
<i>A. urotrygoni*</i> †	NR	NR	<i>Hypanus guttatus</i>	WSA, WCA	Isla Margarita, Venezuela	Mayes and Brooks (1981)	–
<i>A. vargasii</i> Marques, Brooks & Monks, 1995	MNHG 200111	MNHG 20012–20013; HWML 38545	<i>Hypanus longus</i>	ECP	Punta Morales, Puntarenas Province, Costa Rica	Marques et al. (1995)	2‡
<i>A. vidali</i> Zaragoza-Tapia, Pulido-Flores, Violante-Gonzalez & Monks, 2019	CNHE 11134	CNHE 11135; HWML 139979–139981; CHE P0082	<i>Narcine entemedor</i>	ECP	Bahía de Acapulco, Playa Las Hamacas, Guerrero, Mexico	Zaragoza-Tapia et al. (2019)	6¶
<i>A. walkeri</i> Campbell & Beveridge, 2002	SAM AHC 28219	SAM AHC 28220	<i>Pastinachus sephen</i> **	NIO	Nickol Bay, Western Australia	Campbell and Beveridge (2002)	2§
<i>A. waltairensis</i> Uma Maheswari, Sanaka, Vijaya Lakshmi & Hanumantha Rao, 1987	NR		<i>Himantura uarnak</i>	WIO, NIO, EIO, WCP	Waltair coast, India	Maheswari et al. (1987)	3§
<i>A. weddi</i> Robinson, 1959	NR	DMNZ 194b,c,d, 195–197 (synype)	<i>Zearaja nautila</i> (Müller & Henle, 1841)	WSP	Petone Beach, New Zealand	Robinson (1959)	4§

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. wedlli</i> †	NR	NR	<i>Zearaja nasuta</i>	WSP	Porrobello, Otago Harbour, New Zealand	Robinson (1959)	—
<i>A. wedlli</i> †	NR	NR	<i>Zearaja nasuta</i>	WSP	South Island, off Lyttelton, New Zealand	Campbell and Beveridge (2002)	—
<i>A. westi</i> Vardo-Zalik & Campbell, 2011	USNPC 103841	USNPC 103843, 103840, 103843–103845, 103847 (syntype)	<i>Raja tetrica</i>	WCA	Gulf of Mexico	Vardo-Zalik and Campbell (2011)	1¶
<i>A. woodsholei</i> Baer, 1948	NR	MNHG 40028	<i>Bathyoshia centrona</i>	WSA, WCA, WNA	Woods Hole, Massachusetts, USA	Baer (1948), Vardo-Zalik and Campbell (2011)	2(7)‡
<i>A. woodsholei</i> †	NR	NR	<i>Bathyoshia centrona</i>	WSA, WCA, WNA	Western North Atlantic	Goldstein (1964)	—
<i>A. xiamenensis</i> Yang & Lin, 1994	NR	NR	<i>Rhynchobatus djiddensis</i> * <sup>**</sup>	WIO, NIO	Xiamen, South Fujian, China	Yang (1994)	5§
<i>A. zainai</i> Fyler & Caira, 2006	MZUM (P) 151	USNPC 96420–96422; IRP 3844–3849 (including cross sections and SEM specimens); MZUM (P) 152–153; IPMB 77.14.08	<i>Urogymmus polyepis</i>	NIO, WCP	Off Kampung Abai, Kinabatangan River, Sabah, Malaysia	Fyler and Caira (2006)	1§
<i>A. zapetycum</i> Ostrowski de Núñez, 1971	MACN-Pa 214/1	NR	<i>Zapetyx brevirostris</i> (Müller & Henle, 1841)	WSA	Mar del Plata, Buenos Aires, Argentina	Ostrowski de Núñez (1971)	2‡
<i>A. zapetycum</i> †	NR	MACN-Pa 214/1–2, 214/4–5, 629/1, 630/1–3, 631/1–4, 632/1–4; IPCAS C-787; IRP 9411–9417	<i>Zapetyx brevirostris</i>	WSA	Coastal waters off Villa Gessel, Argentina	Franzese and Ivanov (2018)	—
<i>A. zapetycum</i> †	NR	NR	<i>Zapetyx brevirostris</i>	WSA	La Lucila del Mar, Argentina	Franzese and Ivanov (2018)	—
<i>A. zapetycum</i> †	NR	NR	<i>Zapetyx brevirostris</i>	WSA	Puerto Quequén, Argentina	Franzese and Ivanov (2018)	—

<b>Species of <i>Acanthobothrium</i></b>	<b>Ht</b>	<b>Nt, Pt or Va</b>	<b>Species of Host</b>	<b>Gd</b>	<b>Loc</b>	<b>Sou</b>	<b>Cd</b>
<i>A. zapteryxi</i> <sup>†</sup>	NR	NR	<i>Zaptryxx brevirostris</i>	WSA	Puerto Pirámides, Argentina	Franzese and Ivanov (2018)	—
<i>A. zimmeri</i> Fyler, Caira & Jensen, 2009	QM G231366	QM G231367– G231369; USNPC 101967–101969; LRP 4357–5358; cross sections QM G231371, G231370); cross sections LRP 4364–4366, SEM LRP 4359–4361, hologenophores LRP 4363, 4362	<i>Urognathus</i> <i>acanthobothrium</i>	WSP, WCP	Arafura Sea, east of Wessel Islands, Northern Territory, Australia.	Fyler et al. (2009), Caira and Jensen (2017)	<b>14</b>
<i>A. zschokkei</i> Baer, 1948	MHNG 88/39	NR	Torpille (common name)**	?	Naples, Italy	Baer (1948)	6§
<i>A. zschokkei</i> * <sup>†</sup>	NR	NR	<i>Torpedo marmorata</i>	ENA, MED, ECA, ESA	Adriatic Sea, Mediterranean Sea	Goldstein (1967)	—
<i>A. zschokkei</i> * <sup>†</sup>	NR	NR	<i>Torpedo torpedo</i>	ENA, MED, ECA	Sète, France	Euzet (1959)	—
<i>A. zschokkei</i> * <sup>†</sup>	NR	NR	<i>Torpedo torpedo</i>	ENA, MED, ECA	Adriatic Sea, Mediterranean Sea	Goldstein (1967)	—

## Results


The information obtained from the metadata analysis (Table 1) is comprised of 336 reports of the 201 valid species of *Acanthobothrium*. The list includes the type host of each species, type locality, and additional hosts and/or localities. Five of the elasmobranchs that were reported as hosts of *Acanthobothrium* were only identified to genus and four others are reported as “cf.” (= similar to) (see Table 1).

The type localities where species of *Acanthobothrium* have been reported is shown in Figure 1. The currently known diversity of sharks comprises 517 species (34 families); of these, 19 species of sharks (eight families) have been reported to be parasitized by species of *Acanthobothrium* (Fig. 2). Eighteen of the 201 valid species have been described from sharks. The families of sharks that have the highest number of reports are Orectolobidae (three different species of *Acanthobothrium*), Heterodontidae (five species) and Triakidae (six species) (Fig. 2B). In contrast, currently known diversity of rays comprises 637 species (26 families); of these, 95 species (18 families) have been reported to be parasitized by species of *Acanthobothrium* (Fig. 3). Of the 201 valid species of *Acanthobothrium*, 182 have been described from rays. The families of rays that have the highest number of reports are Rajidae (20 species of *Acanthobothrium*) and Dasyatidae (70 species) (Fig. 3B).

Species of *Acanthobothrium* are not evenly grouped in the different categories. In Category 1 there are 55 species, 44 in Category 2, 19 in Category 3, 37 in Category 4, 17 in Category 5, 14 in Category 6, four in Category 7, four in Category 8, and three in Category 9. Although there is a Category 10, species in that category also are in grouped with those in Category 8 because their characteristics are thought to fall into both categories (Table 1). The categories of four species of *Acanthobothrium* were classified as unknown (“?”) because the original descriptions do not have sufficient information for assignment in one of the ten categories (Table 1).


## Discussion

Currently, 517 species of sharks have been described worldwide with 3.7% (19 of the 517 species) have been reported as hosts for species of *Acanthobothrium* (Fig. 2C). In contrast, 637 species of rays have been described with 14.9% (95 of the 637 species) have been reported as hosts for species of *Acanthobothrium* (Fig. 3C). Estimates of cestode diversity in elasmobranchs discussed by Caira (2011) assumes that the fauna of cestodes of a species of elasmobranchs does not vary substantially across in its distribution. Knowledge of life cycles are essential in understanding the distribution of species of *Acanthobothrium*; however, for this study it is assumed that the distribution of adults of these parasites normally is limited to that of its normal definitive host. Thus, it is hypothesized that the limits of the distribution of the host limits the species of its parasites to the same biogeographic regions proposed for the distribution of elasmobranchs by Last et al. (2016b). It is recognized that an infected elasmobranch



**Figure 2.** Families of sharks: **A** number of species of sharks per family **B** number of species of sharks parasitized by species of *Acanthobothrium*. Note: The first number within parentheses corresponds to the number of species of shark that have been reported as hosts of *Acanthobothrium* and the second is the number of species that have been described from that Family **C** percentage of species of shark reported to be parasitized within the total number of families of sharks- note: Red color = parasitized; Blue color = not parasitized.


could move outside of the region where it has been designated, but until an extension to its distribution has been reported, it must be assumed that the normal distribution for each species of parasite also is that same designated region. The information in the table will be subject to future research, not forgetting that there is a lack of knowledge of the life cycle of the species of *Acanthobothrium*; a partial life cycle of a single species



**Figure 3.** Families of rays: **A** number of species of rays per family **B** number of species rays parasitized by species of *Acanthobothrium*. Note: The first number within parentheses corresponds to the number of species of ray that have been reported as hosts of *Acanthobothrium* and the second is the number of species that have been described from that Family **C** percentage of species of rays reported to be parasitized within the total number of families of rays- note: Red color = parasitized; Blue color = not parasitized.

has been reported (Holland and Wilson 2009). Publication of molecular sequences for more species will provide new discoveries in this subject.

The information in the Figures 1 and 4 indicates that there is an absence of reports from several regions of the world, such as ECA, ESA, WIO, ARC, and SOC. According to the percentages of species of elasmobranchs that have been reported as hosts of species of *Acanthobothrium*, we can infer that there are still many new species of *Acanthobothrium* to be discovered. In the GenBank database records, molecular sequences



**Figure 4.** Number of species of *Acanthobothrium* reported from elasmobranchs in each biogeographic region (Last et al. 2016b).

of only 16 of the 201 species of *Acanthobothrium* have been reported. However, more molecular information about species of *Acanthobothrium* is required for future analyzes, both for identification and life cycle studies; these would provide more solid information for delimiting distributions.

In Table 1, *Acanthobothrium chilensis* Rêgo, Vicente & Herrera, 1968, was included for reference, although it was described from a fish, *Sarda chiliensis* (Cuvier, 1832) (Perciformes: Scombridae) (see Rêgo et al. 1968). Extensive recent studies of this species of fish (Chero et al. 2016; Luque et al. 2016) failed to report *A. chilensis*; there is only the report by Rêgo et al. (1968). The report of the host for this species of *Acanthobothrium* likely is an accidental infection and not a normal host.

According to Fyler et al. (2009) and Franzese and Ivanov (2018), species of *Acanthobothrium* appear to exhibit oioxenous specificity for their elasmobranch hosts. In the present metadata analysis, for species exclusively in elasmobranchs, 83% of the species of *Acanthobothrium* show remarkable host specificity for their definitive host, and thus, should be considered to be an oioxenous species. In contrast, 34 of the 200

species (17%) of *Acanthobothrium* have been reported in more than one species of elasmobranch (Table 1). However, with the metadata analysis of the distribution of the hosts and the reports of the species of *Acanthobothrium*, 45 of the type specimens of *Acanthobothrium* require confirmation of the host (Table 1) because some appear to be problematic identifications and other hosts were reported as “cf.” or only as an unidentified member of a particular genus. In addition, there are reports of species of *Acanthobothrium* that suggest misidentification of the parasites; these should be reevaluated in future studies. To mention obvious cases, *A. batailloni* has been reported from the Mediterranean Sea and from the Pacific coast of Peru and Chile and *A. brevissime* has been reported from the Gulf of Mexico and the Pacific coast of Peru.

The categorical method developed by Ghoshroy and Caira (2001) was proposed in order to delimit the number of taxonomic comparisons when describing new species. Using the method of Ghoshroy and Caira (2001), which focused only on species from the Americas, Fyler and Caira (2006) later applied the same methodology to biodiversity data for species from other regions; those works are augmented by this study. Of the 201 known species of *Acanthobothrium*, 13 have been classified in more than one category (see category designations in Table 1) because some characteristics of those species overlap with those of more than one category (see descriptions found in Zschokke 1888; Linton 1890; Baer 1948; Alexander 1953; Euzet 1955; Riser 1955; Yamaguti 1959; Goldstein 1964; Williams 1969; Goldstein et al. 1969; Appy and Dailey 1973; Severino and Sarmiento 1979; Marques et al. 1997; Reyda 2008). This does not decrease the usefulness of the categorical method as a tool for the initial stages in identification.

Having more information, such as molecular sequences, could solve some problems in identification, such as the two cases mentioned above. A species of *Acanthobothrium* that has been assigned to more than one category suggests that the categories still need some refining, or it is an example of cryptic species that cannot be distinguished without molecular information. However, molecular information cannot replace morphological descriptions of species. One reason is the lack of material for sequencing of the vast majority of already-known species. Morphology also augments molecular data in studies of the phylogeny of platyhelminths (Zamparo et al. 2001; Littlewood 2008). A complete phylogenetic hypothesis based on total evidence (morphological and molecular data) such as that of Littlewood (2008) for any major group of cestodes is still distant. Until that time, a categorical method provides the easiest and most direct method for selection of a group of species similar to a new species of *Acanthobothrium*. This updated database includes the category designation for each species described to date will be an important tool for the future taxonomic studies.

## Acknowledgements

The authors would like to thank to Luis García-Prieto (CNHE) for providing important bibliographic references and the Consejo Nacional de Ciencia y Tecnología (CONACYT) for a doctoral scholarship (no. 432427) to FZ-T.

## References

- Alexander CG (1953) Five new species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from southern California rays. *Journal of Parasitology* 39: 481–486. <https://doi.org/10.2307/3273847>
- Alves PV, de Chambrion A, Scholz T, Luque JL (2017) Annotated checklist of fish cestodes from South America. *ZooKeys* 650: 1–205. <https://doi.org/10.3897/zookeys.650.10982>
- Amaral CRL, Pereira F, Silva DA, Amorim A, de Carvalho EF (2018) The mitogenomic phylogeny of the Elasmobranchii (Chondrichthyes). Mitochondrial DNA A DNA Mapp Seq Anal 29: 867–878. <https://doi.org/10.1080/24701394.2017.1376052>
- Appy RG, Dailey MD (1973) Two new species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from elasmobranchs of the eastern Pacific. *Journal of Parasitology* 59: 817–820. <https://doi.org/10.2307/3278414>
- Baer JG (1948) Contributions a l'étude des cestodes de sélaciens I-IV. *Bulletin de la Société des Sciences Naturelles de Neuchâtel* 71: 63–122.
- Baer JG, Euzet L (1962) Revision critique des Cestodes Tétraphyllides décrits par T. Southwell (1<sup>re</sup> Partie). Extrait du Bulletin de la Société neuchâteloise des Sciences naturelles 85: 143–172.
- Bilqees FM (1980) Three new species of *Acanthobothrium* Van Beneden (Cestoda: Tetraphyllidea: Onchobothriidae) in *Myrmillo manazo* (blk.) of Karachi coast. *Pakistan Journal of Zoology* 12: 239–246.
- Brooks DR (1977) Six new species of tetraphyllidean cestodes, including a new genus, from a marine stingray *Himantura schmardae* (Werner, 1904) from Colombia. *Proceedings of the Helminthological Society of Washington* 44: 51–59.
- Brooks DR, Mayes MA (1978) *Acanthobothrium electricolum* sp. n. and *A. lintoni* Goldstein, Henson, and Schlicht, 1969 (Cestoda: Tetraphyllidea) from *Narcine brasiliensis* (Olfers) (Chondrichthyes: Torpedinidae) in Colombia. *Journal of Parasitology* 64: 617–619. <https://doi.org/10.2307/3279945>
- Brooks DR, Mayes MA (1980) Cestodes in four species of euryhaline stingrays from Colombia. *Proceedings of the Helminthological Society of Washington* 47: 22–29.
- Brooks DR, Mayes MA, Thorson TB (1981) Systematic review of cestodes infecting freshwater stingrays (Chondrichthyes: Potamotrygonidae) including four new species from Venezuela. *Proceedings of the Helminthological Society of Washington* 48: 43–64.
- Brooks DR, McCorquodale S (1995) *Acanthobothrium nicoyaense* n. sp. (Eucestoda: Tetraphyllidea: Onchobothriidae) in *Aetobatus narinari* (Euphrasen) (Chondrichthyes: Myliobatiformes: Myliobatidae) from the Gulf of Nicoya, Costa Rica. *Journal of Parasitology* 81: 244–246. <https://doi.org/10.2307/3283927>
- Caira JN (2011) Synergy advances parasite taxonomy and systematics: an example from elasmobranch tapeworms. *Parasitology* 138: 1675–1687. <https://doi.org/10.1017/S0031182011000643>
- Caira JN, Burge AN (2001) Three new species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from the ocellated electric ray, *Diplobatis ommata*, in the Gulf of California, Mexico. *Comparative Parasitology* 68: 52–65.
- Caira JN, Jensen K, Barbeau E (2019) Global Cestode Database. <http://tapewormdb.uconn.edu/>

- Caira JN, Jensen K, Ivanov VA (2017) Onchoproteocephalidea II. In: Caira JN, Jensen K (Eds) Planetary biodiversity inventory (2008–2017): tapeworms from vertebrate bowels of the earth Special Publication, Natural History Museum, The University of Kansas Lawrence, Kansas, 290–315.
- Caira JN, Zahner SD (2001) Two new species of *Acanthobothrium* Beneden, 1849 (Tetraphylidea: Onchobothriidae) from horn sharks in the Gulf of California, Mexico. Systematic Parasitology 50: 219–229. <https://doi.org/10.1023/A:1012241913722>
- Campbell RA (1969) New species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from Chesapeake Bay, Virginia. Journal of Parasitology 55: 559–570. <https://doi.org/10.2307/3277298>
- Campbell RA (1970) Notes on tetraphyllidean cestodes from the Atlantic Coast of North America, with descriptions of two new species. Journal of Parasitology 56: 498–508. <https://doi.org/10.2307/3277613>
- Campbell RA, Beveridge I (2002) The genus *Acanthobothrium* (Cestoda: Tetraphyllidea: Onchobothriidae) parasitic in Australian elasmobranch fishes. Invertebrate Systematics 16: 273–344. <https://doi.org/10.1071/IT01004>
- Carvajal-G. J, Goldstein RJ (1969) *Acanthobothrium psammobati* n. sp. (Cestoda: Tetraphyllidea: Onchobothriidae) from the skate, *Psammobatis scobina* (Chondrichthyes: Rajidae) from Chile. Zoologischer Anzeiger 182: 432–435.
- Carvajal-G. J, Goldstein RJ (1971) *Acanthobothrium annapinkiensis* n. sp. (Cestoda: Tetraphyllidea: Onchobothriidae) from the skate, *Raja chilensis* (Chondrichthyes: Rajidae) from Chile. Zoologischer Anzeiger 186: 158–162.
- Carvajal-G. J, Jeges-G. J (1980) Cestodos parásitos de *Myliobatis chilensis* Phillipi (Pisces: Myliobatidae), con la descripción de una nueva especie de *Acanthobothrium*. Anales del Centro de Ciencias del Mar y Limnología 7: 51–56.
- Chero J, Sáez G, Iannacone J, Cruces C, Alvariño L, Luque J (2016) Ecología comunitaria de metazoos parásitos del bonito *Sarda chiliensis* Cuvier, 1832 (Perciformes: Scombridae) de la Costa Peruana. Revista de Investigaciones Veterinarias del Perú 27: 539–555. <https://doi.org/10.15381/rivep.v27i3.12008>
- Concha FJ, Caira JN, Ebert DA, Pompert JHW (2019) Redescription and taxonomic status of *Dipturus chilensis* (Guichenot, 1848), and description of *Dipturus lamillai* sp. nov. (Rajiformes: Rajidae), a new species of long-snout skate from the Falkland Islands 4590: 501–524. <https://doi.org/10.11646/zootaxa.4590.5.1>
- Cornford EM (1974) Two tetraphyllidean cestodes from Hawaiian stingrays. Journal of Parasitology 60: 942–948. <https://doi.org/10.2307/3278520>
- Dailey MD, Mudry DR (1968) Two new species of cestodes from California rays. Journal of Parasitology 54: 1141–1143. <https://doi.org/10.2307/3276979>
- Del Moral-Flores LF, Morrone JJ, Alcocer-Durand J, Espinosa-Pérez H, Pérez-Ponce de León G (2015) Lista patrón de los tiburones, rayas y quimeras (Chondrichthyes, Elasmobranchii, Holocephali) de México. Arxius de Miscel·lània Zoològica 13: 47–163. <https://doi.org/10.32800/amz.2015.13.0047>
- Dollfus RP (1926) Sur *Acanthobothrium crassicolle* K. Wedl 1855. Bulletin Société Zool France 51: 464–470.

- Drummond FH (1937) Cestoda. Lady Julia Percy Island. Reports of the expedition of the McCoy Society for Field Investigations and Research. Proceedings of the Royal Society of Victoria 49: 401–404.
- Escalante-A. H (1986) Cestodes de elasmobranquios de la costa peruana. Revista de Ciencias Universidad Nacional Mayor de San Marcos 74: 70–74.
- Euzet L (1952) Cestodes téraphyllides de la côte Atlantique du Maroc et de Mauritanie. (Collection ressemblée par R. Ph. Dollfus). Comptes Rendus de la Société des Sciences Naturelles de Maroc 5: 91–96.
- Euzet L (1955) Quelques cestodes de *Myliobatis aquila* L. Recueil des Travaux des Laboratoires de Botanique, Géologie et Zoologie de la Faculté des Sciences de l' Université de Montpellier Série Zoologie 1: 18–27.
- Euzet L (1959) Recherches sur les Cestodes Téraphyllides des Sélaçiens de côtes de France. Docteur ès Sciences Naturelles, Montpellier, France: University of Montpellier.
- Franzese S, Ivanov VA (2018) Hyperapolytic species of *Acanthobothrium* (Cestoda: Onchoproteocephalidea) from batoids off Argentina. Parasitology International 67: 431–443. <https://doi.org/10.1016/j.parint.2018.04.001>
- Froese R, Pauly D (2019) FishBase. Version (08/2019). World Wide Web electronic. <http://www.fishbase.org>
- Friggens MM, Brown JH (2005) Niche partitioning in the cestode communities of two elasmobranchs. Oikos 108: 76–84. <https://doi.org/10.1111/j.0030-1299.2005.13275.x>
- Fyler CA (2011) An extremely hyperapolytic *Acanthobothrium* species (Cestoda: Tetraphyllidea) from the Japanese wobbegong, *Orectolobus japonicus* (Elasmobranchii: Orectolobiformes) in Taiwan. Comparative Parasitology 78: 4–14. <https://doi.org/10.1654/4454.1>
- Fyler CA, Caira JN (2006) Five new species of *Acanthobothrium* (Tetraphyllidea: Onchobothriidae) from the freshwater stingray *Himantura chaophraya* (Batoidea: Dasyatidae) in Malaysian Borneo. Journal of Parasitology 92: 105–125. <https://doi.org/10.1645/GE-3522.1>
- Fyler CA, Caira JN (2010) Phylogenetic status of four new species of *Acanthobothrium* (Cestoda : Tetraphyllidea) parasitic on the wedgefish *Rhynchobatus laevis* (Elasmobranchii : Rhynchosomatidae): implications for interpreting host associations. Invertebrate Systematics 24: 419–433. <https://doi.org/10.1071/IS10034>
- Fyler CA, Caira JN, Jensen K (2009) Five new species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from an unusual species of *Himantura* (Rajiformes: Dasyatidae) from northern Australia. Folia Parasitologica 56: 107–128. <https://doi.org/10.14411/fp.2009.016>
- Ghoshroy S, Caira JN (2001) Four new species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from the whiptail stingray *Dasyatis brevis* in the Gulf of California, Mexico. Journal of Parasitology 87: 354–372. [https://doi.org/10.1645/0022-3395\(2001\)087\[0354:FNSOA C\]2.0.CO;2](https://doi.org/10.1645/0022-3395(2001)087[0354:FNSOA C]2.0.CO;2)
- Goldstein RJ (1964) Species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from the Gulf of Mexico. Journal of Parasitology 50: 656–661. <https://doi.org/10.2307/3276123>
- Goldstein RJ (1967) The genus *Acanthobothrium* van Benden, 1849 (Cestoda: Tetraphyllidea). Journal of Parasitology 53: 455–483. <https://doi.org/10.2307/3276705>

- Goldstein RJ, Henson RN, Schlicht FG (1969) *Acanthobothrium lintoni* sp. n. (Cestoda: Tetraphyllidea) from the electric ray, *Narcine brasiliensis* (Olfers) in the Gulf of Mexico. *Zoologischer Anzeiger* 181: 435–438.
- Grace MA, Doosey MH, Denton JSS, Naylor GJP, Bart HLJ, Maisey JG (2019) A new Western North Atlantic Ocean kitefin shark (Squaliformes: Dalatiidae) from the Gulf of Mexico. 2019 4619: 109–120. <https://doi.org/10.11646/zootaxa.4619.1.4>
- Hassan S (1983) *Acanthobothrium manteri* sp. n. a tetraphyllidean cestode (Onchobothriidae) from *Dasyatis sephen*. *Journal of the Egyptian Society of Parasitology* 13: 75–80.
- Holland ND, Wilson NG (2009) Molecular Identification of Larvae of a Tetraphyllidean Tapeworm (Platyhelminthes: Eucestoda) in a Razor Clam as an Alternative Intermediate Host in the Life Cycle of *Acanthobothrium brevissime*. *Journal of Parasitology* 95: 1215–1217. <https://doi.org/10.1645/GE-1946.1>
- Hornell J (1912) XVIII. New cestodes from Indian fishes. *Records of the Indian Museum* 7: 197–204. [110 plates] <https://doi.org/10.5962/bhl.part.28231>
- Iannacone J, Avila-Peltoche J, Rojas-Perea S, Salas-Sierralta M, Neira-Cruzado K, Palomares-Torres R, Valdivia-Alarcón S, Pacheco-Silva A, Benvenutto-Vargas V, Ferrario-Bazalar V (2011) Dinámica poblacional de los parásitos metazoos del Pez Guitarra del pacífico *Rhinobatos planiceps* (Batoidea: Rajiformes) de la zona costera marina de Lima, Perú. *Neotropical Helminthology* 5: 265–278.
- Ivanov VA (2005) A new species of *Acanthobothrium* (Cestoda: Tetraphyllidea: Onchobothriidae) from the ocellate river stingray, *Potamotrygon motoro* (Chondrichthyes: Potamotrygonidae), in Argentina. *Journal of Parasitology* 91: 390–396. <https://doi.org/10.1645/GE-354R1>
- Ivanov VA, Campbell RA (1998) A new species of *Acanthobothrium* van Beneden, 1849 (Cestoda: Tetraphyllidea) from *Rioraja castelnauui* (Chondrichthyes: Rajoidei) in coastal waters of Argentina. *Systematic Parasitology* 40: 203–212. <https://doi.org/10.1023/A:1006049404646>
- Lacerda ACF, Takemoto RM, Pavanelli GC (2008) Digenea, Nematoda, Cestoda, and Acanthocephala, parasites in Potamotrygonidae (Chondrichthyes) from the upper Paraná River floodplain, states of Paraná and Mato Grosso do Sul, Brazil. *Check List* 4: 115–122. <https://doi.org/10.15560/4.2.115>
- Last PR, Naylor GJP, Manjali-Matsumoto BM (2016a) A revised classification of the family Dasyatidae (Chondrichthyes: Myliobatiformes) based on new morphological and molecular insights. *Zootaxa* 4139: 345–368. <https://doi.org/10.11646/zootaxa.4139.3.2>
- Last PR, White WT, de Carvalho MR, Séret B, Stehman MFW, Naylor GJP, McEachran JD (2016b) *Rays of the World*. Comstock Publishing Associates, a division of Cornell University Press; Clayton South VIC, Australia: CSIRO Publishing, Ithaca, New York, 790 pp.
- Léon-Borcéa L (1934) Note préliminaire sur les cestodes de elasmobranchs ou sélaciens de la mer noire. *Annales scientifiques de l'Université de Jassy* 19: 345–369.
- Léon-Borcéa L (1935) Novelle note sur *Acanthobothrium ponticum* L. Borcéa (n. sp.). *Annales scientifiques de l'Université de Jassy* 20: 480–481.
- Linton E (1890) Notes on Entozoa of marine fishes of New England, with descriptions of several new species. Part II. Annual Report of the Commissioner of Fish and Fisheries for 1887. Washington, D.C., 719–899. <https://doi.org/10.5962/bhl.title.995>

- Linton E (1908) IX. Helminth fauna of the Dry Tortugas. I. Cestodes. Papers from the Tortugas Laboratory. Carnegie Institution of Washington, Washington, D.C., 157–190.
- Linton E (1916) Notes on two cestodes from the spotted stingray. Journal of Parasitology 3: 34–38. <https://doi.org/10.2307/3270745>
- Littlewood DTJ (2008) Platyhelminth systematics and the emergence of new characters. Parasite 15: 333–341. <https://doi.org/10.1051/parasite/2008153333>
- Lönnberg E (1889) Bidrag till Kanendomen om i Sverige förs Kommande Cestoder. Bihang till Kongl Svanska vetenskaps-akademiens Handlingar 14: 1–69.
- Luque JL, Cruces C, Chero J, Paschoal F, Alves PV, Da Silva AC, Sanchez L, Iannacone J (2016) Checklist of Metazoan parasites of fishes from Peru. Neotropical Helminthology 10: 301–375.
- MacCallum GA (1921) Studies in helminthology. Zoopathologica 1: 137–284.
- Maheswari JU, Lakshmi CV, Rao KH (1985) Studies on a new species of *Acanthobothrium* from *Dasyatis uarnak* (forskal) from Waltair coast. Rivista de Parassitologia 2: 39–44.
- Maheswari JU, Sanaka S, Lakshmi CV, Rao KH (1987) *Acanthobothrium waltairensis* n. sp. (Cestoda: Tetraphyllidea) parasite of *Dasyatis uarnak* (Pisces: Condrichtyes) from India. Revista Ibérica de Parasitología 47: 33–36.
- Maleki L, Malek M, Palm HW (2013) Two new species of *Acanthobothrium* (Tetraphyllidea: Onchobothriidae) from *Pastinachus cf. sephen* (Myliobatiformes: Dasyatidae) from the Persian Gulf and Gulf of Oman. Folia Parasitologica 60: 448–456. <https://doi.org/10.14411/fp.2013.048>
- Maleki L, Malek M, Palm HW (2015) Four new species of *Acanthobothrium* van Beneden, 1850 (Cestoda: Onchoproteocephalidea) from the guitarfish, *Rhynchobatus cf. djiddensis* (Elasmobranchii: Rhynchobatidae), from the Persian Gulf and Gulf of Oman. Folia Parasitologica 62: 012 (011–015). <https://doi.org/10.14411/fp.2015.012>
- Maleki L, Malek M, Palm HW (2019) Five new species of *Acanthobothrium* (Cestoda: Onchoproteocephalidea) from the long-tailed butterfly ray, *Gymnura cf. poecilura* (Elasmobranchii: Gymnuridae), from the Persian Gulf and Gulf of Oman. Zootaxa 4609: 289–307. <https://doi.org/10.11646/zootaxa.4609.2.5>
- Maleki L, Malek M, Rastgoo A (2018) *Acanthobothrium chabaharensis* n. sp. (Cestoda: Onchoproteocephalidea) in the cowtail stingray *Pastinachus cf. sephen* (Myliobatiformes: Dasyatidae) from the Gulf of Oman, Iran. Journal of Genetic Resources 4: 114–121.
- Manger BR (1972) Some cestode parasites of the elasmobranchs *Raja batis* and *Squalus acanthias* from Iceland. Bulletin of the British Museum of Natural History (Zoology) 24: 161–181.
- Marques F, Brooks DR, Barriga R (1997a) Six species of *Acanthobothrium* (Eucestoda: Tetraphyllidea) in stingrays (Chondrichthyes: Rajiformes: Myliobatoidei) from Ecuador. Journal of Parasitology 83: 475–484. <https://doi.org/10.2307/3284414>
- Marques F, Brooks DR, Monks S (1995) Five new species of *Acanthobothrium* van Beneden, 1849 (Eucestoda: Tetraphyllidea: Onchobothriidae) in stingrays from the Gulf of Nicoya, Costa Rica. Journal of Parasitology 81: 942–951. <https://doi.org/10.2307/3284046>
- Marques F, Centritto R, Stewart AS (1997b) Two new species of *Acanthobothrium* in *Narcine entemedor* (Rajiformes: Narcinidae) from the Northwest Coast of Guanacaste Peninsula, Costa Rica. Journal of Parasitology 83: 927–931. <https://doi.org/10.2307/3284291>

- Mayes MA, Brooks DR (1981) Cestode Parasites of Some Venezuelan Stingrays. Proceedings of the Biological Society of Washington 93: 1230–1238.
- Mayes MA, Brooks DR, Thorson TB (1978) Two new species of *Acanthobothrium* Van Beneden 1849 (Cestoda: Tetraphyllidea) from freshwater stingrays in South Americana. Journal of Parasitology 64: 838–841. <https://doi.org/10.2307/3279513>
- Merlo-Serna AI, Garcia-Prieto L (2016) A checklist of helminth parasites of *Elasmobranchii* in Mexico. ZooKeys 2016(563): 73–128. <https://doi.org/10.3897/zookeys.563.6067>
- Monks S, Brooks DR, Pérez-Ponce de León G (1996) A new species of *Acanthobothrium* Van Beneden, 1849 (Eucestoda: Tetraphyllidea: Onchobothriidae) in *Dasyatis longus* Garman (Chondrichthyes: Myliobatiformes: Dasyatidae) from Chamela Bay, Jalisco, Mexico. Journal of Parasitology 82: 484–488. <https://doi.org/10.2307/3284090>
- Monks S, Pulido-Flores G, Lara-Sánchez M (2015) Distribution extension of *Acanthobothrium cartagenensis* Brooks & Mayes, 1980 (Tetraphyllidea: Onchobothriidae) in *Urobatis jamaicensis* (Cuvier, 1816) (Myliobatiformes: Urotrygonidae) from Quintana Roo, México. Check List 11: 1–3. <https://doi.org/10.15560/11.4.1707>
- Ostrowski de Núñez M (1971) Estudios preliminares sobre la fauna parásitaria de algunos elasmobranquios del litoral bonaerense, Mar del Plata, Argentina. I. Cestodes y trematodes de *Psammobatis microps* (Günther) and *Zapteryx brevirostris* (Müller and Henle). Physis 30: 425–446.
- Perrenoud N (1931) Recherches anatomiques et histologiques sur quelques cestodes de sélaciens. Revue Suisse de Zoologie 38: 469–555. <https://doi.org/10.5962/bhl.part.117651>
- Rao V (1977) *Acanthobothrium humantharaoi* sp. n. (Cestoda: Tetraphyllidea, Oncobothriidae) from the nieuhof's eagle ray, *Myliobatus nieuhofii* (Bloch and Schneider) of Waltair coast, Bay of Bengal. Rivista di Parassitologia 38: 277–283.
- Rees G, Williams HH (1965) The functional morphology of the scolex and the genitalia of *Acanthobothrium coronatum* (Rud.) (Cestoda: Tetraphyllidea). Parasitology 55: 617–651. <https://doi.org/10.1017/S0031182000086212>
- Rêgo AA, Luna Dias AP (1976) Estudos de cestóides de peixes do Brasil. 3. Nota: cestóides de raias fluviais Paratrygonidae. Revista Brasileira de Biologia 36: 941–956.
- Rêgo AA, Vicente JJ, Herrera NI (1968) Sobre dois novos parásitos de peixe da costa do Peru (Cestoda, Tetraphyllidea). Memorias do Instituto Oswaldo Cruz 66: 145–149. <https://doi.org/10.1590/S0074-02761968000200002>
- Reyda FB (2008) Intestinal helminths of freshwater stingrays in southeastern Peru, and a new genus and two new species of cestode. Journal of Parasitology 94: 684–699. <https://doi.org/10.1645/GE-1230.1>
- Reyda FB, Caira JN (2006) Five New Species of *Acanthobothrium* (Cestoda: Tetraphyllidea) from *Himantura uarnacoides* (Myliobatiformes: Dasyatidae) in Malaysian Borneo. Comparative Parasitology 73: 49–71. <https://doi.org/10.1654/4194.1>
- Riser NW (1955) Studies on cestode parasites of sharks and skates. Journal of the Tennessee Academy of Science 30: 265–311.
- Robinson ES (1959) Some new cestodes from New Zealand marine fishes. Transactions of the Royal Society of New Zealand 86: 381–392.

- Robinson ES (1965) Cestoda (Tetraphyllidea and Trypanorhyncha) from marine fishes of New South Wales. Records of the Australian Museum 26: 341–348. <https://doi.org/10.3853/j.0067-1975.26.1965.683>
- Rodríguez TJ, Tantaleán-Vidaurre M (1980) Estudio sobre helmintos de peces elasmobranquios de la costa Peruana. 1. Nuevos registros de Tetraphyllideos. Boletín Peruano de Parasitología 2: 71–75.
- Rodríguez-Ibarra E, Pulido- Flores G, Violante González J, Monks S (2018) A new species of *Acanthobothrium* (Eucestoda: Onchobothriidae) in *Aetobatus cf. narinari* (Myliobatidae) from Campeche, México. Revista Brasileira de Parasitologia Veterinária 27: 66–73. <https://doi.org/10.1590/s1984-29612018009>
- Rudolphi CA (1810) Entozoorum, sive *Vermium intestinalium* historia naturalis. Treuttel et Würtz, 386 pp.
- Rudolphi CA (1819) Entozoorum synopsis, cui accedunt mantissa duplex et indices locupletissimi. Humboldt-Universität, Rücker, 811 pp. <https://doi.org/10.5962/bhl.title.9157>
- Rutledge KM (2019) A New Guitarfish of the Genus *Pseudobatos* (Batoidea: Rhinobatidae) with Key to the Guitarfishes of the Gulf of California. Copeia 107: 451–463. <https://doi.org/10.1643/CI-18-166>
- Sanaka S, Vijaya Lakshmi C, Hanumantha Rao K (1993) Description of the new species *Acanthobothrium satyanarayananaraoi* from *Rhinobatus granulatus* from Waltair Coast, India. Boletín Chileno de Parasitología 48: 15–17.
- Sanaka S, Vijaya Lakshmi C, Hanumantha Rao K (1993) Description of the New species *Acanthobothrium giganticum* from *Gymnura micrura* from Waltair Coast. Rivista di Parasitologia 54: 15–17.
- Schmidt GD (1973) *Acanthobothrium urolophi* sp. n., a tetraphyllidean cestode (Onchobothriidae) from an Australian stingaree. Proceedings of the Helminthological Society of Washington 40: 91–93.
- Severino LR, Sarmiento BI (1979) Neuva especie del genero *Acanthobothrium* Van Benedem [sic] 1849; Cestode: Tetraphyllidea de *Myliobatis peruvianus* Garman 1913. Revista de Ciencias Universidad Nacional Mayor de San Marcos 71: 38–43.
- Severino LR, Verano MR (1980) *Acanthobothrium lusarmientoi* n. sp. (Cestoda: Tetraphyllidea: Onchobothriidae) [de] Psammobatis caudispina Hildebrand, 1941 (Chondrichtyes: Rajidae) de Peru. Revista de Ciencias Universidad Nacional Mayor de San Marcos 72: 21–27.
- Shipley AE (1900) A description of the Entozoa collected by Dr Willey during his sojourn in the Western Pacific (Ed. A. Wiley, Cambridge University Press, UK.). Zoological Results 5: 531–568.
- Southwell T (1912) A description of ten new species of cestode parasites from marine fishes of Ceylon, with notes on other cestodes from the same region. Colombo, Ceylon, Printed, London, 259–278.
- Southwell T (1925) A monograph on the Tetraphyllidea with notes on related cestodes (Liverpool University Press, UK.). Memoirs of the Liverpool School of Tropical Medicine (New Series) 2: 1–368.
- Southwell T (1930) Cestoda. Taylor and Francis, London, , 250–251.

- Srivastav AK, Kapoor VN (1980) On *Acanthobothrium dighaensis* sp. n. (Onchobothriidae Braun, 1900) from *Trygon marginatus*. *Helminthologia* 17: 165–170.
- Srivastav AK, Lohia S, Mathur N (1995) *Acanthobothrium myliomaculata* sp. nov. (Onchobothriidae, Cestoda) from the *Myliobates maculata* from Madras (India). *Flora and Fauna* 1: 43–45.
- Subhapradha CK (1955) Cestode parasites of fishes of Madras coast. *Indian Journal of Helminthology* 7: 41–132.
- Tantaleán-Vidaurre M (1991) Nuevos helmintos parásitos en peces elasmobranquio de la costa peruana. *Boletín de Lima* 73: 25–28.
- Tazerouti F, Kechemir-Issad N, Euzet L (2009) *Acanthobothrium minus* n. sp. (Tetraphyllidea: Onchobothriidae) parasite de *Raja asterias* (Elasmobranchii : Rajidae) en Méditerranée. Parasite 16: 203–207.
- Twohig ME, Caira JN, Fyler CA (2008) Two new cestode species from the dwarf whipray, *Himantura walga* (Batoidea: Dasyatidae), from Borneo, with comments on site and mode of attachment. *Journal of Parasitology* 94: 1118–1127. <https://doi.org/10.1645/GE-1475.1>
- van Beneden PJ (1850) Recherches sur la faune littorale de Belgique. Les vers cestoides, considérés sous le rapport physiologique, embryogénique et zooclassique. Mémoires de l'Academie Royale des Sciences, des Lettres et des Beaux-Arts de Belgique 25: 1–204. <https://doi.org/10.5962/bhl.title.47103>
- Vardo-Zalik AM, Campbell RA (2011) Five new species of *Acanthobothrium* van Beneden, 1849 (Cestoda: Tetraphyllidea) in elasmobranchs from the northwest Atlantic and Gulf of Mexico with the first records from smooth-hound sharks and guitarfish. *Zootaxa* 2828: 41–64. <https://doi.org/10.11646/zootaxa.2838.1.3>
- Vaz DFB, Carvalho MRd (2018) New Species of Squatina (Squatiniformes: Squatinidae) from Brazil, with Comments on the Taxonomy of Angel Sharks from the Central and Northwestern Atlantic. *Copeia* 106: 144–160. <https://doi.org/10.1643/CI-17-606>
- Verma S-C (1928) Some Cestodes from Indian fishes including four new species of Tetraphyllidea and revised keys to the genera *Acanthobothrium* and *Gangesia*. *Allahabad University Studies* 4: 119–176.
- Wang P-Q (1984) Notes on some cestodes of fishes in Fujian province, with a list of fish cestodes recorded from China. *Wuyi Science Journal* 4: 71–83.
- Wang Y-H, Yang W-C (2001) Two New Species of *Acanthobothrium* from Marine Fishes in Xiaroen, Fujian, China (Cestoda: Tetraphyllidea: Onchobothriidae). *Journal of Xiamen University (Natural Science)* 40: 943–948.
- Williams HH (1960) A list of parasitic worms, including 22 new records, from marine fishes caught off the British Isles. *Annals and Magazine of Natural History* 2: 705–715. <https://doi.org/10.1080/00222935908655756>
- Williams HH (1962) *Acanthobothrium* sp. nov. (Cestoda: Tetraphyllidea) and a comment on the order Biporophyllaeidea. *Parasitology* 52: 67–76. <https://doi.org/10.1017/S0031182000024008>
- Williams HH (1968) *Acanthobothrium quadripartitum* sp. nov. (Cestoda: Tetraphyllidea) from *Raja naevus* in the North Sea and English Channel. *Parasitology* 58: 105–110. <https://doi.org/10.1017/S0031182000073467>

- Williams HH (1969) The genus *Acanthobothrium* van Beneden 1849 (Cestoda: Tetraphylidae). Nytt Magasin for Zoologi 17: 1–56.
- Yamaguti S (1934) Studies on the helminth fauna of Japan. Part 4. Cestodes of fishes. Japanese Journal of Zoology 6: 1–112.
- Yamaguti S (1952) Studies on the helminth fauna of Japan. Part 49. Cestodes of fishes, II. Acta Medica Okayama 8: 1–97.
- Yamaguti S (1959a) The cestodes of vertebrates. Wiley Interscience Publications, New York.
- Yamaguti S (1959b) Systema Helminthum: Cestoda. Wiley Interscience Publications, New York, 860 pp.
- Yang C, Sun Y, Zhi T, Iwaki T, Reyda FB, Yang T (2016) Two new and one redescribed species of *Acanthobothrium* (Cestoda: Onchoproteocephalidea: Onchobothriidae) from *Dasyatis akajei* (Myliobatiformes: Dasyatidae) in the China Sea. Zootaxa 4169: 286–300. <https://doi.org/10.11646/zootaxa.4169.2.3>
- Yang WLY (1994) Two New Species of *Acanthobothrium* Cestodes (Tetraphyllidea: Onchobothriidae) from Saltwater Fishes in Xiamen.South Fujian.China. Journal of Xiamen University (Natural Science) 33: 532–536.
- Yokota L, Carvalho MRd (2017) Taxonomic and morphological revision of butterfly rays of the *Gymnura micrura* (Bloch & Schneider 1801) species complex, with the description of two new species (Myliobatiformes: Gymnuridae). 2017 4332: 1–74. <https://doi.org/10.11646/zootaxa.4332.1.1>
- Yoshida S (1917) Some cestodes from Japanese selachians including five new species. Parasitology 9: 560–592. <https://doi.org/10.1017/S003118200000620X>
- Young RT (1954) Cestodes of sharks and rays in Southern California. Proceedings of the Helminthological Society of Washington 21: 106–112.
- Zamparo D, Brooks DR, Hoberg EP, McLennan DA (2001) Phylogenetic analysis of the Rhabdocoela (Platyhelminthes) with emphasis on the Neodermata and their relatives. Zoologica Scripta 30: 59–77. <https://doi.org/10.1046/j.1463-6409.2001.00050.x>
- Zaragoza-Tapia F, Pulido-Flores G, Violante-González J, Monks S (2019) Two new species of *Acanthobothrium* Blanchard, 1848 (Onchobothriidae) in *Narcine entemedor* Jordan & Starks, 1895 (Narcinidae) from Acapulco, Guerrero, Mexico. ZooKeys 852: 1–21. <https://doi.org/10.3897/zookeys.852.28964>
- Zaragoza-Tapia F, Pulido-Flores G, Monks S (2020) Three new species of *Acanthobothrium* Blanchard, 1848 (Cestoda: Onchoproteocephalidea) in Stingrays (Dasyatidae) from the Pacific coast in Mexico. Zootaxa 4766 (1): 139–172. <https://doi.org/10.11646/zootaxa.4766.1.8>
- Zschoche M, Caira JN, Fyler CA (2011) A new species of *Acanthobothrium* van Beneden, 1850 (Tetraphyllidea: Onchobothriidae) from *Pastinachus atrus* (Macleay) (Batoidea: Dasyatidae) in Australian waters, with a reassessment of the host associations of *Acanthobothrium* spp. parasitising *Pastinachus* spp. Systematic Parasitology 78: 109–118. <https://doi.org/10.1007/s11230-010-9279-2>
- Zschokke F (1888) Recherches sur la structure anatomique et histologique des Cestodes. Institut national genevois.