

# Checklist of the Coleoptera of New Brunswick, Canada

Reginald P. Webster<sup>1</sup>

<sup>1</sup> 24 Mill Stream Drive, Charters Settlement, NB, Canada E3C 1X1

Corresponding author: *Reginald P. Webster* ([reginaldwebster@rogers.com](mailto:reginaldwebster@rogers.com))

---

Academic editor: *P. Bouchard* | Received 3 February 2016 | Accepted 29 February 2016 | Published 24 March 2016

---

<http://zoobank.org/34473062-17C2-4122-8109-3F4D47BB5699>

---

**Citation:** Webster RP (2016) Checklist of the Coleoptera of New Brunswick, Canada. In: Webster RP, Bouchard P, Klimaszewski J (Eds) *The Coleoptera of New Brunswick and Canada: providing baseline biodiversity and natural history data*. ZooKeys 573: 387–512. doi: 10.3897/zookeys.573.8022

---

## Abstract

All 3,062 species of Coleoptera from 92 families known to occur in New Brunswick, Canada, are recorded, along with their author(s) and year of publication using the most recent classification framework. Adventive and Holarctic species are indicated. There are 366 adventive species in the province, 12.0% of the total fauna.

## Keywords

Checklist, Coleoptera, New Brunswick, Canada

## Introduction

The first checklist of the beetles of Canada by Bousquet (1991) listed 1,365 species from the province of New Brunswick, Canada. Since that publication, many species have been added to the faunal list of the province, primarily from increased collection efforts and examination of specimens contained in museum collections by Christopher Majka and Reginald Webster (Webster et al. 2016). Many of these new records were published in papers by Webster and co-authors, Majka and co-authors, and Klimaszewski and co-authors in the following four special ZooKeys issues: ZooKeys 2 (2008) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera, edited by Christopher Majka and Jan Klimaszewski; ZooKeys 22 (2009), Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera II, edited by Christopher Majka and Jan Klimaszewski; ZooKeys 179 (2012) Biodiversity and Ecology of the Coleoptera of New Bruns-

wick, Canada, edited by Robert Anderson and Jan Klimaszewski, and ZooKeys 186 (2012); Biosystematics and Ecology of Canadian Staphylinidae (Coleoptera) II., edited by Jan Klimaszewski and Robert Anderson. Other new records for New Brunswick were included in other papers by Webster and co-authors, Klimaszewski and co-authors, and Majka and co-authors that treated the fauna from the Maritime Provinces and Canada. See Webster et al. (2016) in this special issue for details on the history of collecting in New Brunswick. New records from the above publications and other sources added 1,338 species to the first checklist of beetles of Canada (Bousquet 1991), nearly doubling the number of species and subspecies listed as occurring in New Brunswick (Bousquet et al. 2013). Since the publication of Bousquet et al. (2013) and before this current special issue of Zookeys, an additional 52 species were added to the faunal list of New Brunswick from new species descriptions and new records (Webster et al. 2016).

In this special issue, 303 species and one subspecies are newly recorded for New Brunswick. Among the new records are 32 species new to science, four new North American records, 21 new Canadian records, 270 new provincial records, and 45 adventive species. Three species were removed from the provincial list, and one species was reinstated that was erroneously not included for New Brunswick by Bousquet et al. (2013). This brings the number of species known from New Brunswick to 3,062. This is 13% more than listed for New Brunswick by Bousquet et al. (2013) and a 124% increase since the publication of Bousquet (1991).

## Format

The classification of the family-group taxa used in this checklist follows Bouchard et al. (2011), except for the Hydrophiloidea, which follows Short and Fikáček (2013). The order used in the checklist is phylogenetic for superfamilies, families, and subfamilies, starting with the accepted most basal-grade taxa, and is alphabetic for supertribes, tribes, and subtribes. Genera and species are listed alphabetically. Synonyms proposed after the publication of Bousquet et al. (2013) are included in this checklist (species name indented). The species included in this checklist list are based on New Brunswick records contained in Bousquet et al. (2013) and records published after that checklist.

The authors of all scientific names are listed along with the date of publication of the taxa. To avoid confusion with authors with same last name, initials are included for the following authors: W.J. Brown, H. Clark, J.E. LeConte, K.B. Miller, W.V. Miller, O.F. Müller, P.W.J. Müller, C.R. Sahlberg, J.R. Sahlberg, C. Schaeffer, J.B. Smith, C.G. Thomson, J. Thomson, C.C. Zimmermann, and R.E. White. LeConte and Horn stand for J.L. LeConte and G. Horn, respectively.

An asterisk [\*] after a species name indicates that the taxon is Holarctic, a dagger [†] denotes an adventive species in North America, a double dagger [‡] indicates that its status is uncertain, and the species could be Holarctic or adventive in North America. Species in **bold** are newly recorded in this special issue, species in **bold** with a <sup>§</sup> are species newly described in this special issue.

**Table 1.** Total number of Coleoptera species by family and number of adventive, Holarctic, and status undetermined (Holarctic/adventive) in New Brunswick, Canada.

	No. of species	Adventive species	Holarctic species	Holarctic or Adventive
<b>Adephaga</b>				
Gyrinidae	19			
Carabidae	337	31	30	
Haliplidae	14		1	
Dytiscidae	108		20	
<b>Polyphaga</b>				
<b>Hydrophiloidea</b>				
Helophoridae	11	1	2	
Hydrochidae	2			
Hydrophilidae	52	14	2	
Histeridae	45	6		
<b>Staphylinoidea</b>				
Hydraenidae	3			
Ptiliidae	16	7	2	
Leiodidae	44	1	2	
Silphidae	11		3	
Staphylinidae	767	91	53	1
<b>Scarabaeoidea</b>				
Geotrupidae	4	1		
Trogidae	4			
Lucanidae	4			
Scarabaeidae	55	14	1	
<b>Scirtoidea</b>				
Eucinetidae	5	1		
Clambidae	2	1		
Scirtidae	15	1	1	
<b>Buprestoidea</b>				
Buprestidae	59	1	1	
<b>Byrrhoidea</b>				
Byrrhidae	7	1	1	
Elmidae	13			
Dryopidae	3	1		
Limnichidae	1			
Heteroceridae	6			
Psephenidae	3			
Ptilodactylidae	2			
<b>Elateroidea</b>				
Artematopodidae	1			
Eucnemidae	19	1		
Throscidae	3			
Elateridae	132	3	3	1
Lycidae	16		1	
Lampyridae	12			
Cantharidae	58	3	1	
<b>Derodontoidea</b>				
Derodontidae	2	1		

	No. of species	Adventive species	Holarctic species	Holarctic or Adventive
<b>Bostrichoidea</b>				
Dermestidae	15	8		
Endecatomidae	1			
Bostrichidae	6	3	1	
Ptinidae	44	15		
<b>Lymexyloidea</b>				
Lymexylidae	1			
<b>Cleroidea</b>				
Trogossitidae	7	1		1
Cleridae	19	1		
Melyridae	9	1		
<b>Cucujoidea</b>				
Byturidae	1			
Sphiniidae	4			
Biphyllidae	1			
Erotylidae	10			
Monotomidae	11	3		
Cryptophagidae	31	12	5	1
Silvanidae	9	5		
Cucujidae	2		1	
Phalacridae	4			
Laemophloeidae	7	2		
Kateretidae	5	2	1	
Nitidulidae	52	7	5	1
Cerylonidae	3			
Endomychidae	8	1		
Coccinellidae	45	4	1	1
Corylophidae	9	1		
Latridiidae	27	13	4	
<b>Tenebrionoidea</b>				
Mycetophagidae	8	1		1
Ciidae	17	1	4	
Tetratomidae	12	1		
Melandryidae	28		2	
Mordellidae	32			
Ripiphoridae	2			
Zopheridae	4	1		
Tenebrionidae	44	6	1	2
Synchroidae	1			
Stenotrachelidae	8	1		
Meloidae	7			
Mycteridae	1			
Boridae	2			
Pythidae	5			
Pyrochroidae	8			
Salpingidae	2			
Anthicidae	16	1		
Aderidae	6	1		
Scraptiidae	5			

	No. of species	Adventive species	Holarctic species	Holarctic or Adventive
Ischaliidae	1			
<b>Chrysomeloidea</b>				
Cerambycidae	138	4	3	
Megalopodidae	4	1		
Orsodacnidae	1			
Chrysomelidae	205	31	3	
<b>Curculionoidea</b>				
Nemonychidae	3			
Anthribidae	14		1	
Attelabidae	4			
Brentidae	14	3		
Dryophthoridae	9	2		
Brachyceridae	8	1	3	
Curculionidae	267	52	8	1
<b>Total</b>	<b>3062</b>	<b>366</b>	<b>166</b>	<b>10</b>

**Order COLEOPTERA**  
**Suborder ADEPHAGA**

**Family GYRINIDAE Latreille, 1810**  
(Whirligig beetles)

**Subfamily GYRININAE Latreille, 1810**  
**Tribe Enhydrusini Régimbart, 1882**  
Subtribe Dineutina Desmarest, 1851

*Dineutus assimilis* (Kirby, 1837)

*Dineutus discolor* Aubé, 1838

*Dineutus hornii* Roberts, 1895

*Dineutus nigrior* Roberts, 1895

**Tribe Gyrinini Latreille, 1810**  
Subtribe Gyrinina Latreille, 1810

*Gyrinus (Gyrinus) aeneolus* LeConte, 1868

*Gyrinus (Gyrinus) affinis* Aubé, 1838

*Gyrinus (Gyrinus) aquiris* LeConte, 1868

*Gyrinus (Gyrinus) bifarius* Fall, 1922

*Gyrinus (Gyrinus) confinis* LeConte, 1868

*Gyrinus (Gyrinus) fraternus* Couper, 1865

*Gyrinus (Gyrinus) gebringi* Chamberlain, 1929

*Gyrinus (Gyrinus) gibber* LeConte, 1868

*Gyrinus (Gyrinus) latilimbus* Fall, 1922

*Gyrinus (Gyrinus) lecontei* Fall, 1922

***Gyrinus (Gyrinus) marginellus* Fall, 1922***Gyrinus (Gyrinus) pectoralis* LeConte, 1868*Gyrinus (Gyrinus) pugionis* Fall, 1922*Gyrinus (Gyrinus) sayi* Aubé, 1838***Gyrinus (Gyrinus) ventralis* Kirby, 1837****Family CARABIDAE Latreille, 1810**

(Ground beetles)

**Subfamily NEBRIINAE Laporte, 1834****Tribe Nebrini Laporte, 1834***Nebria (Boreonebria) lacustris* Casey, 1913*Nebria (Reductonebria) pallipes* Say, 1823**Tribe Notiophilini Motschulsky, 1850***Notiophilus aeneus* (Herbst, 1806)*Notiophilus aquaticus* (Linnaeus, 1758)\**Notiophilus biguttatus* (Fabricius, 1779)†*Notiophilus semistriatus* Say, 1823**Subfamily CICINDELINAE Latreille, 1802****Tribe Cicindelini Latreille, 1802**

Subtribe Cicindelina Latreille, 1802

*Cicindela (Cicindela) ancocisconensis* Harris, 1852*Cicindela (Cicindela) duodecimguttata* Dejean, 1825*Cicindela (Cicindela) hirticollis rhodensis* Calder, 1916*Cicindela (Cicindela) limbalis* Klug, 1834*Cicindela (Cicindela) longilabris longilabris* Say, 1824*Cicindela (Cicindela) repanda repanda* Dejean, 1825*Cicindela (Cicindela) sexguttata* Fabricius, 1775*Cicindela (Cicindela) tranquebarica tranquebarica* Herbst, 1806*Cicindela (Cicindelidia) marginipennis* Dejean, 1831*Cicindela (Cicindelidia) punctulata* Olivier, 1790**Subfamily CARABINAE Latreille, 1802****Tribe Carabini Latreille, 1802***Calosoma (Calodrepa) scrutator* (Fabricius, 1775)*Calosoma (Calosoma) frigidum* Kirby, 1837*Calosoma (Chrysostigma) calidum* (Fabricius, 1775)*Carabus (Archicarabus) nemoralis nemoralis* O. F. Müller, 1764†

*Carabus (Carabus) granulatus granulatus* Linnaeus, 1758†

*Carabus (Hemicarabus) serratus* Say, 1823

*Carabus (Homoeocarabus) maeander maeander* Fischer von Waldheim, 1820

*Carabus (Tachypus) auratus auratus* Linnaeus, 1761†

### **Tribe Cychrini Perty, 1830**

*Scaphinotus (Irichroa) viduus* (Dejean, 1826)

*Scaphinotus (Nomaretus) bilobus* (Say, 1823)

*Sphaeroderus canadensis candensis* Chaudoir, 1861

*Sphaeroderus nitidicollis* Guérin-Méneville, 1829

*Sphaeroderus stenostomus lecontei* Dejean, 1826

### **Subfamily LORICERINAE Bonelli, 1810**

#### **Tribe Loricerini Bonelli, 1810**

*Loricera (Loricera) pilicornis pilicornis* (Fabricius, 1775)\*

### **Subfamily OMOPHRONINAE Bonelli, 1810**

#### **Tribe Omophronini Bonelli, 1810**

*Omophron americanum* Dejean, 1831

*Omophron tessellatum* Say, 1823

### **Subfamily ELAPHRINAE Latreille, 1802**

#### **Tribe Elaphrini Latreille, 1802**

*Blethisa hudsonica* Casey, 1924

*Blethisa julii* LeConte, 1863

*Blethisa quadricollis* Haldeman, 1847

*Elaphrus (Elaphrus) americanus americanus* Dejean, 1831

*Elaphrus (Elaphrus) californicus* Mannerheim, 1843

*Elaphrus (Neoelaphrus) clairvillei* Kirby, 1837

*Elaphrus (Neoelaphrus) olivaceus* LeConte, 1863

### **Subfamily SCARITINAE Bonelli, 1810**

#### **Tribe Clivinini Rafinesque, 1815**

Subtribe Clivinina Rafinesque, 1815

*Clivina (Clivina) fossor fossor* (Linnaeus, 1758)†

*Clivina (Leucocara) americana* Dejean, 1831

*Schizogenius (Schizogenius) lineolatus* (Say, 1823)

*Schizogenius (Schizogenius) sulcifrons* Putzeys, 1846

### Tribe Dyschiriini Kolbe, 1880

- Dyschirius dejeanii* Putzeys, 1846  
*Dyschirius erythrocerus* LeConte, 1857  
*Dyschirius globulosus* (Say, 1823)  
*Dyschirius larochellei* Bousquet, 1988  
*Dyschirius pilosus* LeConte, 1857  
*Dyschirius politus politus* (Dejean, 1825)\*  
*Dyschirius sellatus* LeConte, 1857  
*Dyschirius setosus* LeConte, 1857  
*Dyschirius sphaericollis* (Say, 1823)

### Subfamily BROSCINAE Hope, 1838

#### Tribe Broscini Hope, 1838

Subtribe Broscina Hope, 1838

- Miscodera arctica* (Paykull, 1798)\*

### Subfamily TRECHINAE Bonelli, 1810

#### Tribe Bembidiini Stephens, 1827

Subtribe Bembidiina Stephens, 1827

- Amerizus wingatei* (Bland, 1864)  
*Bembidion (Asioperypus) postremum* Say, 1830  
*Bembidion (Bembidion) mutatum* Gemminger & Harold, 1868  
*Bembidion (Bembidion) quadrimaculatum oppositum* Say, 1823  
*Bembidion (Bracteon) carinula* Chaudoir, 1868  
*Bembidion (Bracteon) inaequale* Say, 1823  
*Bembidion (Bracteon) levettei carrianum* Casey, 1924  
*Bembidion (Bracteon) punctatostriatum* Say, 1823  
*Bembidion (Diplocampa) transparens transparens* (Gebler, 1830)\*  
*Bembidion (Eupetedromus) graciliforme* Hayward, 1897  
*Bembidion (Eupetedromus) immaturum* Lindroth, 1954  
*Bembidion (Eupetedromus) incrematum* LeConte, 1860\*  
*Bembidion (Eupetedromus) iridipenne* Bousquet & Webster, 2006  
*Bembidion (Eupetedromus) variegatum* Say, 1823  
*Bembidion (Furcacampa) impotens* Casey, 1918  
*Bembidion (Furcacampa) mimus* Hayward, 1897  
*Bembidion (Furcacampa) versicolor* (LeConte, 1847)  
*Bembidion (Hirmoplataphus) concolor* (Kirby, 1837)  
*Bembidion (Hirmoplataphus) nigrum* Say, 1823  
*Bembidion (Hirmoplataphus) salebratum* (LeConte, 1847)  
*Bembidion (Hydriomicrus) quadratulum* Notman, 1920  
*Bembidion (Hydriomicrus) semistriatum* (Haldeman, 1843)

- Bembidion (Hydrium) nitidum* (Kirby, 1837)  
*Bembidion (Melomalus) planatum* (LeConte, 1847)  
*Bembidion (Metallina) properans* (Stephens, 1828)†  
*Bembidion (Notaphus) castor* Lindroth, 1963  
*Bembidion (Notaphus) constrictum* (LeConte, 1847)  
*Bembidion (Notaphus) contractum* Say, 1823  
*Bembidion (Notaphus) nigripes* (Kirby, 1837)\*  
*Bembidion (Notaphus) oberthueri* Hayward, 1901  
*Bembidion (Notaphus) patrulee* Dejean, 1831  
*Bembidion (Notaphus) rapidum* (LeConte, 1847)  
*Bembidion (Notaphus) versutum* LeConte, 1878  
*Bembidion (Ochthedromus) americanum* Dejean, 1831  
*Bembidion (Ocydromus) scopulinum* (Kirby, 1837)\*  
*Bembidion (Odontium) confusum* Hayward, 1897  
*Bembidion (Peryphanes) grapii* Gyllenhal, 1827\*  
*Bembidion (Peryphanes) lacunarium* (C.C.A. Zimmermann, 1869)  
*Bembidion (Peryphanes) stephensii* Crotch, 1866†  
*Bembidion (Peryphus) bruxellense* Wesmael, 1835†  
*Bembidion (Peryphus) femoratum femoratum* Sturm, 1825†  
*Bembidion (Peryphus) obscurellum obscurellum* (Motschulsky, 1845)\*  
*Bembidion (Peryphus) petrosum petrosum* Gebler, 1833\*  
*Bembidion (Peryphus) sejunctum sejunctum* Casey, 1918  
*Bembidion (Peryphus) tetracolum tetracolum* Say, 1823†  
*Bembidion (Peryphus) transversale* Dejean, 1831  
*Bembidion (Plataphus) carolinense* Casey, 1924  
*Bembidion (Plataphus) occultator* Notman, 1920  
*Bembidion (Plataphus) rusticum rusticum* Casey, 1918  
*Bembidion (Plataphus) sulcipenne prasinoide* Lindroth, 1963  
*Bembidion (Pseudoperyphus) antiquum* Dejean, 1831  
*Bembidion (Pseudoperyphus) chalceum* Dejean, 1831  
*Bembidion (Pseudoperyphus) honestum* Say, 1823  
*Bembidion (Pseudoperyphus) louisella* Maddison, 2008  
*Bembidion (Pseudoperyphus) rothfelsi* Maddison, 2008  
*Bembidion (Pseudoperyphus) rufotinctum* Chaudoir, 1868  
*Bembidion (Semicampa) muscicola* Hayward, 1897  
*Bembidion (Semicampa) nigrivestris* Bousquet, 2006  
*Bembidion (Semicampa) praticola* Lindroth, 1963  
*Bembidion (Semicampa) semicinatum* Notman, 1919  
*Bembidion (Trepanedoris) concretum* Casey, 1918  
*Bembidion (Trepanedoris) fortistriatum* (Motschulsky, 1845)  
*Bembidion (Trepanedoris) frontale* (LeConte, 1847)  
*Bembidion (Trepanedoris) pseudocautum* Lindroth, 1963  
*Bembidion (Trichoplataphus) planum* (Haldeman, 1843)  
*Bembidion (Trichoplataphus) rolandi* Fall, 1922

## Subtribe Tachyina Motschulsky, 1862

- Elaphropus (Barytachys) anceps* (LeConte, 1848)  
*Elaphropus (Barytachys) granarius* (Dejean, 1831)  
*Elaphropus (Barytachys) incurvus* (Say, 1830)  
*Elaphropus (Barytachys) saturatus* (Casey, 1918)  
*Elaphropus (Barytachys) tripunctatus* (Say, 1830)  
*Elaphropus (Barytachys) vernicatus* (Casey, 1918)  
*Polyderis laeva* (Say, 1823)  
*Porotachys bisulcatus* (Nicolai, 1822)†  
*Tachys (Paratachys) rhodeanus* Casey, 1918  
*Tachys (Paratachys) scitulus* LeConte, 1848  
*Tachyta (Tachyta) angulata* Casey, 1918

## Subtribe Xystosomina Erwin, 1994

- Mioptachys flavicauda* (Say, 1823)

**Tribe Trechini Bonelli, 1810**

- Blemus discus discus* (Fabricius, 1792)†  
*Trechus (Trechus) apicalis* Motschulski, 1845\*  
*Trechus (Trechus) crassiscapus* Lindroth, 1955  
*Trechus (Trechus) rubens* (Fabricius, 1792)†

**Subfamily PATROBINAE Kirby, 1837****Tribe Patrobini Kirby, 1837**

## Subtribe Deltomerina Chaudoir, 1871

- Diplous (Platydius) rugicollis* (Randall, 1838)

## Subtribe Patrobina Kirby, 1837

- Patrobis foveocollis* (Eschscholtz, 1823)\*  
*Patrobis lecontei* Chaudoir, 1872  
*Patrobis longicornis* (Say, 1823)  
*Patrobis septentrionis septentrionis* Dejean, 1828\*  
*Platypatrobis lacustris* Darlington, 1838

**Subfamily BRACHININAE Bonelli, 1810****Tribe Brachinini Bonelli, 1810**

## Subtribe Brachinina Bonelli, 1810

- Brachinus (Neobrachinus) cordicollis* Dejean, 1826

- Brachinus (Neobrachinus) cyanipennis* Say, 1823  
*Brachinus (Neobrachinus) cyanochroaticus* Erwin, 1969  
*Brachinus (Neobrachinus) fumans* (Fabricius, 1781)

**Subfamily HARPALINAE Bonelli, 1810**

**Tribe Atranini Horn, 1881**

- Atranus pubescens* (Dejean, 1828)

**Tribe Chlaeniini Brullé, 1834**

- Chlaenius (Agostenus) alternatus* Horn, 1871  
*Chlaenius (Agostenus) niger* Randall, 1838  
*Chlaenius (Anomoglossus) emarginatus* Say, 1823  
*Chlaenius (Brachylobus) lithophilus* Say, 1823  
*Chlaenius (Chlaeniellus) impunctifrons* Say, 1823  
*Chlaenius (Chlaeniellus) pensylvanicus pensylvanicus* Say, 1823  
*Chlaenius (Chlaeniellus) tricolor tricolor* Dejean, 1826  
*Chlaenius (Chlaenius) sericeus* (Forster, 1771)  
*Chlaenius (Lithochlaenius) cordicollis* Kirby, 1837

**Tribe Harpalini Bonelli, 1810**

Subtribe Anisodactylina Lacordaire, 1854

- Amphasia (Pseudamphasia) sericea* (Harris, 1828)  
*Anisodactylus (Anadaptus) discoideus* Dejean, 1831  
*Anisodactylus (Anadaptus) sanctaecrucis* (Fabricius, 1798)  
*Anisodactylus (Anisodactylus) harrisii* LeConte, 1863  
*Anisodactylus (Anisodactylus) kirbyi* Lindroth, 1953  
*Anisodactylus (Anisodactylus) nigerrimus* (Dejean, 1831)  
*Anisodactylus (Anisodactylus) nigrita* Dejean, 1829  
*Anisodactylus (Gynandrotarsus) rusticus* (Say, 1823)  
*Anisodactylus (Spongopus) verticalis* (LeConte, 1847)  
*Notiobia (Anisotarsus) terminata* (Say, 1823)  
*Xestonotus lugubris* (Dejean, 1829)

Subtribe Harpalina Bonelli, 1810

- Harpalus (Harpalus) affinis* (Schrank, 1781)†  
*Harpalus (Harpalus) herbivagus* Say, 1823  
*Harpalus (Harpalus) opacipennis* (Haldeman, 1843)  
*Harpalus (Harpalus) plenalis* Casey, 1914  
*Harpalus (Harpalus) rubripes* (Duftschmid, 1812)†  
*Harpalus (Harpalus) solitaris* Dejean, 1829\*

*Harpalus* (*Harpalus*) *somnulentus* Dejean, 1829  
*Harpalus* (*Opadius*) *fulvilabris* Mannerheim, 1853  
*Harpalus* (*Opadius*) *indigenus* Casey, 1924  
*Harpalus* (*Opadius*) *laevipes* Zetterstedt, 1828\*  
*Harpalus* (*Opadius*) *laticeps* LeConte, 1850  
*Harpalus* (*Opadius*) *lewisii* LeConte, 1865  
*Harpalus* (*Opadius*) *megacephalus* LeConte, 1847  
*Harpalus* (*Opadius*) *nigritarsis* C.R. Sahlberg, 1827\*  
*Harpalus* (*Pseudophonus*) *pennsylvanicus* (DeGeer, 1774)  
*Harpalus* (*Pseudophonus*) *rufipes* (DeGeer, 1774)†  
*Ophonus puncticeps* Stephens, 1828†  
*Selenophorus* (*Selenophorus*) *gagatinus* Dejean, 1829  
*Selenophorus* (*Selenophorus*) *opalinus* (LeConte, 1863)  
*Trichotichnus* (*Trichotichnus*) *vulpeculus* (Say, 1823)

Subtribe Stenolophina Kirby, 1837

*Acupalpus* (*Acupalpus*) *canadensis* Casey, 1924  
*Acupalpus* (*Acupalpus*) *carus* (LeConte, 1863)  
*Acupalpus* (*Acupalpus*) *nanellus* Casey, 1914  
*Acupalpus* (*Tachistodes*) *pauperculus* Dejean, 1829  
*Agonoleptus conjunctus* (Say, 1823)  
*Bradycellus* (*Catharellus*) *lecontei* Csiki, 1932  
*Bradycellus* (*Lipalocellus*) *nigrinus* (Dejean, 1829)  
*Bradycellus* (*Lipalocellus*) *semipubescens* Lindroth, 1968  
*Bradycellus* (*Stenocellus*) *neglectus* (LeConte, 1847)  
*Bradycellus* (*Stenocellus*) *nigriceps* LeConte, 1869  
*Bradycellus* (*Stenocellus*) *rupestris* (Say, 1823)  
*Bradycellus* (*Triliarthrus*) *atrimeus* (Say, 1823)  
*Bradycellus* (*Triliarthrus*) *badipennis* (Haldeman, 1843)  
*Bradycellus* (*Triliarthrus*) *kirbyi* (Horn, 1883)  
*Bradycellus* (*Triliarthrus*) *lugubris* (LeConte, 1847)  
*Dicheirotichus* (*Trichocellus*) *cognatus* (Gyllenhal, 1827)\*  
*Stenolophus* (*Agonoderus*) *comma* (Fabricius, 1775)  
*Stenolophus* (*Stenolophus*) *fuliginosus* Dejean, 1829  
*Stenolophus* (*Stenolophus*) *fuscatus* Dejean, 1829  
*Stenolophus* (*Stenolophus*) *ochropezus* (Say, 1823)

**Tribe Lebiini Bonelli, 1810**

Subtribe Cymindidina Laporte, 1834

*Cymindus* (*Pinacodera*) *limbata* Dejean, 1831

*Cymindus (Tarulus) borealis* LeConte, 1863  
*Cymindus (Tarulus) cribricollis* Dejean, 1831  
*Cymindus (Tarulus) neglecta* Haldeman, 1843

Subtribe Dromiusina Bonelli, 1810

*Apristus latens* (LeConte, 1846)  
*Apristus subsulcatus* (Dejean, 1826)  
*Dromius piceus* Dejean, 1831  
*Syntomus americanus* (Dejean, 1831)

Subtribe Lebiina Bonelli, 1810

*Lebia (Lebia) fuscata* Dejean, 1825  
*Lebia (Lebia) moesta* LeConte, 1850  
*Lebia (Lebia) ornata* Say, 1823  
*Lebia (Lebia) pumila* Dejean, 1831  
***Lebia (Lebia) solea* Hentz, 1830**  
*Lebia (Lebia) viridis* Say, 1823  
*Lebia (Loxopeza) tricolor* Say, 1823

**Tribe Licinini Bonelli, 1810**

Subtribe Dicaelina Laporte, 1834

*Diplocheila (Isorembus) assimilis* (LeConte, 1844)  
*Diplocheila (Isorembus) obtusa* (LeConte, 1847)  
*Diplocheila (Isorembus) striatopunctata* (LeConte, 1844)

Subtribe Licinina Bonelli, 1810

*Badister (Badister) neopulchellus* Lindroth, 1954  
*Badister (Badister) notatus* Haldeman, 1843  
*Badister (Badister) obtusus* LeConte, 1878  
*Badister (Baudia) grandiceps* Casey, 1920  
*Badister (Baudia) micans* LeConte, 1844  
*Badister (Baudia) reflexus* LeConte, 1880  
*Badister (Baudia) transversus* Casey, 1920

**Tribe Oodini Laferté-Sénéctère, 1851**

*Lachnocrepis parallela* (Say, 1830)  
***Oodes fluvialis* LeConte, 1863**

### Tribe Perigonini Horn, 1881

*Perigonia (Trechicus) nigriceps* (Dejean, 1831)†

### Tribe Platynini Bonelli, 1810

- Agonum (Agonum) muelleri* (Herbst, 1784)†  
*Agonum (Agonum) piceolum* (LeConte, 1879)  
*Agonum (Agonum) placidum* (Say, 1823)  
*Agonum (Europhilus) anchomenoides* Randall, 1838  
*Agonum (Europhilus) canadense* Goulet, 1969  
*Agonum (Europhilus) consimile* (Gyllenhal, 1810)\*  
*Agonum (Europhilus) darlingtoni* Lindroth, 1954  
*Agonum (Europhilus) gratiosum* (Mannerheim, 1853)\*  
*Agonum (Europhilus) lutulentum* (LeConte, 1854)  
*Agonum (Europhilus) palustre* Goulet, 1969  
*Agonum (Europhilus) picicornoides* Lindroth, 1966  
*Agonum (Europhilus) retractum* LeConte, 1846  
*Agonum (Europhilus) sordens* Kirby, 1837  
*Agonum (Europhilus) superioris* Lindroth, 1966  
*Agonum (Europhilus) thoreyi* Dejean, 1828\*  
*Agonum (Olisares) aeruginosum* Dejean, 1828  
*Agonum (Olisares) affine* Kirby, 1837  
*Agonum (Olisares) crenistriatum* (LeConte, 1863)  
*Agonum (Olisares) cupreum* Dejean, 1831  
*Agonum (Olisares) cupripenne* (Say, 1823)  
*Agonum (Olisares) excavatum* Dejean, 1828  
*Agonum (Olisares) extensicolle* (Say, 1823)  
*Agonum (Olisares) fidele* Casey, 1920  
*Agonum (Olisares) harrisii* LeConte, 1846  
*Agonum (Olisares) melanarium* Dejean, 1828  
*Agonum (Olisares) metallescens* (LeConte, 1854)  
*Agonum (Olisares) mutatum* (Gemminger & Harold, 1868)  
*Agonum (Olisares) octopunctatum* (Fabricius, 1798)  
*Agonum (Olisares) propinquum* (Gemminger & Harold, 1868)  
*Agonum (Olisares) tenue* (LeConte, 1854)  
*Agonum (Olisares) trigeminum* Lindroth, 1954  
*Agonum (Platynomicrus) nigriceps* LeConte, 1846\*  
*Olisthopus parmatius* (Say, 1823)  
*Oxypselaphus pusillus* (LeConte, 1854)  
*Paranchus albipes* (Fabricius, 1794)†  
***Platynus (Batenus) cincticollis* (Say, 1823)**  
*Platynus (Batenus) mannerheimii* (Dejean, 1828)\*

*Platynus (Platynus) decentis* (Say, 1823)  
*Platynus (Platynus) indecentis* Liebherr & Will, 1996  
*Platynus (Platynus) opaculus* LeConte, 1863  
*Platynus (Platynus) tenuicollis* (LeConte, 1846)  
*Sericoda obsoleta* (Say, 1823)  
*Sericoda quadripunctata* (DeGeer, 1774)\*

**Tribe Pterostichini Bonelli, 1810**  
 Subtribe Pterostichina Bonelli, 1810

*Gastrellarius honestus* (Say, 1823)  
*Myas (Trigonognatha) cyanescens* Dejean, 1828  
*Poecilus (Poecilus) chalcites* (Say, 1823)  
*Poecilus (Poecilus) lucublandus* (Say, 1823)  
*Pterostichus (Argutor) commutabilis* (Motschulsky, 1866)  
*Pterostichus (Bothriopterus) adstrictus* Eschscholtz, 1823\*  
*Pterostichus (Bothriopterus) mutus* (Say, 1823)  
*Pterostichus (Bothriopterus) pennsylvanicus* LeConte, 1873  
*Pterostichus (Cylindrocharis) rostratus* (Newman, 1838)  
*Pterostichus (Euferonia) coracinus* (Newman, 1838)  
*Pterostichus (Euferonia) lachrymosus* (Newman, 1838)  
*Pterostichus (Hypherpes) adoxus* (Say, 1823)  
*Pterostichus (Hypherpes) tristis* (Dejean, 1828)  
*Pterostichus (Lenapterus) punctatissimus* (Randall, 1838)  
*Pterostichus (Melanius) castor* Goulet & Bousquet, 1983  
*Pterostichus (Melanius) corvinus* (Dejean, 1828)  
*Pterostichus (Morphosoma) melanarius melanarius* (Illiger, 1798)†  
*Pterostichus (Phonias) corruscus* LeConte, 1873  
*Pterostichus (Phonias) femoralis* (Kirby, 1837)  
*Pterostichus (Phonias) patruelis* (Dejean, 1831)  
*Pterostichus (Pseudomaseus) luctuosus* (Dejean, 1828)  
*Pterostichus (Pseudomaseus) tenuis* (Casey, 1924)  
*Stomis (Stomis) pumicatus* (Panzer, 1795)†

**Tribe Sphodrini Laporte, 1834**  
 Subtribe Atranopsina Baehr, 1982

*Pseudamara arenaria* (LeConte, 1847)

Subtribe Calathina Laporte, 1834

*Calathus (Acalathus) advena* (LeConte, 1846)  
*Calathus (Neocalathus) gregarius* (Say, 1823)

*Calathus* (*Neocalathus*) *ingratus* Dejean, 1828

Subtribe Sphodrina Laporte, 1834

*Laemostenus* (*Pristonychus*) *terricola terricola* (Herbst, 1784)†

Subtribe Synuchina Lindroth, 1956

*Synuchus impunctatus* (Say, 1823)

### **Tribe Zabrini Bonelli, 1810**

Subtribe Amarina C.C.A. Zimmermann, 1832

- Amara* (*Amara*) *aenea* (DeGeer, 1774)†  
*Amara* (*Amara*) *aeneopolita* Casey, 1918  
*Amara* (*Amara*) *communis* (Panzer, 1797)†  
*Amara* (*Amara*) *cupreolata* Putzeys, 1866  
*Amara* (*Amara*) *familiaris* (Duftschmid, 1812)†  
*Amara* (*Amara*) *littoralis* Dejean, 1828\*  
*Amara* (*Amara*) *lunicollis* Schiodte, 1837\*  
*Amara* (*Amara*) *neoscotica* Casey, 1924  
*Amara* (*Amara*) *otiosa* Casey, 1918  
*Amara* (*Amara*) *ovata* (Fabricius, 1792)†  
*Amara* (*Amarocelia*) *ellipsis* (Casey, 1918)  
*Amara* (*Amarocelia*) *erratica* (Duftschmid, 1812)\*  
*Amara* (*Amarocelia*) *laevipennis* Kirby, 1837  
*Amara* (*Amarocelia*) *patruelis* Dejean, 1831\*  
*Amara* (*Bradytus*) *apricaria* (Paykull, 1790)†  
*Amara* (*Bradytus*) *avida* (Say, 1823)  
*Amara* (*Bradytus*) *fulva* (O.F. Müller, 1776)†  
*Amara* (*Bradytus*) *latior* (Kirby, 1837)  
*Amara* (*Celia*) *bifrons* (Gyllenhal, 1810)†  
*Amara* (*Celia*) *musculus* (Say, 1823)  
*Amara* (*Celia*) *rubrica* Haldeman, 1843  
*Amara* (*Celia*) *sinuosa* (Casey, 1918)  
*Amara* (*Curtonotus*) *aulica* (Panzer, 1796)†  
*Amara* (*Curtonotus*) *lacustris* LeConte, 1855  
*Amara* (*Curtonotus*) *torrida* (Panzer, 1796)\*  
*Amara* (*Paracelia*) *quenseli quenseli* (Schönherr, 1806)\*  
*Amara* (*Percosia*) *obesa* (Say, 1823)  
*Amara* (*Xenocelia*) *gibba* (LeConte, 1847)  
*Amara* (*Zezea*) *angustatoides* Hieke, 2000  
*Amara* (*Zezea*) *flebilis* (Casey, 1918)  
*Amara* (*Zezea*) *pallipes* Kirby, 1837

**Family HALIPLIDAE Aubé, 1836**

(Crawling water beetles)

- Haliplus (Haliplus) immaculicollis* Harris, 1828  
*Haliplus (Haliplus) longulus* LeConte, 1850  
*Haliplus (Liaphlus) canadensis* Wallis, 1933  
*Haliplus (Liaphlus) connexus* Matheson, 1912  
*Haliplus (Liaphlus) cribrarius* LeConte, 1850  
*Haliplus (Liaphlus) fulvus* (Fabricius, 1801)\*  
*Haliplus (Paraliaphlus) borealis* LeConte, 1850  
*Haliplus (Paraliaphlus) leopardus* Roberts, 1913  
*Haliplus (Paraliaphlus) pantherinus* Aubé, 1823  
*Peltodytes (Neopeltodytes) duodecimpunctatus* (Say, 1823)  
*Peltodytes (Neopeltodytes) edentulus* (LeConte, 1863)  
*Peltodytes (Neopeltodytes) lengi* Roberts, 1913  
*Peltodytes (Neopeltodytes) litoralis* Matheson, 1912  
*Peltodytes (Neopeltodytes) tortulosus* Roberts, 1913

**Family DYTISCIDAE Leach, 1815**

(Predaceous diving beetles)

**Subfamily COPELATINAE Branden, 1885***Copelatus glyphicus* (Say, 1823)**Subfamily LACCOPHILINAE Gistel, 1848****Tribe Laccophilini Gistel, 1848**

- Laccophilus biguttatus* Kirby, 1837\*  
*Laccophilus maculosus maculosus* Say, 1823

**Subfamily HYDROPORINAE Aubé, 1836****Tribe Bidessini Sharp, 1880**

- Liodessus affinis* (Say, 1823)  
*Liodessus crotchi* Nilsson, 2001  
*Liodessus noviaffinis* K.B. Miller, 1998  
*Uvarus falli* (Young, 1940)  
*Uvarus granarius* (Aubé, 1838)

**Tribe Hydroporini Aubé, 1836**

- Boreonectes griseostriatus* (DeGeer, 1774)  
*Heterosternuta allegheniana* (Matta & Wolfe, 1979)

*Heterosternuta cocheconis* (Fall, 1917)  
*Heterosternuta pulchra* (LeConte, 1855)  
*Hydrocolus filiulus* (Fall, 1923)  
*Hydrocolus paugus* (Fall, 1923)  
*Hydrocolus persimilis* (Crotch, 1873)  
*Hydrocolus rubyae* (Larson, 1975)  
*Hydrocolus rufiplanulus* (Fall, 1923)  
*Hydrocolus stagnalis* (Gemminger & Harold, 1868)  
*Hydroporus badiellus* Fall, 1923  
*Hydroporus brevicornis* Fall, 1917  
*Hydroporus columbianus* Fall, 1923  
*Hydroporus dentellus* Fall, 1917  
*Hydroporus fuscipennis* Schaum, 1868\*  
*Hydroporus gossei* Larson & Roughley, 2000  
*Hydroporus nigellus* Mannerheim, 1853\*  
*Hydroporus niger* Say, 1823  
*Hydroporus notabilis* LeConte, 1850\*  
*Hydroporus obscurus* Sturm, 1835\*  
*Hydroporus puberulus* LeConte, 1850\*  
*Hydroporus rectus* Fall, 1923  
*Hydroporus rufinasus* Mannerheim, 1852  
*Hydroporus signatus signatus* Mannerheim, 1853  
*Hydroporus striola* (Gyllenhal, 1826)\*  
*Hydroporus tenebrosus* LeConte, 1850  
*Hydroporus tristis* (Paykull, 1798)\*  
*Nebrioporus rotundatus* (LeConte, 1863)  
*Neoporus carolinus* (Fall, 1917)  
*Neoporus clypealis* (Sharp, 1882)  
*Neoporus dilatatus* (Fall, 1917)  
*Neoporus dimidiatus* (Gemminger & Harold, 1868)  
*Neoporus mellitus* (LeConte, 1855)  
*Neoporus spurius* (LeConte, 1855)  
*Neoporus sulcipennis* (Fall, 1917)  
*Neoporus undulatus* (Say, 1823)  
*Oreodytes scitulus scitulus* (LeConte, 1855)  
*Sanfilippodytes pseudovilis* (Young, 1953)

### Tribe Hygrotini Portevin, 1929

*Coelambus compar* Fall, 1919  
*Coelambus falli* Wallis, 1924  
*Coelambus impressopunctatus* (Schaller, 1783)\*  
*Coelambus laccophilinus* (LeConte, 1878)  
*Coelambus nubilis* (LeConte, 1855)

*Coelambus patruelis* (LeConte, 1855)  
*Coelambus picatus* (Kirby, 1837)  
*Coelambus turbidus* (LeConte, 1855)  
*Hygrotus farctus* (LeConte, 1855)  
*Hygrotus sayi* Balfour-Browne, 1944

### Tribe Hyphydrini Gistel, 1848

*Desmopachria convexa* (Aubé, 1838)

### Tribe Laccornini Wolfe & Roughley, 1990

*Laccornis conoideus* (LeConte, 1850)  
*Laccornis latens* (Fall, 1937)

### Subfamily AGABINAE C.G. Thomson, 1867

*Agabus (Acatodes) anthracinus* Mannerheim, 1852  
***Agabus (Acatodes) bicolor* (Kirby, 1837)**  
*Agabus (Acatodes) confinis* (Gyllenhal, 1808)  
*Agabus (Acatodes) discolor* (Harris, 1828)\*  
*Agabus (Acatodes) immaturus* Larson, 1991  
*Agabus (Acatodes) inscriptus* (Crotch, 1873)  
*Agabus (Acatodes) phaeopterus* (Kirby, 1837)  
*Agabus (Acatodes) subfuscatus* Sharp, 1882  
*Agabus (Agabus) bifarius* (Kirby, 1837)\*  
*Agabus (Agabus) punctulatus* Aubé, 1838  
*Agabus (Gaurodytes) ambiguus* (Say, 1823)  
*Agabus (Gaurodytes) erythropterus* (Say, 1823)  
*Agabus (Gaurodytes) leptapsis* (LeConte, 1878)  
*Agabus (Gaurodytes) semipunctatus* (Kirby, 1837)  
*Ilybiosoma seriatum* (Say, 1823)  
*Ilybius angustior* (Gyllenhal, 1808)\*  
*Ilybius biguttulus* (Germar, 1824)  
*Ilybius confusus* Aubé, 1838  
*Ilybius discedens* Sharp, 1882  
*Ilybius erichsoni* (Gemminger & Harold, 1868)\*  
***Ilybius ignarus* (LeConte, 1862)**  
*Ilybius larsoni* (Fery & Nilsson, 1993)  
*Ilybius opacus* (Aubé, 1837)\*  
*Ilybius pleuriticus* LeConte, 1850  
*Ilybius wasastjernae* (C.R. Sahlberg, 1824)\*  
*Platambus obtusatus* (Say, 1823)

**Subfamily COPTOTOMINAE Branden, 1885***Coptotomus longulus lenticus* Hilsenhoff, 1980**Subfamily COLYMBETINAE Erichson, 1837****Tribe Colymbetini Erichson, 1837***Colymbetus paykulli* Erichson, 1837\**Colymbetus sculptilis* Harris, 1829*Neoscutopterus angustus* (LeConte, 1850)*Neoscutopterus hornii* (Crotch, 1873)*Rhantus (Nartus) sinuatus* (LeConte, 1862)*Rhantus (Rhantus) binotatus* (Harris, 1828)*Rhantus (Rhantus) consimilis* Motschulsky, 1859*Rhantus (Rhantus) suturellus* (Harris, 1828)\**Rhantus (Rhantus) wallisi* Hatch, 1953**Subfamily DYTISCINAE Leach, 1815****Tribe Aciliini C.G. Thomson, 1867***Acilius (Acilius) semisulcatus* Aubé, 1838*Acilius (Acilius) sylvanus* Hilsenhoff, 1975*Acilius (Homoeolytrus) mediatu*s (Say, 1823)*Graphoderus fascicollis* (Harris, 1828)*Graphoderus liberus* (Say, 1825)*Graphoderus perplexus* Sharp, 1882\***Tribe Dytiscini Leach, 1815***Dytiscus cordieri* Aubé, 1838*Dytiscus dauricus* Gebler, 1832\**Dytiscus fasciventris* Say, 1824*Dytiscus harrisii* Kirby, 1837*Dytiscus verticalis* Say, 1823**Tribe Hydaticini Sharp, 1880***Hydaticus (Hydaticus) aruspex* H. Clark, 1864\**Hydaticus (Hydaticus) piceus* LeConte, 1863

**Suborder POLYPHAGA**  
**Superfamily HYDROPHILOIDEA Latreille, 1802**

**Family HELOPHORIDAE Leach, 1815**

*Helophorus (Helophorus) grandis* Illiger, 1798†

***Helophorus (Kypohelophorus) tuberculatus* Gyllenhal, 1808\***

*Helophorus (Rhopalohelophorus) angusticollis* d'Orchymont, 1945

*Helophorus (Rhopalohelophorus) frosti* Smetana, 1985

*Helophorus (Rhopalohelophorus) lacustris* LeConte, 1850

*Helophorus (Rhopalohelophorus) lineatus* Say, 1823

***Helophorus (Rhopalohelophorus) marginicollis* Smetana, 1985**

*Helophorus (Rhopalohelophorus) nitiduloides* d'Orchymont, 1945

***Helophorus (Rhopalohelophorus) oblongus* LeConte, 1850**

*Helophorus (Rhopalohelophorus) orientalis* Motschulsky, 1860\*

*Helophorus (Rhopalohelophorus) sempervarians* Angus, 1970

**Family HYDROCHIDAE C.G. Thomson, 1859**

*Hydrochus squamifer* LeConte, 1844

***Hydrochus subcupreus* Randall, 1838**

**Family HYDROPHILIDAE Latreille, 1802**  
(Water scavenger beetles)

**Subfamily HYDROPHILINAE Latreille, 1802**  
**Tribe Berosini Mulsant, 1844**

***Berosus (Berosus) fraternus* LeConte, 1855**

***Berosus (Berosus) peregrinus* (Herbst, 1797)**

***Berosus (Berosus) sayi* Hansen, 1999**

**Tribe Laccobiini Houlbert, 1922**

*Laccobius agilis* (Randall, 1838)

*Laccobius minutoides* d'Orchymont, 1942

*Laccobius reflexipenis* Cheary, 1971

*Laccobius spangleri* Cheary, 1971

***Paracymus despectus* (LeConte, 1863)**

*Paracymus subcupreus* (Say, 1825)

**Tribe Hydrobiusini Mulsant, 1844**

*Hydrobius fuscipes* (Linnaeus, 1758)\*

*Hydrobius melaenus* (Germar, 1824)

*Sperchopsis tessellata* (Ziegler, 1844)

**Tribe Hydrophilini Latreille, 1802**

*Hydrochara obtusata* (Say, 1823)

*Tropisternus glaber* (Herbst, 1797)

*Tropisternus mixtus* (LeConte, 1855)

**Subfamily CHAETARTHRIINAE Bedel, 1881**

**Tribe Anacaenini Hansen, 1991**

*Anacaena lutescens* (Stephens, 1829)†

*Crentis* (*Crentis*) *digesta* (LeConte, 1855)

*Crentis* (*Crentis*) *monticola* (Horn, 1890)

**Tribe Chaetarthriini Bedel, 1881**

*Chaetarthria atra* (LeConte, 1863)

**Subfamily ENOCHRINAE Short & Fikáček, 2013**

*Cymbiodyta acuminata* Fall, 1924

*Cymbiodyta blanchardi* Horn, 1890

*Cymbiodyta minima* Notman, 1919

*Cymbiodyta semistriata* (C.C.A. Zimmermann, 1869)

*Cymbiodyta vindicata* Fall, 1924

*Enochrus* (*Lumetus*) *hamiltoni* (Horn, 1890)

*Enochrus* (*Lumetus*) *reflexipennis* (C.C.A. Zimmermann, 1869)

*Enochrus* (*Methydrus*) *cinctus* (Say, 1824)

*Enochrus* (*Methydrus*) *consors* (LeConte, 1863)

*Enochrus* (*Methydrus*) *consortus* Green, 1946

*Enochrus* (*Methydrus*) *ochraceus* (Melsheimer, 1844)

*Enochrus* (*Methydrus*) *pygmaeus nebulosus* (Say, 1824)

*Helocombus bifidus* (LeConte, 1855)

**Subfamily SPHAERIDIINAE Latreille, 1802**

**Tribe Megasternini Mulsant, 1844**

*Cercyon* (*Cercyon*) *assecla* Smetana, 1978

*Cercyon* (*Cercyon*) *cinctus* Smetana, 1978

*Cercyon* (*Cercyon*) *haemorrhoidalis* (Fabricius, 1775)†

*Cercyon* (*Cercyon*) *herceus frigidus* Smetana, 1978

*Cercyon* (*Cercyon*) *indistinctus* Horn, 1890

*Cercyon (Cercyon) lateralis* (Marsham, 1802)†  
*Cercyon (Cercyon) littoralis* (Gyllenhal, 1808)\*  
*Cercyon (Cercyon) pygmaeus* (Illiger, 1801)†  
*Cercyon (Cercyon) quisquilius* (Linnaeus, 1760)†  
*Cercyon (Cercyon) terminatus* (Marsham, 1802)†  
*Cercyon (Cercyon) unipunctatus* (Linnaeus, 1758)†  
***Cercyon (Dicyrtocercyon) ustulatus* (Preyssler, 1790)†**  
*Cercyon (Paracercyon) analis* (Paykull, 1798)†  
*Cercyon (Paracercyon) minusculus* Melsheimer, 1844  
*Cercyon (Prostercyon) roseni* Knisch, 1922  
*Cryptopleurum minutum* (Fabricius, 1775)†  
*Cryptopleurum subtile* Sharp, 1884†

### Tribe Sphaeridiini Latreille, 1802

*Sphaeridium bipustulatum* Fabricius, 1781†  
*Sphaeridium lunatum* Fabricius, 1792†  
*Sphaeridium scarabaeoides* (Linnaeus, 1758)†

### Family HISTERIDAE Gyllenhal, 1808 (Hister beetles)

#### Subfamily ABRAEINAE MacLeay, 1819 Tribe Acritini Wenzel, 1944

*Acritus exiguus* (Erichson, 1834)  
*Aeletes politus* (LeConte, 1853)

#### Tribe Plegaderini Portevin, 1929

*Plegaderus confusus* Bousquet & Laplante, 1999  
*Plegaderus sayi* Marseul, 1856

#### Tribe Teretriini Bickhardt, 1914

*Teretrius latebricola* Lewis, 1901

#### Subfamily SAPRININAE Blanchard, 1845

*Baeckmanniolus dimidiatipennis* (J.E. LeConte, 1824)  
*Euspilotus (Hesperosaprinus) assimilis* (Paykull, 1811)  
*Euspilotus (Hesperosaprinus) rossi* (Wenzel, 1939)  
*Geomysaprinus (Priscosaprinus) moniliatus* (Casey, 1916)  
*Gnathoncus barbatus* Bousquet & Laplante, 1999

*Gnathoncus communis* (Marseul, 1862)†  
*Gnathoncus rotundatus* (Kugelann, 1792)†  
*Hypocaccus bigener* (J.E. LeConte, 1844)  
*Hypocaccus fitchi* (Marseul, 1862)  
*Hypocaccus fraternus* (Say, 1825)

**Subfamily DENDROPHILINAE Reitter, 1909**  
**Tribe Dendrophilini Reitter, 1909**

*Dendrophilus kiteleyi* Bousquet & Laplante, 1999  
*Dendrophilus punctatus* (Herbst, 1792)†

**Tribe Paromalini Reitter, 1909**

*Carcinops pumilio* (Erichson, 1834)†  
*Paromalus teres* LeConte, 1878

**Subfamily HISTERINAE Gyllenhal, 1808**  
**Tribe Histerini Gyllenhal, 1808**

*Atholus bimaculatus* (Linnaeus, 1758)†  
*Atholus perplexus* (LeConte, 1863)  
*Atholus sedecimstriatus* (Say, 1825)  
*Hister abbreviatus* Fabricius, 1775  
*Hister curtatus* J.E. LeConte, 1844  
*Hister furtivus* J.E. LeConte, 1859  
*Margarinotus (Paralister) cognatus* (J.E. LeConte, 1844)  
*Margarinotus (Paralister) faedatus* (J.E. LeConte, 1845)  
*Margarinotus (Paralister) lecontei* Wenzel, 1944  
*Margarinotus (Promethister) confusus* Wenzel, 1944  
*Margarinotus (Ptomister) brunneus* (Fabricius, 1775)†  
*Margarinotus (Ptomister) egregius* (Casey, 1916)  
*Margarinotus (Ptomister) harrisii* (Kirby, 1837)  
*Margarinotus (Ptomister) hudsonicus* (Casey, 1893)  
*Margarinotus (Ptomister) immunis* (Erichson, 1834)  
*Margarinotus (Ptomister) interruptus* (Palisot de Beauvois, 1818)  
*Margarinotus (Ptomister) meridarius* (Hoffmann, 1803)†  
*Margarinotus (Ptomister) stygicus* (J.E. LeConte, 1845)  
*Psiloscelis planipes* (LeConte, 1852)  
*Spilodiscus arcuatus* (Say, 1825)

**Tribe Platysomatini Bickhardt, 1914**

*Platysoma (Cylister) coarctatum* J.E. LeConte, 1844

*Platysoma (Cylistus) cylindricum* (Paykull, 1811)

*Platysoma (Cylistus) deficiens* (Casey, 1924)

*Platysoma (Cylistus) gracile* J.E. LeConte, 1845

*Platysoma (Platysoma) leonti* Marseul, 1853

**Subfamily ONTHOPHILINAE MacLeay, 1819**

*Epierus pulicarius* Erichson, 1834

**Superfamily STAPHYLINOIDEA Latreille, 1802**

**Family HYDRAENIDAE Mulsant, 1844**

(Minute moss beetles)

**Subfamily HYDRAENINAE Mulsant, 1844**

**Tribe Hydraenini Mulsant, 1844**

*Hydraena angulicollis* Notman, 1922

*Hydraena pennsylvanica* Kiesenwetter, 1849

**Subfamily OCHTHEBIINAE C.G. Thomson, 1859**

**Tribe Ochthebiini C.G. Thomson, 1859**

Subtribe Ochthebiina C.G. Thomson, 1859

*Ochthebius (Ochthebius) costatellus* Reitter, 1897

**Family PTILIIDAE Erichson, 1845**

(Feather-winged beetles)

**Tribe Nanosellini Batrber, 1924**

*Cylindroselloides dybasi* Hall, 1999

**Tribe Ptenidiini Flach, 1889**

*Ptenidium nitidum* (Heer, 1841)†

*Ptenidium pusillum* (Gyllenhal, 1808)†

**Subfamily ACROTRICHINAE Reitter, 1909**

*Acrotrichis (Acrotrichis) cognata* (Matthews, 1877)

*Acrotrichis (Acrotrichis) fascicularis* (Herbst, 1793)†

*Acrotrichis (Acrotrichis) insularis* (Mäklin, 1852)

*Acrotrichis (Acrotrichis) intermedia* (Gillmeister, 1845)

*Acrotrichis (Acrotrichis) josephi* (Matthews, 1872)  
*Acrotrichis (Acrotrichis) longipennis* (Casey, 1885)  
*Acrotrichis (Acrotrichis) parva* Rosskothén, 1935\*  
*Acrotrichis (Acrotrichis) sericans* (Heer, 1841)†  
*Acrotrichis (Acrotrichis) silvatica* Rosskothén, 1935†  
*Acrotrichis (Acrotrichis) thoracica* (Waltl, 1838)†  
*Acrotrichis (Acrotrichis) volans* (Motschulsky, 1845)\*  
*Acrotrichis (Ctenopteryx) grandicollis* (Mannerheim, 1844)†  
 (incerate sedis)  
*Acrotrichus haldemani* (LeConte, 1863)

**Family LEIODIDAE Fleming, 1821**  
 (Small scavenger beetles)

**Subfamily LEIODINAE Fleming, 1821**  
**Tribe Agathidiini Westwood, 1838**

*Agathidium atronitens* Fall, 1934  
***Agathidium depressum* Fall, 1934**  
*Agathidium difforme* (LeConte, 1850)  
*Agathidium exiguum* Melsheimer, 1844  
*Agathidium fawcettae* K.B. Miller & Wheeler, 2005  
*Agathidium mollinum* Fall, 1934  
*Agathidium rubellum* Fall, 1934  
*Anisotoma basalis* (LeConte, 1853)  
*Anisotoma geminata* (Horn, 1880)  
*Anisotoma globososa* Hatch, 1929  
*Anisotoma inops* W.J. Brown, 1937  
*Anisotoma obsoleta* (Horn, 1880)

**Tribe Leiodini Fleming, 1821**

*Anogdus potens* (W.J. Brown, 1932)  
*Cyrtusa subtestacea* (Gyllenhal, 1813)†  
*Leiodes assimilis* (LeConte, 1850)  
*Leiodes collaris* (LeConte, 1850)  
*Leiodes contaminabilis* Baranowski, 1993  
*Leiodes impersonata* W.J. Brown, 1932  
*Leiodes neglecta* Baranowski, 1993  
*Leiodes punctostriata* Kirby, 1837  
*Leiodes strigata* (LeConte, 1850)  
*Leiodes triepkei* (Schmidt, 1841)\*

*Leiodes valida* (Horn, 1880)

*Liocyrtusa luggeri* (Hatch, 1927)

**Tribe Pseudoliodini Portevin, 1926**

*Colenus* (*Colenus*) *impunctata* LeConte, 1853

**Tribe Sogdini Lopatin, 1961**

*Hydnobius pumilus* LeConte, 1879

*Hydnobius substriatus* LeConte, 1863

*Platyhydnobius arizonensis* (Horn, 1885)

**Subfamily COLONINAE Horn, 1880**

*Colon* (*Colon*) *asperatum* Horn, 1880

*Colon* (*Colon*) *bidentatum* (C.R. Sahlberg, 1822)\*

*Colon* (*Colon*) *horni* Szymczakowski, 1981

*Colon* (*Eurycolon*) *magnicolle* Mannerheim, 1853

*Colon* (*Myloechus*) *boreale* Peck & Stephan, 1996

**Subfamily Cholevinae Kirby, 1837**

**Tribe Anemadini Hatch, 1928**

Subtribe *Nemadina* Jeannel, 1936

*Nemadus* (*Laferius*) *brachyderus* (LeConte, 1863)

*Nemadus* (*Nemadus*) *horni* Hatch, 1933

*Nemadus* (*Nemadus*) *tenuitarsus* Jeannel, 1936

*Nemadus* (*Nemadus*) *triangulum* Jeannel, 1936

**Tribe Cholevini Kirby, 1837**

Subtribe *Catopina* Chaudoir, 1845

*Catops alsiosus* (Horn, 1885)\*

*Catops basilaris* Say, 1823

*Catops paramericus* Peck & Cook, 2002

*Catops simplex* Say, 1825

*Sciodrepoides terminans* (LeConte, 1850)

*Prionochoaeta opaca* (Say, 1825)

**Subfamily PLATYPSYLLINAE Ritsema, 1869**

*Leptinillus validus* (Horn, 1872)

**Family SILPHIDAE Latreille, 1806**

(Carrion beetles)

**Subfamily SILPHINAE Latreille, 1806**

*Necrodes surinamensis* (Fabricius, 1775)  
*Necrophila americana* (Linnaeus, 1758)  
*Oiceoptoma noveboracense* (Forster, 1771)  
*Thanatophilus lapponicus* (Herbst, 1793)\*

**Subfamily NICROPHORINAE Kirby, 1837**

*Nicrophorus defodiens* Mannerheim, 1846  
*Nicrophorus investigator* Zetterstedt, 1824\*  
*Nicrophorus orbicollis* Say, 1825  
*Nicrophorus pustulatus* Herschel, 1807  
*Nicrophorus sayi* Laporte, 1840  
*Nicrophorus tomentosus* Weber, 1801  
*Nicrophorus vespilloides* Herbst, 1783\*

**Family STAPHYLINIDAE Latreille, 1802**

(Rove beetles)

**Subfamily OMALIINAE MacLeay, 1825****Tribe Anthophagini C.G. Thomson, 1859**

*Acidota crenata* (Fabricius, 1792)\*  
*Acidota quadrata* (Zetterstedt, 1838)\*  
*Acidota subcarinata* Erichson, 1840  
*Arpedium angulare* Fauvel, 1878  
*Brathinus nitidus* LeConte, 1852  
*Brathinus varicornis* LeConte, 1852  
*Eucnecosum brunnescens* (J.R. Sahlberg, 1871)\*  
*Eucnecosum tenue* (LeConte, 1863)\*  
*Geodromicus plagiatus* (Fabricius, 1798)  
*Geodromicus strictus* Fauvel, 1889  
*Lesteva pallipes* LeConte, 1863  
*Microedus austinianus* LeConte, 1874  
***Olophrum boreale* (Paykull, 1792)\***  
*Olophrum consimile* (Gyllenhal, 1810)\*  
*Olophrum obtectum* Erichson, 1840  
*Olophrum rotundicolle* (C.R. Sahlberg, 1830)\*  
*Porrhodites inflatus* (Hatch, 1957)  
*Trigonodemus striatus* LeConte, 1863

**Tribe Coryphiini Jakobson, 1908**

Subtribe Boreaphilina Zerche, 1990

*Boreaphilus henningianus* C.R. Sahlberg, 1832\*

Subtribe Coryphiina Jakobson, 1908

*Coryphium nigrum* Campbell, 1978**Tribe Eusphalerini Hatch, 1957***Eusphalerum (Eusphalerum) convexum* (Fauvel, 1878)*Eusphalerum (Eusphalerum) orientale* (Bernhauer, 1912)*Eusphalerum fenyesi* (Bernhauer, 1912)*Eusphalerum (Eusphalerum) pothos* (Mannerheim, 1843)**Tribe Omaliini MacLeay, 1825***Acrolocha diffusa* (Fauvel, 1878)*Hapalaraea hamata* (Fauvel, 1878)*Microlymma marinum* (Ström, 1783)\**Omaliium foraminosum* Mäklin, 1852\**Omaliium quadripenne* Casey, 1893*Omaliium rivulare* (Paykull, 1789)†*Phloeonomus laesicollis* (Mäklin, 1852)*Phloeostiba lapponica* (Zetterstedt, 1838)\****Phyllodrepa humerosa* (Fauvel, 1878)***Pycnoglypta aptera* Campbell, 1983*Pycnoglypta campbelli* Gusarov, 1995\***Subfamily PROTEININAE Erichson, 1839****Tribe Proteinini Erichson, 1839***Megarthrus angulicollis* Mäklin, 1852*Megarthrus excisus* LeConte, 1863*Proteinus acadensis* Klimaszewski, 2005***Proteinus hughesi* Webster & Davies<sup>§</sup>*****Proteinus parvulus* LeConte, 1863***Proteinus pseudothomasi* Klimaszewski, 2005***Proteinus sweeneyi* Webster & Klimaszewski, 2016<sup>§</sup>****Subfamily MICROPEPLINAE Leach, 1815***Micropeplus browni* Campbell, 1968

*Micropeplus laticollis* Mäklin, 1853

**Subfamily PSELAPHINAE Latreille, 1802**

**Supertribe BATRISITAE Reitter, 1882**

**Tribe Batrisini Reitter, 1882**

Subtribe Batrisina Reitter, 1882

*Batrisodes (Babnormodes) riparius* (Say, 1824)

*Batrisodes (Excavodes) frontalis* (LeConte, 1849)

*Batrisodes (Excavodes) lineaticollis* (Aubé, 1833)

*Batrisodes (Excavodes) scabriceps* (LeConte, 1849)

**Supertribe EUPLECTITAE Streubel, 1839**

**Tribe Euplectini Streubel, 1839**

*Euplectus (Euplectus) acomanus* Casey, 1908

*Euplectus (Euplectus) confluens* LeConte, 1849

*Euplectus (Euplectus) duryi* Casey, 1908

*Euplectus (Euplectus) elongatus* Brendel, 1893

*Pycnoplectus linearis* (LeConte, 1849)

**Tribe Trichonychini Reitter, 1882**

Subtribe Bibloporina Park, 1951

*Bibloporus bicanalis* (Casey, 1884)

Subtribe Panaphantina Jeannel, 1950

*Bibloplectus (Bibloplectoides) integer* (LeConte, 1878)

*Ramecia crinita* (Brendel, 1865)

*Trimiopectus obsoletus* Brendel, 1890

Subtribe Trimiina Bowman, 1934

*Actiastes foveicollis* (LeConte, 1878)

*Actiastes globiferum* (LeConte, 1849)

*Dalmosella tenuis* Casey, 1897

**Supertribe GONIACERITAE Reiter, 1882**

**Tribe Brachyglutini Raffray, 1904**

Subtribe Brachyglutina Raffray, 1904

*Brachygluta abdominalis* (Aubé, 1833)

*Brachygluta luniger* (LeConte, 1849)  
*Eutrichites zonatus* (Brendel, 1865)  
*Reichenbachia borealis* Casey, 1897  
*Reichenbachia corporalis* Casey, 1897  
*Reichenbachia propinqua* (LeConte, 1849)  
*Reichenbachia spatulifer* Casey, 1897  
*Rybaxis clavata* (Brendel, 1865)  
*Rybaxis conjuncta* (LeConte, 1849)  
*Rybaxis mystica* Casey, 1894  
*Rybaxis transversa* Fall, 1927  
*Rybaxis varicornis* (Brendel, 1890)

Subtribe Decarthrina Park, 1951

*Decarthron* (*Decarthron*) *abnorme* (LeConte, 1849)

**Tribe Bythinini Raffray, 1890**

*Tychobythinus bythinioides* (Brendel, 1865)

**Tribe Tychini Raffray, 1904**

*Lucifotychus hirsutus* D.S. Chandler, 1991  
*Lucifotychus testaceus* (Casey, 1884)

**Supertribe PSELAPHITAE Latreille, 1802**

**Tribe Ctenistini Blanchard, 1845**

*Ctenisodes piceus* (LeConte, 1849)

**Tribe Pselaphini Latreille, 1802**

*Pselaphus* (*Pselaphus*) *bellax* Casey, 1894  
*Pselaphus* (*Pselaphus*) *fustifer* Casey, 1894

**Tribe Tyrini Reitter, 1882**  
**Subtribe Tyrina Reitter, 1882**

*Tyrus semiruber* Casey, 1897

**Subfamily PHLOEOCHARINAE Erichson, 1839**

*Charhyphus picipennis* (LeConte, 1863)

**Subfamily OLISTHAERINAE C.G. Thomson, 1858**

*Olisthaerus substriatus* (Paykull, 1790)\*

**Subfamily TACHYPORINAE MacLeay, 1825**

**Tribe Mycetoporini C.G. Thomson, 1859**

*Bolitobius cingulatus* Mannerheim, 1830\*  
*Bryophacis smetanai* Campbell, 1993  
*Bryoporus rufescens* LeConte, 1863  
*Bryoporus testaceus* LeConte, 1863  
*Carphacis nepigonensis* (Bernhauer, 1912)  
*Ischnosoma fimbriatum* Campbell, 1991  
*Ischnosoma flavicolle* (LeConte, 1863)  
*Ischnosoma pictum* (Horn, 1877)  
*Ischnosoma splendidum* (Gravenhorst, 1806)\*  
*Ischnosoma virginicum* (Bernhauer, 1917)  
*Lordithon (Bolitobus) fungicola* Campbell, 1982  
*Lordithon (Bolitobus) kelleyi* (Malkin, 1944)  
*Lordithon (Bolitobus) longiceps* (LeConte, 1863)  
*Lordithon (Bolitobus) quaesitor* (Horn, 1877)  
*Lordithon (Lordithon) anticus* (Horn, 1877)  
*Lordithon (Lordithon) appalachianus* Campbell, 1982  
*Lordithon (Lordithon) axillaris* (Gravenhorst, 1806)  
*Lordithon (Lordithon) campbelli* Schülke, 2000  
*Lordithon (Lordithon) facilis* (Casey, 1885)  
*Lordithon (Lordithon) niger* (Gravenhorst, 1802)  
*Lordithon (Lordithon) scutellaris* Campbell, 1982  
*Lordithon (Lordithon) thoracicus thoracicus* (Fabricius)\*  
*Mycetoporus americanus* Erichson, 1839  
*Mycetoporus consors* LeConte, 1863  
*Mycetoporus horni* Bernhauer & Schubert, 1916  
*Mycetoporus inquisitus* Casey, 1885  
*Mycetoporus lucidulus* LeConte, 1863  
***Mycetoporus rufohumeralis* Campbell, 1991**  
*Mycetoporus rugosus* Hatch, 1957  
*Mycetoporus triangulatus* Campbell, 1991

**Tribe Tachyporini MacLeay, 1825**

*Cilea silphoides* (Linnaeus)†  
*Coproporus ventriculus* (Say, 1832)

- Nitidotachinus horni* (Campbell, 1973)  
*Nitidotachinus scrutator* (Gemminger & Harold, 1868)  
*Nitidotachinus tachyporoides* (Horn, 1877)  
*Sepedophilus cinctulus* (Erichson, 1839)  
*Sepedophilus crassus* (Gravenhorst, 1802)  
***Sepedophilus immaculatus* (Stephens, 1832)†**  
*Sepedophilus littoreus* (Linnaeus, 1758)†  
*Sepedophilus marshami* (Stephens, 1832)†  
*Sepedophilus occultus* (Casey, 1884)  
*Sepedophilus testaceus* (Fabricius, 1792)†  
*Sepedophilus versicolor* (Casey, 1884)  
*Tachinus (Tachinus) addendus* Horn, 1877  
*Tachinus (Tachinus) basalis* Erichson, 1839\*  
*Tachinus (Tachinus) canadensis* Horn, 1877  
*Tachinus (Tachinus) corticinus* Gravenhorst, 1802†  
***Tachinus (Tachinus) elongatus* Gyllenhal, 1810\***  
*Tachinus (Tachinus) fimbriatus* Gravenhorst, 1802  
*Tachinus (Tachinus) frigidus* Erichson, 1839  
*Tachinus (Tachinus) fumipennis* (Say, 1832)  
*Tachinus (Tachinus) limbatus* Melsheimer, 1844  
*Tachinus (Tachinus) luridus* Erichson, 1840  
*Tachinus (Tachinus) memnonius* Gravenhorst, 1802  
*Tachinus (Tachinus) picipes* Erichson, 1839  
*Tachinus (Tachinus) quebecensis* Robert, 1946  
*Tachinus (Tachinus) rufipes* (Linnaeus, 1758)†  
*Tachinus (Tachinus) schwarzi* Horn, 1877  
*Tachinus (Tachinus) thruppi* Hatch, 1957  
*Tachinus (Tachinus) vergatus* Campbell, 1973  
*Tachyporus (Palporus) nitidulus* (Fabricius, 1781)\*  
*Tachyporus (Tachyporus) abdominalis* (Fabricius, 1781)\*  
*Tachyporus (Tachyporus) browni* Campbell, 1979  
*Tachyporus (Tachyporus) canadensis* Campbell, 1979  
*Tachyporus (Tachyporus) dispar* (Paykull, 1789)†  
*Tachyporus (Tachyporus) flavipennis* Campbell, 1979  
*Tachyporus (Tachyporus) inornatus* Campbell, 1979  
*Tachyporus (Tachyporus) lecontei* Campbell, 1979  
*Tachyporus (Tachyporus) maculicollis* LeConte, 1866  
*Tachyporus (Tachyporus) nanus* Erichson, 1839  
*Tachyporus (Tachyporus) nimbicola* Campbell, 1979  
*Tachyporus (Tachyporus) pulchrus* Blatchley, 1910  
*Tachyporus (Tachyporus) rulomoides* Campbell, 1979  
*Tachyporus (Tachyporus) transversalis* Gravenhorst, 1806†

**Subfamily TRICHOPHYINAE C.G. Thomson, 1858***Trichophya pilicornis* (Gyllenhal, 1810)†**Subfamily HABROCERINAE Mulsant & Rey, 1876***Habrocerus capillaricornis* (Gravenhorst, 1806)†*Habrocerus schwarzi* Horn, 1877

(incertae sedis)

*Habrocerus magnus* LeConte, 1878**Subfamily ALEOCHARINAE Fleming, 1821****Tribe Aleocharini Fleming, 1821**

Subtribe Aleocharina Fleming, 1821

*Aleochara (Aleochara) curtula* (Goeze, 1777)†*Aleochara (Aleochara) gracilicornis* Bernhauer, 1901*Aleochara (Aleochara) sekanai* Klimaszewski, 1985*Aleochara (Aleochara) tahoensis* Casey, 1906*Aleochara (Aleochara) thoracica* (Casey, 1894)***Aleochara (Calochara) rubricalis* (Casey, 1911)***Aleochara (Calochara) rubripennis* (Casey, 1906)***Aleochara (Calochara) speculicollis* Bernhauer, 1901***Aleochara (Calochara) villosa* Mannerheim, 1830†*Aleochara (Coprochara) bilineata* Gyllenhal, 1810†*Aleochara (Coprochara) bimaculata* Gravenhorst, 1802*Aleochara (Coprochara) verna* Say, 1833***Aleochara (Echiochara) ocellaris* Klimaszewski, 1984***Aleochara (Emplenota) litoralis* (Mäklin, 1853)*Aleochara (Xenochara) castaneipennis* Mannerheim, 1843*Aleochara (Xenochara) fumata* Gravenhorst, 1802†*Aleochara (Xenochara) inexpectata* Klimaszewski, 1984*Aleochara (Xenochara) lacertina* Sharp, 1883*Aleochara (Xenochara) lanuginosa* Gravenhorst, 1802†*Aleochara (Xenochara) sculptiventris* (Casey, 1894)*Aleochara (Xenochara) tristis* Gravenhorst, 1806†*Amarochara formicina* Assing, 2007*Amarochara inquilina* (Casey, 1906)***Tinotus caviceps* Casey, 1894***Tinotus morion* (Gravenhorst, 1802)†

**Tribe Athetini Casey, 1910**  
Subtribe Athetina Casey, 1910

***Acrotona brachyoptera* Klimaszewski & Webster, 2016<sup>§</sup>**

*Acrotona sequestralis* (Casey, 1910)

*Acrotona smithi* (Casey, 1910)

***Acrotona sphagnorum* Klimaszewski & Webster, 2016<sup>§</sup>**

***Acrotona subpygmaea* (Bernhauer, 1909)**

***Alevonota gracilentia* (Erichson, 1839)†**

*Aloconota neocambrica* Klimaszewski & Langor, 2011

*Aloconota sulcifrons* (Stephens, 1832)†

*Amisha analis* (Gravenhorst, 1802)†

*Atheta* (*Alaobia*) *ventricosa* Bernhauer, 1907

*Atheta* (*Atheta*) *aemula* (Erichson, 1839)

*Atheta* (*Atheta*) *circulicollis* Lohse, 1990

*Atheta* (*Atheta*) *graminicola* (Gravenhorst, 1806)\*

*Atheta* (*Chaetida*) *longicornis* (Gravenhorst, 1802)†

*Atheta* (*Datomicra*) *acadiensis* Klimaszewski & Majka, 2007

*Atheta* (*Datomicra*) *celata* (Erichson, 1837)†

*Atheta* (*Datomicra*) *dadopora* C.G. Thomson, 1867\*

*Atheta* (*Datomicra*) *particula* (Casey, 1910)

***Atheta* (*Datomicra*) *whitehorsensis* Klimaszewski & Godin, 2012**

***Atheta* (*Dimetrota*) *alphacrenuliventris* Klimaszewski & Webster, 2016<sup>§</sup>**

***Atheta* (*Dimetrota*) *bubo* Klimaszewski & Webster, 2016<sup>§</sup>**

*Atheta* (*Dimetrota*) *burwelli* (Lohse, 1990)

***Atheta* (*Dimetrota*) *campbelli* (Lohse, 1990)**

***Atheta* (*Dimetrota*) *chartersensis* Klimaszewski & Webster, 2016<sup>§</sup>**

***Atheta* (*Dimetrota*) *cranberriensis* Klimaszewski & Webster, 2016<sup>§</sup>**

*Atheta* (*Dimetrota*) *crenuliventris* Bernhauer, 1907

*Atheta* (*Dimetrota*) *districta* Casey, 1911

*Atheta* (*Dimetrota*) *fanatica* Casey, 1910

***Atheta* (*Dimetrota*) *giguereae* Klimaszewski & Webster, 2016<sup>§</sup>**

*Atheta* (*Dimetrota*) *hampshirensis* Bernhauer, 1909

***Atheta* (*Dimetrota*) *makepeacei* Klimaszewski & Webster, 2016<sup>§</sup>**

***Atheta* (*Dimetrota*) *mcalpinei* Klimaszewski & Webster, 2016<sup>§</sup>**

*Atheta* (*Dimetrota*) *modesta* (Melsheimer, 1844)

***Atheta* (*Dimetrota*) *petitcapensis* Klimaszewski & Webster, 2016<sup>§</sup>**

*Atheta* (*Dimetrota*) *prudhoensis* (Lohse, 1990)

*Atheta* (*Dimetrota*) *pseudocrenuliventris* Klimaszewski, 2005

*Atheta* (*Dimetrota*) *pseudomodesta* Klimaszewski, 2007

***Atheta* (*Dimetrota*) *sphagnicola* Klimaszewski & Webster, 2016<sup>§</sup>**

*Atheta* (*Dimetrota*) *strigosula* Casey, 1910

*Atheta* (*Dimetrota*) *terranovalae* Klimaszewski & Langor, 2011

- Atheta* (*Metadimetrotia*) *savardae* Klimaszewski & Majka, 2007  
*Atheta* (*Microdota*) *curtipenis* Klimaszewski & Webster, 2015  
*Atheta* (*Microdota*) *formicaensis* Klimaszewski & Webster, 2015  
*Atheta* (*Microdota*) *macesi* Klimaszewski & Webster, 2015  
*Atheta* (*Microdota*) *pennsylvanica* Bernhauer, 1907  
*Atheta* (*Microdota*) *platanoffi* Brundin, 1948\*  
*Atheta* (*Microdota*) *pseudosubtilis* Klimaszewski & Langor, 2011  
*Atheta* (*Microdota*) *subtilis* (Scriba, 1866)†  
*Atheta* (*Pseudota*) *annexa* Casey, 1910  
*Atheta* (*Pseudota*) *klagesi* Bernhauer, 1909  
***Atheta* (*Pseudota*) *pseudoklagesi* Klimaszewski & Webster, 2016<sup>S</sup>**  
*Atheta* (*Tetropla*) *frosti* Bernhauer, 1909  
*Atheta* (*Thinobaena*) *vestita* (Gravenhorst, 1806)†  
 (incertae sedis)  
*Atheta brunswickensis* Klimaszewski, 2005  
*Atheta capsularis* Klimaszewski, 2005  
*Atheta novaescotiae* Klimaszewski & Majka, 2006  
*Atheta remulsa* Casey, 1910  
***Atheta pseudoschistoglossa* Klimaszewski & Webster, 2016<sup>S</sup>**  
***Atheta thujae* Klimaszewski & Webster, 2016<sup>S</sup>**  
*Boreophilia eremita* (Rye, 1866)\*  
*Boreostiba websteri* Klimaszewski & Langor, 2011  
*Clusiota grandipenis* Klimaszewski & Webster, 2015  
*Clusiota impressicollis* (Bernhauer, 1907)  
*Dalotia coriaria* (Kraatz, 1856)†  
*Dinaraea angustula* (Gyllenhal, 1810)†  
*Dinaraea backusensis* Klimaszewski & Brunke, 2012  
*Dinaraea bicornis* Klimaszewski & Webster, 2013  
*Dinaraea borealis* Lohse, 1990  
*Dinaraea curtipenis* Klimaszewski & Webster, 2013  
*Dinaraea longipenis* Klimaszewski & Webster, 2013  
*Dinaraea pacei* Klimaszewski & Langor, 2011  
*Dinaraea quadricornis* Klimaszewski & Webster, 2013  
***Dinaraea subdepressa* (Bernhauer, 1907)**  
*Dochmonota rudiventris* (Eppelsheim, 1886)\*  
*Earota dentata* (Bernhauer, 1906)  
*Geostiba* (*Geostiba*) *circellaris* (Gravenhorst, 1806)†  
*Geostiba* (*Sibiota*) *appalachigena* Gusarov, 2002  
*Hydrosmecta newfoundlandica* Klimaszewski & Langor, 2011  
*Hydrosmecta pseudodiosica* Lohse, 1990  
***Liogluta castoris* Klimaszewski & Webster, 2016<sup>S</sup>**  
***Liogluta microgranulosa* Klimaszewski & Webster, 2016<sup>S</sup>**  
***Liogluta pseudocastoris* Klimaszewski & Webster, 2016<sup>S</sup>**

- Liogluta terminalis* (Casey, 1906)  
*Liogluta aloconotooides* Lohse, 1990  
*Lypoglossa angularis obtusa* (LeConte, 1866)  
*Lypoglossa franclemonti* Hoebeke, 1992  
*Mocyta breviuscula* (Mäklin, 1852)  
*Mocyta luteola* (Erichson, 1839)  
*Mocyta fungi* (Gravenhorst, 1806)†  
*Mocyta sphagnorum* Klimaszewski & Webster, 2015.  
*Nehemitropia lividipennis* (Mannerheim, 1830)†  
***Paragoniusa myrmicae* Maruyama & Klimaszewski, 2004**  
*Philhygra angusticauda* (Bernhauer, 1909)  
***Philhygra atypicalis* Klimaszewski & Webster, 2016<sup>S</sup>**  
*Philhygra botanicarum* (Muona, 1983)\*  
*Philhygra clemens* (Casey, 1910)  
***Philhygra hygrotopora* (Kraatz, 1856)‡**  
*Philhygra jarmilae* Klimaszewski & Langor, 2011  
*Philhygra laevicollis* (Mäklin, 1852)  
***Philhygra larsoni* Klimaszewski & Langor, 2011**  
*Philhygra luridipennis* (Mannerheim, 1830)  
***Philhygra proterminalis* (Bernhauer, 1907)**  
***Philhygra pseudolarsoni* Klimaszewski & Godin, 2012**  
*Philhygra sinuipennis* Klimaszewski & Langor, 2011  
***Philhygra terrestris* Klimaszewski & Godin, 2012**  
*Philhygra varula* (Casey, 1911)  
*Schistoglossa (Boreomorpha) blatchleyi* (Bernhauer & Scheerpeltz, 1926)  
*Schistoglossa (Boreomorpha) sphagnorum* Klimaszewski & Webster, 2009  
*Schistoglossa (Schistoglossa) brunswickensis* Klimaszewski & Webster, 2009  
***Schistoglossa (Schistoglossa) pelletieri* Klimaszewski & Webster, 2016<sup>S</sup>**  
*Schistoglossa (Schistoglossa) pseudocampbelli* Klimaszewski & Webster, 2009  
***Seeverysiella globicollis* (Bernhauer, 1907)**  
***Strigota ambigua* (Erichson, 1839)**  
***Strigota obscurata* Klimaszewski & Brunke, 2012**  
*Strophogastra pencillata* Fenyes, 1921  
*Tomoglossa decora* (Casey, 1910)  
***Trichiusa hirsuta* Casey, 1906**  
***Trichiusa pilosa* Casey, 1894**  
***Trichiusa robustula* Casey, 1894**

Subtribe *Thamiaraeina* Fenyes, 1921

- Thamiaraea brittoni* (Casey, 1911)  
***Thamiaraea claydeni* Klimaszewski & Webster, 2016<sup>S</sup>**  
***Thamiaraea corverae* Klimaszewski & Webster, 2016<sup>S</sup>**

**Tribe Autaliini C.G. Thomson, 1859***Autalia rivularis* (Gravenhorst, 1802)†**Tribe Boreocyphini Klimaszewski & Langor, 2011***Boreocypha websteri* Klimaszewski & Langor, 2011**Tribe Deinopsini Sharp, 1883***Deinopsis canadensis* Klimaszewski, 1979*Deinopsis harringtoni* Casey, 1911*Deinopsis rhadina* Klimaszewski, 1979**Tribe Diglottini Jakobson, 1909***Diglotta mersa* (Haliday, 1837)†**Tribe Falagriini Mulsant & Rey, 1873***Cordalia obscura* (Gravenhorst, 1802)†*Falagria caesa* Erichson, 1837†*Falagria dissecta* Erichson, 1839*Myrmecocephalus gatineauensis* Hoebeke, 1985***Myrmecopora vaga* (LeConte, 1866)****Tribe Gymnusini Heer, 1839***Gymnusa atra* Casey, 1911\**Gymnusa campbelli* Klimaszewski, 1979*Gymnusa grandiceps* Casey, 1915*Gymnusa pseudovariegata* Klimaszewski, 1979**Tribe Homalotini Heer, 1839**

Subtribe Bolitocharina C.G. Thomson, 1859

*Leptusa (Adoxopisalia) opaca* Casey, 1894*Leptusa (Boreoleptusa) canonica* Casey, 1906*Leptusa (Boreoleptusa) jucunda* Klimaszewski & Majka, 2004*Leptusa (Dysleptusa) carolinensis* Pace, 1989*Leptusa (Eucryptusa) brevicollis* Casey, 1894

(incertae sedis)

*Leptusa gatineauensis* Klimaszewski & Pelletier, 2004

*Neotobia alberta* Ashe, 1992

*Phymatura blanchardi* (Casey, 1894)

***Pleurotobia bourdonae* Klimaszewski & Webster, 2016<sup>s</sup>**

***Pleurotobia brunswickensis* Klimaszewski & Webster, 2016<sup>s</sup>**

*Silusida marginella* (Casey, 1894)

Subtribe Gyrophaenina Kraatz, 1856

***Agaricomorpha vincenti* Klimaszewski & Webster, 2016<sup>s</sup>**

*Agaricomorpha websteri* Klimaszewski & Brunke, 2012

*Eumicrota corruscula* (Erichson, 1839)

*Eumicrota socia* (Erichson, 1839)

*Gyrophaena* (*Gyrophaena*) *affinis* Mannerheim, 1830†

***Gyrophaena* (*Gyrophaena*) *aldersonae* Klimaszewski & Webster, 2016<sup>s</sup>**

*Gyrophaena* (*Gyrophaena*) *antennalis* Casey, 1906

***Gyrophaena* (*Gyrophaena*) *brevicollis* Seevers, 1951**

*Gyrophaena* (*Gyrophaena*) *caseyi* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *chippewa* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *criddlei* Casey, 1911

*Gyrophaena* (*Gyrophaena*) *dybasi* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *flavicornis* Melsheimer, 1844

*Gyrophaena* (*Gyrophaena*) *fuscicollis* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *gilvicollis* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *illiana* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *insolens* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *involuta* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *keeni* Casey, 1911

*Gyrophaena* (*Gyrophaena*) *laetula* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *lobata* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *michigana* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *modesta* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *nana* (Paykull, 1800)\*

*Gyrophaena* (*Gyrophaena*) *nanoides* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *neonana* Seevers, 1951

*Gyrophaena* (*Gyrophaena*) *pseudocriddlei* Klimaszewski & Webster, 2009

*Gyrophaena* (*Gyrophaena*) *sculptipennis* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *uteana* Casey, 1906

*Gyrophaena* (*Gyrophaena*) *vitrina* Casey, 1911

*Gyrophaena* (*Gyrophaena*) *wisconsinica* Seevers, 1951

*Gyrophaena* (*Phaenogyra*) *gracilis* Seevers, 1951

*Gyrophaena* (*Phaenogyra*) *meduxnekeagensis* Klimaszewski & Webster, 2009

*Gyrophaena* (*Phaenogyra*) *subnitens* Casey, 1906

Subtribe Homalotina Heer, 1839

***Anomognathus americanus* (Casey, 1894)**

*Homolota plana* (Gyllenhal, 1810)†

Subtribe Silusina Fenyes, 1918

*Silusa alternans* Sachse, 1852

*Silusa californica* Bernhauer, 1905

*Silusa densa* Fenyes, 1909

*Silusa langori* Klimaszewski, 2003

**Tribe Hoplandriini Casey, 1910**

Subtribe Hoplandriina Casey, 1910

*Hoplandria (Hoplandria) lateralis* (Melsheimer, 1844)

***Hoplandria (Lophomucter) laevicollis* (Notman, 1920)**

**Tribe Hypocyphini Laporte, 1835**

***Oligota chrysopyga* Kraatz, 1859†**

***Oligota parva* Kraatz, 1862†**

***Oligota polyporicola* Klimaszewski & Webster, 2016<sup>§</sup>**

***Oligota pusillima* Gravenhorst, 1806†**

***Oligota sevogle* Klimaszewski & Webster, 2016<sup>§</sup>**

**Tribe Lomechusini Fleming, 1821**

Subtribe Lomechusina Fleming, 1821

*Xenodusa reflexa* (Walker, 1866)

Subtribe Myrmedoniina C.G. Thomson, 1867

*Drusilla canaliculata* (Fabricius, 1787)†

*Meronea venustula* (Erichson, 1837)

*Pella gesneri* Klimaszewski, 2005

*Zyras obliquus* (Casey, 1894)

**Tribe Myllaenini Ganglbauer, 1895**

*Myllaena arcana* Casey, 1911

*Myllaena audax* Casey, 1911

*Myllaena insomnis* Casey, 1911

*Myllaena kaskaskia* Klimaszewski, 1982

*Myllaena ludificans* Casey, 1911

*Myllaena prociua* Casey, 1911

*Myllaena vulpina* Bernhauer, 1907

**Tribe Oxypodini C.G. Thomson, 1859**

Subtribe Dinardina Mulsant & Rey, 1873

***Blepharhymenus brendeli* (Casey, 1894)**

Subtribe Meoticina Seevers, 1978

*Alisalia elongata* Klimaszewski & Webster, 2009

*Alisalia minuta* Klimaszewski & Webster, 2009

*Alisalia testacea* Casey, 1911

***Meotica pallens* (Redtenbacher, 1849)†**

Subtribe Microglottina Fenyes, 1918

*Crataraea suturalis* (Mannerheim, 1830)†

Subtribe Oxypodina C.G. Thomson, 1859

***Calodera caseyi* Assing, 2002**

*Calodera parviceps* (Casey, 1894)

*Devia prospera* (Erichson, 1839)\*

***Dexiogyia angustiventris* (Casey, 1894)**

*Gennadota canadensis* Casey, 1906

*Gnathusa tenuicornis* Fenyes, 1921

***Hylota cryptica* Klimaszewski & Webster, 2016<sup>s</sup>**

*Hylota ochracea* Casey, 1906

*Ilyobates bennetti* Donisthorpe, 1914†

*Mniusa minutissima* (Klimaszewski & Langor, 2011)

*Mniusa odelli* Klimaszewski & Webster, 2014

*Mniusa yukonensis* (Klimaszewski & Godin, 2012)

***Neothetalia canadiana* Klimaszewski, 2004**

*Ocyusa asperula* Casey, 1894

*Ocyusa canadensis* Lohse, 1990

*Oxypoda* (*Bessopora*) *brachyptera* (Stephens, 1832)†

*Oxypoda* (*Oxypoda*) *grandipennis* (Casey, 1911)

*Oxypoda* (*Oxypoda*) *opaca* (Gravenhorst, 1802)†

*Oxypoda* (*Podoxya*) *amica* Casey, 1906

(incertae sedis)

*Oxypoda convergens* Casey, 1894  
*Oxypoda demissa* Casey, 1911  
*Oxypoda frigida* Bernhauer, 1907  
*Oxypoda gnara* Casey, 1911  
*Oxypoda hiemalis* Casey, 1911  
*Oxypoda inimica* Casey, 1911  
*Oxypoda lacustris* Casey, 1906  
*Oxypoda lucidula* Casey, 1906  
*Oxypoda nigriceps* Casey, 1894  
*Oxypoda orbicollis* Casey, 1911  
*Oxypoda pseudolacustris* Klimaszewski, 2006  
***Oxypoda sunpokeana* Klimaszewski & Webster, 2016<sup>s</sup>**  
*Oxypoda vockerothi* Klimaszewski, 2006  
***Parocytusa americana* (Casey, 1906)**  
***Parocytusa fuliginosa* (Casey, 1906)**

Subtribe Phloeoporina C.G. Thomson, 1859

***Phloeopora canadensis* Klimaszewski & Langor, 2011**  
***Phloeopora gilbertae* Klimaszewski & Webster, 2016<sup>s</sup>**  
*Phloeopora oregona* Casey, 1906

#### Tribe Placusini Mulsant & Rey, 1871

*Euvira micmac* Klimaszewski & Majka, 2007  
*Placusa incompleta* Sjöberg, 1934†  
*Placusa tachyporoides* (Walt, 1838)†  
*Placusa tacomae* Casey, 1894  
*Placusa vaga* Casey, 1911

#### Tribe Tachyusini C.G. Thomson, 1859

*Brachyusa helenae* (Casey, 1911)  
*Gnypeta atrolucens* Casey, 1894  
*Gnypeta caerulea* (C.R. Sahlberg, 1830)\*  
*Gnypeta carbonaria* (Mannerheim, 1830)\*  
*Gnypeta minuta* Klimaszewski & Webster, 2008  
*Gnypeta nigrella* (LeConte, 1863)  
*Gnypeta saccharina* Klimaszewski & Webster, 2008  
*Tachyusa (Tachyusa) americana* Casey, 1906  
*Tachyusa (Tachyusa) americanoides* Paśnik, 2006  
*Tachyusa (Tachyusa) obsoleta* Casey, 1906

**Tribe Taxicerini Lohse, 1989**

*Halobrecta flavipes* C.G. Thomson, 1861†

**Subfamily SCAPHIDIINAE Latreille, 1806**

**Tribe Scaphidiini Latreille, 1806**

*Scaphidium quadriguttatum* Say, 1823

**Tribe Scaphiini Achard, 1924**

*Scaphium castanipes* Kirby, 1837

**Tribe Scaphisomatini Casey, 1893**

*Baeocera apicalis* LeConte, 1860

*Baeocera deflexa* Casey, 1893

*Baeocera indistincta* Löbl & Stephan, 1993

*Baeocera inexpectata* Löbl & Stephan, 1993

*Baeocera securiforma* (Cornell, 1967)

*Baeocera youngi* (Cornell, 1967)

*Scaphisoma convexum* Say, 1825

*Scaphisoma repandum* Casey, 1893

*Scaphisoma rubens* Casey, 1893

*Toxidium gammaroides* LeConte, 1860

**Subfamily PIESTINAE Erichson, 1839**

*Siagonium punctatum* (LeConte, 1866)

*Siagonium stacesmithi* Hatch, 1957

**Subfamily OSORIINAE Erichson, 1839**

**Tribe Thoracophorini Reitter, 1909**

Subtribe Clavilispinina Newton & Thayer, 1992

*Clavilispinus prolixus* (LeConte, 1877)

Subtribe Thoracophorina Reitter, 1909

*Thoracophorus costalis* (Erichson, 1840)

**Subfamily OXYTELINAE Fleming, 1821**  
**Tribe Blediini Ádám, 2001**

*Bledius annularis* LeConte, 1863

*Bledius neglectus* Casey, 1890

***Bledius opaculus* LeConte, 1863**

*Bledius philadelphicus* Fall, 1919

*Bledius politus* Erichson, 1840

*Bledius tau* LeConte, 1877

**Tribe Coprophilini Heer, 1839**

*Coprophilus castoris* Campbell, 1979

*Coprophilus striatulus* (Fabricius, 1792)†

**Tribe Oxytelini Fleming, 1821**

*Anotylus insecatus* (Gravenhorst, 1806)†

*Anotylus rugosus* (Fabricius, 1775)†

*Anotylus tetracarinatus* (Block, 1799)†

*Apocellus sphaericollis* (Say, 1831)

***Carpelimus difficilis* (Casey, 1889)**

***Carpelimus erichsoni* (Sharp, 1871)†**

***Carpelimus gracilis* (Mannerheim, 1831)†**

***Carpelimus lacustris* (Notman, 1924)**

***Carpelimus mundus* (Sharp, 1876)†**

***Carpelimus probus* (Casey, 1889)**

***Carpelimus pusillus* (Gravenhorst, 1802)†**

***Carpelimus quadripunctatus* (Say, 1831)**

***Carpelimus rivularis* (Motschulsky, 1860)**

***Carpelimus spretus* (Casey, 1889)**

***Carpelimus subtilis* (Erichson, 1839)†**

***Carpelimus weissi* (Notman, 1924)**

*Ochtheophilus ashei* Makranczy, 2014

*Ochtheophilus forticornis* (Hochhuth, 1860)\*

*Ochtheophilus planus* (LeConte, 1861)\*

*Oxytelus* (*Epomotylus*) *sculptus* Gravenhorst, 1806†

*Oxytelus* (*Tanyraerus*) *lacqueatus* (Marsham, 1802)†

*Oxytelus* (*Tanyraerus*) *montanus* Casey, 1893

(incertae sedis)

*Oxytelus incisus* Motschulsky, 1857

***Platystethus* (*Craetopycrus*) *degener* Mulsant & Rey, 1878†**

*Platystethus* (*Platystethus*) *americanus* Erichson, 1840

***Thinodromus corvinus* (Casey, 1889)**

**Tribe Syntomiini Böving & Craighead, 1931***Deleaster dichrous* (Gravenhorst, 1802)†*Mitosynum vockerothi* Campbell, 1982*Syntomium grahami* Hatch, 1957**Subfamily OXYPORINAE Fleming, 1821***Oxyporus (Oxyporus) kiteleyi* Campbell, 1978*Oxyporus (Oxyporus) major* Gravenhorst, 1806*Oxyporus (Oxyporus) rufipennis* LeConte, 1863*Oxyporus (Oxyporus) stygicus* Say, 1831*Oxyporus (Oxyporus) vittatus vittatus* Gravenhorst, 1802*Oxyporus (Pseudoxyporus) lateralis* Gravenhorst, 1802*Oxyporus (Pseudoxyporus) occipitalis* Fauvel, 1864*Oxyporus (Pseudoxyporus) quinquemaculatus* LeConte, 1863**Subfamily SCYDMAENINAE Leach, 1815****Supertribe SCYDMAENITAE Leach, 1815****Tribe Glandulariini Schaufuss, 1889*****Brachycephs subpunctata* (LeConte, 1852)***Euconnus (Napochus) debilitans* (Casey, 1897)*Euconnus (Napochus) flavitarsis* (LeConte, 1852)*Euconnus (Napochus) gaudens* (Casey, 1897)*Euconnus (Psomophus) fatuus* (LeConte, 1852)*Euconnus (Xestophus) salinator* (LeConte, 1852)*Microscydmus misellus* (LeConte, 1852)*Parascydmus corpusculus* (Casey, 1897)*Stenichnus (Stenichnus) turbatus* (Casey, 1897)**Subfamily STENINAE MacLeay, 1825***Dianous chalybaeus* LeConte, 1863***Dianous nitidulus* LeConte, 1874*****Stenus (Hemistenus) sibiricus* J.R. Sahlberg, 1880\****Stenus (Hypostenus) advena* (Casey, 1884)***Stenus (Hypostenus) alexanderi* Puthz, 1971\****Stenus (Hypostenus) annularis* Erichson, 1840*Stenus (Hypostenus) arculus* Erichson, 1840*Stenus (Hypostenus) caenicolus* Notman, 1919***Stenus (Hypostenus) destitutus* Puthz, 2001***Stenus (Hypostenus) dissentiens* (Casey, 1884)*Stenus (Hypostenus) flavicornis* Erichson, 1840)

*Stenus* (*Hypostenus*) *lugens* (Casey, 1884)

***Stenus* (*Hypostenus*) *punctatus* Erichson, 1840**

*Stenus* (*Hypostenus*) *quebecensis* Puthz, 1971

*Stenus* (*Hypostenus*) *reconditus reconditus* (Casey, 1884)

*Stenus* (*Hypostenus*) *rossi* Sanderson, 1958

*Stenus* (*Hypostenus*) *varipes* (Casey, 1884)

*Stenus* (*Metatesnus*) *croceatus* (Casey, 1884)

*Stenus* (*Metatesnus*) *niveus* Fauvel, 1865\*

*Stenus* (*Metatesnus*) *pubescens fraternus* (Casey, 1884)

*Stenus* (*Stenus*) *ageus* Casey, 1884\*

*Stenus* (*Stenus*) *angustus* Casey, 1884

*Stenus* (*Stenus*) *austini* Casey, 1884

*Stenus* (*Stenus*) *brivioi* Puthz, 1972

*Stenus* (*Stenus*) *canaliculatus* Gyllenhal, 1827\*

***Stenus* (*Stenus*) *carinicollis* Casey, 1884**

*Stenus* (*Stenus*) *caseyi* Puthz, 1972

*Stenus* (*Stenus*) *clavicornis* (Scopoli, 1763)†

*Stenus* (*Stenus*) *colonus* Erichson, 1840

***Stenus* (*Stenus*) *comma comma* LeConte, 1863\***

***Stenus* (*Stenus*) *difficilis* Casey, 1884**

*Stenus* (*Stenus*) *dolosus* Casey, 1884

***Stenus* (*Stenus*) *egenulus* Puthz, 1988**

*Stenus* (*Stenus*) *egenus* Erichson, 1840

*Stenus* (*Stenus*) *erythropus* Melsheimer, 1844

*Stenus* (*Stenus*) *fasciculatus* J.R. Sahlberg, 1871\*

***Stenus* (*Stenus*) *fulvoguttatus* Notman, 1920**

*Stenus* (*Stenus*) *intrusus* Casey, 1884\*

*Stenus* (*Stenus*) *juno* (Paykull, 1789)\*

*Stenus* (*Stenus*) *laccophilus* Casey, 1884

*Stenus* (*Stenus*) *lustrator* Erichson, 1839†

*Stenus* (*Stenus*) *mammops mammops* Casey, 1884\*

*Stenus* (*Stenus*) *melanarius melanarius* Stephens, 1833\*

*Stenus* (*Stenus*) *morio* Gravenhorst, 1806\*

*Stenus* (*Stenus*) *neglectus* Casey, 1884

***Stenus* (*Stenus*) *pluto* Casey, 1884**

***Stenus* (*Stenus*) *pumilio* Erichson, 1839\***

*Stenus* (*Stenus*) *pusillimus* Puthz, 1971

*Stenus* (*Stenus*) *scabiosus* Casey, 1884

*Stenus* (*Stenus*) *schwarzi* Casey, 1884

*Stenus* (*Stenus*) *scrupeus* Casey, 1884

*Stenus* (*Stenus*) *semicolon* LeConte, 1863

*Stenus* (*Stenus*) *sordidus* Puthz, 1988

*Stenus* (*Stenus*) *sphaerops* Casey, 1884

*Stenus (Stenus) strangulatus* Casey, 1884

*Stenus (Stenus) stygicus* Say, 1831

***Stenus (Stenus) vicinus* Casey, 1884**

*Stenus (Stenus) vinnulus* Casey, 1884\*

***Stenus (Tesnus) formicetorum* Mannerheim, 1843\***

*Stenus (Tesnus) immarginatus* Mäklin, 1853\*

**Subfamily EUAESTHETINAE C.G. Thomson, 1859**

**Tribe Euaesthetini C.G. Thomson, 1859**

***Edaphus lederi* Eppelsheim, 1878†**

*Euaesthetus albertae* Puthz, 1998

*Euaesthetus duplex* Herman, 2001

*Euaesthetus americanus* Erichson, 1840

*Euaesthetus blanchardi* Puthz, 2014

*Euaesthetus chantali* Puthz, 1998

*Euaesthetus floridae* Casey, 1884

*Euaesthetus ganglbaueri* Bernhauer, 1928

*Euaesthetus hermani* Puthz, 2014

*Euaesthetus iripennis* Casey, 1884

*Euaesthetus laeviusculus* Mannerheim, 1844

*Euaesthetus mundulus* Casey, 1884

*Euaesthetus pugetensis* Hatch, 1957

*Euaesthetus similis* Casey, 1884

*Euaesthetus websteri* Puthz, 2014

**Subfamily PSEUDOPSINAE Ganglbauer, 1895**

***Pseudopsis sagitta* Herman, 1975**

*Pseudopsis subulata* Herman, 1975

**Subfamily PAEDERINAE Fleming, 1821**

**Tribe Paederini Fleming, 1821**

Subtribe Astenina Hatch, 1957

***Astenus americanus* (Casey, 1905)**

***Astenus brevipennis* (Austin, 1876)**

*Astenus cinctus* (Say, 1831)

*Astenus discopunctatus* (Say, 1831)

Subtribe Cryptobiina Casey, 1905

*Homaeotarsus (Gastrolobium) bicolor* (Gravenhorst, 1802)

*Homaeotarsus (Hesperobium) cinctus* (Say, 1830)  
*Homaeotarsus (Hesperobium) cribratus* (LeConte, 1863)  
*Homaeotarsus (Hesperobium) pallipes* (Gravenhorst, 1802)  
*Ochtheophilum fracticorne* (Paykull, 1800)†

Subtribe Lathrobiina Laporte, 1835

*Lathrobium (Lathrobioma) othioides* LeConte, 1880  
*Lathrobium (Lathrobioma) scolopaceum* (Casey, 1905)  
*Lathrobium (Lathrobium) amplipenne* Casey, 1905  
*Lathrobium (Lathrobium) armatum* Say, 1830  
*Lathrobium (Lathrobium) confusum* LeConte, 1880  
*Lathrobium (Lathrobium) fauveli* Duvivier, 1883  
*Lathrobium (Lathrobium) fulvipenne* (Gravenhorst, 1806)†  
*Lathrobium (Lathrobium) simile* LeConte, 1863  
*Lathrobium (Lathrobium) sparsellum* Casey, 1905  
*Lathrobium (Lathrobium) spissicorne* Casey, 1905  
*Lathrobium (Lathrobium) washingtoni* Casey, 1905  
*Lathrobium (Lathrolepta) debile* LeConte, 1880  
*Lobrathium (Eulathrobium) grande* (LeConte, 1863)  
*Lobrathium (Lobrathium) collare* (Erichson, 1840)  
*Tetartopeus angularis* (LeConte, 1863)  
*Tetartopeus captiosus* Casey, 1905  
*Tetartopeus furvulus* Casey, 1905  
*Tetartopeus lacustris* Casey, 1905  
*Tetartopeus niger* (LeConte, 1863)  
*Tetartopeus nitidulus* (LeConte, 1880)  
*Tetartopeus rubripennis* Casey, 1905

Subtribe Medonina Casey, 1905

*Achenomorphus (Aderocharis) corticinus* (Gravenhorst, 1802)  
*Lithocharis ochracea* (Gravenhorst, 1802)†  
***Medon (Medon) fuscus* (Mannerheim, 1830)†**  
*Pseudomedon (Pseudomedon) thoracicus* Casey, 1905  
*Sunius (Trachysectus) confluentus* (Say, 1831)

Subtribe Paederina Fleming, 1821

*Paederus littorarius* Gravenhorst, 1806

Subtribe Scopaeina Mulsant & Rey, 1878

***Orus (Pycnorus) dentiger* (LeConte, 1880)**  
***Scopaeus (Scopaeus) minutus* Erichson, 1840†**

Subtribe Stilicina Casey, 1905

*Pachystilicus hanhami* (Wickham, 1898)  
*Rugilis angustatus* (Geoffroy, 1785)†  
*Rugilis biarmatus* (LeConte, 1880)  
***Rugilis ceylanensis* (Kraatz, 1859)†**  
*Rugilis rufipes* (Germar, 1836)†

**Subfamily STAPHYLININAE Latreille, 1802**  
**Tribe Diochini Casey, 1906**

*Diochus schauumi* Kraatz, 1860

**Tribe Othiini C.G. Thomson, 1859**

*Atrecus americanus* (Casey, 1906)  
*Atrecus macrocephalus* (Nordmann, 1837)

**Tribe Staphylinini Latreille, 1802**  
Subtribe Amblyopinina Seevers, 1944

*Heterothops fuscus* LeConte, 1863  
*Heterothops minor* Smetana, 1971  
*Heterothops pusio* LeConte, 1863

Subtribe Anisolinina Hayashi, 1993

*Tympanophorus puncticollis* (Erichson, 1840)

Subtribe Philonthina Kirby, 1837

*Bisnius blandus* (Gravenhorst, 1806)  
*Bisnius cephalicus* (Casey, 1915)  
***Bisnius fimetarius* (Gravenhorst, 1802)†**  
*Bisnius palmi* (Smetana, 1955)  
***Bisnius pugetensis* (Hatch, 1957)**  
*Bisnius quediinus* (Horn, 1884)  
*Bisnius siegwaldii* (Mannerheim, 1843)

- Bisnius sordidus* (Gravenhorst, 1802)†  
*Cafius (Euremus) bistriatus* (Erichson, 1840)  
*Erichsonius alumnus* Frank, 1975  
*Erichsonius brachycephalus* Frank, 1975  
*Erichsonius inutilis* (Horn, 1884)  
*Erichsonius nanus* (Horn, 1884)  
*Erichsonius parvus* (Horn, 1884)  
*Erichsonius patella* (Horn, 1884)  
*Erichsonius pusio* (Horn, 1884)  
*Erichsonius rosellus* Frank, 1975  
*Gabrius appendiculatus* Sharp, 1910†  
*Gabrius austutoides* (Strand, 1946)†  
*Gabrius brevipennis* (Horn, 1884)  
*Gabrius fallaciosus* (Horn, 1884)  
***Gabrius lysippus* Smetana, 1995**  
*Gabrius microphthalmus* (Horn, 1884)  
*Gabrius picipennis* (Mäklin, 1852)  
*Gabrius ulpius* Smetana, 1995  
*Hesperus apicalus* (Say, 1830)  
*Laetulonthus laetulus* (Say, 1830)  
*Neobisnius jucundus* (Horn, 1884)  
*Neobisnius lathrobioides* (Baudi, 1848)†  
*Neobisnius sobrinus* (Erichson, 1840)  
*Neobisnius terminalis* (LeConte, 1863)  
*Neobisnius villosulus* (Stephens, 1833)†  
*Philonthus aequalis* Horn, 1884  
*Philonthus boreas* Smetana, 1995  
*Philonthus caeruleipennis caeruleipennis* (Mannerheim, 1830)  
*Philonthus carbonarius* (Gravenhorst, 1802)†  
*Philonthus cognatus* Stephens, 1832†  
*Philonthus concinnus* (Gravenhorst, 1802)†  
*Philonthus couleensis* Hatch, 1857  
*Philonthus cruentatus* (Gmelin, 1790)†  
*Philonthus debilis* (Gravenhorst, 1802)†  
*Philonthus discoideus* (Gravenhorst, 1802)†  
*Philonthus flavibasis* Casey, 1915  
*Philonthus flumineus* Casey, 1915  
*Philonthus furvus* Nordmann, 1837  
*Philonthus fusiformis* Melsheimer, 1844  
*Philonthus gracilior* Casey, 1915  
*Philonthus hepaticus* Erichson, 1840  
*Philonthus hudsonicus* Horn, 1884  
*Philonthus janus* Smetana, 1995  
*Philonthus jurgans* Tottenham, 1937†

*Philonthus lindrothi* Smetana, 1965  
*Philonthus lomatus* Erichson, 1840  
*Philonthus monaeses* Smetana, 1995  
*Philonthus neonatus* Smetana, 1965  
*Philonthus opacipennis* Notmann, 1919  
*Philonthus palliatus* (Gravenhorst, 1806)  
*Philonthus politus* (Linnaeus, 1758)†  
*Philonthus pseudolodes* Smetana, 1996  
*Philonthus quadricollis* Horn, 1884  
*Philonthus rectangulus* Sharp, 1874†  
*Philonthus schwarzi* Horn, 1884  
*Philonthus sericans* (Gravenhorst, 1802)  
*Philonthus sericinus* Horn, 1884  
*Philonthus sessor* Smetana, 1965  
*Philonthus sphagnorum* Smetana, 1995  
*Philonthus spiniformis* Hatch, 1957  
*Philonthus strictus* Hausen, 1891  
*Philonthus subvirescens* C.G. Thomson, 1884\*  
*Philonthus thoracicus* (Gravenhorst, 1802)  
*Philonthus umbratilis* (Gravenhorst, 1802)†  
*Philonthus umbrinoides* Smetana, 1995  
*Philonthus validus* Casey, 1915  
*Philonthus varians* (Paykull, 1789)†  
*Philonthus varro* Smetana, 1995  
*Philonthus vulgatus* Casey, 1915

Subtribe Quediina Kraatz, 1857

*Acylophorus (Acylophorus) caseyi* Leng, 1920  
*Acylophorus (Acylophorus) pronus* Erichson, 1840  
*Acylophorus (Amacylophorus) pratensis* LeConte, 1863  
*Anaquedius vernix* (LeConte, 1878)  
*Hemiquedius ferox* (LeConte, 1878)  
*Quedius (Distichalius) capucinus* (Gravenhorst, 1806)  
*Quedius (Distichalius) cinctus* (Paykull, 1790)†  
*Quedius (Microsaurus) bicoloris* Smetana & Webster, 2011  
*Quedius (Microsaurus) campbelli* Smetana, 1971  
*Quedius (Microsaurus) canadensis* (Casey, 1915)  
*Quedius (Microsaurus) criddlei* (Casey, 1915)  
*Quedius (Microsaurus) erythrogaster* Mannerheim, 1852  
*Quedius (Microsaurus) mesomelinus mesomelinus* (Marsham, 1802)†  
*Quedius (Microsaurus) peregrinus* (Gravenhorst, 1806)  
*Quedius (Microsaurus) spelaeus spelaeus* Horn, 1871  
*Quedius (Quedionuchus) plagiatus* Mannerheim, 1843\*

*Quedius (Quedius) curtipennis* Bernhauer, 1908†  
*Quedius (Quedius) labradorensis labradorensis* Smetana, 1965  
*Quedius (Raphirus) frigidus* Smetana, 1971  
*Quedius (Raphirus) fulvicollis* (Stephens, 1833)\*  
*Quedius (Raphirus) rusticus* Smetana, 1971  
*Quedius (Raphirus) simulator* Smetana, 1971

Subtribe Staphylinina Latreille, 1802

*Creophilus maxillosus villosus* (Gravenhorst, 1802)  
*Dinothenarus (Dinothenarus) capitatus* Bland, 1864  
*Dinothenarus (Parabemus) badipes* (LeConte, 1863)  
*Ontholestes cingulatus* (Gravenhorst, 1802)  
*Platydracus cinnamopterus* (Gravenhorst, 1802)  
*Platydracus fossator* (Gravenhorst, 1802)  
*Platydracus violaceus* (Gravenhorst, 1802)  
*Platydracus viridanus* (Horn, 1879)  
*Staphylinus ornaticauda* LeConte, 1863  
*Tasgius (Rayacheila) melanarius melanarius* (Heer, 1839)†  
*Tasgius (Tasgius) ater* (Gravenhorst, 1802)†

**Tribe Xantholinini Erichson, 1839**

*Gyrohypnus angustatus* Stephens, 1833†  
*Gyrohypnus campbelli* Smetana, 1982  
*Gyrohypnus fracticornis* (O.F. Müller, 1776)†  
*Hypnogyra gularis* (LeConte, 1880)  
*Leptacinus intermedius* Donisthorpe, 1936†  
*Neohypnus beckeri* Smetana, 1982  
*Neohypnus hamatus* (Say, 1830)  
*Neohypnus obscurus* (Erichson, 1839)  
*Nudobius cephalus* (Say, 1830)  
*Oxybleptes kiteleyi* Smetana, 1982  
*Phacophallus parumpunctatus* (Gyllenhal, 1827)†  
*Stictolinus flavipes* (LeConte, 1863)  
*Xantholinus (Xantholinus) linearis linearis* (Olivier, 1795)†  
*Xestolinus abdominalis* Casey, 1906

**Superfamily SCARABAEOIDEA Latreille, 1802**

**Family GEOTRUPIDAE Latreille, 1802**

(Earth-boring scarab beetles)

**Subfamily BOLBOCERATINAE Mulsant, 1852**

**Tribe Odonteini Shokhin, 2007**

*Odonteus liebecki* Wallis, 1928

**Subfamily GEOTRUPINAE Latreille, 1802**

**Tribe Geotrupini Latreille, 1802**

*Geotrupus (Anoplotrupes) balyi* Jekel, 1865

*Geotrupus (Cnemotrupes) splendidus splendidus* (Fabricius, 1775)

*Geotrupus (Geotrupus) stercorarius* (Linnaeus, 1758)†

**Family TROGIDAE MacLeay, 1819**

(Hide beetles)

**Subfamily TROGINAE MacLeay, 1819**

*Trox aequalis* Say, 1832

*Trox scaber* (Linnaeus, 1767)

*Trox unistriatus* Palisot de Beauvois, 1818

*Trox variolatus* Melsheimer, 1845

**Family LUCANIDAE Latreille, 1804**

(Stag beetles)

**Subfamily AESALINAE MacLeay, 1819**

**Tribe Nicagini LeConte, 1861**

*Nicagus obscurus* (LeConte, 1847)

**Subfamily SYNDESINAE MacLeay, 1819**

*Ceruchus piceus* (Weber, 1801)

**Subfamily LUCANINAE Latreille, 1804**

**Tribe Platycerinae Mulsant, 1842**

*Platycerus depressus* LeConte, 1850

*Platycerus virescens* (Fabricius, 1775)

**Family SCARABAEIDAE Latreille, 1802**

(Scarab beetles)

**Subfamily AEGIALIINAE Laporte, 1840***Aegialia (Aegialia) opifex* Horn, 1887*Aegialia (Psammoporus) criddlei* W.J. Brown, 1931*Aegialia (Psammoporus) lacustris* LeConte, 1850*Aegialia (Psammoporus) nana* W.J. Brown, 1931*Caelius humeralis* (W.J. Brown, 1931)*Caelius rufescens* (Horn, 1887)**Subfamily APHODIINAE Leach, 1815****Tribe Aphodiini Leach, 1815**

Subtribe Aphodiina Leach, 1815

*Acrossus rubripennis* (Horn, 1870)†***Agoliinus guttatus* (Eschscholtz, 1823)***Agoliinus leopardus* (Horn, 1870)*Agoliinus manitobensis* (W.J. Brown, 1928)*Aphodius fimetarius* (Linnaeus, 1758)†*Calomosternus granarius* (Linnaeus, 1767)†***Chilothorax distinctus* (O.F. Müller, 1776)†***Colobopterus erraticus* (Linnaeus, 1758)†*Dialytellus dialytoides* (Fall, 1907)*Dialytes striatulus* (Say, 1825)***Dialytes ulkei* Horn, 1875***Diapterna hyperborea* (LeConte, 1850)*Diapterna omissa* (LeConte, 1850)*Diapterna pinguis* (Haldeman, 1848)*Eupleurus subterraneus* (Linnaeus, 1758)†*Melinopterus prodromus* (Brahm, 1790)†*Oscarinus rusicola* (Melsheimer, 1845)*Optophorus haemorrhoidalis* (Linnaeus, 1758)†*Planolinellus vittatus* (Say, 1825)†*Planolinoides aenictus* (Cooper & Gordon, 1987)*Planolinoides borealis* (Gyllenhal, 1827)\****Planolinus tenellus* (Say, 1823)***Stenothorax badipes* (Melsheimer, 1845)*Teuchestes fossor* (Linnaeus, 1758)†*Trichonotulus scrofa* (Fabricius, 1787)†

**Tribe Eupariini Schmidt, 1910**

*Ataenius abditus* (Haldeman, 1848)

*Ataenius strigatus* (Say, 1823)

**Subfamily SCARABAEINAE Latreille, 1802**

**Tribe Onthophagini Burmeister, 1846**

*Onthophagus (Onthophagus) hecate hecate* (Panzer, 1794)

*Onthophagus (Onthophagus) nuchicornis* (Linnaeus, 1758)†

**Subfamily MELOLONTHINAE Leach, 1819**

**Tribe Dichelonychini Burmeister, 1855**

*Dichelonyx albicollis* Burmeister, 1855

*Dichelonyx diluta* Fall, 1901

*Dichelonyx elongatula* (Schönherr, 1817)

*Dichelonyx subvittata* LeConte, 1856

**Tribe Diplotaxini Kirby, 1837**

*Diplotaxis tristis* Kirby, 1837

**Tribe Hopliini Latreille, 1829**

Subtribe Hopliina Latreille, 1829

*Hoplia trifasciata* Say, 1825

**Tribe Melolonthini Leach, 1819**

Subtribe Melolonthina Leach, 1819

*Phyllophaga anxia* (LeConte, 1850)

*Phyllophaga drakii* (Kirby, 1837)

*Phyllophaga futilis* (LeConte, 1850)

Subtribe Rhizotrogina Burmeister, 1855

*Amphimallon majale* (Razoumowsky, 1789)†

**Tribe Sericini Kirby, 1837**

Subtribe Sericina Kirby, 1837

*Serica atracapilla* (Kirby, 1837)

*Serica georgiana lecontei* Dawson, 1921

*Serica tristis* LeConte, 1850

**Subfamily RUTELINAE MacLeay, 1819**

**Tribe Anomalini Struebel, 1839**

Subtribe Popilliina Ohaus, 1918

*Popillia japonica* Newman, 1838†

**Subfamily DYNASTINAE MacLeay, 1819**

**Tribe Pentodontini Mulsant, 1842**

*Tomarus relictus* (Say, 1825)

**Subfamily CETONIINAE Leach, 1815**

**Tribe Cremastocheilini Burmeister, 1841**

Subtribe Cremastocheilina Burmeister, 1841

*Cremastocheilus* (*Cremastocheilus*) *castaneae castaneae* Knoch, 1801

**Tribe Trichiini Fleming, 1821**

Subtribe Osmodermatina Schenkling, 1922

*Osmoderma eremicola* (Knoch, 1801)

*Osmoderma scabra* (Palisot de Beauvois, 1805)

Subtribe Trichiina Fleming, 1821

*Gnorimella maculosa* (Knoch, 1801)

*Trichiotinus assimilis* (Kirby, 1837)

**Superfamily SCIRTOIDEA Fleming, 1821**

**Family EUCINETIDAE Lacordaire, 1857**

(Plate-thigh beetles)

*Eucinetus haemorrhoidalis* (Germar, 1818)†

*Eucinetus morio* LeConte, 1853

*Nycteus oviformis* (LeConte, 1866)

*Nycteus punctulatus* (LeConte, 1875)

*Nycteus testaceus* (LeConte, 1866)

**Family CLAMBIDAE Fischer von Waldheim, 1821**

(Minute beetles)

**Subfamily CLAMBINAE Fischer von Waldheim, 1821**

*Clambus armadillo armadillo* (DeGeer, 1774)†

*Clambus howdeni* Endrödy-Younga, 1981

**Family SCIRTIDAE Fleming, 1821**

(Marsh beetles)

**Subfamily SCIRTINAE Fleming, 1821**

*Cyphon collaris* (Guérin-Méneville, 1843)

*Cyphon confusus* W.J. Brown, 1930

*Cyphon neovariabilis* Klausnitzer, 1976

*Cyphon obscurus* (Guérin-Méneville, 1843)

*Cyphon padi* (Linnaeus, 1758)†

*Cyphon ruficollis* (Say, 1825)

*Cyphon variabilis* (Thunberg, 1785)\*

*Elodes maculicollis* Horn, 1880

*Microcara explanata* (LeConte, 1866)

*Prionocyphon discoideus* (Say, 1825)

*Prionocyphon limbatus* LeConte, 1866

*Sacodes pulchella* (Guérin-Méneville, 1843)

***Sacodes thoracica* (Guérin-Méneville, 1843)**

*Sarabandus robustus* (LeConte, 1875)

*Scirtes tibialis* Guérin-Méneville, 1843

**Superfamily BUPRESTOIDEA Leach, 1815**

**Family BUPRESTIDAE Leach, 1815**

(Metallic wood-boring beetles)

**Subfamily CHRYSOCHROINAE Laporte, 1835**

**Tribe Chrysochroini Laporte, 1835**

Subtribe Chalcophorina Lacordaire, 1857

*Chalcophora fortis* LeConte, 1860

*Chalcophora liberata* (Germar, 1824)

*Chalcophora virginensis* (Drury, 1770)

**Tribe Dicercini Gistel, 1848**

Subtribe Dicercina Gistel, 1848

***Dicerca callosa callosa* Casey, 1909***Dicerca caudata* LeConte, 1860*Dicerca divaricata* (Say, 1823)*Dicerca lugubris* LeConte, 1860*Dicerca punctulata* (Schönherr, 1817)*Dicerca tenebrica* (Kirby, 1837)*Dicerca tenebrosa* (Kirby, 1837)*Dicerca tuberculata* (Laporte & Gory, 1837)**Tribe Poecilonotini Jakobson, 1913**

Subtribe Poecilonotina Jakobson, 1913

*Poecilonota cyanipes* (Say, 1823)***Poecilonota ferrea* (Melsheimer, 1845)****Subfamily BUPRESTINAE Leach, 1815****Tribe Anthaxiini Gory & Laporte, 1839***Anthaxia (Haplantaxia) quercata* (Fabricius, 1801)***Anthaxia (Haplantaxia) viridifrons* Gory, 1841***Anthaxia (Melanthaxia) inornata* (Randall, 1838)**Tribe Buprestini Leach, 1815**

Subtribe Buprestina Leach, 1815

*Buprestis (Buprestis) consularis* Gory, 1840*Buprestis (Buprestis) maculativentris* Say, 1824*Buprestis (Cypriacis) striata* (Fabricius, 1775)*Buprestis (Cypriacis) sulcicollis* (LeConte, 1860)*Buprestis (Nelsonocheira) fasciata* (Fabricius, 1787)**Tribe Chrysobothrini Gory & Laporte, 1836***Chrysobothris dentipes* (Germar, 1824)*Chrysobothris femorata* (Olivier, 1790)*Chrysobothris harrisi* (Hentz, 1827)*Chrysobothris neopusilla* Fisher, 1942*Chrysobothris pusilla* Gory & Laporte, 1837*Chrysobothris rotundicollis* Gory & Laporte, 1837

*Chrysobothris scabripennis* Gory & Laporte, 1837

*Chrysobothris sexsignata* (Say, 1833)

*Chrysobothris trinervia* (Kirby, 1837)

*Chrysobothris verdigripennis* Frost, 1910

### **Tribe Melanophilini Bedel, 1921**

*Melanophila acuminata* (DeGeer, 1774)\*

*Phaenops abies* (Champlain & Knull, 1923)

*Phaenops aeneola* (Melsheimer, 1845)

*Phaenops drummondi* (Kirby, 1837)

*Phaenops fulvoguttata* (Harris, 1829)

### **Subfamily AGRILINAE Laporte, 1835**

#### **Tribe Agrilini Laporte, 1835**

Subtribe Agrilina Laporte, 1835

*Agrilus anxius* Gory, 1841

*Agrilus arcuatus* (Say, 1825)

*Agrilus bilineatus* (Weber, 1801)

*Agrilus crataegi* Frost, 1912

*Agrilus criddlei* Frost, 1920

*Agrilus crinicornis* Horn, 1891

*Agrilus cuprescens cuprescens* (Ménétriés, 1832)†

*Agrilus granulatus liragus* Barter & W.J. Brown, 1950

*Agrilus horni* Kerremans, 1900

***Agrilus juglandis* Knull, 1920**

***Agrilus masculinus* Horn, 1891**

*Agrilus obsoletoguttatus* Gory, 1841

***Agrilus osburni* Knull, 1937**

*Agrilus pensus* Horn, 1891

*Agrilus politus* (Say, 1825)

***Agrilus pseudocoryli* Fisher, 1928**

*Agrilus putillus putillus* Say, 1834

*Agrilus ruficollis* (Fabricius, 1787)

*Agrilus sayi* Saunders, 1870

### **Tribe Coraebini Bedel, 1921**

Subtribe Coraebina Bedel, 1921

*Eupristocerus cogitans* (Weber, 1801)

**Tribe Tracheini Laporte, 1835**

Subtribe Brachina LeConte, 1861

*Brachys aerosus* Melsheimer, 1845*Brachys ovatus* (Weber, 1801)*Taphrocerus gracilis* (Say, 1825)**Superfamily BYRRHOIDEA Latreille, 1804****Family BYRRHIDAE Latreille, 1804**

(Pill beetles)

**Subfamily BYRRHINAE Latreille, 1804****Tribe Byrrhini Latreille, 1804***Byrrhus americanus* LeConte, 1850*Byrrhus cyclophorus* Kirby, 1837*Byrrhus geminatus* LeConte, 1854\**Byrrhus kirbyi* LeConte, 1854*Cytilus alternatus* (Say, 1825)*Porcinolus undatus* (Melsheimer, 1844)**Subfamily SYNCALYPTINAE Mulsant & Rey, 1869****Tribe Syncalypkini Mulsant & Rey, 1869***Chaetophora spinosa* (Rossi, 1794)†**Family ELMIDAE Curtis, 1830**

(Riffle beetles)

**Subfamily ELMINAE Curtis, 1830****Tribe Elmini Curtis, 1830*****Dubiraphia minima* Hilsenhoff, 1973***Dubiraphia quadrinotata* (Say, 1825)***Dubiraphia vittata* (Melsheimer, 1844)***Microcylloepus pusillus pusillus* (LeConte, 1852)*Optioservus fastiditus* (LeConte, 1850)*Optioservus ovalis* (LeConte, 1863)*Optioservus trivittatus* (W.J. Brown, 1930)*Oulimnius latiusculus* (LeConte, 1866)*Promoresia elegans* (LeConte, 1852)*Promoresia tardella* (Fall, 1925)*Stenelmis crenata* (Say, 1824)

*Stenelmis mera* Sanderson, 1938

*Macronychus glabratus* Say, 1825

**Family DRYOPIDAE Billberg, 1820**

(Long-toed water beetles)

*Dryops viennensis* (Laporte, 1840)†

*Helichus basalis* LeConte, 1852

*Helichus striatus* LeConte, 1852

**Family LIMNICHIDAE Erichson, 1846**

(Minute marsh-loving beetles)

**Subfamily LIMNICHINAE Erichson, 1846**

**Tribe Limnichini Erichson, 1846**

*Limnichites punctatus* (LeConte, 1854)

**Family HETEROCERIDAE MacLeay, 1825**

(Variegated mud-loving beetles)

**Subfamily HETEROCERINAE MacLeay, 1825**

**Tribe Heterocerini MacLeay, 1825**

*Heterocerus fatuus* Kiesenwetter, 1851

*Heterocerus pallidus* Say, 1823

*Heterocerus parrotus* Pacheco, 1964

***Heterocerus subtilis* W.V. Miller, 1988**

*Heterocerus tristis* Mannerheim, 1853

*Heterocerus undatus* Melsheimer, 1844

**Family PSEPHENIDAE Lacordaire, 1854**

(Water-penny beetles)

**Subfamily EUBRIINAE Lacordaire, 1857**

*Ectopria nervosa* (Melsheimer, 1845)

*Ectopria thoracica* (Ziegler, 1845)

**Subfamily PSEPHENINAE Lacordaire, 1854**

*Psephenus herricki* (DeKay, 1844)

**Family PTILODACTYLIDAE Laporte, 1836**  
(Toed-winged beetles)

**Subfamily ANCHYTARSINAE Champion, 1897**

*Anchytarsus bicolor* (Melsheimer, 1845)

**Subfamily PTILODACTYLINAE Laporte, 1836**

*Ptilodactyla carinata* Johnson & Freytag, 1978

**Superfamily ELATEROIDEA Leach, 1815**

**Family ARTEMATOPODIDAE Lacordaire, 1857**  
(Artematopodid beetles)

**Subfamily ARTEMATOPODINAE Lacordaire, 1857**

*Macropogon piceus* LeConte, 1861

**Family EUCNEMIDAE Eschscholtz, 1829**  
(False click beetles)

**Subfamily MELASINAE Fleming, 1821**  
**Tribe Dirhagini Reitter, 1911**

*Entomophthalmus rufiolus* (LeConte, 1866)

*Microrhagus pectinatus* LeConte, 1866

*Microrhagus subsinuatus* LeConte, 1852

*Microrhagus triangularis* (Say, 1823)

***Sarpedon scabrosus* Bonvouloir, 1875**

**Tribe Epiphanini Muona, 1993**

*Epiphanis cornutus* Eschscholtz, 1829

*Hylis terminalis* (LeConte, 1866)

***Dirrhagofarsus ernae* Otto, Muona & Mcclarin, 2014†**

**Tribe Melasini Fleming, 1821**  
Subtribe Melasina Fleming, 1821

*Isorhipis obliqua* (Say, 1839)

*Isorhipis ruficornis* (Say, 1823)

**Tribe Xylobiini Reitter, 1911**

*Xylophilus cylindriformis* (Horn, 1871)

**Subfamily EUCNEMINAE Eschscholtz, 1829**

**Tribe Mesogenini Muona, 1993**

*Stethon pectorosus* LeConte, 1866

**Subfamily MACRAULACINAE Fleutiaux, 1923**

**Tribe Macraulacini Fleutiaux, 1923**

*Deltometopus amoenicornis* (Say, 1839)

*Dromaeolus harringtoni* Horn, 1886

***Isarthrus calceatus* (Say, 1839)**

*Isarthrus rufipes* (Melsheimer, 1844)

*Onichodon canadensis* (W.J. Brown, 1940)

*Onichodon orchesides* Newman, 1838

**Tribe Nematodini Leiler, 1976**

*Nematodes penetrans* (LeConte, 1852)

**Family THROSCIDAE Laporte, 1840**

(Throscid beetles)

*Aulonthroscus constrictor* (Say, 1839)

*Trixagus carnicollis* (C. Schaeffer, 1916)

***Trixagus chevrolati* (Bonvouloir, 1859)**

**Family ELATERIDAE Leach, 1815**

(Click beetles)

**Subfamily AGRYPNINAE Candèze, 1857**

**Tribe Agrypnini Candèze, 1857**

*Danosoma brevicorne* (LeConte, 1853)

*Danosoma obtectum* (Say, 1839)

*Lacon auroratus* (Say, 1839)

***Lacon maculatus* (LeConte, 1866)**

**Subfamily LISSOMINAE Laporte, 1835***Oestodes tenuicollis* (Randall, 1838)**Subfamily PITYOBIINAE Hyslop, 1917***Pityobius anguinus* LeConte, 1853**Subfamily DENDROMETRINAE Gistel, 1848****Tribe Dendrometrini Gistel, 1848**

Subtribe Dendrometrina Gistel, 1848

*Athous acanthus* (Say, 1839)*Athous brightwelli* (Kirby, 1837)*Athous campyloides* Newman, 1833†***Athous equestris* (LeConte, 1853)***Athous fossularis* (LeConte, 1853)*Athous orvus* Becker, 1974*Athous posticus* (Melsheimer, 1845)*Athous productus* (Randall, 1838)*Athous rufifrons* (Randall, 1838)*Athous scapularis* (Say, 1839)*Elathous discalceatus* (Say, 1834)*Limonius aeger* LeConte, 1853***Limonius aurifer* LeConte, 1853***Limonius confusus* LeConte, 1853*Limonius pectoralis* LeConte, 1866***Limonius stigma* (Herbst, 1806)***Limonius subauratus* LeConte, 1853

Subtribe Denticollina Stein &amp; Weise, 1877

*Denticollis denticornis* (Kirby, 1837)

Subtribe Hemicrepidina Champion, 1896

***Harminius triundulatus* (Mannerheim, 1853)***Hemicrepidius brevicollis* (Candèze, 1863)*Hemicrepidius hemipodus* (Say, 1825)*Hemicrepidius memnonius* (Herbst, 1806)*Hemicrepidius niger* (Linnaeus, 1758)†

**Tribe Hypnoidini Schwarz, 1906**

- Hypnoidus abbreviatus* (Say, 1823)  
*Hypnoidus bicolor* (Eschscholtz, 1829)\*  
***Hypnoidus rivularius* (Gyllenhal, 1827)\***  
*Ligmargus lecontei* (Leng, 1918)  
*Margaioustus* (*Margaioustus*) *grandicollis* (LeConte, 1863)

**Tribe Prosternini Gistel, 1856**

- Actenicerus cuprascens* LeConte, 1853  
*Anostirus vernalis* (Hentz, 1827)  
*Beckerus appressa* (Randall, 1838)  
*Corymbitodes dorotheae* (Knull, 1959)  
*Corymbitodes elongaticollis* (Hamilton, 1893)  
*Corymbitodes pygmaeus* (Van Dyke, 1932)  
*Corymbitodes tarsalis* (Melsheimer, 1845)  
*Ctenicera kendalli* Kirby, 1837  
*Eanus* (*Eanus*) *estriatus* (LeConte, 1853)  
*Eanus* (*Eanus*) *maculipennis* LeConte, 1863  
***Eanus* (*Paranomus*) *decoratus* (Mannerheim, 1853)**  
*Hypoganus rotundicollis* (Say, 1825)  
*Hypoganus sulcicollis* (Say, 1833)  
*Liotrichus falsificus* (LeConte, 1853)  
*Liotrichus spinosus* (LeConte, 1853)  
*Liotrichus vulneratus* (LeConte, 1863)  
*Metanomus insidiosus* (LeConte, 1853)  
*Nitidolimonius resplendens* (Eschscholtz, 1829)  
*Oxygonus montanus* C. Schaeffer, 1917  
*Oxygonus obesus* (Say, 1823)  
*Paractenicera fulvipes* (Bland, 1863)  
*Prosternon medianum* (Germar, 1843)  
*Pseudanostirus hamatus* (Say, 1834)  
*Pseudanostirus hieroglyphicus* (Say, 1834)  
*Pseudanostirus nigricollis* (Bland, 1864)  
*Pseudanostirus propolus propolus* (LeConte, 1853)  
*Pseudanostirus triundulatus* (Randall, 1838)  
*Selatosomus appropinquans* (Randall, 1838)  
*Selatosomus pulcher* (LeConte, 1853)  
*Selatosomus splendens* (Ziegler, 1844)  
*Setasomus aratus* (LeConte, 1853)  
*Setasomus nitidulus* (LeConte, 1853)  
*Setasomus rufopleuralis* (Fall, 1933)  
*Sylvanelator cylindriciformis* (Herbst, 1806)

**Subfamily NEGASTRIINAE Nakane & Kishii, 1956**  
**Tribe Negastriini Nakane & Kishii, 1956**

*Microhypnus striatulus* (LeConte, 1853)  
*Negastrius arnetti* Stibick, 1991  
*Negastrius atrosus* Wells, 1996  
*Negastrius delumbis* (Horn, 1891)  
*Neohypdonus tumescens* (LeConte, 1853)  
*Oedostethus femoralis* LeConte, 1853  
*Paradonus oliverea* Stibick, 1991  
*Paradonus pectoralis* (Say, 1834)  
*Zorochros melsheimeri* (Horn, 1891)

**Subfamily ELATERINAE Leach, 1815**  
**Tribe Agriotini Laporte, 1840**  
 Subtribe Agriotina Laporte, 1840

*Agriotes collaris* (LeConte, 1853)  
*Agriotes fucosus* (LeConte, 1853)  
*Agriotes limosus* (LeConte, 1853)  
*Agriotes mancus* (Say, 1823)  
*Agriotes pubescens* Melsheimer, 1845  
*Agriotes quebecensis* W.J. Brown, 1933  
*Agriotes sputator* (Linnaeus, 1758)†  
*Agriotes stabilis* (LeConte, 1853)  
*Dalopius agnellus* W. J. Brown, 1934  
*Dalopius brevicornis* W. J. Brown, 1934  
*Dalopius cognatus* W. J. Brown, 1934  
*Dalopius fuscipes* W. J. Brown, 1934  
*Dalopius gentilis* W. J. Brown, 1934  
*Dalopius pallidus* W. J. Brown, 1934  
*Dalopius vagus* W. J. Brown, 1934

**Tribe Ampedini Gistel, 1848**

*Ampedus apicatus* (Say, 1834)  
*Ampedus areolatus* (Say, 1823)  
*Ampedus collaris* (Say, 1825)  
*Ampedus deletus* (LeConte, 1853)  
*Ampedus evansi* W.J. Brown, 1933  
*Ampedus fuscus* (LeConte, 1853)  
*Ampedus laurentinus* W.J. Brown, 1933

***Ampedus linteus* (Say, 1839)***Ampedus luctuosus* (LeConte, 1853)*Ampedus miniipennis* (LeConte, 1853)*Ampedus mixtus* (Herbst, 1806)*Ampedus molestus* (LeConte, 1853)*Ampedus nigricans* Germar, 1844*Ampedus nigricollis* (Herbst, 1806)*Ampedus nigrinus* (Herbst, 1784)\**Ampedus oblessus* (Say, 1833)*Ampedus protervus* (LeConte, 1853)*Ampedus pullus* Germar, 1844*Ampedus rubricus* (Say, 1825)*Ampedus sanguinipennis* (Say, 1823)*Ampedus sayi* (LeConte, 1853)*Ampedus semicinctus* (Randall, 1838)*Ampedus vitiosus* (LeConte, 1853)**Tribe Elaterini Leach, 1815***Elator abruptus* Say, 1825*Sericus honestus* (Randall, 1838)*Sericus incongruus* (LeConte, 1853)*Sericus viridanus* (Say, 1825)**Tribe Megapenthini Gurjeva, 1973***Megapenthes rogersi* Horn, 1871*Megapenthes solitarius* Fall, 1934*Megapenthes stigmosus* (LeConte, 1853)**Tribe Melanotini Candèze, 1859***Melanotus castanipes* (Paykull, 1800)‡*Melanotus decumanus* (Erichson, 1841)*Melanotus leonardi* (LeConte, 1853)*Melanotus sagittarius* (LeConte, 1853)*Melanotus similis* (Kirby, 1837)**Tribe Pomachiliini Candèze, 1859***Idolus bigeminata* (Randall, 1838)*Idolus debilis* (LeConte, 1884)

**Subfamily CARDIOPHORINAE Candèze, 1859***Cardiophorus convexulus* LeConte, 1853*Cardiophorus gagates* Erichson, 1840*Cardiophorus propinquus* Lanchester, 1971**Family LYCIDAE Laporte, 1836**

(Net-winged beetles)

**Subfamily DICTYOPTERINAE Houlbert, 1922****Tribe Dictyopterini Houlbert, 1922***Dictyoptera aurora* (Herbst, 1784)\**Greenarus thoracicus* (Randall, 1838)**Subfamily LYCINAE Laporte, 1836****Tribe Calochromini Lacordaire, 1857***Calochromus perfacetus* (Say, 1825)**Tribe Calopterini Green, 1949**

Subtribe Calopterina Green, 1949

*Caenia dimidiata* (Fabricius, 1801)*Calopteron terminale* (Say, 1823)*Leptoceletes basalis* (LeConte, 1847)**Tribe Erotini LeConte, 1881***Eropterus arculus* Green, 1951*Eros humeralis* (Fabricius, 1801)*Erotides (Erotides) sculptilis* (Say, 1835)*Lopheros (Lopheros) crenatus* (Germar, 1824)*Lopheros (Lopheros) fraternus* (Randall, 1838)**Tribe Platerodini Kleine, 1929***Plateros bispiculatus* Green, 1953*Plateros flavoscutellatus* Blatchley, 1914*Plateros lictor* (Newman, 1838)*Plateros subfurcatus* Green, 1953*Plateros volatus* Green, 1953

**Family LAMPYRIDAE Rafinesque, 1815**

(Fireflies)

**Subfamily LAMPYRINAE Rafinesque, 1815**

**Tribe Cratomorphini Green, 1948**

*Pyractomena angulata* (Say, 1825)

*Pyractomena borealis* (Randall, 1838)

*Pyractomena linearis* LeConte, 1851

**Tribe Lucidotini Lacordaire, 1857**

Subtribe Lucidotina Lacordaire, 1857

*Lucidota atra* (Olivier, 1790)

Subtribe Photinina LeConte, 1881

*Ellychnia (Ellychnia) corrusca* (Linnaeus, 1767)

***Photinus aquilonius* Lloyd, 1969**

*Photinus ardens* LeConte, 1851

***Photinus ignitus* Fall, 1927**

*Photinus obscurellus* LeConte, 1851

*Pyropyga decipiens* (Harris, 1836)

*Pyropyga nigricans* (Say, 1823)

**Subfamily PHOTURINAE Lacordaire, 1857**

*Photuris fairchildi* Barber, 1951

**Family CANTHARIDAE Imhoff, 1856**

(Soldier beetles)

**Subfamily CANTHARINAE Imhoff, 1856**

**Tribe Cantharini Imhoff, 1856**

*Atalantycha bilineata* (Say, 1823)

*Cantharis livida* Linnaeus, 1758†

*Cantharis rufa* Linnaeus, 1758†

*Cantharis tuberculata* (LeConte, 1851)

*Pacificanthia curtisi* (Kirby, 1837)

*Pacificanthia rotundicollis* (Say, 1825)

***Rhagonycha dichroa* (LeConte, 1851)**

*Rhagonycha excavata* (LeConte, 1881)

*Rhagonycha fraxini* (Say, 1823)  
*Rhagonycha fulva* (Scopoli, 1763)†  
*Rhagonycha greeni* (Fall, 1936)  
*Rhagonycha imbecillis* (LeConte, 1851)  
*Rhagonycha luteicollis* (Germar, 1824)  
*Rhagonycha mandibularis* (Kirby, 1837)  
*Rhagonycha mollis mollis* Fall, 1936  
*Rhagonycha nanula* (LeConte, 1881)  
*Rhagonycha proxima* (Green, 1941)  
*Rhagonycha recta* (Melsheimer, 1846)  
*Rhagonycha scitula* (Say, 1825)  
*Rhagonycha septentrionis* (Green, 1941)  
***Rhagonycha sylvatica* (Green, 1941)**  
***Rhagonycha tantilla* (LeConte, 1881)**  
*Rhagonycha tenuis* (Green, 1940)  
*Rhagonycha umbrina* (Green, 1841)  
*Rhagonycha vilis* (LeConte, 1851)  
*Rhaxonycha bilobata* (McKey-Fender, 1941)  
*Rhaxonycha carolina* (Fabricius, 1801)

#### Tribe Podabrini Gistel, 1856

*Dichelotarsus cinctipennis* (LeConte, 1866)  
*Dichelotarsus flavimanus* Motschulsky, 1860\*  
*Dichelotarsus laevicollis* (Kirby, 1837)  
*Dichelotarsus limbellus* (LeConte, 1881)  
*Dichelotarsus pattoni* (LeConte, 1866)  
*Dichelotarsus piniphilus* (Eschscholtz, 1830)  
*Dichelotarsus probus* (Fall, 1927)  
*Dichelotarsus puberulus* (LeConte, 1850)  
*Dichelotarsus punctatus* (LeConte, 1850)  
*Dichelotarsus puncticollis* (Kirby, 1837)  
*Dichelotarsus simplex* (Couper, 1865)  
*Podabrus diadema* (Fabricius, 1798)  
*Podabrus frosti* Fender, 1946  
*Podabrus intrusus* Green, 1947  
*Podabrus longicornis* Fall, 1928  
*Podabrus modestus* (Say, 1823)  
*Podabrus nothoides* LeConte, 1881  
*Podabrus planulus* Green, 1947  
*Podabrus rugosulus* LeConte, 1850  
***Podabrus tricostatus* (Say, 1835)**

**Subfamily SILINAE Mulsant, 1862**

**Tribe Silini Mulsant, 1862**

*Polemius canadensis* W.J. Brown, 1940

*Polemius laticornis* (Say, 1825)

*Polemius repandus* LeConte, 1881

*Silis difficilis difficilis* LeConte, 1850

*Silis percomis* (Say, 1835)

**Subfamily MALTHININAE Kiesenwetter, 1852**

**Tribe Malthodini Böving & Craighead, 1930**

*Malthodes fragilis* (LeConte, 1851)

*Malthodes fuliginosus fuliginosus* LeConte, 1866

*Malthodes niger* (LeConte, 1851)

*Malthodes parvulus* (LeConte, 1851)

*Malthodes similis* Fender, 1951

**Subfamily CHAULIOGNATHINAE LeConte, 1861**

**Tribe Chauliognathini LeConte, 1861**

*Chauliognathus pennsylvanicus* (DeGeer, 1774)

**Superfamily DERODONTOIDEA LeConte, 1861**

**Family DERODONTIDAE LeConte, 1861**

(Tooth-necked fungus beetles)

**Subfamily LARICOBIIINAE Mulsant & Rey, 1864**

*Laricobius erichsonii* Rosenhauer, 1846†

*Laricobius rubidus* LeConte, 1861

**Superfamily BOSTRICHOIDAEA Latreille, 1802**

**Family DERMESTIDAE Latreille, 1804**

(Skin beetles)

**Subfamily DERMESTINAE Latreille, 1804**

**Tribe Dermestini Latreille, 1804**

*Dermestis (Dermestis) lardarius* Linnaeus, 1758†

*Dermestis (Dermestis) pulcher* LeConte, 1854

*Dermestis (Dermestinus) talpinus* Mannerheim, 1843

*Dermestis (Dermestinus) undulatus* Brahm, 1790†

**Subfamily ORPHILINAE LeConte, 1861**

*Orphilus ater* Erichson, 1846

**Subfamily ATTAGENINAE Laporte, 1840**

**Tribe Attagenini Laporte, 1840**

*Attagenus (Attagenus) pellio* (Linnaeus, 1758)†

*Attagenus (Attagenus) unicolor japonicus* Reitter, 1877)†

**Subfamily MEGATOMINAE Leach, 1815**

**Tribe Anthrenini Gistel, 1848**

*Anthrenus (Anthrenus) scrophulariae scrophulariae* (Linnaeus, 1758)†

*Anthrenus (Florilinus) castaneae* Melsheimer, 1844

*Anthrenus (Florilinus) museorum* (Linnaeus, 1761)†

*Anthrenus (Helocerus) fuscus* Olivier, 1789†

*Anthrenus (Nathrenus) verbasci* (Linnaeus, 1767) †

**Tribe Megatomini Leach, 1815**

*Megatoma (Perimegatoma) cylindrica* (Kirby, 1837)

*Trogoderma ornatum* (Say, 1825)

*Trododerma sinistrum* Fall, 1926

**Family ENDECATOMIDAE LeConte, 1861**

*Endecatomus rugosus* (Randall, 1838)

**Family BOSTRICHIDAE Latreille, 1802**

(Bostrichid powder-post beetles)

**Subfamily DINODERINAE C.G. Thomson, 1863**

*Dinoderus (Dinoderus) minutus* (Fabricius, 1775)†

*Stephanopachys rugosus* (Olivier, 1795)

*Stephanopachys substriatus* (Paykull, 1800)\*

**Subfamily LYCTINAE Billberg, 1820**

**Tribe Lyctini Billberg, 1820**

*Lyctus brunneus* (Stephens, 1830)†

*Lyctus linearis* (Goeze, 1777)†

***Lyctus planicollis* LeConte, 1858**

**Family PTINIDAE Latreille, 1892**

(Death watch and spider beetles)

**Subfamily EUCRADINAE LeConte, 1861**

**Tribe Eucradini LeConte, 1861**

***Eucrada humeralis* (Melsheimer, 1846)**

**Subfamily PTININAE Latreille, 1802**

**Tribe Gibbiini Jacquelin du Val, 1860**

*Gibbium aequinoctiale* Boieldieu, 1854†

**Tribe Meziini Bellés, 1985**

*Mezium affine* Boieldieu, 1856†

**Tribe Ptinini Latreille, 1802**

*Epauloecus unicolor* (Piller & Mitterpacher, 1783)†

*Niptus hololeucus* (Faldermann, 1835)†

*Pseudeurostus hilleri* (Reitter, 1877)†

*Ptinus* (*Cyphoderes*) *raptor* Sturm, 1837†

*Ptinus* (*Ptinus*) *bicinctus* Sturm, 1837†

*Ptinus* (*Ptinus*) *fur* (Linnaeus, 1758)†

*Ptinus* (*Ptinus*) *latro* Fabricius, 1775†

*Ptinus* (*Tectoportunus*) *tectus* Boieldieu, 1856†

**Subfamily ERNOBIINAE Pic, 1912**

***Ernobius filicornis* LeConte, 1879**

***Ernobius luteipennis* LeConte, 1879**

*Ernobius mollis* (Linnaeus, 1758)†

***Ernobius opicus* Fall, 1905**

***Ernobius schedli* W.J. Brown, 1932**

***Utobium elegans* (Horn, 1894)**

***Utobium granulatum* R.E. White, 1976**

***Xestobium gaspensis* R.E. White, 1975**

**Subfamily ANOBIINAE Fleming, 1821**

*Anobium punctatum* (DeGeer, 1774)†

*Hadrobregmus notatus* (Say, 1825)

*Hemicoelus carinatus* (Say, 1823)

***Hemicoelus defectus* (Fall, 1905)**

***Hemicoelus pusillus* (Fall, 1905)**

*Hemicoelus umbrosus* (Fall, 1905)

*Microbregma emarginatum* (Duftschmid, 1825)†

***Oligomerus alternans* LeConte, 1865**

***Oligomerus obtusus* LeConte, 1865**

***Platybregmus canadensis* Fisher, 1934**

*Priobium sericeum* (Say, 1825)

*Stegobium paniceum* (Linnaeus, 1758)†

**Subfamily PTILININAE Shuckard, 1839**

*Ptilinus lobatus* Casey, 1898

***Ptilinus pruinosus* Casey, 1898**

*Ptilinus ruficornis* Say, 1823

**Subfamily XYLETININAE Gistel, 1848**

**Tribe Lasiodermiini Böving, 1927**

*Lasioderma serricorne* (Fabricius, 1792)†

*Euvrilletta harrisii* (Fall, 1905)

**Tribe Xyletinini Gistel, 1848**

***Vrilletta laurentina* Fall, 1905**

*Xyletinus fucatus* LeConte, 1865

***Xyletinus lugubris* LeConte, 1878**

**Subfamily DORCATOMINAE C.G. Thomson, 1859**

*Caenocara oculatum* (Say, 1824)

***Dorcatoma falli* R.E. White, 1965**

*Dorcatoma pallicornis* LeConte, 1874

***Sculptotheba puberula* (LeConte, 1865)**

***Stagetus profundus* (LeConte, 1865)**

**Superfamily LYMEXYLOIDEA Fleming, 1821**

**Family LYMEXYLIDAE Fleming, 1821**

(Ship-timber beetles)

**Subfamily HYLECOETINAE Germar, 1818**

*Elateroides lugubris* (Say, 1835)

**Superfamily CLEROIDEA Latreille, 1802**

**Family TROGOSSITIDAE Latreille, 1802**

(Bark-gnawing beetles)

**Subfamily PELTINAE Latreille, 1806**

**Tribe Lophocaterini Crowson, 1964**

*Grynocharis quadrilineata* (Melsheimer, 1844)

**Tribe Peltini Latreille, 1806**

*Peltis fraterna* (Randall, 1838)

*Peltis septentrionalis* (Randall, 1838)

**Tribe Thymalini Lèveillé, 1888**

*Thymalus marginicollis* Chevrolat, 1842

**Subfamily TROGOSSITINAE Latreille, 1802**

**Tribe Calityini Reitter, 1922**

*Calitys scabra* (Thunberg, 1784)\*

**Tribe Trogossitini Latreille, 1802**

*Tenebriodes corticalis* (Melsheimer, 1844)

*Tenebriodes mauritanicus* (Linnaeus, 1758)‡

**Family CLERIDAE Latreille, 1802**

(Checkered beetles)

**Subfamily TILLINAE Fischer von Waldheim, 1813***Cymatodera bicolor* (Say, 1825)*Cymatodera inornata* (Say, 1835)**Subfamily HYDNO CERINAE Spinola, 1844****Tribe Hydnocerini Spinola, 1844***Isobydnocera curtipennis* (Newman, 1840)*Phyllobaenus humeralis* (Say, 1823)*Phyllobaenus lecontei* (Wolcott, 1912)*Phyllobaenus pallipennis* (Say, 1825)*Phyllobaenus verticalis* (Say, 1835)**Subfamily CLERINAE Latreille, 1802***Enoclerus muttkowskii* (Wolcott, 1909)*Enoclerus nigripes nigripes* (Say, 1823)*Enoclerus nigripes rufiventris* (Spinola, 1844)*Thanasimus dubius* (Fabricius, 1777)***Thanasimus trifasciatus* (Say, 1825)***Thanasimus undatulus nubilus* (Klug, 1842)***Thanasimus undatulus undatulus* (Say, 1835)***Trichodes nutalli* (Kirby, 1818)**Subfamily KORYNETINAE Laporte, 1836*****Chariessa pilosa* (Forster, 1771)***Madoniella dislocata* (Say, 1825)*Necrobia violacea* (Linnaeus, 1758)†**Subfamily THANEROCLERINAE Chapin, 1924****Tribe Thaneroclerini Chapin, 1924***Zenodosus sanguineus* (Say, 1835)

**Family MELYRIDAE Leach, 1815**

(Soft-winged flower beetles)

**Subfamily DASYTINAE Laporte, 1840**

**Tribe Dasytini Laporte, 1840**

*Dolichosoma foveicolle* (Kirby, 1837)

*Hoppingiana hudsonica* (LeConte, 1866)

**Subfamily MALACHIINAE Fleming, 1821**

**Tribe Malachiini Fleming, 1821**

*Attalus (Acletus) nigrellus* (LeConte, 1852)

*Attalus (Attalus) morulus* (LeConte, 1852)

*Attalus (Attalus) terminalis* (Erichson, 1840)

*Collops tricolor* (Say, 1823)

*Collops vittatus* (Say, 1823)

*Malachius (Malachius) aeneus* (Linnaeus, 1761)†

*Nodopus flavilabris* (Say, 1825)

**Superfamily CUCUJOIDEA Latreille, 1802**

**Family BYTURIDAE Gistel, 1848**

(Fruitworm beetles)

**Subfamily BYTURINAE Gistel, 1848**

*Byturus unicolor* Say, 1823

**Family SPHINIDIDAE Jacquelin du Val, 1860**

(Cryptic slime mold beetles)

**Subfamily ODONTOSPHINDINAE Sen Gupta & Crowson, 1979**

*Odontosphindus denticollis* LeConte, 1878

**Subfamily SPHINDINAE Jacquelin du Val, 1860**

*Eurysphindus hirtus* LeConte, 1878

*Sphindus americanus* LeConte, 1866

*Sphindus trinifer* Casey, 1898

**Family BIPHYLLIDAE LeConte, 1861**

(False skin beetles)

*Diplocoelus brunneus* LeConte, 1863**Family EROTYLIDAE Latreille, 1802**

(Pleasing fungus beetles)

**Subfamily LANGURIINAE Hope, 1840****Tribe Languriini Hope, 1840***Acroteroxys gracilis* (Newman, 1838)**Subfamily EROTYLINAE Latreille, 1802****Tribe Dacnini Gistel, 1848***Dacne (Dacne) quadrimaculata* (Say, 1835)**Tribe Tritomini Curtis, 1834***Triplax dissimulator* (Crotch, 1873)*Triplax flavicollis* Lacordaire, 1842*Triplax frosti* Casey, 1924*Triplax macra* LeConte, 1854*Triplax thoracica* Say, 1825*Tritoma humeralis* Fabricius, 1801*Tritoma pulchra* Say, 1826*Tritoma sanguinipennis* (Say, 1825)**Family MONOTOMIDAE Laporte, 1840**

(Root-eating beetles)

**Subfamily RHIZOPHAGINAE Redtenbacher, 1845***Rhizophagus (Anomophagus) brunneus brunneus* Horn, 1879*Rhizophagus (Rhizophagus) dimidiatus* Mannerheim, 1843*Rhizophagus (Rhizophagus) minutus rotundicollis* Bousquet, 1990*Rhizophagus (Rhizophagus) remotus* LeConte, 1866**Subfamily MONOTOMINAE Laporte, 1840****Tribe Europini Sen Gupta, 1988***Bactridium striolatum* (Reitter, 1873)*Pycnotomina cavicollis* (Horn, 1879)

**Tribe Monotomini Laporte, 1840**

***Monotoma americana* Aubé, 1837**

*Monotoma bicolor* A. Villa & G.B. Villa, 1835†

*Monotoma longicollis* (Gyllenhal, 1827)†

*Monotoma picipes* Herbst, 1793†

*Monotoma producta* LeConte, 1855

**Family CRYPTOPHAGIDAE Kirby, 1826**

(Silken fungus beetles)

**Subfamily CRYPTOPHAGINAE Kirby, 1826**

**Tribe Caenoscelini Casey, 1900**

***Caenoscelis basalis* Casey, 1900**

*Caenoscelis subdeplanata* Brisout de Barneville, 1882\*

**Tribe Cryptophagini Kirby, 1826**

*Antherophagus convexulus* LeConte, 1863

*Antherophagus ochraceus* Melsheimer, 1844

*Cryptophagus acutangulus* Gyllenhal, 1827\*

***Cryptophagus corticinus* C.G. Thomson, 1863\***

***Cryptophagus difficilis* Casey, 1900**

*Cryptophagus fallax* Balfour-Browne, 1953†

***Cryptophagus jakowlewi* Reitter, 1888\***

*Cryptophagus mainensis* Casey, 1924

*Cryptophagus pilosus* Gyllenhal, 1827†

*Cryptophagus saginatus* Sturm, 1845†

***Cryptophagus scanicus* (Linnaeus, 1758)†**

***Cryptophagus scutellatus* Newman, 1834†**

***Cryptophagus setulosus* Sturm, 1845\***

*Cryptophagus subfumatus* Kraatz, 1856†

*Henoticus serratus* (Gyllenhal, 1808)‡

*Henotiderus centromaculatus* Reitter, 1877\*

*Myrmedophila americana* (LeConte, 1879)

*Pteryngium crenatum* (Gyllenhal, 1808)†

*Telmatophilus americanus* LeConte, 1863

*Telmatophilus typhae* (Fallén, 1802)†

**Subfamily ATOMARIINAE LeConte, 1861**

**Tribe Atomariini LeConte, 1861**

*Atomaria (Anchicera) apicalis* Erichson, 1846†

*Atomaria (Anchicera) distincta* Casey, 1900

*Atomaria (Anchicera) ephippiata* C.C.A. Zimmermann, 1869

*Atomaria (Anchicera) fuscata* Schönherr, 1808†

***Atomaria (Anchicera) lederi* Johnson, 1970‡**

*Atomaria (Anchicera) lewisi* Reitter, 1877†

*Atomaria (Anchicera) pusilla* (Paykull, 1798)†

*Atomaria (Anchicera) testacea* Stephens, 1830†

***Atomaria (Atomaria) nigrirostris* Stephens, 1830\***

**Family SILVANIDAE Kirby, 1837**

(Silvanid flat bark beetles)

**Subfamily BRONTINAE Blanchard, 1845**

**Tribe Brontini Blanchard, 1845**

*Dendrophagus cygnaei* Mannerheim, 1846

**Tribe Telephanini LeConte, 1861**

***Telephanus atricapillus* Erichson, 1846**

*Telephanus velox* (Haldeman, 1846)

**Subfamily SILVANINAE Kirby, 1837**

***Ahasverus advena* (Waltl, 1834)†**

*Ahasverus longulus* (Blatchley, 1910)

*Nausibius clavicornis* (Kugelann, 1794)†

*Oryzaephilus mercator* (Fauvel, 1889)†

*Oryzaephilus surinamensis* (Linnaeus, 1758)†

*Silvanus bidentatus* (Fabricius, 1792)†

*Silvanus muticus* Sharp, 1899

**Family CUCUJIDAE Latreille, 1802**

(Flat bark beetles)

*Cucujus clavipes clavipes* Fabricius, 1777

*Pediacus fuscus* Erichson, 1845\*

**Family PHALACRIDAE Leach, 1815**

(Shining flower beetles)

**Subfamily PHALACRINAE Leach, 1815**

*Acylomus pugetanus* Casey, 1916

*Olibrus semistriatus* LeConte, 1856  
*Phalacrus politus* Melsheimer, 1844  
*Stilbus apicalis* (Melsheimer, 1844)

**Family LAEMOPHLOEIDAE Ganglbauer, 1899**

(Lined flat bark beetles)

*Charaphloeus convexulus* (LeConte, 1879)  
*Cryptolestes pusillus* (Schönherr, 1817)†  
***Cryptolestes turcicus* (Grouvelle, 1876)†**  
*Laemophloeus biguttatus* (Say, 1825)  
*Laemophloeus fasciatus* Melsheimer, 1844  
*Leptophloeus angustulus* (LeConte, 1866)  
*Placonotus zimmermanni* (LeConte, 1854)

**Family KATERETIDAE Kirby, 1837**

(Short-winged flower beetles)

*Brachyterolus pulicarius* (Linnaeus, 1758)†  
*Brachyterus urticae* (Fabricius, 1792)†  
*Heterbelus abdominalis* (Erichson, 1843)  
*Heterbelus sericans sericans* (LeConte, 1859)  
*Kateretes (Kateretes) pusillus* (Thunberg, 1794)\*

**Family NITIDULIDAE Latreille, 1802**

(Sap beetles)

**Subfamily EPURAEINAE Kirejtshuk, 1986**

**Tribe Epuraeini Kirejtshuk, 1986**

*Epuraea (Epuraea) aestiva* (Linnaeus, 1758)†  
*Epuraea (Epuraea) erichsoni* Reitter, 1873  
*Epuraea (Epuraea) flavomaculata* Mäklin, 1853  
*Epuraea (Epuraea) helvola* Erichson, 1843  
***Epuraea (Epuraea) linearis* Mäklin, 1853\***  
*Epuraea (Epuraea) pallescens labilis* Erichson, 1843  
*Epuraea (Epuraea) planulata* Erichson, 1843  
*Epuraea (Epuraea) rufomarginata* (Stephens, 1830)\*  
*Epuraea (Epuraea) terminalis* (Mannerheim, 1843)\*  
*Epuraea (Epuraea) truncatella* (Mannerheim, 1846)  
*Epuraea (Epuraeanella) nearctica* Kirejtshuk & Kvamme, 2001  
*Epuraea (Epuraeanella) obtusicollis* Reitter, 1873  
*Epuraea (Epuraeanella) rufa* (Say, 1825)  
 (incertae sedis)

*Eपुरaea avara* (Randall, 1838)

*Eपुरaea hornii* Crotch, 1874

*Eपुरaea obliqua* Hatch, 1962

*Eपुरaea peltoides* Horn, 1879

***Eपुरaea populi* Dodge, 1939**

*Eपुरaea rufida* (Melsheimer, 1844)

*Eपुरaea umbrosa* Horn, 1879

### Subfamily CARPOPHILINAE Erichson, 1842

*Carpophilus* (*Carpophilus*) *hemipterus* (Linnaeus, 1758)†

*Carpophilus* (*Carpophilus*) *sayi* Parsons, 1845

*Carpophilus* (*Ecnomorphus*) *brachypterus* (Say, 1825)

*Carpophilus* (*Myothorax*) *dimidiatus* (Fabricius, 1792)†

*Carpophilus* (*Semocarpolus*) *marginellus* Motschulsky, 1858†

### Subfamily MELIGETHINAE C.G. Thomson, 1859

*Brassicogethes simplipes* (Easton, 1947)

*Brassicogethes viridescens* (Fabricius, 1787)†

*Fabogethes nigrescens* (Stephens, 1830)\*

### Subfamily NITIDULINAE Latreille, 1802

#### Tribe Cychramini Gistel, 1848

*Cychramus adustus* Erichson, 1843

#### Tribe Cylloдини Everts, 1898

*Cyllodes biplagiatus* LeConte, 1866

#### Tribe Nitidulini Latreille, 1802

*Lobiopa undulata* (Say, 1825)

*Nitidula bipunctata* (Linnaeus, 1758)\*

*Nitidula rufipes* (Linnaeus, 1767)†

*Omosita colon* (Linnaeus, 1758)†

*Omosita discoidea* (Fabricius, 1775)‡

*Omosita nearctica* Kirejtshuk, 1987

*Phenolia grossa* (Fabricius, 1801)

***Stelidota coenosa* Erichson, 1843**

*Stelidota octomaculata* (Say, 1825)

*Thalycra concolor* (LeConte, 1850)

**Subfamily CILLAEINAE Kirejtshuk & Audisio, 1986**

*Colopterus truncatus* (Randall, 1838)

*Conotelus obscurus* Erichson, 1843

**Subfamily CRYPTARCHINAE C.G. Thomson, 1859**

**Tribe Cryptarchini C.G. Thomson, 1859**

*Cryptarcha* (*Cryptarcha*) *ampla* Erichson, 1843

*Cryptarcha* (*Cryptarcha*) *strigatula* Parsons, 1938

*Cryptarcha* (*Lepiarcha*) *concinna* (Melsheimer, 1853)

*Glischrochilus* (*Glischrochilus*) *confluentus* (Say, 1823)

*Glischrochilus* (*Glischrochilus*) *moratus* W.J. Brown, 1932

*Glischrochilus* (*Glischrochilus*) *vittatus* (Say, 1835)

*Glischrochilus* (*Librodor*) *fasciatus* (Olivier, 1790)

*Glischrochilus* (*Librodor*) *quadrisignatus* (Say, 1835)

*Glischrochilus* (*Librodor*) *sanguinolentus sanguinolentus* (Olivier, 1790)

*Glischrochilus* (*Librodor*) *siepmanni* W.J. Brown, 1932

**Family CERYLONIDAE Billberg, 1820**

(Cerylonid beetles)

**Subfamily CERYLONINAE Billberg, 1820**

*Cerylon castaneum* Say, 1827

*Cerylon unicolor* (Ziegler, 1845)

*Philothermus glabriculus* LeConte, 1863

**Family ENDOMYCHIDAE Leach, 1815**

(Handsome fungus beetles)

**Subfamily ANAMORPHINAE Strohecker, 1953**

*Symbiotes duryi* Blatchley, 1910

*Symbiotes gibberosus* (Lucas, 1849)†

**Subfamily LEIESTINAE C.G. Thomson, 1863**

*Phymaphora pulchella* Newman, 1838

**Subfamily DANASCELINAE Tomaszewska, 2000**

*Hadromychnus chandleri* Bousquet & Leschen, 2002

**Subfamily ENDOMYCHINAE Leach, 1815***Endomychus biguttatus* Say, 1824**Subfamily STENOTARSINAE Chapuis, 1876***Danae testacea* (Ziegler, 1845)**Subfamily LYCOPERDININAE Bromhead, 1838***Lycoperdina ferruginea* J.E. LeConte, 1824*Mycetina perpulchra* (Newman, 1838)**Family COCCINELLIDAE Latreille, 1807**

(Ladybird beetles)

**Subfamily MICROWEISEINAE Leng, 920****Tribe Microweiseini Leng, 1920***Coccidophilus marginatus* (LeConte, 1878)*Microweisea misella* (LeConte, 1878)**Subfamily COCCINELLINAE Latreille, 1807****Tribe Brachiacanthini Mulsant, 1850***Brachiacantha decempustulata* (Melsheimer, 1847)*Brachiacantha ursina* (Fabricius, 1787)**Tribe Chilacorini Mulsant, 1846***Chilocorus stigma* (Say, 1835)**Tribe Coccidulini Mulsant, 1846***Coccidula lepida* LeConte, 1852**Tribe Coccinellini Latreille, 1807***Adalia bipunctata* (Linnaeus, 1758)‡*Anatis labiculata* (Say, 1824)*Anatis mali* (Say, 1824)*Anisosticta bitriangularis* (Say, 1824)*Calvia quatuordecimguttata* (Linnaeus, 1758)\**Coccinella hieroglyphica kirbyi* Crotch, 1874

*Coccinella monticola* Mulsant, 1850  
*Coccinella septempunctata* Linnaeus, 1758†  
*Coccinella transversoguttata richardsoni* W. Brown, 1962  
*Coccinella trifasciata perplexa* Mulsant, 1850  
*Coccinella undecimpunctata undecimpunctata* Linnaeus, 1758†  
*Harmonia axyridis* (Pallas, 1773)†  
*Hippodamia convergens* Guérin-Ménéville, 1842  
*Hippodamia parenthesis* (Say, 1824)  
*Hippodamia quinquesignata quinquesignata* (Kirby, 1837)  
*Hippodamia tredecimpunctata tibialis* (Say, 1824)  
*Hippodamia variegata* (Goeze, 1777)†  
*Macronaemia episcopalis* (Kirby, 1837)  
*Mulsantina hudsonica* (Casey, 1899)  
*Mulsantina picta* (Randall, 1838)  
*Myzia pullata* (Say, 1826)  
*Naemia seriata seriata* (Melsheimer, 1847)  
*Propylaea quatuordecimpunctata* (Linnaeus, 1758)†  
*Psyllobora vigintimaculata* (Say, 1824)

#### Tribe Diomini Gordon, 1999

*Diomus terminatus* (Say, 1835)

#### Tribe Epilachnini Mulsant, 1846

*Epilachna variventris* Mulsant, 1850

#### Tribe Hyperaspidini Mulsant, 1846

*Hyperaspis bigeminata* (Randall, 1838)  
*Hyperaspis binotata* (Say, 1826)  
*Hyperaspis consimilis* LeConte, 1852  
*Hyperaspis disconotata* Mulsant, 1850  
*Hyperaspis octavia* Casey, 1908  
*Hyperaspis undulata* (Say, 1824)

#### Tribe Scymnini Mulsant, 1846

***Didion nanum* (LeConte, 1852)**  
*Didion punctatum* (Melsheimer, 1847)  
*Nephus (Nephus) ornatus ornatus* (LeConte, 1850)  
*Scymnus (Pullus) brullei* Mulsant, 1850  
*Scymnus (Pullus) iowensis* Casey, 1899  
*Scymnus (Pullus) lacustris* LeConte, 1850

**Tribe Stethorini Dobzhansky, 1924***Stethorus punctum punctum* (LeConte, 1852)**Family CORYLOPHIDAE LeConte, 1852**

(Minute fungus beetles)

**Subfamily CORYLOPHINAE LeConte, 1852****Tribe Orthoperini Jacquelin du Val, 1857*****Orthoperus scutellaris* LeConte, 1878***Orthoperus suturalis* LeConte, 1878**Tribe Parmulini Poey, 1854***Clypastraea fasciata* (Say, 1827)***Clypastraea fusca* (Harold, 1875)***Clypastraea lugubris* (LeConte, 1852)***Clypastraea lunata* (LeConte, 1852)****Tribe Peltinodini Paulian, 1950*****Holopsis marginicollis* (LeConte, 1852)****Tribe Rypobiini Paulian, 1950***Rypobius marinus* LeConte, 1852**Tribe Sericoderini Matthews, 1888*****Sericoderus lateralis* (Gyllenhal, 1827)†****Family LATRIDIIDAE Erichson, 1842**

(Minute brown scavenger beetles)

**Subfamily LATRIDIINAE Erichson, 1842***Cartodere (Aridius) nodifer* (Westwood, 1839)†*Cartodere (Cartodere) constricta* (Gyllenhal, 1827)†*Dienerella argus* (Reitter, 1884)†*Dienerella filiformis* (Gyllenhal, 1827)†*Dienerella ruficollis* (Marshall, 1802)†*Enicmus aterrimus* Motschulsky, 1866*Enicmus fictus* Fall, 1899

*Enicmus histrio* Joy & Tomlin, 1910†  
*Enicmus tenuicornis* LeConte, 1878  
*Latridius consimilis* Mannerheim, 1844\*  
***Latridius hirtus* Gyllenhal, 1827†**  
*Latridius minutus* (Linnaeus, 1767)†  
*Stephostethus breviclavus* (Fall, 1899)  
*Stephostethus liratus* (LeConte, 1863)  
*Thes bergrothi* (Reitter, 1880)†

### Subfamily CORTICARIINAE Curtis, 1829

*Corticaria elongata* (Gyllenhal, 1827)†  
*Corticaria ferruginea* Marsham, 1802\*  
*Corticaria impressa* (Olivier, 1790)†  
*Corticaria rubripes* Mannerheim, 1844\*  
*Corticaria saginata* Mannerheim, 1844†  
*Corticarina cavicollis* (Mannerheim, 1844)  
*Corticarina longipennis* (LeConte, 1855)  
*Corticarina minuta* (Fabricius, 1792)\*  
*Corticinara gibbosa* (Herbst, 1793)†  
*Melanophthalma (Cortilena) picta* (LeConte, 1855)  
*Melanophthalma (Melanophthalma) helvola* Motschulsky, 1866  
*Melanophthalma (Melanophthalma) inermis* Motschulsky, 1866

### Superfamily TENEBRIONOIDEA Latreille, 1802

#### Family MYCETOPHAGIDAE Leach, 1815

(Hairy fungus beetles)

#### Subfamily MYCETOPHAGINAE Leach, 1815

##### Tribe Mycetophagini Leach, 1815

*Litargus (Paralitargus) didesmus* (Say, 1826)  
*Litargus (Tilargus) tetraspilotus* LeConte, 1856  
*Mycetophagus (Ilendus) pluripunctatus* LeConte, 1856  
*Mycetophagus (Mycetophagus) flexuosus* Say, 1826  
*Mycetophagus (Mycetophagus) punctatus* Say, 1826  
*Mycetophagus (Mycetophagus) serrulatus* (Casey, 1900)  
*Mycetophagus (Parilendus) quadriguttatus* P.W.J. Müller, 1821‡

##### Tribe Typhaeini C.G. Thomson, 1863

*Typhaea stercorea* (Linnaeus, 1758)†

**Family CIIDAE Leach, 1819**

(Minute tree-fungus beetles)

**Subfamily CIINAE Leach, 1819****Tribe Ciini Leach, 1819*****Ceracis singularis* (Dury, 1917)*****Ceracis thoracicornis* (Ziegler, 1845)***Cis americanus* Mannerheim, 1852***Cis angustus* Hatch, 1962***Cis creberrimus* Mellié, 1849***Cis fuscipes* Mellié, 1849*****Cis horridulus* Casey, 1898***Cis levettei* (Casey, 1898)***Cis striatulus* Mellié, 1849\****Cis striolatus* Casey, 1898*Cis submicans* Abeille de Perrin, 1874\**Cis pistorius* Casey, 1898***Cis laricinus* (Mellié, 1849)\****Dolichocis indistinctus* Hatch, 1962*Dolichocis manitoba* Dury, 1919*Hadreule elongatula* (Gyllenhal, 1827)†***Malacocis brevicollis* (Casey, 1898)*****Orthocis punctatus* (Mellié, 1849)*****Plesiocis cribrum* Casey, 1898****Tribe Orophini C.G. Thomson, 1863***Octotemnus glabriculus* (Gyllenhal, 1827)\**Octotemnus laevis* Casey, 1898**Family TETRATOMIDAE Billberg, 1820**

(Tetratomid beetles)

**Subfamily TETRATOMINAE Billberg, 1820*****Tetratoma (Abstrulia) canadensis* Nikitsky & Chantal, 2004***Tetratoma (Abstrulia) tessellata* (Melsheimer, 1844)**Subfamily PISENINAE Miyatake, 1960***Pisenus humeralis* (Kirby, 1837)

**Subfamily PENTHINAE Lacordaire, 1859**

*Penthe obliquata* (Fabricius, 1801)

*Penthe pimelia* (Fabricius, 1801)

**Subfamily HALLOMENINAE Gistel, 1848**

*Hallomenus (Hallomenus) binotatus* (Quensel, 1790)†

*Hallomenus (Hallomenus) debilis* LeConte, 1866

*Hallomenus (Hallomenus) scapularis* Melsheimer, 1846

*Hallomenus (Xeuxes) serricornis* LeConte, 1877

**Subfamily EUSTROPHINAE Gistel, 1848**

**Tribe Eustrophini Gistel, 1848**

*Eustrophus tomentosus* Say, 1826

*Synstrophus repandus* (Horn, 1888)

**Tribe Holostrophini Nikitsky, 1998**

*Pseudoholostrophus (Holostrophinus) discolor* (Horn, 1888)

**Family MELANDRYIDAE Leach, 1815**

(False darkling beetles)

**Subfamily MELANDRYINAE Leach, 1815**

**Tribe Hypulini Gistel, 1848**

*Hypulus simulator* Newman, 1838

*Microtonus sericans* LeConte, 1862

*Symphora flavicollis* (Haldeman, 1848)

*Symphora rugosa* (Haldeman, 1848)

*Zilora hispida* LeConte, 1866

*Zilora nuda* Provancher, 1877

**Tribe Melandryini Leach, 1815**

*Emmesa blackmani* (Hatch, 1927)

*Emmesa connectens* Newman, 1838

*Emmesa labiata* (Say, 1824)

*Melandrya striata* Say, 1824

*Phryganophilus collaris* LeConte, 1859

*Prothalpia undata* LeConte, 1862

**Tribe Orchesiini Mulsant, 1856***Microscapha clavicornis* LeConte, 1866*Orchesia castanea* (Melsheimer, 1846)*Orchesia cultriformis* Laliberté, 1967*Orchesia ovata* Laliberté, 1967**Tribe Serropalpini Latreille, 1829***Dircaea liturata* (LeConte, 1866)*Dolotarsus lividus* (C.R. Sahlberg, 1833)\**Enchodes sericea* (Haldeman, 1848)***Phloiotrya concolor* (LeConte, 1866)***Phloiotrya fusca* (LeConte, 1878)*Scotochroa atra* LeConte, 1874*Scotochroa buprestoides* (Kirby, 1837)*Scotochroides antennatus* Mank, 1839*Serropalpus coxalis* Mank, 1839*Serropalpus substriatus* Haldeman, 1848*Spilotus quadripustulatus* (Melsheimer, 1846)*Xylita laevigata* (Hellenius, 1786)\***Family MORDELLIDAE Latreille, 1802**

(Tumbling flower beetles)

**Subfamily MORDELLINAE Latreille, 1802****Tribe Mordellini Latreille, 1802***Mordella atrata atrata* Melsheimer, 1846*Mordella marginata marginata* Melsheimer, 1846*Mordella melaena* Germar, 1824*Mordellaria borealis* (LeConte, 1862)*Mordellaria serval* (Say, 1835)*Mordellaria undulata* (Melsheimer, 1846)*Tomoxia inclusa* LeConte, 1862*Tomoxia lineela* LeConte, 1862*Yakuhananomia bidentata* (Say, 1824)**Tribe Mordellistenini Ermisch, 1941***Falsomordellistena discolor* (Melsheimer, 1846)*Falsomordellistena pubescens* (Fabricius, 1798)

*Gilpostenoda ambusta* (LeConte, 1862)  
*Mordellina ancilla* (LeConte, 1862)  
*Mordellina infima* (LeConte, 1862)  
*Mordellina pustulata* (Melsheimer, 1846)  
*Mordellistena aspersa* (Melsheimer, 1846)  
*Mordellistena cervicalis* LeConte, 1862  
*Mordellistena errans* Fall, 1907  
*Mordellistena frosti* Liljeblad, 1918  
***Mordellistena fulvicollis* (Melsheimer, 1846)**  
*Mordellistena fuscipennis* (Melsheimer, 1846)  
*Mordellistena indistincta* J.B. Smith, 1882  
*Mordellistena limbalis* (Melsheimer, 1846)  
*Mordellistena marginalis* (Say, 1824)  
*Mordellistena ornata* (Melsheimer, 1846)  
*Mordellistena picilabris* Helmuth, 1864  
*Mordellistena rubrilabris* Helmuth, 1864  
*Mordellistena syntaenia* Liljeblad, 1921  
*Mordellistena tosta* LeConte, 1862  
*Mordellistena trifasciata* (Say, 1826)  
*Mordellochroa scapularis* (Say, 1824)  
***Pseudotolida arida* (LeConte, 1862)**

**Family RIPIPHORIDAE Gemminger, 1870**  
 (Wedge-shaped beetles)

**Subfamily PELECOTOMINAE Seidlitz, 1875**

*Pelecotoma flavipes* Melsheimer, 1846

**Subfamily RIPIPHORINAE Gemminger, 1870**  
**Tribe Ripiphorini Gemminger, 1870**

*Ripiphorus fasciatus* (Say, 1824)

**Family ZOPHERIDAE Solier, 1834**  
 (Zopherid beetles)

**Subfamily COLYDIINAE Billberg, 1820**  
**Tribe Synchitini Erichson, 1845**

*Bitoma crenata* (Fabricius, 1775)†  
*Lasconotus borealis* Horn, 1878  
*Synchita fuliginosa* Melsheimer, 1844

**Subfamily ZOPHERINAE Solier, 1834**  
**Tribe Phellopsini Ślipiński and Lawrence, 1999**

*Phellopsis obcordata* (Kirby, 1837)

**Family TENEBRIONIDAE Latreille, 1802**  
 (Darkling beetles)

**Subfamily LAGRIINAE Latreille, 1825**  
**Tribe Goniaderini Lacordaire, 1859**

*Paratenetus exutus* Bousquet & Bouchard, 2014

*Paratenetus punctatus* Spinola, 1844

**Tribe Lagriini Latreille, 1825**  
 Subtribe Lagriina Latreille, 1825

*Arthromacra aenea aenea* (Say, 1824)

**Subfamily TENEBRIONINAE Latreille, 1802**  
**Tribe Alphitobiini Reitter, 1917**

*Alphitobius diaperinus* (Panzer, 1796)†

*Alphitobius laevigatus* (Fabricius, 1781)†

**Tribe Bolitophagini Kirby, 1837**

*Bolitophagus corticola* Say, 1826

*Bolitotherus cornutus* (Fabricius, 1801)

*Eleates depressus* (Randall, 1838)

**Tribe Helopini Latreille, 1802**

*Helops blandi* Bousquet & Bouchard, 2012

**Tribe Opatrini Brullé, 1832**

*Blapstinus metallicus* (Fabricius, 1801)

**Tribe Tenebrionini Latreille, 1802**

*Neatus tenebrioides* (Palisot de Beauvois, 1811)

*Tenebrio molitor* Linnaeus, 1758†

**Tribe Triboliini Gistel, 1848**

- Latheticus oryzae* Waterhouse, 1880†  
*Tribolium (Tribolium) castaneum* (Herbst, 1797)‡  
*Tribolium (Tribolium) confusum* Jacquelin du Val, 1861‡  
*Tribolium (Tribolium) destructor* Uyttenboogaart, 1933†  
*Tribolium (Tribolium) madens* (Charpentier, 1825)†

**Subfamily ALLECULINAE Laporte, 1840**

**Tribe Alleculini Laporte, 1840**

Subtribe Alleculina Laporte, 1840

- Hymenorus molestus* Fall, 1931  
*Hymenorus niger* (Melsheimer, 1846)  
*Hymenorus obesus* Casey, 1891

Subtribe Gonoderina Seidlitz, 1896

- Androchirus erythropus* (Kirby, 1837)  
*Capnochroa fuliginosa* (Melsheimer, 1846)  
*Isomira quadristriata* (Couper, 1865)  
*Isomira sericea* (Say, 1823)  
*Pseudocistela brevis* (Say, 1824)

Subtribe Mycetocharina Gistel, 1848

- Mycetochara analis* (LeConte, 1878)  
*Mycetochara bicolor* (Couper, 1865)  
*Mycetochara binotata* (Say, 1824)  
*Mycetochara foveata* (LeConte, 1866)  
*Mycetochara fraterna* (Say, 1824)

**Subfamily DIAPERINAE Latreille, 1802**

**Tribe Diaperini Latreille, 1802**

Subtribe Adelinina LeConte, 1862

- Cynaesus angustus* (LeConte, 1851)  
*Gnatocerus cornutus* (Fabricius, 1798)†

Subtribe Diaperina Latreille, 1802

- Diaperis maculata* Olivier, 1791  
*Neomida bicornis* (Fabricius, 1777)

*Platydema americanum* Laporte & Brullé, 1831

*Platydema teleops* Triplehorn, 1965

**Tribe Hypophtaeini Billberg, 1820**

*Corticeus praetermissus* (Fall, 1926)

*Corticeus tenuis* (LeConte, 1878)

**Tribe Scaphidemini Reitter, 1922**

*Scaphidema aeneolum* (LeConte, 1850)

**Subfamily STENOCHIINAE Kirby, 1837**

**Tribe Cnodalonini Oken, 1843**

*Alobates pennsylvanicus* (DeGeer, 1775)

*Iphthiminus opacus* (LeConte, 1866)

*Upis ceramboides* (Linnaeus, 1758)\*

*Xylopinus aenescens* LeConte, 1866

*Xylopinus saperdoides* (Olivier, 1795)

**Family SYNCHROIDAE Lacordaire, 1859**

(Synchroid beetles)

*Synchroa punctata* Newman, 1838

**Family STENOTRACHELIDAE C.G. Thomson, 1859**

(False long-horned beetles)

**Subfamily CEPHALOINAE LeConte, 1862**

*Cephaloon lepturoides* Newman, 1838

*Cephaloon unguare* LeConte, 1874

**Subfamily NEMATOPLINAE LeConte, 1862**

*Nematoplus collaris* LeConte, 1855

**Family OEDEMERIDAE Latreille, 1810**

(False blister beetles)

**Subfamily CALOPODINAE Costa, 1852**

*Calopus angustus* LeConte, 1851

**Subfamily OEDEMERINAE Latreille, 1810**  
**Tribe Asclerini Gistel, 1848**

*Asclera puncticollis* (Say, 1824)

*Asclera ruficollis* (Say, 1824)

**Tribe Ditylini Mulsant, 1858**

*Ditylus caeruleus* (Randall, 1838)

**Tribe Nacerdini Mulsant, 1858**

*Nacerdes melanura* (Linnaeus, 1758)†

**Family MELOIDAE Gyllenhal, 1810**  
(Blister beetles)

**Subfamily MELOINAE Gyllenhal, 1810**  
**Tribe Epicautini Parker & Böving, 1924**

*Epicauta cinerea* (Forster, 1771)

*Epicauta* (*Epicauta*) *funnebris* Horn, 1873

*Epicauta* (*Epicauta*) *pennsylvanica* (DeGeer, 1775)

*Epicauta* (*Macrobasis*) *murina* (LeConte, 1853)

**Tribe Lyttini Solier, 1851**

*Lytta* (*Pomphopoea*) *sayi* LeConte, 1853

**Tribe Meloini Gyllenhal, 1810**

*Meloe* (*Meloe*) *angusticollis* Say, 1824

*Meloe* (*Meloe*) *impressus* Kirby, 1837

**Family MYCTERIDAE Oken, 1853**  
(Mycterid beetles)

**Subfamily EURYPINAE J. Thomson, 1860**

*Lacconotus* (*Lacconotus*) *punctatus* LeConte, 1862

**Family BORIDAE C.G. Thomson, 1859**

(Conifer bark beetles)

**Subfamily BORINAE C.G. Thomson, 1859***Boros unicolor* Say, 1827*Lecontia discicollis* (LeConte, 1850)**Family PYTHIDAE Solier, 1834**

(Pythid beetles)

*Priognathus monilicornis* (Randall, 1838)*Pytho americanus* Kirby, 1837*Pytho niger* Kirby, 1837*Pytho seidlitzi* Blair, 1925*Pytho strictus* LeConte, 1866**Family PYROCHROIDAE Latreille, 1806**

(Fire-colored beetles)

**Subfamily PEDILINAE Lacordaire, 1859***Pedilus canaliculatus* (LeConte, 1866)*Pedilus elegans* (Hentz, 1830)*Pedilus lugubris* (Say, 1826)**Subfamily PYROCHROINAE Latreille, 1806***Dendroides canadensis* Latreille, 1810*Dendroides concolor* (Newman, 1838)***Dendroides testaceus* LeConte, 1855***Neopyrochroa femoralis* (LeConte, 1855)*Schizotus cervicalis* Newman, 1838**Family SALPINGIDAE Leach, 1815**

(Narrow-waisted bark beetles)

**Subfamily SALPINGINAE Leach, 1815***Rhinosimus viridiaeneus* Randall, 1838*Sphaeriestes virescens* (LeConte, 1850)

**Family ANTHICIDAE Latreille, 1819**

(Antlike flower beetles)

**Subfamily EURYGENIINAE LeConte, 1862**

**Tribe Eurygeniini LeConte, 1862**

*Stereopalpus rufipes* Casey, 1895

**Subfamily ANTHICINAE Latreille, 1819**

**Tribe Anthicini Latreille, 1819**

*Amblyderus pallens* (LeConte, 1850)

*Anthicus cervinus* LaFerté-Sénéctère, 1847

*Anthicus coracinus* LeConte, 1852

*Anthicus flavicans* LeConte, 1852

*Anthicus haldemani* LeConte, 1852

*Anthicus heroicus* Casey, 1895

*Anthicus melancholicus* LaFerté-Sénéctère, 1847

*Anthicus scabriceps* LeConte, 1850

*Malporus formicarius* (LaFerté-Sénéctère, 1847)

*Omonadus floralis* (Linnaeus, 1758)†

*Omonadus formicarius* (Goeze, 1777)†

*Sapintus pubescens* (LaFerté-Sénéctère, 1847)

*Sapintus pusillus* (LaFerté-Sénéctère, 1847)

**Subfamily NOTOXINAE Stephens, 1829**

*Notoxus anchora* Hentz, 1827

*Notoxus bifasciatus* (LeConte, 1847)

**Family ADERIDAE Csiki, 1909**

(Antlike leaf beetles)

**Tribe Aderini Csiki, 1909**

Subtribe Aderina Csiki, 1909

*Aderus populneus* (Creutzer, 1796)†

Subtribe Syzetoninina Báguena Corella, 1948

*Vanonus calvescens* Casey, 1895

*Vanonus huronicus* Casey, 1895

*Vanonus wickhami* Casey, 1895

**Tribe Euglenesini Seidlitz, 1875***Zonantes faciatus* (Melsheimer, 1846)*Zonantes pallidus* Werner, 1990**Family SCRAPTIIDAE Gistel, 1848**

(Scraptiid beetles)

**Subfamily SCRAPTIINAE Gistel, 1848****Tribe Scraptiini Gistel, 1848***Canifa pallipes* (Melsheimer, 1846)*Canifa pusilla* (Haldeman, 1848)**Subfamily ANASPIDINAE Mulsant, 1856****Tribe Anaspidini Mulsant, 1856***Anaspis flavipennis* Haldeman, 1848***Anaspis nigrina* Csiki, 1915***Anaspis rufa* Say, 1826**Family ISCHALIIDAE Blair, 1920***Ischalia costata* (LeConte, 1866)**Superfamily CHRYSOMELOIDEA Latreille, 1802****Family CERAMBYCIDAE Latreille, 1802**

(Longhorn beetles)

**Subfamily PARANDRINAE Blanchard, 1845****Tribe Parandrini Blanchard, 1845***Neandra brunnea* (Fabricius, 1798)**Subfamily PRIONINAE Latreille, 1802****Tribe Meroscelisini J. Thomson, 1860***Tragosoma harrisii* LeConte, 1851**Tribe Prionini Latreille, 1802***Orthosoma brunneum* (Forster, 1771)

**Subfamily LEPTURINAE Latreille, 1802****Tribe Desmocerini Blanchard, 1845***Desmocerus palliatus* (Forster, 1771)**Tribe Encyclopini LeConte, 1873***Encyclops caerulea* (Say, 1826)**Tribe Lepturini Latreille, 1802***Acmaeopsoides rufula* (Haldeman, 1847)*Analeptura lineola* (Say, 1824)*Anastrangalia sanguinea* (LeConte, 1859)*Anoplodera (Anoploderomorpha) pubera* (Say, 1826)*Bellamira scalaris* (Say, 1826)*Brachyleptura champlaini* Casey, 1913*Brachyleptura circumdata* (Olivier, 1795)*Brachyleptura rubrica* (Say, 1824)*Grammoptera haematites* (Newman, 1841)*Grammoptera subargentata* (Kirby, 1837)*Idiopidonia pedalis* (LeConte, 1861)*Judolia montivagans montivagans* (Couper, 1864)*Lepturobosca (Cosmosalia) chrysocoma* (Kirby, 1837)*Lepturoopsis biforis* (Newman, 1841)*Neoalosterna capitata* (Newman, 1841)*Pedostrangalia deleta* (LeConte, 1850)*Pedostrangalia plebeja* (Randall, 1838)*Pedostrangalia subhamata* (Randall, 1838)*Pygoleptura nigrella nigrella* (Say, 1826)*Stictoleptura canadensis canadensis* (Olivier, 1795)*Strangalepta abbreviata* (Germar, 1824)*Strophiona nitens* (Forster, 1771)*Trachysida aspera brevifrons* (Howden, 1959)*Trachysida mutabilis* (Newman, 1841)*Trigonarthris minnesotana* (Casey, 1913)*Trigonarthris proxima* (Say, 1824)*Typocerus acuticauda acuticauda* Casey, 1913*Typocerus sparsus* LeConte, 1878*Typocerus velutinus velutinus* (Olivier, 1795)*Xestoleptura tibialis* (LeConte, 1850)

**Tribe Oxymirini Danilevsky, 1997***Anthophylax attenuatus* (Haldeman, 1847)*Anthophylax cyaneus* (Haldeman, 1847)*Anthophylax viridis* LeConte, 1850**Tribe Rhagiini Kirby, 1837***Acmaeops discoideus* (Haldeman, 1847)*Acmaeops proteus proteus* (Kirby, 1837)*Brachysomida bivittata* (Say, 1824)*Centrodera decolorata* (Harris, 1841)*Evodinus monticola monticola* (Randall, 1838)*Gaurotes cyanipennis* (Say, 1824)*Gnathacmaeops pratensis* (Laicharting, 1784)\**Pidonia (Pidonia) ruficollis* (Say, 1824)*Pidonia (Pidonia) vibex* (Newman, 1841)*Rhagium inquisitor* (Linnaeus, 1758)\**Stenocorus schaumii* (LeConte, 1850)*Stenocorus vittiger* (Randall, 1838)**Tribe Sachalinobiini Danilevsky, 2010***Sachalinobia rugipennis* (Newman, 1844)**Subfamily SPONDYLIDINAE Audinet-Serville, 1832****Tribe Asemiini J. Thomson, 1860***Arhopalus foveicollis* (Haldeman, 1847)*Arhopalus obsoletus* (Randall, 1838)*Asemum striatum* (Linnaeus, 1758)\**Tetropium cinnamopterum* Kirby, 1837*Tetropium fuscum* (Fabricius, 1787)†*Tetropium schwarzianum* Casey, 1891**Tribe Atimiini LeConte, 1873***Atimia confusa confusa* (Say, 1826)**Tribe Spondylidini Audinet-Serville, 1832***Neospondylis upiformis* (Mannerheim, 1843)

**Subfamily CERAMBYCINAE Latreille, 1802**  
**Tribe Anaglyptini Lacordaire, 1868**

*Cyrtophorus verrucosus* (Olivier, 1795)  
*Microclytus compressicollis* (Laporte & Gory, 1835)

**Tribe Callidiini Kirby, 1837**

*Callidium frigidum* Casey, 1912  
*Callidium violaceum* (Linnaeus, 1758)†  
*Phymatodes aereus* (Newman, 1838)  
*Phymatodes amoenus* (Say, 1824)  
*Phymatodes dimidiatus* (Kirby, 1837)  
*Phymatodes maculicollis* LeConte, 1878  
*Phymatodes testaceus* (Linnaeus, 1758)†  
*Pronocera collaris collaris* (Kirby, 1837)  
*Ropalopus sanguinicollis* (Horn, 1860)  
*Semanotus ligneus* (Fabricius, 1787)  
*Semanotus terminatus* (Casey, 1912)

**Tribe Clytini Mulsant, 1839**

*Clytus marginicollis* Laporte & Gory, 1835  
*Clytus ruricola* (Olivier, 1795)  
*Glycobius speciosus* (Say, 1828)  
*Megacyllene robiniae* (Forster, 1771)  
*Neoclytus acuminatus acuminatus* (Fabricius, 1775)  
*Neoclytus leucozonus leucozonus* (Laporte & Gory, 1835)  
*Neoclytus mucronatus mucronatus* (Fabricius, 1775)  
*Sarosestes fulminans* (Fabricius, 1775)  
*Xylotrechus aceris* Fisher, 1917  
*Xylotrechus annosus annosus* (Say, 1826)  
*Xylotrechus colonus* (Fabricius, 1775)  
*Xylotrechus integer* (Haldeman, 1847)  
*Xylotrechus quadrimaculatus* (Haldeman, 1847)  
*Xylotrechus sagittatus sagittatus* (Germar, 1821)  
*Xylotrechus undulatus* (Say, 1824)

**Tribe Elaphidiini J. Thomson, 1864**

*Anelaphus parallelus* (Newman, 1840)  
*Anelaphus villosus* (Fabricius, 1793)  
*Psyrassa unicolor* (Randall, 1838)

**Tribe Hesperophanini Mulsant, 1839***Tylonotus bimaculatus* Haldeman, 1847**Tribe Molorchini Gistel, 1848***Molorchus bimaculatus bimaculatus* Say, 1824**Tribe Oabriini Mulsant, 1839***Obrium rufulum* Gahan, 1908**Tribe Stenopterini Gistel, 1848***Callimoxys sanguinicollis* (Olivier, 1795)**Tribe Trachyderini Dupont, 1836**

Subtribe Trachyderina Dupont, 1836

*Purpuricenus humeralis* (Fabricius, 1798)**Subfamily LAMIINAE Latreille, 1825****Tribe Acanthocinini Blanchard, 1845**

*Acanthocinus pusillus* (Kirby, 1837)  
*Astyleiopus variegatus* (Haldeman, 1847)  
*Astylopsis collaris* (Haldeman, 1847)  
*Astylopsis macula* (Say, 1826)  
*Astylopsis sexguttata* (Say, 1826)  
*Graphisurus fasciatus* (DeGeer, 1775)  
*Hyperplatys aspersa* (Say, 1824)  
*Hyperplatys maculata* Haldeman, 1847  
*Lepturges angulatus* (LeConte, 1852)  
*Lepturges symmetricus* (Haldeman, 1847)  
*Sternidius misellus* (LeConte, 1852)  
*Urgleptes querci* (Fitch, 1858)  
*Urgleptes signatus* (LeConte, 1852)

**Tribe Acanthoderini J. Thomson, 1860**

*Aegomorphus modestus* (Gyllenhal, 1817)  
*Oplosia nubila* (LeConte, 1862)

**Tribe Desmiphorini J. Thomson, 1860**

*Eupogonius subarmatus* (LeConte, 1859)

*Psenocerus supernotatus* (Say, 1823)

**Tribe Monochamini Gistel, 1848**

*Microgoes oculatus* (LeConte, 1862)

*Monochamus carolinensis* (Olivier, 1795)

*Monochamus marmorator* Kirby, 1837

*Monochamus mutator* LeConte, 1850

*Monochamus notatus* (Drury, 1773)

*Monochamus scutellatus* (Say, 1824)

**Tribe Phytoeciini Mulsant, 1839**

*Oberea affinis* Leng & Hamilton, 1896

*Oberea myops* Haldeman, 1847

*Oberea pallida* Casey, 1913

*Oberea praelonga* Casey, 1913

*Oberea schaumii* LeConte, 1852

*Oberea tripunctata* (Swederus, 1787)

**Tribe Pogonocherini Mulsant, 1839**

*Pogonocherus mixtus* Haldeman, 1847

*Pogonocherus parvulus* LeConte, 1852

*Pogonocherus pencillatus* LeConte, 1850

**Tribe Saperdini Mulsant, 1839**

*Saperda calcarata* Say, 1824

*Saperda candida* Fabricius, 1787

*Saperda fayi* Bland, 1863

*Saperda imitans* Felt & Joutel, 1904

*Saperda inornata* Say, 1824

*Saperda lateralis* Fabricius, 1775

*Saperda obliqua* Say, 1826

*Saperda populnea moesta* LeConte, 1850

*Saperda tridentata* Olivier, 1795

*Saperda vestita* Say, 1824

**Tribe Tetropini Portevin, 1927***Tetrops praeusta* (Linnaeus, 1758)†**Family MEGALOPODIDAE Latreille, 1802**

(Megalopodid leaf beetles)

**Subfamily ZEUGOPHORINAE Böving & Craighead, 1931***Zeugophora (Zeugophora) abnormis* (LeConte, 1850)*Zeugophora (Zeugophora) puberula* Crotch, 1873*Zeugophora (Zeugophora) scutellaris* Suffrian, 1840†*Zeugophora (Zeugophora) varians* Crotch, 1873**Family ORSODACNIDAE C.G. Thomson, 1859**

(Orsodacnid leaf beetles)

**Subfamily ORSODACNINAE C.G. Thomson, 1859***Orsodacne atra* (Ahrens, 1810)**Family CHRYSOMELIDAE Latreille, 1802**

(Leaf beetles)

**Subfamily BRUCHINAE Latreille, 1802****Tribe Bruchini Latreille, 1802**

Subtribe Acanthoscelidina Bridwell, 1946

*Acanthoscelides obtectus* (Say, 1831)†*Bruchidius villosus* (Fabricius, 1775)†*Meibomeus musculus* (Say, 1831)

Subtribe Bruchina Latreille, 1802

*Bruchus pisorum* (Linnaeus, 1758)†

Subtribe Megacerina Bridwell, 1946

*Megacerus (Megacerus) discoidus* (Say, 1824)**Subfamily DONACIINAE Kirby, 1837****Tribe Donaciini Kirby, 1837***Donacia (Donacia) cincticornis* Newman, 1838

- Donacia (Donacia) palmata* Olivier, 1795  
*Donacia (Donacia) piscatrix* Lacordaire, 1845  
*Donacia (Donacia) proxima* Kirby, 1837  
*Donacia (Donaciomima) caerulea* Olivier, 1795  
*Donacia (Donaciomima) confluenta* Say, 1826  
*Donacia (Donaciomima) distincta* LeConte, 1851  
*Donacia (Donaciomima) fulgens* LeConte, 1851  
*Donacia (Donaciomima) hirticollis* Kirby, 1837  
*Donacia (Donaciomima) magnifica* LeConte, 1851  
*Donacia (Donaciomima) porosicollis* Lacordaire, 1845  
*Donacia (Donaciomima) rugosa* LeConte, 1878  
*Donacia (Donaciomima) subtilis* Kunze, 1818  
*Donacia (Donaciomima) tuberculifrons* C. Schaeffer, 1919

### Tribe Haemoniini Chen, 1941

- Neohaemonia melsheimeri* (Lacordaire, 1845)  
*Neohaemonia nigricornis* (Kirby, 1837)

### Tribe Plateumarini Böving, 1922

- Plateumaris balli* Askevold, 1991  
*Plateumaris flavipes* (Kirby, 1837)  
*Plateumaris frosti* (C. Schaeffer, 1925)  
*Plateumaris fulvipes* (Lacordaire, 1845)  
*Plateumaris germari* (Mannerheim, 1843)  
*Plateumaris metallica* (Ahrens, 1810)  
*Plateumaris nitida* (Germar, 1811)  
*Plateumaris pusilla* (Say, 1826)  
*Plateumaris rufa* (Say, 1826)  
*Plateumaris shoemakeri* (C. Schaeffer, 1925)

### Subfamily CRIOCERINAE Latreille, 1804

#### Tribe Criocerini Latreille, 1804

- Crioceris asparagi* (Linnaeus, 1758)†  
*Crioceris duodecimpunctata* (Linnaeus, 1758)†  
*Liliocerus lilii* (Scopoli, 1763)†

#### Tribe Lemini Gyllenhal, 1813

- Lema (Lema) puncticollis* (Curtis, 1830)†  
*Oulema (Oulema) melanopus* (Linnaeus, 1758)†

**Subfamily CASSIDINAE Gyllenhal, 1813**  
**Tribe Cassidini Gyllenhal, 1813**

- Cassida* (*Cassida*) *rubiginosa* O.F. Müller, 1776†  
*Charidotella* (*Chaerocassis*) *purpurata* (Boheman, 1855)  
*Charidotella* (*Charidotella*) *sexpunctata bicolor* (Fabricius, 1798)  
*Deloyala guttata* (Olivier, 1790)  
*Plagiometriona clavata clavata* (Fabricius, 1798)

**Tribe Chalepini Weise, 1910**

- Anisostena* (*Anisostena*) *nigrita* (Olivier, 1808)  
*Baliosus nervosus* (Panzer, 1794)  
*Odontota dorsalis* (Thunberg, 1805)  
*Sumitrosis inaequalis* (Weber, 1801)  
*Sumitrosis rosea* (Weber, 1801)

**Tribe Uroplatini Weise, 1910**

- Glyphuroplata pluto* (Newman, 1840)  
*Microrhopala excavata excavata* (Olivier, 1808)  
*Microrhopala vittata* (Fabricius, 1798)  
*Microrhopala xerene* (Newman, 1838)

**Subfamily CHRYSOMELINAE Latreille, 1802**  
**Tribe Chrysomelini Latreille, 1802**

- Calligrapha* (*Bidensomela*) *bidenticola* W.J. Brown, 1945  
*Calligrapha* (*Bidensomela*) *californica coreopsivora* W.J. Brown, 1945  
*Calligrapha* (*Calligrapha*) *alni* C. Schaeffer, 1928  
*Calligrapha* (*Calligrapha*) *alnicola* W.J. Brown, 1945  
*Calligrapha* (*Calligrapha*) *confluens* C. Schaeffer, 1928  
*Calligrapha* (*Calligrapha*) *ignota* W.J. Brown, 1945  
*Calligrapha* (*Calligrapha*) *multipunctata* (Say, 1824)  
*Calligrapha* (*Calligrapha*) *philadelphica* (Linnaeus, 1758)  
*Calligrapha* (*Calligrapha*) *rowena* Knab, 1909  
*Calligrapha* (*Calligrapha*) *suturella* C. Schaeffer, 1933  
*Calligrapha* (*Calligrapha*) *tiliae* W.J. Brown, 1945  
*Calligrapha* (*Calligrapha*) *vicina* C. Schaeffer, 1933  
*Calligrapha* (*Calligrapha*) *virginea* W.J. Brown, 1945  
*Calligrapha* (*Graphicallo*) *lunata* (Fabricius, 1787)  
*Chrysolina* (*Chalcoidea*) *marginata marginata* (Linnaeus, 1758)  
*Chrysolina* (*Hypericia*) *hyperici hyperici* (Forster, 1771)†  
*Chrysolina* (*Hypericia*) *quadrigemina* (Suffrian, 1851)†

*Chrysomela (Chrysomela) crotchii* W.J. Brown, 1956  
*Chrysomela (Macrolina) laurentia* W.J. Brown, 1956  
*Chrysomela (Macrolina) lineatopunctata* (Forster, 1771)  
*Chrysomela (Macrolina) mainensis mainensis* Bechyné, 1954  
*Gastrophysa (Gastrophysa) polygoni* (Linnaeus, 1758)†  
*Gonioctena (Gonioctena) americana* (C. Schaeffer, 1924)  
*Labidomera clivicollis* (Kirby, 1837)  
*Leptinotarsa decemlineata* (Say, 1824)  
*Phaedon (Phaedon) armoraciae armoraciae* (Linnaeus, 1758)†  
*Phaedon (Phaedon) laevigatus* (Duftschmid, 1825)†  
*Phaedon (Phaedon) oviformis* (LeConte, 1861)  
*Phaedon (Phaedon) viridis* Melsheimer, 1847  
*Phratora (Phratora) americana canadensis* W.J. Brown, 1951  
*Phratora (Phratora) purpurea purpurea* W.J. Brown, 1951  
*Plagioderia (Plagioderia) versicolora* (Laicharting, 1781)†  
*Prasocuris (Hydrothassa) vittata* (Olivier, 1807)

**Subfamily GALERUCINAE Latreille, 1802**  
**Tribe Alticini Newman, 1834**

*Altica (Altica) ambiens alni* Harris, 1869  
*Altica (Altica) browni* Mohamedsaid, 1984  
*Altica (Altica) carinata* Germar, 1824  
*Altica (Altica) chalybaea* Illiger, 1807  
*Altica (Altica) corni* Woods, 1918  
*Altica (Altica) kalmiae* (Melsheimer, 1847)  
*Altica (Altica) knabii* (Blatchley, 1910)  
*Altica (Altica) prasina populi* W.J. Brown, 1938  
*Altica (Altica) rosae* Woods, 1918  
*Altica (Altica) sylvia* Malloch, 1919  
*Altica (Altica) tombacina* Mannerhiem, 1853  
*Altica (Altica) ulmi* Woods, 1918  
*Altica (Altica) woodsii* Isely, 1920  
*Capraita subvittata* (Horn, 1889)  
*Chaetocnema borealis* R. White, 1996  
*Chaetocnema concinna* (Marshall, 1802)†  
*Chaetocnema confinis* Crotch, 1873  
*Chaetocnema minuta* Melsheimer, 1847  
*Chaetocnema protensa* LeConte, 1878  
*Crepidodera heikertingeri* (Lazorko, 1974)  
*Crepidodera luminosa* Parry, 1986  
*Crepidodera nana* (Say, 1824)  
*Crepidodera populivora* Parry, 1986  
*Crepidodera violacea* Melsheimer, 1847

*Dibolia borealis* Chevrolat, 1834  
*Dibolia chelones* Parry, 1974  
*Dibolia melampyri* Parry, 1974  
*Disonycha alternata* (Illiger, 1807)  
*Disonycha latifrons* C. Schaeffer, 1919  
*Disonycha procera* Casey, 1884  
*Disonycha uniguttata* (Say, 1824)  
*Disonycha xanthomelas* (Dalman, 1823)  
*Distigmoptera borealis* Blake, 1943  
*Distigmoptera impennata* Blake, 1943  
*Epitrix cucumeris* (Harris, 1851)  
*Hippuriphila canadensis* W.J. Brown, 1942  
*Kuschelina vians* (Illiger, 1807)  
*Longitarus erro* Horn, 1889  
***Longitarsus ganglbauri* Heikertinger, 1873†**  
*Longitarsus jacobaeae* Waterhouse, 1858†  
*Longitarsus luridis* (Scopoli, 1763)†  
***Longitarsus rubiginosus* (Foudras, 1859)†**  
*Longitarsus testaceus* Melsheimer, 1847  
*Mantura chrysanthemi* (Koch, 1803)†  
*Neocrepidodera robusta* (LeConte, 1874)  
*Phyllotreta aerea* Allard, 1859  
*Phyllotreta armoraciae* (Koch, 1803)†  
*Phyllotreta cruciferae* (Goeze, 1777)†  
*Phyllotreta robusta* LeConte, 1878  
*Phyllotreta striolata* (Fabricius, 1803)†  
*Phyllotreta zimmermanni* (Crotch, 1873)\*  
*Psylliodes affinis* (Paykull, 1799)†  
*Psylliodes cucullatus* (Illiger, 1807)†  
*Psylliodes napi* (Fabricius, 1792)†  
***Psylliodes picinus* (Marsham, 1802)†**  
*Psylliodes punctulatus* Melsheimer, 1847  
*Systema frontalis* (Fabricius, 1801)  
*Systema hudsonias* (Forster, 1771)

### Tribe Galerucini Latreille, 1802

*Erynephalia maritima* (LeConte, 1865)  
*Galerucella* (*Galerucella*) *nymphaeae* (Linnaeus, 1758)\*  
*Neogalerucella californiensis* (Linnaeus, 1767)†  
*Neogalerucella pusilla* (Duftschmid, 1825)†  
*Ophraella communis* LeSage, 1986  
*Ophraella conferta* (LeConte, 1865)  
*Ophraella cribrata* (LeConte, 1865)

*Ophraella notata* (Fabricius, 1801)  
*Pyrrhalta viburni* (Paykull, 1799)†  
*Tricholochmaea alni* (Fall, 1924)  
*Tricholochmaea cavicollis* (LeConte, 1865)  
*Tricholochmaea decora decora* (Say, 1824)  
*Tricholochmaea kalmiae* (Fall, 1924)  
*Tricholochmaea perplexa* (Fall, 1924)  
*Tricholochmaea ribicola ribicola* (W.J. Brown, 1938)  
*Tricholochmaea rufosanguinea* (Say, 1826)  
*Tricholochmaea spiraeae* (Fall, 1924)  
*Tricholochmaea tuberculata* (Say, 1824)  
*Tricholochmaea vaccinii* (Fall, 1924)  
*Trirhabda borealis* Blake, 1931  
*Trirhabda canadensis* (Kirby, 1837)  
*Trirhabda virgata* LeConte, 1865  
*Xanthogaleruca luteola* (O.F. Müller, 1766)†

### Tribe Luperini Gistel, 1848

*Acalymma gouldi* Barber, 1947  
*Acalymma vittatum* (Fabricius, 1775)  
*Diabrotica barberi* R.F. Smith & Lawrence, 1967  
*Diabrotica undecimpunctata howardi* Barber, 1947  
*Phyllobrotica decorata* (Say, 1824)  
*Phyllobrotica limbata* (Fabricius, 1801)  
*Scelolyperus meracus* (Say, 1826)

### Subfamily CRYPTOCEPHALINAE Gyllenhal, 1813

#### Tribe Cryptocephalini Gyllenhal, 1813

Subtribe Cryptocephalina Gyllenhal, 1813

*Bassareus formosus* (Melsheimer, 1847)  
*Bassareus mammifer* (Newman, 1840)  
*Cryptocephalus gibbicollis gibbicollis* Haldeman, 1849  
*Cryptocephalus notatus* Fabricius, 1787  
*Cryptocephalus venustus* Fabricius, 1787  
*Diachus auratus* (Fabricius, 1801)  
*Diachus catarius* (Suffrian, 1852)  
*Triachus vacuus* LeConte, 1880

Subtribe Monachulina Leng, 1920

*Lexiphanes saponatus* (Fabricius, 1801)

## Subtribe Pachybrachina Chapuis, 1874

- Pachybrachis (Pachybrachis) bivittatus* (Say, 1824)  
*Pachybrachis (Pachybrachis) hepaticus hepaticus* (Melsheimer, 1847)  
*Pachybrachis (Pachybrachis) m-nigrum* (Melsheimer, 1847)  
*Pachybrachis (Pachybrachis) nigricornis* (Say, 1824)  
*Pachybrachis (Pachybrachis) obsoletus* Suffrian, 1852  
*Pachybrachis (Pachybrachis) peccans* Suffrian, 1852  
***Pachybrachis (Pachybrachis) tridens* (Melsheimer, 1847)**

## Tribe Fulcidacini Jakobson, 1924

- Exema canadensis* Pierce, 1940  
***Neochlamisus bebbiane* (W.J. Brown, 1943)**  
***Neochlamisus chamaedaphnes* (W.J. Brown, 1943)**  
*Neochlamisus comptoniae* (W.J. Brown, 1943)  
*Neochlamisus cribripennis* (LeConte, 1878)  
*Neochlamisus eubati* (W.J. Brown, 1943)  
*Neochlamisus fragariae* (W.J. Brown, 1943)

## Subfamily EUMOLPINAE Hope, 1840

## Tribe Bromiini Baly, 1865

- Bromius obscurus* (Linnaeus, 1758)\*  
*Graphops pubescens* (Melsheimer, 1847)  
*Xanthonia decemnotata* (Say, 1824)  
***Xanthonia villosula* (Melsheimer, 1847)**

## Tribe Eumolpini Hope, 1840

- Chrysochus auratus* (Fabricius, 1775)

## Tribe Typophorini Baly, 1865

- Paria fragariae fragariae* Wilcox, 1954  
***Paria pratensis* Balsbaugh, 1970**  
*Paria thoracica* (Melsheimer, 1847)

## Subfamily SYNETINAE LeConte &amp; Horn, 1883

- Syneta extorris borealis* W. J. Brown, 1961  
*Syneta ferruginea* (Germar, 1811)

*Syneta pilosa* W.J. Brown, 1940

**Superfamily CURCULIONOIDEA Latreille, 1802**

**Family NEMONYCHIDAE Bedel, 1882**

(Pine flower snout beetles)

**Subfamily CIMBERIDINAE Gozis, 1882**

**Tribe Cimberidini Gozis, 1882**

*Cimberis elongata* (LeConte, 1876)

***Cimberis pallipennis* (Blatchley, 1916)**

*Cimberis pilosa* (LeConte, 1876)

**Family ANTHRIBIDAE Billberg, 1820**

(Fungus weevils)

**Subfamily ANTHRIBINAE Billberg, 1820**

**Tribe Cratoparini LeConte, 1876**

*Euparius marmoreus* (Olivier, 1795)

*Euparius paganus* Gyllenhal, 1833

**Tribe Stenocerini Kolbe, 1895**

*Allandrus bifasciatus* LeConte, 1876

*Allandrus populi* Pierce, 1930

**Tribe Trigonorhinini Valentine, 1999**

*Trigonorhinus sticticus* (Boheman, 1833)

**Tribe Tropiderini Lacordaire, 1865**

*Eurymycter fasciatus* (Olivier, 1795)

*Eurymycter latifascia* (Pierce, 1930)

*Gonotropis dorsalis* (Thunberg, 1796)\*

**Tribe Zygaenodini Lacordaire, 1865**

***Eusphyrus walshii* LeConte, 1876**

*Ormiscus saltator* LeConte, 1876

**Subfamily CHORAGINAE Kirby, 1819**  
**Tribe Choragini Kirby, 1819**

*Choragus harrisii* LeConte, 1878

*Choragus sayi* LeConte, 1876

*Charagus zimmermanni* LeConte, 1878

*Euxenus punctatus* LeConte, 1876

**Family ATTELABIDAE Billberg, 1820**  
 (Leaf-rolling weevils)

**Subfamily ATTELABINAE Billberg, 1820**  
**Tribe Attelabini Billberg, 1820**  
 Subtribe Himatolabina Legalov, 2003

*Himatolabus pubescens* (Say, 1826)

**Subfamily RHYNCHITINAE Gistel, 1848**  
**Tribe Auletini Desbrochers des Loges, 1908**  
 Subtribe Auletina Desbrochers des Loges, 1908

*Auletobius (Mesauletes) cassandrae* (LeConte, 1876)

**Tribe Rhynchitini Gistel, 1848**

*Temnocerus cyanellus* (LeConte, 1876)

*Temnocerus perplexus* (Blatchley, 1916)

**Family BRENTIDAE Billberg, 1820**  
 (Straight-snouted weevils)

**Subfamily Brentinae Billberg, 1820**  
**Tribe Brentini Billberg, 1820**  
 Subtribe Arrhenodina Lacordaire, 1865

*Arrhenodes minutus* (Drury, 1773)

**Subfamily APIONINAE Schönherr, 1823**  
**Supertribe APIONITAE Schönherr, 1823**  
**Tribe Apionini Schönherr, 1823**  
 Subtribe Aplemonina Kissinger, 1968

*Perapion curtirostre* (Germar, 1817)†

Subtribe Ixapiina Alonso-Zarazaga, 1990

*Neapion (Xixias) frosti* (Kissinger, 1968)

Subtribe Oxystematina Alonso-Zarazaga, 1990

*Loborhynchapion cyanitinctum* (Fall, 1827)

Subtribe Piezotrachelina Voss, 1959

*Fallapion finitimum* (Fall, 1898)

*Fallapion pennsylvanicum* (Boheman, 1839)

Subtribe Synapiina Alonso-Zarazaga, 1990

*Ischnoterapion (Chorapion) virens* (Herbst, 1797)†

Subtribe Trichapiina Alonso-Zarazaga, 1990

*Betulapion simile walshii* (J.B. Smith, 1884)

*Trichapion nigrum* (Herbst, 1797)

*Trichapion porcatum* (Boheman, 1839)

*Trichapion reconditum* (J.B. Smith, 1884)

Apionini Incertae Sedis

*Coelocephalapion emaciipes* (Fall, 1898)

**Tribe Podapiini Wanat, 2001**

*Podapion gallicolla* Riley, 1883

**Subfamily NANOPHYINAE Gistel, 1848**

**Tribe Nanophyini Gistel, 1848**

*Nanophyes marmoratus marmoratus* (Goeze, 1777)†

**Family DRYOPHTHORIDAE Schönherr, 1825**

**Subfamily DRYOPHTHORINAE Schönherr, 1825**

*Dryophthorus americanus* Bedel, 1885

**Subfamily RHYNCHOPHORINAE Schönherr, 1833**  
**Tribe Litosomini Lacordaire, 1865**

*Sitophilus granarius* (Linnaeus, 1758)†

*Sitophilus oryzae* (Linnaeus, 1763)†

**Tribe Sphenophorini Lacordaire, 1865**

*Sphenophorus costipennis* Horn, 1873

*Sphenophorus parvulus* Gyllenhal, 1838

*Sphenophorus pertinax pertinax* (Olivier, 1807)

*Sphenophorus striatipennis* Chittenden, 1905

*Sphenophorus venatus venatus* (Say, 1832)

*Sphenophorus zeae* Walsh, 1867

**Family BRACHYCERIDAE Billberg, 1820**  
**Subfamily ERIRHININAE Schönherr, 1825**  
**Tribe Erirhinini Schönherr, 1825**

*Grypus equiseti* (Fabricius, 1775)\*

*Notaris aethiops* (Fabricius, 1792)\*

*Notaris puncticollis* (LeConte, 1876)

***Procas lecontei* Bedel, 1879**

*Tournotaris bimaculata* (Fabricius, 1787)\*

*Notiodes ovalis* (LeConte, 1876)

*Onychylis nigrirostris* (Boheman, 1843)

**Tribe Tanysphyrini Gistel, 1848**

*Tanysphyrus lemnae* (Fabricius, 1792)†

**Family CURCULIONIDAE Latreille, 1802**  
(Snout beetles)

**Subfamily CURCULIONINAE Latreille, 1802**  
**Tribe Acalyptini C.G. Thomson, 1859**  
Subtribe Acalyptina C.G. Thomson, 1859

*Acalyptus carpini* (Fabricius, 1792)

**Tribe Anthonomini C.G. Thomson, 1859**

*Anthonomus* (*Anthonomus*) *corvulus* LeConte, 1876

*Anthonomus (Anthonomus) haematopus* Boheman, 1843  
*Anthonomus (Anthonomus) interstitialis* Dietz, 1891  
*Anthonomus (Anthonomus) lecontei* Burke, 1975  
*Anthonomus (Anthonomus) molochinus* Dietz, 1891  
***Anthonomus (Anthonomus) pusillus* LeConte, 1876**  
*Anthonomus (Anthonomus) robustulus* LeConte, 1876  
*Anthonomus (Anthonomus) rutilus* (Boheman, 1843)  
*Anthonomus (Anthonomus) signatus* Say, 1832  
*Anthonomus (Anthonomus) simiolus* Blatchley, 1916  
*Anthonomus (Anthonomus) subfasciatus* LeConte, 1876  
*Anthonomus (Cnemocyllus) elongatus* LeConte, 1876  
***Anthonomus (Cnemocyllus) pictus* Blatchley, 1922**  
*Anthonomus (Paranthonomus) profundus* LeConte, 1876  
*Anthonomus (Tachypterellus) quadrigibbus* Say, 1832  
*Pseudanthonomus crataegi* (Walsh, 1867)  
*Pseudanthonomus seriesetosus* Dietz, 1891  
*Pseudanthonomus validus* Dietz, 1891

#### Tribe Curculionini Latreille, 1802

Subtribe Archariina Pelsue & O'Brien, 2011

#### ***Archarius salicivorus* (Paykull, 1792)†**

Subtribe Curculionina Latreille, 1802

*Curculio nasicus* (Say, 1831)  
*Curculio obtusus* (Blanchard, 1884)  
*Curculio sulcatulus* (Casey, 1897)

#### Tribe Ellescini C.G. Thomson, 1859

Subtribe Dorytomina Bedel, 1886

*Dorytomus frostii* Blatchley, 1916  
***Dorytomus hirtus* LeConte, 1876**  
*Dorytomus laticollis* LeConte, 1876  
*Dorytomus luridis* (Mannerheim, 1853)  
*Dorytomus marmoreus* Casey, 1892  
*Dorytomus parvicollis* Casey, 1892  
*Dorytomus vagenotatus* Casey, 1892

Subtribe Ellescina C.G. Thomson, 1859

#### ***Ellescus bipunctatus* (Linnaeus, 1758)**

*Ellescus ephippiatus* (Say, 1832)  
*Proctorus armatus* LeConte, 1876  
*Proctorus decipiens* (LeConte, 1876)

### Tribe Mecinini Gistel, 1848

*Cleopomiarus hispidulus* (LeConte, 1876)  
***Mecinus janthinus* (Germar, 1821)†**  
*Rhinusa antirrhini* (Paykull, 1800)†  
*Rhinusa tetra* (Fabricius, 1792)†

### Tribe Otidocephalini Lacordaire, 1863

***Myrmex chevrolatii* (Horn, 1873)**

### Tribe Piazorhinini Lacordaire, 1863

*Piazorhinus pictus* LeConte, 1876  
*Piazorhinus scutellaris* (Say, 1826)

### Tribe Rhamphini Rafinesque, 1815

Subtribe Rhamphina Rafinesque, 1815

*Isochnus rufipes* (LeConte, 1876)  
*Isochnus sequensi* (Stierlin, 1894)†  
*Orchestes mixtus* Blatchley, 1916  
*Orchestes pallicornis* Say, 1832  
*Orchestes testaceus* (O.F. Müller, 1776)\*  
*Tachyerges ephippiatus* (Say, 1832)  
*Tachyerges niger* (Horn, 1873)  
*Tachyerges salicis* (Linnaeus, 1758)\*

### Tribe Smicronychini Seidlitz, 1891

*Smicronyx* (*Pseudosmicronyx*) *corniculatus* (Fähræus, 1843)

### Tribe Tychiini Gistel, 1848

Subtribe Lignyodina Bedel, 1883

*Lignyodes biscoffi* (Blatchley, 1916)  
*Lignyodes helvolus* (LeConte, 1876)  
*Lignyodes horridulus* (Casey, 1892)

Subtribe Tychiina Gistel, 1848

- Tychius meliloti* Stephens, 1831†  
*Tychius picirostris* (Fabricius, 1787)†  
*Tychius stephensi* Schönherr, 1836†

**Subfamily BAGOINAE C.G. Thomson, 1859**

- Bagous nebulosus* LeConte, 1876  
*Bagous obliquus* LeConte, 1876  
*Bagous planatus* LeConte, 1876

**Subfamily BARIDINAE Schönherr, 1836**

**Tribe Apostasimerini Schönherr, 1844**

Subtribe Zygoberidina Pierce, 1907

- Cylindridia prolixa* (LeConte, 1876)  
*Dirabius* (*Dirabius*) *rectirostris* (LeConte, 1876)  
*Stethobaris commixta* Blatchley, 1916  
*Stethobaris ovata* (LeConte, 1868)

**Tribe Baridini Schönherr, 1836**

Subtribe Baridina Schönherr, 1836

- Cosmobaris scolopacea* Germar, 1819†  
*Plesiobaris disjuncta* Casey, 1892

**Tribe Madarini Jekel, 1865**

Subtribe Leptoschoinina Lacordaire, 1865

- Odontocorynus salebrosus* (Casey, 1892)

Subtribe Madarina Jekel, 1865

- Madarellus undulatus* (Say, 1824)

**Subfamily CEUTORHYNCHINAE Gistel, 1848**

**Tribe Ceutorhynchini Gistel, 1848**

- Amalus scortillum* (Herbst, 1795)†  
*Ceutorhynchus americanus* Buchanan, 1937  
*Ceutorhynchus erysimi* (Fabricius, 1787)†  
*Ceutorhynchus hamiltoni* Dietz, 1896

*Ceutorhynchus neglectus* Blatchley, 1916  
*Ceutorhynchus obstructus* (Marsham, 1802)†  
*Ceutorhynchus omissus* Fall, 1917  
*Ceutorhynchus querceti* (Gyllenhal, 1813)\*  
*Ceutorhynchus semirufus* LeConte, 1876  
*Ceutorhynchus typhae* (Herbst, 1795)†  
*Glocianus punctiger* (C.R. Sahlberg, 1835)†  
***Microplontus campestris* (Gyllenhal, 1837)†**  
*Nedyus apicalis* (Dietz, 1896)

### Tribe Cnemogonini Colonnelli, 1979

*Acanthoscelidius acephalus* (Say, 1824)  
*Auleutes epilobii* (Paykull, 1800)\*  
*Auleutes tenuipes* (LeConte, 1876)  
*Cnemogonus lecontei* Dietz, 1896  
*Dietzella zimmermanni* (Gyllenhal, 1837)  
*Parauleutes nebulosus* (LeConte, 1876)  
*Perigaster cretura* (Herbst, 1797)  
*Perigaster liturata* (Dietz, 1896)

### Tribe Mononychini LeConte, 1876

*Mononychus vulpeculus* (Fabricius, 1801)

### Tribe Phytobiini Gistel, 1848

*Eubrychiopsis lecontei* (Dietz, 1896)  
*Parenthis vestitus* Dietz, 1896  
*Pelenomus fuliginosus* (Dietz, 1896)  
*Pelenomus squamosus* LeConte, 1876  
*Pelenomus sulcicollis* (Fåhraeus, 1843)  
***Pelenomus waltoni* (Boheman, 1843)†**  
***Rhinoncus bruchoides* (Herbst, 1784)†**  
*Rhinoncus leucostigma* (Marsham, 1802)†  
*Rhinoncus pericarpus* (Linnaeus, 1758)  
*Rhinoncus longulus* LeConte, 1876  
*Rhinoncus pericarpus* (Linnaeus, 1758)†  
*Rhinoncus castor* (Fabricius, 1792)  
***Rhinoncus perpendicularis* (Reich, 1797)†**  
*Rhinoncus pyrrhopus* Boheman, 1845†

**Tribe Scleropterini Schultze, 1902**

*Acallodes saltoides* Dietz, 1896

**Subfamily CONODERINAE Schönherr, 1833**

**Tribe Lechriopini Lacordaire, 1865**

*Acoptus suturalis* LeConte, 1876

*Lechriops oculatus* (Say, 1824)

*Psomus armatus* Dietz, 1891

**Tribe Zygotini Lacordaire, 1865**

*Cylindrocopturus longulus* (LeConte, 1876)

**Subfamily COSSONINAE Schönherr, 1825**

**Tribe Cossonini Schönherr, 1825**

*Cossonus americanus* Buchanan, 1936

***Cossonus impressifrons* Boheman, 1838**

***Cossonus pacificus* Van Dyke, 1916**

*Cossonus platala* Say, 1832

**Tribe Onycholipini Wollaston, 1873**

*Stenoscelis brevis* (Boheman, 1845)

**Tribe Rhyncolini Gistel, 1848**

Subtribe Phloeophagina Voss, 1955

*Phloeophagus apionides* Horn, 1873

*Phloeophagus canadensis* Van Dyke, 1927

*Phloeophagus minor* Horn, 1873

Subtribe Rhyncolina Gistel, 1848

*Carphonotus testaceus* Casey, 1892

*Himatium errans* LeConte, 1876

*Rhyncolus brunneus* Mannerheim, 1843

***Rhyncolus knowltoni* (Thatcher, 1940)**

*Rhyncolus macrops* Buchanan, 1946

**Subfamily CRYPTORHYNCHINAE Schönherr, 1825****Tribe Cryptorhynchini Schönherr, 1825**

## Subtribe Cryptorhynchina Schönherr, 1825

*Cryptorhynchus lapathi* (Linnaeus, 1758)\****Eubulus bisignatus* (Say, 1832)***Eubulus parochus* (Herbst, 1797)*Tyloderma nigrum* Casey, 1884**Subfamily CYCLOMINAE Schönherr, 1826****Tribe Listroderini LeConte, 1876***Listronotus alternatus* (Dietz, 1889)*Listronotus appendiculatus* (Boheman, 1842)*Listronotus caudatus* (Say, 1824)*Listronotus deceptus* (Blatchley, 1916)*Listronotus delumbis* (Gyllenhal, 1834)*Listronotus humilis* (Gyllenhal, 1834)*Listronotus laramiensis* (Angell, 1893)*Listronotus lutulentus* (Boheman, 1843)*Listronotus maculicollis* (Kirby, 1837)*Listronotus oregonensis oregonensis* (LeConte, 1857)*Listronotus sparsus* (Say, 1832)*Listronotus squamiger* (Say, 1832)*Listronotus tuberosus* LeConte, 1876**Subfamily ENTIMINAE Schönherr, 1823****Tribe Cneorhinini Lacordaire, 1863***Philopeton plagiatum* (Schaller, 1783)†**Tribe Geonemini Gistel, 1848***Barynotus obscurus* (Fabricius, 1775)†*Barynotus schoenherri* (Zetterstedt, 1838)†**Tribe Hormorini Horn, 1876***Hormorus undulatus* (Uhler, 1856)**Tribe Otiorhynchini Schönherr, 1826***Otiorhynchus ligneus* (Olivier, 1807)†

*Otiorhynchus ovatus* (Linnaeus, 1758)†  
*Otiorhynchus rugifrons* (Gyllenhal, 1813)†  
*Otiorhynchus singularis* (Linnaeus, 1767)†  
*Otiorhynchus sulcatus* (Fabricius, 1775)†

### Tribe Peritelini Lacordaire, 1863

*Nemocestes horni* Van Dyke, 1936

### Tribe Phyllobiini Schönherr, 1826

*Phyllobius intrusus* Kôno, 1948†  
*Phyllobius oblongus* (Linnaeus, 1758)†

### Tribe Polydrusini Schönherr, 1823

*Pachyrhinus elegans* (Couper, 1865)  
***Polydrusus cervinus* (Linnaeus, 1758)†**  
*Polydrusus formosus* (Mayer, 1779)†  
*Polydrusus impressifrons* Gyllenhal, 1834†

### Tribe Sciaphilini Sharp, 1891

*Barypeithes pellucidus* (Boheman, 1834)†  
*Sciaphilus asperatus* (Bonsdorff, 1785)†

### Tribe Sitonini Gistel, 1848

*Sitona cylindricollis* Fåhraeus, 1840†  
*Sitona hispidulus* (Fabricius, 1777)†  
*Sitona lepidus* Gyllenhal, 1834†  
*Sitona lineellus* (Bonsdorff, 1785)\*

### Tribe Trachyphloeini Gistel, 1848

Subtribe Trachyphloeina Gistel, 1848

*Romualdius bifoveolatus* (Beck, 1817)†

### Tribe Tropiphorini Marseul, 1863

*Phyxelis rigidus* (Say, 1832)  
*Tropiphorus terricola* (Newman, 1838)†

**Subfamily HYPERINAE Marseul, 1863**  
**Tribe Hyperini Marseul, 1863**

*Brachypera (Antidonus) zoilus* (Scopoli, 1763)†  
*Hypera castor* (LeConte, 1876)  
*Hypera compta* (Say, 1832)  
*Hypera meles* (Fabricius, 1792)†  
*Hypera nigrirostris* (Fabricius, 1775)†  
*Hypera postica* (Gyllenhal, 1813)†

**Subfamily LIXINAE Schönherr, 1823**  
**Tribe Cleonini Schönherr, 1823**

*Cleonis pigra* (Scopoli, 1763)†  
*Scaphomorphus calandroides* (Randall, 1838)

**Tribe Lixini Schönherr, 1823**

*Lixus rubellus* Randall, 1838

**Subfamily MESOPTILIINAE Lacordaire, 1863**  
**Tribe Magdalidini Pascoe, 1870**

*Magdalis alutacea* LeConte, 1878  
*Magdalis armicollis* (Say, 1824)  
*Magdalis barbata* (Say, 1832)  
*Magdalis gentilis* LeConte, 1876  
*Magdalis hispoides* LeConte, 1876  
*Magdalis inconspicua* Horn, 1873  
*Magdalis perforata* Horn, 1873  
***Magdalis piceae* Buchanan, 1934**  
*Magdalis salicis* Horn, 1873

**Subfamily MOLYTINAE Schönherr, 1823**  
**Tribe Conotrachelini Jekel, 1865**

*Conotrachelus anaglypticus* (Say, 1832)  
*Conotrachelus juglandis* LeConte, 1876  
*Conotrachelus nenuphar* (Herbst, 1797)  
*Conotrachelus posticatus* Boheman, 1837

**Tribe Hylobiini Kirby, 1837**

Subtribe Hylobiina Kirby, 1837

*Hylobius congener* Dalla Torre, Schenkling & Marshall, 1932

*Hylobius pales* (Herbst, 1797)

*Hylobius pinicola* (Couper, 1864)

*Hylobius warreni* Wood, 1957

**Tribe Lepyrini Kirby, 1837**

*Lepyrus palustris* (Scopoli, 1763)\*

**Tribe Molytini Schönherr, 1823**

Subtribe Plinthina Lacordaire, 1863

*Sthereus ptinoides* (Germar, 1824)\*

**Tribe Pissodini Gistel, 1848**

Subtribe Pissodina Gistel, 1848

*Pissodes affinis* Randall, 1838

*Pissodes fiskei* Hopkins, 1911

*Pissodes nemorensis* Germar, 1824

*Pissodes rotundatus* LeConte, 1876

*Pissodes similis* Hopkins, 1911

*Pissodes striatulus* (Fabricius, 1775)

*Pissodes strobi* (Peck, 1817)

**Subfamily SCOLYTINAE Latreille, 804**

**Tribe Corthylini LeConte, 1876**

Subtribe Corthyliina LeConte, 1876

*Gnathotrichus materiarius* (Fitch, 1858)

Subtribe Pityophthorina Eichhoff, 1878

*Conophthorus coniperda* (Schwarz, 1895)

*Conophthorus resinosae* Hopkins, 1915

*Monarthrum mali* (Fitch, 1855)

*Pityophthorus (Pityophthorus) angustus* Blackman, 1928

*Pityophthorus (Pityophthorus) balsameus* Blackman, 1922

*Pityophthorus (Pityophthorus) biovalis* Blackman, 1922

*Pityophthorus (Pityophthorus) briscoei* Blackman, 1922

*Pityophthorus (Pityophthorus) carinatus carinatus* Bright, 1978

- Pityophthorus (Pityophthorus) cariniceps* LeConte, 1876  
*Pityophthorus (Pityophthorus) concavus* Blackman, 1928  
*Pityophthorus (Pityophthorus) dentifrons* Blackman, 1922  
*Pityophthorus (Pityophthorus) intextus* Swaine, 1917  
*Pityophthorus (Pityophthorus) murrayanae* Blackman, 1922  
*Pityophthorus (Pityophthorus) nitidus* Swaine, 1917  
*Pityophthorus (Pityophthorus) opaculus* LeConte, 1878  
*Pityophthorus (Pityophthorus) puberulus* (LeConte, 1868)  
*Pityophthorus (Pityophthorus) pulchellus* Eichhoff, 1869  
*Pityophthorus (Pityophthorus) pulicarius* (C.C.A. Zimmermann, 1868)  
*Pseudopityophthorus minutissimus* (C.C.A. Zimmermann, 1868)

### Tribe Cryphalini Lindemann, 1877

- Cryphalus ruficollis ruficollis* Hopkins, 1915  
***Procryphalus mucronatus* (LeConte, 1879)**  
*Trypophloeus populi* Hopkins, 1915

### Tribe Crypturgini LeConte, 1876

- Crypturgus borealis* Swaine, 1917  
*Crypturgus pusillus* (Gyllenhal, 1813)†

### Tribe Dryocoetini Lindemann, 1877

- Dryocoetes affaber* (Mannerhiem, 1852)  
*Dryocoetes autographus* (Ratzeburg, 1837)\*  
*Dryocoetes betulae* Hopkins, 1894  
*Dryocoetes caryi* Hopkins, 1915  
*Dryocoetes krivolutzkajae* Mandelshtam, 2001‡  
*Lymantor decipiens* (LeConte, 1878)

### Tribe Hylastini LeConte, 1876

- Hylastes opacus* Erichson, 1836†  
*Hylastes porculus* Erichson, 1836  
*Hylurgops rugipennis pinifex* (Fitch, 1858)  
*Scierus annectans* LeConte, 1876

### Tribe Hylesinini Erichson, 1836

- Hylesinus aculeatus* Say, 1824

**Tribe Hylurgini Gistel, 1848**

- Dendroctonus punctatus* LeConte, 1868  
*Dendroctonus rufipennis* (Kirby, 1837)  
*Dendroctonus simplex* LeConte, 1868  
*Dendroctonus valens* LeConte, 1857  
*Hylurgopinus rufipes* (Eichhoff, 1868)  
*Xylechinus americanus* Blackman, 1922

**Tribe Ipini Bedel, 1888**

- Ips borealis* Swaine, 1911  
***Ips grandicollis* (Eichhoff, 1868)**  
*Ips perroti* Swaine, 1915  
*Ips perturbatus* (Eichhoff, 1869)  
*Ips pini* (Say, 1826)  
*Orthotomicus caelatus* (Eichhoff, 1868)  
*Orthotomicus latidens* (LeConte, 1874)  
*Pityogenes hopkinsi* Swaine, 1915  
*Pityogenes plagiatus plagiatus* (LeConte, 1868)  
*Pityokteines sparsus* (LeConte, 1868)

**Tribe Phloeosinini Nüsslin, 1912**

- Phloeosinus canadensis* Swaine, 1917

**Tribe Phloeotribini Chapuis, 1869**

- Phloeotribus liminaris* (Harris, 1852)  
*Phloeotribus piceae* Swaine, 1911

**Tribe Polygraphini Chapuis, 1869**

- Carphoborus carri* Swaine, 1917  
*Carphoborus dunnii* Swaine, 1924  
*Polygraphus rufipennis* (Kirby, 1837)

**Tribe Scolytini Latreille, 1804**

- Scolytus multistriatus* (Marsham, 1802)†  
*Scolytus piceae* (Swaine, 1910)  
*Scolytus rugulosus* (P.W.J. Müller, 1818)†

### Tribe Xyleborini LeConte, 1876

*Anisandrus dispar* (Fabricius, 1792)†

*Anisandrus obesus* LeConte, 1868

*Anisandrus sayi* (Hopkins, 1910)

***Xyleborinus attenuatus* (Blandford, 1894)†**

*Xyleborinus saxeseni* (Ratzeburg, 1837)†

### Tribe Xyloterini LeConte, 1876

*Trypodendron betulae* Swaine, 1911

*Trypodendron lineatum* (Olivier, 1795)\*

*Trypodendron retusum* (LeConte, 1868)

*Trypodendron rufitarsis* (Kirby, 1837)

*Xyloterinus politus* (Say, 1826)

### Acknowledgments

Jan Klimaszewski and Jon Sweeney are thanked for reviewing the manuscript for errors, and Caroline Simpson is thanked for editing it. Yves Bousquet and an anonymous reviewer are thanked for their their helpful comments. I thank all the amateur and professional entomologists who have contributed records and information on the New Brunswick Coleoptera fauna.

### References

- Bouchard P, Bousquet Y, Davies AE, Alonso-Zarazaga MA, Lawrence JF, Lyal CHC, Newton AF, Ried CAM, Schmitt M, Ślipiński SA, Smith ABT (2011) Family-group names in Coleoptera (Insecta). ZooKeys 88: 1–972. doi: 10.3897/zookeys.88.807
- Bousquet Y (Ed.) (1991) Checklist of beetles of Canada and Alaska. Research Branch, Agriculture Canada, Ottawa, Publication 1861/E, vi + 430 pp.
- Bousquet Y, Bouchard P, Davies AE, Sikes D (2013) Checklist of beetles (Coleoptera) of Canada and Alaska. Pensoft Series Faunistica No. 109, Sofia-Moscow, 402 pp.
- Short AEZ, Fikáček M (2013) Molecular phylogeny, evolution and classification of the Hydrophilidae (Coleoptera). Systematic Entomology 38: 723–752. doi: 10.1111/syen.12024
- Webster RP, Bouchard P, Klimaszewski J, Sweeney JD (2016) History of collecting in New Brunswick, Canada: advancing our knowledge of the Coleoptera fauna in the early 21<sup>st</sup> century. In: Webster RP, Bouchard P, Klimaszewski J (Eds) The Coleoptera of New Brunswick and Canada: providing baseline biodiversity and natural history data. ZooKeys 573: 1–18. doi: 10.3897/zookeys.573.8123