

A checklist of black flies (Diptera, Simuliidae) from India

Arka Mukherjee¹, Atanu Naskar¹, Oishik Kar¹, Debdeep Pramanik¹, Dhriti Banerjee¹

¹ Zoological Survey of India, Prani Vigyan Bhawan, M-Block, New Alipore, Kolkata, 700053, West Bengal, India

Corresponding author: Atanu Naskar (atanu.diptera@gmail.com)

Academic editor: Fabio Laurindo da Silva | Received 31 March 2022 | Accepted 18 June 2022 | Published 24 August 2022

<https://zoobank.org/8A0DE6D0-FC3A-4D09-93FA-ACFCE27890D6>

Citation: Mukherjee A, Naskar A, Kar O, Pramanik D, Banerjee D (2022) A checklist of black flies (Diptera, Simuliidae) from India. ZooKeys 1118: 111–118. <https://doi.org/10.3897/zookeys.1118.84686>

Abstract

An updated checklist of the family Simuliidae from India is presented. A total of 79 species of *Simulium* belonging to eight different subgenera are listed. Eleven species that were not reported in the previous checklist are added here. The present list contributes to a better understanding of the diversity of Simuliidae in India, as well as the impact of *Simulium* species on the public health of this mega-diverse country.

Keywords

Diversity, inventory, onchocerciasis, public health

Introduction

Black flies (Diptera, Nematocera, Simuliidae) are infamous as vectors for transmitting onchocerciasis (river blindness) in many countries throughout the world (Datta 1997). However, in India, onchocerciasis is still not a serious concern despite some sporadic cases in North-east India (Barua et al. 2011). The total number of simuliid species throughout the world is estimated to be 2,415, of which 2,398 species are living and 17 are fossil species (Adler 2022). An inventory of world Simuliidae was first published by Crosskey (1988) and has since been updated almost every year. The beginning of simuliid research was in the early 19th century when Latreille (1802) described *Simulium* Latreille, 1802. The family Simuliidae Newman, 1834 was established by Newman (1834) with the inclusion of only the genus *Simulium*. According to Mitra et al. (2017), the first description of *Simulium* from India was probably by Becher (1885), and since then, researchers have described new species of simuliids

from the country (Brunetti 1911; Senior-White 1922a, 1922b; Edwards 1927; Puri 1932a, 1932b, 1932c, 1932d, 1932e, 1933a, 1933b, 1933c). In the second half of the 20th century, the simuliid research was mainly undertaken by Datta (1973, 1974a, 1974b, 1975, 1978, 1980, 1983, 1985, 1992a, 1992b, 1997). He extensively studied the Indian simuliid fauna, described several new species of *Simulium*, and provided new distributional records. His review of the family in the Oriental realm (Datta 1983) is an exceptional piece of work in its understanding of the biology of black flies. Datta and Pal (1975); Datta et al. (1975) described a few additional rare species of the subgenus *Simulium*, especially from the Darjeeling area of West Bengal state, and provided taxonomic identification keys to simuliid species found in that region. Later, in the 21st century, several researchers discovered many new species (Mitra et al. 2006; Takaoka and Somboon 2008; Shrestha and Takaoka 2009; Mitra and Sharma 2010; Takaoka et al. 2010, 2011; Henry et al. 2011; Borah et al. 2012; Dutta Saha et al. 2012; Anbalagan et al. 2014, 2015a, 2015b). The first checklist of Simuliidae of India was published by Mitra et al. (2017). The most recent publications are by Anbalagan et al. (2020a, 2020b) in which they described three new species of the *Simulium*—two in the subgenus *Gomphostilbia* and one in the subgenus *Nevermannia*.

The present work documents 79 species of Simuliidae belonging to eight subgenera of *Simulium*, based on a review of the World Catalog of Simuliidae (Adler 2022) and other literature. The binomial names are based on the valid nomenclature of *Systema Dipterorum* (Evenhuis and Pape 2022). Eleven species have been added here to those species already included in the earlier checklist of Indian Simuliidae by Mitra et al. (2017). The inclusion of these previously unreported species will help us to better understand the taxonomy and diversity of the black flies in India. It will also lead to the assessment of the newly reported species as potential vectors of onchocerciasis in India.

Results

Order Diptera Linnaeus, 1758

Infraorder Culicomorpha Hennig, 1948

Superfamily Chironomoidea Newman, 1834

Family Simuliidae Newman, 1834

Subfamily Simulinae Newman, 1834

Tribe Simuliini Newman, 1834

Genus *Simulium* Latreille, 1802

Subgenus *Eusimulium* Roubaud, 1906

1. *Simulium (Eusimulium) aureum* Fries, 1824

2. *Simulium (Eusimulium) weiningense* Chen & Zhang, 1997

Subgenus *Gomphostilbia* Enderlein, 1973

3. *Simulium (Gomphostilbia) bucolicum* Datta, 1975

4. *Simulium (Gomphostilbia) darjeelingense* Datta, 1973
5. *Simulium (Gomphostilbia) fidum* Datta, 1975
6. *Simulium (Gomphostilbia) litoreum* Datta, 1975
7. *Simulium (Gomphostilbia) metatarsale* Brunetti, 1911
8. *Simulium (Gomphostilbia) pattoni* Senior-White, 1922
9. *Simulium (Gomphostilbia) sundaicum* Edwards, 1934
10. *Simulium (Gomphostilbia) tenuistylum* Datta, 1973
11. *Simulium (Gomphostilbia) unum* Datta, 1975

In the revised inventory of Adler (2022), this species was documented from Java (Indonesia) and Malaysia. However, Datta (1991) reported its occurrence in the Bankura and Purulia districts ($23^{\circ}14'28.7''N$, $87^{\circ}3'42.6''E$ and $23^{\circ}19'57.1''N$, $86^{\circ}21'46.8''E$) in West Bengal, India. It was not included in Mitra et al.'s (2017) checklist.

12. *Simulium (Gomphostilbia) agasthyamalaiense* Vijayan, Anbalagan, Rekha, Dinkar & Krishnan, 2019

This species was described by Vijayan et al. (2019) from reared pupa collected in Agasthyamalai Biosphere Reserve, Tamil Nadu ($8^{\circ}55'4.1''N$, $77^{\circ}36'1.6''E$), India.

13. *Simulium (Gomphostilbia) barnesi* Takaoka & Suzuki, 1984

14. *Simulium (Gomphostilbia) cauveryense* Anbalagan, 2015

15. *Simulium (Gomphostilbia) decuplum* Takaoka & Davies, 1995

16. *Simulium (Gomphostilbia) dinakarani* Anbalagan, 2020

This species was described by Anbalagan et al. (2020a) and occurs in Tamil Nadu ($10^{\circ}27'30.7''N$, $78^{\circ}01'15.7''E$), India.

17. *Simulium (Gomphostilbia) kottoorense* Anbalagan, 2015

18. *Simulium (Gomphostilbia) krishnani* Anbalagan, 2020

This species was reported from Karnataka ($14^{\circ}58'36''N$, $74^{\circ}46'40''E$), India, by Anbalagan et al. (2020a).

19. *Simulium (Gomphostilbia) kumbakkraiense* Anbalagan, 2019

20. *Simulium (Gomphostilbia) panagudiense* Anbalagan 2015

This species was recently described by Anbalagan et al. (2019) with distributional records in Tamil Nadu ($10^{\circ}18'30.3''N$, $77^{\circ}53'35.8''E$), India.

21. *Simulium (Gomphostilbia) parahiyangum* Takaoka & Sigit, 1992

22. *Simulium (Gomphostilbia) peteri* Anbalagan, 2014

23. *Simulium (Gomphostilbia) sachini* Takaoka & Henry, 2010

24. *Simulium (Gomphostilbia) takaokai* Anbalagan, 2014

25. *Simulium (Gomphostilbia) williei* Takaoka & Thapa, 2010

Subgenus *Montisimulium* Rubstov, 1974

26. *Simulium (Montisimulium) dasguptai* Datta, 1974

27. *Simulium (Montisimulium) dattai* Takaoka & Somboon, 2008

28. *Simulium (Montisimulium) ghoomense* Dutta, 1973

29. *Simulium (Montisimulium) nemorivagum* Datta, 1973

30. *Simulium (Montisimulium) yuntaienense* Chen, Wen & Wei, 2006

Subgenus *Nevermannia* Enderlein, 1921

31. *Simulium (Nevermannia) aureohirtum* Brunetti, 1911
32. *Simulium (Nevermannia) gracilis* Datta, 1973
33. *Simulium (Nevermannia) karavalliene* Anbalagan, Rekha, Vijayan, Balachandran, Dinakaran & Krishnan, 2020
This species was reared from pupae collected in Tamil Nadu (11°20'03.8"N, 78°19'19.6"E), India and described by Anbalagan et al. (2020b).
34. *Simulium (Nevermannia) praelargum* Datta, 1973
35. *Simulium (Nevermannia) purii* Datta, 1973
36. *Simulium (Nevermannia) rufithorax* Brunetti, 1911
37. *Simulium (Nevermannia) senile* Brunetti, 1911
38. *Simulium (Nevermannia) subratai* Takaoka, Thapa & Henry, 2011
39. *Simulium (Nevermannia) wichaai* Takaoka, 2010

Subgenus *Tetisimulum* Rubtsov, 1960

40. *Simulium (Tetisimulum) stevensoni* Edwards, 1927

Subgenus *Himalayum* Lewis, 1973

41. *Simulium (Himalayum) indicum* Becher, 1885

Subgenus *Simulium* Latreillie, 1802

42. *Simulium (Simulium) alajense* Rubtsov, 1938
43. *Simulium (Simulium) asishi* Datta, 1985
44. *Simulium (Simulium) adventicium* Datta, 1985
45. *Simulium (Simulium) barraudi* Puri, 1932
46. *Simulium (Simulium) biforaminiferum* Datta, 1974
47. *Simulium (Simulium) consimile* Puri, 1932
48. *Simulium (Simulium) christophersi* Puri, 1932
49. *Simulium (Simulium) dentatum* Puri, 1932
50. *Simulium (Simulium) digitatum* Puri, 1932
51. *Simulium (Simulium) ephemerophilum* Rubtsov, 1947
52. *Simulium (Simulium) gravelyi* Puri, 1933
53. *Simulium (Simulium) griseifrons* Brunetti, 1911
54. *Simulium (Simulium) grisescens* Brunetti, 1911
55. *Simulium (Simulium) gurneyae* Senior-White, 1922
56. *Simulium (Simulium) himalayense* Puri, 1932
57. *Simulium (Simulium) hirtipannus* Puri, 1932
58. *Simulium (Simulium) howletti* Puri, 1932
59. *Simulium (Simulium) kapuri* Datta, 1975

60. *Simulium (Simulium) lineothorax* Puri, 1932
61. *Simulium (Simulium) nigrifacies* Datta, 1974
62. *Simulium (Simulium) nilgiricum* Puri, 1932
63. *Simulium (Simulium) nitidithorax* Puri, 1932
64. *Simulium (Simulium) novolineatum* Puri, 1933
65. *Simulium (Simulium) nodosum* Puri, 1933
66. *Simulium (Simulium) pallidum* Puri, 1932
67. *Simulium (Simulium) palmatum* Puri, 1932
68. *Simulium (Simulium) palniense* Puri, 1932
69. *Simulium (Simulium) pradyai* Takaoka & Somboon, 2008
70. *Simulium (Simulium) pothigaiense* Anbalagan, 2018
71. *Simulium (Simulium) ramosum* Puri, 1932
72. *Simulium (Simulium) rashidi* Lewis, 1973
73. *Simulium (Simulium) rufibasis* Brunetti, 1911
74. *Simulium (Simulium) singtamense* Datta & Pal, 1975
75. *Simulium (Simulium) striatum* Brunetti, 1912
76. *Simulium (Simulium) tenuitarsus* Puri, 1933
77. *Simulium (Simulium) valparaiense* Anbalagan, 2018
78. *Simulium (Simulium) yanaense* Anbalagan, 2019

This species was described from Karnataka (14°31'19.2"N, 74°19'12"E), India by Anbalagan et al. (2019).

Subgenus *Wilhelmia* Enderlein, 1921

79. *Simulium (Wilhelmia) pseudequinum* Séguy, 1921

References

- Adler PH (2022) World blackflies (Diptera: Simuliidae): a comprehensive revision of the taxonomic and geographical inventory [2022]. Inventory Revision, South Carolina. <https://biomia.sites.clemson.edu/pdfs/blackflyinventory.pdf> [Accessed on: 2022-4-5]
- Anbalagan S, Prasanna VA, Dinakaran S, Krishnan M (2014) Two new species of *Simulium (Gomphostilbia)* (Diptera: Simuliidae) from Peninsular India with keys to Peninsular Indian members of the genus *Simulium*. Zootaxa 3861(5): 451–465. <https://doi.org/10.11646/zootaxa.3861.5.3>
- Anbalagan S, Arunprasanna V, Kannan M, Dinakaran S, Krishnan M (2015a) *Simulium (Gomphostilbia)* (Diptera: Simuliidae) from Southern Western Ghats, India: two new species and DNA barcoding. Acta Tropica 149: 94–105. <https://doi.org/10.1016/j.actatropica.2015.05.015>
- Anbalagan S, Balachandran C, Arunprasanna V, Kannan M, Dinakaran S, Krishnan M (2015b) A new species of *Simulium (Gomphostilbia)* (Diptera: Simuliidae) from South India, with keys to Indian members of the subgenus Gomphostilbia. Zootaxa 3974(4): 555–563. <https://doi.org/10.11646/zootaxa.3974.4.6>

- Anbalagan S, Vijayan S, Balachandran C, Dinakaran S (2019) A new species of *Simulium* (*Simulium*) (Diptera: Simuliidae), with keys to *S. striatum* species-group from India. Journal of Threatened Taxa 11(5): 13573–13578. <https://doi.org/10.11609/jott.4318.11.5.13573-13578>
- Anbalagan S, Vijayan S, Balachandran C, Thiyonila B, Surya A (2020a) Two new species of *Simulium* (*Gomphostilbia*) (Diptera: Simuliidae) from South India. Zootaxa 4742(1): 57–72. <https://doi.org/10.11646/zootaxa.4742.1.3>
- Anbalagan S, Rekha K, Vijayan S, Balachandran C, Dinakaran S, Krishnan M (2020b) A new black fly species of *Simulium* (*Nevermannia*) (Simuliidae: Diptera) from the Southern Eastern Ghats, India. Zootaxa 4768(3): 374–382. <https://doi.org/10.11646/zootaxa.4768.3.4>
- Barua P, Sharma A, Hazarika NK, Barua N, Bhuyan S, Alam ST (2011) A rare case of ocular onchocerciasis in India. The Southeast Asian Journal of Tropical Medicine and Public Health 42(6): 1359–1364.
- Becher E (1885) A new species of *Simulium* from Assam. Journal of the Asiatic Society of Bengal 53(2): 199–200.
- Borah S, Rahman I, Goswami S, Deka M, Takaoka H (2012) Notes on black flies (Diptera: Simuliidae) from North-East India: new records of five species from Arunachal Pradesh and Roubaud and *Gomphostilbia* Enderlein from the Darjeeling area, India. Oriental Insects 7(3): 363–401. <https://doi.org/10.1080/00305316.1973.10434099>
- Datta M (1974a) Some black flies (Diptera: Simuliidae) of the subgenus *Simulium* Latreille (s. str.) from the Darjeeling area (India). Oriental Insects 8(1): 15–27. <https://doi.org/10.1080/00305316.1974.10434435>
- Datta M (1974b) New species of black flies (Diptera: Simuliidae) from the Darjeeling area, India. Oriental Insects 8(4): 457–468. <https://doi.org/10.1080/00305316.1974.10434877>
- Datta M (1975) Simuliidae (Diptera) from Assam foot-hills, India. Japanese Journal of Sanitary Zoology 26(1): 31–40. <https://doi.org/10.7601/mez.26.31>
- Datta M (1978) Simuliidae (Diptera) from Sikkim, India. Bulletin of the Zoological Survey of India 1(3): 253–256.
- Datta M (1980) Collection and preservation of blackflies (Diptera: Simuliidae). In: Proceedings of the Workshop on Techniques in Parasitology, Zoological Survey of India 75–82.
- Datta M (1983) A review of Simuliidae (Diptera) from the Oriental Region. Oriental Insects 17(1): 215–267. <https://doi.org/10.1080/00305316.1983.10433696>
- Datta M (1985) Notes on black flies (Diptera: Simuliidae) from Kashmir, India. Bulletin of the Zoological Survey of India 7(2–3): 231–236.
- Datta M (1991) Occurrence of blackflies in Bankura and Purulia districts in West Bengal, India (Diptera: Simuliidae). Journal of Bengal Natural History Society 10(1): 11–15.
- Datta M (1992a) An overview of the Simuliidae (Diptera) of West Bengal, India. Journal of Bengal Natural History Society 11: 41–62.
- Datta M (1992b) Contribution to the knowledge on the black fly fauna (Diptera: Simuliidae) of Himachal Pradesh, India. Proceedings of the Zoological Society, Calcutta 45(1): 39–52.
- Datta M (1997) Insecta: Diptera: Simuliidae. In: Zoological Survey of India, Fauna of West Bengal, State Fauna Series 3(7): 127–162.

- Datta M, Pal TK (1975) Few rare black fly species (Diptera: Simuliidae) of the subgenus *Latreille* (s. str.) from the Darjiling area. Proceedings of the Indian Academy of Sciences (B) 81(4): 154–161. <https://doi.org/10.1007/BF03050757>
- Datta M, Dey RK, Pal AK, Pal TK (1975) Ecology of the black flies in (Diptera: Simuliidae) in Darjeeling area. Proceedings of the Indian Academy of Sciences (B) 81(1): 7–19. <https://doi.org/10.1007/BF03050742>
- Dutta Saha P, Sharma RM, Mitra B (2012) Insecta: Diptera. In: Zoological Survey of India, Fauna of Maharashtra, State Fauna Series 20: 531–538.
- Edwards FW (1927) Two new *Simulium* from Kashmir. Bulletin of Entomological Research 18(2): 169–170. <https://doi.org/10.1017/S0007485300019866>
- Evenhuis NL, Pape T [Eds] (2022) Systema Dipterorum, Version (3.6). <http://diptera.org/> [Accessed on: 2022-4-5]
- Henry W, Thapa S, Adler PH, Dey SK, Varma R (2011) Cytotaxonomy of *Simulium (Montisimulium) ghoomense* (Diptera: Simuliidae) from the Darjeeling Hills, India. Zootaxa 2872(1): 49–57. <https://doi.org/10.11646/zootaxa.2872.1.4>
- Latreille PA (1802) Histoire naturelle: générale et particulière des crustacés et des insectes. Tome troisième. Dufart, Paris, [i–xii +] 13–467 [+ 1 pp]. <https://doi.org/10.5962/bhl.title.15764>
- Mitra B, Sharma RM (2010) Checklist of Indian Black flies (Insecta: Diptera: Simuliidae). Zoological survey of India. <https://www.zsi.gov.in/WriteReadData/userfiles/file/Checklist/blackflies.pdf>
- Mitra B, Lahiri AR, Mukherjee M (2006) Insecta: Diptera: Nematocera. In: Zoological Survey of India, Fauna of Arunachal Pradesh, State Fauna Series 13(2): 225–255.
- Mitra B, Roy S, Roy S, Halder S, Chattopadhyay U, Bhaumik S (2017) A current status on diversity and distribution of black flies (Insecta: Diptera: Simuliidae) in India. Ambient Science 4(1): 21–26. <https://doi.org/10.21276/ambi.2017.04.1.rv01>
- Newman E (1834) Attempted division of British insects into natural orders. The Entomological Magazine 2: 379–431.
- Puri IM (1932a) Studies on Indian Simuliidae. Part-I. *Simulium himalayense* sp. n.; *Simulium gurneyae* Senior-White; and *Simulium nilgircum* sp. n. The Indian Journal of Medical Research 19: 883–898.
- Puri IM (1932b) Studies on Indian Simuliidae. Part-II. Description of males, females and pupae of *Simulium rufibasis* Brunetti, its variety *fasciatum* nov. var. and of three new species from the Himalayas. The Indian Journal of Medical Research 19: 899–913.
- Puri IM (1932c) Studies on Indian Simuliidae. Part-III. Description of males, females and pupae of *S. griseifrons* Brunetti (1911) and of four new species with striped thorax. The Indian Journal of Medical Research 19: 1125–1143.
- Puri IM (1932d) Studies on Indian Simuliidae. Part IV. Descriptions of two new Species from North-east India, *Simulium howletti* sp. n. and *Simulium hirtipannus* sp. n., with a note on *S. ornatum* Meigen. The Indian Journal of Medical Research 20: 505–514.
- Puri IM (1932e) Studies on Indian Simuliidae. Part-V. Species and varieties of the striatum series. The Indian Journal of Medical Research 20: 515–532.

- Puri IM (1933a) Studies on Indian Simuliidae. Part VI. Descriptions of males, females and pupae of two new species from Palni Hills and of male and pupa of sp. n. from Bengal Terai. The Indian Journal of Medical Research 20(3): 803–812.
- Puri IM (1933b) Studies on Indian Simuliidae. Part VII. Description of larvae, pupa and females of *Simulium nodosum* sp. nov., with an appendix dealing with *S. novolineatum*. nov. nom. (= *S. lineatum* Puri). The Indian Journal of Medical Research 20: 813–817.
- Puri IM (1933c) Studies on Indian Simuliidae. Part VIII. Description of larvae, pupa, male & females of *S. aureohirtum* Brunetti and *S. aureumflies*. The Indian Journal of Medical Research 21: 1–10.
- Senior-White RA (1922a) Notes on Indian Diptera. 1. Diptera from the Khasia Hills. 2. Tabanidae in the collection of the forest zoologist. 3. New species of Diptera from the Indian Region. Memoirs of the Department of Agriculture in India, Entomological Series 7: 83–170.
- Senior-White RA (1922b) New species of Diptera from the Indian Region. Memoirs of the Department of Agriculture in India, Entomological Series 7: 107–169, pls 11–15.
- Shrestha S, Takaoka H (2009) New records of ten species of black flies (Diptera: Simuliidae) from Nepal. Japanese Journal of Sanitary Zoology 60(4): 253–258. <https://doi.org/10.7601/mez.60.253>
- Takaoka H, Somboon P (2008) Eleven new species and one new record of black flies (Diptera: Simuliidae) from Bhutan. Japanese Journal of Sanitary Zoology 59(3): 213–262. <https://doi.org/10.7601/mez.59.213>
- Takaoka H, Thapa S, Henry W (2010) Description of two new species of *Simulium* (Gomphostilbia) (Diptera: Simuliidae) from Darjeeling, India. Japanese Journal of Sanitary Zoology 61(2): 105–110. <https://doi.org/10.7601/mez.61.105>
- Takaoka H, Thapa S, Henry W (2011) A new species of black fly (Diptera: Simuliidae) with an entirely yellow thorax from Darjeeling, India. Zootaxa 2824(1): 62–68. <https://doi.org/10.11646/zootaxa.2824.1.5>
- Vijayan S, Anbalagan S, Rekha K, Dinakaran S, Krishnan M (2019) A new black fly species of the subgenus *Gomphostilbia* (*Simulium*: Simuliidae: Diptera) from India. Journal of Asia-Pacific Entomology 22(2): 568–574. <https://doi.org/10.1016/j.aspen.2019.04.003>