

Lepidopteran biodiversity of Ethiopia: current knowledge and future perspectives

Tesfu Fekensa Tujuba^{1,2}, Andrea Sciarretta², Axel Hausmann³, Getnet Atnafu Abate⁴

1 Ethiopian Biodiversity Institute, Addis Ababa, Ethiopia **2** Department of Agriculture, Environment and Food Sciences, University of Molise, Campobasso, Italy **3** SNSB-Bavarian State Collection of Zoology, Munich, Germany **4** Department of Biology, Debre Markos University, Debre Markos, Ethiopia

Corresponding author: *Tesfu Fekensa Tujuba* (t.tujuba@studenti.unimol.it; tesfuaau@yahoo.com)

Academic editor: *Alberto Zilli* | Received 30 May 2019 | Accepted 27 August 2019 | Published 23 October 2019

<http://zoobank.org/4154DE03-2ABD-4A91-9429-576ED4D2DC88>

Citation: Tujuba TF, Sciarretta A, Hausmann A, Abate GA (2019) Lepidopteran biodiversity of Ethiopia: current knowledge and future perspectives. *ZooKeys* 882: 87–125. <https://doi.org/10.3897/zookeys.882.36634>

Abstract

Lepidoptera is the second largest order of insects. Encompassing moths and butterflies, it is regarded as one of the most important components of biodiversity. Here, an updated comprehensive overview of Lepidoptera recorded in Ethiopia is presented, composed of 2,438 taxa in 48 families, of which 664 are endemic. Records were compiled from various literature sources and website databases. Although still being far from complete, this review provides important baseline data for understanding zoogeographic patterns and thus for undertaking effective conservation action. Further research on Ethiopian Lepidoptera is encouraged.

Keywords

Africa, butterflies, checklist, DNA barcoding, endemic, Ethiopian moths

Introduction

Ethiopia is among the largest countries in the African continent, located in the horn of Africa, covering a total area of 1,127,127 km² (Gordon and Carillet 2003; EBI 2015; Tesfu et al. 2018). It belongs to the Afro-tropical Region (former Ethiopian Region) and, based on the bioclimatic classification of Burgess et al. (2004), comprises the zones “Sahelian Savanna”, “Somalian Xeric Bushland and Shrubland” and “Ethiopian

Montane forest and Alpine Moorland” (Hacker 2019). The country’s topography is very diverse, with 20 mountains peaks above 4,000 meters. The highest mountain, Ras Dashen, peaks 4,620 m above sea-level, the fourth-highest in Africa, whilst the third-lowest point in Africa, the Danakil Depression, reaches down to 125 m below sea level. The dominating topographic element is the vast and fertile central highland that accounts for 37% of the land area of the country with an average elevation from 1,500 to 2,400 m that deserved the country to be known as ‘roof of Africa’. It is the largest block of land above 1,500 m in Africa (Clausnitzer and Dijkstra 2005), dissected by the Great Rift Valley and surrounded by lowlands along the periphery (Gordon and Carillet 2003). The mean annual rainfall ranges from 500 mm to 2,800 mm and the mean annual temperatures range from around 10° to above 30 °C. Because of these diverging abiotic parameters, the country is endowed with an amazingly diversity of plant, animal and microbial organisms (EBI 2015). According to Clausnitzer (2014), the rate of endemism in Ethiopia’s flora and fauna is exceptionally high as a result of vast highlands being isolated by the surrounding dry lowlands. Only the most eurytopic and mobile species (usually those of the lowlands) tend to be found in both Ethiopia and the rest of tropical Africa. In the same manner, Kravchenko et al. (2007) stated that the territory of Ethiopia hosts an extraordinarily diverse landscape including high mountains, lowlands, deserts and tropical rain forests that resulted in a hyperdiverse fauna and flora. Likewise, in consequence of its rich biodiversity, Ethiopia is acknowledged as one of the 20-mega-biodiverse countries in the world (Mittermeier et al. 2011; Tesfu et al. 2018).

Lepidoptera represent the second largest insect order, which consists of approximately 140 different families and 160,000 species that have been described and recognised worldwide, so far (Biodiversity Institute of Ontario 2006; Kristensen et al. 2007; Nieukerken et al. 2011). Lepidoptera comprise nearly 17% of all insect species, and some recent estimates suggest that the real number of Lepidoptera species would set up to 500,000 species (Brandao et al. 2009).

The aims of this paper are to give an updated comprehensive presentation of the actual knowledge of Ethiopian Lepidoptera and to provide some estimates for the expected biodiversity of this major insect order in the country.

Materials and methods

The present review is based on all pertinent published scientific papers. In addition, records from up to date and relevant online databases were also included, particularly, records from the Natural History Museum of London website (“NHMUK”: Becaloni et al. 2003), the Barcode of Life Data Systems (“BOLD”: Ratnasingham and Hebert 2007), the African moth website (Goff 2008), LepiMap (Navarro 2007), the African Butterfly Database (Sáfián et al. 2009), the Afromoth website (De Prins and De Prins 2019) and the Afrotropical Butterflies and Skippers digital encyclopaedia (Williams 2018). In all cases, records were included only when sample identifica-

tions were made at specific (or subspecific) level, and the provenience from Ethiopia was clearly indicated. Data from entomological collections but not publicly accessible were not considered.

We followed the classification system and nomenclature (valid names and synonymies) used in De Prins and De Prins (2019) with some updates coming from more recent publications. For Rhopalocera, the Afrotropical Butterflies and Skippers digital encyclopaedia (Williams 2018) served as reference. These two outstanding references have also represented the fundamental database and resource for our compilation of the lepidopteran fauna of Ethiopia.

Lepidoptera exploration in Ethiopia: from early explorers to present

Many entomologists have contributed to our current knowledge of the Ethiopian Lepidoptera fauna. The following selection provides the most significant contributions made by past pioneers and current explorers.

Johann Christoph Friedrich Klug in 1829 was the first to mention Abyssinia, the former name of Ethiopia, in the description of a new Lepidoptera species, the butterfly *Pontia eupompe* (Klug, 1829) now *Colotis danae* ssp. *eupompe* (Nazari et al. 2011), indicating as locus typicus “in Arabia deserta, in Sinai monte, in Dongala et Habessinia”.

From the mid-nineteenth century, additional descriptions came from few authors such as Félix Edouard Guérin-Méneville (1849), Louis Reiche (1850), and Hippolyte Lucas (1852). However, the most significant advance in the nineteenth century was made by the French entomologist Achille Guenée, who published various contributions between 1852 and 1858. He described 31 new species belonging to the Noctuoidea and Geometroidea, based on material collected mainly by Georg Wilhelm Schimper in 1850. In all cases, the locus typicus was indicated as “Abyssinia” (Guenée 1852).

Other important contributions to the study of Ethiopian Lepidoptera were made subsequently, many of which have reported the description of new species from specimens collected in the country. For instance, George Hampson described 23 species from different families in the period between 1896 and 1930 (Hampson 1896, 1898, 1899, 1905, 1909, 1910, 1913, 1916, 1918, 1919, 1926, 1930). Edward Meyrick firstly reported Microlepidoptera from the country, with 40 new species, from the material collected during the expeditions carried out by Hugh Scott and Omer-Coper in 1926–1927 (Meyrick 1932). The most important contribution to the study of butterflies was made by Lionel Walter Rothschild and Karl Jordan, during the first decades of the twentieth century, with 34 new taxa (Rothschild 1902, 1926; Rothschild and Jordan 1900, 1903, 1905). Debauche (1937) reported 42 geometrid species from Ethiopia with eight new descriptions. Likewise, Emilio Berio published many papers dedicated to the Erebididae and Noctuidae of East Africa, describing from Ethiopia 12 and 37 species, respectively (Berio 1939a, 1940a, 1943, 1944, 1945, 1947, 1954, 1962, 1975, 1977), some of them from the localities of Adu-Abuna and Metema, at that time part of Eritrea, but now in Tigray, Northern Ethiopia (Berio 1937, 1939b,

1939c, 1940b, 1973, 1976). Pierre-Claude Rougeot has explored the country several times in 1970s and described 55 new species belonging to various families (Rougeot 1974, 1975, 1977, 1984, Plantrou and Rougeot 1979; Laporte and Rougeot 1981; Rougeot and Laporte 1983). The two French entomologists Bernard Laporte and Claude Herbulot in their publications described from Ethiopia 137 new noctuid (specifically, eight species of Erebidæ, two species of Nolidae, and 127 Noctuidæ) and 22 new geometrid taxa, respectively (Herbulot 1983, 1993, 2002; Laporte 1974, 1975, 1976, 1978; Rougeot 1977, 1984; Laporte and Rougeot 1981; Rougeot and Laporte 1983; Rougeot et al. 1991).

With the new millennium, the country has awakened a renewed interest from entomologists, which led to the description of 255 new taxa in 18 years. In particular, major contributions to Ethiopian Lepidoptera were made by Hermann H. Hacker, with various colleagues, for Erebidæ, Nolidae and Noctuidæ (178 new taxa); David Agassiz for Yponomeutidae (five new taxa); József Razowski and Pasquale Trematerra for Tortricidae (34 new taxa described); Axel Hausmann, Andrea Sciarretta and Francesco Parisi for Geometridæ (27 new taxa); Ulf Eitschberger and Tomas Melichar for Sphingidae, with eleven new taxa (Hacker and Fibiger 2007; Hacker and Zilli 2007; Haxaire and Melichar 2008; Hausmann et al. 2014, 2016; Hacker et al. 2008, 2012; Razowski and Trematerra 2010, 2012; Hacker and Mey 2010; Hacker 2011, 2013, 2014, 2016, 2019; Eitschberger and Ströhle 2011; Melichar and Řezáč 2015; Eitschberger and Melichar 2016; Melichar et al. 2016; Razowski et al. 2018; Agassiz 2019).

Many of these and other minor contributions resulted from dedicated expeditions, such as the “Joint Ethiopian-Russian Biological Expedition” lead by Vasiliy Kravchenko from Tel Aviv University, Israel; the “Ethiopian Insects Project”, between the Ethiopian Wildlife Conservation Authority (EWCA), the Bavarian State Collection of Zoology (ZSM) and the Museum Thomas Witt (MWM) in Munich, Germany; the projects carried out by the Italian entomologists of the University of Molise with EWCA and Ethiopian Biodiversity Institute (Kravchenko et al. 2007; Sciarretta et al. 2014; Hausmann et al. 2016).

Current state of knowledge on Ethiopian Lepidoptera

Based on the results of our current review, 2,438 Lepidoptera taxa (species or subspecies) are known to occur in Ethiopia hitherto, belonging to 48 families (Table 1; full list at: <https://doi.org/10.5281/zenodo.3234617>). This number includes 170 taxa which are not reported by the scientific literature but have been extracted from the above-mentioned websites.

In particular, 929 species or subspecies were described from type specimens collected in Ethiopia, 131 of them, mostly butterflies, at subspecific level (Table 2). It is interesting to note that endemic taxa number 664, approximately 27% of the total Lepidoptera. This high number can be explained by the particular physical and biogeographical history of the country and a broad range of different ecosystems with great diversity of habitats.



Figures 1–6. 1 *Acraea oscar* Rothschild, 1902 2 *Epiphora fournierae* (Le Moul, 1945) 3 *Pingasa pallidata* (De Joannis, 1913) 4 *Odontopera protecta* Herbulot, 1983 5 *Metarctia flavivena* Hampson, 1901 6 *Stoermeriana laportei* (Rougeot, 1977). Photos credit: Alenuccio Palladino (1); Francesco Parisi (2); Dirk Stadie (3–6).

Given these numbers, knowledge on the Ethiopian butterflies and moths appear to be particularly unsatisfactory, when compared to their (estimated) potential total numbers with other countries. For instance, the two most diverse European Mediterranean countries, i.e., France and Italy, with a combined land surface comparable to Ethiopia, have ca. 5,109 and 5,086 species of Lepidoptera, respectively (Stoch 2003; Wikipedia 2011).

To better evaluate the level of knowledge of the lepidopteran fauna in Ethiopia, and to roughly estimate the real biodiversity, we can compare it with neighboring

Table 1. Ethiopian Lepidoptera families and number of taxa (species and subspecies) reported.

No.	Family	Total number of taxa	Common name
1	Bedelliidae	1	Narrow-winged moths
2	Blastobasidae	2	Scavenger moths
3	Bombycidae	2	Silkworm moths
4	Brahmaeidae	2	Brahmin moths
5	Carposinidae	1	Fruitworm moths
6	Choreutidae	2	Metalmark moths
7	Cosmopterigidae	4	Cosmet moths
8	Cossidae	17	Carpenterworm moths
9	Crambidae	109	Grass moths
10	Depressariidae	2	Flat-bodied moths
11	Drepanidae	1	Hook-tips
12	Elachistidae	1	Grass miner moths
13	Epermeniidae	1	Fringe-tufted moths
14	Erebidae	523	Tiger moths
15	Eupterotidae	8	Snout moths
16	Euteliidae	10	Euteliid moths
17	Gelechiidae	10	Twirler moths
18	Geometridae	306	Geometer moths
19	Glyphipterigidae	1	Sedge moths
20	Gracillariidae	13	Leafminer moths
21	Hesperiidae	36	Skipper butterflies
22	Hyblaeidae	1	Teak moths
23	Lasiocampidae	38	Lappet moths
24	Limacodidae	15	Slug caterpillar moths
25	Lycaenidae	116	Gossamer-winged butterflies
26	Lyonetiidae	2	Lyonet moths
27	Metarbelidae	4	Wood-borer moths
28	Noctuidae	471	Owlet moths
29	Nolidae	85	Tuft moths
30	Notodontidae	28	Prominent moths
31	Nymphalidae	178	Brush-footed butterflies
32	Oecophoridae	1	Concealer boths
33	Papilionidae	17	Swallowtail butterflies
34	Pieridae	79	Yellows, Whites, & Sulphurs
35	Plutellidae	5	Diamondback moths
36	Psychidae	6	Bagworm moths
37	Pterophoridae	39	Plume moths
38	Pyalidae	31	Snout moths
38	Saturniidae	53	Emperor moths
40	Scythrididae	7	Flower moths
41	Sesiidae	6	Clearwing moths
42	Sphingidae	81	Hawk moths
43	Thyrididae	9	Picture-winged leaf moths
44	Tineidae	38	Fungus moths
45	Tortricidae	60	Leafroller moths
46	Uraniidae	3	Swallowtail moths
47	Yponomeutidae	6	Ermine moths
48	Zygaenidae	8	Burnet moths
Total		2438	

Table 2. List of Lepidoptera taxa originally described from Ethiopia (only valid names are listed). An asterisk (*) denotes that the town is in Sudan, but the river originates in Ethiopia. The type locality is recorded with the corrected spelling or current locality name in square brackets. The endemic taxa from Ethiopia are indicated with E in the last column. Synonymies are not reported. De Prins and De Prins (2019) and Williams (2018) have been used as a basic reference for the preparation of the list.

	Family	Taxon	Author	Type Locality	
1	Blastobasidae	<i>Blastobasis eridryas</i>	Meyrick, 1932	Mt Chillálo	E
2	Brahmaeidae	<i>Dactyloceras richinii</i>	Berio, 1940	Adi Abuna [in Tigray, Ethiopia]	
3	Carposinidae	<i>Carposina candace</i>	Meyrick, 1932	Jem-Jem Forest	E
4	Choreutidae	<i>Choreutis argyrastra</i>	Meyrick, 1932	Mt Zukwala/Cuqala	E
5		<i>Telosphrantis aethiopica</i>	Meyrick, 1932	Mt Chillálo	E
6	Cosmopterigidae	<i>Ascalenia secretifera</i>	Meyrick, 1932	Mt Chillálo	E
7		<i>Cosmopterix derra</i>	Koster, 2016	14 km S of Debre Tabor, Alemsaga Forest	E
8		<i>Cosmopterix epismaragda</i>	Meyrick, 1932	Jem-Jem Forest	E
9	Cossidae	<i>Aethalopteryx obscurascens</i>	(Gaede, 1930)	Centr. Abyss., Maraquo	
10		<i>Afroarabiella stroblei</i>	Yakovlev & Witt, 2016	Turmi, Mango Lodge	E
11		<i>Azygophleps brehmi</i>	Yakovlev & Witt, 2016	Bale Mountains, Karcha near Rira	E
12		<i>Camellocossus abyssinica</i>	(Hampson, 1910)	Abyssinia [Ethiopia]	
13		<i>Camellocossus lalibela</i>	Yakovlev & Witt, 2017	Arba Minch	E
14		<i>Camellocossus stroblei</i>	Yakovlev & Witt, 2017	Arba Minch	E
15		<i>Macrocossus sidamo</i>	Rougeot, 1977	near Kébré-Mengist [Kebre Mengist]	E
16		<i>Oreocossus ungemachi</i>	Rougeot, 1977	Ioubdo, Birbir	E
17		<i>Strigocossus kushit</i>	Yakovlev, 2011	Ethiopia SE, Bale, 11 km SW Goba, Bale Mts	E
18	Crambidae	<i>Adelpherupa aethiopicalis</i>	Maes, 2002	SW Abyssinia [Ethiopia], Djimma [Jimma]	E
19		<i>Agathodes dufayi</i>	Rougeot, 1977	Koffolé [Kofale]	E
20		<i>Alphacrambus cristatus</i>	Bassi, 1995	Maraqo	E
21		<i>Ancylolomia jacquelinae</i>	Rougeot, 1984	Arba Minch	E
22		<i>Ancylolomia shafferi</i>	Rougeot, 1977	Koffolé [Kofale]	E
23		<i>Ancylolomia shefferialis</i>	Rougeot, 1984	Bahar Dar	E
24		<i>Chilo luniferalis</i>	Hampson, 1896	Abyssinia [Ethiopia]	E
25		<i>Classeyia aphrodite</i>	Bleszyński, 1964	Dire Dawa	E
26		<i>Crambus arnaudiae</i>	Rougeot, 1977	Koffolé [Kofale]	E
27		<i>Crambus bachi</i>	Bassi, 2012	Bahar Dar, Lake Tana	E
28		<i>Crambus bellinii</i>	Bassi, 2014	Bale Mts, Sanetti Plateau	
29		<i>Crambus boislamberti</i>	Rougeot, 1977	Dinsho Reserve	E
30		<i>Crambus dedalus</i>	Bassi, 2000	Karsan, Kollubi	E
31		<i>Crambus descarpentriesi</i>	(Rougeot, 1977)	Koffolé [Koffale]	E
32		<i>Crambus jupiter</i>	Bleszyński, 1963	Ethiopia SW, Gamu-Gofa, Konso	E
33		<i>Crambus netuncus</i>	Bassi, 2012	Near Debra Libanos	E
34		<i>Crambus richteri</i>	Bleszyński, 1963	Kaffa, Ghimira	E
35		<i>Dembea venulosella</i>	Ragonot, 1888	Abyssinia [Ethiopia]	
36		<i>Euchromius donum</i>	Schouten, 1988	Haro-Ali, Gurra	E
37		<i>Euclasta sidamona</i>	Rougeot, 1977	Koffolé [Koffale]	E
38		<i>Euctenospila castalis</i>	Warren, 1892	Abyssinia [Ethiopia]	
39		<i>Leucinodes ethiopica</i>	Mally, Korycinska, Agassiz, Hall, Hodgetts & Nuss, 2015	Dire Dawa Region, Dire Dawa District, Dire Dawa	
40		<i>Lygropia nigricornis</i>	Hampson, 1898	Abyssinia [Ethiopia]	
41		<i>Noorda trimaculalis</i>	Amsel, 1965	Ethiopia SW, Gammu-Gofa, Konso	E

	Family	Taxon	Author	Type Locality	
42	Crambidae	<i>Noorda unipunctalis</i>	Amsel, 1963	Konso	E
43		<i>Pagyda pulvereumbralis</i>	(Hampson, 1918)	Diré Daouá [Dire Dawa]	
44		<i>Pediasia ferruginea</i>	Bleszyński, 1963	Kaffa, Gembi	
45		<i>Pediasia simiensis</i>	Bleszyński, 1962	Soddu Province, Wolamo [Walita]	E
46		<i>Prionapteryx selenalis</i>	(Hampson, 1919)	Taddecha Mullka	E
47		<i>Prionotalis friesei</i>	Bleszyński, 1963	Ethiopia SW, Gamu-Gofa, Konso	E
48		<i>Tegostoma richteri</i>	Amsel, 1963	Awash	E
49	Depressariidae	<i>Odites aethiopicus</i>	Lvovsky, 2001	Kaffa, Gembi	
50	Elachistidae	<i>Elachista delocharis</i>	Meyrick, 1932	Jem-Jem Forest	E
51	Erebidae	<i>Achaea monodi</i>	Laporte, 1975	near Kébré-Mengist [Kibre Mengist]	E
52		<i>Afrasura rivulosa ethiopica</i>	Durante, 2009	Menegsha-Suba state Forest	E
53		<i>Afrasura indecisa orientalis</i>	Durante, 2009	Menegsha-Suba state Forest	E
54		<i>Afrasura terlinea</i>	Durante, 2009	Langano Lake	E
55		<i>Afrojavonica kostlani</i>	(Gaede, 1923)	Adis-Abeba	
56		<i>Alpenus geminipuncta</i>	(Hampson, 1916)	Abyssinia [Ethiopia]	E
57		<i>Amata alicia</i>	(Butler, 1876)	Abyssinia [Ethiopia]	
58		<i>Amata magretti</i>	Berio, 1937	Metema [in Tigray, Ethiopia]	E
59		<i>Amata rufina</i>	(Oberthür, 1878)	Abyssinia [Ethiopia]	
60		<i>Amata shoa</i>	(Hampson, 1898)	Abyssinia [Ethiopia]	
61		<i>Amata velatipennis</i>	Walker, 1865	Marako	
62		<i>Amphicallia kostlani</i>	Strand, 1911	Gipfel des Sugyala	E
63		<i>Amsacta nigrisignata</i>	Gaede, 1923	Addis Ababa	E
64		<i>Amsactartia radiosa</i>	(Pagenstecher, 1903)	Darassum	
65		<i>Anomis sabulifera</i>	(Guenée, 1852)	Abyssinia [Ethiopia]	
66		<i>Antiophlebia bourgognei</i>	Laporte, 1975	Arba Minch	E
67		<i>Aroa quadriplagata</i>	Pagenstecher, 1903	Galata	E
68		<i>Asura xanthophaea</i>	Toulgoët, 1977	Ethiopia	E
69		<i>Beriodesma smithii</i>	(Holland, 1897)	River Darde	
70		<i>Brunia birketsmithi</i>	(Toulgoët, 1977)	Kébré-Mengist [Kibre Mengist]	E
71		<i>Brunia dorsti</i>	(Toulgoët, 1977)	Kébré-Mengist [Kibre Mengist]	E
72		<i>Callophisma viettei</i>	Laporte, 1975	Arba Minch	E
73		<i>Carcinarcia rougeoti</i>	Toulgoët, 1977	Bale Reserve, Dinsho	E
74		<i>Casama impura</i>	(Hering, 1926)	Abyssinia [Ethiopia]	
75		<i>Cautatha abyssinia</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, Bonga Guesthouse	
76		<i>Cautatha bifasciata</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, road Shishinda-Bonga, 6 km, w Wushwush	E
77		<i>Cerocala confusa</i>	Warren, 1913	Abyssinia [Ethiopia]	E
78		<i>Clytie thibauti</i>	Laporte, 1991	Kibre Mengist	E
79		<i>Corgatha hyperxantha</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, Bonga Guesthouse	E
80		<i>Corgatha minutulana</i>	Hacker, 2019	Southern Prov., 6 km ENE Weyto, Segen river	
81		<i>Cortyta canescens septentrionalis</i>	Hacker, 2016	12 km W of Jinka, near border of Mago National Park	
82		<i>Crambiforma leucostrepta</i>	Hampson, 1926	Harrar	E
83		<i>Crypsotidia digitata</i>	Kühne, 2005	Harar	E
84		<i>Crypsotidia gigantea</i>	Kühne, 2005	Harar	
85		<i>Ctenusa curvilinea</i>	Hampson, 1913	Taddecha Mullka	
86		<i>Cyana abyssinica</i>	Karisch, 2003	Akaki River, Addis Ababa	E

	Family	Taxon	Author	Type Locality	
87	Erebidae	<i>Cyana ethiopica</i>	Karisch, 2013	near Kebré-Mengist [Kibre Mengist]	E
88		<i>Dasychira grisea</i>	Pagenstecher, 1903	Bone	E
89		<i>Dasychira plesia</i>	Collenette, 1938	Abyssinia [Ethiopia]	
90		<i>Digama meridionalis deliae</i>	Berio, 1939	Adu-Abuna [in Tigray, Ethiopia]	E
91		<i>Donuctenusia fiorii</i>	Berio, 1940	Ogaden, Uarder [Warder]	E
92		<i>Enargeiosia elegans</i>	(Butler, 1877)	Atbara*	
93		<i>Eublemma accedens aethiopica</i>	Hacker, 2019	Ethiopia, 3 km N Turmi, Mango Camping Site	
94		<i>Eublemma aethiopiana</i>	Hacker, 2019	Jinka, Mago Nat. Park, Magoriverside	
95		<i>Eublemma baccatrix</i>	Hacker, 2019	Southern Prov., 2.6 km EE Wondo Genet	
96		<i>Eublemma collacteana</i>	Hacker, 2019	12 km W Jimma, border Mago Nat. Park	
97		<i>Eublemma costivinata</i>	Berio, 1945	Borana Nagelli [Borena Nagelle]	E
98		<i>Eublemma diredaoua</i>	Hacker, 2019	Dire Daoua, Abyssinia	E
99		<i>Eublemma ferruginata</i>	Hacker, 2019	20 ESE Sashamane, Wendo Genet	
100		<i>Eublemma heteropaura</i>	Hacker, 2019	Oromia, 7 km NW Yabelo	
101		<i>Eublemma joergmuelleri</i>	Hacker & Schrier, 2019	Ethiopia, Awash N.P., Headquarter	E
102		<i>Eublemma perturbata</i>	Hacker, 2019	Oromia prov., 6.5 km ne Shebe	
103		<i>Eublemma plectovera</i>	Hacker, 2019	8 km N Turmi	
104		<i>Eublemma schreieri</i>	Hacker, 2019	Oromia, 1km W vill. Aluweya	
105		<i>Eublemma sidamonia</i>	Hacker, Fiebig & Stadie, 2019	Sidamo, Yabello, vic. 6km SO near Deritu village	E
106		<i>Eublemma siticulina</i>	Hacker, 2019	Dire Daoua, Abyssinia	E
107		<i>Eublemma uhlenhuthi</i>	Wiltshire, 1988	Abyssinia, Dire Daoua [dire-dawa]	
108		<i>Euproctis chrysophaea</i>	(Walker, 1865)	Abyssinia [Ethiopia]	
109		<i>Eynalpenus scioana</i>	(Oberthür, 1880)	Scioa [Shoa]	
110		<i>Galtara doriae</i>	(Oberthür, 1880)	Mahal Unoz, between Harrar and Addis Abeba [Awash River]	
111		<i>Kenyarctia melanogastra</i>	(Holland, 1897)	Gof [Gofa]	
112		<i>Hypena abyssinialis</i>	Guenée, 1854	Abyssinia [Ethiopia]	
113		<i>Hypena padelekorum</i>	Lödl, 1995	Djem-Djem [Jem Jem] Forest	E
114		<i>Hypena philippi</i>	Laporte, 1991	Arba Minch	E
115		<i>Hyposada zavattarii</i>	Berio, 1944	Gondaraba	
116		<i>Hypotacha fiorii</i>	Berio, 1943	Diredaua [Dire Dawa]	
117		<i>Hypotacha glaucata</i>	(Holland, 1897)	Sjeikh Husein [Shek Hussein]	
118		<i>Ischnartia cinerea</i>	(Pagenstecher, 1903)	Gogoru	
119		<i>Laelia dabano</i>	Collenette, 1934	Dabano River	
120		<i>Lithacodia awassensis</i>	Berio, 1984	Awassa Lake	E
121		<i>Lithacodia persubtilis</i>	Berio, 1984	Kebré-Mengist	E
122		<i>Marcipa rougeoti</i>	Pelletier, 1975	Kebré-Mengist	E
123		<i>Metachrostis debivar</i>	(Berio, 1947)	Ogaden, Ualual [Walwal]	E
124		<i>Metachrostis phaeographa</i>	Hacker, 2011	12 km W of Jinka, border Mago National Park	
125		<i>Metarctia carmel</i>	Kiriakoff, 1957	SW Abyssinia [Ethiopia], Kambatta	E

Family	Taxon	Author	Type Locality	
126 Erebidae	<i>Metartia gada</i>	Rougeot, 1977	Dinsho Reserve, Réserve de Balé	E
127	<i>Metartia haematracha</i>	Hampson, 1905	Kutai Metha	
128	<i>Metartia kumasina</i>	Strand, 1920	Zegi Tsana [Zegie Tana]	
129	<i>Metartia negusi</i>	Kiriakoff, 1957	Abyssinia [Ethiopia]	E
130	<i>Metartia noctis</i>	Druce, 1910	Diré Daouá [Dire Dawa]	E
131	<i>Metartia saalfeldi</i>	Kiriakoff, 1960	Villagio	E
132	<i>Metartia unicolor</i>	(Oberthür, 1880)	Oromo Country, Fin-Fekéré	
133	<i>Micralartia punctulatum purus</i>	(Butler, 1878)	Abyssinia [Ethiopia]	
134	<i>Oediblemma peregrina</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, Sheiko Forest Road Teppi Mizan Teferi	E
135	<i>Ophiusa dianaris</i>	(Guenée, 1852)	Abyssinia [Ethiopia]	
136	<i>Pantydia dufayi</i>	Laporte, 1975	Near Koffolé [Koffalé]	
137	<i>Panamarbla abyssinica</i>	Collenette, 1956	Birbir, Joubdo [Yubdo]	E
138	<i>Panaonagylla zavattarii</i>	Berio, 1939	Neghelli [Nagelle]	E
139	<i>Pericyma schreieri</i>	Hacker, 2016	Gamu-Gofa Province, 3 km N of Turmi	
140	<i>Phytometra angensteini</i>	Hacker, 2019	Arba Minch	E
141	<i>Plecopterodes melliflua</i>	(Holland, 1897)	Sjeikh Husein [Shek Hussein]	
142	<i>Plecopterodes molybdena</i>	Berio, 1954	Gorgorà, Lake Tana	E
143	<i>Podomachla antinorii</i>	(Oberthür, 1880)	Mahal Unz [Awash River]	
144	<i>Polymona ruffemur ellisoni</i>	Collenette, 1938	Abyssinia [Ethiopia]	
145	<i>Proluta ethiopica</i>	(Hacker, 2011)	Arba Minch Region, Omo Province, Gemu Gofa	
146	<i>Pseudomicrodes varia</i>	Berio, 1944	Elolo	
147	<i>Preledoa atripalpia</i>	Hampson, 1910	Atbara River	
148	<i>Rhabdophera exarata</i>	(Mabille, 1890)	Abyssinia [Ethiopia]	
149	<i>Ruanda nuda</i>	(Holland, 1897)	River Darde	
150	<i>Seydelia geometrica</i>	(Oberthür, 1883)	Scioa [Shoa]	
151	<i>Spilosoma mediopunctata</i>	(Pagenstecher, 1903)	Arbarone	
152	<i>Spilosoma quadrimaculata</i>	Toulgoët, 1977	Lalokéli	E
153	<i>Stenilema aurantiaca</i>	Hampson, 1909	Abyssinia [Ethiopia]	
154	<i>Stenilema haileSELLASSIEI</i>	(Birket-Smith, 1965)	Addis Ababa, University College Campus	E
155	<i>Stracena aegrota</i>	Le Cerf, 1922	Harar	E
156	<i>Stracilla translucida</i>	(Oberthür, 1880)	Scioa [Shoa], Mahal Unz	
157	<i>Syngatha eremita</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, Bonga Guesthouse	E
158	<i>Syngatha parascotoides</i>	Hacker, 2019	12 km W Jinka, border Mago National Park	
159	<i>Syngatha simplicata</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, Sheiko Forest Road Teppi Mizan Teferi	E
160	<i>Tegiapa ambigua</i>	Hacker, Fiebig & Stadie, 2019	Reg. South Nations, road Shishinda-Bonga, 6 km W Wushwush	
161	<i>Tegiapa obliqua</i>	Hacker, Fiebig & Stadie, 2019	Sidamo, Yabello vic., 10km W road to Konso	
162	<i>Tegiapa schreieri</i>	Hacker, 2019	Oromia Prov., 6 km ESE Jimma	
163	<i>Teracotona abyssinica</i>	(Rothschild, 1933)	Central Abyssinia [Ethiopia], Maraco [Marako]	
164	<i>Teracotona neumanni</i>	Rothschild, 1933	SW Abyssinia [Ethiopia], Kambatta	E

Family	Taxon	Author	Type Locality	
165	Erebidae	<i>Teracotona postalbida</i>	(Gaede, 1926)	Abyssinia [Ethiopia] E
166		<i>Teracotona clara rubiginea</i>	(Toulgoët, 1977)	Fisha Genet E
167		<i>Teracotona seminigra</i>	(Hampson, 1905)	Zegi Tsana [Tana] E
168		<i>Thyretes negus</i>	Oberthür, 1878	Abyssinia [Ethiopia]
169		<i>Tigreana nathaliannae</i>	Laporte, 1991	Wollo, Ataye E
170		<i>Tigreana sandrae</i>	Laporte, 1991	Wollo Ataye E
171		<i>Trigonodes exportata</i>	Guenée, 1852	Abyssinia [Ethiopia]
172		<i>Tytroca alabuensis alabuensis</i>	Wiltshire, 1970	Alabu
173		<i>Tytroca balnearia mutabilis</i>	Hacker, 2016	15 km N of Arba Minch, 2 km after junction to Chencha E
174		<i>Tytroca heterophysa</i>	Hacker, 2016	Omo Region, Gemu Gofa Province, Arba Minch E
175		<i>Ulotrichopus phaeoleucus griseus</i>	Kühne, 2005	Addis Ababa
176		<i>Utetheisa ambara</i>	Jordan, 1939	Abyssinia [Ethiopia]
177		<i>Zekelita heteroleuca</i>	Hacker, 2016	Southern Province, 11.2 km W of Bonga E
178		<i>Zekelita lehmanni magnificaria</i>	Hacker, 2016	10.5 km W of Weyto E
179		<i>Zekelita nilotica</i>	Hacker, 2016	30 km SE of Bahir Dar, Tisisat above Blue Nile falls E
180	Eupterotidae	<i>Phiala abyssinica</i>	Aurivillius, 1904	Zegi Tsana [Tana] E
181		<i>Phiala bergeri</i>	Rougeot, 1975	Bale E
182		<i>Rhodopteriana abyssinica</i>	(Rothschild, 1917)	Harrar [Harar]
183		<i>Rhodopteriana sidamoensis</i>	Darge, 2013	Sidamo Province, near Mega E
184	Euteliidae	<i>Eutelia favillatrix</i>	(Guenée, 1852)	Abyssinia [Ethiopia]
185		<i>Stenosticta schreieri</i>	Hacker, 2010	3 km N Turmi, Mango Camping Site E
186	Gelechiidae	<i>Aphanostola maxima</i>	Bidzilya & Mey, 2016	Lake Tana, Bahir Dar E
187		<i>Chrysoesthia parilis</i>	(Vári, 1963)	Little Akaki River, near Addis Ababa E
188		<i>Stegasta sattleri</i>	Bidzilya & Mey, 2011	Addis Ababa
189		<i>Stomopteryx ochrosema</i>	Meyrick, 1932	Addis Alam [Alem], ca. 20 miles W. of Addis Ababa E
190		<i>Chiasmia abyssinica</i>	Krüger, 2001	Harrar [Harar] E
191		<i>Chiasmia procidata</i>	(Guenée, 1858)	Abyssinia [Ethiopia]
192		<i>Chiasmia streniata</i>	(Guenée, 1858)	Abyssinia [Ethiopia]
193		<i>Chiasmia trinatatula</i>	Krüger, 2001	Kabarutar, 56 miles W of Lake Tana E
194		<i>Cleora oculata sidamo</i>	Herbulot, 1977	Kébré-Mengist [Kibre Mengist] E
195		<i>Cleora pavlitzkiae etesiae</i>	Fletcher, 1967	Harar
196		<i>Coenina dentataria</i>	Swinhoe, 1904	Abyssinia [Ethiopia]
197		<i>Comibaena theodori</i>	Hausmann & Parisi, 2014	Kaffa Province, 10 km N of Bonga E
198		<i>Drepanogynis nigerrima</i>	(Swinhoe, 1904)	Abyssinia [Ethiopia] E
199		<i>Epigynopteryx flavedinaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]
200		<i>Epigynopteryx rougeoti</i>	Herbulot, 1977	Dinsho Marshes E
201		<i>Epigynopteryx scotti</i>	Fletcher, 1959	Ethiopia N, Simien, near Mindigabsa E
202		<i>Erastria marginata</i>	(Swinhoe, 1904)	Abyssinia [Ethiopia] E
203		<i>Eupithecia angulata</i>	Fletcher, 1951	Harar E
204		<i>Eupithecia dinshoensis</i>	Herbulot, 1983	Dinsho Col E
205		<i>Eupithecia incommoda</i>	Herbulot, 1983	Dinsho Reserve E
206		<i>Eupithecia inquinata</i>	Fletcher, 1950	Lekamti [Naqamte]

	Family	Taxon	Author	Type Locality	
207	Geometridae	<i>Eupithecia ochralba</i>	Herbulot, 1983	Dinsho Reserve	E
208		<i>Eupithecia pseudoabbreviata</i>	Fletcher, 1951	Harar	E
209		<i>Eupithecia rougeoti</i>	Herbulot, 1983	Dinsho Reserve	E
210		<i>Eupithecia urbanata</i>	Fletcher, 1956	Harar	E
211		<i>Geodena brunneomarginata</i>	Karisch, 2003	Shoa, 50 km W of Adis Ababa	E
212		<i>Hemistola aetherea</i>	Debauche, 1937	Addis Ababa	E
213		<i>Henicovalva negus</i>	Krüger, 2017	Dire Daoua [Dawa]	E
214		<i>Heterostegane serrata</i>	(Fletcher, 1958)	Diré Daouá [Dire Dawa]	E
215		<i>Hydrelia candace</i>	Prout, 1929	Addis Ababa	E
216		<i>Hypochrosis chiarinii</i>	(Oberthür, 1883)	Scioa [Shoa]	E
217		<i>Idaea glomerata</i>	(Prout, 1937)	Abyssinia [Ethiopia]	E
218		<i>Lomographa indularia</i>	(Guenée, 1858)	Abyssinia [Ethiopia]	E
219		<i>Mimoclystia pudicata cecchii</i>	(Oberthür, 1883)	Scioa [Shoa], Let-Marefia [Jet Marafia]	E
220		<i>Nothofidonia xenoleuca</i>	Prout, 1928	Wolisso, between Hauash [Awash] and Omo	E
221		<i>Odontopera briela</i>	(Debauche, 1937)	Mt Chillalo [Chilalo]	E
222		<i>Odontopera integraria</i>	Guenée, 1858	Abyssinia [Ethiopia]	E
223		<i>Odontopera protecta</i>	Herbulot, 1983	Dinsho Reserve	E
224		<i>Omphacodes pulchrifimbria pulchritacta</i>	Prout, 1923	Abyssinia [Ethiopia] Central Moraqui [Marako]	E
225		<i>Oreometra ras</i>	Herbulot, 1983	near Mount Batu	E
226		<i>Piercia zukvalensis</i>	Debauche, 1937	Mt Zukwala/Cuqala	E
227		<i>Pingasa abyssiniaria</i>	(Guenée, 1858)	Harar	E
228		<i>Platypepla bifida</i>	Herbulot, 1984	near Kébré-Mengist [Kibre Mengist]	E
229		<i>Platypepla uhlenhuthi</i>	Krüger, 2001	Diré Daouá [Dire Dawa]	E
230		<i>Prasinocyma aquamarina</i>	Hausmann, Sciarretta & Parisi, 2016	Bale Mts, 10 km S Rira	E
231		<i>Prasinocyma aetheraea</i>	(Debauche, 1937)	Addis Ababa	E
232		<i>Prasinocyma albivenata</i>	Herbulot, 1983	Dinsho Marsh	E
233		<i>Prasinocyma amharensis</i>	Hausmann, Sciarretta & Parisi, 2016	SW Debre Sina & Sembo, Umg. Debre Sina	E
234		<i>Prasinocyma angolica pseudopedicata</i>	Hausmann, Sciarretta & Parisi, 2016	7 km NW Yabello	E
235		<i>Prasinocyma angulifera</i>	Hausmann, Sciarretta & Parisi, 2016	southern Bale Mts, Harenna Forest	E
236		<i>Prasinocyma batesi distans</i>	Hausmann, Sciarretta & Parisi, 2016	Addis Ababa	E
237		<i>Prasinocyma baumgaertneri</i>	Hausmann, Sciarretta & Parisi, 2016	Harenna Forest	E
238		<i>Prasinocyma beryllaria</i>	Hausmann, Sciarretta & Parisi, 2016	13 km W Yabello Motel	E
239		<i>Prasinocyma bongaensis</i>	Hausmann, Sciarretta & Parisi, 2016	Bonga, 12 km E	E
240		<i>Prasinocyma discipuncta</i>	Hausmann, Sciarretta & Parisi, 2016	16 km SW Kibre Mengist	E
241		<i>Prasinocyma fallax</i>	Hausmann, Sciarretta & Parisi, 2016	SW. Debre Sina & Sembo, Umg. Debre Sina	E
242		<i>Prasinocyma fusca</i>	Hausmann, Sciarretta & Parisi, 2016	Harenna Forest	E
243		<i>Prasinocyma gajdaci</i>	Prout, 1930	Adis Abeba [Addis Ababa]	E
244		<i>Prasinocyma gemmifera</i>	Hausmann, Sciarretta & Parisi, 2016	Wushwush, 7.4 km w	E

Family	Taxon	Author	Type Locality	
245	Geometridae	<i>Prasinocyma germinaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]
246		<i>Prasinocyma getachewi</i>	Hausmann, Sciarretta & Parisi, 2016	Arba Minch E
247		<i>Prasinocyma hailei</i>	Debauche, 1937	Addis Ababa E
248		<i>Prasinocyma immaculata thiaucourti</i>	Herbulot, 1993	Debre Zeit E
249		<i>Prasinocyma leveneorum</i>	Hausmann, Sciarretta & Parisi, 2016	Hareenna Forest, Karcha clearing E
250		<i>Prasinocyma lutulenta</i>	Hausmann, Sciarretta & Parisi, 2016	Arba Minch E
251		<i>Prasinocyma magica</i>	Hausmann, Sciarretta & Parisi, 2016	Mago National park E
252		<i>Prasinocyma monikae</i>	Hausmann, Sciarretta & Parisi, 2016	13 km W Yabello, Motel E
253		<i>Prasinocyma pedicata aethiopica</i>	Hausmann, Sciarretta & Parisi, 2016	16 km SW Kibre Mengist E
254		<i>Prasinocyma robusta</i>	Hausmann, Sciarretta & Parisi, 2016	13 km W Yabello, Motel E
255		<i>Prasinocyma septentrionalis</i>	Hausmann, Sciarretta & Parisi, 2016	Arba Minch E
256		<i>Prasinocyma shoa shoa</i>	Herbulot, 1993	Debre Zeit E
257		<i>Prasinocyma shoa yabellensis</i>	Hausmann, Sciarretta & Parisi, 2016	13 km W Yabello, Motel E
258		<i>Prasinocyma stefani</i>	Hausmann, Sciarretta & Parisi, 2016	Bonga, 12 km E E
259		<i>Prasinocyma tranquilla</i>	Prout, 1917	NW of Harar, Diredaua [Dire Dawa] E
260		<i>Prasinocyma trematerrai simienensis</i>	Hausmann, Sciarretta & Parisi, 2016	Semien Mountains, chennek Camp E
261		<i>Prasinocyma trematerrai trematerrai</i>	Hausmann, Sciarretta & Parisi, 2016	Dinsho E
262		<i>Problepsis fiebigi</i>	Stadie & Stadie, 2016	Omo Region, Province of Gemu Gofa, Arba Minch E
263		<i>Problepsis neumanni</i>	Prout, 1932	Djiren, Djimma [Jimma] E
264		<i>Problepsis silvonenii</i>	Stadie & Stadie, 2016	Sidamo, 13 km W of Yabello, Motel E
265		<i>Protosteira decolorata</i>	Herbulot, 1984	Semyen, Sankaber E
266		<i>Rhodometra labdoides</i>	Herbulot, 1997	Choa [Shoa], Debré Zeit E
267		<i>Rhodometra plectaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]
268		<i>Rougeotiella pseudonoctua</i>	Herbulot, 1983	Kébré-Mengist [Kibre Mengist] E
269		<i>Scopula erymna</i>	Prout, 1928	Gurra, Dagaje E
270		<i>Scopula scotti</i>	Debauche, 1937	Addis Ababa
271		<i>Scopula silonaria</i>	(Guenée, 1858)	Abyssinia [Ethiopia]
272		<i>Scopula simplificata</i>	Prout, 1928	NE Africa, Ganale River E
273		<i>Sesquialtera lonchota</i>	Prout, 1931	Diré Daouá [Dire Dawa], NW of Harrar E
274		<i>Somatina pythiaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]
275		<i>Tephronia aethiopica</i>	Herbulot, 1983	Shoa, Menagesha Forest E
276		<i>Traminda neptunaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]
277		<i>Trimetopia aetheraria</i>	Guenée, 1858	Abyssinia [Ethiopia] E
278		<i>Xanthisthisa copta</i>	Herbulot, 1977	Boré Forest E
279		<i>Xanthisthisa terna</i>	Herbulot, 1984	Shoa, Menagesha Forest E
280		<i>Xanthorhoe abyssinica</i>	Herbulot, 1983	Chensha E
281		<i>Xanthorhoe alta</i>	Debauche, 1937	Mt Chillálo, Albaso E

	Family	Taxon	Author	Type Locality	
282	Geometridae	<i>Xanthorhoe cadra</i>	(Debauche, 1937)	Mt Chillalo, from forest of Kosso-trees	E
283		<i>Xanthorhoe cuneosignata</i>	Debauche, 1937	Mt Chillalo, Albaso	E
284		<i>Xanthorhoe excelsissima</i>	Herbulot, 1977	Mt Batu	E
285		<i>Xenimpia sabae amarei</i>	Hausmann, 2006	Arba Minch, Region of Omo, Gemu Gofa,	E
286		<i>Xyloperyx emunctaria</i>	(Guenée, 1858)	Abyssinia [Ethiopia]	
287		<i>Xyloperyx gada</i>	Herbulot, 2000	Balé, Harena Forest	E
288		<i>Xyloperyx naphaelaria</i>	(Oberthür, 1880)	Scioa [Shoa]	E
289		<i>Zamarada excavata pollex</i>	Fletcher, 1974	Jlubador [Ilubabor] Gore	E
290		<i>Zamarada hyalinaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]	
291		<i>Zamarada melasma</i>	Fletcher, 1974	Dire Daoua [Dire Dawa]	
292		<i>Zamarada secutaria</i>	(Guenée, 1857)	Abyssinia [Ethiopia]	
293		<i>Zamarada shoa</i>	Herbulot, 2002	Shoa, 50 km W of Addis Ababa	E
294		<i>Zamarada torrida</i>	Fletcher, 1974	Dire Daoua [Dire Dawa]	
295	Glyphipterigidae	<i>Ussana semicoronis</i>	Meyrick, 1932	Jem-Jem Forest	E
296	Gracillariidae	<i>Acrocercops heteroloba</i>	Meyrick, 1932	Jem-Jem Forest	E
297		<i>Acrocercops orianassa</i>	Meyrick, 1932	Mt Zukwala/Cuqala	
298		<i>Caloptilia macroleura</i>	(Meyrick, 1932)	Jem-Jem Forest	
299		<i>Metacercops hexactis</i>	(Meyrick, 1932)	Jem-Jem Forest	E
300		<i>Metriochoa carissae</i>	Vári, 1963	Addis Ababa, Little Akaki River	E
301		<i>Metriochoa scotinopa</i>	Vári, 1963	Dabra Zeit [Debre Zeit]	E
302	Gracillariidae	<i>Porphyrosla homotrophia</i>	Vári, 1963	Addis Ababa, Little Akaki River	E
303		<i>Stomphastis heringi</i>	Vári, 1963	Near Addis Ababa, Little Akaki River	E
304		<i>Stomphastis horrens</i>	(Meyrick, 1932)	Jem-Jem Forest	E
305	Hesperiidae	<i>Abantis meneliki</i>	Berger, 1979	Harar	
306		<i>Apallaga menageshae</i>	Libert, 2014	Mt Menagesha, NW Addis Abeba	
307		<i>Coeliades chalybe immaculata</i>	Carpenter, 1935	Alanga River	E
308		<i>Coeliades menelik menelik</i>	(Ungemach, 1932)	Lilmo, dans la pays de Sayo	
309		<i>Eretis mixta</i>	Evans, 1937	Dire Daoua [Dire Dawa]	
310		<i>Metisella formosus mittoni</i>	Carcasson, 1961	Mega	E
311		<i>Sarangesa lucidella helena</i>	Evans, 1947	Harar	E
312	Lasiocampidae	<i>Bernalade perobliqua monostriata</i>	Berio, 1940	Adi-Abuna [in Tigray, Ethiopia]	E
313		<i>Bombycopsis abyssinica</i>	Joannou & Krüger, 2009	Addis Abeba	E
314		<i>Mallocompa toulgoeti</i>	Rougeot, 1977	Kébré-Mengist [Kibre Mengist]	E
315		<i>Odontocheilopteryx eothina</i>	Tams, 1931	Djoubdo [Yubdo], Birbir	E
316		<i>Odontocheilopteryx lajonquieri</i>	Rougeot, 1977	near Kébré-Mengist [Kibre Mengist]	E
317		<i>Pallastica hararia</i>	Zolotuhin & Gurkovich, 2009	Harar	E
318		<i>Sena donaldsoni rougeoti</i>	Lajonquière, 1977	Arba Minch	E
319		<i>Sena scotti</i>	(Tams, 1931)	Djem-Djem [Jem-Jem] Forest	
320		<i>Stoermeriana abbayensis</i>	(Rougeot, 1984)	Bahar-Dar, marais du Nil Bleu, Abbay	E
321		<i>Stoermeriana chavailloni</i>	(Rougeot, 1984)	Melka-Kontouré	E
322		<i>Stoermeriana das</i>	(Hering, 1928)	Eli	E
323		<i>Stoermeriana laportei</i>	(Rougeot, 1977)	Kébré-Mengist [Kibre Mengist]	E
324		<i>Stoermeriana murinuscolor</i>	(Rougeot, 1984)	Shoa, Menagesha Forest	E
325		<i>Stoermeriana saanayetae</i>	(Rougeot, 1984)	Awassa Lake	E
326		<i>Stoermeriana tamsi</i>	(Rougeot, 1977)	Dinsho Marshes, Balé	E
327		<i>Stoermeriana viettei</i>	(Rougeot, 1977)	Dinsho Marshes	E

Family	Taxon	Author	Type Locality	
328	Limacodidae			
	<i>Crothaema flava</i>	Berio, 1940	Adi-Abuna [in Tigray, Ethiopia]	E
329		Rougeot, 1977	Kébré-Mengist [Kibre Mengist]	E
330	<i>Hamartia medora moulini</i>	Rougeot, 1977	Kébré-Mengist [Kibre Mengist]	E
331	<i>Jordaniana lactea</i>	(Pagenstecher, 1903)	Ganale	
332	Lycaenidae	(Guérin-Méneville, 1849)	Dire Dawa	
	<i>Anthene amarah</i>	(Oberthür, 1880)	Mantek; Mahal-Uonz	
333	<i>Anthene butleri butleri</i>	Libert, 2010	10 km NW of Neghelli	E
334	<i>Anthene chojnackii</i>	Libert, 2010	Touloudimtu [Tullu Dimtu]	
335	<i>Anthene confusa</i>	(Ungemach, 1932)	Bedelle	E
336	<i>Anthene contrastata</i>	(Pagenstecher, 1902)	Ginir	E
337	<i>Anthene definita nigrocaudata</i>			
338	<i>Anthene dulcis</i>	(Pagenstecher, 1902)	Gambe beim Abasse-See	
339	<i>Anthene hodsoni</i>	(Talbot, 1935)	Kibish River	
340	<i>Anthene opalina janna</i>	Gabriel, 1949	Fich-Babile Road	
341	<i>Anthene opalina opalina</i>	Stempffer, 1946	Callafo[Kalafo], Webi Shebeli, Ogaden	
342	<i>Anthene pitmani aethiopana</i>	Libert, 2010	Ghibe River, Addis Abeba-Jimma road	
343	<i>Anthene princeps</i>	(Butler, 1876)	Atbara*	
344	<i>Anthene saddacus</i>	(Talbot, 1935)	Ethiopia	E
345	<i>Anthene suquala</i>	(Pagenstecher, 1902)	Suquala	
346	<i>Axiocerses maureli</i>	Dufrane, 1954	Harrar	E
347	<i>Azanus jesus</i>	(Guérin-Méneville, 1849)	Abyssinie [Ethiopia]	
348	<i>Cacyreus ethiopicus</i>	(Tite, 1961)	25 km north of Quiha	E
349	<i>Cacyreus fracta ghimirra</i>	Talbot, 1935	Shoa Ghimirra province	E
350	<i>Chilades elicola</i>	(Strand, 1911)	Eli, Ethiopia	
351	<i>Deudorix lorisona baronica</i>	Ungemach, 1932	Baro River	E
352	<i>Deudorix ungemachi</i>	Libert, 2004	Ethiopia	E
353	<i>Eicochrysops antoto</i>	(Strand, 1911)	Umgebung unterhalb Antotos [Entoto]	E
354	<i>Eicochrysops meryamae</i>	Rougeot, 1983	Province de Gondar, environs de Debarek	E
355	<i>Eicochrysops messapus sebgadis</i>	(Guérin-Méneville, 1849)	Abyssinie [Ethiopia]	
356	<i>Euchrysops abyssinicus</i>	(Aurivillius, 1922)	Tchafanani; Debasso	E
357	<i>Euchrysops cyclopterus</i>	(Butler, 1876)	Atbara*	
358	<i>Euchrysops mauensis Abyssinia [Ethiopia]</i>	Storace, 1950	Bahrdâr [Bahar Dar] sulle rive meridionali del Lago Tana	E
359	<i>Euchrysops nandensis</i>	(Neave, 1904)	Lake Tana	
360	<i>Hypolycaena ogadenensis</i>	Stempffer, 1946	Dagahbur, Ogaden	E
361	<i>Iolais crawshayi maureli</i>	Dufrane, 1954	Harrar [Harar]	
362	<i>Iolais piaggiae</i>	Oberthür, 1883	Kolla di Giagaguè-Agher	E
363	<i>Lachmocnema abyssinica</i>	Libert, 1996	Dire Daouna [Dawa]	
364	<i>Lepidochrysops abyssiniensis abyssiniensis</i>	(Strand, 1911)	Eli	E
365	<i>Lepidochrysops abyssiniensis oculus</i>	(Ungemach, 1932)	Ouama	E
366	<i>Lepidochrysops guichardi</i>	Gabriel, 1949	10 miles West of Addis Ababa	E
367	<i>Lepidochrysops lunulifer</i>	(Ungemach, 1932)	Didessa	E
368	<i>Lepidochrysops negus</i>	(Felder & Felder, 1865)	Africa septentrionali-orientalis: Bogu	
369	<i>Lepidochrysops pterou lilacina</i>	(Ungemach, 1932)	Didessa	E

	Family	Taxon	Author	Type Locality	
370	Lycanidae	<i>Lepidochrysops subvariegata</i>	Talbot, 1935	Dirre Dawa	E
371		<i>Leptomyrina boschi</i>	Strand, 1911	Abyssinie [Ethiopia]	E
372		<i>Lycena phlaeas</i> <i>pseudophlaeas</i>	(Lucas, 1866)	Abyssinie [Ethiopia]	E
373		<i>Myrina silenus nzoiae</i>	Stoneham, 1937	Western Kenya to Ethiopia and Eritrea	
374		<i>Pentila pauli ras</i>	Talbot, 1935	S.W. Abyssinia [Ethiopia], Pokodi [Bokoji]	E
375		<i>Stugeta bowkeri ethiopica</i>	(Stempffer & Bennett, 1958)	Harrar [Harar]	E
376		<i>Tarucus ungemachi</i>	Stempffer, 1942	Rivière Baro Abyssinie [Ethiopia] occidentale	
377		<i>Thermoniphas colorata</i>	(Ungemach, 1932)	Youbdo	
378		<i>Tuxentius cretosus</i>	(Butler, 1876)	Atbara*	
379		<i>Tuxentius kaffana</i>	(Talbot, 1935)	Nado's Province, Yeki; Mocha District, Gamadura	E
380		<i>Uranothauma antinorii</i>	(Oberthür, 1883)	Torrente di Sciotalit	
381		<i>Uranothauma nubifer distinctesignatus</i>	(Strand, 1911)	[Ethiopia]	E
382		<i>Zintha hintza resplendens</i>	(Butler, 1876)	Atbara*	E
383	Metarbelidae	<i>Aethiopina semicirculata</i>	Gaede, 1929	Abyssinia [Ethiopia]	E
384		<i>Salagena fetlaworkae</i>	Rougeot, 1977	near Koffolé [Koffale]	E
385		<i>Tenagra lemairi</i>	Rougeot, 1977	Dinsho Marches	E
386		<i>Tenagra villiersi</i>	Rougeot, 1977	near Koffolé [Koffale]	E
387	Noctuidae	<i>Abrostola obliqua</i>	Dufay, 1958	Abyssinia [Ethiopia]	E
388		<i>Abrostola rougeoti</i>	Rougeot, 1977	near Koffolé [Koffale]	E
389		<i>Acontia albatrigona</i>	Hacker, Legrain & Fibiger, 2008	Arba Minch Region, Omo, Province Gemu, Gofa	
390		<i>Acontia amarei</i>	Hacker, Legrain & Fibiger, 2010	Gamu-Gofa Province, 10.5 km W of Weyto	E
391		<i>Acontia ambara</i>	Hacker, Legrain & Fibiger, 2008	Gamu-Gofa Province, 8 km N of Turmi	E
392		<i>Acontia proesei</i>	Hacker, Legrain & Fibiger, 2008	Valley of the river Tekezé, 30 km N of Gashena	E
393		<i>Acontia robertbecki</i>	Hacker, Legrain & Fibiger, 2010	Arba Minch Region, Gemu Gofa Province	E
394		<i>Acontia ruficincta</i>	Hampson, 1910	Atbara*	E
395		<i>Acontia secta</i>	Guenée, 1852	Abyssinia [Ethiopia]	
396		<i>Acontia uhlenhuthi</i>	Hacker, Legrain & Fibiger, 2008	Diré Daouá [Dire Dawa]	E
397		<i>Acontiola boursini</i>	(Berio, 1940)	Lekemti [Naqamte]	
398		<i>Acrapex abbaye</i>	Laporte, 1984	Dinsho Reserve	E
399		<i>Acrapex apexangula</i>	Laporte, 1984	near Koffolé [Koffale]	E
400		<i>Acrapex ausseili</i>	Laporte, 1984	Fisha Genet	E
401		<i>Acrapex franeyae</i>	Laporte, 1984	Dinsho Reserve	E
402		<i>Acrapex genrei</i>	Laporte, 1984	Dinsho Reserve	E
403		<i>Acrapex girardi</i>	Laporte, 1984	Dinsho Reserve	E
404		<i>Acrapex guiffroyorum</i>	Laporte, 1984	Dinsho Reserve	E
405		<i>Acrapex mastawatae</i>	Laporte, 1984	Arba Minch	E
406		<i>Acrapex matilei</i>	Laporte, 1984	Dinsho Reserve	E
407		<i>Acrapex satanas</i>	Laporte, 1984	Dinsho Reserve	E
408		<i>Acrapex soyema</i>	Le Ru, 2017	Gibe, Soyema Bridge	E
409		<i>Acrapex ulmii</i>	Laporte, 1991	Koffole [Koffale]	E
410		<i>Acrapex zaouditou</i>	Laporte, 1991	Koffole [Koffale]	E
411		<i>Aedia albirena</i>	(Hampson, 1926)	Taddecha Mullha	

Family	Taxon	Author	Type Locality	
412 Noctuidae	<i>Aedia konsonata</i>	Hacker, 2016	Konso	E
413	<i>Aedia marmoreata</i>	Hacker, 2016	12 km W of Jinka	
414	<i>Agocera ferrugo</i>	Jordan, 1926	Hora Daka	E
415	<i>Agrotis baleense</i>	Laporte, 1977	Dinsho, Bale Reserve	
416	<i>Agrotis cinchonina</i>	Guenée, 1852	Abyssinia [Ethiopia]	E
417	<i>Agrotis debivari</i>	(Berio, 1962)	Africa Orientale Italiana, Debivar	E
418	<i>Agrotis separata</i>	Guenée, 1852	Abyssinia [Ethiopia]	E
419	<i>Amazonides berioi</i>	(Laporte, 1984)	Lekemti [Naqamte]	E
420	<i>Amazonides berliozi</i>	Laporte, 1974	Dinsho Col	E
421	<i>Amazonides dubiomeodes</i>	Laporte, 1977	Kébré-Mengist [Kibre Mengist]	E
422	<i>Amazonides ezanai</i>	(Laporte, 1984)	Kébré-Mengist [Kibre Mengist]	E
423	<i>Amazonides fumigena</i>	Laporte, 1977	Dinsho Marshes	E
424	<i>Amazonides koffoleense</i>	Laporte, 1977	Koffolé [Koffale]	E
425	<i>Amazonides laheuderiae</i>	Laporte, 1984	Abba Hoye-Gara	E
426	<i>Amazonides pseudoberliozi</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
427	<i>Amazonides putrefacta</i>	(Guenée, 1852)	Abyssinia [Ethiopia]	
428	<i>Amazonides ungemachi</i>	(Laporte, 1984)	Ioubdo, Birbir, Nole Kabe	E
429	<i>Amazonides zarájakobi</i>	Laporte, 1984	Dinsho Marshes	E
430	<i>Amphibia hepialoides</i>	Guenée, 1852	Abyssinia [Ethiopia]antio	E
431	<i>Aporophoba subaustralis</i>	Berio, 1977	Addis Ababa	E
432	<i>Apospasta albirenalis</i>	Laporte, 1974	Mt Batu	E
433	<i>Apospasta diffusa</i>	Laporte, 1974	Dinsho Col	E
434	<i>Apospasta erici</i>	Laporte, 1984	Dinsho Reserve	E
435	<i>Apospasta incongrua</i>	Laporte, 1974	Dinsho Col	E
436	<i>Apospasta maryamae</i>	Laporte, 1974	Dinsho Marshes	E
437	<i>Apospasta niger</i>	Laporte, 1974	Dinsho Marshes	E
438	<i>Apospasta rougeoti</i>	Laporte, 1991	Boré Forest	
439	<i>Apospasta rufa</i>	Laporte, 1991	Choa [Shoa], Menageshah [Menegasha] Forest	E
440	<i>Apospasta sabulosa</i>	Fletcher, 1959	Simien, Lori	E
441	<i>Apospasta thomasi</i>	Laporte, 1991	Addis Ababa	E
442	<i>Ariathisa abyssinia</i>	(Guenée, 1852)	Abyssinia [Ethiopia]	
443	<i>Aspidifrontia ungemachi</i>	(Laporte, 1978)	Meti	E
444	<i>Athetis aeschrioides</i>	Berio, 1940	Adi-Abuni [in Tigray, Ethiopia]	
445	<i>Athetis carayoni</i>	Laporte, 1977	Dinsho col	E
446	<i>Athetis viettei</i>	Laporte, 1991	Choa [Shoa], Melka-Kontoure [Melka Konture]	E
447	<i>Axylia aregashae</i>	Laporte, 1984	near Kébré-Mengist [Kibre Mengist]	E
448	<i>Axylia bryi</i>	Laporte, 1984	Dinsho Marshes	E
449	<i>Axylia destefanii</i>	Berio, 1944	El-Dire	
450	<i>Axylia gabriellae</i>	Laporte, 1975	Boré Forest	E
451	<i>Axylia marthae</i>	Laporte, 1984	near Koffolé [Koffale]	E
452	<i>Axylia orbicularis</i>	Laporte, 1984	near Kébré-Mengist [Kibre Mengist]	E
453	<i>Axylia sanyetiensis</i>	Laporte, 1984	near Mt Batu	E
454	<i>Axylia vespertina</i>	Laporte, 1984	near Kébré-Mengist [Kibre Mengist]	E
455	<i>Batuana abbahoyegarana</i>	Rougeot, 1983	Abba Hoye-Gara, Wollo	E
456	<i>Batuana expectata</i>	Laporte & Rougeot, 1981	Gojam, Mt Choke	E
457	<i>Batuana lobeliarum</i>	Laporte, 1976	near Dinsho	E
458	<i>Batuana rougeoti</i>	Laporte, 1976	near Mt Batu	E

	Family	Taxon	Author	Type Locality	
459	Noctuidae	<i>Berionycta beckeroberti</i>	Kiss, 2017	15 km E of Yabello	E
460		<i>Berionycta behouneki</i>	Kiss, 2017	13 km W of Yabello	E
461		<i>Berionycta berioi</i>	Kiss, 2017	12 km NNE of Arba Minch	E
462		<i>Berionycta nigra</i>	Kiss, 2017	15 km E of Yabello	E
463		<i>Berionycta orbicularis</i>	Kiss, 2017	15 km E of Yabello	E
464		<i>Berionycta ponticamima</i>	Kiss, 2017	15 km E of Yabello	E
465		<i>Capillamentum gellei</i>	Laporte, 1984	Addis Ababa	E
466		<i>Caradrina atriluna</i>	Guenée, 1852	Abyssinia [Ethiopia]	
467		<i>Caradrina torpens</i>	Guenée, 1852	Abyssinia [Ethiopia]	E
468		<i>Carcharoda erlangeri</i>	Rothschild, 1924	Waute Merehan [Mreham]	E
469		<i>Cirrodes rosaceus</i>	Rothschild, 1924	Waute Merehan [Mreham]	E
470		<i>Claudaxylia dinshoense</i>	Laporte, 1984	Dinsho Reserve	E
471		<i>Compsotata corneliae</i>	Behounek & Beck, 2012	Bale Mountains, Province of Bale, Hangasso	E
472		<i>Conservula ludocaroli</i>	(Laporte, 1991)	Debre Zeit	E
473		<i>Conservula scriptura</i>	(Rougeot & Laporte, 1983)	Simyen, Sankaber	E
474		<i>Cucullia simoneaui</i>	Laporte, 1976	Bale Reserve, Dinsho	E
475		<i>Cucullia tedjicolora</i>	Laporte, 1977	Kébré-Mengist [Kibre Mengist]	E
476		<i>Eucladodes achrorophilus</i>	Laporte, 1976	Near Mt Batu	E
477		<i>Eucladodes baleensis</i>	Laporte, 1976	Bale Reserve	E
478		<i>Euplexia imperator</i>	Laporte, 1984	Dinsho Marshes	E
479		<i>Euplexia mercieri</i>	Laporte, 1984	Arussi, near Koffolé [Koffale]	E
480		<i>Euplexia pinoni</i>	Laporte, 1984	Kébré-Mengist [Kibre Mengist]	E
481		<i>Euplexia shoana</i>	Laporte, 1984	Shoa, near Hosana	E
482		<i>Euxoa dodolaense</i>	Laporte, 1984	Road to Dodola	E
483		<i>Euxoa montigenarum</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
484		<i>Euxoa semyenensis</i>	Laporte, 1991	Sankaber	E
485		<i>Euxoa waliarum</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
486		<i>Feliniopsis duponti</i>	Laporte, 1974	near Kebré-Mengist [Kibre Mengist]	
487		<i>Feliniopsis germainae</i>	Laporte, 1975	near Kebré-Mengist [Kibre Mengist]	E
488		<i>Feliniopsis insolita</i>	Hacker & Fibiger, 2007	Addis Ababa, Sholla	E
489		<i>Feliniopsis jinka</i>	Hacker, 2010	Gamu-Gofa Province, 10 km W of Jinka	
490		<i>Fenaxinia jemjemensis</i>	(Laporte, 1984)	Kébré-Mengist [Kibre Mengist]	E
491		<i>Heliophobus africana</i>	Berio, 1977	Addis Ababa	E
492		<i>Heliothis saskai</i>	(Berio, 1975)	Addis Ababa	E
493		<i>Hemituerta mahdi</i>	(Pagenstecher, 1903)	Hanadscho [Dinsho district]	
494		<i>Heracleia viette</i>	Kiriakoff, 1973	Nole Kaba	E
495		<i>Hermonassoides abyssinica</i>	(Berio, 1975)	Addis Ababa	E
496		<i>Hermonassoides dinshoensis</i>	(Laporte, 1977)	Dinsho Marshes	E
497		<i>Hermonassoides marmorata</i>	(Laporte, 1977)	Fisha Genet	E
498		<i>Hermonassoides mauricei</i>	(Laporte, 1975)	Koffale	
499		<i>Hermonassoides mendeboense</i>	(Laporte, 1984)	Dinsho	E
500		<i>Hermonassoides minosi</i>	(Laporte, 1991)	Managesha Forest	E
501		<i>Hermonassoides scipioni</i>	(Laporte, 1977)	Dinsho, Bale Reserve	E
502		<i>Hiccoda clavae</i>	Berio, 1947	Ogaden, Uarder [Warder]	E
503		<i>Hyperfrontia direae</i>	Berio, 1962	Dire-Daowa [Dire Dawa]	E
504		<i>Hyperfrontia limbata</i>	Berio, 1962	El-Dire	E
505		<i>Koffoaleania michaelae</i>	Laporte, 1977	near Koffolé [Koffale]	E
506		<i>Leucania aedesiusi</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
507		<i>Leucania argyrina</i>	Laporte, 1984	Bahar Dar	E

Family	Taxon	Author	Type Locality	
508	Noctuidae			
	<i>Leucania claudicans</i>	Guenée, 1852	Abyssinia [Ethiopia]	E
509	<i>Leucania cyprium</i>	(Laporte, 1984)	Dinsho Marshes	E
510	<i>Leucania fasilidasi</i>	(Laporte, 1984)	Dinsho Marshes	E
511	<i>Leumicamia oreias</i>	(Fletcher, 1959)	Simien, above Lori	E
512	<i>Leumicamia palustris</i>	Laporte, 1976	Dinsho Marshes	E
513	<i>Leumicamia venustissima</i>	(Laporte, 1974)	Bale Reserve	E
514	<i>Lophotarsia girmai</i>	Laporte, 1975	Arba Minch	E
515	<i>Lophotarsia leucoplagoides</i>	(Berio, 1941)	El-Dire	E
516	<i>Lophotarsia theresae</i>	Beck & Behounek, 2013	Bale Mountains National Park, region Oromia/Sidamo, Province of Bale, 4 km W of Sura	E
517	<i>Maghadena ingridae</i>	Laporte, 1977	Dinsho Reserve, Balé	E
518	<i>Maliattha eburnea</i>	Hacker, 2016	Oroma Province, 6 km ESE of Jimma	
519	<i>Matopo berhanoui</i>	Laporte, 1984	Melka-Kontouré [Konture]	E
520	<i>Mentaxya bruneli</i>	Laporte, 1975	near Kebré-Mengist [Kibre Mengist]	E
521	<i>Mentaxya fouqueae</i>	Laporte, 1974	Boré Forest	
522	<i>Mentaxya inconstans</i>	Laporte, 1984	Dinsho Marshes	E
523	<i>Mentaxya lacteifrons</i>	Laporte, 1984	Kébré-Mengist [Kibre Mengist]	E
524	<i>Michelliana afroalpina</i>	Laporte, 1976	near Mt Batu	E
525	<i>Micraxyliia antemedialis</i>	Laporte, 1975	near Kebré-Mengist [Kibre Mengist]	E
526	<i>Micraxyliia hypericoides</i>	Berio, 1962	Oromo e Sidamo, Neghelli [Neghelle]	E
527	<i>Micraxyliia lividoradiata</i>	(Berio, 1940)	Adi-Abuna [in Tigray, Ethiopia]	E
528	<i>Mythimna altiphila</i>	Hrebly & Legrain, 1996	Addis Abeba [Ababa]	
529	<i>Mythimna amlaki</i>	Laporte, 1984	Near Mt Batu	E
530	<i>Mythimna bisetulata</i>	(Berio, 1940)	Adi-Abuna [in Tigray, Ethiopia]	E
531	<i>Mythimna germanae</i>	Laporte, 1991	Melka Kontouré	E
532	<i>Neostichtis teruworkae</i>	Laporte, 1984	Near Hosana	E
533	<i>Nocthadena griseoviridis</i>	Laporte, 1976	Near Mt Batu	E
534	<i>Numeniastes selenis</i>	Fletcher, 1963	Harar	
535	<i>Nyodes biardi</i>	Laporte, 1984	Shashemane	E
536	<i>Ochropleura sidamona</i>	Laporte, 1977	Fisha-Genet	
537	<i>Odontestra richinii</i>	Berio, 1940	Adi-Abuna [in Tigray, Ethiopia]	E
538	<i>Odontestra variegata</i>	Berio, 1940	Adi-Abuna [in Tigray, Ethiopia]	
539	<i>Odontestra vitta</i>	Berio, 1975	Addis Ababa	E
540	<i>Oligia adactricula</i>	Guenée, 1852	Abyssinie [Ethiopia]	E
541	<i>Oligia arbaminchensis</i>	Laporte, 1991	Arba Minch	E
542	<i>Oligia genetiae</i>	Laporte, 1991	Kebre-Mengist [Kibre Mengist]	E
543	<i>Omphalestra nellyae</i>	(Berio, 1939)	Adua [in Ethiopia]	E
544	<i>Ozarba alberti phaeoxantha</i>	Hacker, 2016	Dire Dawa	
545	<i>Ozarba didymochra</i>	Hacker, 2016	Gamu-Gofa Province, 8 km E of Weyto	E
546	<i>Ozarba fuscundosa</i>	Hacker, 2016	Oromia, 3 km NNE of Finchawa	
547	<i>Ozarba griseicens</i>	Berio, 1947	Harar [Harar], Dire Dawa [Dire Dawa]	
548	<i>Ozarba latizonata</i>	Hacker, 2016	Gamu-Gofa Province, 8 km E of Weyto	E
549	<i>Ozarba naumanni</i>	Hacker, 2016	Gamo Gofa Province, Konso	E

	Family	Taxon	Author	Type Locality	
550	Noctuidae	<i>Ozarba permutata</i>	Hacker, 2016	20 km ESE of Saschemene, Wondo Genet	
551		<i>Ozarba rubrofusca</i>	Berio, 1947	Ogaden, Uarder [Werder]	E
552		<i>Ozarba tenuis</i>	Hacker, 2016	Province of Gamo Gofa, 8 km N of Turmi	E
553		<i>Ozarba uhlenhuthi</i>	Hacker, 2016	Dire Dawa	E
554		<i>Phyllophila corgatha</i>	Berio, 1984	Arba Minch	E
555		<i>Phyllophila richinii</i>	Berio, 1940	Adi-Abuna [in Tigray, Ethiopia]	E
556		<i>Pseudozarba nilotica</i>	Hacker, 2016	30 km SE of Bahir Dar, Tisisat above Blue Nile Falls	E
557		<i>Pusillathetis fiorii</i>	Berio, 1976	Uarder [Warder in Ogaden]	
558		<i>Ramesodes oblonga</i>	Berio, 1976	Adi Abuna [in Tigray, Ethiopia]	
559		<i>Rhodochlaena dinshoense</i>	Laporte, 1974	Dinsho Marshes	E
560		<i>Rougeotia abyssinica</i>	(Hampson, 1918)	Kutai Mecha	E
561		<i>Rougeotia aethiopica</i>	Laporte, 1974	Dinsho swamp	E
562		<i>Rougeotia ludovici</i>	Laporte, 1974	Bale Reserve	E
563		<i>Rougeotia ludovicoides</i>	Laporte, 1977	Dinsho Marshes	E
564		<i>Rougeotia obscura</i>	Laporte, 1974	Dinsho Col	E
565		<i>Rougeotia roseogrisea</i>	Laporte, 1974	Near Mt Batu	E
566		<i>Rougeotia rougeoti</i>	Laporte, 1984	Mt Batu Forest	E
567		<i>Schinia ennatæ</i>	(Laporte, 1984)	Addis Ababa	E
568		<i>Schinia magdalenæ</i>	(Laporte, 1976)	Bale Reserve, Dinsho	E
569		<i>Schinia ungemachi</i>	(Berio, 1945)	Oromo Sidamo, Uollega [Wollega]	E
570		<i>Schinia xanthiata</i>	(Berio, 1940)	Adi-Abuna [in Tigray, Ethiopia]	E
571		<i>Sciomesa bouldardi</i>	(Laporte, 1984)	near Koffolé [Koffale]	E
572		<i>Sciomesa excelsa</i>	(Laporte, 1976)	Near Mt Batu	E
573		<i>Sciomesa franciscæ</i>	Laporte, 1991	Choa, Hosana	E
574		<i>Sciomesa secata</i>	Berio, 1977	Addis Ababa	E
575		<i>Sesamia enanouæ</i>	Laporte, 1991	Gojam, Bahr-Dar, marais du Nil Bleu	E
576		<i>Sesamia roumeti</i>	Laporte, 1991	Gojam, Bahr-Dar	E
577		<i>Solgaiana petrosi</i>	Laporte, 1984	Kébré-Mengist [Kibre Mengist]	E
578		<i>Spodoptera excelsa</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
579		<i>Subnoctua arbaminchensis</i>	Laporte, 1984	Arba Minch	E
580		<i>Thiacidas robertbecki</i>	Hacker & Zilli, 2007	Awassa, Awassa Lake, Bale Region	E
581		<i>Tholeropsis decimata</i>	Berio, 1977	Addis Ababa	E
582		<i>Tholeropsis uncinata</i>	Berio, 1977	Addis Ababa	E
583		<i>Thysanoplusia asapheia</i>	(Dufay, 1977)	near Koffolé [Koffale]	
584		<i>Thysanoplusia dolera</i>	Dufay, 1977	near Koffolé [Koffale]	E
585		<i>Timora flavocarnea</i>	Hampson, 1903	Abyssinia [Ethiopia]	
586		<i>Timora zavattarii</i>	Berio, 1944	El-Dire	E
587		<i>Tracheplexia annabellæ</i>	Laporte, 1991	Menagesha Forest	E
588		<i>Tracheplexia colettæ</i>	Laporte, 1991	Gemu-Gofa, Arba-Minch	E
589		<i>Tracheplexia leguerni</i>	Laporte, 1984	Fort Wosha	E
590		<i>Tracheplexia petryvesi</i>	Laporte, 1991	Menagesha Forest	E
591		<i>Tracheplexia richinii</i>	Berio, 1973	Adiu Abuna [in Tigray, Ethiopia]	
592		<i>Tycomarptes adami</i>	Laporte, 1974	Dinsho Col	E
593		<i>Tycomarptes aethiopica</i>	Laporte, 1974	Mt Batu	E
594		<i>Tycomarptes berioi</i>	Laporte, 1974	Boré Forest	E
595		<i>Tycomarptes bipuncta</i>	Laporte, 1974	Boré Forest	E
596		<i>Tycomarptes bipunctatoides</i>	Laporte, 1974	near Koffolé [Koffale]	E

Family	Taxon	Author	Type Locality	
Noctuidae	<i>Tycomarptes gelladarum</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
	<i>Tycomarptes inferior</i>	(Guenée, 1852)	Abyssinia [Ethiopia]	
	<i>Tycomarptes journiaci</i>	Laporte, 1977	Near Mt Batu	E
	<i>Tycomarptes limoni</i>	Laporte, 1974	near Koffolé [Koffale]	E
	<i>Tycomarptes semyensis</i>	Rougeot & Laporte, 1983	Simyen, Sankaber	E
	<i>Tycomarptes thibauti</i>	Laporte, 1974	Boré Forest	E
	<i>Vietteania chojnackii</i>	(Laporte, 1984)	Dinsho Marshes	E
	<i>Arcyophora zanderei</i>	Felder & Rogenhofer, 1875	Abyssinia [Ethiopia]	
Nolidae	<i>Bryophilopsis martiniae</i>	Laporte, 1991	Gemu-Gofa, Konso	E
	<i>Characomia adiabunensis</i>	Berio, 1940	Adi-Abuna [in Tigray, Ethiopia]	E
	<i>Earias richinii</i>	Berio, 1940	Adi-Abuni [in Tigray, Ethiopia]	
	<i>Eligna neumanni</i>	Rothschild, 1924	Blue Nile, Abera Koritscha, Uata Dera	E
	<i>Escarpamenta damarana abyssinica</i>	Hacker, 2013	6 km E of Weyto, Weyto River	E
	<i>Evonima littoralis abyssinica</i>	Hacker, 2012	Southern Province, Jinka, Mago National Park, 350 m SW of Headquarter,	E
	<i>Gigantoceras villiersi</i>	Laporte, 1975	Arba Minch	E
	<i>Meganola cerographa</i>	Hacker, 2012	Oromia District, 6.5 km N of Bonga	E
	<i>Meganola coffeana</i>	Hacker, 2012	Oromia Province, 6.5 km NE of Shebe	
	<i>Meganola ethiopica</i>	Hacker, 2012	Addis Ababa	E
	<i>Meganola harenna</i>	Hacker, 2014	Harenna Forest, Karcha Camp Ground	E
	<i>Meganola leucometabola</i>	Hacker, 2012	Oromia Province, 6.5 km N of Bonga	
	<i>Meganola longisigna</i>	Hacker, 2012	Oromia Region, 1km W. of village Aluweya	
	<i>Meganola lupii</i>	Hacker & Hausmann, 2012	Oromia Province, 13 km S. of Agere Maryam	E
	<i>Meganola pachygrapha</i>	Hacker, 2012	Oromia Province, 6.5 km N of Bonga	
	<i>Meganola poliovittata</i>	Hacker, 2012	Oromia Province, 6 km ESE of Jimma	E
	<i>Meganola pyrrhomorpha</i>	Hacker, 2012	Oromia Province, 6.5 km N of Bonga	E
	<i>Meganola simillima</i>	Hacker, 2012	Oromia District, 13 km S of Agere Maryam	E
	<i>Meganola stadiensis</i>	Hacker, 2014	Harenna Forest, Karcha Camp Ground	E
	<i>Meganola stigmatolalis</i>	Hacker, 2012	Southern Province, 23 km WSW of Welkite, Gibe River	
	<i>Meganola unilineata</i>	Hacker, 2012	Southern Province, 11.2 km W of Bonga	E
	<i>Neaxestis mesogonia</i>	Hampson, 1905	Atbara R.	
	<i>Nola abyssinica</i>	Hacker, 2012	Oromia Province, 13 km S of Agere Maryam	
	<i>Nola afrotaeniata</i>	Hacker, 2012	12 km W Jinka, border Mago National Park	
	<i>Nola amhara</i>	Hacker, 2012	Addis Ababa	
	<i>Nola angensteini</i>	Hacker, 2012	Afar Region, NE of Mile Serdo Wildlife Refuge, Tendaho	

	Family	Taxon	Author	Type Locality	
631	Nolidae	<i>Nola balealpina</i>	Hacker, 2012	Oromia Province, Bale Mountains National Park, Disho	E
632		<i>Nola calochromata</i>	Hacker, 2014	Harennna Forest, Harennna Forest Road	E
633		<i>Nola destituta</i>	Hacker, 2012	Oromia Province, 8 km W of Nazret	E
634		<i>Nola jarzabekae</i>	Hacker, 2012	Oromia Province, Abiyata-Shala-Hayak National Park	E
635		<i>Nola omphalota euroetes</i>	Hacker, 2012	Oromia Province, 6 km ESE of Jimma	
636		<i>Nola socotrensis vansoni</i>	Hacker, 2012	12 km W Jinka, border Mago NP	
637		<i>Nola sphaeromorpha</i>	Hacker, 2012	Oromia Province, 13 km S of Agere Maryam,	E
638		<i>Nolidia platygrapha</i>	Hacker, 2012	Amhara Region, W of Mirab, Gojam Zone, 15 km NW of Bahar Dar	E
639	Notodontidae	<i>Afroplitis quadratus</i>	(Viette, 1954)	River Baro	E
640		<i>Antheua birbirana</i>	Viette, 1954	middle course of Birbir, Youbdo	E
641		<i>Antheua gaedei</i>	Kiriakoff, 1962	Addis Ababa	E
642		<i>Antheua trivitta</i>	(Hampson, 1910)	Abyssinia [Ethiopia]	E
643		<i>Antistaura decorata</i>	Kiriakoff, 1965	Derdaa, North-East of Harrar	E
644		<i>Boscawenia nora</i>	(Pagenstecher, 1903)	Ganale	E
645		<i>Desmeocraera kiriakoffi</i>	Thiaucourt, 1977	near Kébré-Mengist [Kibre Mengist]	E
646		<i>Eutimia smithii</i>	Holland, 1897	Dombalok	E
647		<i>Polelassothys callista abyssinica</i>	Viette, 1954	Moy. Dedissa [Didedsa]	E
648		<i>Psalisodes saalfeldi</i>	Kiriakoff, 1979	Al Abed	E
649		<i>Scalmicauda azebae</i>	Thiaucourt, 1977	near Kébré-Mengist [Kibre Mengist]	E
650		<i>Thaumetopoea apologetica abyssinica</i>	Strand, 1911	Addis Ababa	
651		<i>Tricholoba rougeoti</i>	Thiaucourt, 1977	Arba Minch	E
652	Nymphalidae	<i>Acraea aganice orientalis</i>	(Ungemach, 1932)	Bouré	
653		<i>Acraea alcinoe nado</i>	(Ungemach, 1932)	Bouré	E
654		<i>Acraea chilo chilo</i>	Godman, 1880	Kalamet, Sebka Valley	
655		<i>Acraea doubledayi</i>	Guérin-Méneville, 1849	Abyssinie [Ethiopia]	
656		<i>Acraea epaea homochroa</i>	(Rothschild & Jordan, 1905)	Banka, Malo	E
657		<i>Acraea kakana</i>	Eltringham, 1911	Adie Kaka, Kafa	E
658		<i>Acraea oscari</i>	Rothschild, 1902	Banka, Malo	E
659		<i>Acraea poggei ras</i>	(Ungemach, 1932)	Oullaga [Wollega]	E
660		<i>Acraea zetes sidamona</i>	Rothschild & Jordan, 1905	Alata, Sidamo	E
661		<i>Acraea zozumi</i>	Pierre, 1995	Ethiopia	E
662		<i>Amauris echeria steckeri</i>	Kheil, 1890	Abessynia	
663		<i>Amauris hecate stictica</i>	Rothschild & Jordan, 1903	Anderatscha	E
664		<i>Amauris niavius aethiops</i>	Rothschild & Jordan, 1903	Anderatscha	
665		<i>Amauris ochlea darius</i>	Rothschild & Jordan, 1903	Anderatscha	
666		<i>Antanartia abyssinica</i>	(C. & R. Felder, [1867])	Ethiopia	E
667		<i>Antanartia schaeneia diluta</i>	Rothschild & Jordan, 1903	Kaffa	E
668		<i>Argynnis hyperbius neumanni</i>	Rothschild, 1902	Kaffa	E
669		<i>Aterica galene incisa</i>	Rothschild & Jordan, 1903	between Kankati and Djibbe, Djimma [Jimma]	E

Family	Taxon	Author	Type Locality	
670 Nymphalidae	<i>Bicyclus pavonis</i>	(Butler, 1876)	Abyssinia [Ethiopia]	
671	<i>Bicyclus safitza aethiops</i>	(Rothschild & Jordan, 1905)	Lake Abassi	E
672	<i>Charaxes etesipe abyssinicus</i>	Rothschild, 1900	Sciotalit, Sxioa [Shoa]	E
673	<i>Charaxes eurinome birbirica</i>	(Ungemach, 1932)	Youbdo	
674	<i>Charaxes figini</i>	van Someren, 1969	Eritaea, Setit, El Eghin [Ethiopia]	
675	<i>Charaxes galawadiwosi</i>	Plantrou & Rougeot, 1979	Arba-Minch	E
676	<i>Charaxes hansali hansali</i>	Van Someren, 1971	Africa septentrionali-orientalis: Bogos	
677	<i>Charaxes jablusa ganaleensis</i>	Carpenter, 1937	Salakle, Ganale river	
678	<i>Charaxes junius junius</i>	Oberthür, 1883	Scioa [Shoa]	E
679	<i>Charaxes junius somalicus</i>	Rothschild, 1900	Harrar Highlands, Somaliland	
680	<i>Charaxes kirkii daria</i>	Rothschild, 1903	Jabalo	E
681	<i>Charaxes lactetinctus ungemachi</i>	Le Cerf, 1927	Youbdo (Birir)	
682	<i>Charaxes larseni</i>	Rydon, 1982	Jambo area, Nanji Hill	E
683	<i>Charaxes numenes neumanni</i>	Rothschild, 1902	Wori to Gamitscha, Kaffa	E
684	<i>Charaxes pelias pagenstecheri</i>	Poulton, 1926	S Ethiopia	
685	<i>Charaxes phoebus</i>	Butler, 1866	Abyssinia [Ethiopia]	E
686	<i>Charaxes rectans</i>	Rothschild & Jordan, 1903	Upper Urga, Kollu, Schoa [Shoa]	
687	<i>Charaxes saturnus pagenstecheri</i>	Poulton, 1926	S. Abyssinia [Ethiopia]	E
688	<i>Charaxes sidamo</i>	Plantrou & Rougeot, 1979	Kébré-Mengist [Kibre Mengist]	E
689	<i>Charaxes tiridates marginatus</i>	Rothschild & Jordan, 1903	Scheko	E
690	<i>Eronia cleodora cleodora</i>	Hübner, [1823]	Ethiopia	
691	<i>Eronia leda</i>	(Boisduval, 1847)	Marako	
692	<i>Euphaedra caerulescens submarginalis</i>	Hecq, 1997	[Ethiopia?]	E
693	<i>Euphaedra castanoides deficiens</i>	Hecq, 1997	West, Didessa River	E
694	<i>Euphaedra medon abouna</i>	Ungemach, 1932	Youbdo	E
695	<i>Euphaedra neumanni</i>	Rothschild, 1902	Scheko [Sheko]	
696	<i>Euphaedra sarita abyssinica</i>	Rothschild, 1902	Kankati forest, Djimma	E
697	<i>Eurytela hiarbas abyssinica</i>	Rothschild & Jordan, 1903	Banka	E
698	<i>Euxanthe eurinome birbirica</i>	Ungemach, 1932	Youbdo	
699	<i>Hypolimnias salmacis platydema</i>	Rothschild & Jordan, 1903	Scheko	E
700	<i>Junonia terea fumata</i>	(Rothschild & Jordan, 1903)	Gillet Mountains	
701	<i>Lasionmatta maderakal</i>	(Guérin-Méneville, 1849)	Abyssinie [Ethiopia]	
702	<i>Melitaea abyssinica</i>	Oberthür, 1909	Abyssinie [Ethiopia]	E
703	<i>Neptis nemetes obtusa</i>	Rothschild & Jordan, 1903	Scheko	E
704	<i>Phalanta eurytis microps</i>	(Rothschild & Jordan, 1903)	Walenso [Woliso], Gillet Mts	E
705	<i>Phalanta phalantha aethiopica</i>	(Rothschild & Jordan, 1903)	Gillet Mts	
706	<i>Pseudacraea boisduvalii sayonis</i>	Ungemach, 1932	Oumbi	E
707	<i>Pseudacraea eurytus mimoras</i>	Ungemach, 1932	Oumbi	E
708	<i>Pseudacraea lucretia walensis</i>	(Sharpe, 1896)	Waenso [Woliso]	E
709	<i>Sevenia boisduvali kaffana</i>	(Rothschild & Jordan, 1903)	Godjeb to Bonga, Kaffa	E

Family	Taxon	Author	Type Locality	
Nymphalidae	<i>Telchinia aurivillii schecana</i>	Rothschild & Jordan, 1905	Scheko [Sheiko]	E
	<i>Telchinia bonasia banka</i>	Eltringham, 1912	Banka, Malo	
	<i>Telchinia guichardi</i>	Gabriel, 1949	Lekempti	E
	<i>Telchinia jodutta aethiops</i>	Rothschild & Jordan, 1905	Dereta Mts	E
	<i>Telchinia necoda</i>	Hewitson, 1861	Abyssinia [Ethiopia]	E
	<i>Telchinia peneleos gelonica</i>	(Rothschild & Jordan, 1905)	Upper Gelo River	E
	<i>Telchinia perenna kaffiana</i>	(Rothschild, 1902)	Kaffa	E
	<i>Telchinia pharsalus rhodina</i>	Rothschild, 1902	Kaffa	E
	<i>Telchinia rangatana maji</i>	Carpenter, 1935	Maji Province	E
	<i>Telchinia safie antinorii</i>	(Oberthür, 1880)	Mahal-Uonz	E
	<i>Telchinia safie safie</i>	(C. & R. Felder, 1865)	Abyssinia [Ethiopia] Meridionalis	E
	<i>Telchinia ungemachi</i>	(Le Cerf, 1927)	Youbdo (Birbi)	E
	<i>Tirumala formosa neumanni</i>	(Rothschild & Jordan, 1903)	Kaffa	E
Papilionidae	<i>Vanessa abyssinica abyssinica</i>	Vane-Wright & Hughes, 2007	Ethiopia	
	<i>Ypthima impura paupera</i>	Ungemach, 1932	Soubé-Boro	
	<i>Ypthima simplicia</i>	Butler, 1876	Atbara*	
	<i>Graphium almansor birbiri</i>	(Ungemach, 1932)	Baro	E
	<i>Graphium angolanus baronis</i>	(Ungemach, 1932)	Baro	
	<i>Papilio arnoldiana</i>	Vane-Wright, 1995	S.W. Abyssinia [Ethiopia], Grine	E
	<i>Papilio dardanus antinorii</i>	Oberthür, 1883	Abissinia, Feleklek and Sciotalit	E
	<i>Papilio echerioides leucospilus</i>	Rothschild, 1902	Gara Mulata near Harar	E
	<i>Papilio echerioides oscari</i>	Rothschild, 1902	Kaffa and Djima [Jimma]	E
	<i>Papilio microps</i>	Storace, 1951	Shoa, Abyssinia [Ethiopia] centrale	
	<i>Papilio nireus pseudonireus</i>	Felder & Felder, 1865	Africa Septentrionali Oriental, Bogos	
	<i>Papilio rex abyssinica</i>	Vane-wright, 1995	S. W. Abyssinia [Ethiopia], Ganji River	E
Pieridae	<i>Papilio wilsoni</i>	Rothschild, 1926	Nubar Hills, Taldi	E
	<i>Appias sylvia abyssinica</i>	Talbot, 1932	Joubda (Birbir)	E
	<i>Belenois gidica abyssinica</i>	(Lucas, 1852)	Abyssinie [Ethiopia]	E
	<i>Belenois gidica hypoxantha</i>	(Ungemach, 1932)	Gambela	E
	<i>Belenois raffrayi</i>	(Oberthür, 1878)	Lac de Tzana [Lake Tana]	
	<i>Belenois subeida hailo</i>	(Ungemach, 1932)	Nolé Kaba [in Wollega]	E
	<i>Belenois thysa tricolor</i>	Talbot, 1943	Abyssinia [Ethiopia]	
	<i>Belenois zochalia gada</i>	(Ungemach, 1932)	Nole-Kaba [in Wollega]	E
	<i>Colias electo meneliki</i>	Berger, 1940	Gondar	
	<i>Colias erate marnoana</i>	Rogenhofer, 1884	Ethiopia	
	<i>Colotis antevippe zera</i>	(Lucas, 1852)	Abyssinie [Ethiopia]	
	<i>Colotis celimene celimene</i>	(Lucas, 1852)	Abyssinie [Ethiopia]	
	<i>Colotis danae eupompe</i>	(Klug, 1829)	in Arabia deserta, in Sinai monte, in Dongala et Habessinia	
	<i>Colotis euippe exole</i>	(Reiche, 1850)	Abyssinie [Ethiopia]	
	<i>Colotis betaera aspasia</i>	(Ungemach, 1932)	Baro	
	<i>Colotis phisadia ocellatus</i>	(Butler, 1886)	Somali-land [False locality]	E
	<i>Colotis ungemachi</i>	(Le Cerf, 1922)	N Ethiopia	E
	<i>Dixeia charina septentrionalis</i>	(Bernardi, 1958)	Djemdjem	E

Family	Taxon	Author	Type Locality	
753 Pieridae	<i>Eronia leda pupillata</i>	Strand, 1911	Marako	E
754	<i>Euchloe belemia abyssinica</i>	Riley, 1928	Mt. Chillalo	E
755	<i>Eurema desjardinsii regularis</i>	(Butler, 1876)	Arbara*	
756	<i>Leptosia alcesta pseudonuptilla</i>	Bernardi, 1959	Haute-Orguessa	
757	<i>Mylothris erlangeri</i>	Pagenstecher, 1902	Gewidscha	E
758	<i>Mylothris mortoni balkis</i>	Ungemach, 1932	Alenga	E
759	<i>Mylothris mortoni mortoni</i>	Blachier, 1912	Kaffa, dans l'Abyssinie [Ethiopia] meridionale"	E
760	<i>Mylothris ruepellii</i>	(Koch, 1865)	Abessynica	
761	<i>Mylothris sagala swaynei</i>	Butler, 1899	Harar Highlands	E
762	<i>Mylothris yulei amhara</i>	Ungemach, 1932	Alenga	E
763	<i>Pieris brassicoides</i>	Guérin-Méneville, 1849	Abyssinie [Ethiopia]	
764	<i>Pontia daplidice aethiops</i>	(De Joannis & Verity, 1913)	Abyssinie [Ethiopia]	E
765 Plutellidae	<i>Lepocnemis metapelista</i>	Meyrick, 1932	Jem-Jem Forest	E
766	<i>Plutella dryoxyla</i>	Meyrick, 1932	Mt Chillalo	E
767	<i>Plutella oxylopha</i>	Meyrick, 1932	Mt Chillalo	E
768	<i>Plutella stichocentra</i>	Meyrick, 1932	Mt Chillalo	E
769 Psychidae	<i>Acanthopsyche chrysora</i>	Bourgogne, 1980	Arba Minch	E
770	<i>Oiketicoidea aethiopica</i>	Bourgogne, 1991	Wollo, Lalibela	E
771	<i>Taleporia aethiopica</i>	Strand, 1911	Mahenge	E
772 Pterophoridae	<i>Cosmoclostis gorbunovi</i>	Ustjuzhanin & Kovtunovich, 2011	West Shewa, 2 km S of Ambo	E
773	<i>Hellinsia aethiopicus</i>	(Amsel, 1963)	Gembi	
774	<i>Hellinsia ambo</i>	Ustjuzhanin & Kovtunovich, 2011	West Shewa, 2 km S of Ambo	
775	<i>Hellinsia bigoti</i>	(Rougeot, 1983)	Simyen, Sankaber	E
776	<i>Hellinsia negus</i>	(Gibeaux, 1994)	Wondo-Genet	E
777	<i>Merrifieldia lonnvei</i>	Gielis, 2011	Amhara Region, S of Dehub, Gondar zone, 8 km NW of Addis Zemen, Highway 3	E
778	<i>Paracapperia esuriens</i>	Meyrick, 1932	Jem Jem Forest	
779	<i>Platyptilia daemonica</i>	Meyrick, 1932	Jem Jem Forest	E
780	<i>Platyptilia gondarensis</i>	Gibeaux, 1994	Gondar Province	
781	<i>Platyptilia implacata</i>	Meyrick, 1932	Jem Jem Forest	E
782	<i>Pterophorus lindneri</i>	(Amsel, 1963)	Gore	E
783	<i>Stenoptilia aethiopica</i>	Gibeaux, 1994	Sidamo, Wondo-Genet	
784	<i>Stenoptilia amharae</i>	Gielis, 2011	Amhara Region, Semien North, Gondar zone, 17 km NEE of Debark, Simien Mts National Park	E
785	<i>Stenoptilia rougeoti</i>	Gibeaux, 1994	Bale, marais de Dinsho	E
786	<i>Stenoptilia tyropiesta</i>	Meyrick, 1932	Mt Chillalo	E
787 Pyralidae	<i>Aglossodes dureti</i>	(Rougeot, 1977)	Arba Minch	E
788	<i>Aglossodes navatae</i>	Rougeot, 1977	Arba Minch	E
789	<i>Bostra excelsa</i>	Rougeot, 1984	near Mt Batu	E
790	<i>Bostra pseudoexcelsa</i>	Rougeot, 1984	Arba Minch	E
791	<i>Dembea venulosella</i>	Ragonot, 1888	Abyssinia [Ethiopia]	
792	<i>Ematheudes pollex</i>	Shaffer, 1998	Kosogay Wagra	E
793	<i>Emmalocera erythrinella</i>	(Ragonot, 1888)	Abyssinia [Ethiopia]	
794	<i>Endotricha ellisoni</i>	Whalley, 1963	Harar	
795	<i>Harraria rufipicta</i>	Hampson, 1930	Harar [Harar]	E
796	<i>Loryma albilinealis</i>	Hampson, 1917	Diré Daouá [Dire Dawa]	E

Family	Taxon	Author	Type Locality	
797	Pyrilidae	<i>Megarhridia christyi</i>	Rougeot, 1984	Arba Minch E
798		<i>Nussia rougeoti</i>	Leraut, 2015	Koffolé [Koffale]
799	Saturniidae	<i>Aurivillius cadioui</i>	Bouyer, 2008	100 kn E of Addis Ababa E
800		<i>Bunaeopsis birbiri</i>	Bouvier, 1929	Joubdo (Birbir) E
801		<i>Bunaeopsis oubie</i>	(Guérin-Méneville, 1849)	Abyssinia [Ethiopia]
802		<i>Eosia digennaroii</i>	Bouyer, 2008	Bale, S of Omar
803		<i>Epiphora antinorii</i>	(Oberthür, 1880)	Scioa [Shoa], Mahal Uonz [Awash River]
804		<i>Epiphora baubiniaae atbarina</i>	(Butler, 1877)	Atbara*
805		<i>Epiphora fourneri</i>	Rougeot, 1974	Road Koffolé-Arussi [Koffale-Arsi]
806		<i>Gonimbrasia belina abayana</i>	Rougeot, 1977	Arba Minch E
807		<i>Gonimbrasia belina felderi</i>	Rothschild, 1895	Bogos E
808		<i>Gonimbrasia ellisoni</i>	Lemaire, 1962	Harar E
809		<i>Gonimbrasia fletcheri</i>	Rougeot, 1960	Ethiopia E
810		<i>Gonimbrasia fucata</i>	Rougeot, 1978	Ethiopia E
811		<i>Goodia smithii</i>	(Holland, 1897)	East Africa [Ethiopia] E
812		<i>Gynanisa arba</i>	Darge, 2008	Arba Minch E
813		<i>Heniocha digennaroii</i>	Bouyer, 2008	Sidamo, Neguele Borana E
814		<i>Holocerina digennariana</i>	Darge, 2008	Shashemene (Arsi) E
815		<i>Ludia hansali</i>	Felder, 1874	Bogos
816		<i>Ludia pupillata</i>	Strand, 1911	Antottos E
817		<i>Micragone leonardi</i>	Bouyer, 2008	Sidamo, Dilla E
818		<i>Nudaurelia fasciata</i>	Gaede, 1927	[Ethiopia] E
819		<i>Nudaurelia ungemachti</i>	Bouvier, 1926	Djemdejim [Jem Jem] E
820		<i>Pseudobunaea heyeri citrinarius</i>	Gaede, 1927	Harrar [Harar]
821		<i>Pseudobunaea megana</i>	Darge, 2012	Sidamo Province, near Mega E
822		<i>Urota melichari</i>	Bouyer, 2008	Sidamo Province, 15 km S of Negele E
823	Scythrididae	<i>Scythris ethiopica</i>	Bengtsson, 2014	Lake Tana, Bahir Dar E
824	Sesiidae	<i>Agriomelissa aethiopica</i>	(Le Cerf, 1917)	Abyssinia [Ethiopia] E
825		<i>Jerbeia darkovi</i>	Gorbunov, 2018	Oromia, 21.8 km NW (289.5°) of Dembi Dolo E
826		<i>Melittia abyssiniensis</i>	Hampson, 1919	Harar E
827		<i>Melittia ambo</i>	Gorbunov, 2015	West Shewa, 3 km S of Ambo E
828	Sphingidae	<i>Ceridia heuglini</i>	(Felder C. & Felder R., 1874)	Abyssinia [Ethiopia]
829		<i>Ceridia quirini</i>	Sulak, Naumann & Witt, 2016	Oromia Region, road between Deritu and Dubuluk, near Deritu E
830		<i>Chaerocina ellisoni</i>	Hayes, 1963	Harar E
831		<i>Covelliana berioi</i>	Eitschberger & Melichar, 2016	near Debark Gondar E
832		<i>Covelliana robertbecki</i>	Eitschberger & Melichar, 2016	Ethiopia Central, Oromia, southern Bale Mts, Harenna Forest E
833		<i>Dovania dargei</i>	Pierre, 2000	Metu E
834		<i>Dovania neumanni</i>	Jordan, 1926	SW Abyssinia [Ethiopia], Dhimma [Jimma] E
835		<i>Falcatula tamsi</i>	Carcasson, 1968	Harrar [Harar] E
836		<i>Leucophlebia neumanni</i>	Rothschild, 1902	Gelo River to Akobo River
837		<i>Lophostethus dumolinii riedeli</i>	Eitschberger & Ströhle, 2011	Arba Minch E

Family	Taxon	Author	Type Locality	
838 Sphingidae	<i>Lophostethus negus</i>	Jordan, 1926	SW Abyssinia [Ethiopia], Kambatta	E
839	<i>Macropoliana chrismionika</i>	Eitschberger & Melichar, 2016	Ethiopia W, 12 km E of Bonga	E
840	<i>Macropoliana hailelassiei</i>	Eitschberger & Melichar, 2016	Sidamo Province, 20 km S of Angere Maryam	E
841	<i>Macropoliana kingstoni</i>	Eitschberger, 2016	Oromia Region, 25 km E of Bonga/Mera	E
842	<i>Macropoliana stroehlei</i>	Eitschberger, 2016	Near Dorze	E
843	<i>Nephele xylina</i>	Rothschild & Jordan, 1910	Abyssinia [Ethiopia]	
844	<i>Platysphinx dorsti</i>	Rougeot, 1977	Kébré-Mengist [Kibre Mengist]	E
845	<i>Praedora melichari</i>	Haxaire, 2011	Sidamo Province, near Bitata	E
846	<i>Pseudoclanis bianchii</i>	(Oberthür, 1883)	Scioa [Shoa]	E
847	<i>Rufoclanis numosae rostrilavi</i>	Haxaire & Melichar, 2008	Gamo Gofa Province, Dagabule National Park	E
848	<i>Temnora arida</i>	Melichar & Řezáč & Ilčíková, 2016	Dorze, Guge Mts	
849	<i>Temnora robusta</i>	Melichar, Řezáč & Ilčíková, 2016	Kaffa Prov., 40 km SW Jima,	
850	<i>Theretra ankae</i>	Melichar & Řezáč, 2015	Asosa	E
851 Thyrididae	<i>Arniocera cyanoxantha</i>	(Mabille, 1893)	Abyssinia [Ethiopia]	
852	<i>Arniocera guttulosa</i>	Jordan, 1915	Harar	E
853	<i>Lamprochrysa amata</i>	(Druce, 1910)	Diré Daouá [Dire Dawa]	E
854 Tineidae	<i>Afrocelestis minuta</i>	(Gozmány, 1965)	Gamu-Gofa, Konso	
855	<i>Ateliotum convicta</i>	(Meyrick, 1932)	Jem Jem Forest	E
856	<i>Cenatophaga luridula</i>	(Meyrick, 1932)	Mt Chilláló, moorland	E
857	<i>Cenatophaga nephelotorna</i>	(Meyrick, 1932)	Jem-Jem Forest	E
858	<i>Criticonoma spinulosa</i>	Gozmány, 1965	Gamu-Gofa, Konso	E
859	<i>Crypsithyrus stenovalva</i>	(Gozmány, 1965)	Gamu-Gofa, Konso	E
860	<i>Dryadula glycinoma</i>	(Meyrick, 1932)	Jem-Jem Forest	E
861	<i>Ectabola pygmina</i>	(Gozmány, 1965)	Marako	
862	<i>Edosa torrifacta</i>	(Gozmány, 1965)	Harrar [Harar]	E
863	<i>Hapsifera gypsophaea</i>	Gozmány, 1965	Gamu-Gofa, Konso	E
864	<i>Hapsifera pachypsaltis</i>	Gozmány, 1965	Kaffa, Ghimira	
865	<i>Hapsifera richteri</i>	Gozmány, 1965	Ethiopia SW, Gamu-Gofa, Konso	E
866	<i>Leptozancla zelotica</i>	(Meyrick, 1932)	Jem-Jem Forest	E
867	<i>Monopis addenda</i>	Gozmány, 1965	Kaffa, Gembi [Gimbi]	
868	<i>Monopis leopardina</i>	Gozmány, 1965	Kaffa, Abaro	E
869	<i>Monopis triplacopa</i>	Meyrick, 1932	Jem-Jem Forest, 45 miles W. of Addis-Ababa,	E
870	<i>Perissomastix lucifer</i>	Gozmány, 1965	Muger Valley	E
871	<i>Scalmatica separata</i>	Gozmány, 1965	Konso, Gamu-Gofa	E
872	<i>Silosca mariae</i>	Gozmány, 1965	Djerr Valley	
873	<i>Tinissa spaniastra</i>	Meyrick, 1932	Jem-Jem Forest, 45 miles from Addis Ababa	
874 Tortricidae	<i>Acleris baleina</i>	Razowski & Trematerra, 2010	Bale Mountains, Sanetti Plateau	E
875	<i>Acleris harenna</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
876	<i>Ancylis colaccii</i>	Razowski & Trematerra, 2012	Wellega Zone, Didessa River	E
877	<i>Bubonoxena alatheta</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
878	<i>Choristoneura palladini</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	E
879	<i>Coccothera carolae</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	

	Family	Taxon	Author	Type Locality	
880	Tortricidae	<i>Coccythera triorbis</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	E
881		<i>Coniostola separata</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
882		<i>Cosmetra anepenthes</i>	(Razowski & Trematerra, 2010)	Bale Mountains, Harenna Forest, Karcha Camp	E
883		<i>Cosmetra latiloba</i>	(Razowski & Trematerra, 2010)	Bale Mountains, Harenna Forest, Karcha Camp	E
884		<i>Cydia calliglypta</i>	(Meyrick, 1932)	Jem-Jem Forest, edge of forest	E
885		<i>Cydia dinshoi</i>	Razowski & Trematerra, 2010	Bale Mountains, Dinsho Lodge	E
886		<i>Cydia lathetica</i>	Razowski & Trematerra, 2010	Bale Mountains, Dinsho Lodge	E
887		<i>Cydia tythaspis</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
888		<i>Eccopsis aegidia</i>	(Meyrick, 1932)	Jem-Jem Forest	
889		<i>Eccopsis brunneopostica</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
890		<i>Eccopsis maschalista</i>	(Meyrick, 1932)	Jem-Jem Forest	E
891		<i>Eccopsis subincana</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	E
892		<i>Endothenia albapex</i>	(Razowski & Trematerra, 2010)	Bale Mountains, Harenna Forest	E
893		<i>Endothenia ethiopica</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
894		<i>Epichoristodes spilonoma</i>	(Meyrick, 1932)	Jem-Jem Forest	
895		<i>Eucosma vulpecularis</i>	Meyrick, 1932	Jem-Jem Forest	E
896		<i>Eucosmocystia zegieana</i>	Razowski & Trematerra, 2018	Amhara, Zegie Peninsula	E
897		<i>Grapholita insperata</i>	Razowski & Trematerra, 2010	Bale Mountains, Dinsho Lodge	E
898		<i>Gypsonoma giorgiae</i>	Razowski & Trematerra, 2012	Ilubabor zone, Bedelle, Dabeda River	E
899		<i>Lozotaenia karchana</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
900		<i>Lozotaenia sciarrettae</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest, Karcha Camp	E
901		<i>Megaherpystis oromiae</i>	Razowski & Trematerra, 2018	Oromia, Suba Forest	E
902		<i>Megaherpystis subae</i>	Razowski & Trematerra, 2018	Oromia, Suba Forest	E
903		<i>Megalota lygaria</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	E
904		<i>Metamesia phytetopa</i>	(Meyrick, 1932)	Jem-Jem Forest and Mt Chillalo	
905		<i>Multiquaestia aequivoca</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	E
906		<i>Olethreutes didessae</i>	Razowski & Trematerra, 2012	Wellega zone, Didessa River	E
907		<i>Olethreutes polymorpha</i>	(Meyrick, 1932)	Jem-Jem Forest	E
908		<i>Parabactra addisalema</i>	Razowski & Trematerra, 2018	Oromia, Addis Alem, Ambo Park	E
909		<i>Paraecopsis addis</i>	Aarvik, 2014	Addis Ababa	E
910		<i>Phtheochroa lonnvei</i>	Aarvik, 2010	Oromia Province, Bale zone, 43 km SW of Goba, Bale Mts National Park, Darwin Camp	E
911		<i>Plutographa xanthala</i>	Razowski & Trematerra, 2010	Bale Mountains, Dinsho Lodge	E
912		<i>Procris dinshona</i>	Razowski & Trematerra, 2010	Bale Mountains, Dinsho Lodge	
913		<i>Procris ophiograpta</i>	(Meyrick, 1932)	Jem-Jem Forest and Mt Chillalo	
914		<i>Procris parisi</i>	Razowski & Trematerra, 2010	Bale Mountains, Dinsho Lodge	E
915		<i>Russograptis albulata</i>	Razowski & Trematerra, 2010	Bale Mountains, Harenna Forest	E
916		<i>Thaumatozapha amarana</i>	Razowski & Trematerra, 2018	Amhara, Zegie Peninsula	E
917		<i>Thaumatovalva spinai</i>	Razowski & Trematerra, 2010	Omo Valley, Dowro Zone, Tarcha	
918		<i>Tortrix diametrica</i>	Meyrick, 1932	Jem-Jem Forest	E
919		<i>Trachybyrsis chionochlaena</i>	Meyrick, 1932	Mt Chillalo	E

Family	Taxon	Author	Type Locality	
920	Uraniidae	<i>Arussiana herbuloti</i>	Rougeot, 1977	near Koffolé [Koffale]
921	Yponomeutidae	<i>Yponomeuta ocypora</i>	(Meyrick, 1932)	Jem-Jem Forest E
922		<i>Yponomeuta ioni</i>	Agassiz, 2019	E
923		<i>Yponomeuta ocypora</i>	Meyrick, 1932	
924		<i>Yponomeuta oromiensis</i>	Agazzia, 2019	E
925	Zygaenidae	<i>Alteramenelikia jordani</i>	(Alberti, 1954)	Abyssinia [Ethiopia]
926		<i>Astyloneura bicoloria</i>	Röber, 1929	Abyssinia [Ethiopia] E
927		<i>Epiorna abessynica</i>	(Koch, 1865)	Abyssinia [Ethiopia]
928		<i>Saliunca anhyalina</i>	Alberti, 1957	Abyssinia [Ethiopia] E
929		<i>Saliunca homochroa</i>	(Holland, 1897)	Darde River

Kenya, which for several aspects can be considered similar to Ethiopia, but probably it has been better investigated. So far, from Kenya approximately 4,815 lepidopteran taxa were reported, belonging to 63 families (Sáfián et al. 2009; De Prins and De Prins 2019). The currently known number of species in Kenya is almost twice that of Ethiopia, and 15 families are not recorded at all in the latter country. Is it really due to difference in faunal richness between the two countries or because of the different level of investigation? A better idea can come from the differences observed within the single families. When considering most groups of the ‘Microlepidoptera’, very few investigations were made in Ethiopia and the difference in species numbers between the two countries is huge. Considering only the most species-rich families of Microlepidoptera, the percentage of species present in Ethiopia, compared to the species numbers in Kenya, is 10% for Scytrididae, 13% for Gelechiidae, 17% for Thyrididae, 31% for Tortricidae, 34% for Pyralidae, 45% for Crambidae, 46% of Pterophoridae, up to 76% for Tineidae. However, if we look at the ‘larger moths’ (Macroheterocera) and butterflies, which are better investigated in both countries, the difference is decreasing from 40% for Saturniidae, 41% for Geometridae, 50% for Lycaenidae, 53% for Sphingidae, 55% for Erebididae up to 77% for Papilionidae, 79% for Noctuidae, 91% for Nymphalidae, peaking to 132% in Pieridae, where Ethiopia shows a higher number of species than Kenya.

Although the two countries certainly exhibit faunistic differences, due to biogeographic or climatic factors, it seems clear that the Ethiopian fauna is seriously understudied in many groups. By analysing comprehensive revisions of single genera or families accompanied by major collection campaigns in Ethiopia, we can have an idea of the potential biodiversity the country inhabits.

The geometrid genus *Prasinocima* Warren, 1897 was subject of an extensive review focused on Ethiopian species, based on an investigation carried out in 100 collection localities in the country for more than 15 years, which included an integrative taxonomic analysis based on morphology and DNA barcodes (Hausmann et al. 2016). As a result of this contribution, the species number was raised from eight previously known Ethiopian species to 40, of which 19 were new to science. After the publication, another seven new species for the Ethiopian fauna were described. Authors of the same article estimated the number of Ethiopian geometrids to exceed 700 species once the

unidentified material in their hands is examined, which may suggest a more realistic total species number in excess of 1,000 for the whole country.

Another contribution came from the revision that Hacker carried out on the sub-family Nolinae (Nolidae; Hacker et al. 2012; Hacker 2014), where many of the published data concerned sub-Saharan Africa. For Ethiopia, only three species were previously reported. After Hacker's monograph, the number was raised to 61 species, with 27 newly described taxa from Ethiopia. For Kenya, he raised the figure from 12 to 73, a number not far from that of Ethiopia.

Although these are two examples of taxonomically particularly difficult groups, we can assume similar multipliers for the so called 'Microlepidoptera' resulting in an estimate for the entire order of Lepidoptera in Ethiopia which may exceed 10,000 species, of which a number of species new for science. This estimate is based on, and in concordance with the usual ratio of geometrid species number versus lepidopteran species number of roughly 1:10, and on the usual ratio of the Rhopalocera (400+ species in Ethiopia) versus lepidopteran species number of roughly 1:20, as it results from large museum material (e.g. ZSM) and from various fauna inventories (e.g. Bavaria: Haslberger and Segerer 2016; Europe: Karsholt and Razowski 1996; North America: Hodges et al. 1983). For the moth fauna of Africa, 38,988 species group names of them are listed by Afromoths (2019), of which 5510 (14%) are geometrids. The total number, however, does not include Rhopalocera names, with 4405 species (Williams 2018) and Microlepidoptera taxonomy is underrepresented, hence also here the "10%-rule" for the Geometridae ratio seems to apply, at least roughly.

Data from DNA barcoding

In the framework of the international Barcode of Life initiative, DNA barcodes (658bp 5' COI gene fragment, cf. Hebert et al. 2003) have been assembled for Ethiopian Lepidoptera since 2006 with the aim to establish a national DNA reference library for integrated taxonomic studies. So far, 3160 DNA barcodes have been generated from Ethiopian Lepidoptera (including many Ethiopian type specimens), belonging to 1012 genetic clusters (Barcode Index Numbers, 'BINs') which are a good proxy for real species numbers (Ratnasingham and Hebert 2013; Hausmann et al. 2013). Most DNA barcodes could be assembled in the Geometridae (2290 barcodes, 571 BINs), Noctuidae (314 barcodes, 165 BINs) and Erebidae (246 barcodes, 143 BINs). Species coverage is particularly good in the smaller families such as the Saturniidae (121 barcodes, 36 BINs) and Sphingidae (70 barcodes, 24 BINs), while it is still being very poor in the 'Microlepidoptera'. All images and most meta-data and molecular data are accessible in the public database BOLD (Ratnasingham and Hebert 2007).

Actual constraints and future perspectives of research on Lepidoptera Diversity of Ethiopia

Butterflies and moths are a major component of biodiversity playing a crucial role in the ecosystem as primary consumers, essential part of food-chains and pollinators. However, humans are exerting unprecedented pressures on all of the earth's ecosystems, and such pressures may affect all species (Sanchez-Bayo and Wyckhuyes 2019). Nature conservation strategies have focused most of their attention on the "charismatic megafauna", i.e., on mammals, birds, and other vertebrates. The vast majority of invertebrate species – although accounting for more than 80% of the animal species - are too poorly known to allow an assessment of how they are affected by human activities, and what might be done to mitigate the damage that humans cause. In most cases, the best way that can be done is to conserve their habitats so that most inhabiting species will continue to thrive.

The greatest threats to butterflies and moths are habitat fragmentation and destruction, intensification of agricultural practice with over-use of pesticides and herbicides; climate change mainly affecting endemic species adapted to mountainous habitats, whereas scientific collecting is absolutely negligible (Hausmann 2001; Sanchez-Bayo and Wyckhuyes 2019). In general, human activity is enormously threatening the global diversity of life on the planet. Rough estimates suggest that we are currently undergoing not only unprecedented, but also accelerating rates of species extinction (UNEP 2006; Sanchez-Bayo and Wyckhuyes 2019).

In the same manner, Ethiopia is experiencing major biodiversity loss, mainly related to extensive destruction of habitats, deforestation, land degradation, intensive agricultural expansion, climate change, excessive pesticide and herbicide use, introduction of exotic plant species, among others (EBI 2015; Tesfu et al. 2018). The loss of primary or native forest areas, due to clearcutting and conversion into agroforests, farmland or settlements, are currently the major threat to the Ethiopian biodiversity in general and Lepidoptera in particular.

Despite Ethiopia being known for its rich heritage of biological diversity and many diverse ecosystems, the conservation of its habitats have received scant attention. The system of protected areas so far established includes 21 national parks, four sanctuaries, eight wildlife reserves, 20 controlled hunting areas, six open hunting areas, six community conservation areas and 58 national forest priority areas (Young 2012), covering 14% of the country (EBI 2015). However, most of its biodiversity, including Lepidoptera, is still unexplored because of significant lack of national research capacity. Hence, in parallel to conservation programs and sustainable utilisation of biological resources, efforts for the preparation of a comprehensive bio-inventory should receive highest priority. Such an instrument must be considered an essential baseline for policy makers, planners, donors and researchers working on biodiversity conservation in Ethiopia.

In order to upsurge biodiversity knowledge, capacity building in the area at various levels is needed. Lack of well organised natural history museums, specialists, and scien-

tific societies providing support and fostering citizen science, international research networks and projects are among the identified gaps. Currently, most of the type specimens and reference collections are deposited outside the country of origin. In this context, the Nagoya Protocol (UNSG 2010), although intending to strengthen nations to conserve their genetic resources, to some extent could lead to the opposite effect by hampering international collaboration. Joint protocols and agreements between national actors (research institutes, governing agencies, universities, NGO's) and international research bodies should be promoted in a collaborative way, favoring shared, non-commercial biodiversity research. Close collaboration with museums and universities possessing reference collections and skills, designing and organising projects are required to teach and train a generation of highly competent scientists and managers so that collections of Ethiopian insects could be built and properly managed. In absence of these minimum requirements, establishing a national entomological museum/collection could be ineffective in promoting the study and conservation of local biodiversity resources.

References

- Agassiz D (2019) The Yponomeutidae of the Afrotropical region (Lepidoptera: Yponomeutoidea). *Zootaxa* 4600(1): 1–69. <https://doi.org/10.11646/zootaxa.4600.1.1>
- Beccaloni G, Scoble M, Kitching I, Simonsen T, Robinson G, Pitkin B, Hine A, Lyal C (2003) The Global Lepidoptera Names Index LepIndex. <http://www.nhm.ac.uk/ourscience/data/lepindex/lepindex/> [accessed 25 March 2019]
- Berio E (1937) Eteroceri africani a arentemente nuovi. *Annali del Museo Civico di Storia Naturale di Genova* 59: 370–393.
- Berio E (1939a) Lepidoptera. In: Missione biologica nel paese dei Borana. *Raccolte Zoologiche* 9–15.
- Berio E (1939b) Contributi alla conoscenza dei lepidotteri eteroceri dell'Eritrea I. Lista delle specie condescrizioni delle nuove entità raccolte negli anni 1934 al 1937 dal sig. Francesco Vaccaro. *Memorie della Società Entomologica Italiana* 17: 47–62. [pls 1, 2]
- Berio E (1939c) Contributi alla conoscenza dei lepidotteri eteroceri dell' Eritrea II. Eteroceri raccolti dal cap. Antonio Richini e famiglia nella zona di Adua. *Bollettino della Società entomologica italiana* 71(8): 164–165.
- Berio E (1940a) Diagnosi di eteroceri africani. *Memorie della Società Entomologica Italiana* 19: 125–128.
- Berio E (1940b) Contributo alla conoscenza dei lepidotteri eteroceri dell'Eritrea VI. Eteroceri raccolti dal cap. Richini ad Adi-Abuna (Adua) nel Marzo 1940. *Bollettino della Società entomologica italiana* 72(10): 161–165.
- Berio E (1943) Descrizione dell'armatura genitale di alcune *Hypotacha* e diagnosi di una nuove specie (Lepidoptera: Noctuidae). *Annali del Museo Civico di Storia Naturale di Genova* 62: 25–29.
- Berio E (1944) Missione biologica Sagan-Omo diretta dal Prof. E. Zavattari. Lepidoptera Agaristidae e Noctuidae *Memorie della Società Entomologica Italiana* 23: 74–79.

- Berio E (1945) Reperti di nuove Noctuidae dell'Africa orientale. *Memorie della Società Entomologica Italiana* 24: 81–83.
- Berio E (1947) Diagnosi di alcune Erastrinae africane (Lepidoptera: Noctuidae). *Memorie della Società Entomologica Italiana* 26: 12–15.
- Berio E (1954) Diagnosi di nuove Catocaline africane (Lepidoptera: Noctuidae). *Bollettino della Società entomologica italiana* 84(3–4): 55–58.
- Berio E (1962) Descrizione di nuove Noctuidae africane (Euxoinae). *Annali del Museo Civico di Storia Naturale di Genova* 73: 196–208.
- Berio E (1973) Nuove specie e genere di Noctuidae Africane e Asiatiche e note sinonimichi. Parte II. *Annali del Museo Civico di Storia Naturale di Genova* 79: 126–171.
- Berio E (1975) Nuove genere e nuove specie di Noctuidae Africane (Lepidoptera). *Annali del Museo Civico di Storia Naturale di Genova* 80(1974): 217–225.
- Berio E (1976) Nuovi generi e specie di Noctuidae dell'Africa equatoriale (Lepidoptera). *Annali del Museo Civico di Storia Naturale di Genova* 81: 96–123.
- Berio E (1977) Diagnosi di nuovi taxa di Noctuidae del globo (Lepidoptera). *Annali del Museo Civico di Storia Naturale Giacomo Doria* 81: 321–339.
- Biodiversity Institute of Ontario (2006) All Leps Barcode of Life Project. <http://www.lepbarcoding.org/> [accessed 28 April 2018]
- Brandao S, Lyra L, Freitas L (2009) Barcoding Lepidoptera: Current Situation and Perspectives on the Usefulness of a Contentious Technique. *Neotropical Entomology* 38(4): 44–451. <https://doi.org/10.1590/S1519-566X2009000400001>
- Burgess N, D'Amico Hales J, Underwood E, Dinerstein E, Olson D, Itoua I, Schipper J, Ricketts T, Newman K (2004) *Terrestrial Ecoregions of Africa and Madagascar*. Island Press, Washington, 497 pp.
- Clausnitzer V (2014) NABU's Biodiversity Assessment at the Kafa Biosphere Reserve, Ethiopia, 162 pp.
- Clausnitzer V, Dijkstra KD (2005) The dragonflies (Odonata) of Ethiopia, with notes on the status of its endemic species and the description of a new one. *Entomologische Zeitschrift* 115: 117–130.
- Debauche HR (1937) Entomological expedition to Abyssinia 1926–27: Lepidoptera, Geometridae. *Annals and Magazine of Natural History* (10)20: 320–344. [pls 7, 8] <https://doi.org/10.1080/00222933708655348>
- De Prins J, De Prins W (2019) Afrotropical moth species (Lepidoptera). <http://www.afrotropicalmoths.net/> [accessed 25 March 2019]
- Ethiopian Biodiversity Institute (EBI) (2015) *National Biodiversity Strategy and Action Plan of Ethiopia (NBSAP)*. Rela Printing Press, Addis Ababa, 120 pp.
- Eitschberger U, Melichar T (2016) Revision und Neugliederung aller Arten, die momentan in der Gattung *Macropoliana* auct. (nec Carcasson, 1968) vereint, zusammengefaßt sind. *Neue. Entomologische Nachrichten* 71: 1–639.
- Eitschberger U, Ströhle M (2011) Der Artkomplex von *Lophostethus dumolinii* (Angas, [1849]) im vergleich mit *Lophostethus negus* Jordan, 1926 *Neue Entomologische Nachrichten* 67: 121–255.
- Goff R (2008) African moths. <http://www.africanmoths.com> [accessed 25 March, 2019]

- Gordon F, Carillet J (2003) Ethiopia and Eritrea. Lonely Planet, Melbourne, 368 pp.
- Guénée MA (1852–1857) Histoire naturelle des Insectes. V–X. Species général des Lépidoptères. Librairie encyclopédique de Roret, Paris.
- Guérin-Méneville FE (1849) Ordre des lepidopteres. Famille des diurnes. In: Lefebvre T (Ed.) Voyage en Abyssinie. Zoologie 6(4): 364–386.
- Hacker HH (2011) Neue *Metachrostis* Hübner (1829) Arten aus dem Yemen und aus Afrika (Lepidoptera, Noctuidae, Eublemminae). Esperiana 16: 213–231. [pls 28–30]
- Hacker HH (2013) Additions to several revisions of Noctuid genera revised from 2001 to 2011, with descriptions of nine new species and three new subspecies from Africa, Arabian Peninsula and Iran, with faunistic notes (Noctuoidea). Esperiana 18: 199–220. [pls 13, 14]
- Hacker HH (2014) Revision of the tribe Nolini of Africa and the Western Palaearctic Region (Lepidoptera, Noctuoidea, Noctuidae, Nolinae) Supplement 1. Esperiana 19: 121–179.
- Hacker HH (2016) Systematic and illustrated catalogue of the Macroheterocera and Cossioidea Leach, [1815], Zygaenoidea Latreille 1809, Thyridoidea Herrich-Schäffer 1846 and Hyblaeoidea Hampson, 1903 of the Arabian Peninsula, with a survey of their distribution (Lepidoptera). Esperiana 20(1): 1–742; (2): 1–430.
- Hacker HH (2019) Biogeography; Bolebiinae (Lepidoptera, Noctuoidea, Erebidiae) – Moths of Africa. Systematic and illustrated Catalogue of the Heterocera of Africa, Volume 1. Esperiana. Bad Staffelstein, Germany, 816 pp.
- Hacker HH, Fibiger M (2007) Review of the African species of the genus *Feliniopsis* Roepke, 1938 (*Eutamisia* Fletcher, 1961) (Lepidoptera: Noctuidae). Esperiana Memoir 3: 59–178. [pls 10–20]
- Hacker HH, Mey W (2010) Beiträge zur Taxonomie, Systematik und Faunistik von Noctuidae (Noctuoidea), hauptsächlich aus dem Museum für Naturkunde Berlin. Esperiana Memoir 5: 457–468.
- Hacker HH, Zilli A (2007) Revisional notes on the genus *Thiacides* Walker, 1855, with descriptions of Thiacidinae subfam. nov. and eleven species (Lepidoptera: Noctuidae). Esperiana Memoir 3: 179–246. [pls 21–30]
- Hacker HH, Legrain A, Fibiger M (2008) Revision of the genus *Acontia* Ochseneimer, 1816 and the tribus Acontiini Guénée, 1841 (Old World) (Lepidoptera: Noctuidae: Acontiinae). Esperiana 14: 7–533. [pls 1–38]
- Hacker HH, Schreier HP, Goater B (2012) Revision of the tribe Nolini of Africa and the Western Palaearctic Region (Lepidoptera, Noctuoidea, Noctuidae, Nolinae). Esperiana 17: 1–612.
- Hampson GF (1896) On the classification of the Schoenobiinae and Crambinae, two subfamilies of Moths of the family Pyralidae. Proceedings of the Zoological Society of London 1895(4): 897–974.
- Hampson GF (1898) Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Syntomidae The Trustee of the British museum (Natural History) 1: i–xxi, 1–538. [pls 1–17] <https://doi.org/10.5962/bhl.title.52217>
- Hampson GF (1899) A revision of the moths of the subfamily *Pyaustinae* and family *Pyralidae*, part 1. Proceedings of the Zoological Society of London 1898(4): 590–761. [pls 49–50]

- Hampson GF (1905) Descriptions of new genera and species of Syntomidæ, Arctiadæ, Agaristidæ, and Noctuidæ. The Annals and Magazine of Natural History (7th series) 15(89): 425–453. <https://doi.org/10.1080/03745480509442831>
- Hampson GF (1909) Descriptions of new genera and species of Syntomidæ, Arctiadæ, Agaristidæ and Noctuidæ. Annals and Magazine of Natural History (8) 4(22): 344–388. <https://doi.org/10.1080/00222930908692682>
- Hampson GF (1910) Descriptions of new African moths. The Annals and Magazine of Natural History (8th series) 6(31): 116–141. <https://doi.org/10.1080/00222931008692829>
- Hampson GF (1916) Descriptions of new species of the family Arctiadæ in the British Museum. Novitates Zoologicae 23(2): 230–240.
- Hampson GF (1913) Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum (Nat. Hist.). XII. Noctuidae. The Trustees of the British Museum (N.A.T.H.ST.), London 12: 1–626.
- Hampson GF (1918) Descriptions of new Pyralidae in the subfamily Pyraustinae (cont.). The Annals and Magazine of Natural History (9th series) 2 (9): 181–196; (11): 393–407. <https://doi.org/10.1080/00222931808673777>
- Hampson GF (1919) Descriptions of new Pyralidae of the subfamilies Crambinae and Siginae. The Annals and Magazine of Natural History (9) 4 (20): 53–68; (21): 137–154; (23): 305–326. <https://doi.org/10.1080/00222931908673884>
- Hampson GF (1926) Descriptions of new genera and species of Lepidoptera Phalaenae of the subfamily Noctuinae (Noctuidae) in the British Museum (Natural History): 1–641.
- Hampson GF (1930) New genera and species of Phycitinae (Lepidoptera, Pyralidae) The Annals and Magazine of Natural History (10th series) 5: 50–80. <https://doi.org/10.1080/00222933008673106>
- Haslberger A, Segerer AH (2016) Systematische, revidierte und kommentierte Checkliste der Schmetterlinge Bayerns (Insecta: Lepidoptera). Mitteilungen der Münchner Entomologischen Gesellschaft Supplement 106: 1–336.
- Hausmann A (2001) Introduction. Archiearinae, Orthostixinae, Desmobathrinae, Alsophilinae, Geometrinae. In: Hausmann A (Ed.) The Geometrid Moths of Europe 1. Apollo Books, Stenstrup, 282 pp.
- Hausmann A, Parisi F, Sciarretta A (2014) The geometrid moths of Ethiopia I: tribes Pseudoterpnini and Comibaenini (Lepidoptera: Geometridae, Geometrinae). Zootaxa 3768(4): 460–468. <https://doi.org/10.11646/zootaxa.3768.4.4>
- Hausmann A, Parisi F, Sciarretta A (2016) The Geometrinae of Ethiopia II: Tribus Hemistolini, genus *Prasinocyma* (Lepidoptera: Geometridae, Geometrinae). Zootaxa 4065(1): 1–63. <https://doi.org/10.11646/zootaxa.4065.1.1>
- Hausmann A, Godfray HCJ, Huemer P, Mutanen M, Rougerie R, van Nieukerken EJ, Ratnasingham S, Hebert PDN (2013) Genetic patterns in European geometrid moths revealed by the Barcode Index Number (BIN) system. PLoS ONE. <https://doi.org/10.1371/annotation/8c15cfd7-7bfe-4da1-a8c8-76d5d465f7b2>
- Haxaire J, Melichar T (2008) Un nouveau Sphingidae d’Ethiopie: *Rufoclanis numosae rostrilavi* ssp. n. (Lepidoptera Sphingidae). The European Entomologist 1(3–4): 111–115.

- Hebert PD, Cywinska A, Ball SL, deWaard JR (2003) Biological identifications through DNA barcodes, *Proceedings Royal Society London B Biological Sciences* 270: 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Herbulot C (1983) Missions de MPC Rougeot en Ethiopie et en République de Djibouti. *Lepidoptera Geometridae* 2. *Bulletin mensuel de la Société linnéenne de Lyon* 52(1): 10–21. <https://doi.org/10.3406/linly.1983.10567>
- Herbulot C (1993) Deux nouveaux *Prasinocyma* d’Ethiopie (Lepidoptera: Geometridae). *Bulletin de la Société entomologique de Mulhouse* 23(2): 50.
- Herbulot C (2002) Huit nouveaux Geometridae d’Amérique du Sud, d’Afrique centrale et orientale et d’Asie du Sud-est (Lepidoptera). *Lambillionea* 102(4): 451–458.
- Hodges RW, Dominick T, Davis DR, Ferguson DC, Franclemont JG, Munroe EG, Powell JA (1983) Check list of the Lepidoptera of America North of Mexico. E.W. Classey Ltd. and the Wedge Entomological Research Foundation, London, 284 pp.
- ICZN [International Commission on Zoological Nomenclature] (1999) International Code of Zoological Nomenclature. Fourth Edition. The International Trust for Zoological Nomenclature, London, 106 pp.
- Karsholt O, Razowski J (1996) The Lepidoptera of Europe. A Distributional Checklist. Apollo Books, Stenstrup, 380 pp.
- Kravchenko VD, Ronkay L, Speidel W, Witt T, Fibiger M, Rybalov L, Mohammed D, Habte T, Junnila A, Müller GC (2007) Contribution to the Noctuidae fauna of Ethiopia. *Atalanta* 38(3/4): 385–39.
- Kristensen N, Scoble M, Karsholt O (2007) Lepidoptera phylogeny and systematics: the state of inventorying moth and butterfly diversity. *Zootaxa* 1668: 699–747.
- Laporte B (1974) Diagnoses de nouveaux genres et de plusieurs espèces inédites de Noctuidae trifides (Lépidoptères) d’Ethiopie. *Bulletin mensuel de la Société linnéenne de Lyon* 43(6): 216–224; (7): 246–251. [pls 1, 2]
- Laporte B (1975) Diagnoses de 17 nouvelles espèces de Noctuidae d’Ethiopie et du Kenya (Lépidoptères). *Bulletin mensuel de la Société linnéenne de Lyon* 44(8): 277–287. <https://doi.org/10.3406/linly.1975.10206>
- Laporte B (1976) Diagnoses de nouveaux genres et de plusieurs espèces inédites de Noctuidae trifinae (Lépidoptères) d’Ethiopie (3^e note). *Bulletin mensuel de la Société linnéenne de Lyon* 45(3): 131–136. <https://doi.org/10.3406/linly.1976.10243>
- Laporte B (1978) Nouvelles espèces de noctuelles trifides africaines (Lepidoptera: Noctuidae) *Bulletin de la Société entomologique de France* 83: 62–65.
- Laporte B, Rougeot PC (1981) Description d’une nouvelle espèce de *Batuana* (Lepidoptera: Noctuidae, Trifidae) d’Ethiopie. *Bulletin mensuel de la Société linnéenne de Lyon* 50(4): 126–127.
- Lucas H (1852) Description de nouvelles espèces de Lepidopteres appartenant aux collections entomologiques de Musee de Paris *Revue et. Magasin de Zoologie Pure et Appliquee* 4: 324–345; 422–432.
- Melichar T, Řezáč M (2015) A new species of the genus *Theretra* Hübner, [1819] (Lepidoptera, Sphingidae) from Ethiopia. *The European Entomologist* 7(2): 40–47.

- Melichar T, Řezáč M, Milčíková A (2016) Descriptions of three new taxa in the *Temnora pylas* (Cramer, 1779) species group (Lepidoptera, Sphingidae), with notes on several other taxa. *The European Entomologist* 8(3): 105–131.
- Meyrick E (1932) Entomological Expedition to Abyssinia, 1926–7. Microlepidoptera. *Transactions of the Entomological Society of London* 80(1): 107–120. <https://doi.org/10.1111/j.1365-2311.1932.tb00085.x>
- Mittermeier RA, Turner, WR, Larsen FW, Brooks TM, Gascon C (2011) Global Biodiversity Conservation: The Critical Role of Hotspots. *Biodiversity Hotspots* 3–22. https://doi.org/10.1007/978-3-642-20992-5_1
- Natural History Museum (2014) The Global Lepidoptera Names Index. <http://www.nhm.ac.uk/our-science/data/lepindex> [accessed 25 Mar 2019]
- Navarro R (2007) LepiMap. <http://lepimap.adu.org.za> [accessed on 10 April 2019]
- Nazari V, Larsen TB, Lees DC, Brattstro O, Bouyer T, Van de Poel G, Hebert PDN (2011) Phylogenetic systematics of *Colotis* and associated genera (Lepidoptera: Pieridae): evolutionary and taxonomic implications. *Journal of Zoological Systematics and Evolutionary Research* 49(3): 204–215. <https://doi.org/10.1111/j.1439-0469.2011.00620.x>
- Nieukerken, EJ van, Kaila L, Kitching IJ, Kristensen NP, Lees DC, Mine, J, Mitter C, Mutanen M, Regier JC, Simonsen TJ, Wahlberg N, Yen SH, Zahiri R, Adamski D, Baixeras J, Bartsch D, Bengtsson BÅ, Brown JW, Bucheli SR, Davis DR, De Prins J, De Prins W, Epstein ME, Gentili-Poole P, Gielis C, Hättenschwiler P, Hausmann A, Holloway JD, Kallies A, Karsholt O, Kawahara AY, Koster SJC, Kozlov MV, Lafontaine JD, Lamas G, Landry JF, Lee S, Nuss M, Park KT, Penz C, Rota J, Schmidt BC, Schintlmeister A, Sohn JC, Solis MA, Tarmann GM, Warren AD, Weller S, Yakovlev RV, Zolotuhin VV, Zwick A (2011) Order Lepidoptera Linnaeus, 1758. In: Zhang Z (Ed.) *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness*. *Zootaxa* 3148: 212–221. <https://doi.org/10.11646/zootaxa.3148.1.41>
- Plantrou J, Rougeot PC (1979) Mission P.C. Rougeot en Ethiopie, I et II – 1978. *Charaxes* inédits du Sud éthiopien. (Lepidoptera: Nymphalidae). *Bulletin de la Société Entomologique de France* 139:138–142.
- Ratnasingham S, Hebert PDN (2007) BOLD: The Barcode of Life Data System. <https://doi.org/10.1111/j.1471-8286.2007.01678.x> [accessed 15 March 2019]
- Ratnasingham S, Hebert PDN (2013) A DNA-based registry for all animal species: The Barcode Index Number (BIN) System. *PLOS ONE* 8 (8): e66213. <https://doi.org/10.1371/journal.pone.0066213>
- Razowski J, Trematerra P (2010) Tortricidae (Lepidoptera) from Ethiopia. *Journal of Entomological and Acarological Research* 42(2): 47–79. <https://doi.org/10.4081/jear.2010.47>
- Razowski J, Trematerra P (2012) Tortricidae (Lepidoptera) from Ethiopia 2. *Journal of Entomological and Acarological Research* 44: 37–40. <https://doi.org/10.4081/jear.2012.e8>
- Razowski J, Trematerra P, Colacci M (2018) Tortricidae (Lepidoptera) from Ethiopia 3. *SHILAP Revista de Lepidopterologia* 46(181): 91–104.

- Reiche L (1850) Entomologie. In: Ferrets PVA, Galinier JG (1847–1850) Voyage en Abyssinie dans les provinces du Tigre, du Samen et de l'Ahmarra, Paulin Libraire Éditeur, Paris, 258–471.
- Rothschild W (1902) Some new African Lepidoptera discovered by Oscar Neumann. *Novitates Zoologicae* 9: 595–598.
- Rothschild W (1926) On some African Papilios, with descriptions of new forms. *Annals and Magazine of Natural History* (9)17; 113 (112–114). <https://doi.org/10.1080/00222932608633378>
- Rothschild W, Jordan K (1900) A monograph of *Charaxes* and the allied prionopterous genera. *Novitates Zoologicae* 7: 287–524. <https://doi.org/10.5962/bhl.part.17460>
- Rothschild W, Jordan K (1903) Lepidoptera collected by Oscar Neumann in North-East Africa. *Novitates Zoologicae* 10: 491–542.
- Rothschild W, Jordan K (1905) Lepidoptera collected by Oscar Neumann in North-East Africa (continuation). *Novitates Zoologicae* 12: 175–191. <https://doi.org/10.5962/bhl.part.24270>
- Rougeot PC (1974) Sur deux nouvelles espèces d'Attacides d'Afrique orientale (Lepidoptera: Attacidae). *Bulletin de la Société entomologique de France* 78(1973); (11–12): 334–336.
- Rougeot PC (1975) Diagnoses de trois nouvelles espèces de lépidoptères hétérocères d'Afrique orientale, *Lambillionea* 75(9–10): 68–71.
- Rougeot PC (1977) Missions entomologiques en Ethiopie 1973–1975. Fascicule 1. *Mémoires du Muséum national d'Histoire naturelle (A)* 105: 1–150, pls 1–20.
- Rougeot PC (1984) Missions entomologiques en Ethiopie 1976–1982. Fascicule II. *Mémoires du Muséum national d'Histoire naturelle (A)* 128: 1–93, pls 1–18.
- Rougeot PC, Laporte B (1983) Lépidoptères du Haut-Simyen (Ethiopie du Nord). *Bulletin mensuel de la Société linnéenne de Lyon* 52(7): 219–232. <https://doi.org/10.3406/linly.1983.10597>
- Rougeot PC, Bourgogne J, Laporte B (1991) Les Lépidoptères Hétérocères d'Afrique orientale. *Annales de la Société entomologique de France (NS)* 27(4): 407–463.
- Sáfián S, Collins SC, Kormos B, Siklosi A (2009) Checklist of the butterflies (Papilionoidea and Hesperoidea) of Ethiopia. *African Butterfly Database*. <https://www.abdb-africa.org/> [Accessed 1 March 2019]
- Sanchez-Bayo F, Wyckhuyes KA (2019) Worldwide decline of the entomofauna: a review of its drivers, *Biological Conservation* 232: 8–27. <https://doi.org/10.1016/j.biocon.2019.01.020>
- Sciarretta A, Hausmann A, Parisi F (2014) Recent advances in the knowledge of Geometrid moths of Ethiopia. P. 259 In: Hausmann A (Ed.) *Proceedings of the eighth Forum Herbulot 2014. How to accelerate the inventory of biodiversity* (Schletttau, 30 June – 4 July 2014) *Spixiana* 37(2).
- Stoch F (2003) Checklist of the Italian fauna online. <http://www.faunaitalia.it/checklist/introduction.html> [accessed 15 March 2019]
- Tesfu F, Weldemariam T, Asersie A (2018) Impact of human activities on biosphere reserve. A case study from Yayu Biosphere Reserve, Southwest Ethiopia. *International Journal of Biodiversity Conservation* 10(7): 319–326. <https://doi.org/10.5897/IJBC2016.1005>

- United Nations Environment Programme (UNEP) (2006) 2005 Annual Evaluation Report, 70 pp. <https://www.unenvironment.org/resources/evaluation-synthesis-reports/unep-annual-evaluation-report-2005> [accessed 16 April 2019]
- UNSG [United Nations, Secretary-General] (2010) Nagoya Protocol on Access to Genetic Resources and the Fair and Equitable Sharing of Benefits Arising from their Utilization to the Convention on Biological Diversity, 29 October 2010. <https://treaties.un.org/doc/Treaties/2010/11/20101127%2002-08%20PM/XXVII-8-b-Corr-Original.pdf> [accessed 16 April 2019]
- Wikipedia (2011) List of Lepidoptera of Metropolitan France. https://en.wikipedia.org/wiki/List_of_Lepidoptera_of_Metropolitan_France [Accessed 15 March 2019]
- Williams MC (2018) Afrotropical butterflies and skippers. A digital encyclopaedia. <https://www.metamorphosis.org.za/?p=articles&s=atb> [accessed 28 February 2019]
- Young J (2012) Ethiopian protected areas. A 'Snapshot'. A reference guide for future strategic planning and project funding. Ethiopian Wild Life Authority, Addis Ababa, 46 pp.