

Checklist of the family Chironomidae (Diptera) of Finland

Lauri Paasivirta¹

¹ Ruuhikoskenkatu 17 B 5, FI-24240 Salo, Finland

Corresponding author: Lauri Paasivirta (lauri.paasivirta@suomi24.fi)

Academic editor: J. Kahanpää | Received 10 March 2014 | Accepted 26 August 2014 | Published 19 September 2014

<http://zoobank.org/F3343ED1-AE2C-43B4-9BA1-029B5EC32763>

Citation: Paasivirta L (2014) Checklist of the family Chironomidae (Diptera) of Finland. In: Kahanpää J, Salmela J (Eds) Checklist of the Diptera of Finland. ZooKeys 441: 63–90. doi: 10.3897/zookeys.441.7461

Abstract

A checklist of the family Chironomidae (Diptera) recorded from Finland is presented.

Keywords

Finland, Chironomidae, species list, biodiversity, faunistics

Introduction

There are supposedly at least 15 000 species of chironomid midges in the world (Armitage et al. 1995, but see Pape et al. 2011) making it the largest family among the aquatic insects. The European chironomid fauna consists of 1262 species (Sæther and Spies 2013). In Finland, 780 species can be found, of which 37 are still undescribed (Paasivirta 2012).

The species checklist written by B. Lindeberg on 23.10.1979 (Hackman 1980) included 409 chironomid species. Twenty of those species have been removed from the checklist due to various reasons. The total number of species increased in the 1980s to 570, mainly due to the identification work by me and J. Tuiskunen (Bergman and Jansson 1983, Tuiskunen and Lindeberg 1986). There has been a new rapid increase in the total number of species since 1998. I have reported 187 additional species, of which 8 have been new to science, and other researchers have reported 24 additional

species. The chironomid fauna of all biogeographical provinces has been relatively well surveyed (Paasivirta 2012, including the trapping efficiency and the collectors).

Holotypes and paratypes exist for 87 species described from Finland. 23 species have been found only in Finland, thus making them putatively endemic species. Six of these species have only been found from the original type locality. 42 species have been found only from one collecting site in Finland.

Larvae of chironomid midges are found in all types of aquatic habitats. In addition, some species (130 species, 17%) specialize in semi-aquatic environments like wet moss on wetlands and shores of lotic waters. A total of 367 species have been identified from springs and the surrounding habitats in Finland. Sixteen percent of these species are associated with or specialized in springs and 25% are semi-aquatic species (Paasivirta 2007). One hundred and seventy aquatic species have been found from marine habitats, excluding river estuaries (Paasivirta 2000 and later additions). Sixty five additional species live in the mildly brackish water in the northern part of Bothnian Bay. There are only four strictly marine species.

The conservation statuses have been estimated for 667 Finnish chironomid species. Eleven species are classified as vulnerable (VU), 21 as near threatened (NT) and 6 species as lacking sufficient information (DD) (Penttilä et al. 2010). Since the chironomid midges have not been extensively studied and no long-term studies have been performed in Finland, the only useful criteria for the assessment of the conservation statuses have been either extent of occurrence or area of occupancy.

The nomenclature of the species list is consistent with Fauna Europaea (Sæther and Spies 2013). Undescribed species are specified with appellations derived from the first collecting locality. For example *Procladius* sp. 2 “Palsa” was first found at a site called Palsa.

The list of Finnish chironomids (with bioprovincial distribution data) was last updated by Paasivirta (2012).

Number of species:

World: 7053 species (Pape et al. 2011)

Europe: 1262 species (Sæther and Spies 2013)

Finland: 780 species, incl. 37 undescribed species

Faunistic knowledge level in Finland: good

Checklist

Nematocera Dumeril, 1805

infraorder Culicomorpha Hennig, 1948

superfamily Chironomoidea Newman, 1834

CHIRONOMIDAE Newman, 1834

PODONOMINAE Thienemann & Edwards, 1937

tribe Boreochlini Brundin, 1966

BOREOCHLUS Edwards, 1938

Boreochlus thienemanni Edwards, 1938

LASIODIAMESA Kieffer, 1924

Lasiodiamesa armata Brundin, 1966

Lasiodiamesa gracilis (Kieffer, 1924)

Lasiodiamesa sphagnicola (Kieffer, 1925)

tribe Podonomini Thienemann & Edwards, 1937

PAROCHLUS Enderlein, 1912

Parochlus kiefferi (Garrett, 1925)

TRICHOTANYPUS Kieffer, 1906

Trichotanypus mariae Wirth & Sublette, 1970

Trichotanypus posticalis (Lundbeck, 1898)

TANYPODINAE Skuse, 1889

tribe Anatopyniini Fittkau, 1962

ANATOPYNIA Johannsen, 1905

Anatopynia plumipes (Fries, 1823)

tribe Coelotanypodini Coffman, 1978

= Clinotanypodini Lipina, 1928

CLINOTANYPUS Kieffer, 1913

Clinotanypus nervosus (Meigen, 1818)

tribe Macropelopiini Zavřel, 1929

APSECTROTANYPUS Fittkau, 1962

Apsectrotanypus trifascipennis (Zetterstedt, 1838)

MACROPELOPIA Thienemann, 1916

Macropelopia adaucta Kieffer, 1916

= goetghebueri (Kieffer, 1918)

Macropelopia nebulosa (Meigen, 1804)

Macropelopia notata (Meigen, 1818)

PSECTROTANYPUS Kieffer, 1909

Psectrotanypus varius (Fabricius, 1787)

tribe Natarsiini Roback & Moss, 1978

NATARSIA Fittkau, 1962

Natarsia nugax (Walker, 1856)

Natarsia punctata (Fabricius, 1805)

tribe Pentaneurini Hennig, 1950

ABLABESMYIA Johannsen, 1905

Ablabesmyia longistyla Fittkau, 1962

Ablabesmyia monilis (Linnaeus, 1758)

Ablabesmyia phatta (Egger, 1864)

ARCTOPELOPIA Fittkau, 1962

Arctopelopia barbitarsis (Zetterstedt, 1850)

Arctopelopia griseipennis (van der Wulp, 1859)

Arctopelopia melanosoma (Goetghebuer, 1933)

- CONCHAPELOPIA** Fittkau, 1957
Conchapelopia aagaardi Murray, 1987
Conchapelopia hittmairorum Michiels & Spies, 2002
Conchapelopia intermedia Fittkau, 1962
Conchapelopia melanops (Meigen, 1818)
Conchapelopia pallidula (Meigen, 1818)
GUTTIPELOPIA Fittkau, 1962
Guttipelopia guttipennis (van der Wulp, 1861)
HAYESOMYIA Murray & Fittkau, 1986
Hayesomyia tripunctata (Goetghebuer, 1922)
KRENOPELOPIA Fittkau, 1962
Krenopelopia binotata (Wiedemann, 1817)
Krenopelopia nigropunctata (Staeger, 1839)
LABRUNDINIA Fittkau, 1962
Labrundinia longipalpis (Goetghebuer, 1921)
LARSIA Fittkau, 1962
Larsia atrocincta (Goetghebuer, 1942)
MONOPELOPIA Fittkau, 1962
Monopelopia tenuicalcar (Kieffer, 1918)
NILOTANYPUS Kieffer, 1923
Nilotanypus dubius (Meigen, 1804)
PARAMERINA Fittkau, 1962
Paramerina cingulata (Walker, 1856)
Paramerina divisa (Walker, 1856)
PENTANEURELLA Fittkau & Murray, 1983
Pentaneurella katterjokki Fittkau & Murray, 1983
RHEOPELOPIA Fittkau, 1962
Rheopelopia maculipennis (Zetterstedt, 1838)
Rheopelopia ornata (Meigen, 1838)
TELMATOPELOPIA Fittkau, 1962
Telmatopelopia nemorum (Goetghebuer, 1921)
TELOPELOPIA Roback, 1971
Telopelopia fascigera (Verneaux, 1970)
THIENEMANNIMYIA Fittkau, 1957
Thienemannimyia carnea (Fabricius, 1805)
Thienemannimyia fusciceps (Edwards, 1929)
Thienemannimyia laeta (Meigen, 1818)
Thienemannimyia lentiginosa (Fries, 1823)
Thienemannimyia pseudocarnea Murray, 1976
Thienemannimyia vitellina (Kieffer, 1916)
TRISSOPELOPIA Kieffer, 1923
Trissopelopia longimana (Staeger, 1839)
XENOPELOPIA Fittkau, 1962

- Xenopelopia falcigera* (Kieffer, 1911)
Xenopelopia nigricans (Goetghebuer, 1927)
ZAVRELYMIA Fittkau, 1962
Zavrelimyia barbatipes (Kieffer, 1911)
Zavrelimyia hirtimana (Kieffer, 1918)
Zavrelimyia melanura (Meigen, 1804)
tribe Procladiini Roback, 1971
PROCLADIUS Skuse, 1889
sg. **Holotanypus** Roback, 1982
Procladius appropinquatus (Lundström, 1917)
Procladius choreus (Meigen, 1804)
Procladius culiciformis (Linnaeus, 1767)
 = *crassinervis* (Zetterstedt, 1838)
Procladius fimbriatus Wülker, 1959
Procladius fuscus Brundin, 1949
? *Procladius islandicus* (Goetghebuer, 1931)
Procladius nudipennis Brundin, 1947
Procladius pectinatus (Kieffer, 1909)
Procladius signatus (Zetterstedt, 1850)
Procladius simplicistylus Freeman, 1948
Procladius suecicus Brundin, 1949
Procladius cf. vesus Roback, 1971
Procladius sp. 1 "Valassaaret"
Procladius sp. 2 "Palsa"
Procladius sp. 3 "Kaldoaivi"
sg. **Psilotanypus** Kieffer, 1906
Procladius flavifrons Edwards, 1929
Procladius imicola Kieffer, 1922
Procladius lugens Kieffer, 1915
Procladius rufovittatus (van der Wulp, 1874)
tribe Tanypodini Skuse, 1889
TANYPUS Meigen, 1803
Tanypus kraatzi (Kieffer, 1912)
Tanypus punctipennis Meigen, 1818
Tanypus vilipennis (Kieffer, 1918)
DIAMESINAE Kieffer, 1922
tribe Diamesini Kieffer, 1922
DIAMESA Meigen, 1835
Diamesa aberrata Lundbeck, 1898
Diamesa arctica (Boheman, 1865)
Diamesa bertrami Edwards, 1935
Diamesa bohemani Goetghebuer, 1932
Diamesa hyperborea Holmgren, 1869

- Diamesa incallida* (Walker, 1856)
Diamesa insignipes Kieffer, 1908
Diamesa latitarsis (Goetghebuer, 1921)
Diamesa permacra (Walker, 1856)
Diamesa serratosioi Willassen, 1986
Diamesa tonsa (Haliday, 1856)
 = *thienemanni* Kieffer, 1909
POTTHASTIA Kieffer, 1922
Potthastia gaedii (Meigen, 1838)
Potthastia longimanus Kieffer, 1922
Potthastia pastoris (Edwards, 1933)
PSEUDODIAMESA Goetghebuer, 1939
Pseudodiamesa branickii (Nowicki, 1873)
Pseudodiamesa nivosa (Goetghebuer, 1928)
PSEUDOKIEFFERIELLA Zavřel, 1941
 = **Diplomesa** Zavřel 1941
Pseudokiefferiella parva (Edwards, 1932)
SYMPOTTHASTIA Pagast, 1947
Sympothastia fulva (Johannsen, 1921)
Sympothastia huldeni Tuiskunen, 1986
SYNDIAMESA Kieffer, 1918
Syndiamesa sp., indet. larva
tribe Protanypini Brundin, 1956
PROTANYPUS Kieffer, 1906
Protanypus caudatus Edwards, 1924
Protanypus morio (Zetterstedt, 1838)
TELMATOGETONINAE Wirth, 1949
TELMATOGETON Schiner, 1866
Telmatogeton japonicus Tokunaga, 1933
PRODIAMESINAE Sæther, 1976
MONODIAMESA Kieffer, 1922
Monodiamesa bathyphila (Kieffer, 1918)
Monodiamesa ekmani (Brundin, 1949)
ODONTOMESA Pagast, 1947
Odontomesa fulva (Kieffer, 1919)
PRODIAMESA Kieffer, 1906
Prodiamesa olivacea (Meigen, 1818)
ORTHOCLADIINAE Kieffer, 1911
AAGAARDIA Sæther, 2000
Aagaardia protensa Sæther, 2000
Aagaardia sivertseni (Aagaard, 1979)
Aagaardia(?) sp. 1
ABISKOMYIA Edwards, 1937

- Abiskomyia paravirgo* Goetghebuer, 1940
Abiskomyia virgo Edwards, 1937
ACAMPTOCLADIUS Brundin, 1956
Acamptocladius reissi Cranston & Sæther, 1982
Acamptocladius submontanus (Edwards, 1932)
ACRICOTOPUS Kieffer, 1921
Acricotopus lucens (Zetterstedt, 1850)
ALLOCLADIUS Kieffer, 1913
Allocladius bothnicus (Tuiskunen, 1984)
BOREOSMITIA Tuiskunen, 1986
Boreosmittia inariensis Tuiskunen, 1986
Boreosmittia karelioborealis Tuiskunen, 1986
BRILLIA Kieffer, 1913
Brillia bifida (Kieffer, 1909)
 = *modesta* (Meigen, 1830) preocc.
Brillia longifurca Kieffer, 1921
BRYOPHAENOCLADIUS Thienemann, 1934
Bryophaenocladius aestivus (Brundin, 1947)
Bryophaenocladius dentatus (Karl, 1937)
Bryophaenocladius flexidens (Brundin, 1947)
Bryophaenocladius ictericus (Meigen, 1830)
Bryophaenocladius illimbatus (Edwards, 1929)
Bryophaenocladius cf. impectinus Sæther, 1976
Bryophaenocladius inconstans (Brundin, 1947)
Bryophaenocladius cf. laticaudus Sæther, 1973
Bryophaenocladius muscicola (Kieffer, 1906)
Bryophaenocladius nidorum (Edwards, 1929)
Bryophaenocladius nigrus Albu, 1974
Bryophaenocladius nitidicollis (Goetghebuer, 1913)
Bryophaenocladius pectinatus Albu, 1974
Bryophaenocladius psilacrus Sæther, 1982
Bryophaenocladius saanae Tuiskunen, 1986
Bryophaenocladius scanicus (Brundin, 1947)
Bryophaenocladius cf. sclerus Wang, Liu & Epler, 2004
Bryophaenocladius subparallelus (Malloch, 1915)
Bryophaenocladius subvernalis (Edwards, 1929)
Bryophaenocladius tuberculatus (Edwards, 1929)
Bryophaenocladius vernalis (Goetghebuer, 1921)
Bryophaenocladius xanthogyne (Edwards, 1929)
Bryophaenocladius sp., pr. *xanthogyne*
Bryophaenocladius sp. 1 "Syöte"
Bryophaenocladius sp. 2 "Syöte"
Bryophaenocladius sp. 3 "Malla"

- Bryophaenocladius* sp. 4 "Tsarmi"
Bryophaenocladius sp. 5 "Pallas"
Bryophaenocladius sp. 6 "Rommas"
CAMPTOCLADIUS van der Wulp, 1874
Camptocladius stercorarius (De Geer, 1776)
CARDIOCLADIUS Kieffer, 1912
Cardiocladius capucinus (Zetterstedt, 1850)
Cardiocladius fuscus Kieffer, 1924
CHAETOCLADIUS Kieffer, 1911
Chaetocladius acuminatus Brundin, 1956
Chaetocladius binotatus (Lundström, 1915)
Chaetocladius britae Säwedal, 1976
Chaetocladius crassisaetus Tuiskunen, 1986
Chaetocladius dentiforceps (Edwards, 1929)
Chaetocladius dissipatus (Edwards, 1929)
Chaetocladius glacialis (Lundström, 1915)
Chaetocladius gracilis Brundin, 1956
Chaetocladius grandilobus Brundin, 1956
Chaetocladius laminatus Brundin, 1947
Chaetocladius maeaeri Brundin, 1947
Chaetocladius sp., pr. *melaleucus* (Meigen, 1818)
Chaetocladius muliebris Tuiskunen, 1986
Chaetocladius perennis (Meigen, 1830)
Chaetocladius piger (Goetghebuer, 1913)
Chaetocladius cf. *rusticus* (Goetghebuer, 1932)
Chaetocladius suecicus (Kieffer, 1916)
Chaetocladius tenuistylus Brundin, 1947
CLUNIO Haliday, 1855
Clunio balticus Heimbach, 1978
CORYNONEURA Winnertz, 1846
Corynoneura arctica Kieffer, 1923
Corynoneura brundini Hirvenoja & Hirvenoja, 1988
Corynoneura carriana Edwards, 1924
Corynoneura celeripes Winnertz, 1852
Corynoneura celtica Edwards, 1924
Corynoneura coronata Edwards, 1924
Corynoneura edwardsi Brundin, 1949
Corynoneura fittkaui Schlee, 1968
Corynoneura gratias Schlee, 1968
Corynoneura gynocera Tuiskunen, 1983
Corynoneura lacustris Edwards, 1924
Corynoneura lobata Edwards, 1924
Corynoneura magna Brundin, 1949

- Corynoneura scutellata* Winnertz, 1846
= *longipennis* auct. nec Tokunaga, 1936
- Corynoneura* sp. 1 "Tvärminne"
- Corynoneura* sp. 2
- CORYNONEURELLA** Brundin, 1949
- Corynoneurella paludosa* Brundin, 1949
- CRICOTOPUS** van der Wulp, 1874
- sg. *Cricotopus* van der Wulp, 1874
- Cricotopus albiforceps* (Kieffer, 1916)
- Cricotopus annulator* Goetghebuer, 1927
- Cricotopus bicinctus* (Meigen, 1818)
- Cricotopus caducus* Hirvenoja, 1973
- Cricotopus coronatus* Hirvenoja, 1973
- Cricotopus cumulatus* Hirvenoja, 1973
- Cricotopus cylindraceus* (Kieffer, 1908)
- Cricotopus ephippium* (Zetterstedt, 1838)
- Cricotopus festivellus* (Kieffer, 1906)
- Cricotopus flavocinctus* (Kieffer, 1924)
- Cricotopus fuscus* (Kieffer, 1909)
- Cricotopus magus* Hirvenoja, 1973
- Cricotopus pallidipes* Edwards, 1929
- Cricotopus patens* Hirvenoja, 1973
- Cricotopus pilidorsum* Hirvenoja, 1973
- Cricotopus pilosellus* Brundin, 1956
- Cricotopus pirifer* Hirvenoja, 1973
- Cricotopus polaris* Kieffer, 1926
- Cricotopus* sp., pr. *polaris*
- Cricotopus pulchripes* Verrall, 1912
- Cricotopus septentrionalis* Hirvenoja, 1973
- Cricotopus similis* Goetghebuer, 1921
- Cricotopus slossonae* Malloch, 1915
= *claripes* Hirvenoja, 1973
- Cricotopus tibialis* (Meigen, 1804)
- Cricotopus tremulus* (Linnaeus, 1758)
- Cricotopus triannulatus* (Macquart, 1826)
- Cricotopus trifascia* Edwards, 1929
- Cricotopus tristis* Hirvenoja, 1973
- Cricotopus vierriensis* Goetghebuer, 1935
- Cricotopus villosus* Hirvenoja, 1973
- sg. *Isocladius* Kieffer, 1909
- Cricotopus arcuatus* Hirvenoja, 1973
- Cricotopus brevipalpis* Kieffer, 1909
- Cricotopus intersectus* (Staeger, 1839)

- Cricotopus laetus* Hirvenoja, 1973
Cricotopus laricomalis Edwards, 1932
Cricotopus maurii Spies & Sæther, 2004
= *polychaetus* Hirvenoja, 1989 preocc.
Cricotopus obnixus (Walker, 1856)
Cricotopus sp. cf. *obnixus* Hirvenoja, 1973
Cricotopus obtusus Hirvenoja, 1973
Cricotopus ornatus (Meigen, 1818)
Cricotopus perniger (Zetterstedt, 1850)
Cricotopus pilicauda Hirvenoja, 1973
Cricotopus pilitarsis (Zetterstedt, 1850)
Cricotopus reductus Hirvenoja, 1973
Cricotopus relucens Hirvenoja, 1973
Cricotopus reversus Hirvenoja, 1973
Cricotopus suspiciosus Hirvenoja, 1973
Cricotopus sylvestris (Fabricius, 1794)
Cricotopus tricinctus (Meigen, 1818)
Cricotopus trifasciatus (Meigen, 1810)
sg. *Nostococladius* Ashe & Murray, 1980
Cricotopus lygropis Edwards, 1929
sg. ?
Cricotopus(?) sp. 1 “Tapionaho”
DIPLOCLADIUS Kieffer, 1908
Diplocladius cultriger Kieffer, 1908
DONCRICOTOPUS Sæther, 1981
Doncricotopus dentatus Tuiskunen, 1985
DRATNALIA Sæther & Halvorsen, 1981
Dratnalia potamophylaxi (Fittkau & Lellak, 1971)
EPOICOCLADIUS Sulc & Zavřel, 1924
Epoicocladius ephemerae (Kieffer, 1924)
= *flavens* auct. nec (Malloch, 1915)
EUKIEFFERIELLA Thienemann, 1926
Eukiefferiella boevrensis Brundin, 1956
Eukiefferiella brevicalcar (Kieffer, 1911)
Eukiefferiella claripennis (Lundbeck, 1898)
Eukiefferiella clypeata (Thienemann, 1919)
Eukiefferiella devonica (Edwards, 1929)
Eukiefferiella dittmari Lehmann, 1972
Eukiefferiella gracei (Edwards, 1929)
Eukiefferiella sp., pr. *gracei*
Eukiefferiella ilkleyensis (Edwards, 1929)
Eukiefferiella minor (Edwards, 1929)
EURYCNEMUS van der Wulp, 1874

- Eurycnemus crassipes* (Meigen, 1810)
- GEORTHOCLADIUS** Strenzke, 1941
- Georthocladius luteicornis* (Goetghebuer, 1941)
- Georthocladius platystylus* Sæther & Sublette, 1983
- ?= *Parachaetocladius retezati* Albu, 1972
- GYMNOMETRIOCNEMUS** Edwards, 1932
- sg. *Gymnometriocnemus*** Edwards, 1932
- Gymnometriocnemus subnudus* (Edwards, 1929)
- sg. *Rhaphidocladius*** Sæther, 1983
- Gymnometriocnemus brumalis* (Edwards, 1929)
- Gymnometriocnemus volitans* (Goetghebuer, 1940)
- HALOCLADIUS** Hirvenoja, 1973
- Halocladius variabilis* (Staeger, 1839)
- HELENIELLA** Gowin, 1943
- Heleniella ornaticollis* (Edwards, 1929)
- Heleniella serratosioi* Ringe, 1976
- HETEROTANYTARSUS** Spärck, 1923
- Heterotanytarsus apicalis* (Kieffer, 1921)
- Heterotanytarsus brundini* Fittkau, 1956
- Heterotanytarsus* sp. 1
- HETEROTRISOCNEMUS** Spärck, 1923
- Heterotrisocnemus brundini* Sæther & Schnell, 1988
- Heterotrisocnemus grimshawi* (Edwards, 1929)
- Heterotrisocnemus maeaeri* Brundin, 1949
- Heterotrisocnemus marcidus* (Walker, 1856)
- Heterotrisocnemus subpilosus* (Kieffer, 1911)
- Heterotrisocnemus* sp. 1 "Kolmperä"
- HYDROBAENUS** Fries, 1830
- Hydrobaenus conformis* (Holmgren, 1869)
- Hydrobaenus fusistylus* (Goetghebuer, 1933)
- Hydrobaenus lapponicus* (Brundin, 1956)
- Hydrobaenus martini* Sæther, 1976
- Hydrobaenus pilipes* (Malloch, 1915)
- Hydrobaenus spinnatis* Sæther, 1976
- Hydrobaenus*(?) sp. 1
- HYDROSMITTIA** Ferrington & Sæther, 2011
- Hydrosmittia oxoniana* (Edwards, 1922)
- = *recta* (Edwards, 1929)
- Hydrosmittia ruttneri* (Strenzke & Thienemann, 1942)
- = *brevitarsis* (Brundin, 1947)
- KRENOSMITTIA** Thienemann & Krüger, 1939
- Krenosmittia boreoalpina* (Goetghebuer, 1944)
- Krenosmittia camptophleps* (Edwards, 1929)

- Krenosmittia halvorseni* (Cranston & Sæther, 1986)
- LAPPOKIEFFERIELLA** Tuiskunen, 1986
- Lappokiefferiella platytarsus* Tuiskunen, 1986
- LIMNOPHYES** Eaton, 1875
- Limnophyes aagaardi* Sæther, 1990
- Limnophyes angelicae* Sæther, 1990
- Limnophyes asquamatus* Soegaard Andersen, 1937
= *smolandicus* Brundin, 1947
- Limnophyes bidumus* Sæther, 1990
- Limnophyes* sp., pr. *bidumus*
- Limnophyes brachytomus* (Kieffer, 1922)
- Limnophyes difficilis* Brundin, 1947
- Limnophyes edwardsi* Sæther, 1990
- Limnophyes er* Sæther, 1985
- Limnophyes habilis* (Walker, 1856)
= *truncorum* Goetghebuer, 1921
- Limnophyes margaretae* Sæther, 1975
- Limnophyes minimus* (Meigen, 1818)
= *exiguus* (Goetghebuer, 1913)
- Limnophyes natalensis* (Kieffer, 1914)
- Limnophyes ninae* Sæther, 1975
- Limnophyes pentaplastus* (Kieffer, 1921)
- Limnophyes pumilio* (Holmgren, 1869)
= *globifer* Lundström, 1915
- Limnophyes* sp., pr. *pumilio*
- Limnophyes schnelli* Sæther, 1990
- Limnophyes spinigus* Sæther, 1990
- Limnophyes torulus* Sæther, 1990
- MESOCRICOTOPUS** Brundin, 1956
- Mesocricotopus thienemanni* (Goetghebuer, 1940)
- MESOSMITIA** Brundin, 1956
- Mesosmittia flexuella* (Edwards, 1929)
- METRIOCNEMUS** van der Wulp, 1874
- Metriocnemus acutus* Sæther, 1995
- Metriocnemus albolineatus* (Meigen, 1818)
= *atratulus* (Zetterstedt, 1850)
- Metriocnemus atriclava* Kieffer, 1921
- Metriocnemus beringensis* (Cranston & Oliver, 1988)
- Metriocnemus caudigus* Sæther, 1995
- Metriocnemus corticalis* Strenzke, 1950
- Metriocnemus eurynotus* (Holmgren, 1883)
= *hygropetricus* Kieffer, 1912
- Metriocnemus exilacies* Sæther, 1995

- Metriocnemus fuscipes* (Meigen, 1818)
Metriocnemus intergerivus Sæther, 1995
Metriocnemus picipes (Meigen, 1818)
Metriocnemus ursinus (Holmgren, 1869)
NANOCLADIUS Kieffer, 1913
 = *Microcricotopus* Thienemann & Harnisch, 1932
Nanocladius balticus (Palmén, 1959)
Nanocladius dichromus (Kieffer, 1906)
 = *bicolor* (Zetterstedt, 1838) nom. nudum
Nanocladius parvulus (Kieffer, 1909)
Nanocladius rectinervis (Kieffer, 1911)
ORTHOCLADIUS van der Wulp, 1874
sg. Eudactylocladius Thienemann, 1935
Orthocladius fuscimanus (Kieffer, 1908)
Orthocladius gelidorum (Kieffer, 1923)
Orthocladius gelidus Kieffer, 1922
Orthocladius musester Sæther, 2004
Orthocladius olivaceus (Kieffer, 1911)
 = *mixtus* auct., partim
Orthocladius priomixtus Sæther, 2004
 = *mixtus* auct., partim
sg. Euorthocladius Thienemann, 1935
Orthocladius abiskoensis Thienemann & Krüger, 1937
Orthocladius cf. annellae Sæther, 2005
Orthocladius ashei Soponis, 1990
Orthocladius rivicola Kieffer, 1911
Orthocladius rivulorum Kieffer, 1909
Orthocladius saxosus (Tokunaga, 1939)
Orthocladius telochaetus Langton, 1985
sg. Mesorthocladius Sæther, 2005
Orthocladius frigidus (Zetterstedt, 1838)
sg. Orthocladius van der Wulp, 1874
Orthocladius decoratus (Holmgren, 1869)
Orthocladius dentifer Brundin, 1947
Orthocladius excavatus Brundin, 1947
Orthocladius lapponicus Goetghebuer, 1940
Orthocladius nitidoscutellatus Lundström, 1915
Orthocladius oblidens (Walker, 1856)
Orthocladius pedestris Kieffer, 1909
Orthocladius rhyacobius Kieffer, 1911
Orthocladius rubicundus (Meigen, 1818)
 = *saxicola* Kieffer, 1911
Orthocladius wetterensis Brundin, 1956

sg. *Pogonocladius* Brundin, 1956

Orthocladius consobrinus (Holmgren, 1869)

sg. *Symposiocladius* Cranston, 1982

Orthocladius holsatus Goetghebuer, 1937

Orthocladius lignicola Kieffer, 1914

Orthocladius ruffoi Rossaro & Prato, 1991

Orthocladius schnelli Sæther, 2004

Orthocladius smolandicus Brundin, 1947

PARACHAETOCLADIUS Wülker, 1959

Parachaetocladius abnobaeus (Wülker, 1959)

PARACLADIUS Hirvenoja, 1973

Paracladius alpicola (Zetterstedt, 1850)

Paracladius conversus (Walker, 1856)

Paracladius quadrinodosus Hirvenoja, 1973

PARACRICOTOPUS Brundin, 1956

Paracricotopus niger (Kieffer, 1913)

Paracricotopus uliginosus (Brundin, 1947)

PARAKIEFFERIELLA Thienemann, 1936

Parakiefferiella bathophila (Kieffer, 1912)

Parakiefferiella bilobata Tuiskunen, 1986

Parakiefferiella coronata (Edwards, 1929)

Parakiefferiella fennica Tuiskunen, 1986

Parakiefferiella finnmarkica Tuiskunen, 1986

Parakiefferiella gynocera (Edwards, 1937)

Parakiefferiella minuta Tuiskunen, 1986

Parakiefferiella nigra Brundin, 1949

Parakiefferiella scandica Brundin, 1956

Parakiefferiella smolandica (Brundin, 1947)

Parakiefferiella subaterrima (Malloch, 1915)

= *torulata* Sæther, 1969

PARALIMNOPHYES Brundin, 1956

Paralimnophyes longiseta (Thienemann, 1919)

= *hydrophilus* (Goetghebuer, 1921)

PARAMETRIOCNEMUS Goetghebuer, 1932

Parametriocnemus boreoalpinus Gowin & Thienemann, 1942

Parametriocnemus stylatus (Spärck, 1923)

Parametriocnemus sp. 1

PARAPHAENOCLADIUS Thienemann, 1924

Paraphaenocladius exagitans (Johannsen, 1905)

Paraphaenocladius sp., pr. *exagitans*

Paraphaenocladius impensus (Walker, 1856)

Paraphaenocladius intercedens Brundin, 1947

Paraphaenocladius sp., pr. *intercedens*

- Paraphaenocladius irritus* (Walker, 1856)
Paraphaenocladius pseudirritus Strenzke, 1950
Paraphaenocladius triangulus Sæther & Wang, 1995
PARASMITTIA Strenzke, 1950
Parasmittia carinata Strenzke, 1950
Parasmittia sp. 1 "Luukki"
PARATRICHOCLADIUS Santos Abreu, 1918
Paratrichocladius rufiventris (Meigen, 1830)
Paratrichocladius skirwithensis (Edwards, 1929)
PARATRISSOCLADIUS Zavřel, 1937
Paratrissocladius excerptus (Walker, 1856)
PROPSILOCERUS Kieffer, 1923
 = *Synpsilocerus* Kieffer, 1923
 = *Tokunagayusurika* Sasa, 1978
Propsilocerus jacuticus (Zvereva, 1950)
Propsilocerus komensis (Zvereva, 1950)
 ?= *paradoxus* (Lundström, 1915)
Propsilocerus saetheri Wang, Liu & Paasivirta, 2007
PROSMITTIA Brundin, 1956
Prosmittia jemtlandica (Brundin, 1947)
Prosmittia rectangularis Tuiskunen, 1985
PSECTROCLADIUS Kieffer, 1906
sg. Allopsectrocladius Wülker, 1956
Psectrocladius conjungens (Brundin, 1947)
Psectrocladius obvius (Walker, 1856)
Psectrocladius platypus (Edwards, 1929)
sg. Mesopsectrocladius Laville, 1971
Psectrocladius barbatipes Kieffer, 1923
sg. Monopsectrocladius Wülker, 1956
Psectrocladius calcaratus (Edwards, 1929)
sg. Psectrocladius Kieffer, 1906
Psectrocladius barbimanus (Edwards, 1929)
Psectrocladius bisetus Goetghebuer, 1942
Psectrocladius fennicus Storå, 1939
Psectrocladius limbatus (Holmgren, 1869)
 = *edwardsi* Brundin, 1949
Psectrocladius octomaculatus Wülker, 1956
Psectrocladius oligosetus Wülker, 1956
Psectrocladius oxyura Langton, 1985
Psectrocladius psilopterus (Kieffer, 1906)
Psectrocladius schlienzi Wülker, 1956
Psectrocladius sordidellus (Zetterstedt, 1838)
Psectrocladius ventricosus Kieffer, 1925

- Psectrocladius zetterstedti* Brundin, 1949
- PSEUDORTHOCLOADIUS** Goetghebuer, 1943
- Pseudorthocladius curtistylus* (Goetghebuer, 1921)
- Pseudorthocladius filiformis* (Kieffer, 1908)
- Pseudorthocladius pilosipennis* Brundin, 1956
- PSEUDOSMITTIA** Edwards, 1932
- Pseudosmittia albipennis* (Goetghebuer, 1921)
- Pseudosmittia angusta* (Edwards, 1929)
- Pseudosmittia danconai* (Marcuzzi, 1947)
- Pseudosmittia forcipata* (Goetghebuer, 1921)
- Pseudosmittia* sp., pr. *forcipata*
- Pseudosmittia gracilis* (Goetghebuer, 1913)
- Pseudosmittia mathildae* Albu, 1968
- Pseudosmittia obtusa* Strenzke, 1960
- Pseudosmittia trilobata* (Edwards, 1929)
- PSILOMETRIOCNEMUS** Sæther, 1969
- Psilometriocnemus europaeus* Tuiskunen, 1985
- RHEOCRICOTOPUS** Brundin, 1956
- sg. **Rheocricotopus** Sæther, 1986
- Rheocricotopus atripes* (Kieffer, 1913)
- = *foveatus* (Edwards, 1929)
- Rheocricotopus chalybeatus* (Edwards, 1929)
- Rheocricotopus chapmani* (Edwards, 1935)
- Rheocricotopus glabricollis* (Meigen, 1830)
- sg. **Rheocricotopus** Brundin, 1956
- Rheocricotopus effusus* (Walker, 1856)
- Rheocricotopus fuscipes* (Kieffer, 1909)
- = *dispar* (Goetghebuer, 1913)
- Rheocricotopus reduncus* Sæther & Schnell, 1988
- Rheocricotopus* sp., pr. *unidentatus* Sæther & Schnell, 1988
- RHEOSMITTIA** Brundin, 1986
- Rheosmittia languida* (Brundin, 1956)
- Rheosmittia spinicornis* (Brundin, 1956)
- SMITTIA** Holmgren, 1869
- Smittia alpilonga* Rossaro & Lencioni, 2000
- Smittia* cf. *amoena* Caspers, 1988
- Smittia aterrima* (Meigen, 1818)
- Smittia* sp., pr. *aterrima*
- Smittia betuletorum* Edwards, 1941
- Smittia contingens* (Walker, 1856)
- Smittia edwardsi* Goetghebuer, 1932
- Smittia foliacea* (Kieffer, 1921)
- Smittia leucopogon* (Meigen, 1804)

- Smittia nudipennis* (Goetghebuer, 1913)
Smittia paranudipennis Brundin, 1947
Smittia pratorum (Goetghebuer, 1927)
Smittia scutellosetosa Caspers, 1988
Smittia stercoraria Rossaro & Lencioni, 2000
Smittia sp. 1 s. Tuiskunen
Smittia sp., pr. sp. 1
Smittia sp. 2 "Jehkats"
STACKELBERGINA Shilova & Zelentsov, 1978
Stackelbergina praeclarata Shilova & Zelentsov, 1978
STILOCLOADIUS Rossaro, 1979
Stilocladius intermedius Wang, 1998
SYNORTHOCLOADIUS Thienemann, 1935
Synorthocladius semivirens (Kieffer, 1909)
TAVASTIA Tuiskunen, 1985
Tavastia australis Tuiskunen, 1985
Tavastia yggdrasilia Brodin, Lundström & Paasivirta, 2008
THIENEMANNIA Kieffer, 1909
Thienemanniella gracilis Kieffer, 1909
Thienemanniella paasivirtai Tuiskunen, 1986
THIENEMANNIELLA Kieffer, 1911
Thienemanniella acuticornis (Kieffer, 1912)
Thienemanniella clavicornis (Kieffer, 1911)
Thienemanniella majuscula (Edwards, 1924)
Thienemanniella minuscula (Brundin, 1949)
Thienemanniella obscura Brundin, 1947
Thienemanniella vittata (Edwards, 1924)
Thienemanniella sp., pr. *vittata*
TOKUNAGAIA Sæther, 1973
Tokunagaia excellens (Brundin, 1956)
Tokunagaia parexcellens Tuiskunen, 1986
Tokunagaia rectangularis (Goetghebuer, 1940)
Tokunagaia scutellata (Brundin, 1956)
Tokunagaia tonollii (Rossaro, 1983)
TRISSOCLOADIUS Kieffer, 1908
Trissocladius brevipalpis Kieffer, 1908
TVETENIA Kieffer, 1922
Tvetenia bavarica (Goetghebuer, 1934)
Tvetenia calvescens (Edwards, 1929)
Tvetenia discoloripes (Goetghebuer & Thienemann, 1936)
Tvetenia duodenaria Kieffer, 1922
 = *saanensis* (Wülker, 1959)
Tvetenia verralli (Edwards, 1929)

?= *tshernovskii* (Pankratova, 1968)

VIVACRICOTOPUS Schnell & Sæther, 1988

Vivacricotopus ablusus Schnell & Sæther, 1988

ZALUTSCHIA Lipina, 1939

Zalutschia cf. humphriesiae Dowling & Murray, 1980

Zalutschia mallae Tuiskunen, 1986

Zalutschia mucronata (Brundin, 1949)

Zalutschia tatraica (Pagast, 1935)

Zalutschia tornetraeskensis (Edwards & Thienemann, 1941)

Zalutschia zalutschicola Lipina, 1939

genus unknown

Orthocladiinae sp. 1 "Outajärvi"

Orthocladiinae sp. 2 "Pallas"

Orthocladiinae sp. 3 "Kaldoaivi"

CHIRONOMINAE Newman, 1834

tribe Chironomini Newman, 1834

BENTHALIA Lipina, 1939

Benthalia carbonaria (Meigen, 1804)

= *dissidens* (Walker, 1856)

CHIRONOMUS Meigen, 1803

sg. Chaetolabis Townes, 1945

Chironomus macani Freeman, 1948

sg. Chironomus Meigen, 1803

Chironomus acerbus Hirvenoja, 1962

Chironomus acutiventris Wülker, Ryser & Scholl, 1983

Chironomus agilis Shobanov & Dyomin, 1988

Chironomus annularius Meigen, 1818

Chironomus anthracinus Zetterstedt, 1860

Chironomus aprilinus Meigen, 1818

Chironomus beljaninae Wülker, 1991

Chironomus borokensis Kerkis, Filippova, Shobanov, Gunderina & Kiknadze, 1988

Chironomus brevidentatus Hirvenoja & Michailova, 1998

Chironomus cingulatus Meigen, 1830

Chironomus clarus Hirvenoja, 1962

Chironomus coetaneus Hirvenoja, 1998

Chironomus dorsalis Strenzke, 1959

Chironomus entis Shobanov, 1989

Chironomus esai Wülker, 1997

Chironomus fraternus Wülker, 1991

Chironomus heteropilicornis Wülker, 1996

? *Chironomus hyperboreus* Staeger, 1845

Chironomus inermifrons Goetghebuer, 1921

Chironomus islandicus (Kieffer, 1913)

- Chironomus jonmartini* Lindeberg, 1979 coll.
= *neglectus* Lindeberg, 1960 preocc.
Chironomus longistylus Goetghebuer, 1921
Chironomus lugubris Zetterstedt, 1850
Chironomus luridus Strenzke, 1959
Chironomus melanescens Keyl, 1961
Chironomus melanotus Keyl, 1961
Chironomus muratensis Ryser, Scholl & Wülker, 1983
Chironomus neocorax Wülker & Butler, 1983
Chironomus pallidivittatus Edwards, 1929
Chironomus piger Strenzke, 1956
Chironomus pilicornis (Fabricius, 1787)
Chironomus plumosus (Linnaeus, 1758)
Chironomus pseudothummi Strenzke, 1959 coll.
Chironomus riihimakiensis Wülker, 1973
Chironomus riparius Meigen, 1804
Chironomus salinarius Kieffer, 1915
Chironomus saxatilis Wülker, Ryser & Scholl, 1981 coll.
Chironomus sollicitus Hirvenoja, 1962
Chironomus sororius Wülker, 1973
? *Chironomus staegeri* Lundbeck, 1898
Chironomus tentans Fabricius, 1805
Chironomus tenuistylus Brundin, 1949
sg. *Lobochironomus* Ryser, Wülker & Scholl, 1985
Chironomus dorsalis Meigen, 1818
= *longipes* Staeger, 1839 as *Einfeldia*
Chironomus improvidus Hirvenoja, 1998
Chironomus mendax Storå, 1936
Chironomus storai Goetghebuer, 1954
= *luctuosus* Storå, 1936 preocc.
CLADOPELMA Kieffer, 1921
Cladopelma bicarinatum (Brundin, 1947)
Cladopelma edwardsi (Kruseman, 1933)
Cladopelma goetghebueri Spies & Sæther, 2004
= *lateralis* (Goetghebuer, 1934) preocc.
Cladopelma virescens (Meigen, 1818)
Cladopelma viridulum (Linnaeus, 1767)
CRYPTOCHIRONOMUS Kieffer, 1918
Cryptochironomus albofasciatus (Staeger, 1839)
Cryptochironomus denticulatus (Goetghebuer, 1921)
Cryptochironomus obreptans (Walker, 1856)
Cryptochironomus psittacinus (Meigen, 1830)
Cryptochironomus redekei (Kruseman, 1933)

- Cryptochironomus rostratus* Kieffer, 1921
Cryptochironomus supplicans (Meigen, 1830)
Cryptochironomus ussouriensis (Goetghebuer, 1933)
 = *nigridens* Chernovskij, 1949
CRYPTOTENDIPES Beck & Beck, 1969
Cryptotendipes darbyi (Sublette, 1960)
Cryptotendipes pflugfelderi Reiss, 1964
Cryptotendipes pseudotener (Goetghebuer, 1922)
Cryptotendipes usmaensis (Pagast, 1931)
DEMEIJEREA Kruseman, 1933
Demeijera rufipes (Linnaeus, 1761)
DEMICYPTOCHIRONOMUS Lenz, 1941
sg. Demicryptochironomus Lenz, 1941
Demicryptochironomus vulneratus (Zetterstedt, 1838)
Demicryptochironomus sp. Pe 1 Langton, 1991
sg. Irmakia Reiss, 1988
Demicryptochironomus neglectus Reiss, 1988
DICROTENDIPES Kieffer, 1913
 = **Limnochironomus** Kieffer, 1920
Dicrotendipes lobiger (Kieffer, 1921)
Dicrotendipes nervosus (Staeger, 1839)
Dicrotendipes notatus (Meigen, 1818)
Dicrotendipes pulsus (Walker, 1856)
 = *objectans* (Walker, 1856)
Dicrotendipes tritomus (Kieffer, 1916)
EINFELDIA Kieffer, 1924
Einfeldia pagana (Meigen, 1838)
Einfeldia pectoralis Kieffer, 1924
ENDOCHIRONOMUS Kieffer, 1918
Endochironomus albipennis (Meigen, 1830)
Endochironomus stackelbergi Goetghebuer, 1935
Endochironomus tendens (Fabricius, 1775)
GLYPTOTENDIPES Kieffer, 1913
sg. Caulochironomus Heyn, 1993
Glyptotendipes aequalis (Kieffer, 1922)
Glyptotendipes caulicola (Kieffer, 1913)
Glyptotendipes imbecilis (Walker, 1856)
 = *severini* (Goetghebuer, 1923)
Glyptotendipes scirpi (Kieffer, 1915)
 = *fodiens* (Kieffer, 1924)
 = *mancunianus* (Edwards, 1929)
Glyptotendipes viridis (Macquart, 1834)
sg. Glyptotendipes Kieffer, 1913

- Glyptotendipes barbipes* (Staeger, 1839)
Glyptotendipes caulinellus (Kieffer, 1913)
 = *gripekoveni* (Kieffer, 1913)
Glyptotendipes glaucus (Meigen, 1818)
Glyptotendipes pallens (Meigen, 1804)
Glyptotendipes paripes (Edwards, 1929)
sg. *Heynotendipes* Spies & Sæther, 2004
Glyptotendipes signatus (Kieffer, 1909)
HARNISCHIA Kieffer, 1921
Harnischia curtilamellata (Malloch, 1915)
Harnischia fuscimana Kieffer, 1921
KIEFFERULUS Goetghebuer, 1922
Kiefferulus tendipediformis (Goetghebuer, 1921)
KLOOSIA Kruseman, 1933
Kloosia pusilla (Linnaeus, 1767)
LAUTERBORNIELLA Thienemann & Bause, 1913
Lauterborniella agrayloides (Kieffer, 1911)
LIPINIELLA Shilova, 1961
? *Lipiniella araeonica* Shilova, 1961 (larval ident.)
Lipiniella prima Shilova, Kerkis & Kiknadze, 1993
MICROCHIRONOMUS Kieffer, 1918
Microchironomus tener (Kieffer, 1918)
MICROTENDIPES Kieffer, 1915
Microtendipes brevitarsis Brundin, 1947
Microtendipes chloris (Meigen, 1818)
Microtendipes confinis (Meigen, 1830)
Microtendipes nigellus Hirvenoja, 1963
Microtendipes pedellus (De Geer, 1776)
Microtendipes rydalensis (Edwards, 1929)
NILOTHAUMA Kieffer, 1921
Nilothauma brayi (Goetghebuer, 1921)
OMISUS Townes, 1945
Omisus caledonicus (Edwards, 1932)
PAGASTIELLA Brundin, 1949
Pagastiella orophila (Edwards, 1929)
PARACHIRONOMUS Lenz, 1921
Parachironomus biannulatus (Staeger, 1839)
Parachironomus digitalis (Edwards, 1929)
Parachironomus frequens (Johannsen, 1905)
Parachironomus gracilior (Kieffer, 1918)
 = *arcuatus* (Goetghebuer, 1919)
Parachironomus monochromus (van der Wulp, 1874)
Parachironomus paradigitalis Brundin, 1949

- Parachironomus parilis* (Walker, 1856)
Parachironomus cf. pseudovarus Zorina, 2003
Parachironomus siljanensis Brundin, 1949
Parachironomus subalpinus (Goetghebuer, 1932)
Parachironomus tenuicaudatus (Malloch, 1915)
Parachironomus varus (Goetghebuer, 1921)
Parachironomus vitiosus (Goetghebuer, 1921)
Parachironomus sp. 1 “Iijoki”
PARACLADOPELMA Harnisch, 1923
Paracladopelma camptolabis (Kieffer, 1913)
Paracladopelma galapтера (Townes, 1945)
Paracladopelma laminatum (Kieffer, 1921)
Paracladopelma nereis (Townes, 1945)
Paracladopelma nigritulum (Goetghebuer, 1942)
Paracladopelma undine (Townes, 1945)
PARALAUTERBORNIELLA Lenz, 1941
Paralauterborniella nigrohalteralis (Malloch, 1915)
PARATENDIPES Kieffer, 1911
Paratendipes albimanus (Meigen, 1818)
Paratendipes subaequalis (Malloch, 1915)
Paratendipes conn. no. 3 Lipina, 1926 (larval type)
PHAENOPSECTRA Kieffer, 1921
Phaenopsectra flavipes (Meigen, 1818)
Phaenopsectra punctipes (Wiedemann, 1817)
POLYPEDILUM Kieffer, 1912
sg. **Pentapedilum** Kieffer, 1913
Polypedilum sordens (van der Wulp, 1874)
Polypedilum tritum (Walker, 1856)
? = *uncinatum* (Goetghebuer, 1921)
sg. **Polypedilum** Kieffer, 1912
Polypedilum acutum Kieffer, 1915
Polypedilum albicone (Meigen, 1838)
Polypedilum amoenum Goetghebuer, 1930
Polypedilum arundineti (Goetghebuer, 1921)
Polypedilum laetum (Meigen, 1818)
Polypedilum nubeculosum (Meigen, 1804)
Polypedilum pedestre (Meigen, 1830)
Polypedilum trigonus Townes, 1945
sg. **Tripodura** Townes, 1945
Polypedilum aegyptium Kieffer, 1925
Polypedilum bicrenatum Kieffer, 1921
Polypedilum pullum (Zetterstedt, 1838)
Polypedilum quadriguttatum Kieffer, 1921

- Polypedilum scalaenum* (Schrank, 1803)
Polypedilum tetricrenatum Hirvenoja, 1962
sg. *Uresipedilum* Sasa & Kikuchi, 1995
Polypedilum convictum (Walker, 1856)
Polypedilum cultellatum Goetghebuer, 1931
ROBACKIA Sæther, 1977
Robackia pilicauda Sæther, 1977
? *Robackia demejerei* (Kruseman, 1933) (larval ident.)
SAETHERIA Jackson, 1977
Saetheria reissi Jackson, 1977
SERGENTIA Kieffer, 1922
Sergentia baueri Wülker, Kiknadze, Kerkis & Nevers, 1999
Sergentia coracina (Zetterstedt, 1850)
Sergentia prima Proviz & Proviz, 1997
STENOCHIRONOMUS Kieffer, 1919
sg. *Petalopholeus* Borkent, 1984
Stenochironomus fascipennis (Zetterstedt, 1838)
sg. *Stenochironomus* Kieffer, 1919
Stenochironomus gibbus (Fabricius, 1794)
Stenochironomus hibernicus (Edwards, 1929)
STICTOCHIRONOMUS Kieffer, 1919
Stictochironomus crassiforceps (Kieffer, 1921)
Stictochironomus maculipennis (Meigen, 1818)
Stictochironomus pictulus (Meigen, 1830)
Stictochironomus rosenschoeldi (Zetterstedt, 1838)
Stictochironomus sticticus (Fabricius, 1781)
SYNENDOTENDIPES Grodhaus, 1987
Synendotendipes dispar (Meigen, 1830)
Synendotendipes impar (Walker, 1856)
Synendotendipes lepidus (Meigen, 1830)
TRIBELOS Townes, 1945
Tribelos cf. donatoris (Shilova, 1974)
?= *subatrum* Grodhaus, 1987
Tribelos intextum (Walker, 1856)
XENOCHIRONOMUS Kieffer, 1921
Xenochironomus xenolabis (Kieffer, 1916)
ZAVRELIELLA Kieffer, 1920
Zavreliella marmorata (van der Wulp, 1859)
tribe Pseudochironomini Sæther, 1977
PSEUDOCHIRONOMUS Malloch, 1915
Pseudochironomus prasinatus (Staeger, 1839)
tribe Tanytarsini Zavřel, 1917
CLADOTANYTARSUS Kieffer, 1921

sg. *Cladotanytarsus* Kieffer, 1921

Cladotanytarsus atridorsum Kieffer, 1924

Cladotanytarsus cyrylae Giłka, 2001

Cladotanytarsus difficilis Brundin, 1947

Cladotanytarsus gedanicus Giłka, 2001

Cladotanytarsus iucundus Hirvenoja, 1962

Cladotanytarsus lepidocalcar Krüger, 1938

Cladotanytarsus mancus (Walker, 1856)

Cladotanytarsus matthei Giłka, 2001

Cladotanytarsus molestus Hirvenoja, 1962

Cladotanytarsus nigrovittatus (Goetghebuer, 1922)

Cladotanytarsus pallidus Kieffer, 1922

Cladotanytarsus teres Hirvenoja, 1962

Cladotanytarsus vanderwulpi (Edwards, 1929)

sg. *Lenziella* Kieffer, 1922

Cladotanytarsus amandus Hirvenoja, 1962

Cladotanytarsus bicornutus Kieffer, 1922

= *wexionensis* Brundin, 1947

CONSTEMPELLINA Brundin, 1947

Constempellina brevicosta (Edwards, 1937)

CORYNOCERA Zetterstedt, 1837

Corynocera ambigua Zetterstedt, 1837

Corynocera oliveri Lindeberg, 1970

MICROPSECTRA Kieffer, 1908

= *Lauterbornia* Kieffer, 1911

= *Lundstroemia* Kieffer, 1921

= *Parapsectra* Reiss, 1969

Micropsectra appendica Stur & Ekrem, 2006

Micropsectra apposita (Walker, 1856)

Micropsectra atrofasciata (Kieffer, 1911)

Micropsectra attenuata Reiss, 1969

Micropsectra calcifontis Stur & Ekrem, 2006

Micropsectra chionophila (Edwards, 1933)

Micropsectra insignilobus Kieffer, 1924

Micropsectra junci (Meigen, 1818)

Micropsectra klinki Stur & Ekrem, 2006

Micropsectra lacustris Säwedal, 1975

Micropsectra lindebergi Säwedal, 1976

Micropsectra logani (Johannsen, 1928)

= *groenlandica* Soegaard Andersen, 1937

Micropsectra malla Giłka & Paasivirta, 2008

Micropsectra nana (Meigen, 1818)

Micropsectra notescens (Walker, 1856)

- Micropsectra pallidula* (Meigen, 1830)
= *bidentata* auct.
- Micropsectra radialis* Goetghebuer, 1939
= *coracina* (Kieffer, 1911)
- Micropsectra recurvata* Goetghebuer, 1928
- Micropsectra rilensis* Gilka, 2001
- Micropsectra roseiventris* (Kieffer, 1909)
= *fusca* auct. nec (Meigen, 1804)
- Micropsectra schrankelae* Stur & Ekrem, 2006
- Micropsectra sofiae* Stur & Ekrem, 2006
- Micropsectra styriaca* Reiss, 1969
- NEOZAVRELLIA** Goetghebuer & Thienemann, 1941
Neozavrelia cuneipennis (Edwards, 1929)
- PARATANYTARSUS** Thienemann & Bause, 1913
- Paratanytarsus abiskoensis* Reiss & Säwedal, 1981
- Paratanytarsus austriacus* (Kieffer, 1924)
- Paratanytarsus bituberculatus* (Edwards, 1929)
- Paratanytarsus brevicalcar* (Kieffer, 1909)
= *intricatus* (Goetghebuer, 1921)
- Paratanytarsus dimorphis* Reiss, 1965
- Paratanytarsus dissimilis* (Johannsen, 1905)
= *confusus* Palmén, 1960
- Paratanytarsus grimmii* (Schneider, 1885)
= *boiemicus* Bause, 1913
- Paratanytarsus hyperboreus* Brundin, 1949
- Paratanytarsus inopertus* (Walker, 1856)
- Paratanytarsus laccophilus* (Edwards, 1929)
- Paratanytarsus laetipes* (Zetterstedt, 1850)
- Paratanytarsus lauterborni* (Kieffer, 1909)
- Paratanytarsus natvigi* (Goetghebuer, 1933)
- Paratanytarsus paralaccophilus* Gilka & Paasivirta, 2008
- Paratanytarsus penicillatus* (Goetghebuer, 1928)
- Paratanytarsus tenellulus* (Goetghebuer, 1921)
- Paratanytarsus tenuis* (Meigen, 1830)
- RHEOTANYTARSUS** Thienemann & Bause, 1913
- Rheotanytarsus curtistylus* (Goetghebuer, 1921)
- Rheotanytarsus muscicola* Thienemann, 1929
- Rheotanytarsus pellucidus* (Walker, 1848)
= *distinctissimus* (Brundin, 1947)
- Rheotanytarsus pentapoda* (Kieffer, 1909)
- Rheotanytarsus photophilus* (Goetghebuer, 1921)
- Rheotanytarsus ringei* Lehmann, 1970
- STEMPELLINA** Thienemann & Bause, 1913

- Stempellina almi* Brundin, 1947
Stempellina bausei (Kieffer, 1911)
Stempellina subglabripennis (Brundin, 1947)
Stempellina tervolae Giłka, 2005
STEMPELLINELLA Brundin, 1947
Stempellinella brevis (Edwards, 1929)
Stempellinella edwardsi Spies & Sæther, 2004
 = *minor* (Edwards, 1929) preocc.
Stempellinella flavidula (Edwards, 1929)
Stempellinella saltuum (Goetghebuer, 1921)
TANYTARSUS van der Wulp, 1874
Tanytarsus aberrans Lindeberg, 1970
Tanytarsus aculeatus Brundin, 1949
Tanytarsus anderseni Reiss & Fittkau, 1971
Tanytarsus bathophilus Kieffer, 1911
 = *tripunctatus* Reiss, 1968
Tanytarsus brundini Lindeberg, 1963
Tanytarsus buchonius Reiss & Fittkau, 1971
Tanytarsus chinyensis Goetghebuer, 1934
Tanytarsus curticornis Kieffer, 1911
Tanytarsus debilis (Meigen, 1830)
Tanytarsus desertor Giłka & Paasivirta, 2007
Tanytarsus dibranchius Kieffer, 1926
 = *separabilis* Brundin, 1947
Tanytarsus dispar Lindeberg, 1967
Tanytarsus eminulus (Walker, 1856)
Tanytarsus excavatus Edwards, 1929
Tanytarsus fennicus Lindeberg, 1970
Tanytarsus gibbosiceps Kieffer, 1922
Tanytarsus glabrescens Edwards, 1929
Tanytarsus gracilentus (Holmgren, 1883)
Tanytarsus gregarius Kieffer, 1909
Tanytarsus heusdensis Goetghebuer, 1923
Tanytarsus inaequalis Goetghebuer, 1921
Tanytarsus innarensis Brundin, 1947
Tanytarsus lactescens Edwards, 1929
Tanytarsus lapponicus Lindeberg, 1970
Tanytarsus latiforceps Edwards, 1941
Tanytarsus lestagei Goetghebuer, 1922
 = *decipiens* Lindeberg, 1967
 = *palmeni* Lindeberg, 1967
Tanytarsus longitarsis Kieffer, 1911

- Tanytarsus lugens* (Kieffer, 1916)
Tanytarsus mancospinosus Ekrem & Reiss, 1999
Tanytarsus medioides Reiss & Fittkau, 1971
Tanytarsus mendax Kieffer, 1925
 = *holochlorus* Edwards, 1929
Tanytarsus miriforceps (Kieffer, 1921)
Tanytarsus multipunctatus Brundin, 1947
Tanytarsus nemorosus Edwards, 1929
Tanytarsus niger Soegaard Andersen, 1937
Tanytarsus norvegicus (Kieffer, 1924)
Tanytarsus occultus Brundin, 1949
Tanytarsus palettaris Verneaux, 1969
Tanytarsus pallidicornis (Walker, 1856)
Tanytarsus paraniger Gilka & Paasivirta, 2008
Tanytarsus quadridentatus Brundin, 1947
Tanytarsus recurvatus Brundin, 1947
Tanytarsus salmelai Gilka & Paasivirta, 2009
Tanytarsus signatus (van der Wulp, 1859)
Tanytarsus smolandicus Brundin, 1947
Tanytarsus striatulus Lindeberg, 1976
Tanytarsus sylvaticus (van der Wulp, 1859)
 = *aptus* Hirvenoja, 1963
Tanytarsus telmaticus Lindeberg, 1959
 = *simulans* Lindeberg, 1967
 = *socialis* Lindeberg, 1967
Tanytarsus trux Gilka & Paasivirta, 2007
Tanytarsus usmaensis Pagast, 1931
Tanytarsus verralli Goetghebuer, 1928
Tanytarsus volgensis Miseiko, 1967
 = *fimbriatus* Reiss & Fittkau, 1971
VIRGATANYTARSUS Pinder, 1982
Virgatanytarsus arduennensis (Goetghebuer, 1922)
ZAVRELIA Kieffer, Thienemann & Bause, 1913
Zavrelia pentatoma Kieffer & Bause, 1913
 = *atrofasciata* Kieffer, 1921

Excluded species

The numerous species that were reported by Hackman (1980), but are excluded from the current check-list, are not listed here. Reasons for deletions of those species are various, mainly due to misidentifications and nomenclatural changes.

Notes

***Chironomus pallidivittatus* Edwards, 1929.** This name is preoccupied by *C. pallidivittatus* Malloch, 1915. The European species needs a new name.

References

- Armitage PD, Cranston PS, Pinder LCV (1995) The Chironomidae: biology and ecology of non-biting midges. Chapman and Hall, London, 572 pp. doi: 10.1007/978-94-011-0715-0
- Bergman G, Jansson A (1983) Accession to the Zoological Museum, University of Helsinki/Helsingfors 14.5–31.12.1982. Memoranda Societatis pro Fauna et Flora Fennica 59: 165–166.
- Hackman W (1980) A check list of the Finnish Diptera. Notulae entomologicae 60: 17–48, 117–162.
- Paasivirta L (2000) Chironomidae (Diptera) of the northern Baltic Sea. In: Hoffrichter O (Ed) Late 20th century research on Chironomidae: an anthology from the 13th international symposium on Chironomidae. Freiburg, Germany, September 5–9, 1997. Shaker Verlag, Aachen, Germany, 589–598.
- Paasivirta L (2007) Chironomid species in Finnish springs and their surroundings. In: Andersen T (Ed.) Contributions to the systematics and ecology of aquatic Diptera – a tribute to Ole A. Sæther. The Caddis Press, Columbus, 235–246.
- Paasivirta L (2012) Finnish Chironomidae. Chironomus 25: 47–70. <http://www.ntnu.no/ojs/index.php/chironomus/article/view/1546/1439>
- Pape T, Blagoderov V, Mostovski MB (2011) Order Diptera Linnaeus, 1758. In: Zhang Z-Q (Ed) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. Zootaxa 3148: 222–229. <http://www.mapress.com/zootaxa/2011/fzt03148p229.pdf>
- Penttilinen J, Ilmonen J, Jakovlev J, Salmela J, Kuusela K, Paasivirta L (2010) Thread-horned flies (Diptera: Nematocera). In: Rassi P, Hyvärinen E, Juslen A, Mannerkoski I (Eds) The 2010 Red List of Finnish Species. Ympäristöministeriö & Suomen ympäristökeskus, Helsinki, 477–489.
- Sæther OA, Spies M (2013) Fauna Europaea: Chironomidae. In: Pape T, Beuk P (Eds) Fauna europaea: Diptera, version 2.6. <http://www.faunaeur.org/>
- Tuiskunen J, Lindeberg B (1986) Chironomidae (Diptera) from Fennoscandia north of 68 deg. N, with a description of ten new species and two new genera. Annales zoologici fennici 23(4): 361–393. <http://www.sekj.org/PDF/anzf23/anz23-361-393.pdf>