Review of genus-group names in the family Tenebrionidae (Insecta, Coleoptera)

By

Patrice Bouchard, Yves Bousquet, Rolf L. Aalbu,
Miguel A. Alonso-Zarazaga, Ottó Merkl†, Anthony E. Davies

PENSOFT®

ZooKeys 1050 (Special Issue)

Review of genus-group names in the family Tenebrionidae (Insecta, Coleoptera)

By Patrice Bouchard, Yves Bousquet, Rolf L. Aalbu, Miguel A. Alonso-Zarazaga, Ottó Merkl†, Anthony E. Davies

On the front cover: *Taphrosoma dohrnii* Kirsch, 1866, type species of the genus *Taphrosoma* Kirsch, 1866 (photo by Noël Mal).

First published 2021
ISBN 978-954-642-048-6 (paperback)

Pensoft Publishers
12 Prof. Georgi Zlatarski Street, 1700 Sofia, Bulgaria
Fax: +359-2-870-42-82
info@pensoft.net
www.pensoft.net

Printed in Bulgaria, July 2021

ZooKeys 1050: 1–633 (2021)
doi: 10.3897/zookeys.1050.64217
https://zookeys.pensoft.net

CATALOGUE

A peer-reviewed open-access journal
ZooKeys
Launched to accelerate biodiversity research

Review of genus-group names in the family Tenebrionidae (Insecta, Coleoptera)

Patrice Bouchard[1], Yves Bousquet[2], Rolf L. Aalbu[3], Miguel A. Alonso-Zarazaga[4], Ottó Merkl[5,†], Anthony E. Davies[1]

1 *Canadian National Collection of Insects, Arachnids and Nematodes, Agriculture and Agri-Food Canada, 960 Carling Avenue, Ottawa, Ontario, K1A 0C6, Canada* **2** *Gatineau, Quebec, Canada* **3** *California Academy of Sciences, Department of Entomology, 55 Music Concourse Drive, Golden Gate Park, San Francisco, California, 94118, USA* **4** *Collection of Entomology, Museo Nacional de Ciencias Naturales (CSIC), José Gutiérrez Abascal, 2, E-28006, Madrid, Spain* **5** *Hungarian Natural History Museum, Department of Zoology, H-1088 Baross u. 13, Budapest, Hungary*

Corresponding author: Patrice Bouchard (patrice.bouchard@canada.ca)

Academic editor: Aaron Smith | Received 9 February 2021 | Accepted 9 April 2021 | Published 26 July 2021

http://zoobank.org/3259F773-FB1D-4E64-80EC-D6A57C33BB80

Citation: Bouchard P, Bousquet Y, Aalbu RL, Alonso-Zarazaga MA, Merkl O, Davies AE (2021) Review of genus-group names in the family Tenebrionidae (Insecta, Coleoptera). ZooKeys 1050: 1–633. https://doi.org/10.3897/zookeys.1050.64217

Abstract

A review of genus-group names for darkling beetles in the family Tenebrionidae (Insecta: Coleoptera) is presented. A catalogue of 4122 nomenclaturally available genus-group names, representing 2307 valid genera (33 of which are extinct) and 761 valid subgenera, is given. For each name the author, date, page number, gender, type species, type fixation, current status, and first synonymy (when the name is a synonym) are provided. Genus-group names in this family are also recorded in a classification framework, along with data on the distribution of valid genera and subgenera within major biogeographical realms. A list of 535 unavailable genus-group names (e.g., incorrect subsequent spellings) is included. Notes on the date of publication of references cited herein are given, when known.

The following genera and subgenera are made available for the first time: *Anemiadena* Bouchard & Bousquet, **subgen. nov.** (in *Cheirodes* Gené, 1839), *Armigena* Bouchard & Bousquet, **subgen. nov.** (in *Nesogena* Mäklin, 1863), *Debeauxiella* Bouchard & Bousquet, **subgen. nov.** (in *Hyperops* Eschscholtz, 1831), *Hyperopsis* Bouchard & Bousquet, **subgen. nov.** (in *Hyperops* Eschscholtz, 1831), *Linio* Bouchard & Bousquet, **subgen. nov.** (in *Nilio* Latreille, 1802), *Matthewsotys* Bouchard & Bousquet, **gen. nov.**, *Neosolenopistoma* Bouchard & Bousquet, **subgen. nov.** (in *Eurynotus* W. Kirby, 1819), *Paragena* Bouchard & Bousquet, **subgen. nov.** (in *Nesogena* Mäklin, 1863), *Paulianaria* Bouchard & Bousquet, **gen. nov.**, *Phyllechus* Bouchard & Bousquet, **gen. nov.**, *Prorhytinota* Bouchard & Bousquet, **subgen. nov.** (in *Rhytinota* Eschscholtz, 1831), *Pseudorozonia* Bouchard & Bousquet, **subgen. nov.** (in *Rozonia* Fairmaire, 1888), *Pseudothinobatis* Bouchard

Copyright *Patrice Bouchard et al.* This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

& Bousquet, **gen. nov.**, *Rhytinopsis* Bouchard & Bousquet, **subgen. nov.** (in *Thalpophilodes* Strand, 1942), *Rhytistena* Bouchard & Bousquet, **subgen. nov.** (in *Rhytinota* Eschscholtz, 1831), *Spinosdara* Bouchard & Bousquet, **subgen. nov.** (in *Osdara* Walker, 1858)**,** *Spongesmia* Bouchard & Bousquet, **subgen. nov.** (in *Adesmia* Fischer, 1822)**,** and *Zambesmia* Bouchard & Bousquet, **subgen. nov.** (in *Adesmia* Fischer, 1822).

The names *Adeps* Gistel, 1857 and *Adepsion* Strand, 1917 **syn. nov.** [= *Tetraphyllus* Laporte & Brullé, 1831], *Asyrmatus* Canzoneri, 1959 **syn. nov.** [= *Pystelops* Gozis, 1910], *Euzadenos* Koch, 1956 **syn. nov.** [= *Selenepistoma* Dejean, 1834], *Gondwanodilamus* Kaszab, 1969 **syn. nov.** [= *Conibius* J.L. LeConte, 1851], *Gyrinodes* Fauvel, 1897 **syn. nov.** [= *Nesotes* Allard, 1876], *Helopondrus* Reitter, 1922 **syn. nov.** [= *Horistelops* Gozis, 1910], *Hybonotus* Dejean, 1834 **syn. nov.** [= *Damatris* Laporte, 1840], *Iphthimera* Reitter, 1916 **syn. nov.** [= *Metriopus* Solier, 1835], *Lagriomima* Pic, 1950 **syn. nov.** [= *Neogria* Borchmann, 1911], *Orphelops* Gozis, 1910 **syn. nov.** [= *Nalassus* Mulsant, 1854], *Phymatium* Billberg, 1820 **syn. nov.** [= *Cryptochile* Latreille, 1828], *Prosoblapsia* Skopin & Kaszab, 1978 **syn. nov.** [= *Genoblaps* Bauer, 1921], and *Pseudopimelia* Gebler, 1859 **syn. nov.** [= *Lasiostola* Dejean, 1834] are established as new synonyms (valid names in square brackets). *Anachayus* Bouchard & Bousquet, **nom. nov.** is proposed as a replacement name for *Chatanayus* Ardoin, 1957, *Genateropa* Bouchard & Bousquet, **nom. nov.** as a replacement name for *Apterogena* Ardoin, 1962, *Hemipristula* Bouchard & Bousquet, **nom. nov.** as a replacement name for *Hemipristis* Kolbe, 1903, *Kochotella* Bouchard & Bousquet, **nom. nov.** as a replacement name for *Millotella* Koch, 1962, *Medvedevoblaps* Bouchard & Bousquet, **nom. nov.** as a replacement name for *Protoblaps* G.S. Medvedev, 1998, and *Subpterocoma* Bouchard & Bousquet, **nom. nov.** is proposed as a replacement name for *Pseudopimelia* Motschulsky, 1860. *Neoeutrapela* Bousquet & Bouchard, 2013 is downgraded to a subgenus (**stat. nov.**) of *Impressosora* Pic, 1952. *Anchomma* J.L. LeConte, 1858 is placed in Stenosini: Dichillina (previously in Pimeliinae: Anepsiini); *Entypodera* Gerstaecker, 1871, *Impressosora* Pic, 1952 and *Xanthalia* Fairmaire, 1894 are placed in Lagriinae: Lagriini: Statirina (previously in Lagriinae: Lagriini: Lagriina); *Loxostethus* Triplehorn, 1962 is placed in Diaperinae: Diaperini: Diaperina (previously in Diaperinae: Diaperini: Adelinina); *Periphanodes* Gebien, 1943 is placed in Stenochiinae: Cnodalonini (previously in Tenebrioninae: Helopini); *Zadenos* Laporte, 1840 is downgraded to a subgenus (**stat. nov.**) of the older name *Selenepistoma* Dejean, 1834.

The type species [placed in square brackets] of the following available genus-group names are designated for the first time: *Allostrongylium* Kolbe, 1896 [*Allostrongylium silvestre* Kolbe, 1896], *Auristira* Borchmann, 1916 [*Auristira octocostata* Borchmann, 1916], *Blapidocampsia* Pic, 1919 [*Campsia pallidipes* Pic, 1918], *Cerostena* Solier, 1836 [*Cerostena deplanata* Solier, 1836], *Coracostira* Fairmaire, 1899 [*Coracostira armipes* Fairmaire, 1899], *Dischidus* Kolbe, 1886 [*Helops sinuatus* Fabricius, 1801], *Eccoptostoma* Gebien, 1913 [*Taraxides ruficrus* Fairmaire, 1894], *Ellaemus* Pascoe, 1866 [*Emcephalus submaculatus* Brême, 1842], *Epeurycaulus* Kolbe, 1902 [*Epeurycaulus aldabricus* Kolbe, 1902], *Euschatia* Solier, 1851 [*Euschatia proxima* Solier, 1851], *Heliocaes* Bedel, 1906 [*Blaps emarginata* Fabricius, 1792], *Hemipristis* Kolbe, 1903 [*Hemipristis ukamia* Kolbe, 1903], *Iphthimera* Reitter, 1916 [*Stenocara ruficornis* Solier, 1835], *Isopedus* Stein, 1877 [*Helops tenebrioides* Germar, 1813], *Malacova* Fairmaire, 1898 [*Malacova bicolor* Fairmaire, 1898], *Modicodisema* Pic, 1917 [*Disema subopaca* Pic, 1912], *Peltadesmia* Kuntzen, 1916 [*Metriopus platynotus* Gerstaecker, 1854], *Phymatium* Billberg, 1820 [*Pimelia maculata* Fabricius, 1781], *Podoces* Péringuey, 1886 [*Podoces granosula* Péringuey, 1886], *Pseuduroplatopsis* Pic, 1913 [*Borchmannia javana* Pic, 1913], *Pteraulus* Solier, 1848 [*Pteraulus sulcatipennis* Solier, 1848], *Sciaca* Solier, 1835 [*Hylithus disctinctus* Solier, 1835], *Sterces* Champion, 1891 [*Sterces violaceipennis* Champion, 1891] and *Teremenes* Carter, 1914 [*Tenebrio longipennis* Hope, 1843].

Evidence suggests that some type species were misidentified. In these instances, information on the misidentification is provided and, in the following cases, the taxonomic species actually involved is fixed as the type species [placed in square brackets] following requirements in Article 70.3 of the International Code of Zoological Nomenclature: *Accanthopus* Dejean, 1821 [*Tenebrio velikensis* Piller & Mitterpacher, 1783], *Becvaramarygmus* Masumoto, 1999 [*Dietysus nodicornis* Gravely, 1915], *Heterophaga* Dejean, 1834

[*Opatrum laevigatum* Fabricius, 1781], *Laena* Dejean, 1821, [*Scaurus viennensis* Sturm, 1807], *Margus* Dejean, 1834 [*Colydium castaneum* Herbst, 1797], *Pachycera* Eschscholtz, 1831 [*Tenebrio buprestoides* Fabricius, 1781], *Saragus* Erichson, 1842 [*Celibe costata* Solier, 1848], *Stene* Stephens, 1829 [*Colydium castaneum* Herbst, 1797], *Stenosis* Herbst, 1799 [*Tagenia intermedia* Solier, 1838] and *Tentyriopsis* Gebien, 1928 [*Tentyriopsis pertyi* Gebien, 1940].

The following First Reviser actions are proposed to fix the precedence of names or nomenclatural acts (rejected name or act in square brackets): *Stenosis ciliaris* Gebien, 1920 as the type species for *Afronosis* G.S. Medvedev, 1995 [*Stenosis leontjevi* G.S. Medvedev, 1995], *Alienoplonyx* Bremer, 2019 [*Alienolonyx*], *Amblypteraca* Mas-Peinado, Buckley, Ruiz & García-París, 2018 [*Amplypteraca*], *Caenocrypticoides* Kaszab, 1969 [*Caenocripticoides*], *Deriles* Motschulsky, 1872 [*Derilis*], *Eccoptostira* Borchmann, 1936 [*Ecoptostira*], †*Eodromus* Haupt, 1950 [†*Edromus*], *Eutelus* Solier, 1843 [*Lutelus*], *Euthriptera* Reitter, 1893 [*Enthriptera*], *Meglyphus* Motschulsky, 1872 [*Megliphus*], *Microtelopsis* Koch, 1940 [*Extetranosis* Koch, 1940, *Hypermicrotelopsis* Koch, 1940], *Neandrosus* Pic, 1921 [*Neoandrosus*], *Nodosogylium* Pic, 1951 [*Nodosogilium*], *Notiolesthus* Motschulsky, 1872 [*Notiolosthus*], *Pseudeucyrtus* Pic, 1916 [*Pseudocyrtus*], *Pseudotrichoplatyscelis* Kaszab, 1960 [*Pseudotrichoplatynoscelis* and *Pseudotrichoplatycelis*], *Rhydimorpha* Koch, 1943 [*Rhytimorpha*], *Rhophobas* Motschulsky, 1872 [*Rophobas*], *Rhyssochiton* Gray, 1831 [*Ryssocheton* and *Ryssochiton*], *Sphaerotidius* Kaszab, 1941 [*Spaerotidius*], *Stira* Agassiz, 1846 (Mollusca) [*Stira* Agassiz, 1846 (Coleoptera)], *Sulpiusoma* Ferrer, 2006 [*Sulpiosoma*] and *Taenobates* Motschulsky, 1872 [*Taeniobates*].

Supporting evidence is provided for the conservation of usage of *Cyphaleus* Westwood, 1841 nomen protectum over *Chrysobalus* Boisduval, 1835 nomen oblitum.

Keywords

Beetles, catalogue, classification, darkling beetles, distribution, nomenclature, publication dates

Table of contents

Introduction 4
Methods 4
Nomenclatural data 4
Classification 9
Distribution 9
Publication dates 9
Societies 11
Recording journals 12
Works reporting dates of publication 13
Results 13
Overall diversity and Distribution 13
List of available genus-group names in Tenebrionidae Latreille, 1802 86
Acknowledgements 379
References 380
Appendix 1. List of unavailable genus-group names in Tenebrionidae Latreille, 1802 521
Appendix 2. Supporting references for conservation of *Cyphaleus* Westwood, 1841 544

Index of species-group names 546
Index of family- and genus-group names 590

Introduction

The last world catalogue of darkling beetles in the family Tenebrionidae Latreille, 1802 (Insecta: Coleoptera) was published by Gebien (1937a, 1938a, 1939, 1940, 1941, 1942a, 1943, 1948) more than 70 years ago. At the time, entire lineages were treated by coleopterists as separate families (e.g., Alleculidae Laporte, 1840, Lagriidae Latreille, 1825 (1820), Nilionidae Oken, 1843, Cossyphodidae Wasmann, 1899) and were therefore excluded from Gebien's "Katalog der Tenebrioniden". Since then, important studies on the relationships of taxa classified within Tenebrionidae and their close relatives, based on morphological (e.g., Doyen and Tschinkel 1982) and molecular data (e.g., Kergoat et al. 2014b; Kamiński et al. 2021b), have led to significant improvements in our understanding of the limits of the family and the relationships of major clades within the family. In addition, several taxa traditionally included in Tenebrionidae have now been transferred into closely related families (Table 1).

With more than 30 000 described species worldwide (RLA, unpubl. data) and many new species described each year, the family Tenebrionidae has been described as "hyperdiverse" (Kergoat et al. 2014a). This overwhelming diversity, combined with significant changes in classification over the last decades, has hindered the production of recent catalogues at a world scale. Although some catalogues that cover large geographic areas have been published (e.g., Matthews and Bouchard 2008; Bousquet et al. 2018; Iwan et al. 2020), the nomenclatural information contained therein often differs in scope and major regional gaps of knowledge (e.g., fauna in the Afrotropical and Neotropical biogeographic realms) still remain.

The main objective of this publication is to provide a nomenclatural review of all genus-group names in the family Tenebrionidae. A table that includes an up-to-date synthesis of the classification of available genus-group names, along with the distribution of each valid genus and subgenus within the world's major biogeographical realms, is included. Following bibliographic research, dating of references cited in this work is provided (whenever data is available) in order to establish the priority of genus-group names and therefore promote their nomenclatural stability in the future.

Methods

Nomenclatural data

All nomenclaturally available genus-group names in the family Tenebrionidae are listed alphabetically. For each name the author, year of publication, page number, gender (in square brackets: M = masculine, F = feminine, N = neuter), type species,

typification, current status, and first synonymy (when the name is a synonym) are provided. The type species and type species fixation given for unjustified emendations and replacement names are identical to those of the available names they replace (International Commission on Zoological Nomenclature (henceforth ICZN) 1999, Article 67.8) and are listed following "Type species [automatic]:". We follow previous authors (e.g., Alonso-Zarazaga and Lyal 2009; Bousquet et al. 2015, 2018) in considering type-species designations in R. Lucas (1920) potentially valid when a single species is listed under a particular genus-group name. According to ICZN (1999, Article 67.2.5) "a nominal species is deemed not to be originally included if it was doubtfully or conditionally included, or was cited as a species inquirenda, or as a species incertae sedis." For this catalogue, any nominal species associated with a new genus with a question mark "?" was deemed not to be originally included. In accordance with Article 11.9.3.2 (ICZN 1999) we used the correct spelling of the species name (i.e., in agreement with the gender of the generic name) for all species-group name combinations. The author of each new synonym or new placement is given in square brackets (e.g., "[RLA]") in the alphabetical list of available genus-group names. We included all genus-group names known to us up to the date of publication of this article.

While the identification of the type species is generally assumed to be correct (ICZN 1999, Article 70.1), evidence suggests that the type species of a small number of genus-group names were misidentified. In these cases, we include information about the misidentification and select the species (either the nominal species previously cited as the type species or the taxonomic species actually involved) that will best serve stability and universality in our opinion (ICZN 1999, Article 70.3). If we select the taxonomic species actually involved as type species, an action that could not have been taken under previous editions of the International Code of Zoological Nomenclature and that must be accompanied with a reference to Article 73 (ICZN 1999), it is given in the format "**fixed herein** (ICZN 1999, Article 70.3) as *Tenebrio velikensis* Piller and Mitterpacher, 1783, misidentified as *Tenebrio caraboides* Linnaeus, 1758 in the original designation by monotypy in Dejean (1821)."

In some cases, we have noted that the original combination of the accepted name of the type species is a primary homonym of an older species name (e.g., *Helops tenebrioides* Germar, 1813, the type species of *Isopedus* Stein, 1877, is a junior primary homonym of *Helops tenebrioides* Palisot de Beauvois, 1812). We refrain proposing replacement names for two raisons: first, the status of some senior homonyms, which in most cases involved pre-1820 names, is uncertain; second, in some cases the two homonyms belong to taxa in use but the names apply to taxa not considered congeneric after 1899, and the Commission (ICZN 1999: Article 23.9.5) mandates that the author(s) must not automatically replace the junior homonym but instead should refer to the Commission for a ruling. We hope that experts on the taxonomy of the taxa involved will look at all evidence and propose solutions to remove the homonymies as needed.

Table 1. Genus-group names transferred from Tenebrionidae to other families. An example of the current placement of each genus is given in the "Source" column.

Genus	Current placement	Source
Acotulus Reitter, 1891	Zopheridae	Schuh (2020: 68)
†*Adelidium* Tillyard, 1918	Coleoptera *incertae sedis*	Nabozhenko and Bukejs (2021: 55)
Aegialites Mannerheim, 1853	Salpingidae	Lawrence et al. (2010b: 722)
Ageonoma Pascoe, 1866	Zopheridae	Foley and Ivie (2008b: 37)
Agnathus Germar, 1818	Pyrochroidae	Young and Pollock (2010: 715)
Anaplopus Blackburn, 1890	Pythidae	Pollock (2010b: 709)
Antarcticodomus Brookes, 1951	Salpingidae	Lawrence et al. (2010b: 722)
Apelta Montrouzier 1864	Corylophidae	Fauvel (1903: 289)
Aposyla Pascoe, 1862	Boridae	Lawrence and Pollock (1994: 37)
Archeocrypticus Kaszab, 1964	Archeocrypticidae	Gimmel et al. (2018: 275)
Arthopus Sharp, 1876	Ulodidae	Leschen et al. (2016: 468)
Bancous Pic, 1946	Erotylidae	Skelley and Alonso-Zarazaga (2003: 107)
Boros Herbst, 1797	Boridae	Bouchard et al. (2011: 444)
Brachyhelops Fairmaire, 1885	Chrysomelidae	Reid (2014: 248)
Brouniphylax Strand, 1943	Ulodidae	Leschen et al. (2016: 468)
Caanthus Champion, 1894	Zopheridae	Ślipiński and Lawrence (1997: 372)
Calophthalmus J. Thomson, 1860	Mycteridae	Pollock (2010a: 693, as *Stilpnonotus*)
Chalcodrya Redtenbacher, 1867	Chalcodryidae	Lawrence and Leschen (2010: 567)
Chanopterus Boheman, 1858	Promecheilidae	Lawrence et al. (2010a: 563)
Chitoniscus C.O. Waterhouse, 1875	Promecheilidae	Kulzer (1963: 602)
†*Cistelites* Heer, 1864	Coleoptera *incertae sedis*	Nabozhenko (2019: 8)
Cleteus Fairmaire, 1906	Zopheridae	Freude (1974: 258)
Coeloderes Mulsant and Rey, 1859	Zopheridae	Bedel (1887: 199)
Cotulades Pascoe, 1860	Zopheridae	Ślipiński and Lawrence (2010: 549)
Cycloderus Solier, 1851	Pyrochroidae	Young and Pollock (2010: 715)
Dacoderus J.L. LeConte, 1859	Salpingidae	Bouchard et al. (2011: 446)
Darwinella Enderlein, 1912	Promecheilidae	Lawrence et al. (2010a: 563)
Deridea Westwood, 1875	Meloidae	Bouchard et al. (2011: 437)
Diacalla Pascoe, 1863	Anthicidae	Chandler (2010: 730)
Diacallina Champion, 1916	Anthicidae	Chandler (2010: 730)
Dipsaconia Pascoe, 1860	Ulodidae	Leschen et al. (2016: 468)
Docalis Pascoe, 1860	Zopheridae	Ślipiński and Lawrence (2010: 549)
Egestriomima Champion, 1916	Anthicidae	Chandler (2010: 730)
Elascus Pascoe, 1860	Zopheridae	Ślipiński and Lawrence (1999: 33)
Endophloeus Dejean, 1834	Zopheridae	Schuh (2020: 71)
Enhypnon Carter, 1919	Zopheridae	Turco et al. (2013: 371)
Enneboeopsis Champion, 1894	Archeocrypticidae	Gimmel et al. (2018: 275)
Enneboeus Waterhouse, 1878	Archeocrypticidae	Gimmel et al. (2018: 276)
Eucistela Carter, 1922	Pyrochroidae	Bousquet et al. (2015: 131)
Eurypus Kirby, 1819	Mycteridae	Pollock (2010a: 693)
Exohadrus Broun, 1893	Ulodidae	Leschen et al. (2016: 468)
Falsoxanthalia Pic,1934	Tetratomidae	Nikitsky (2020: 44)
Ganyme Pascoe, 1869	Ulodidae	Leschen et al. (2016: 468)
†*Helopides* Roemer, 1876	Cupedidae *incertae sedis*	Kirejtshuk et al. (2016: 146)
Hymaea Pascoe, 1869	Phloeostichidae	Bouchard et al. (2011: 362)
Hydromedion Waterhouse, 1875	Promecheilidae	Lawrence et al. (2010a: 563)
Ictistygna Pascoe, 1866	Anthicidae	Chandler (2010: 730)
Ictistygnina Champion, 1916	Anthicidae	Chandler (2010: 730)
Ischyomius Chevrolat, 1878	Pythidae	Pollock (2010b: 709)
Latometus Erichson, 1842	Zopheridae	Ślipiński and Lawrence (2010: 556)
Loboglossa Solier, 1851	Mycteridae	Pollock (2010a: 693)
Malacodrya Sharp, 1886	Promecheilidae	Lawrence et al. (2020: 28)
Megazopherus Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Melytra Pascoe, 1869	Promecheilidae	Lawrence et al. (2010a: 563)
†*Menephiloides* Fujiyama, 1973	Coleoptera *incertae sedis*	Nabozhenko and Bukejs (2021: 55)
Meralius Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Meryx Latreille, 1802	Ulodidae	Leschen et al. (2016: 468)

Genus	Current placement	Source
†*Mesothoris* Tillyard, 1916	Cupedidae *incertae sedis*	Kirejtshuk et al. (2016: 148)
Micruloma Carter, 1919	Cerylonidae	Doyen et al. (1990: 238)
Mnionophilus Carter, 1919	Zopheridae	Turco et al. (2013: 371)
Mnionychus Carter, 1926	Zopheridae	Lawrence and Ślipiński (2013: 12)
Mylops Fairmaire, 1884	Promecheilidae	Lawrence et al. (2010a: 563, as *Hydromedion*)
Neboissianus Kaszab, 1981	Archeocrypticidae	Gimmel et al. (2018: 276)
Noserinus Casey, 1907	Zopheridae	Foley and Ivie (2008: 18)
Noserodes Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Noserus J.L. LeConte, 1862	Zopheridae	Bousquet et al. (2018: 19)
Nosoderma Solier, 1841	Zopheridae	Bousquet et al. (2018: 19)
Notocerastes Carter, 1926	Ulodidae	Leschen et al. (2016: 468)
Notolea Carter, 1915	Promecheilidae	Lawrence et al. (2010a: 566)
Ocholissa Pascoe, 1863	Salpingidae	Lawrence et al. (2010b: 724)
Onysius Broun, 1886	Promecheilidae	Lawrence et al. (2020: 33)
Parahelops Waterhouse, 1875	Promecheilidae	Lawrence et al. (2010a: 563)
Paraphylax Broun, 1880	Ulodidae	Leschen et al. (2016: 468)
Parenneboeus Kaszab, 1981	Archeocrypticidae	Gimmel et al. (2018: 276)
Perimylops Müller 1884	Promecheilidae	Lawrence et al. (2010a: 563)
Phaennis Champion, 1894	Ulodidae	Leschen et al. (2016: 469)
Phaeogala Fairmaire, 1896	Mycteridae	Pollock (2010a: 693)
Phellopsis J.L. LeConte, 1862	Zopheridae	Bousquet et al. (2018: 19)
Philpottia Broun, 1915	Chalcodryidae	Lawrence and Leschen (2010: 567)
Phloeodes J.L. LeConte, 1862	Zopheridae	Bousquet et al. (2018: 19)
*Phloeopsidius*Gebien, 1925	Zopheridae	Ivie et al. (2016: 780)
Phycosecis Pascoe, 1875	Phycosecidae	Bouchard et al. (2011: 349)
Promecheilus Solier, 1851	Promecheilidae	Lawrence et al. (2010a: 563)
Pseudenneboeus Kaszab, 1981	Archeocrypticidae	Gimmel et al. (2018: 277)
Pseudonosoderma Heyden, 1885	Zopheridae	Foley and Ivie (2008a: 8)
Psilonycha Fåhraeus, 1870	Scraptiidae	Bousquet et al. (2015: 131)
Pteroderes Germain, 1894	Ulodidae	Leschen et al. (2016: 469)
Pycnidium Erichson, 1847	Leiodidae	A. Newton (pers. comm.)
Rhyssopera Pascoe, 1860	Ulodidae	Leschen et al. (2016: 468)
Rygmodus White, 1846	Hydrophilidae	Bouchard et al. (2011: 158)
Scoriaderma Fairmaire, 1894	Zopheridae	Foley and Ivie (2008b: 21)
Sesaspis Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Sirrhas Champion, 1893	Promecheilidae	Lawrence et al. (2010a: 563)
Sivacrypticus Kaszab, 1964	Archeocrypticidae	Gimmel et al. (2018: 277)
Stilpnonotus Gray, 1832	Mycteridae	Pollock (2010a: 693)
Sympiezocera P.H. Lucas, 1851	Cerambycidae	Danilevsky and Lin (2020: 211)
Synercticus Newman, 1842	Boridae	Pollock (2010: 699)
Synopticus J. Thomson, 1858	Tenebrionoidea *incertae sedis*	Bremer (2013a: 72)
Syrphetodes Broun, 1875	Ulodidae	Leschen et al. (2016: 469)
Szekessya Kaszab, 1955	Salpingidae	Lawrence et al. (2010b: 727)
Tarphiomimus Wollaston, 1873	Zopheridae	Ślipiński and Lawrence (2010: 553)
Trachelolagria Pic, 1941	Cleridae	Merkl (2004: 285)
Trachyderas Philippi and Philippi, 1864	Ulodidae	Leschen et al. (2016: 469)
Trachyderastes Kaszab, 1982	Ulodidae	Leschen et al. (2016: 469)
Tretothorax Lea, 1911	Salpingidae	Lawrence et al. (2010b: 722)
Trictenotoma Gray, 1831	Trictenotomidae	Bouchard et al. (2011: 444)
Ulodes Erichson, 1942	Ulodidae	Leschen et al. (2016: 469)
Ulodica Pascoe, 1769	Ulodidae	Leschen et al. (2016: 469)
†*Ulomites* Tillyard, 1916	Coleoptera *incertae sedis*	Martin (2010: 939)
Uloporus Casey, 1889	Archeocrypticidae	Gimmel et al. (2018: 276)
Usechimorpha Blaisdell, 1929	Zopheridae	Ślipiński and Lawrence (2010: 552)
Usechus Motschulsky, 1845	Zopheridae	Bousquet et al. (2018: 19)
Verodes Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Wattianus Kaszab, 1981	Archeocrypticidae	Gimmel et al. (2018: 278)
Zopherinus Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Zopherodes Casey, 1907	Zopheridae	Bousquet et al. (2018: 19)
Zopherosis White, 1859	Zopheridae	Ślipiński and Lawrence (2010: 549)
Zopherus Laporte, 1840	Zopheridae	Bousquet et al. (2018: 19)

Genus-group names encountered in the literature that are not nomenclaturally available are listed in Appendix 1. Reasons for assigning the status of "nomenclaturally unavailable" for these names include: name proposed as an unmodified vernacular word, not appropriately latinized (ICZN 1999, Article 11.3, Recommendation 11A); name not used as valid when proposed (ICZN 1999, Article 11.5); name first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym (ICZN 1999, Article 11.6); name published before 1931 without a description, a definition or an indication (Article 12.1); name proposed as a replacement name for an unavailable name (ICZN 1999, Article 12.2.3); name published after 1930 without a description, a definition or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1); name published after 1930 without a type species (ICZN 1999, Article 13.3); replacement name published after 1930, for a name without valid typification, without designating a type species (ICZN 1999, Article 13.3.1); new nominal genus or subgenus published in a combined description with a new species not marked by "gen. nov., spec. nov." or an equivalent expression (ICZN 1999, Article 13.4); name published after 1999 and not explicitly indicated as intentionally new (ICZN 1999, Article 16.1); rejected alternative original spelling (ICZN 1999, Article 24.2.3); original spelling corrected in the same work (ICZN 1999, Article 32.5.1.1); incorrect subsequent spelling that is not in prevailing usage (ICZN 1999, Article 33.3).

The symbol for fossil (†) and the acronym for plate (pl.) were used when relevant. The following initials were necessary to distinguish different authors with an identical family name: F.M. Brown, K.W. Brown, W. Kirby, W.F. Kirby, J.E. LeConte, J.L. LeConte, P.H. Lucas, R. Lucas, W.J. MacLeay, W.S. MacLeay, G.S. Medvedev, L.N. Medvedev, G.-A. Olivier, E. Olivier, F. Soldati, L. Soldati, C.G. Thomson, J. Thomson, C.O. Waterhouse, F.H. Waterhouse, G.R. Waterhouse. Note that the honorary title "Tjan-Schansky" was added by the Emperor of All Russia Nikolay II to the surname of A.P. Semenov's father (and all his family members) in 1906 (M. Nabozhenko, pers. comm.). We use the author name "Semenov" for works published up to the end of 1906 and "Semenov-Tjan-Shansky" for those published after 1906. We also follow Bessudnova (2012: 102) and use the author's surname "Fischer" for G. Fischer's works up to the end of 1832 and use "Fischer von Waldheim" from 1833, the year he became a member of the Russian nobility.

Original literature for species-group names (i.e., type species) was verified; however, those works are not included in the "References" section because they are not the principal focus of this article, to conserve space and because they are, for the most part, available in recent publications. When the author(s) of a scientific name is different from the author(s) of the publication in which the name was proposed, the authorship of the scientific name is given in the format "Gray in Griffith and Pidgeon, 1832" (ICZN, Article 50.1.1 and Recommendation 51E) and only the reference pertaining to the whole work is given in the "References" section. Titles of references using a non-Latin alphabet were translated in English.

The name *Xylotinus*, as used by Sturm (1826: 59) to establish *Xylotinus flabellicornis* Sturm, 1826, the type species of *Rhipidandrus* J.L. LeConte, 1862, is considered an incorrect subsequent spelling for *Xyletinus* Latreille, 1810 [Coleoptera: Anobiidae] and is therefore not included here as an available genus-group name in Tenebrionidae (see Schwarz and Barber 1914: 175).

Two new synonymies were proposed in the fascicle on Coleoptera of the 'Nomenclator Zoologicus' by Agassiz (1846a). These synonymies are credited here to "Erichson in Agassiz" since Agassiz, who was not a beetle expert, acknowledged the contribution of the Coleoptera specialist W.F. Erichson, on the fascicle's title page, in the production of his catalogue.

Classification

The classification presented in Table 2 is a synthesis starting from works on Tenebrionidae family-group names (e.g., Bouchard et al. 2005, 2011; Bouchard and Bousquet 2020a) with additional data published in recent regional catalogues (e.g., Matthews and Bouchard 2008; Bousquet et al. 2018; Iwan et al. 2020), on fossils (Nabozhenko 2019), as well as on the diversity, taxonomy and phylogenetics of various clades (e.g., Bremer and Lillig 2014; Aalbu et al. 2017, 2018; Kamiński et al. 2019a, b, c, 2021b; Matthews and Lawrence 2019; Lumen et al. 2020; Lillig and Bremer 2021; Gearner et al. 2021). Only nomenclaturally available names are included in Table 2 wherein the valid genus-group names are listed in alphabetical order under each valid family-group name and the synonyms (preceded by "=") are given in chronological order. Valid subgenera are given following the acronym "SG".

Distribution

The world's major biogeographical realms, as defined by Olson et al. (2001), were used to record the overall distribution of each valid genus and subgenus (Table 2). The maps showing the borders of each realm (Figs 1–5) were produced with the free and open source software QGIS (version 3.10) using the layer Terrestrial Ecoregions of the World (WWF 2012).

Publication dates

We tried to establish the date of publication of works listed in this catalogue as accurately as possible. In the References section, publication dates are listed after each reference in square brackets "[]" and preceded by DP (i.e., date of publication), unless only the year was found. These dates are either specific dates of publication (e.g., extracted from the works themselves or the journal wrappers, title pages, footers) or are the earliest known publication dates (e.g., extracted from recording journals or accounts of society meetings). In the latter case, the date is preceded by the word "by." Sources of information for the dates of publication from societies, recording journals, and works are mentioned below.



Figure 1. Map showing the biogeographic realms used to record the distribution of each valid genus and subgenus of Tenebrionidae (see Table 2). Blue (dark): Palaearctic; blue (pale): Australasia; green: Neotropic; orange: Afrotropic; red: Nearctic; yellow: Indo-Malay (see Olson et al. (2001: fig. 1) for the boundaries of the Oceania biogeographic realm). Figures 2–5 show closeup maps of boundary areas. The Antarctic realm is excluded since none of the valid Tenebrionidae genera and subgenera are distributed therein.

Figure 2. Closeup map showing the boundary between the Nearctic and Neotropic biogeographic realms. Countries with two biogeographic realms are named.



Figure 3. Closeup map showing the boundary between the Palaearctic and Afrotropic biogeographic realms. Countries with two biogeographic realms are named.



Figure 4. Closeup map showing the boundary between the Palaearctic and Indo-Malay biogeographic realms. Countries with two biogeographic realms are named.

Societies

Acad Nat Sci Phil: Academy of Natural Sciences, Philadelphia (Philadelphia, USA) [Proceedings];

Acad Sci Fr: Académie des Sciences (Paris, France) [Compte Rendus Hebdomadaires];



Figure 5. Closeup map showing the boundary between the Indo-Malay and Australasia biogeographic realms. Countries with two biogeographic realms are named.

Acad Sci St. Peters: Académie Impériale des Sciences de St.-Pétersbourg (Saint Petersburg, Russia) [Bulletin Scientifique; Bulletin de la Classe historico-philologique];
Amer Ant Soc: American Antiquarian Society (Worcester, USA) [Proceedings];
Amer Ent Soc: American Entomological Society (Philadelphia, USA) [Proceedings];
Amer Phil Soc: American Philosophical Society (Philadelphia, USA) [Proceedings];
Bost Soc Nat Hist: Boston Society of Natural History (Boston, USA) [Proceedings];
Ent Soc Lond: Entomological Society of London (London, UK) [Transactions, Proceedings];
Ent Ver Stettin: Entomologischer Verein zu Stettin (Stettin, Germany [now Poland]) [Vereinsangelegenheiten];
Nederl Ent Ver: Nederlandsche Entomologische Vereniging (Leiden, Netherlands) [Inhouds-Opgave van Werken];
Roy Soc Queensl: Royal Society of Queensland (Brisbane, Australia) [Proceedings];
Soc Ent Belg: Société Entomologique de Belgique (Brussels, Belgium) [Annales, Comptes-Rendus];
Soc Ent Fr: Société Entomologique de France (Paris, France) [Annales, Bulletin];
Soc Imp Nat Mosc: Société Impériale des Naturalistes de Moscou (Moscow, Russia) [Bulletin].

Recording journals

Allg Bibl Deutsch: Allgemeine Bibliographie für Deutschland (Leipzig, Germany);
Bibl Belg: Bibliographie de la Belgique (Brussels, Belgium);

Bibl Fr:	Bibliographie de la France (Paris, France);
Bull Nord:	Bulletin du Nord, journal scientifique et littéraire, contenant: des mémoires et notices, des analyses et extraits d'ouvrages nouveaux; des variétés et mélanges, des annonces bibliographiques, etc., etc. (Moscow, Russia);
Ent Nachr:	Entomologische Nachrichten (Berlin, Germany);
Lit Centrbl:	Literarisches Centralblatt für Deutschland (Leipzig, Germany);
Lit Ztg:	Literarische Zeitung (Berlin, Germany);
Nat Nov:	Naturae Novitates (Berlin, Germany);
Naturaliste:	Le Naturaliste (Paris, France);
Pet Nouv Ent:	Petites Nouvelles Entomologiques (Paris, France);
Rev Coleopt:	Revue Coléoptérologique (Brussels, Belgium);
Zool Rec:	Zoological Record (London, UK).

Works reporting dates of publication

The following works included important information for dating the references: Kielmeyer and Jäger (1835), Guérin-Méneville (1838, 1858), Lefèvre (1885, 1895), Sharp (1892a), Sclater (1893), Oshanin (1910), Wheeler (1912), Sherborn (1934), Duncan (1937), Peavot (1937), F.H. Waterhouse (1937), ICZN (1957, 1958, 1999), F.M. Brown (1964), Raphael (1970), Cowan (1976), Kerzhner (1984), Hayek (1989), Baker (1996), Evenhuis (1997a, b, 2002, 2003, 2012, 2015, 2019a, b), Nagel and Schmidlin (2014), Merkl et al. (2008), Bouchard et al. (2011), Fujioka (2011), Bousquet (2016a, b, 2017), Williams (2017).

Results

Overall diversity and distribution

The family Tenebrionidae contains 4122 nomenclaturally available genus-group names (see Table 2 and List of available genus-group names in Tenebrionidae Latreille, 1802 below). Of the 2307 valid genera, 33 are extinct. A total of 761 subgenera are currently used as valid. The subfamily Pimeliinae contains the highest number of valid genera (n = 578) followed by Stenochiinae (n = 394), Tenebrioninae (n = 349), Blaptinae (n = 300), Lagriinae (n = 273), Alleculinae (n = 231) and Diaperinae (n = 128). The other four subfamilies contain few genera (Phrenapatinae = 28, Zolodininae = 3, Kuhitangiinae = 2 and Nilioninae = 1). Twenty valid genera could not be confidently placed in a subfamily and are included here as Tenebrionidae incertae sedis. The Afrotropic biogeographical realm is the most diverse with 1022 valid extant genus-group taxa (755 genera, 267 subgenera; see Table 2). The Palaearctic, Indo-Malay, and Neotropic realms follow with 925 (545 genera, 380 subgenera), 610 (501, 109) and 518 (428, 90) valid extant genus-group taxa respectively. The lowest number of valid extant genus-group taxa are in Australasia with 348 (310 genera, 38 subgenera), the Nearctic with 279 (206, 73) and Oceania with 62 (52, 10).

Table 2. List of nomenclaturally available genus-group names in the family Tenebrionidae presented in a classification framework. The presence of each valid extant genus and subgenus within a major biogeographical realm is indicated with the symbol "X" (usage of italics for the same symbol "*X*" indicates that a genus or subgenus is represented only by adventive species in a particular realm). * = status undetermined.

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Pimeliinae Latreille, 1802							
Adelostomini Solier, 1834							
Acanthioides Fairmaire, 1894				X			
Acestophanus Koch, 1950				X			
= *Acestus* Haag-Rutenberg, 1875							
Adelostoma Duponchel, 1827			X	X			
SG *Adelostoma* Duponchel, 1827			X	X			
= *Polyscopus* Waltl, 1835							
SG *Omandelostoma* Purchart, 2017				X			
SG *Psaryphulum* Koch, 1952				X			
SG *Zarudnionymus* Semenov & Bogatchev, 1947			X	X			
= *Falsaspila* Koch, 1952							
= *Adelostomoides* Carl, 1991							
Argasidus Péringuey, 1899				X			
Arthrochora Gebien, 1938				X			
Aspilomorpha Koch, 1952				X			
Basilewskyum Koch, 1952				X			
Brachymoschium Fairmaire, 1896				X			
Carinosella Purchart, 2010				X			
Cimicia Fairmaire, 1891				X			
Cimicichora Koch, 1952				X			
Cimiciopsis Koch, 1952				X			
Eurychora Thunberg, 1789				X			
Eurychorula Koch, 1952				X			
Eutichus Haag-Rutenberg, 1875				X			
Geophanus Haag-Rutenberg, 1875				X			
Herpsis Haag-Rutenberg, 1875				X			
Lepidochora Koch, 1952				X			
Lycanthropa J. Thomson, 1860				X			
= *Zygas* Pascoe, 1866							
Machlopsis Pomel, 1871			X	X			
SG *Hidrosella* Koch, 1952			X	X			
SG *Machlopsis* Pomel, 1871			X	X			
= *Hidrosis* Haag-Rutenberg, 1875							
Phytolostoma Koch, 1952				X			
Platyphanus Koch, 1952				X			
Platysemodes Strand, 1935				X			
= *Platysemus* Haag-Rutenberg, 1875							
Pogonobasis Solier, 1837			X	X			
= *Peristeptus* Haag-Rutenberg, 1875							
Pogonocanta Koch, 1952				X			
Prunaspila Koch, 1950				X			
= *Aspila* Fåhraeus, 1870							
Psaryphis Erichson, 1843				X			
Serrichora Koch, 1952				X			
Smiliophanus Koch, 1950				X			
= *Smiliotus* Haag-Rutenberg, 1875							
Steptochora Koch, 1952				X			
Stips Koch, 1950				X			
= *Steira* Westwood, 1837							
= *Stira* Agassiz, 1846							
Stipsostoma Koch, 1952				X			
Symphochora Koch, 1952				X			
Adesmiini Lacordaire, 1859							
Adesmia Fischer von Waldheim, 1822			X	X	X		

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Adesmia* Fischer von Waldheim, 1822			X	X			
= *Sarachus* Gistel, 1848							
SG *Adesmina* Reitter, 1916			X	X	X		
SG *Macradesmia* Kaszab, 1959			X	X			
= *Macradesmia* Löbl & Merkl, 2020							
SG *Macropoda* Solier, 1835				X			
SG *Macropodesmia* Löbl & Merkl, 2020				X			
SG *Oteroscelis* Solier, 1835			X	X			
= *Heteroscelis* Agassiz, 1846							
SG *Oteroscelopsis* Löbl & Merkl, 2020			X				
SG *Physosterna* Dejean, 1834				X			
SG *Somaladesmia* Koch, 1944				X			
SG *Spongesmia* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Zambesmia* Bouchard & Bousquet, **subgen. nov.**				X			
Alogenius Gebien, 1910				X			
SG *Aequigula* Penrith, 1979				X			
SG *Alogenius* Gebien, 1910				X			
= *Pedionomus* Haag-Rutenberg, 1875							
Epiphysa Dejean, 1834				X			
Eustolopus Gebien, 1938				X			
= *Entinopoda* Gebien, 1938							
Metriopus Solier, 1835				X			
SG *Ceradesmia* Gebien, 1920				X			
SG *Coeladesmia* Reitter, 1916				X			
= *Peltadesmia* Kuntzen, 1916							
SG *Metriopus* Solier, 1835				X			
= *Iphthimera* Reitter, 1916							
Onymacris Allard, 1885				X			
Orientocara Koch, 1952				X			
Physadesmia Penrith, 1979				X			
Renatiella Koch, 1944				X			
= *Spongesmima* Koch, 1944							
Stenocara Solier, 1835				X			
SG *Arenacara* Penrith, 1979				X			
SG *Cauricara* Penrith, 1979				X			
SG *Stenocara* Solier, 1835				X			
Stenodesia Reitter, 1916				X			
= *Cephaladesmia* Gebien, 1920							
= *Karroocara* Koch, 1952							
Akidini Billberg, 1820							
Akis Herbst, 1799			X				
= *Acidia* Illiger, 1804							
= *Stenopsis* Rafinesque, 1815							
= *Acis* Billberg, 1820							
Cyphogenia Solier, 1837			X				
SG *Cyphogenia* Solier, 1837			X				
= *Eocyphogenia* G.S. Medvedev, 1968							
SG *Lechriomus* Morawitz, 1865			X				
Morica Dejean, 1834			X				
Sarothropus Kraatz, 1865			X				
Solskyia Solsky, 1881			X				
Anepsiini LeConte, 1862							
Anepsius LeConte, 1851	X						
Batuliodes Casey, 1907	X						
Batuliomorpha Doyen, 1987	X						
Batulius LeConte, 1851	X						
Asidini Fleming, 1821							
Afrasida Wilke, 1922				X			
SG *Afrasida* Wilke, 1922				X			
SG *Archasida* Wilke, 1922				X			
Alphasida Escalera, 1905			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Alphasida* Escalera, 1905			X				
SG *Betasida* Reitter, 1917			X				
= *Subalphasida* Escalera, 1928							
SG *Elongasida* Escalera, 1906			X				
= *Cribrasida* Reitter, 1917							
= *Pseudoelongasida* Escalera, 1922							
SG *Glabrasida* Escalera, 1910			X				
= *Aplanasida* Reitter, 1917							
= *Aulonasida* Reitter, 1917							
= *Durasida* Reitter, 1917							
= *Gymnetasida* Reitter, 1917							
= *Melambasida* Reitter, 1917							
= *Mimelasida* Reitter, 1917							
= *Pedarasida* Reitter, 1917							
SG *Granasida* Reitter, 1917			X				
SG *Machlasida* Escalera, 1907			X				
= *Protomachlasida* Escalera, 1928							
Amachla Koch, 1962				X			
Andremiopsis Chatanay, 1913				X			
Andremius Fairmaire, 1903				X			
Ardamimicus Smith, 2013	X						
Asida Latreille, 1802			X				
SG *Asida* Latreille, 1802			X				
= *Dolichasida* Reitter, 1917							
= *Euryasida* Reitter, 1917							
= *Leptasida* Reitter, 1917							
= *Insulasida* Escalera, 1922							
= *Rugasida* Escalera, 1922							
SG *Globasida* Escalera, 1905			X				
SG *Gracilasida* Escalera, 1905			X				
= *Planasida* Escalera, 1907							
= *Trachasida* Reitter, 1917							
= *Granulasida* Escalera, 1922							
= *Pseudoplanasida* Escalera, 1921							
SG *Peltasida* Reitter, 1917			X				
SG *Polasida* Reitter, 1917			X				
= *Opatrasida* Escalera, 1922							
Asidesthes Fairmaire, 1900				X			
Asidomorpha Koch, 1962				X			
Bartolozzia Ferrer, 1998				X			
Cardigenius Solier, 1836		X					
SG *Cardigenius* Solier, 1836		X					
= *Cardiogenius* Agassiz, 1846							
SG *Ellidoneus* Wilke, 1922		X					
Craniotus LeConte, 1851	X						
Cryptasida Koch, 1962				X			
Euryprosternum Chatanay, 1914				X			
Ferveoventer Smith, 2013	X						
Heterasida Casey, 1912	X						
Kochotella Bouchard & Bousquet, **nom. nov.**				X			
= *Millotella* Koch, 1962							
Leptasida Chatanay, 1914				X			
Litasida Casey, 1912	X						
Machla Herbst, 1799				X			
= *Machloplasta* Wilke, 1922							
= *Pseudomachla* Wilke, 1922							
Machleida Fåhraeus, 1870				X			
= *Machloida* Rye, 1873							
Machlomorpha Péringuey, 1899				X			
SG *Asidomachla* Wilke, 1922				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Machlomorpha* Péringuey, 1899				X			
Machlophila Wilke, 1924				X			
Micrasida Smith, 2013	X						
Microschatia Solier, 1836	X						
= *Pycnonotida* Casey, 1912							
= *Acroschatia* Wilke, 1922							
Oxyge Chatanay, 1914				X			
Pelecyphorus Solier, 1836	X						
SG *Astrotus* LeConte, 1858	X						
SG *Pelecyphorus* Solier, 1836	X						
SG *Pleisiasida* Smith, 2013	X						
= *Parasida* Casey, 1912							
SG *Poliorcetes* Champion, 1884	X						
SG *Sicharbas* Champion, 1884	X						
SG *Stenosides* Solier, 1836	X						
= *Pactostoma* LeConte, 1858							
= *Ologlyptus* Lacordaire, 1858							
SG *Ucalegon* Champion, 1884	X						
SG *Zaleucus* Champion, 1892	X						
= *Zamolxis* Champion, 1884							
Philolithus Lacordaire, 1858	X						
SG *Glyptasida* Casey, 1912	X						
SG *Gonasida* Casey, 1912	X						
SG *Herthasida* Wilke, 1922	X						
SG *Philolithus* Lacordaire, 1858	X						
SG *Tisamenes* Champion, 1884	X						
Prosodidius Fairmaire, 1903				X			
Pseudasida Fairmaire, 1895				X			
Saeculum Kamiński, Kanda & Smith, 2021				X			
Scotinesthes Fairmaire, 1895				X			
= *Parecatus* Fairmaire, 1900							
Scotinus W. Kirby, 1819		X					
Stenomorpha Solier, 1836	X						
SG *Asidina* Casey, 1912	X						
SG *Asidopsis* Casey, 1912	X						
SG *Bothrasida* Casey, 1912	X						
SG *Megasida* Casey, 1912	X						
SG *Notiasida* Casey, 1912	X						
SG *Platasida* Casey, 1912	X						
SG *Pycnomorpha* Motschulsky, 1870	X						
SG *Stenomorpha* Solier, 1836	X						
= *Euschides* LeConte, 1851							
= *Psilomera* Motschulsky, 1870							
SG *Stethasida* Casey, 1912	X						
SG *Trichiasida* Casey, 1912	X						
Tamatasida Koch, 1962				X			
Boromorphini Skopin, 1978							
Boromorphus Wollaston, 1854			X				
Branchini LeConte, 1862							
Anectus Horn, 1867		X					
Branchus LeConte, 1862	X	X					
Oxinthas Champion, 1884		X					
Caenocrypticini Koch, 1958							
Caenocrypticoides Kaszab, 1969		X					
Caenocrypticus Gebien, 1920				X			
SG *Caenocapicus* Endrödy-Younga, 1996				X			
SG *Caenocrypticus* Gebien, 1920				X			
= *Thorictophasis* Koch, 1950							
SG *Cryptocarpes* Koch, 1952				X			
= *Lornamus* Koch, 1952							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Phyloradix* Endrödy-Younga, 1996				X			
SG *Psammotopulus* Endrödy-Younga, 1996				X			
SG *Vernayella* Koch, 1958				X			
Ceratanisini Gebien, 1937							
Ceratanisus Gemminger, 1870			X				
= *Anisocerus* Faldermann, 1837							
= *Apolites* Jacquelin du Val, 1861							
= *Haemerophygus* Baudi di Selve, 1876							
= *Seidlitzellus* Reitter, 1920							
= *Idastrandiella* Strand, 1929							
Tenebriocephalon Pic, 1925					X		
= *Klapperichia* Kaszab, 1954							
Cnemeplatiini Jacquelin du Val, 1861							
Actizetina Watt, 1992							
Actizeta Pascoe, 1875						X	
Alaudina Aalbu, Caterino & Smith, 2018							
Alaudes Horn, 1870	X						
Cnemeplatiina Jacquelin du Val, 1861							
Cnemeplatia Costa, 1847			X	X	X		
= *Autocera* Wollaston, 1857							
= *Cnemoplatia* Wollaston, 1865							
Lepidocnemeplatia Bousquet & Bouchard, 2018	X	X			X		
Philhammus Fairmaire, 1871			X	X			
SG *Philhamellus* Kaszab, 1962			X				
SG *Philhammus* Fairmaire, 1871			X	X			
= *Psilachnopus* Reitter, 1901							
= *Canariella* Uyttenboogaart, 1929							
Rondoniellina Ferrer & Moragues, 2000							
Durandius Kaszab, 1970					X		
Rondoniella Kaszab, 1970					X		
Thorictosomatina Watt, 1992							
Thorictosoma Lea, 1919						X	
Wattiana Matthews & Lawrence, 2005						X	
Cnemodinini Gebien, 1910							
Cnemodinus Cockerell, 1906	X						
= *Cnemodus* Horn, 1870							
Coniontini G.R. Waterhouse, 1858							
Coelus Eschscholtz, 1829	X						
= *Coelomorpha* Casey, 1890							
= *Pseudocoelus* Casey, 1908							
Coniontis Eschscholtz, 1829	X						
= *Coelotaxis* Horn, 1876							
= *Coniontellus* Casey, 1890							
= *Brachyontis* Casey, 1908							
= *Coniontides* Casey, 1908							
= *Crypticomorpha* Casey, 1908							
Conisattus Casey, 1895	X						
Eusattus LeConte, 1851	X						
= *Conipinus* LeConte, 1862							
= *Discodemus* LeConte, 1862							
= *Eusattodes* Casey, 1908							
= *Megasattus* Casey, 1908							
= *Nesostes* Casey, 1908							
= *Sphaeriontis* Casey, 1908							
= *Coelosattus* Blaisdell, 1927							
Cossyphodini Wasmann, 1899							
Cossyphodina Wasmann, 1899							
Cossyphodes Westwood, 1851			X	X			
= *Allocossyphodes* Andreae, 1961							
= *Hypercossyphodes* Andreae, 1961							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Metacossyphodes* Andreae, 1961							
= *Pachycossyphodes* Andreae, 1961							
Paramellops Andreae, 1961				X			
Cossyphoditina Basilewsky, 1950							
Cossyphodites Brauns, 1901				X			
Esemephina Steiner, 1980							
Esemephe Steiner, 1980		X					
Paramellonina Andreae, 1961							
Cossyphodinus Wasmann, 1899				X	X		
Paramellon C.O. Waterhouse, 1882			X	X	X		
Cossyphodini *incertae sedis*							
Mimocossyphus Pic, 1923			X				
Cryptochilini Solier, 1841							
Calognathina Lacordaire, 1859							
Calognathus Guérin-Méneville, 1836				X			
= *Callignathus* Agassiz, 1846							
Cryptochilina Solier, 1841							
Cerasoma Endrödy-Younga, 1989				X			
Cryptochile Latreille, 1828				X			
= *Phymatium* Billberg, 1820							
= *Cryptotrophus* Gistel, 1848							
Cychrochile Koch, 1953				X			
Epipagus Haag-Rutenberg, 1872				X			
Horatoma Solier, 1841				X			
= *Horatomodes* Haag-Rutenberg, 1872							
= *Saccophorus* Haag-Rutenberg, 1872							
= *Saccophorella* Strand, 1935							
= *Parapachynotela* Koch, 1952							
Horatomella Penrith & Endrödy-Younga, 1994				X			
Orientochile Penrith & Endrödy-Younga, 1994				X			
Pachynotelus Solier, 1841				X			
= *Fossilochile* Koch, 1952							
Homebiina Endrödy-Younga, 1989							
Homebius Endrödy-Younga, 1989				X			
Vansoniina Koch, 1955							
Vansonium Koch, 1950				X			
Cryptoglossini LeConte, 1862							
Asbolus LeConte, 1851	X						
Cryptoglossa Solier, 1837	X						
= *Centrioptera* Mannerheim, 1843							
= *Oochila* LeConte, 1862							
= *Amblycyphus* Motschulsky, 1870							
Schizillus Horn, 1874	X						
Edrotini Lacordaire, 1859							
Armalia Casey, 1907	X	X					
Arthroconus Solier, 1851		X					
= *Gymnognathus* Solier, 1851							
Ascelosodis Redtenbacher, 1868			X		X		
Auchmobius LeConte, 1851	X						
Chilometopon Horn, 1874	X						
= *Prometopion* Casey, 1907							
Cryptadius LeConte, 1851	X						
Ditaphronotus Casey, 1907		X					
Edrotes LeConte, 1851	X						
SG *Edrotes* LeConte, 1851	X						
= *Hedrotes* Gemminger, 1870							
SG *Odrotes* La Rivers, 1947	X						
Emmenastrichus Horn, 1894	X						
Emmenides Casey, 1907	X						
Eremocantor Smith & Wirth, 2016	X						

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Eschatomoxys Blaisdell, 1935	X						
Eurymetopon Eschscholtz, 1831	X						
= *Eurymetopum* Agassiz, 1846							
Falsoarthroconus Kaszab, 1978		X					
Garridoa Marcuzzi, 1985		X					
Hylithus Guérin-Méneville, 1834		X					
= *Sciaca* Solier, 1835							
Hylocrinus Casey, 1907	X	X					
SG *Hylocrinus* Casey, 1907	X	X					
SG *Locrodes* Casey, 1907	X	X					
SG *Paravius* Casey, 1907	X						
Kocakia Kaszab, 1985		X					
= *Idiopsis* Kaszab, 1981							
Koneus Giraldo-Mendoza & Flores, 2019		X					
Melanastus Casey, 1907	X						
Mencheres Champion, 1884		X					
Mesabates Champion, 1884	X						
Mesabatodes Casey, 1907	X						
Metoponium Casey, 1907	X						
SG *Metoponiopsis* Casey, 1907	X						
SG *Metoponium* Casey, 1907	X						
Micrarmalia Casey, 1907		X					
Micromes Casey, 1907	X						
Orthostibia Blaisdell, 1923	X						
Oxygonodera Casey, 1907	X						
Pachacamacius Flores & Giraldo-Mendoza, 2019		X					
Paraguania Marcuzzi, 1953		X					
Pescennius Champion, 1884	X						
Pimeliopsis Champion, 1892	X						
Posides Champion, 1884	X						
Prohylithus Kaszab, 1964		X					
Sechuranus Flores & Giraldo-Mendoza, 2019		X					
Soemias Champion, 1884	X						
Steriphanides Casey, 1907	X						
Steriphanus Casey, 1907	X						
Stibia Horn, 1870	X						
= *Eutriorophus* Casey, 1924							
Stictodera Casey, 1907	X						
Stomion G.R. Waterhouse, 1845		X					
= *Stomium* Agassiz, 1846							
Telabis Casey, 1890	X						
Telaponium Blaisdell, 1923	X						
Texaponium Thomas, 1984	X						
Tlascalinus Casey, 1907	X						
Trichiotes Casey, 1907	X						
Trientoma Solier, 1835		X					
Trimytantron Ardoin, 1977		X					
= *Bielawskia* Marcuzzi, 1985							
Trimytis LeConte, 1851	X						
= *Pimalius* Casey, 1907							
Triorophus LeConte, 1851	X						
Triphalopsis Blaisdell, 1923	X						
Triphalopsoides Doyen, 1990		X					
Triphalus LeConte, 1866	X						
Troglogeneion Aalbu, 1985	X						
Vizcainyx Aalbu & Smith, 2020	X						
Elenophorini Solier, 1837							
Elenophorina Solier, 1837							
Leptoderis Billberg, 1820			X				
= *Elenophorus* Dejean, 1821							
= *Helenophorus* Gemminger, 1870							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Megelenophorina Ferrer, 2015							
Megelenophorus Gebien, 1910		X					
= *Cacicus* Dejean, 1834							
Psammetichus Latreille, 1828		X					
Epitragini Blanchard, 1845							
Aspidolobus Redtenbacher, 1868		X					
Bothrotes Casey, 1907	X	X					
Conoecus Horn, 1885	X						
Cyrtomius Casey, 1907		X					
SG *Cyrtomius* Casey, 1907		X					
SG *Grandicyrtomius* Freude, 1967		X					
Ecnomosternum Gebien, 1928		X					
Epitragella Kulzer, 1958		X					
Epitragodes Casey, 1890	X	X					
Epitragopsis Casey, 1907		X					
Epitragosoma Brown & Triplehorn, 2002	X						
Epitragus Latreille, 1802		X					
SG *Epitragus* Latreille, 1802		X					
= *Lygophilus* Rafinesque, 1815							
= *Aethales* Dejean, 1834							
SG *Gobretus* Freude, 1967		X					
SG *Similepitragus* Freude, 1967		X					
Eunotiodes Casey, 1907		X					
Geoborus Blanchard, 1842		X					
= *Deroplatus* Solier, 1851							
Hemasodes Casey, 1907		X					
Hypselops Solier, 1851		X					
Kaszabus Freude, 1967		X					
Lobometopon Casey, 1907	X	X					
Metopoloba Casey, 1907	X						
Nyctopetus Guérin-Méneville, 1831		X					
Omopheres Casey, 1907		X					
SG *Microomopheres* Freude, 1993		X					
SG *Omopheres* Casey, 1907		X					
Ortheolus Casey, 1907		X					
Parepitragus Casey, 1907		X					
Pechalius Casey, 1907	X	X					
= *Epitragoma* Casey, 1907							
Pectinepitragus Pic, 1927		X					
Penaus Freude, 1968		X					
Phegoneus Casey, 1907	X	X					
SG *Pectphegoneus* Freude, 1968		X					
SG *Phegoneus* Casey, 1907	X	X					
SG *Schoeniphegoneus* Freude, 1968		X					
Phitophilus Guérin-Méneville, 1831		X					
Polemiotus Casey, 1907	X	X					
Pseudortheolus Freude, 1968		X					
Pseudothinobatis Bouchard & Bousquet, **gen. nov.**		X					
Schoenicus LeConte, 1866	X	X					
Stictodere Gebien, 1928		X					
= *Stictoderia* Gebien, 1937							
Tapinocomus Gebien, 1928		X					
Tydeolus Champion, 1884		X					
Erodiini Billberg, 1820							
Ammodoides Lesne, 1915				X			
Ammozoides Kaszab, 1979			X				
Ammozoum Semenov, 1891			X				
Amnodeis Miller, 1858			X				
Anodesis Solier, 1834				X			
Apentanodes Reitter, 1914			X		X		
SG *Apentanodes* Reitter, 1914			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Rasphytus* Kulzer, 1956			X		X		
Arthrodeis Solier, 1834			X	X			
SG *Apentanes* Reitter, 1914			X				
SG *Arthrodeis* Solier, 1834			X	X			
= *Arthrodes* Agassiz, 1846							
SG *Arthrodinus* Reitter, 1900			X				
SG *Kocheria* Antoine, 1946			X	X			
Arthrodibius Lesne, 1915			X	X			
SG *Arthrodibius* Lesne, 1915				X			
SG *Erodibius* Löbl, Bouchard, Merkl & Bousquet, 2020			X	X			
SG *Helioarthrodibius* Koch, 1960				X			
Arthrodion Lesne, 1915				X			
Arthrodosis Reitter, 1900			X				
Arthrodygmus Reitter, 1914					X		
Arthrohyalosis Kaszab, 1979			X				
Arthrohyalus Koch, 1943			X				
Bulbulus Lesne, 1915			X				
Capricephalius Koch, 1943			X				
Diaphanidus Reitter, 1900			X				
SG *Diaphanidus* Reitter, 1900			X				
= *Globularthrodosis* Kaszab, 1979							
SG *Pseudodiaphanidus* Bogatchev, 1950			X				
Diodontes Solier, 1834				X			
Erodinus Reitter, 1900*							
Erodiontes Reitter, 1914			X				
= *Iranarthrodosis* Kaszab, 1959							
Erodius Fabricius, 1775			X				
SG *Dimeriseis* Solier, 1834			X				
SG *Dirosis* Miller, 1858			X				
SG *Eodirosis* Kwieton, 1980			X				
SG *Erodius* Fabricius, 1775			X				
= *Cephacerus* Rafinesque, 1815							
= *Acantophorus* Billberg, 1820							
= *Herodius* Agassiz, 1846							
SG *Zophoserodius* Reitter, 1914			X				
Farsarthrosis Kaszab, 1979			X				
Foleya Peyerimhoff, 1916			X				
Histeromimus Gahan, 1895			X				
Histeromorphus Kraatz, 1865				X			
Hyalarthrodosis Kaszab, 1979			X				
Hyalerodius Kaszab, 1979			X				
Iranerodius Kaszab, 1959			X				
Leptonychoides Schawaller, 1990			X				
Leptonychus Chevrolat, 1833			X				
Piestognathoides Kaszab, 1981			X				
Piestognathus P.H. Lucas, 1858			X				
Somalammodes Koch, 1943				X			
Spyrathus Kraatz, 1865			X		X		
Evaniosomini Lacordaire, 1859							
Achanius Erichson, 1847		X					
SG *Achanius* Erichson, 1847		X					
SG *Ambigatus* Fairmaire, 1892		X					
Aryenis Bates, 1868		X					
Chorasmius Bates, 1868		X					
Evaniosomus Guérin-Méneville, 1834		X					
= *Nochelius* Gistel, 1848							
Evelina J. Thomson, 1860		X					
Melaphorus Guérin-Méneville, 1834		X					
= *Stenholma* Solier, 1835							
= *Raptor* Gistel, 1848							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Melanophorus* Lacordaire, 1859							
Oppenheimeria Koch, 1952				X			
Vaniosus Kulzer, 1956		X					
Falsomycterini Gebien, 1910							
Falsomycterus Pic, 1907		X					
Pteroctenus Kirsch, 1866		X					
Idisiini G.S. Medvedev, 1973							
Idisia Pascoe, 1866			X				
Klewariini Gebien, 1910							
Klewaria Reitter, 1910			X				
Lachnogyini Seidlitz, 1894							
Lachnodactylina Reitter, 1904							
Lachnodactylus Seidlitz, 1898			X				
= *Lachnopus* Seidlitz, 1894							
Lachnogyina Seidlitz, 1894							
Lachnogya Ménétriés, 1849			X		X		
Netuschiliina Ferrer & Yvinec, 2004							
Netuschilia Reitter, 1904			X				
Leptodini Lacordaire, 1859							
Leptodes Dejean, 1834			X				
SG *Leptodes* Dejean, 1834			X				
= *Leptodinopsis* Kaszab, 1959							
SG *Leptodopsis* Haag-Rutenberg, 1879			X				
SG *Mesoleptodes* G.S. Medvedev & Iljina, 2007			X				
SG *Paraleptodes* G.S. Medvedev, 1967			X				
SG *Proleptodes* G.S. Medvedev, 1967			X				
Tapenopsis Solier, 1843			X				
= *Tapinopsis* Agassiz, 1846							
Nycteliini Solier, 1834							
Auladera Solier, 1836		X					
= *Aulacodera* Agassiz, 1846							
Callyntra Solier, 1836		X					
Entomobalia Flores & Triplehorn, 2002		X					
Entomoderes Solier, 1836		X					
Epipedonota Solier, 1836		X					
Gyriosomus Guérin-Méneville, 1834		X					
= *Brachygenius* Dejean, 1836							
Mitragenius Solier, 1836		X					
Nyctelia Berthold, 1827		X					
= *Nyctelius* Guérin-Méneville, 1827							
= *Nyctelioma* Casey, 1908							
Patagonogenius Flores, 1999		X					
Pilobalia Burmeister, 1875		X					
Psectrascelis Solier, 1836		X					
= *Cerostena* Solier, 1836							
= *Stenocera* Agassiz, 1846							
Scelidospecta Kulzer, 1954		X					
Nyctoporini Lacordaire, 1859							
Nyctoporis Eschscholtz, 1831	X						
= *Emeax* Pascoe, 1866							
= *Enneacoides* Fairmaire, 1881							
Phrynocarenini Gebien, 1928							
Phrynocarenum Gebien, 1928		X					
= *Pseudoscotobius* Kulzer, 1955							
Physogasterini Lacordaire, 1859							
Entomochilus Gay & Solier, 1843		X					
Philorea Erichson, 1834		X					
= *Polpocara* Solier, 1843							
Physogaster Lacordaire, 1830		X					
Physogasterinus Kaszab, 1981		X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Pimelosomus Burmeister, 1875		X					
Pimeliini Latreille, 1802							
Afghanopachys Kwieton, 1978			X				
Allotadzhikistania Bogatchev, 1960			X				
Apatopsis Semenov, 1891			X				
Argyradelpha G.S. Medvedev, 2005			X				
Argyrophana Semenov, 1889			X				
Astorthocnemis Lillig & Pavlíček, 2002			X				
Balachowskya Peyerimhoff, 1928			X				
Bogatshevia G.S. Medvedev & Iwan, 2006			X				
= *Achaemenes* Bogatchev, 1949							
Cyclocnera Leo, 2018			X				
Diesia Fischer von Waldheim, 1820			X				
= *Diesiola* Skopin, 1961							
Dietomorpha Reymond, 1938			X				
Earophanta Semenov, 1903			X				
= *Earophila* Semenov, 1903							
= *Earophilina* Strand, 1917							
Euryostola Reitter, 1893			X				
Euthriptera Reitter, 1893			X				
Gedeon Reiche & Saulcy, 1857			X				
Habrobates Semenov, 1903			X				
Habrochiton Semenov, 1907			X				
Homopsis Semenov, 1893			X				
Idiesa Reitter, 1893			X				
Iranolasiostola Pierre, 1968			X				
Iranopachyscelis Pierre, 1968			X				
Kawiria Schuster, 1935			X				
Lasiostola Dejean, 1834			X				
SG *Centrocnemita* Strand, 1935			X				
= *Centrocnemis* Kraatz, 1882							
SG *Lasiocnema* G.S. Medvedev, 1993			X				
SG *Lasiograna* G.S. Medvedev, 1993			X				
SG *Lasiostola* Dejean, 1834			X				
= *Pseudopimelia* Gebler, 1859							
Leucolaephus P.H. Lucas, 1859			X				
= *Mecopisthopus* Karsch, 1881							
Mantichorula Reitter, 1889			X				
Meladiesia Reitter, 1909			X				
Ocnera Fischer von Waldheim, 1822			X				
= *Brachycyphus* Gebler, 1859							
Pachylodera Quedenfeldt, 1890			X				
Pachyscelina Kwieton, 1978			X				
Pachyscelis Solier, 1836			X				
SG *Pachyscelis* Solier, 1836			X				
= *Brachyscelis* Dejean, 1834							
SG *Parapachyscelis* Kwieton, 1978			X				
Paraplatyope Löbl, Bouchard, Merkl & Bousquet, 2020			X				
Pelorocnemis Solsky, 1876			X				
Phymatiotris Solier, 1836			X				
= *Graecopachys* Skopin, 1968							
Pimelia Fabricius, 1775			X	X	X		
SG *Amblyptera* Solier, 1836			X				
SG *Amblypteraca* Mas-Peinado, Buckley, Ruiz & García-París, 2018			X				
SG *Aphanaspis* Wollaston, 1864			X				
SG *Camphonota* Solier, 1836			X				
= *Eurypimelia* Reitter, 1915							
SG *Chaetotoma* Motschulsky, 1860			X				
SG *Ecphoroma* Solier, 1836			X				
SG *Hispanomelia* Mas-Peinado, Buckley, Ruiz & García-París, 2018			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Iberomelia* Mas-Peinado, Buckley, Ruiz & García-París, 2018			X				
SG *Italomelia* Mas-Peinado, Buckley, Ruiz & García-París, 2018			X				
SG *Magrebmelia* Mas-Peinado, Buckley, Ruiz & García-París, 2018			X				
SG *Massadraamelia* Mas-Peinado, Buckley, Ruiz & García-París, 2018			X				
SG *Melanostola* Solier, 1836			X				
= *Balius* Gistel, 1848							
SG *Pimelia* Fabricius, 1775			X	X	X		
= *Pimidia* Rafinesque, 1815							
= *Agelarches* Gistel, 1848							
= *Doderoella* Schuster, 1926							
SG *Pseudamblyptera* Pierre, 1985			X				
Pimeliocnera Reitter, 1909			X				
Pimelipachys Skopin, 1962			X				
Pisterotarsa Motschulsky, 1860			X				
= *Sympiezocnemis* Solsky, 1876							
= *Piesterotarsa* Sénac, 1884							
Platyesia Skopin, 1971			X				
Platyope Fischer von Waldheim, 1820			X				
Podhomala Solier, 1836			X				
SG *Podhomala* Solier, 1836			X				
= *Podomala* Agassiz, 1846							
= *Uriela* Reitter, 1887							
= *Pterocomodes* Reitter, 1901							
SG *Urielina* Reitter, 1888			X				
Polpogenia Solier, 1836				X			
Prionotheca Dejean, 1834			X	X			
Przewalskia Semenov, 1893			X				
Pseudopachyscelis Skopin, 1968			X				
Pseudoplatyope Pierre, 1964			X				
Pseudopodhomala Schuster, 1938			X				
= *Pseudopodhomalina* Kaszab, 1960							
= *Gedrosia* Bogatchev, 1961							
Pseudostorthocnemis Gridelli, 1952			X				
Pterocoma Dejean, 1834			X				
SG *Dzhungaropterocoma* Skopin, 1974			X				
SG *Eupterocoma* Skopin, 1974			X				
SG *Hemipterocoma* Skopin, 1974			X				
SG *Mesopterocoma* Skopin, 1974			X				
SG *Mongolopterocoma* Skopin, 1974			X				
SG *Neopterocoma* Skopin, 1974			X				
SG *Pachypterocoma* Skopin, 1974			X				
SG *Parapterocoma* Skopin, 1974			X				
SG *Poopterocoma* Skopin, 1974			X				
SG *Propterocoma* Skopin, 1974			X				
SG *Pseudopterocoma* Skopin, 1974			X				
SG *Pterocoma* Dejean, 1834			X				
SG *Subpterocoma* Bouchard & Bousquet, **nom. nov.**			X				
= *Pseudopimelia* Motschulsky, 1860							
Pterolasia Solier, 1836			X	X			
Scelace Marseul, 1887			X				
= *Pachyscelodes* Sénac, 1887							
Spectrocnera Kwieton, 1981				X			
Stalagmoptera Solsky, 1876			X				
= *Arnoldiola* Semenov & Bogatchev, 1940							
Sternocnera Skopin, 1964			X				
Sternodes Fischer von Waldheim, 1837			X				
Sternoplax Frivaldszky, 1890			X				
SG *Mesosternoplax* Skopin, 1973			X				
SG *Pachysternoplax* Skopin, 1973			X				
SG *Parasternoplax* Skopin, 1973			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Pseudosternoplax* Skopin, 1973			X				
SG *Sternoplax* Frivaldszky, 1890			X				
= *Pseudeuthriptera* Bogatchev & Kryzhanovskii, 1955							
Sternotrigon Skopin, 1973			X				
Storthocnemis Karsch, 1881			X	X			
Tadzhikistania Bogatchev, 1960			X				
Thriptera Solier, 1836			X	X			
Trachyderma Latreille, 1828			X	X		*X*	
SG *Atrachyderma* Skopin, 1962			X				
SG *Trachyderma* Latreille, 1828			X	X		*X*	
Trigonocnera Reitter, 1893			X				
Trigonopachys Skopin, 1968			X				
Trigonoscelis Dejean, 1834			X				
SG *Chinotrigon* Skopin, 1973			X				
SG *Echinotrigon* Skopin, 1973			X				
SG *Trigonoscelis* Dejean, 1834			X				
Waterhousia Skopin, 1973			X				
= *Heinrichesia* Carl, 2000							
Praociini Eschscholtz, 1829							
Antofagapraocis Flores, 2000		X					
Asidelia Fairmaire, 1905		X					
Calymmophorus Solier, 1841		X					
= *Calymmatophorus* Gemminger, 1870							
Eutelocera Solier, 1841		X					
= *Euteleocera* Agassiz, 1846							
Falsopraocis Kulzer, 1958		X					
Gyrasida Koch, 1962		X					
Neopraocis Kulzer, 1958		X					
Parapraocis Flores & Giraldo, 2020		X					
Patagonopraocis Flores & Chani-Posse, 2005		X					
Pilobaloderes Kulzer, 1958		X					
Platesthes G.R. Waterhouse, 1845		X					
Platyholmus Dejean, 1834		X					
= *Platyolmus* Burmeister, 1875							
= *Edrotopus* Haag-Rutenberg, 1877							
Praocidia Fairmaire, 1904		X					
Praocis Eschscholtz, 1829		X					
SG *Anthrasomus* Guérin-Méneville, 1834		X					
= *Anthracosomus* Agassiz, 1846							
SG *Filotarsus* Solier, 1841		X					
SG *Hemipraocis* Flores & Pizarro-Araya, 2014		X					
SG *Mesopraocis* Flores & Pizarro-Araya, 2014		X					
SG *Orthogonoderes* Solier, 1841		X					
= *Aulacus* Gray, 1832							
= *Eurygona* Laporte, 1840							
SG *Postpraocis* Flores & Pizarro-Araya, 2014		X					
SG *Praocida* Flores & Pizarro-Araya, 2014		X					
SG *Praocis* Eschscholtz, 1829		X					
= *Arctylus* Dejean, 1834							
SG *Praonoda* Flores & Pizarro-Araya, 2014		X					
Thylacoderes Solier, 1843		X					
Sepidiini Eschscholtz, 1829							
Hypomelina Koch, 1955							
Argenticrinis Louw, 1979				X			
Bombocnodulus Koch, 1955				X			
Brinckia Koch, 1962				X			
Hypomelus Solier, 1843				X			
Iugidorsum Louw, 1979				X			
Sulcipectus Louw, 1979				X			
Trachynotidus Péringuey, 1899				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Triangulipenna Louw, 1979				X			
Uniungulum Koch, 1962				X			
Molurina Solier, 1834							
Amiantus Fåhraeus, 1870				X			
Arturium Koch, 1951				X			
Brachyphrynus Fairmaire, 1882				X			
Chiliarchum Koch, 1953				X			
Dichtha Haag-Rutenberg, 1871				X			
Distretus Haag-Rutenberg, 1871				X			
SG *Distretus* Haag-Rutenberg, 1871				X			
SG *Perdistretus* Koch, 1953				X			
Euphrynus Fairmaire, 1897				X			
Glyptophrynus Fairmaire, 1899				X			
Huilamus Koch, 1953				X			
Melanolophus Fairmaire, 1882				X			
Moluris Latreille, 1802				X			
= *Physodera* Solier, 1843							
Ocnodes Fåhraeus, 1870				X			
= *Phanerotoma* Solier, 1843							
= *Phanerotomea* Koch, 1958							
Phrynocolus Lacordaire, 1859				X			
SG *Phrynocolopsis* Koch, 1951				X			
SG *Phrynocolus* Lacordaire, 1859				X			
= *Cryptogenius* Solier, 1843							
SG *Spinophrynus* Koch, 1951				X			
Phrynophanes Koch, 1951				X			
Physophrynus Fairmaire, 1882				X			
Psammodes W. Kirby, 1819				X			
= *Piesomera* Solier, 1843							
= *Psammodophysis* Péringuey, 1899							
= *Parmularia* Koch, 1955							
Psammophanes Lesne, 1922				X			
SG *Psammolophus* Koch, 1953				X			
SG *Psammophanes* Lesne, 1922				X			
SG *Psammophrynopsis* Koch, 1953				X			
SG *Psammophrynus* Koch, 1953				X			
SG *Psammostretus* Koch, 1953				X			
SG *Psammotyriopsis* Koch, 1953				X			
SG *Somalarabes* Koch, 1953				X			
Psammoryssus Kolbe, 1886				X			
Psammotyria Koch, 1953				X			
Stridulomus Koch, 1955				X			
Tarsocnodes Gebien, 1920				X			
Tibiocnodes Gearner & Kamiński, 2021				X			
Toktokkus Kamiński & Gearner, 2020				X			
Tuberocnodes Gearner & Kamiński, 2021				X			
Oxurina Koch, 1955							
Decoriplus Louw, 1979				X			
Miripronotum Louw, 1979				X			
Namibomodes Koch, 1952				X			
Oxura W. Kirby, 1819				X			
= *Oxyura* Agassiz, 1846							
Palpomodes Koch, 1952				X			
SG *Palpomodes* Koch, 1952				X			
SG *Pygmaeodes* Koch, 1952				X			
Pterostichula Koch, 1952				X			
SG *Pterostichula* Koch, 1952				X			
SG *Ripicolodes* Koch, 1952				X			
Stenethmus Gebien, 1937				X			
Synhimba Koch, 1952				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Sepidiina Eschscholtz, 1829							
Dimoniacis Koch, 1958				X			
Echinotus Solier, 1843				X			
Peringueyia Koch, 1958				X			
Sepidiopsis Gestro, 1892				X			
Sepidiostenus Fairmaire, 1884				X			
= *Sepidiacis* Fairmaire, 1884							
Sepidium Fabricius, 1775			X	X			
= *Espidium* Rafinesque, 1815							
Vieta Laporte, 1840			X	X			
= *Dymonus* Solier, 1843							
= *Divieta* Reitter, 1914							
Vietomorpha Fairmaire, 1887				X			
Trachynotina Koch, 1955							
Cyrtoderes Dejean, 1834				X			
= *Phligra* Laporte, 1840							
Epairopsis Koch, 1955				X			
Ethmus Haag-Rutenberg, 1873				X			
SG *Ethmomerus* Koch, 1954				X			
SG *Ethmophobes* Koch, 1954				X			
SG *Ethmus* Haag-Rutenberg, 1873				X			
= *Tynthlobia* Fairmaire, 1888							
Histrionotus Koch, 1955				X			
Microphligra Koch, 1955				X			
Ossiporis Pascoe, 1866				X			
= *Epairops* Fåhraeus, 1870							
Oxycerus Koch, 1955				X			
Somaticus Hope, 1841				X			
SG *Acromaticus* Koch, 1955				X			
SG *Bechuanitis* Koch, 1955				X			
SG *Ceromelaephus* Koch, 1955				X			
SG *Clinocranion* Solier, 1843				X			
SG *Diacis* Koch, 1955				X			
SG *Somaticus* Hope, 1841				X			
= *Gonopterus* Solier, 1843							
SG *Tracheloeum* Hope, 1841				X			
SG *Trachyderes* Koch, 1955				X			
SG *Trichotrachys* Koch, 1955				X			
SG *Trichotrichus* Koch, 1955				X			
SG *Tropitrachys* Koch, 1955				X			
Trachynotus Latreille, 1828				X			
= *Hipomelus* Dejean, 1834							
Trichethmus Gebien, 1937				X			
Stenosini Schaum, 1859 (1834)							
Araeoschizina Casey, 1907							
Araeoschizus LeConte, 1851	X						
Dichillina Reitter, 1916							
Afghanillus Kaszab, 1960			X				
Anchomma LeConte, 1858	X						
Aspidocephalus Motschulsky, 1839			X				
Dichillus Jacquelin du Val, 1860			X				
SG *Dichillesthes* Reitter, 1916			X				
SG *Dichillinus* Reitter, 1916			X				
SG *Dichillocerus* Reitter, 1916			X				
SG *Dichillodontus* Reitter, 1916			X				
SG *Dichillomessor* Reitter, 1916			X		X		
SG *Dichillus* Jacquelin du Val, 1860			X				
SG *Myrmecodichillus* Kaszab, 1960			X				
SG *Pushtunillus* G.S. Medvedev, 1995			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Discopleurus Lacordaire, 1859		X					
= *Pleurophorus* Solier, 1851							
Herbertfranzia Kaszab, 1973					X		
Herbertfranziella Kaszab, 1973			X		X		
Hexagonochilus Solier, 1851		X					
Indochillus Koch, 1941					X		
Microtelus Solier, 1838			X				
Nepalofranziella Fouquè, 2013					X		
Oogaster Faldermann, 1837			X				
Pseudethas Fairmaire, 1896			X		X		
SG *Pseudethas* Fairmaire, 1896			X		X		
= *Schizillus* Wasmann, 1899							
= *Dischizillus* Wasmann, 1902							
SG *Stenillus* Blair, 1927			X				
Pseudochillus Fouquè, 2015					X		
SG *Kaszabochillus* Fouquè, 2015					X		
SG *Micropseudochillus* Fouquè, 2015					X		
SG *Pseudochillus* Fouquè, 2015					X		
Reitterella Semenov, 1891			X				
Harvengiina Ferrer, 2004							
Harvengia Ferrer, 2004					X		
Platamodina Reitter, 1900							
Fitzsimonsium Koch, 1962				X			
= *Fitzsimonsia* Koch, 1955							
Microblemma Semenov, 1889			X				
Platamodes Ménétriés, 1849			X				
Stenosina Schaum, 1859 (1834)							
Anethas Jakobson, 1924				X			
SG *Afrethas* Koch, 1962				X			
SG *Anethas* Jakobson, 1924				X			
= *Pseudethas* Fairmaire, 1898							
SG *Tetrethas* Koch, 1962				X			
Caribanosis Nabozhenko, Kirejtshuk, Merkl, Varela, Aalbu & Smith, 2016		X					
Ecnomoderes Gebien, 1928		X					
Ethas Pascoe, 1862					X		
Eutagenia Reitter, 1886			X				
Gebieniella Koch, 1940					X		
Grammicus G.R. Waterhouse, 1845		X					
Indostola G.S. Medvedev, 1991					X		
Itampolis Koch, 1962				X			
Microtelopsis Koch, 1940			X		X		
SG *Extetranosis* Koch, 1940					X		
SG *Hypermicrotelopsis* Koch, 1940			X				
SG *Microtelopsis* Koch, 1940					X		
SG *Tetranosis* G.S. Medvedev, 1995			X		X		
Mitotagenia Reitter, 1916			X	X			
Perdicus Fairmaire, 1899				X			
Renefouqueosis Aalbu, Smith, Kanda & Bouchard, 2017		X					
Schizaraeus Kulzer, 1955		X					
Schusteriella Koch, 1940				X			
Stenosethas Kaszab, 1975					X		
Stenosis Herbst, 1799			X	X	X		
SG *Afronosis* G.S. Medvedev, 1995				X			
SG *Burmanosis* G.S. Medvedev, 1995					X		
SG *Indianosis* Koch, 1941					X		
SG *Stenosidops* Koch, 1940				X			
SG *Stenosis* Herbst, 1799			X	X	X		
= *Tagenia* Latreille, 1802							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Tagenostola Reitter, 1916			X		X		
Tetranillus Wasmann, 1899			X		X		
Timosmithus Ardoin, 1974				X			
Typhlusechina Casey, 1907							
Typhlusechus Linell, 1897	X						
Stenosini *incertae sedis*							
†*Miostenosis* Wickham, 1913							
Tentyriini Eschscholtz, 1831							
Abigopsis Escalera, 1914			X				
Afrinus Fairmaire, 1888				X			
SG *Afrinus* Fairmaire, 1888				X			
= *Nerina* Lacordaire, 1859							
SG *Gynandrocera* Gebien, 1920				X			
SG *Palpafrina* Koch, 1950				X			
Alcinoeta Strand, 1929			X				
= *Alcinoe* Ménétriés, 1849							
= *Allodengitha* Bogatchev, 1963							
Amblycarenum Gebien, 1910			X				
= *Amblycara* Fairmaire, 1893							
Ammogiton Peyerimhoff, 1920			X				
Anatolica Eschscholtz, 1831			X				
SG *Anatolica* Eschscholtz, 1831			X				
SG *Eurepipleura* Bogdanov-Katjkov, 1915			X				
Aphrotus Péringuey, 1904				X			
= *Xenus* Péringuey, 1899							
Archinamibia Koch, 1952				X			
Asphaltesthes Kraatz, 1865				X			
SG *Asphaltesthes* Kraatz, 1865				X			
SG *Tagenesthes* Koch, 1941				X			
Broomium Koch, 1950				X			
Calyptopsis Solier, 1835			X				
= *Choristopsis* Kraatz, 1865							
Cantopipleurus Koch, 1943				X			
Capnisiceps Chatanay, 1914				X			
Catomulus Reitter, 1897			X				
Cimipsa Peyerimhoff, 1911			X				
= *Cirta* Gemminger, 1870							
Colposcelis Dejean, 1834			X				
SG *Colposcelis* Dejean, 1834			X				
SG *Colposceloides* Schuster, 1940			X				
SG *Colposcythis* Reitter, 1889			X				
SG *Scelocolpis* Reitter, 1900			X				
SG *Turcmenicola* Bogatchev, 1952			X				
Colposphena Semenov, 1889			X				
Craniosphena Koch, 1962				X			
Cychrachna Koch, 1950				X			
Cyphostethe Marseul, 1867			X	X			
SG *Apterocyphostethe* Kaszab, 1962			X				
SG *Cyphostethe* Marseul, 1867			X	X			
= *Asphena* Semenov, 1889							
SG *Cyphostethoides* Löbl & Merkl, 2020			X				
SG *Derostethe* Koch, 1950				X			
SG *Himastethe* Koch, 1950				X			
SG *Trichostethe* Koch, 1950				X			
Dailognatha Steven, 1828			X				
= *Delognatha* Agassiz, 1846							
Dengitha Reitter, 1887			X				
Derosphaerius Westwood, 1881				X			
SG *Apterosphaeria* Koch, 1950				X			
SG *Derosphaerius* Westwood, 1881				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Derostrophus* Fairmaire, 1888							
= *Oatesius* Westwood, 1889							
SG *Epityria* Koch, 1950				X			
Dichomma Solier, 1835			X				
Dividiopsa Koch, 1944				X			
Epitrichia Gebler, 1859			X				
Eschatostena Keleinikova, 1977			X				
Eulipus Wollaston, 1864			X				
= *Mogadoria* Escalera, 1905							
Eusyntelia C.O. Waterhouse, 1881				X			
Falsocatomulus Pic, 1914			X				
= *Microhionthis* Blair, 1923							
Freudeia Kaszab, 1961					X		
Freyitia Koch, 1943					X		
Girardius L. Soldati, 2009			X				
Gnathosia Fischer von Waldheim, 1821			X				
= *Capnisa* Dejean, 1836							
Gnophota Erichson, 1843				X			
Hegeter Latreille, 1802			X	X			
SG *Hegeter* Latreille, 1802			X	X			
SG *Homalapipleurus* Español, 1957			X				
SG *Pseudotalpophila* Reitter, 1900			X				
Hegeterocara Reitter, 1900			X				
= *Fourtaus* Pic, 1921							
Herlesa Reitter, 1897			X				
Hionthis Miller, 1861			X				
Homala Eschscholtz, 1831				X			
= *Omala* Agassiz, 1846							
Homalinota Koch, 1950				X			
= *Homalopsis* Lesne, 1922							
Homoeonota Fairmaire, 1882			X	X			
= *Isonota* Fairmaire, 1887							
Hyonthosoma Reitter, 1900			X				
= *Hionthisoma* Gebien, 1937							
Hyperops Eschscholtz, 1831			X	X	X		
SG *Belutschistanops* Löbl, Bouchard, Merkl & Bousquet, 2020			X	X	X		
SG *Debeauxiella* Bouchard & Bousquet, **subgen. nov.**					X		
SG *Hyperops* Eschscholtz, 1831			X	X	X		
= *Pachycera* Eschscholtz, 1831							
= *Tetromma* Dejean, 1834							
= *Oedenocera* Reiche, 1862							
SG *Hyperopsis* Bouchard & Bousquet, **subgen. nov.**					X		
SG *Pachycerops* Koch, 1943					X		
Hypsosoma Ménétriés, 1854			X				
Imatismus Dejean, 1834			X	X	X		
SG *Himatismus* Erichson, 1843				X			
SG *Imatismus* Dejean, 1834			X	X	X		
= *Curimosphena* Gebien, 1920							
Kokeniella Reitter, 1906					X		
Leptosphena Semenov, 1891			X				
Megagenius Solier, 1835			X				
Melanochrus Wollaston, 1864			X				
= *Melasmocara* Reitter, 1900							
Melaxumia Reitter, 1895			X				
Mesostena Eschscholtz, 1831			X	X			
SG *Mesostena* Eschscholtz, 1831			X	X			
= *Comphosida* Macquart, 1850							
SG *Mesostenopa* Kraatz, 1865			X	X			
SG *Platystena* Koch, 1940				X			
SG *Saxistena* Löbl & Merkl, 2020			X	X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Micipsa P.H. Lucas, 1855			X	X			
SG *Cirsa* P.H. Lucas, 1857			X				
= *Cyrta* Lacordaire, 1859							
SG *Micipsa* P.H. Lucas, 1855			X	X			
Microdera Eschscholtz, 1831			X				
SG *Amicrodera* Kaszab, 1966			X				
SG *Dordanea* Reitter, 1887			X				
= *Adordanea* Reitter, 1897							
SG *Falsomicrodera* Kaszab, 1966			X				
SG *Iliodera* Skopin, 1961			X				
SG *Microdera* Eschscholtz, 1831			X				
= *Rhostax* Fischer von Waldheim, 1844							
SG *Tentyrodera* Koch, 1943			X				
Microderopsis Haag-Rutenberg, 1876				X			
Namaquaeon Koch, 1950				X			
Namibismus Koch, 1952				X			
Neognathosia Kaszab, 1959			X				
Nerinodon Koch, 1952				X			
Nothrocerus Fairmaire, 1887				X			
Orostegastopsis Koch, 1962				X			
Oterophloeus Desbrochers des Loges, 1881			X				
= *Tynteria* Reitter, 1897							
Oxycara Solier, 1835			X	X	X		
SG *Oxycara* Solier, 1835			X	X	X		
= *Emmenastus* Motschulsky, 1845							
= *Melancrus* Reiche & Saulcy, 1857							
= *Crypticoides* Fairmaire, 1898							
SG *Pleuroxycara* Koch, 1959				X			
SG *Symphoxycara* Koch, 1943			X	X			
Oxycarops Reitter, 1900			X				
Pachychila Eschscholtz, 1831			X				
SG *Anebacis* Peyerimhoff, 1927			X				
SG *Hegeteromorpha* Escalera, 1913			X				
SG *Neocisba* Reitter, 1900			X				
= *Neacisba* Peyerimhoff, 1927							
SG *Pachychila* Eschscholtz, 1831			X				
= *Acisba* Dejean, 1834							
= *Lophoma* Solier, 1835							
= *Pachychile* Lacordaire, 1859							
SG *Pachychilina* Reitter, 1900			X				
SG *Tentyromorpha* Escalera, 1913			X				
= *Tentyriomorpha* Peyerimhoff, 1927							
Paivaea Wollaston, 1864			X				
= *Paivea* Scudder, 1882							
Parabigopsis Español, 1946			X				
Paracirta Schuster, 1930			X				
Paulianesthes Koch, 1962				X			
Phaeotribon Kraatz, 1865			X	X			
Prochoma Solier, 1835			X		X		
SG *Oxypistoma* Löbl, Bouchard, Merkl & Bousquet, 2020			X		X		
SG *Prochoma* Solier, 1835			X				
Psammocryptus Kraatz, 1865			X				
Psammoica Solier, 1835			X				
= *Psammoeca* Agassiz, 1846							
Rhammatodes Haag-Rutenberg, 1876				X			
SG *Angoleantus* Koch, 1952				X			
SG *Rhammatodes* Haag-Rutenberg, 1876				X			
= *Euleantus* Haag-Rutenberg, 1876							
= *Tagenodes* Haag-Rutenberg, 1876							
= *Asbolius* Fairmaire, 1902							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Rhomaleus Chatanay, 1915			X	X			
Rhytinota Eschscholtz, 1831				X	X		
SG *Nemapus* Solier, 1835					X		
= *Melarachnica* Kraatz, 1865							
SG *Prorhytinota* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Rhydimorpha* Koch, 1943					X		
SG *Rhytinota* Eschscholtz, 1831				X			
= *Rhytidonota* Agassiz, 1846							
= *Axumia* Reiche, 1848							
SG *Rhytistena* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Sphenariopsis* Kraatz, 1865					X		
Rozonia Fairmaire, 1888				X			
SG *Pseudorozonia* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Rozonia* Fairmaire, 1888				X			
Scelosodis Solier, 1835			X				
= *Cratopus* Eschscholtz, 1831							
= *Sceleoides* Agassiz, 1846							
= *Abiga* Guérin-Méneville, 1860							
= *Sceleodis* Gemminger, 1870							
Schweinfurthia Andres, 1922			X	X			
Scythis Kraatz, 1865			X				
= *Semenovonymus* Bogatchev, 1946							
= *Megascythis* Keleinikova, 1963							
Scytosoma Reitter, 1895			X				
= *Scythodonta* Reitter, 1897							
Sinoecia Chatanay, 1914			X				
Sphenaria Ménétriés, 1849			X				
Stegastopsis Kraatz, 1865			X				
= *Ohyonthis* Reitter, 1898							
Stenosida Solier, 1835					X	*X*	
= *Notioscythis* Fairmaire, 1883							
= *Aprosphaena* Reitter, 1916							
Syachis Bates, 1879			X				
= *Orocina* Reitter, 1897							
Tamena Reitter, 1900			X				
Tentyria Latreille, 1802			X				
= *Heliodromus* Brullé, 1832							
Tentyrina Reitter, 1900			X	X			
= *Tentyriina* Peyerimhoff, 1907							
Tentyronota Reitter, 1900			X				
Thalpobia Fairmaire, 1871			X				
= *Micipsina* Reitter, 1900							
Thalpophilodes Strand, 1942				X			
SG *Kaszabiella* Koch, 1943				X			
SG *Rhytinopsis* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Thalpophilodes* Strand, 1942				X			
= *Thalpophila* Solier, 1835							
Thraustocolus Kraatz, 1866			X	X			
SG *Leptoderops* Löbl, Bouchard, Merkl & Bousquet, 2020			X	X			
SG *Prothraustocola* Kaszab, 1957			X				
SG *Thraustocolus* Kraatz, 1866			X				
= *Calobamon* Kraatz, 1865							
= *Ibnsaudia* Koch, 1941							
Trichosphaena Reitter, 1916			X	X			
Uyttenboogaartia Koch, 1943			X				
Thinobatini Lacordaire, 1859							
Cordibates Kulzer, 1956		X					
Thinobatis Eschscholtz, 1831		X					
Trilobocarini Lacordaire, 1859							
Derosalax Gebien, 1926		X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Eremoecus Lacordaire, 1859		X					
Peltolobus Lacordaire, 1859		X					
= *Megalophrys* G.R. Waterhouse, 1845							
= *Alhuena* Kulzer, 1956							
Salax Guérin-Méneville, 1834		X				*X*	
= *Pilioloba* Erichson, 1846							
Trilobocara Solier, 1851		X					
= *Edrotinus* Fairmaire, 1904							
= *Orthonychius* Gebien, 1926							
Vacronini Gebien, 1910							
Alaephus Horn, 1870	X						
= *Vacronus* Casey, 1907							
Eupsophulus Cockerell, 1906	X						
= *Eupsophus* Horn, 1870							
Exangeltus Blackburn, 1897						X	
Lixionica Blackburn, 1896						X	
Zophosini Solier, 1834							
Zophosis Latreille, 1802			X	X	X		
SG *Anacardiosis* Endrödy-Younga, 1986				X			
SG *Anisosis* Deyrolle, 1867				X			
SG *Calosis* Deyrolle, 1867				X			
SG *Cardiosis* Deyrolle, 1867			X	X			
SG *Caroliphosis* Penrith, 1981				X			
SG *Carpiella* Koch, 1962				X			
SG *Cerosis* Gebien, 1920				X			
SG *Cheirosis* Deyrolle, 1867			X	X			
= *Chirosis* Gemminger, 1870							
SG *Dactylocalcar* Gebien, 1938				X			
SG *Dignathosis* Koch, 1958				X			
SG *Gahanosis* Penrith, 1983				X			
SG *Gyrosis* Gebien, 1920				X			
SG *Heliophosis* Koch, 1952				X			
SG *Hesseosis* Koch, 1958				X			
SG *Hologenosis* Deyrolle, 1867			X	X			
SG *Latipleurosis* Penrith, 1977				X			
SG *Microsis* Koch, 1958				X			
SG *Myrmecophosis* Koch, 1958				X			
SG *Namaphosis* Penrith, 1981				X			
SG *Occidentophosis* Penrith, 1977				X			
SG *Oculosis* Penrith, 1977			X	X			
SG *Onychosis* Deyrolle, 1867				X			
SG *Ophthalmosis* Deyrolle, 1867			X	X			
SG *Planirostrosis* Penrith, 1977				X			
SG *Propemicrosis* Penrith, 1981				X			
SG *Protocalosis* Penrith, 1977				X			
SG *Protodactylus* Koch, 1952				X			
= *Zophosodactylus* Koch, 1962							
SG *Sabulophosis* Penrith, 1977				X			
SG *Scopulophosis* Penrith, 1977				X			
SG *Septentriophosis* Penrith, 1982			X	X	X		
SG *Sulcosis* Penrith, 1977				X			
SG *Tarsosis* Gebien, 1920				X			
SG *Zophosis* Latreille, 1802				X			
= *Calcarosis* Penrith, 1977							
= *Predactylosis* Penrith, 1977							
Zolodininae Watt, 1975							
†*Praezolodinus* Bao, 2020							
Tanylypa Pascoe, 1869						X	
Zolodinus Blanchard, 1853						X	
Lagriinae Latreille, 1825 (1820)							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Adeliini W. Kirby, 1828							
Adelium W. Kirby, 1819						X	
= *Dystalica* Pascoe, 1869							
= *Rues* Casey, 1891							
= *Tropidopterus* Cazurro Ruiz, 1897							
Adelodemus Haag-Rutenberg, 1878						X	
= *Apostethus* Pascoe, 1882							
Adelozotypus Kaszab, 1982						X	
Aoupinia Matthews, 2003						X	
Apasis Pascoe, 1869						X	
Apocryphodes Matthews, 1998						X	
Arcothymus Pascoe, 1866						X	
Bellendenum Matthews, 1998						X	
Blepegenes Pascoe, 1868						X	
= *Ceradelium* Preudhomme de Borre, 1868							
Bluops Carter, 1914						X	
Bolusculus Matthews, 1998						X	
Brycopia Pascoe, 1869						X	
= *Dinoria* Pascoe, 1869							
Cardiothorax Motschulsky, 1860						X	
= *Thoracophorus* Hope, 1841							
= *Atryphodes* Pascoe, 1866							
= *Otrintus* Pascoe, 1866							
Coripera Pascoe, 1866						X	
Cymbeba Pascoe, 1866						X	
Daedrosis Bates, 1868						X	
= *Macroperas* Carter, 1914							
Diaspirus Matthews, 1998						X	
Dicyrtodes Matthews, 1998						X	
Diemenoma Matthews, 1998						X	
Dorrigonum Matthews, 1998						X	
Epomidus Matthews, 1998						X	
Exadelium Watt, 1992						X	
Gondvanadelium Kaszab, 1981		X					
Isopteron Hope, 1841						X	
= *Cestrinus* Erichson, 1842							
= *Isopterum* Agassiz, 1846							
= *Apatelus* Mulsant & Rey, 1859							
= *Prionotus* Mulsant & Rey, 1859							
= *Achora* Pascoe, 1869							
= *Priothorax* Gebien, 1910							
Kaszabadelium Watt, 1992						X	
Leptogastrus W.J. MacLeay, 1872						X	
Licinoma Pascoe, 1869		X				X	
Mesopatrum Broun, 1893						X	
Montaguea Kaszab, 1982						X	
Monteithium Matthews, 1998						X	
Neoadelium Carter, 1908						X	
= *Pseudadelium* Kaszab, 1982							
Nolicima Matthews, 1998						X	
Nototrintus Carter, 1924						X	
Ozotypoides Kaszab, 1982						X	
Penadelium Matthews, 1998		X					
Periatrum Sharp, 1886						X	
Pheloneis Pascoe, 1866						X	
= *Amarosoma* Redtenbacher, 1868							
Pseudobyrsax Kaszab, 1982						X	
Pseudocilibe Kaszab, 1982						X	
Pseudopatrum Sharp, 1886						X	
= *Mitua* Hope, 1848							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Seirotrana Pascoe, 1866						X	
Stenadelium Watt, 1992						X	
Valdivium Matthews, 1998		X					
Wattadelium Emberson, 2000						X	
= *Edalus* Broun, 1893							
Yarranum Matthews, 1998						X	
Zeadelium Watt, 1992						X	
Belopini Reitter, 1917							
Adelonia Laporte, 1840	X	X					
SG *Adelonia* Laporte, 1840	X	X					
= *Merotemnus* Horn, 1870							
= *Rhacius* Champion, 1885							
= *Ostorius* Fairmaire, 1889							
SG *Latorhascius* Pic, 1925		X					
Centorus Mulsant, 1854			X	X			
SG *Belopomerus* Reitter, 1920			X				
SG *Belopus* Gebien, 1911			X	X			
= *Calcar* Dejean, 1821							
= *Hemeralopius* Gistel, 1848							
SG *Centorus* Mulsant, 1854			X				
SG *Nanocalcar* Skopin, 1974			X				
Doyenia Matthews & Lawrence, 2005						X	
Euclarkia Lea, 1919						X	
Eulea Carter, 1937						X	
Exeniotis Pascoe, 1871		X					
Kershawia Lea, 1905						X	
Rhypasma Pascoe, 1862		X					
= *Derosimus* Fairmaire, 1904							
Thoseus Pic, 1925					X		
†*Yantaroxenos* Nabozhenko, Kirejtshuk & Merkl, 2016							
Chaerodini Doyen, Matthews & Lawrence, 1990							
Chaerodes White, 1846						X	
= *Choerodes* Gemminger, 1870							
Sphargeris Pascoe, 1860						X	
Cossyphini Latreille, 1802							
Cossyphus G.-A. Olivier, 1791			X	X	X	*X*	
SG *Acontodactylus* Desbrochers des Loges, 1894			X	X	X	*X*	
= *Paracossyphus* Viñolas & Cartagena, 2005							
SG *Cossyphus* G.-A. Olivier, 1791			X	X	X		
Endustomus Brême, 1842				X			
= *Endostomus* Gemminger, 1870							
= *Endostostomus* Jakobson, 1914							
Eschatoporiini Blaisdell, 1906							
Eschatoporis Blaisdell, 1906	X						
Goniaderini Lacordaire, 1859							
Acropachia Mäklin, 1875		X					
Anaedus Blanchard, 1842	X	X	X	X	X		
= *Aspisoma* Duponchel & Chevrolat, 1841							
= *Anaedes* Agassiz, 1846							
= *Aspidosoma* Agassiz, 1846							
Gamaxus Bates, 1868		X					
Goniadera Perty, 1832		X					
SG *Aemymone* Bates, 1868		X					
SG *Goniadera* Perty, 1832		X					
= *Goniodera* Agassiz, 1846							
SG *Opatresthes* Gebien, 1928		X					
Lyprochelyda Fairmaire, 1899				X			
= *Basanaedus* Pic, 1917							
Microanaedus Pic, 1923				X			
Microgoniadera Pic, 1917		X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Microlyprops Kaszab, 1939					X		
Myrmecopeltoides Kaszab, 1973		X					
Paratenetus Spinola, 1845	X	X					
= *Lagriola* Kirsch, 1874							
= *Storthephora* Mäklin, 1875							
Pengalenganus Pic, 1917					X	X	
Phobelius Blanchard, 1842		X					
Phymatestes Pascoe, 1866		X					
= *Phymatodes* Dejean, 1834							
Prateus LeConte, 1862	X	X					
Pseudanaedus Gebien, 1921				X			
Pseudolyprops Fairmaire, 1882						X	
= *Trichulodes* Carter, 1914							
Spinadaenus Pic, 1921					X		
Tithassa Pascoe, 1860		X					
Xanthicles Champion, 1886		X					
†Gonialaenini Nabozhenko, Bukejs & Telnov, 2019							
†*Gonialaena* Nabozhenko, Bukejs & Telnov, 2019							
Laenini Seidlitz, 1895							
Afrolaena Endrödy-Younga & Schawaller, 2002				X			
Borneolaena Schawaller, 1998					X		
Chaetyllus Pascoe, 1860		X					
= *Polytropus* Kirsch, 1866							
= *Rhicnodus* Fairmaire, 1892							
Enigmatica Ferrer, 2005				X			
Grabulax Kanda, 2016		X					
Hovadelium Ardoin, 1962				X			
Hypolaenopsis Masumoto, 2001			X				
Laena Dejean, 1821			X		X		
= *Catolaena* Reitter, 1900							
= *Psilolaena* Heller, 1923							
= *Ebertius* Jedlička, 1965							
Lucidolaena Endrödy-Younga & Schawaller, 2002				X			
Mimolaena Ardoin, 1962				X			
Nepalolaena Schawaller, 2001					X		
Prolaena Kaszab, 1980					X		
Rhacolaena Kaszab, 1979					X		
Lagriini Latreille, 1825 (1820)							
Lagriina Latreille, 1825 (1820)							
Acerogria Borchmann, 1936						X	
= *Birolagria* Pic, 1956							
Acritolagria Borchmann, 1916				X			
Acutogria Merkl, 1988						X	
Adosogria Borchmann, 1936				X			
Adynata Fåhraeus, 1870			X	X			
= *Microlagria* Seidlitz, 1898							
Alagria Borchmann, 1916				X			
= *Lagriostira* Kolbe, 1902							
Allogria Borchmann, 1916				X			
Anotoma Borchmann, 1936				X			
Aulonogria Borchmann, 1929					X		
Bequaertiella Pic, 1914				X			
Bothrichara Borchmann, 1916						X	
Bothrionota Borchmann, 1936					X		
Bothynogria Borchmann, 1916			X		X		
Calogria Borchmann, 1916						X	
Ceratoma Borchmann, 1916*							
Cerogria Borchmann, 1911			X	X	X	X	
SG *Cerogria* Borchmann, 1911			X	X	X	X	
= *Cerogriodes* Borchmann, 1941							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Aeschrocera* Chen & Chou, 1996							
SG *Drepanomela* Borchmann, 1936						X	
SG *Parogria* Borchmann, 1936				X			
Cerostira Borchmann, 1942				X			
= *Allocera* Borchmann, 1916							
Chilenolagria Pic, 1936		X					
Chrysolagria Seidlitz, 1898			X	X			
Costiferolagria Pic, 1915					X		
= *Auristira* Borchmann, 1916							
Ctenogria Borchmann, 1916					X		
Derolagria Borchmann, 1916				X			
Ecnocera Borchmann, 1936				X			
Ecnolagria Borchmann, 1916						X	
SG *Ecnolagria* Borchmann, 1916						X	
SG *Onocera* Borchmann, 1936						X	
Emydodes Pascoe, 1860		X					
Falsolagria Pic, 1927		X					
Flabellolagria Pic, 1927				X			
Gronophora Borchmann, 1916						X	
Helogria Borchmann, 1916					X		
Kaindilagria Merkl, 1988						X	
Lagria Fabricius, 1775		*X*	X	X	X	X	
SG *Ammocera* Borchmann, 1941			X		X		
SG *Apteronympha* Seidlitz, 1898			X	X			
SG *Grandelagria* Pic, 1940				X			
SG *Lagria* Fabricius, 1775		*X*	X	X	X	X	
= *Lachna* Billberg, 1820							
SG *Lagriella* Borchmann, 1916				X	X		
Lagriopsis Borchmann, 1916						X	
Lopholagria Borchmann, 1916				X			
SG *Lopholagria* Borchmann, 1916				X			
SG *Mokalagria* Pic, 1953				X			
Lorona Borchmann, 1936					X		
Mallogria Borchmann, 1936				X			
Metriolagria Merkl, 1987						X	
Mimolagria Pic, 1927		X					
Minasius Pic, 1932		X					
Neogria Borchmann, 1911					X		
= *Lagriomima* Pic, 1950 **syn. nov.**							
Nothogria Borchmann, 1916						X	
Odontogria Borchmann, 1936					X		
Oreogria Merkl, 1988						X	
Oroptera Borchmann, 1916						X	
Phaedogria Borchmann, 1936					X		
Physogria Borchmann, 1916				X			
Physolagria Fairmaire, 1891				X			
Porrolagria Kolbe, 1883				X			
= *Lagrimina* Fairmaire, 1894							
Pseudolagria Champion, 1917		X					
Rhaibogria Borchmann, 1936				X			
Ruandania Pic, 1955				X			
Schevodera Borchmann, 1936					X		
Schevogria Borchmann, 1936				X			
Sphinctoderus Fairmaire, 1903					X		
Stenolagria Merkl, 1987						X	
Sulcolagria Pic, 1955				X			
Tomogria Merkl, 1988						X	
Xenocerogria Merkl, 2007			X		X		
= *Xenocera* Borchmann, 1936							
Xenogena Borchmann, 1936				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Xenolagria Merkl, 1987						X	
Statirina Blanchard, 1845							
Anisostira Borchmann, 1915			X		X		
Arthromacra W. Kirby, 1837	X		X		X		
= *Macrarthra* Agassiz, 1846							
Arunogria Merkl, 1991					X		
Astatira Borchmann, 1921		X					
Barsenis Pascoe, 1887		X					
SG *Barsenis* Pascoe, 1887		X					
SG *Microdisema* Pic, 1917		X					
SG *Modicodisema* Pic, 1917		X					
SG *Nemostiromorpha* Pic, 1917		X					
= *Adisema* Borchmann, 1936							
Borchmannia Pic, 1912					X		
SG *Borchmannia* Pic, 1912					X		
SG *Pseuduroplatopsis* Pic, 1913					X		
Bothriostira Borchmann, 1936				X			
Casnonidea Fairmaire, 1882				X	X	X	
SG *Casnonidea* Fairmaire, 1882				X	X	X	
= *Synatractus* W.J. MacLeay, 1887							
= *Falsocasnonidea* Pic, 1934							
SG *Pilosocasnonidea* Pic, 1934					X		
Chlorophila Semenov, 1891			X		X		
Colparthrum Kirsch, 1866		X					
SG *Colparthrum* Kirsch, 1866		X					
SG *Pseudocolparthrum* Borchmann, 1916		X					
Costatosora Pic, 1934				X			
Cylindrosora Borchmann, 1936					X		
Cylindrostira Borchmann, 1936					X		
Davaona Borchmann, 1930					X		
Derostira Fairmaire, 1897				X			
Diorhychina Borchmann, 1936				X			
Disema Mäklin, 1875		X					
Disemorpha Pic, 1917		X					
Donaciolagria Pic, 1914			X		X		
Dysodera Borchmann, 1936				X			
Dysopinus Borchmann, 1936					X		
Eccoptostira Borchmann, 1936				X			
Entypodera Gerstaecker, 1871				X			
= *Loubacantus* Bonadona, 1959							
Epicydes Champion, 1889		X					
SG *Cybostira* Borchmann, 1936		X					
SG *Epicydes* Champion, 1889		X					
Exostira Borchmann, 1925					X		
Falsonemostira Pic, 1917					X		
Gebienia Borchmann, 1921		X					
Hosohamudama Masumoto, 1988					X		
Hypostatira Fairmaire, 1889		X					
Hysterarthron J. Thomson, 1864					X		
Impressosora Pic, 1952				X			
SG *Impressosora* Pic, 1952				X			
SG *Neoeutrapela* Bousquet & Bouchard, 2013				X			
= *Eutrapela* Dejean, 1834							
Isocera Borchmann, 1909		X					
= *Isotoma* Blanchard, 1842							
Lagriodema Borchmann, 1930					X		
Lagriogonia Fairmaire, 1891			X				
Lagriomima Pic, 1934					X	X	
Lagriostira Fairmaire, 1883				X			
Leptinostethus Borchmann, 1936				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Leptosora Borchmann, 1936				X			
Lobophilomorphus Pic, 1911				X			
Lophophyllus Fairmaire, 1887				X			
Macrocasnonidea Pic, 1934					X		
Macrolagria Lewis, 1895			X				
Malaiseum Borchmann, 1941					X		
Meniscophorus Champion, 1889		X					
Merklia Chen, 1997					X		
Meropria Borchmann, 1921		X					
Mimoborchmania Pic, 1934					X		
Mimuroplatopsis Borchmann, 1936				X			
Natalostira Pic, 1913				X			
Nevermanniella Borchmann, 1936		X					
Ocularisora Pic, 1934				X			
Odontocerostira Merkl, 2007			X		X		
= *Odontocera* Chen & Yuan, 1996							
Othryades Champion, 1889		X					
Pachystira Chen, 1997					X		
Piciella Borchmann, 1936		X					
Pseudeutrapela Pic, 1952				X			
Pseudocasnonidea Borchmann, 1936					X		
Pseudostira Fairmaire, 1903				X			
Rhagostira Borchmann, 1936				X			
Rhaibodera Borchmann, 1921		X					
Rhosaces Champion, 1889		X					
Robustosora Pic, 1954				X			
Rouyerus Pic, 1911					X		
SG *Borneostira* Pic, 1912					X		
SG *Rouyerus* Pic, 1911					X		
Sipolisia Fairmaire, 1889		X					
Sora Walker, 1859			X	X	X	X	
SG *Hirsutosora* Pic, 1934					X		
SG *Nemostiropsis* Borchmann, 1936					X		
SG *Sora* Walker, 1859			X	X	X	X	
= *Nemostira* Fairmaire, 1869							
Sphragidophorus Champion, 1889		X					
Splichalia Reitter, 1913			X				
Staius Fairmaire, 1896				X			
SG *Derostirostaius* Borchmann, 1936				X			
SG *Staius* Fairmaire, 1896				X			
Statira Lepeletier & Audinet-Serville, 1828	X	X					
SG *Foveostatira* Pic, 1918		X					
SG *Pleurostira* Borchmann, 1921		X					
SG *Spinostatira* Pic, 1918		X					
= *Hoplostira* Borchmann, 1921							
SG *Statira* Lepeletier & Audinet-Serville, 1828	X	X					
SG *Xenostira* Borchmann, 1921		X					
Statiropsis Borchmann, 1912		X					
Strongylagria Pic, 1915			X				
Taiwanolagria Masumoto, 1988			X		X		
Thoracostira Borchmann, 1936		X					
Uroplatopsis Champion, 1889		X					
Xanthalia Fairmaire, 1894			X	X	X		
= *Xanthia* Fairmaire, 1893							
= *Heterogria* Fairmaire, 1896							
= *Lagriocera* Fairmaire, 1896							
= *Wallardilagria* Pic, 1910							
= *Pachylagria* Borchmann, 1912							
= *Lagriodes* Borchmann, 1930							
= *Diversogria* Pic, 1954							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Xenostethus Bates, 1868				X			
= *Coracostira* Fairmaire, 1899							
Lupropini Lesne, 1926							
Antennoluprops Schawaller, 2007				X			
Ardoiniellus Schawaller, 2013				X			
Bolitrium Gebien, 1914					X		
Capeluprops Schawaller, 2011				X			
Coxelinus Fairmaire, 1869				X			
Curtolyprops Pic, 1917				X			
Dichastops Gerstaecker, 1871				X			
Enicmosoma Gebien, 1922				X			
= *Enicmonota* Ardoin, 1958							
Falsotithassa Pic, 1934					X		
= *Derispiolina* Kaszab, 1979							
Indenicmosoma Ardoin, 1964			X		X		
Iscanus Fauvel, 1904						X	X
= *Araucaricola* Lea, 1929							
Kuschelus Kaszab, 1982						X	
Lorelus Sharp, 1876		X				X	X
= *Lorelopsis* Champion, 1896							
Luprops Hope, 1833			X	X	X	X	
= *Oligorus* Dejean, 1834							
= *Syggona* Fåhraeus, 1870							
= *Etazeta* Fairmaire, 1889							
= *Syngona* Rye, 1873							
Mesotretis Bates, 1872						X	
Microcalcar Pic, 1925				X			
Micropedinus Lewis, 1894			X		X	X	
= *Notoprataeus* Carter, 1924							
Mimocellus Wasmann, 1904				X			
Paralorelopsis Marcuzzi, 1994		X					
Sphingocorse Gebien, 1921				X	X		
Spinolagriella Pic, 1955				X			
= *Spinorhacus* Kaszab, 1969							
Spinolyprops Pic, 1917			X	X	X		
Terametus Motschulsky, 1869				X			
Pycnocerini Lacordaire, 1859							
Aediatorix Bates, 1868					X		
= *Sipirocus* Fairmaire, 1896							
Amorphochirus Gebien, 1904				X			
Calostegia Westwood, 1843				X			
= *Calostega* Gemminger, 1870							
= *Apristopus* Kolbe, 1903							
Catamerus Fairmaire, 1887				X			
Chirocharis Kolbe, 1903				X			
Chiroscelis Lamarck, 1804				X			
Gabonisca Fairmaire, 1894				X			
= *Gabonia* Fairmaire, 1894							
Hemipristula Bouchard & Bousquet, **nom. nov.**				X			
= *Hemipristis* Kolbe, 1903							
Malayoscelis Schawaller, 2003					X		
Metallonotus Gray, 1832				X			
= *Aspidosternum* Mäklin, 1867							
Passalocharis Koch, 1954				X			
Pezodontus Dejean, 1834				X			
= *Odontopus* Silbermann, 1833							
= *Odontopezus* Alluaud, 1889							
Pheugonius Fairmaire, 1899					X		
Prioproctus Kolbe, 1903				X			
Prioscelides Kolbe, 1889				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Prioscelis Hope, 1841				X			
= *Iphius* Dejean, 1834							
= *Bovius* Gistel, 1848							
Pristophilus Kolbe, 1903				X			
Pycnocerus Westwood, 1844				X			
SG *Dinoscelis* Gerstaecker, 1854				X			
SG *Pycnocerus* Westwood, 1844				X			
= *Pachylocerus* Hope, 1841							
Stratodemus Gebien, 1921				X			
Lagriinae incertae sedis							
Asiopus Sharp, 1892		X					
Pseudesarcus Champion, 1913		X					
Nilioninae Oken, 1843							
Nilio Latreille, 1802		X					
SG *Linio* Bouchard & Bousquet, **subgen. nov.**		X					
SG *Micronilio* Pic, 1936		X					
SG *Nilio* Latreille, 1802		X					
Phrenapatinae Solier, 1834							
Archaeoglenini Watt, 1975							
Archaeoglenes Broun, 1893		X	X	X	X	X	X
Sepilokus Iwan & Raś, 2020					X		
Penetini Lacordaire, 1859							
Afrotagalus Gebien, 1942				X			
Archeophthora Kaszab, 1978		X				X	
Clamoris Gozis, 1886	X	X	X		X		
= *Phtora* Mulsant, 1854							
= *Phthora* Champion, 1893							
Cleolaus Champion, 1886		X					
Daochus Champion, 1886		X					
Dioedus LeConte, 1862	X	X	X	X	X	X	X
= *Arrhabaeus* Champion, 1886							
= *Brachycilibe* Carter, 1911							
= *Tagalus* Gebien, 1914							
Endroeditagalus Schawaller & Bouchard, 2019				X			
Exechophthalmus Ardoin, 1974				X			
Falsotagalus Kaszab, 1977						X	
Leleupium Kaszab, 1956				X			
Madagassa Koch, 1950				X			
= *Pycna* Fairmaire, 1894							
Molion Champion, 1886		X					
Nanotagalus Gebien, 1942				X			
Neotagalus Kaszab, 1955							X
Peneta Lacordaire, 1859		X					
Pseudophthora Kaszab, 1970					X	X	X
SG *Falsophthora* Kaszab, 1977							X
SG *Pseudophthora* Kaszab, 1970					X	X	
Pycnochilus C.O. Waterhouse, 1879				X			
Scolytocaulus Fairmaire, 1896				X	X	X	
= *Platycilibe* Carter, 1911							
= *Picnotagalus* Kaszab, 1939							
Tagalinus Kaszab, 1977						X	
Tagalopsis Kaszab, 1955							X
Taiwanotagalus Masumoto, 1982					X		
Telchis Champion, 1886		X					
Zypoetes Champion, 1893		X			X	X	
Phrenapatini Solier, 1834							
Delognatha Lacordaire, 1859		X					
Phrenapates Gray, 1831		X					
Phrenapatinae *incertae sedis*							
Aphtora Bates, 1872						X	

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Kuhitangiinae G.S. Medvedev, 1962							
Foranotini Nabozhenko & Sadeghi, 2017							
Foranotum Nabozhenko & Sadeghi, 2017			X				
Kuhitangiini G.S. Medvedev, 1962							
Kuhitangia G.S. Medvedev, 1962			X				
Blaptinae Leach, 1815							
Amphidorini LeConte, 1862							
Eleodes Eschscholtz, 1829	X	X					
SG *Amphidora* Eschscholtz, 1829	X						
SG *Ardeleodes* Blaisdell, 1937	X						
SG *Blapylis* Horn, 1870	X						
= *Eleodopsis* Blaisdell, 1939							
SG *Caverneleodes* Triplehorn, 1975	X						
SG *Chaseleodes* Thomas, 2015		X					
SG *Cratidus* LeConte, 1862	X						
SG *Discogenia* LeConte, 1866	X						
SG *Eleodes* Eschscholtz, 1829	X	X					
= *Elaeodes* Gemminger, 1870							
SG *Heteropromus* Blaisdell, 1909	X						
SG *Litheleodes* Blaisdell, 1909	X						
SG *Melaneleodes* Blaisdell, 1909	X	X					
SG *Metablapylis* Blaisdell, 1909	X						
SG *Omegeleodes* Triplehorn & Thomas, 2012	X	X					
SG *Promus* LeConte, 1862	X	X					
SG *Pseudeleodes* Blaisdell, 1909	X						
= *Trichoderulus* Blaisdell, 1923							
SG *Steneleodes* Blaisdell, 1909	X	X					
= *Xysta* Eschscholtz, 1829							
= *Holeleodes* Blaisdell, 1937							
SG *Tricheleodes* Blaisdell, 1909	X						
Eleodimorpha Blaisdell, 1909	X						
Embaphion Say, 1824	X						
Lariversius Blaisdell, 1947	X						
Neobaphion Blaisdell, 1925	X						
Nycterinus Eschscholtz, 1829		X					
Trogloderus LeConte, 1879	X						
Blaptini Leach, 1815							
Blaptina Leach, 1815							
Ablapsis Reitter, 1887			X				
Blaps Fabricius, 1775	*X*		X	X	X	*X*	
SG *Arenoblaps* G.S. Medvedev, 1999			X				
SG *Blaps* Fabricius, 1775	*X*		X	X	X	*X*	
= *Leptomorpha* Faldermann, 1835							
= *Agroblaps* Motschulsky, 1860							
= *Blapimorpha* Motschulsky, 1860							
= *Blapisa* Motschulsky, 1860							
= *Lithoblaps* Motschulsky, 1860							
= *Platyblaps* Motschulsky, 1860							
= *Rhizoblaps* Motschulsky, 1860							
= *Uroblaps* Motschulsky, 1860							
= *Leptocolena* Allard, 1880							
= *Acanthoblaps* Reitter, 1889							
= *Blapidurus* Fairmaire, 1891							
= *Blapidium* Bauer, 1921							
= *Hypoblaps* Kolbe, 1928							
= *Mesooblaps* Kolbe, 1928							
= *Notoblaps* Kolbe, 1928							
= *Opisthoblaps* Kolbe, 1928							
= *Nanoblaps* Semenov & Bogatchev, 1936							
SG *Dineria* Motschulsky, 1860			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Laraliprosodes* Bogatchev, 1947							
SG *Genoblaps* Bauer, 1921			X		X		
= *Prosoblapsia* Skopin & Kaszab, 1978							
Caraboblaps Bauer, 1921*							
Coelocnemodes Bates, 1879					X		
= *Neoblaps* Ren & Li, 2001							
Dila Fischer von Waldheim, 1844			X				
= *Caenoblaps* König, 1906							
Dilablaps Bogatchev, 1976			X				
Holoblaps Bauer, 1921*							
Hoplitoblaps Fairmaire, 1889					X		
Medvedevia Chigray, 2019			X				
Medvedevoblaps Bouchard & Bousquet, **nom. nov.**			X				
= *Protoblaps* G.S. Medvedev, 1998							
Nalepa Reitter, 1887			X				
Periblaps Bauer, 1921*							
Protoblaps Bauer, 1921*							
Thaioblaps Masumoto, 1989					X		
Thaumatoblaps Kaszab & G.S. Medvedev, 1984			X				
Gnaptorina G.S. Medvedev, 2001							
Gnaptor Brullé, 1831			X				
SG *Gnaptor* Brullé, 1831			X				
SG *Plesiognaptor* Chigray, Nabozhenko & Keskin, 2015			X				
Gnaptorinina G.S. Medvedev, 2001							
Agnaptoria Reitter, 1887			X				
Asidoblaps Fairmaire, 1886			X		X		
Belousovia G.S. Medvedev, 2007			X				
Blaptogonia G.S. Medvedev, 1998			X		X		
Colasia Koch, 1965			X				
Gnaptorina Reitter, 1887			X		X		
SG *Austroptorina* Bai, Li & Ren, 2020					X		
SG *Boreoptorina* G.S. Medvedev, 2009			X				
SG *Gnaptorina* Reitter, 1887			X				
SG *Hesperoptorina* G.S. Medvedev, 2009			X		X		
Itagonia Reitter, 1887			X				
Montagona G.S. Medvedev, 1998			X		X		
Nepalindia G.S. Medvedev, 1998					X		
Pseudognaptorina Kaszab, 1977			X		X		
Sintagona G.S. Medvedev, 1998			X				
Tagonoides Fairmaire, 1886			X				
Viettagona G.S. Medvedev & Merkl, 2003					X		
Prosodina Skopin, 1960							
Prosodes Eschscholtz, 1829			X		X		
SG *Dilopersina* Reitter, 1909			X				
SG *Diprosodes* Reitter, 1909			X				
SG *Euryprosodes* Reitter, 1909			X				
SG *Ferganoprosodes* G.S. Medvedev, 1997			X				
SG *Gebleria* Motschulsky, 1846			X				
= *Aulonoscelis* Reitter, 1896							
SG *Hypoprosodes* Reitter, 1909			X				
SG *Indoprosodes* G.S. Medvedev, 2003					X		
SG *Iranosodes* G.S. Medvedev, 1996			X				
SG *Lyprosodes* Reitter, 1909			X				
SG *Megaprosodes* Reitter, 1909			X				
= *Altiprosodes* G.S. Medvedev, 1997							
SG *Meropersina* Reitter, 1909			X				
SG *Mesoprosodes* G.S. Medvedev, 1995			X				
SG *Montiprosodes* G.S. Medvedev, 2001			X				
SG *Oliprosodes* Reitter, 1909			X				
SG *Peltarium* Fischer von Waldheim, 1844			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Blaposodes* Skopin, 1960							
SG *Planoprosodes* G.S. Medvedev, 2005			X				
SG *Prosodella* Reitter, 1909			X				
= *Paraprosodes* Reitter, 1909							
SG *Prosodes* Eschscholtz, 1829			X				
= *Nyctipates* Gebler, 1841							
= *Eupomeca* Solier, 1848							
= *Blaptoprosodes* Reitter, 1909							
= *Lioprosodes* Reitter, 1909							
= *Platyprosodes* Reitter, 1909							
= *Prosodila* Reitter, 1909							
= *Pseudoprosodes* Reitter, 1909							
SG *Prosodestes* Reitter, 1909			X				
SG *Prosodinia* Reitter, 1909			X				
SG *Prosodopria* Reitter, 1909			X				
= *Nyctipates* Solier, 1848							
SG *Prosodoscelis* Reitter, 1909			X				
SG *Prosodura* Reitter, 1909			X				
SG *Tangiprosodes* G.S. Medvedev, 2005			X				
SG *Uroprosodes* Reitter, 1909			X				
Tagona Fischer von Waldheim, 1820			X				
Remipedellina Semenov, 1907							
Remipedella Semenov, 1907			X				
Dendarini Mulsant & Rey, 1854							
Dendarina Mulsant & Rey, 1854							
Bioplanes Mulsant, 1854			X				
Dendarophylan Español, 1945			X				
Dendarus Dejean, 1821			X				
SG *Dendaroscelis* Reitter, 1904			X				
SG *Dendarus* Dejean, 1821			X				
= *Pandarus* Dejean, 1834							
= *Microdendarus* Escalera, 1944							
= *Reitterellus* Escalera, 1944							
SG *Pandarinus* Mulsant & Rey, 1854			X				
SG *Paroderus* Mulsant & Rey, 1854			X				
= *Dichromma* Mulsant & Rey, 1855							
SG *Rhizalemus* Reitter, 1904			X				
SG *Rizalus* Mulsant & Rey, 1854			X				
= *Rhizalus* Gebien, 1938							
Heliopates Dejean, 1834			X				
SG *Heliocrates* Reitter, 1904			X				
SG *Heliopates* Dejean, 1834			X				
= *Heliocaes* Bedel, 1906							
= *Heliopathes* Gebien, 1938							
Litoboriolus Español, 1945			X				
Litororus Reitter, 1904			X				
Meglyphus Motschulsky, 1872				X			
Microphylacinus Iwan, Kamiński & Aalbu, 2011				X			
Micrositus Mulsant & Rey, 1854			X				
Neoisocerus Bouchard, Lawrence, Davies & Newton, 2005			X				
= *Isocerus* Dejean, 1821							
Phylacinus Fairmaire, 1896				X			
Phylan Sturm, 1826			X				
SG *Eumicrositus* Viñolas, 1990			X				
SG *Meladeras* Mulsant & Rey, 1854			X				
SG *Meladocrates* Reitter, 1904			X				
SG *Phylan* Sturm, 1826			X				
= *Heliophilus* Dejean, 1821							
= *Phylax* Brullé, 1832							
= *Olocrates* Mulsant, 1854							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Platyolus* Mulsant & Rey, 1854			X				
Phylanmania Ferrer, 2013			X				
Pythiopus Koch, 1953				X			
Melambiina Mulsant & Rey, 1854							
Allophylax Bedel, 1906			X				
SG *Allophylax* Bedel, 1906			X				
= *Neophylax* Bedel, 1906							
= *Melambiophylax* Schuster, 1922							
SG *Litoboromimus* Koch, 1948			X				
SG *Phylaximon* Koch, 1948			X				
Bermejoina Español, 1944			X				
Gridelliopus Koch, 1956				X			
Guildia Antoine, 1957			X				
Hadroderus Koch, 1956				X			
Haemodus Gebien, 1943				X			
= *Haemus* Péringuey, 1904							
Hanstroemium Koch, 1953				X			
Hoplarion Mulsant & Rey, 1854			X				
SG *Atlasion* Koch, 1948			X				
= *Megatlasion* Koch, 1948							
SG *Glyptariobius* Koch, 1948			X				
SG *Hoplariobius* Reitter, 1904			X				
SG *Hoplarion* Mulsant & Rey, 1854			X				
SG *Mentariobius* Koch, 1948			X				
SG *Saharoplarion* Koch, 1948			X				
Lasioderus Mulsant & Rey, 1854				X			
Litoborus Mulsant & Rey, 1854			X				
SG *Litoborus* Mulsant & Rey, 1854			X				
SG *Paralitoborus* Antoine, 1931			X				
Melambius Mulsant & Rey, 1854			X				
SG *Hadromelambius* Koch, 1948			X				
SG *Hoplambius* Reitter, 1904			X				
SG *Melambatlasus* Koch, 1948			X				
SG *Melambius* Mulsant & Rey, 1854			X				
Melansis Wollaston, 1864			X				
Melasmana Strand, 1935			X				
SG *Heliomelasma* Koch, 1948			X				
SG *Melasmana* Strand, 1935			X				
= *Melasma* Wollaston, 1864							
Minorus Mulsant & Rey, 1854				X			
Orarabion Leo & Liberto, 2011				X			
Oreomelasma Español, 1975			X				
Otinia Antoine, 1942			X				
SG *Antoineius* Koch, 1948			X				
SG *Orophylaxus* Koch, 1948			X				
SG *Otinia* Antoine, 1942			X				
Peyerimhoffius Koch, 1948			X				
Psammoardoinellus Leo, 1981			X				
Pseudemmallus Koch, 1956				X			
Silvestriellum Koch, 1956				X			
Selenepistoma Dejean, 1834				X			
SG *Selenepistoma* Dejean, 1834				X			
= *Euzadenos* Koch, 1956							
SG *Serridenos* Koch, 1956				X			
SG *Zadenos* Laporte, 1840				X			
Tragardhus Koch, 1956				X			
SG *Mitragardhus* Koch, 1956				X			
SG *Tragardhus* Koch, 1956				X			
Zoutpansbergia Koch, 1956				X			
Opatrini Brullé, 1832							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Ammobiina Desbrochers des Loges, 1902							
Adavius Mulsant & Rey, 1859			X		X		
= *Udebra* Reitter, 1896							
Ammidium Erichson, 1843				X			
= *Eremonomus* Wollaston, 1861							
= *Ecripsis* Pascoe, 1866							
Ammobius Guérin-Méneville, 1844			X		X		
= *Ammophtorus* Lacordaire, 1859							
Amphithrixoides Bouchard & Löbl, 2008			X				
= *Amphithrix* Español, 1953							
Arabammobius Grimm & Lillig, 2020			X	X			
Asiocaedius G.S. Medvedev & Nepesova, 1985			X				
= *Pseudocaedius* G.S. Medvedev, 1966							
Brachyidium Fairmaire, 1883					X	X	X
= *Cnemodasus* Gebien, 1914							
Caediexis Lebedev, 1932			X				
Caedius Blanchard, 1845			X	X	X	X	
= *Isarida* Pascoe, 1866							
Clitobius Mulsant & Rey, 1859			X	X			
= *Halonomus* Wollaston, 1861							
= *Apithesis* C.O. Waterhouse, 1881							
= *Apteroclitobius* Koch, 1960							
Coeloecetes Blair, 1929					X		
Corinta Koch, 1950				X			
Cornopterus Koch, 1950				X			
Cyptus Gerstaecker, 1871			X	X			
= *Neocaedius* Pierre, 1972							
Diaderma Koch, 1960				X			
Dilamus Jacquelin du Val, 1861			X	X			
SG *Choresmolamus* G.S. Medvedev, 1978			X				
SG *Dilamus* Jacquelin du Val, 1861			X	X			
SG *Ochrolamus* Reitter, 1904			X	X			
Emmalus Erichson, 1843				X			
= *Emmallus* Agassiz, 1846							
= *Uzagaria* Ancey, 1881							
Falsammidium Koch, 1960				X			
Falsocaedius Español, 1943			X				
Freyula Koch, 1959				X			
Hadrodes Wollaston, 1877			X				
Helenomelas Ardoin, 1972			X				
Mateuina Español, 1944			X				
Messoricolum Koch, 1960				X			
Moragacinella Español, 1954			X				
= *Moralesia* Kaszab, 1944							
Nesocaedius Kolbe, 1915			X		X		
Perithrix Fairmaire, 1879			X				
Platyprocnemis Español & Lindberg, 1963				X			
Plesioderes Mulsant & Rey, 1859				X	X		
= *Epeurycaulus* Kolbe, 1902							
Prodilamus Ardoin, 1969			X	X			
Proscheimus Desbrochers des Loges, 1881			X				
Psammestus Reichardt, 1936			X				
Pseudoleichenum Ardoin, 1972				X			
Raynalius Chatanay, 1912				X			
Tarphiophasis Wollaston, 1877				X			
Trigonopoda Gebien, 1914					X		
Weisea Semenov, 1891			X				
Blapstinina Mulsant & Rey, 1853							
Aconobius Casey, 1895	X						
Ammodonus Mulsant & Rey, 1859	X	X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Pseudonomus* Fairmaire, 1884							
= *Scaptes* Champion, 1886							
= *Trichotoides* Marcuzzi, 1954							
Austrocaribius Marcuzzi, 1954		X					
Blapstinus Dejean, 1821	X	X					*X*
= *Heteropus* Laporte, 1840							
= *Pedonoeces* G.R. Waterhouse, 1845							
= *Pedoeces* Agassiz, 1846							
= *Tessaromma* Boheman, 1858							
= *Aspidius* Mulsant & Rey, 1859							
= *Lachnoderes* Mulsant & Rey, 1859							
= *Lodinus* Mulsant & Rey, 1859							
= *Mecysmus* Horn, 1870							
Cenophorus Mulsant & Rey, 1859		X					
Conibiosoma Casey, 1890	X						
Conibius LeConte, 1851	X	X					*X*
= *Euconibius* Casey, 1895							
= *Gondwanodilamus* Kaszab, 1969 **syn. nov.**							
= *Ooconibius* Casey, 1895							
Cybotus Casey, 1890		X					
Diastolinus Mulsant & Rey, 1859		X					
= *Sellio* Mulsant & Rey, 1859							
= *Ctesicles* Champion, 1896							
Goajiria Ivie & Hart, 2016		X					
Hummelinckia Marcuzzi, 1954		X					
Nevisia Marcuzzi, 1986		X					
Nocibiotes Casey, 1895	X						
Notibius LeConte, 1851	X						
Platylus Mulsant & Rey, 1859		X					
Tonibiastes Casey, 1895	X						
Tonibius Casey, 1895	X						
Trichoton Hope, 1841	X	X					
= *Epilasium* Erichson, 1842							
= *Trichotum* Agassiz, 1846							
= *Bycrea* Pascoe, 1868							
Ulus Horn, 1870	X	X					
Xerolinus Ivie & Hart, 2016		X					
Heterotarsina Blanchard, 1845							
Diphyrrhynchus Fairmaire, 1849			X	X	X	X	X
= *Acanthosternus* Montrouzier, 1860							
= *Abantis* Fairmaire, 1892							
= *Abantiades* Fairmaire, 1894							
= *Neoabantis* Gebien, 1910							
Heterocheira Dejean, 1836				X		X	
= *Heterochira* Agassiz, 1846							
Heterotarsus Latreille, 1829			X	X	X		
= *Helopimorphus* Desbrochers des Loges, 1881							
= *Hopatropteron* Reitter, 1889							
= *Oubanghinum* Pic, 1933							
Scymena Pascoe, 1866						X	
Neopachypterina Bouchard, Löbl & Merkl, 2007							
Amblysphagus Fairmaire, 1896				X	X		
= *Trachymetus* Reitter, 1904							
†*Eupachypterus* Kirejtshuk, Nabozhenko & Nel, 2010							
Neopachypterus Bouchard, Löbl & Merkl, 2007			X		X		
= *Pachypterus* P.H. Lucas, 1847							
Pseudolamus Fairmaire, 1874			X				
Opatrina Brullé, 1832							
Anatrum Reichardt, 1936			X				
Brachyesthes Fairmaire, 1868			X		X		

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Caediomorpha Blackburn, 1888						X	
Ephalus LeConte, 1862	X	X					
= *Pseudephalus* Casey, 1924							
Eumylada Reitter, 1904			X				
Falsolobodera Kaszab, 1967			X				
Gonocephalum Solier, 1834	*X*		X	X	X	X	X
SG *Gonocephalum* Solier, 1834	*X*		X	X	X	X	X
= *Dasus* Motschulsky, 1845							
= *Megadasus* Reitter, 1904							
= *Hasticollinum* Kaszab, 1939							
SG *Myladanesthes* Skopin, 1961			X				
SG *Opatropis* Reitter, 1904			X	X	X		
Hadrophasis Ferrer, 1992				X			
Jintaium Ren, 1999			X				
Melanesthes Dejean, 1834			X				
SG *Lesbidana* Reitter, 1904			X				
SG *Melanesthes* Dejean, 1834			X				
= *Hemitrichestes* Reitter, 1904							
= *Miglica* Reitter, 1904							
SG *Mongolesthes* Reitter, 1904			X				
SG *Opatronesthes* Reitter, 1904			X				
Melanocoma Wollaston, 1868				X			
Mesomorphus Miedel, 1880			X	X	X	X	X
= *Pentholasius* Reitter, 1904							
= *Hopatromorpha* Blackburn, 1907							
Myladina Reitter, 1889			X				
Opatroides Brullé, 1832	*X*		X	X	X		
= *Hopatroides* Agassiz, 1846							
Opatrum Fabricius, 1775			X				
SG *Colpopatrum* Reitter, 1904			X				
SG *Colpophorus* Mulsant & Rey, 1859			X				
= *Colpophorinus* Escalera, 1914							
SG *Opatrum* Fabricius, 1775			X				
= *Hopatrum* Agassiz, 1846							
= *Thoracon* Gistel, 1848							
Penthicinus Reitter, 1896			X				
Penthicus Faldermann, 1836			X	X			
SG *Allomyladion* Bogatchev, 1972			X				
SG *Aulonolcus* Reitter, 1904			X				
SG *Discotus* Reitter, 1904			X	X			
SG *Myladion* Reitter, 1887			X				
= *Penthicomelanesthes* Bogatchev, 1972							
SG *Penthicus* Faldermann, 1836			X				
= *Lobodera* Mulsant & Rey, 1859							
= *Lobothorax* Gemminger, 1870							
= *Penthomegus* Reitter, 1904							
= *Stonavus* Reitter, 1904							
SG *Pseudopenthicinus* Bogatchev, 1972			X				
Phelopatrum Marseul, 1876			X				
= *Pseudadrus* Fairmaire, 1897							
Polycoelogastridion Reichardt, 1936			X		X		
Reichardtiellina Kaszab, 1982			X				
= *Reichardtiella* Kaszab, 1942							
Scleropatroides Löbl & Merkl, 2003			X	X	X		
Scleropatrum Reitter, 1887			X		X		
= *Monatrum* Reichardt, 1936							
Sinorus Mulsant & Revelière, 1861			X				
Sobas Pascoe, 1863						X	
= *Trigonotarsus* Hope, 1843							
= *Pseudocaedius* Blackburn, 1890							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Socotropatrum Koch, 1970				X			
Tidiguinia Español, 1959			X				
Trichosternum Wollaston, 1861				X			
= *Trichopodus* Mulsant & Rey, 1859							
= *Japetus* Reitter, 1904							
Wolladrus Iwan & Kamiński, 2016			X				
= *Hadrus* Wollaston, 1854							
Sclerina Lacordaire, 1859							
Eurycaulus Fairmaire, 1868			X	X			
SG *Eurycaulinus* Koch, 1937			X				
SG *Eurycaulus* Fairmaire, 1868			X	X			
= *Ammotrypes* Fairmaire, 1879							
= *Scleronimon* Reitter, 1904							
= *Scleronopsis* Koch, 1935							
†*Palaeosclerum* Nabozhenko & Kirejtshuk, 2017							
Platynosum Mulsant & Rey, 1859			X				
= *Melanimon* Motschulsky, 1845							
Sclerum Dejean, 1834			X	X	X		
= *Scleron* Hope, 1841							
= *Anticlia* Gistel, 1848							
= *Chlamydion* Gistel, 1848							
Stizopodina Lacordaire, 1859							
Adoryacus Koch, 1963				X			
Amathobius Gebien, 1920				X			
Blacodatus Koch, 1963				X			
Blenosia Laporte, 1840				X			
= *Blacodes* Duponchel, 1842							
Calaharena Koch, 1963				X			
Crististibes Koch, 1963				X			
Eichleria Kamiński, 2015				X			
Eremostibes Koch, 1963				X			
Helibatus Mulsant & Rey, 1859				X			
= *Ennychius* Fåhraeus, 1870							
Luebbertia Koch, 1963				X			
Microstizopus Koch, 1963				X			
Namazopus Koch, 1963				X			
Nemanes Fairmaire, 1888				X			
Parastizopus Gebien, 1938				X			
= *Ennychiatus* Koch, 1963							
Periloma Gebien, 1938				X			
Planostibes Gemminger, 1870				X			
= *Planodes* Mulsant & Rey, 1859							
Psammogaster Koch, 1953				X			
Sphaerostibes Koch, 1963				X			
Stizopus Erichson, 1843				X			
= *Doryagus* Pascoe, 1887							
Sulpius Fairmaire, 1906				X			
Syntyphlus Koch, 1953				X			
Opatrini *incertae sedis*							
Hovarygmus Fairmaire, 1898				X			
Pachymastus Fairmaire, 1896				X			
Pocadiopsis Fairmaire, 1896					X		
Scleroides Fairmaire, 1883						X	
Trigonopilus Fairmaire, 1893					X		
Pedinini Eschscholtz, 1829							
Helopinina Lacordaire, 1859							
Amatodes Dejean, 1834				X			
SG *Amatodes* Dejean, 1834				X			
= *Oncosoma* Westwood, 1843							
= *Oncoosoma* Gebien, 1911							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Conophthalmus* Quedenfeldt, 1885				X			
SG *Strophiamixa* Robiche, 2005				X			
= *Strophia* Robiche, 2004							
Ametrocera Fåhraeus, 1870				X			
= *Idricus* Fairmaire, 1888							
Anaxius Fåhraeus, 1870				X			
Aptila Fåhraeus, 1870				X			
Asidodema Koch, 1958				X			
Blastarnodes Koch, 1958				X			
Diestecopus Solier, 1848				X			
= *Blastarnus* Fairmaire, 1897							
Drosochrus Erichson, 1843			X	X			
SG *Desertosochrus* Koch, 1958				X			
SG *Drosochrus* Erichson, 1843			X	X			
SG *Helopinus* Solier, 1848			X	X			
= *Pteraulus* Solier, 1848							
= *Emyon* Gerstaecker, 1854							
Micrantereus Solier, 1848			X	X			
= *Solenomerus* Fåhraeus, 1870							
Nicandra Fairmaire, 1888				X			
SG *Calous* Koch, 1958				X			
SG *Heteronicandra* Koch, 1958				X			
SG *Nicandra* Fairmaire, 1888				X			
SG *Oncotopsis* Koch, 1958				X			
Oncopteryx Gebien, 1943				X			
= *Oncopterus* Fairmaire, 1887							
Piscicula Robiche, 2004				X			
Psectes Hesse, 1935				X			
Leichenina Mulsant, 1854							
Apsheronellus Bogatchev, 1967			X				
= *Microleichenum* G.S. Medvedev, 1973							
Leichenum Dejean, 1834	*X*	*X*	X	X	X	X	
= *Lichenum* Agassiz, 1846							
= *Endothina* Carter, 1924							
Pedinina Eschscholtz, 1829							
Cabirutus Strand, 1929			X		X		
SG *Cabirutus* Strand, 1929			X				
= *Cabirus* Mulsant & Rey, 1853							
= *Asiobirus* G.S. Medvedev, 1968							
= *Dentibirus* G.S. Medvedev, 1968							
SG *Neocabirutus* Kulzer, 1964					X		
Colpotinus Fairmaire, 1891			X				
Loensus R. Lucas, 1920				X	X		
SG *Loensus* R. Lucas, 1920				X			
= *Pedinopsis* Gebien, 1910							
SG *Pseudopedinus* Ardoin, 1969					X		
Pedinus Latreille, 1797			X		X		
SG *Blindus* Mulsant & Rey, 1853			X		X		
SG *Colpotus* Mulsant & Rey, 1853			X				
SG *Pedinus* Latreille, 1797			X				
= *Vadalus* Mulsant & Rey, 1853							
= *Pedinulus* Seidlitz, 1893							
Platynotini Mulsant & Rey, 1853							
Eurynotina Mulsant & Rey, 1854							
Byrrhoncus Koch, 1954				X			
Capidium Koch, 1954				X			
Colophonesthes Koch, 1954				X			
Eurynotus W. Kirby, 1819				X			
SG *Biolus* Mulsant & Rey, 1854				X			
SG *Eurynotus* W. Kirby, 1819				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Neosolenopistoma* Bouchard & Bousquet, **subgen. nov.**				X			
Heteropsectropus Kaszab, 1941				X			
Hirtograbies Koch, 1954				X			
Isoncophallus Koch, 1954				X			
Menederes Solier, 1848				X			
SG *Anamenederes* Koch, 1954				X			
SG *Menederes* Solier, 1848				X			
Menederopsis Koch, 1954				X			
= *Archinamaqua* Schawaller, 2012							
Ograbies Péringuey, 1899				X			
Oncotus Blanchard, 1845				X			
SG *Cilioncotus* Koch, 1954				X			
SG *Menoncotus* Koch, 1954				X			
SG *Oncotus* Blanchard, 1845				X			
SG *Quadroncotus* Koch, 1954				X			
Phaleriderma Koch, 1954				X			
Phylacastus Fairmaire, 1897				X			
Psectrapus Solier, 1848				X			
= *Psectropus* Gemminger, 1870							
Schyzoschelus Koch, 1954				X			
Stridigula Koch, 1954				X			
Platynotina Mulsant & Rey, 1853							
Adamus Iwan, 1997					X		
Alaetrinus Iwan, 1995	X	X					
Amblychirus Koch, 1956				X			
Anchophthalmops Koch, 1956	*X*			X			
= *Platykochius* Iwan, 2002							
Anchophthalmus Gerstaecker, 1854				X			
SG *Anchophthalmus* Gerstaecker, 1854				X			
= *Oxythorax* Fåhraeus, 1870							
= *Oncotiphallops* Koch, 1956							
SG *Kochogaster* Kamiński & Raś, 2011				X			
= *Cosmogaster* Koch, 1956							
Angolositus Koch, 1955				X			
= *Aberlencus* Iwan, 2002							
= *Platymedvedevia* Iwan & Banaszkiewicz, 2007							
Anomalipus Guérin-Méneville, 1831				X			
= *Heteroscelis* Latreille, 1828							
= *Ectatocnemis* Horn, 1867							
= *Acmoeus* Fåhraeus, 1870							
= *Apodemus* Fåhraeus, 1870							
Atrocrates Koch, 1956				X			
Atrocrypticanus Iwan, 1999				X			
Bantodemus Koch, 1955				X			
Clastopus Fairmaire, 1898				X			
= *Hovademulus* Iwan, 1996							
Claudegirardius Iwan, 1999				X			
Colpotinoides Kaszab, 1975				X			
Crypticanus Fairmaire, 1897				X			
Doyenus Iwan, 1996				X			
Ectateus Koch, 1956				X			
Eleoselinus Kamiński, 2014				X			
Eucolus Mulsant & Rey, 1853					X		
= *Indeucolus* Kaszab, 1975							
Eviropodus Koch, 1956				X			
Glyptopteryx Gebien, 1910				X			
= *Microselinus* Koch, 1956							
= *Quadrideres* Koch, 1956							
= *Synquadrideres* Iwan, 2003							
Gonopus Latreille, 1828				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Agonopus* Gebien, 1920				X			
SG *Gonopus* Latreille, 1828				X			
Hovademus Iwan, 1996				X			
Lechius Iwan, 1995				X			
Madobalus Fairmaire, 1901				X			
Melanocratus Fairmaire, 1895				X			
Melanopterus Mulsant & Rey, 1854				X			
Menearchus Carter, 1920				X			
Monodius Koch, 1956				X			
Nesopatrum Gebien, 1921				X			
Notocorax Dejean, 1834					X		
= *Platydendarus* Kaszab, 1975							
Opatrinus Dejean, 1821		X					
= *Hopatrinus* Agassiz, 1846							
= *Dema* Gistel, 1848							
Parabantodemus Iwan, 2000				X			
Paraselinus Kamiński, 2013				X			
Penthicoides Fairmaire, 1896					X		
Phallocentrion Koch, 1956				X			
Phymatoplata Koch, 1956				X			
Platyburak Iwan, 1990					X		
Platyburmanicus Iwan, 2003					X		
Platycolpotus Iwan, 1997					X		
Platynotoides Kaszab, 1975					X		
Platynotus Fabricius, 1801					X		
= *Ixalus* Gistel, 1848							
Pokryszkiella Iwan, 1996				X			
Pseudoblaps Guérin-Méneville, 1834			X		X		
= *Nyctalops* Gistel, 1848							
Pseudonotocorax Iwan, 1997					X		
Pteroselinus Kamiński, 2015				X			
Rugoplatynotus Kaszab, 1975					X		
Schelodontes Koch, 1956				X			
= *Lawrenceus* Iwan, 1998							
= *Platycharlesus* Iwan, 1998							
= *Warchalowskiellus* Iwan, 1998							
Sebastianus Iwan, 1996				X			
Selinopodus Koch, 1956				X			
Selinus Mulsant & Rey, 1853				X			
Stenogonopus Gebien, 1938				X			
Styphacus Fairmaire, 1901				X			
Trigonopus Mulsant & Rey, 1853				X			
Upembarus Koch, 1956				X			
SG *Pseudoselinus* Iwan, 2002				X			
SG *Upembarus* Koch, 1956				X			
Zidalus Mulsant & Rey, 1853			X	X			
= *Zodinus* Mulsant & Rey, 1853							
= *Apterozidalus* Ardoin, 1965							
Zophodes Fåhraeus, 1870				X			
Platyscelidini Lacordaire, 1859							
Bioramix Bates, 1879			X				
SG *Bioramix* Bates, 1879			X				
SG *Cardiochianalus* Kaszab, 1940			X				
SG *Chianalus* Bates, 1879			X				
= *Botiras* Fairmaire, 1891							
SG *Euryhelops* Reitter, 1902			X				
= *Cardiobioramix* Kaszab, 1940							
SG *Faustia* Kraatz, 1882			X				
SG *Leipopleura* Seidlitz, 1893			X				
SG *Nudoplatyscelis* Kaszab, 1940			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Ovalobioramix* Egorov, 2004			X				
SG *Planoplatyscelis* Kaszab, 1940			X				
= *Pleioplatyscelis* Kaszab, 1940							
SG *Platynoscelis* Kraatz, 1882			X				
SG *Trichochianalus* Kaszab, 1940			X				
SG *Tricholeipopleura* Kaszab, 1940			X				
SG *Trichoplatyscelis* Reinig, 1931			X				
= *Pseudotrichoplatyscelis* Kaszab, 1960							
Microplatyscelis Kaszab, 1940			X				
Myatis Bates, 1879			X				
Oodescelis Motschulsky, 1845			X				
SG *Acutoodescelis* Kaszab, 1940			X				
SG *Clavatoodescelis* Kaszab, 1940			X				
= *Oblongoodescelis* Kaszab, 1940							
SG *Convexoodescelis* Egorov, 2004			X				
SG *Longuloodescelis* Kaszab, 1940			X				
= *Trichoodescelis* Kaszab, 1940							
SG *Montanoodescelis* Egorov, 2004			X				
SG *Oodescelis* Motschulsky, 1845			X				
= *Oodeoscelis* Agassiz, 1846							
SG *Ovaloodescelis* Kaszab, 1940			X				
SG *Planoodescelis* Egorov, 2004			X				
SG *Spinoodescelis* Kaszab, 1940			X				
SG *Splenoodescelis* Egorov, 2004			X				
SG *Truncatoodescelis* Kaszab, 1940			X				
Platyscelis Latreille, 1818			X				
SG *Oblongoplatyscelis* Kaszab, 1940			X				
SG *Paraplatyscelis* Kaszab, 1940			X				
SG *Platyscelis* Latreille, 1818			X				
= *Kaszaboscelis* Löbl & Merkl, 2003							
SG *Pleiopleura* Seidlitz, 1893			X				
Somocoelia Heyden & Kraatz, 1882			X				
Somocoeloplatys Skopin, 1968			X				
Trichomyatis Schuster, 1931			X				
= *Trichoplatynoscelis* Kaszab, 1940							
Blaptinae *incertae sedis*							
Stenolamus Gebien, 1920				X			
Tenebrioninae Latreille, 1802							
Acropteronini Doyen, 1989							
Acropteryx Gistel, 1831		X					
= *Acropteron* Perty, 1832							
= *Sphenosoma* Dejean, 1834							
= *Acropterum* Agassiz, 1846							
= *Arthroplatus* Solier, 1851							
Alphitobiini Reitter, 1917							
Alphitobius Stephens, 1829	*X*	*X*	*X*	X	X	*X*	
= *Heterophaga* Dejean, 1834							
= *Cryptops* Solier, 1851							
= *Proselytus* Fåhraeus, 1870							
= *Microphyes* W.J. MacLeay, 1872							
= *Latetribolium* Lepesme, 1943							
†*Alphitopsis* Kirejtshuk, Nabozhenko & Nel, 2011							
Ardoinia Kaszab, 1969				X			
Diaclina Jacquelin du Val, 1861			X	X	X	X	
Epipedodema Gebien, 1921				X			
Guanobius Grimm, 2008					X		
Hoplopeltis Fairmaire, 1894					X		
Peltoides Laporte, 1833				X			
SG *Micropeltoides* Pic, 1916				X			
SG *Peltoides* Laporte, 1833				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Oopiestus* Chevrolat, 1833							
Amarygmini Gistel, 1848							
Alienoplonyx Bremer, 2019					X		
Alymon Pascoe, 1866				X			
= *Ghaleca* Péringuey, 1899							
Amarygmus Dalman, 1823			X		X	X	X
SG *Amarygmus* Dalman, 1823			X		X	X	X
= *Dietysus* Pascoe, 1866							
= *Elixota* Pascoe, 1866							
= *Eurypera* Pascoe, 1870							
= *Dictysus* Rye, 1874							
= *Aphyllocerus* Fairmaire, 1881							
= *Anacycus* Fairmaire, 1896							
= *Platolenes* Gebien, 1914							
= *Pseudamarygmus* Pic, 1915							
= *Apelina* Saha, 1988							
= *Plesiamarygmus* Masumoto, 1989							
SG *Becvaramarygmus* Masumoto, 1999					X		
SG *Cornugeton* Bremer, 2016						X	
SG *Dryadigmus* Bremer, 2007					X		
SG *Hyperamarygmus* Kaszab, 1964						X	
SG *Oogeton* Kaszab, 1941					X		
SG *Phaenogeton* Bremer, 2016						X	
SG *Podamarygmus* Carter, 1928					X		
SG *Pyanirygmus* Pic, 1915					X		
SG *Varogeton* Bremer, 2014					X		
Asthenochirus Fairmaire, 1885				X			
Asyleptus Péringuey, 1896				X			
= *Barlacus* Fairmaire, 1900							
= *Termitonebria* Wasmann, 1925							
= *Falsozialeus* Pic, 1951							
Atropsorodes Ardoin, 1963				X			
Axynaon Blackburn, 1897						X	
= *Catopherus* Carter, 1918							
Azarelius Fairmaire, 1892					X		
Bunamarygmus Masumoto, 1988					X		
Cantaloubeus Ardoin, 1959				X			
Caudamarygmus Bremer, 2001					X		
Cephalamarygmus Bremer, 2001					X		
Cerysia Bremer, 2001					X	X	
Chalcoplonyx Ardoin, 1963				X			
Chalcopteroides Gebien, 1948						X	
= *Chalcopterus* Blessig, 1861							
Cheiroplus Ardoin, 1963				X			
Cleognathus Gebien, 1921				X			
Coccimarygmus Ardoin, 1966				X			
SG *Coccimarygmus* Ardoin, 1966				X			
SG *Leiochromimus* Ardoin, 1966				X			
Crypsinous Fairmaire, 1891				X			
= *Cryptadius* Fairmaire, 1894							
= *Ubangia* Gebien, 1914							
Cymatothes Dejean, 1834	X	X					
= *Physignathus* Gistel, 1834							
= *Pyanisia* Laporte, 1840							
= *Cymatodes* Agassiz, 1846							
Dalmanius Bremer, 2001					X		
Dasyplonyx Bremer, 2014					X		
Dichotymus Fairmaire, 1891				X			
Erycastus Fairmaire, 1897				X			
Euglyptonotus Gestro, 1901				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Eulytus C.O. Waterhouse, 1882				X			
Eumolpamarygmus Pic, 1923					X		
Eumolparamarygmus Bremer, 2006					X		
Eupezoplonyx Pic, 1922					X		
Eupezus Dejean, 1834				X			
Euspinamarygmus Masumoto, 1989					X		
Fabraeus Ardoin, 1963				X			
Falsastenochirus Pic, 1938				X			
= *Falsasthenochirus* Ardoin, 1965							
Falsoplonyx Ardoin, 1963				X			
Falsosynopticus Pic, 1936				X			
Garambanus Ardoin, 1964				X			
Gonocnemis J. Thomson, 1858				X	X		
= *Acastus* Péringuey, 1896							
Gonocnemocistela Pic, 1935				X			
Hesseodes Ardoin, 1963				X			
Hoplobrachium Fairmaire, 1886				X	X		
= *Holobrachium* Gebien, 1905							
= *Cephaloplonyx* Pic, 1922							
Hoplonyx J. Thomson, 1858				X			
SG *Hoplonyx* J. Thomson, 1858				X			
= *Hoplochirus* Scudder, 1882							
SG *Hyloplonyx* Ardoin, 1963				X			
SG *Nataloplonyx* Ardoin, 1963				X			
SG *Nemoplonyx* Ardoin, 1963				X			
Hypamarygmus Gebien, 1904				X			
Insolitoplonyx Bremer, 2014					X		
Isopteroplonyx Bremer, 2006						X	
Javamarygmus Pic, 1928					X		
Lemoultia Chatanay, 1913				X			
Lobatopezus Pic, 1952					X		
Luzonoplonyx Bremer, 2009					X		
Macrosynopticus Pic, 1922					X		
= *Cyrtostrongylium* Blair, 1929							
Megacantha Westwood, 1843				X			
Meracantha W. Kirby, 1837	X						
= *Falacer* Laporte, 1840							
= *Physocoelus* Haldeman, 1850							
Meroxys Ardoin, 1963				X			
Mimosynopticus Pic, 1922				X			
Neoplonyx Ardoin, 1963				X			
Nepaloplonyx Bremer, 2014					X		
Nesioticus Westwood, 1843				X			
Oplocheirus Lacordaire, 1859				X			
Overlaetia Pic, 1937				X			
Paragonocnemis Kraatz, 1899				X	X		
SG *Borneogonocnemis* Pic, 1936					X		
SG *Lycogonocnemis* Pic, 1915				X			
SG *Microgonocnemis* Pic, 1936				X			
SG *Paragonocnemis* Kraatz, 1899				X			
Paramarygmus Quedenfeldt, 1885				X			
SG *Meracanthoides* Linell, 1896				X			
SG *Paramarygmus* Quedenfeldt, 1885				X			
= *Pareupezus* Kolbe, 1889							
Pilosoplonyx Bremer, 2014					X		
Pimelionotus Ardoin, 1963				X			
Platypsorodes Ardoin, 1963				X			
Plegacerus Gebien, 1921				X			
Plesiophthalmus Motschulsky, 1857	*X*		X		X		
SG *Chaeroplonyx* Bremer, 2014					X		

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Cyriogeton* Pascoe, 1871					X		
SG *Eumolpocyriogeton* Pic, 1922					X		
SG *Inspinogeton* Pic, 1937					X		
SG *Opacoplonyx* Bremer, 2014			X		X		
SG *Plesiophthalmus* Motschulsky, 1857	*X*		X		X		
SG *Spinamarygmus* Pic, 1915					X		
Plinthochrous Fairmaire, 1891				X			
= *Lycoscelis* Blair, 1929							
Podacamptus Ardoin, 1964				X			
Pontianacus Fairmaire, 1898					X		
Pseudalymon Ardoin, 1969				X			
Pseudoogeton Masumoto, 1989			X		X		
Psilocastus Ardoin, 1963				X			
Psoroderes Ardoin, 1962				X			
Psorodes Dejean, 1834				X			
= *Acanthomera* Latreille, 1828							
= *Acanthomerus* Agassiz, 1846							
Psorophodes Ardoin, 1963				X			
Pterodes Ardoin, 1963				X			
Pubamarygmus Pic, 1915						X	
Reichenspergeria Wasmann, 1921					X		
Seorsoplonyx Bremer, 2010					X		
Singapura Gebien, 1925					X		
Spathulipezus Gebien, 1921						X	
Spinodietysus Pic, 1927					X		
Stemmoderus Spinola, 1842				X			
= *Stemmatoderus* Agassiz, 1846							
Sylvanoplonyx Bremer, 2010					X		
Timogebienus Ardoin, 1963				X			
Trichamarygmus Carter, 1913						X	
Umslatus Péringuey, 1899				X			
Vutsimus Péringuey, 1899				X			
Ziaelas Fairmaire, 1892					X		
Apocryphini Lacordaire, 1859							
Apocrypha Eschscholtz, 1831	X	X					
= *Compsomorphus* Solier, 1851							
Diplocyrtus Quedenfeldt, 1887			X				
Plastica C.O. Waterhouse, 1903		X					
Pseudapocrypha Champion, 1886		X					
Bolitophagini W. Kirby, 1837							
Afrobyrsax Ardoin, 1973				X			
Atasthalomorpha Miyatake, 1964			X				
Atasthalus Pascoe, 1871					X		
Boletoxenus Motschulsky, 1858			X		X		
= *Bolitoxenus* Gemminger, 1870							
Bolitolaemus Gebien, 1921				X			
Bolitonaeus Lewis, 1894			X		X		
Bolitophagiella Miyatake, 1964			X				
Bolitophagus Illiger, 1798	X		X				
= *Boletophagus* Agassiz, 1846							
Bolitotherus Candèze, 1861	X						
= *Phellidius* LeConte, 1862							
Bolitotrogus Miyatake, 1964			X		X		
Byrsax Pascoe, 1860			X		X	X	
Eleates Casey, 1886	X						
Eledona Latreille, 1797			X				
= *Heledona* Agassiz, 1846							
Eledonoprius Reitter, 1911			X				
Lanhsia Shibata, 1980					X		
Megeleates Casey, 1895	X						

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Microbolitonaeus Grimm, 2014					X		
Microatasthalus Ando, 2010					X		
Parabolitophagus Miyatake, 1964			X				
†*Proteleates* Wickham,1914							
Rhipidandrus LeConte, 1862	X	X	X	X	X	X	X
= *Xyloborus* Motschulsky, 1860							
= *Eutomus* Lacordaire, 1865							
= *Heptaphylla* Friedenreich, 1883							
= *Cherostus* C.O. Waterhouse, 1894							
= *Bolitopertha* Gebien, 1910							
Sumbawia Gebien, 1925					X		
Centronopini Doyen, 1989							
Centronopus Solier, 1848	X	X					
SG *Centronopus* Solier, 1848		X					
= *Centropus* Jakobson, 1914							
SG *Menechides* Motschulsky, 1872	X	X					
= *Scotobates* Rye, 1877							
= *Pyres* Champion, 1885							
Scotobaenus LeConte, 1859	X						
Tauroceras Hope, 1841		X					
= *Tauroceropedus* Pic, 1913							
Cerenopini Horn, 1870							
Argoporis Horn, 1870	X						
= *Threnus* Motschulsky, 1870							
Cerenopus LeConte, 1851	X						
Dissonomini G.S. Medvedev, 1968							
Bradyus Dejean, 1834			X				
= *Aphaleria* Reitter, 1896							
Dissonomus Jacquelin du Val, 1861			X				
SG *Dissonomus* Jacquelin du Val, 1861			X				
= *Heterophylus* Mulsant & Rey, 1859							
SG *Eudissonomus* G.S. Medvedev, 1968			X				
SG *Neodissonomus* G.S. Medvedev, 1968			X				
SG *Paradissonomus* G.S. Medvedev, 1968			X				
Eulabini Horn, 1870							
Apsena LeConte, 1862	X						
Epantius LeConte, 1851	X						
Eulabis Eschscholtz, 1829	X						
= *Heterarthron* Gistel, 1848							
Falsocossyphini Ferrer, 2006							
Blatticephalus Heller, 1918				X			
= *Catobleps* Blair, 1918							
Falsocossyphus Pic, 1916					X		
Microblattellus Ferrer, 2006					X		
Heleini Fleming, 1821							
Asphalina Matthews & Lawrence, 2005							
Asphalus Pascoe, 1868						X	
Bassianus Matthews & Doyen, 1989						X	
Meneristes Pascoe, 1869						X	
= *Asiris* Motschulsky, 1872							
Sloanea Carter, 1916						X	
Cyphaleina Lacordaire, 1859							
Agastenes R. Lucas, 1920						X	
= *Agasthenes* Bates, 1873							
= *Batessia* Ponting, 2018							
Aglypta Gebien, 1908						X	
= *Onoglypta* Carter, 1926							
Amarygmimus Bates, 1873						X	
= *Amarygmomimus* Rye, 1875							
Amphianax Bates, 1873						X	
Atoreuma Gebien, 1941						X	

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Toreuma* Carter, 1913							
= *Eutoreuma* Carter, 1914							
Bolbophanes Carter, 1913						X	
= *Pseudobolbophanes* Kulzer, 1954							
Byallius Pascoe, 1869						X	
Cyphaleus Westwood, 1841						X	
= *Chrysobalus* Boisduval, 1835							
= *Chartopteryx* Westwood, 1841							
= *Oremasis* Pascoe, 1866							
= *Altes* Pascoe, 1869							
= *Anausis* Bates, 1873							
= *Apomestris* Bates, 1873							
= *Trisilus* Haag-Rutenberg, 1878							
Hemicyclus Westwood, 1841						X	
= *Cyclophanes* Carter, 1913							
Mithippia Pascoe, 1869						X	
Mitrothorax Carter, 1914						X	
= *Ctimene* Bates, 1873							
= *Mitrephorus* Carter, 1913							
= *Timeneca* Carter, 1914							
Nyctozoilus Guérin-Méneville, 1831						X	
= *Sphenogenius* Solier, 1848							
= *Onosterrhus* Pascoe, 1866							
= *Hypocilibe* Bates, 1872							
= *Aethalides* Bates, 1873							
= *Ononyctus* Carter, 1914							
Olisthaena Erichson, 1842						X	
= *Decialma* Pascoe, 1869							
= *Hectus* Pascoe, 1869							
= *Aphectus* Carter, 1926							
Onotrichus Carter, 1911						X	
Pachycoelia Boisduval, 1835						X	
= *Lepispilus* Westwood, 1841							
= *Lepidospilus* Agassiz, 1846							
= *Tyndarisus* Pascoe, 1869							
Paraphanes W.J. MacLeay, 1887						X	
Phanechloros Matthews & Bouchard, 2008						X	
= *Chlorophanes* Matthews, 1992							
Platyphanes Westwood, 1849						X	
= *Opigenia* Pascoe, 1869							
= *Laonicus* Haag-Rutenberg, 1878							
Prophanes Westwood, 1849						X	
= *Lygestira* Pascoe, 1866							
= *Maerodes* C.O. Waterhouse, 1877							
= *Moerodes* Rye, 1879							
Styrus Bates, 1873						X	
Heleina Fleming, 1821							
Boreosaragus Matthews, 1993						X	
Brises Pascoe, 1869						X	
= *Ephidonius* Pascoe, 1869							
Camponotiphilus Lea, 1914						X	
Celibe Boisduval, 1835						X	
Cillibus Matthews, 1993						X	
Dysarchus Pascoe, 1866						X	
= *Saragodinus* Bates, 1872							
= *Saragella* Carter, 1937							
Edylius Champion, 1894						X	
Emcephalus W. Kirby, 1828						X	
= *Encephalus* Agassiz, 1846							
= *Ellaemus* Pascoe, 1866							
= *Encara* Gemminger, 1870							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Euhelaeus* Gebien, 1921							
Helea Latreille, 1804						X	
= *Soradeus* Rafinesque, 1815							
= *Elaeus* Gemminger, 1870							
Mimopeus Pascoe, 1866						X	
Ospidus Pascoe, 1866						X	
Pterohelaeus Brême, 1842						X	
= *Barytipha* Pascoe, 1869							
= *Pterelaeus* Gemminger, 1870							
= *Pezohelaeus* Gebien, 1921							
Saragus Erichson, 1842						X	
= *Cyclosattus* Casey, 1892							
Sympetes Pascoe, 1866						X	
Trichosaragus Blackburn, 1890						X	
Heleini *incertae sedis*							
Cerodolus Sharp, 1886						X	
Pseudhelops Guérin-Méneville, 1841						X	
Helopini Latreille, 1802							
Cylindrinotina Español, 1956							
Armenohelops Nabozhenko, 2002			X				
Asialassus Nabozhenko & Ando, 2018			X		X		
Ceratopelius Antoine, 1963			X				
Cylindrinotus Faldermann, 1837			X				
= *Cylindronotus* Agassiz, 1846							
= *Stenomacidius* Seidlitz, 1895							
Ectromopsis Antoine, 1949			X				
Eustenomacidius Nabozhenko, 2006			X				
SG *Caucasohelops* Nabozhenko, 2006			X				
SG *Eustenomacidius* Nabozhenko, 2006			X				
Gunarus Gozis, 1886			X				
Idahelops Keskin & Nabozhenko, 2012			X				
Microdocnemis Nabozhenko & Keskin, 2010			X				
Nalassus Mulsant, 1854	X		X		X		
SG *Caucasonotus* Nabozhenko, 2000			X				
SG *Horistelops* Gozis, 1910			X				
= *Helopondrus* Reitter, 1922							
SG *Nalassus* Mulsant, 1854	X		X		X		
= *Helopocerodes* Reitter, 1922							
SG *Nipponalassus* Nabozhenko & Ando, 2018			X				
Odocnemis Allard, 1876			X				
SG *Heloponotus* Reitter, 1922			X				
SG *Odocnemis* Allard, 1876			X				
= *Omaleis* Allard, 1876							
= *Isopedus* Stein, 1877							
= *Homalus* Rye, 1878							
= *Homaleis* Rye, 1879							
= *Odontocnemis* Rye, 1878							
Pseudoprobaticus Nabozhenko, 2001			X				
Reitterohelops Skopin, 1960			X				
Stenomax Allard, 1876			X				
SG *Pystelops* Gozis, 1910			X				
= *Asyrmatus* Canzoneri, 1959 **syn. nov.**							
SG *Stenomax* Allard, 1876			X				
Stygohelops Leo & Liberto, 2003			X				
Taurohelops Keskin & Nabozhenko, 2015			X				
Turkmenohelops G.S. Medvedev, 1987			X				
Turkonalassus Keskin, Nabozhenko & Alpagut-Keskin, 2017			X				
Xanthohelops Nabozhenko, 2006			X				
Xanthomus Mulsant, 1854			X				
Zophohelops Reitter, 1902			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Zophohelops* Reitter, 1902			X				
= *Euryhelops* Reitter, 1902							
SG *Zophondrus* Nabozhenko, 2014			X				
Enoplopodina Reitter, 1917							
Accanthopus Dejean, 1821			X				
= *Enoplopus* Solier, 1848							
Helopina Latreille, 1802							
Adelphinus Fairmaire & Coquerel, 1866			X				
SG *Adelphinops* Reitter, 1922			X				
SG *Adelphinus* Fairmaire & Coquerel, 1866			X				
Allardius Ragusa, 1898			X				
= *Pseudoparablops* Heyden, 1908							
Apterotarpela Kaszab, 1954					X		
Catomus Allard, 1876			X				
SG *Catomodontus* Löbl & Merkl, 2020			X				
SG *Catomus* Allard, 1876			X	X			
= *Catomidius* Seidlitz, 1895							
SG *Montanocatomus* Nabozhenko, 2006			X				
SG *Sinocatomus* Nabozhenko, 2006			X				
†*Cryptohelops* Nabozhenko & Kirejtshuk, 2014							
Deretus Gahan, 1900				X			
Entomogonus Solier, 1848			X				
SG *Delonurops* Reitter, 1922			X				
= *Macrophanes* Iablokoff-Khnzorian, 1957							
SG *Entomogonus* Solier, 1848			X				
SG *Eutelogonus* Reitter, 1922			X				
Erionura Reitter, 1903			X				
Euboeus Boieldieu, 1865			X				
SG *Euboeus* Boieldieu, 1865			X				
= *Probaticus* Seidlitz, 1895							
SG *Helopidoxus* Reitter, 1922			X				
SG *Helopostygnus* Antoine, 1949			X				
SG *Helopotrichus* Reitter, 1922			X				
SG *Pelorinus* Vauloger de Beaupré, 1900			X				
Hedyphanes Fischer von Waldheim, 1820			X				
SG *Granulophanes* Nabozhenko, 2013			X				
SG *Hedyphanes* Fischer von Waldheim, 1820			X				
= *Coelophanes* Iablokoff-Khnzorian, 1964							
SG *Microhedyphanes* Nabozhenko & Lillig, 2013			X				
Helops Fabricius, 1775	X	X	X				
= *Hypulus* Rafinesque, 1815							
= *Anteros* Laporte, 1840							
= *Stenotrichus* LeConte, 1862							
= *Biomorphus* Motschulsky, 1872							
= *Coscinoptilix* Allard, 1876							
= *Mesohelops* Reitter, 1922							
Italohelops Español, 1961			X				
Mamorina Antoine, 1951			X				
Nautes Pascoe, 1866	X	X					
Neohelops Dajoz, 2001	X						
Nephodinus Gebien, 1943			X				
SG *Nephodinus* Gebien, 1943			X				
= *Nephodes* Blanchard, 1845							
SG *Paranephodes* Antoine, 1955			X				
Nesotes Allard, 1876			X				
SG *Helopogonus* Reitter, 1922			X				
SG *Nesotes* Allard, 1876			X				
= *Diastixus* Allard, 1876							
= *Gyrinodes* Fauvel, 1897 **syn. nov.**							
Nipponohelops Masumoto, Ando & Akita, 2006			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Physohelops Schuster, 1937			X				
Raiboscelis Allard, 1876			X				
= *Hipponome* Laporte, 1840							
= *Rhaebosceles* Rye, 1878							
Sabularius Escalera, 1914			X				
Socotraphanes Nabozhenko, 2019				X			
Stenohelops Reitter, 1922			X				
SG *Helopelius* Reitter, 1922			X				
= *Stenomaleis* Español, 1957							
SG *Stenohelops* Reitter, 1922			X				
= *Gunarellus* Reitter, 1922							
SG †*Stenolassus* Nabozhenko, Chigray & Bukejs, 2020							
Tarpela Bates, 1870	X	X					
= *Lamperos* Allard, 1876							
Helopini *incertae sedis*							
Dolphus Blanchard, 1847		X					
Erulipothydemus Pic, 1918					X		
Helopidesthes Fairmaire, 1895				X			
Microcatomus Pic, 1925				X			
Melanimonini Seidlitz, 1894 (1854)							
Cheirodes Gené, 1839	X		X	X		*X*	
SG *Anemiadena* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Cheirodes* Gené, 1839	X		X	X		*X*	
= *Anemia* Laporte, 1840							
= *Chirodes* Agassiz, 1846							
SG *Histiaea* Fairmaire, 1892			X	X			
SG *Pseudanemia* Wollaston, 1864			X	X			
= *Ammidanemia* Reitter, 1904							
SG *Spinanemia* Löbl, Bouchard, Merkl & Bousquet, 2020			X	X			
SG *Trichanemia* Ardoin, 1971				X			
Dolamara Reichardt, 1935			X				
Melanimon Steven, 1828			X				
= *Microzoum* Dejean, 1834							
= *Microzoon* Hope, 1841							
= *Fundulus* Gistel, 1848							
Metaclisini Steiner, 2016							
Metaclisa Jacquelin du Val, 1861	X	X	X		X		
= *Amarantha* Motschulsky, 1860							
= *Tharsus* LeConte, 1862							
Palorini Matthews, 2003							
Astalbus Fairmaire, 1900				X			
Austropalorus Halstead, 1967						X	
Eutermicola Lea, 1916						X	
Palorinus Blair, 1930					X	X	
Paloropsis Masumoto & Grimm, 2004					X		
Palorus Mulsant, 1854	*X*	*X*	X	X	X	X	X
= *Caenocorse* C.G. Thomson, 1859							
= *Eba* Pascoe, 1863							
= *Platyotus* Gerstaecker, 1871							
= *Circomus* Fleischer, 1900							
= *Stenopalorus* Blair, 1930							
Platycotylus Olliff, 1883				X	X	X	
= *Thurea* Ferrer, 1998							
Prolabrus Fairmaire, 1897				X			
Pseudeba Blackburn, 1903						X	
Ulomina Baudi di Selve, 1876	*X*	*X*	X	X	X	*X*	X
= *Coelopalorus* Blair, 1930							
Ulomotypus Broun, 1886						X	
†*Vabole* Alekseev & Nabozhenko, 2015							
Paoligenini Ferrer, 2013							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Paoligena Pic, 1928				X			
Praeugenini De Moor, 1970							
Anarmostodera Fairmaire, 1897				X			
Dysgena Mäklin, 1863				X			
Miltoprepes Gerstaecker, 1871				X			
= *Anephyctus* Fairmaire, 1891							
Nesogena Mäklin, 1863				X			
SG *Armigena* Bouchard & Bousquet, **subgen. nov.**				X			
SG *Heterogena* Froussart, 1961				X			
SG *Nesogena* Mäklin, 1863				X			
= *Bradygena* Fairmaire, 1903							
SG *Paragena* Bouchard & Bousquet, **subgen. nov.**				X			
Phaeostolus Fairmaire, 1884				X			
Praeugena Laporte, 1840				X			
= *Adelphus* Dejean, 1834							
= *Praogena* Agassiz, 1846							
= *Lamprobothris* Fairmaire, 1887							
= *Tactoderus* Fairmaire, 1892							
= *Ergenna* Fairmaire, 1897							
Pseudopraeugena De Moor, 1970				X			
Rhysopaussini Wasmann, 1896							
Mimoxenotermes Pic, 1931					X		
Rhysopaussus Wasmann, 1896					X		
Rhyzodina Chevrolat, 1873				X			
SG *Apistocerus* Fairmaire, 1899				X			
SG *Eurhysodina* Wasmann, 1921				X			
SG *Rhyzodina* Chevrolat, 1873				X			
= *Rhysodina* Wasmann, 1921							
Xenotermes Wasmann, 1896					X		
Scaurini Billberg, 1820							
Carchares Pascoe, 1887				X			
= *Podoces* Péringuey, 1886							
Cephalostenus Solier, 1838			X				
= *Stenocephalus* Agassiz, 1846							
Herpiscius Solier, 1838				X			
Scaurus Fabricius, 1775			X	X			
= *Scauris* Rafinesque, 1815							
Scotobiini Solier, 1838							
Ammophorus Guérin-Méneville, 1831		X					
= *Selenomma* Dejean, 1836							
Diastoleus Solier, 1838		X					
Emmallodera Blanchard, 1842		X					
Leptynoderes Solier, 1838		X					
Pumiliofossorum Silvestro & Giraldo-Mendoza, 2015		X					
Scotobius Germar, 1823		X					
= *Gonogenius* Solier, 1838							
Tenebrionini Latreille, 1802							
Ariarathus Fairmaire, 1891			X		X		
= *Teneatopus* Reitter, 1920							
Athrodactyla Klug, 1833				X			
Bius Dejean, 1834	X		X				
= *Bia* Hope, 1841							
= *Dendroscopius* Gistel, 1848							
Bouchardandrus Steiner, 2016	X						
Bremerus Ferrer, 2004				X			
Cedrosius Fairmaire, 1902				X			
Falsocalcar Pic, 1925				X			
Gridellia Kammerer, 2006				X			
= *Villiersia* Gridelli, 1951							
Hipalmus Bates, 1870		X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Lobetas* Motschulsky, 1872							
Idiobates Casey, 1891	X						
Microzophobas Pic, 1944		X					
Neatus LeConte, 1862	X		X				
Neozophobas Ferrer, 2006		X					
Paratoxicum Champion, 1894						X	
= *Schizophthalmotribolium* Kaszab, 1940							
Phanerops Solier, 1851		X					
Rhinandrus LeConte, 1866	X	X					
= *Exerestus* Bates, 1870							
= *Proderops* Fairmaire, 1873							
Satanocalcar Pic, 1925				X			
Tenebrio Linnaeus, 1758	*X*	*X*	X	X	X	*X*	
SG *Afrotenebrio* Gridelli, 1951				X			
SG *Cruracurvamtenebrio* Robiche, 2019				X			
SG *Megatenebrio* Gridelli, 1951				X			
SG *Tenebrio* Linnaeus, 1758	*X*	*X*	X	X	X	*X*	
= *Menedrio* Motschulsky, 1872							
= *Tenebrionellus* Crotch, 1874							
Trichotenebrio Ardoin, 1962				X			
Zophobas Dejean, 1834	X	X		X			
SG *Macrozophobas* Pic, 1913	X	X					
SG *Zophobas* Dejean, 1834		X		X			
= *Pythonissus* Gistel, 1834							
Titaenini Fauvel, 1905							
Artystona Bates, 1874						X	
Callismilax Bates, 1874						X	
Demtrius Broun, 1895						X	
Partystona Watt, 1992						X	
Titaena Erichson, 1842						X	
Toxicini Oken, 1843							
Dysantina Gebien, 1922							
Calymmus Montrouzier, 1860						X	
Cylindrosia Gebien, 1922				X			
Diceroderes Solier, 1841		X					
= *Prosomenes* Blanchard, 1845							
Dysantes Pascoe, 1869				X	X		
= *Eudysantes* Bouchard, Lawrence, Davies & Newton, 2005							
Ilyxerus Pascoe, 1866						X	
Mychestes Pascoe, 1870						X	
Opostirus Kirsch, 1865		X					
Orcopagia Pascoe, 1868						X	
Ozolais Pascoe, 1866		X					
Wattius Kaszab, 1982		X					
Nycteropina Lacordaire, 1859							
Chalcostylus Fairmaire, 1898				X			
Macellocerus Solier, 1848				X			
= *Dolichoderus* Klug, 1833							
= *Dillacerus* Solier, 1835							
= *Stierlinius* Forel, 1893							
Nycteropus Klug, 1833				X			
Toxicina Oken, 1843							
Cryphaeus Klug, 1833			X	X	X	X	
= *Anthracias* Dejean, 1834							
= *Ardelio* Gistel, 1848							
Epitoxicum Bates, 1873					X		
Taiwanocryphaeus Masumoto, 1996					X		
Toxicum Latreille, 1802			X		X	X	
SG *Mutiloxicum* Nabozhenko & Ivanov, 2018			X				
SG *Toxicum* Latreille, 1802			X		X	X	

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Trestonia* Rafinesque, 1815							
Trachelostenini Lacordaire, 1859							
Leaus Matthews & Lawrence, 1992						X	
Myrmecodema Gebien, 1943		X					
= *Myrmecosoma* Germain, 1855							
Trachelostenus Solier, 1851		X					
Triboliini Gistel, 1848							
Aesymnus Champion, 1886		X					
Hypogena Dejean, 1834	X	X					
= *Ulosonia* Laporte, 1840							
Latheticus C.O. Waterhouse, 1880	*X*	*X*	*X*	*X*	X	*X*	
Lyphia Mulsant & Rey, 1859	*X*		X	X	X	X	
= *Lindia* Blackburn, 1888							
Metulosonia Bates, 1873		X					
Mycotrogus Horn, 1870	X	X					
Platybolium Blair, 1938					X		
Spelaebiosis Bousquet & Bouchard, 2018		X					
= *Orghidania* Ardoin, 1977							
= *Ardoinia* Özdikmen, 2005							
Tribolium W.S. MacLeay, 1825	X	X	X	X	X	X	X
SG *Aphanotus* LeConte, 1862	X						
SG *Tribolium* W.S. MacLeay, 1825	X	X	X	X	X	X	X
= *Stene* Stephens, 1832							
= *Margus* Dejean, 1834							
= *Tenebrioloma* Gebien, 1910							
= *Leanum* Uyttenboogaart, 1934							
Xenogloeus Wollaston, 1861				X			
Ulomini Blanchard, 1845							
Achthosus Pascoe, 1863						X	
Alegoria Laporte, 1840		X					
= *Hylonoma* Macquart, 1850							
Antimachus Gistel, 1829		X					
= *Ceratupis* Perty, 1830							
Apteruleda Gebien, 1928		X					
Apteruloma Gebien, 1928		X					
Basanopsis Gebien, 1914					X		
Brachypophlaeus Fairmaire, 1897			X	X	X		
= *Leptoscapha* Fairmaire, 1886							
= *Stenoscapha* Fairmaire, 1885							
Cenoscelis Wollaston, 1868			X	X	X	X	
SG *Aptereutochia* Kaszab, 1980					X		
SG *Cenoscelis* Wollaston, 1868			X	X	X	X	
Cneocnemis Gebien, 1914			X		X	X	
Curtopeltoides Pic, 1916					X		
Donisiellus Bremer, 1992				X			
Eutochia LeConte, 1862	X	X					
= *Aniara* Melsheimer 1853:139							
= *Delopygus* LeConte, 1866							
= *Aniarus* Gemminger, 1870							
= *Holaniara* Fairmaire, 1871							
Macruloma Pic, 1921					X		
Metabolocerus Bates, 1873		X					
Microcenoscelis Schawaller, 2015				X			
Neopsectropus Kaszab, 1941				X			
Neooligocara Guerrero, Vidal & Moore, 2007		X					
Oligocara Solier, 1848		X					
Pheres Champion, 1886		X					
Pycnuloma Fairmaire, 1896					X		
Scotochares Boheman, 1858							X
Semieutochia Kaszab, 1980					X		

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Typhluloma Lea, 1912						X	
Uleda Laporte, 1840		X					
Uloma Dejean, 1821	X	X	X	X	X	X	X
SG *Apterulomoides* Kaszab, 1982						X	
SG *Uloma* Dejean, 1821	X	X	X	X	X	X	X
= *Prioscelida* White, 1846							
= *Melasia* Perroud & Mulsant, 1856							
Ulomimus Bates, 1873			X		X		
= *Pseuduloma* Fairmaire, 1893							
Tenebrioninae *incertae sedis*							
Anophthalmolamus Ferrer, 1993			X				
Hangaya Matthews & Merkl, 2015						X	
Penichrus Champion, 1885		X					
Alleculinae Laporte, 1840							
Alleculini Laporte, 1840							
Alleculina Laporte, 1840							
Aeanes Champion, 1893		X					
Alethia Champion, 1888	X	X					
Allecula Fabricius, 1801		X	X	X	X		
SG *Allecula* Fabricius, 1801		X	X	X	X		
SG *Alleculina* Pic, 1954				X			
SG *Dietopsis* Solier, 1835		X					
Alogista Fåhraeus, 1870				X			
Amaropsis Champion, 1893		X					
Anognathena Ando, 2017					X		
Anthracula Fairmaire, 1897					X		
Atoichus Carter, 1915						X	
Barbora Novák, 2020					X		
Barycistela Blackburn, 1891						X	
Blepusa Westwood, 1842		X					
Bobina Novák, 2015			X		X		
Bobisthes Novák, 2019					X		
Bolbostetha Fairmaire, 1896					X		
= *Alleculodes* Borchmann, 1925							
Borbochara Novák, 2009					X		
Borbonalia Novák, 2014			X		X		
Borborella Novák, 2020					X		
Borboresthes Fairmaire, 1897			X		X		
Charisius Champion, 1888		X					
= *Narses* Champion, 1888							
Chitwania Novák, 2015					X		
Cistelampra Fairmaire, 1897				X			
Cisteloida Fairmaire, 1882					X		
Cistelopsis Fairmaire, 1896			X		X		
Cteisodella Novák, 2020					X		
Cteisodes Borchmann, 1932					X		
Dimorphochilus Borchmann, 1908						X	
Diopoenus Champion, 1888		X					
Doranalia Novák, 2020			X		X		
Dorota Novák, 2018					X		
Erzika Novák, 2020					X		
Eucaliga Fairmaire & Germain, 1861		X					
Euomma Boheman, 1858						X	
= *Apellatus* Pascoe, 1863							
Evaostetha Novák, 2008					X		
Fifina Novák, 2018					X		
Fifinoides Novák, 2020					X		
Gerdacula Novák, 2015					X		
Havanalia Novák, 2020			X				
Hemicistela Blackburn, 1891						X	

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Homotrysis Pascoe, 1866						X	
= *Hybrenia* Pascoe, 1866							
Houaphanica Novák, 2020					X		
Hymenalia Mulsant, 1856			X	X	X		
Hymenorus Mulsant, 1852	X	X	X		X		
Impressallecula Pic, 1951				X			
Indricula Novák, 2016					X		
Jaklia Novák, 2010					X		
Jophon Champion, 1895						X	
†*Jurallecula* L.N. Medvedev, 1969							
Knausia Fall, 1931	X						
Kombacula Novák, 2012					X		
Ksukolcula Novák, 2017					X		
Latacula Campbell, 1971		X					
Lepturidea Fauvel, 1862						X	
= *Atractus* Boisduval, 1835							
= *Aethyssius* Pascoe, 1863							
= *Chromomaea* Pascoe, 1866							
= *Alcmeonis* Bates, 1868							
= *Anaxo* Bates, 1868							
= *Licymnius* Bates, 1868							
= *Neoatractus* Borchmann, 1909							
Liodocistela Pic, 1930					X		
Litopous Matthews, 2012						X	
Lobopoda Solier, 1835	X	X					
SG *Flavipoda* Campbell, 1966		X					
SG *Glabrilobopoda* Campbell, 1966		X					
SG *Lobopoda* Solier, 1835	X	X					
SG *Mesolobopoda* Campbell, 1966	X	X					
SG *Monoloba* Solier, 1835		X					
Loriculoides Novák, 2020					X		
= *Loricula* Novák, 2016							
Lycula Campbell, 1976		X					
Macrocistelopsis Pic, 1956						X	
Madreallecula Kanda, 2013	X						
Magdanalia Novák, 2020			X				
Makicula Novák, 2012					X		
Matthewsotys Bouchard & Bousquet, **gen. nov.**						X	
Menes Champion, 1888		X					
Menoeceus Champion, 1888	X	X					
Metistete Pascoe, 1866						X	
= *Lisa* Haag-Rutenberg, 1879							
Microcistelopsis Pic, 1922						X	
= *Microcistela* Pic, 1919							
Microstenogena Pic, 1924				X			
Microsthes Novák, 2011					X		
Mimopraogena Pic, 1952				X			
Mycetocharina Seidlitz, 1890			X				
SG *Alleculopsis* Semenov, 1894			X				
SG *Mycetocharina* Seidlitz, 1890			X				
= *Caristela* Fairmaire, 1894							
Mycetocula Novák, 2015					X		
Narsodes Campbell, 1976		X					
Nesogenomorpha Pic, 1917				X			
Neocistela Borchmann, 1909						X	
= *Pseudocistela* Blackburn, 1891							
Netopha Fairmaire, 1893			X		X		
Nikomenalia Dubrovina, 1975			X		X		
Nocar Blackburn, 1891						X	
Notacula Campbell, 1971		X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Notocistela Carter, 1915						X	
Nypsius Champion, 1895						X	
Obesacula Campbell, 1971		X					
Ommatochara Borchmann, 1932					X		
Ommatophorus W.J. MacLeay, 1872						X	
Omocula Borchmann, 1937		X					
Oocistela Borchmann, 1908						X	
= *Melaps* Carter, 1908							
Oracula Novák, 2019				X			
SG *Duocula* Novák, 2019				X			
SG *Oracula* Novák, 2019				X			
Orchesiolobopoda Pic, 1919		X					
Palpichara Borchmann, 1932					X		
Palpicula Novák, 2018					X		
Parahymenorus Campbell, 1971		X					
Pemanoa Buck, 1955						X	
Petrostetha Novák, 2008					X		
Phediodes Campbell, 1976		X					
Phedius Champion, 1888	X	X					
Pitholaus Champion, 1888		X					
Pizura Novák, 2016					X		
Platyallecula Blair, 1935				X			
Polyidus Champion, 1888		X					
Potocula Novák, 2012					X		
Prionalia Novák, 2020			X				
Prionychus Solier, 1835			X				
= *Eryx* Stephens, 1832							
= *Pelops* Gistel, 1834							
Pseudocistelopsis Novák, 2018					X		
Psis Novák, 2019					X		
Punctacula Campbell, 1971		X					
Scaletomerus Blackburn, 1891						X	
= *Otys* Champion, 1895							
Scaphinion Matthews, 2012						X	
Simarus Borchmann, 1909						X	
= *Ismarus* Haag-Rutenberg, 1878							
Socotralia Novák, 2007				X			
Spinecula Novák, 2019					X		
Stenochidus LeConte, 1862	X						
Stenogena Fairmaire, 1895				X			
Stilbocistela Borchmann, 1932					X		
Synallecula Kolbe, 1883				X			
Tanychilus Newman, 1838						X	
Taxes Champion, 1895						X	
Telesicles Champion, 1888	X						
Temnes Champion, 1888		X					
Theatetes Champion, 1888		X					
Upinella Mulsant, 1857			X		X		
SG *Thornella* Novák, 2019					X		
SG *Tibinella* Novák, 2019			X		X		
SG *Upinella* Mulsant, 1856			X		X		
Vietnalia Novák, 2021					X		
Zizu Novák, 2019					X		
Gonoderina Seidlitz, 1896							
Andrimus Casey, 1891	X						
Androchirus LeConte, 1862	X						
Asiomira Dubrovina, 1973			X				
= *Kirgisomira* Weise, 1974							
Brachycula Fairmaire, 1906				X			
†*Calcarocistela* Nabozhenko, 2016							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Capnochroa LeConte, 1862	X						
Chromatia LeConte, 1862	X						
Copistethus Seidlitz, 1890			X				
Cornucistela Campbell, 1980			X				
Cryptomysia Pic, 1954				X			
Eubalia Laporte, 1840				X			
= *Plesia* Klug, 1833							
= *Cacoplesia* Fairmaire, 1898							
Gerandryus Rottenberg, 1873			X				
= *Parablops* Rottenberg, 1871							
Gonodera Mulsant, 1856			X				
Helopsisomira Pic, 1952				X			
Isomira Mulsant, 1856	X	X	X	X	X		
SG *Apteromira* Weise, 1974			X				
SG *Danielomira* Weise, 1974			X				
SG *Heteromira* Hölzel, 1958			X				
SG *Isomira* Mulsant, 1856	X	X	X		X		
= *Tedinus* Casey, 1891							
SG *Mucheimira* Novák, 2016			X		X		
SG *Paraisomira* Dubrovina, 1982			X				
SG *Pubeirosoma* Pic, 1954				X			
Kralia Novák, 2013			X				
Malaymira Novák, 2020					X		
Micrisomira Pic, 1930					X		
Microcistela Pic, 1904			X				
Onychomira Campbell, 1984	X						
Paracistela Borchmann, 1941			X		X		
Piccula Bousquet & Bouchard, 2015				X			
= *Gerardia* Pic, 1954							
Pseudocistela Crotch, 1874	X	X	X	X	X	X	X
Pseudohymenalia Novák, 2008			X		X		
Viriathus Fairmaire, 1902				X			
Mycetocharina Gistel, 1848							
Caulostena Fairmaire, 1896				X			
Cylindrothorus Solier, 1843				X			
SG *Cylindrothorus* Solier, 1843				X			
= *Othelecta* Pascoe, 1866							
SG *Microthelecta* Pic, 1952				X			
Hymenochara Campbell, 1978	X						
Labetis C.O. Waterhouse, 1879							X
Mycetochara Guérin-Méneville, 1827	X		X				
SG *Ernocharis* C.G. Thomson, 1859	X		X				
= *Stigmatoma* LeConte, 1862							
SG *Mycetochara* Guérin-Méneville, 1827	X		X				
= *Mycetophila* Gyllenhal, 1810							
= *Mycetocharis* Gyllenhal, 1827							
= *Mycetochares* Latreille, 1829							
= *Bolithophilus* Gistel, 1832							
SG *Oculochara* Novák, 2020			X				
SG *Pterna* Reitter, 1884			X				
†*Mycetocharoides* Schaufuss, 1889							
Xystropodina Solier, 1835							
Anamphidora Casey, 1924	X						
Cteisa Solier, 1835		X					
Dasytoxystropus Pic, 1921		X					
Erxias Champion, 1888		X					
Lystronychus Latreille, 1829	X	X					
SG *Lystronychus* Latreille, 1829	X	X					
SG *Xystronia* Solier, 1835		X					
Microprostenus Pic, 1921		X					

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Prostenus Klug, 1829		X					
= *Mecocerus* Solier, 1835							
Scotobiopsis Brèthes, 1910		X					
Tucumana Gebien, 1911		X					
= *Eustenia* Fairmaire, 1905							
Xystropus Solier, 1835		X					
Alleculini *incertae sedis*							
Omedes Broun, 1893						X	
Xylochus Broun, 1880						X	
Zomedes Watt, 1992						X	
Cteniopodini Solier, 1835							
†*Amberophlus* Novák & Háva, 2019							
Balassogloa Semenov, 1891			X				
Cistelina Seidlitz, 1896			X		X		
Cistelomorpha Redtenbacher, 1868			X		X		
Cnecosochara Reitter, 1913			X				
Cteniopinus Seidlitz, 1896			X		X		
SG *Cteniopinus* Seidlitz, 1896			X		X		
SG *Lechinius* Blair, 1922					X		
= *Lechinius* Borchmann, 1930							
Cteniopus Solier, 1835			X				
SG *Cteniopososmus* Reitter, 1906			X				
SG *Cteniopus* Solier, 1835			X				
= *Cistela* Fabricius, 1775							
= *Cistella* Gistel, 1848							
= *Telacis* Poey, 1854							
= *Sarandonyx* Gozis, 1881							
SG *Rhinobarus* Reitter, 1906			X				
Diastanus Fairmaire, 1902				X			
Falsomophlus Pic, 1925					X		
Gastrhaema Jacquelin du Val, 1863			X				
Heliomophlus Reitter, 1906			X				
Heliostrhaema Reitter, 1890			X				
Heliotaurus Mulsant, 1856			X	X			
SG *Atlasotaurus* Bouyon, 2011			X				
SG *Heliotaurus* Mulsant, 1856			X	X			
SG *Julogenius* Reitter, 1906			X				
Holdhausia Reitter, 1906			X				
Hypocistela Bates, 1879			X				
Megischia Solier, 1835			X				
Megischina Reitter, 1906			X				
Nesotaurus Fairmaire, 1896				X			
Omophlina Reitter, 1890			X				
Omophlus Dejean, 1834			X				
SG *Euomophlus* Iablokoff-Khnzorian, 1983			X				
SG *Micromophlus* Znojko, 1950			X				
SG *Odontomophlus* Seidlitz, 1896			X				
= *Pleuromophlus* Reitter, 1906							
SG *Omophlus* Dejean, 1834			X				
SG *Paurodontomophlus* Muche, 1979			X				
SG *Phibalus* Gistel, 1856			X				
= *Paromophlus* Iablokoff-Khnzorian, 1983							
Petria Semenov, 1894			X				
†*Platycteniopus* Chang, Nabozhenko, Pu, Xu, Jia, Li, 2016							
Podonta Solier, 1835			X				
= *Pododonta* Agassiz, 1846							
Podontinus Seidlitz, 1896			X				
Proctenius Reitter, 1890			X				
†*Sinocistela* Zhang, 1989							
Stenerophlina Reitter, 1906			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Steneryx Reitter, 1890			X				
Tripolicryptus Strand, 1929			X				
= *Brachycryptus* Quedenfeldt, 1891							
Alleculinae *incertae sedis*							
Alogistopsis Borchmann, 1943				X			
Amorphopoda Fåhraeus, 1870				X			
Apalmia Fairmaire, 1896					X		
Aptericula Borchmann, 1937				X			
Asticostena Fairmaire, 1897					X		
Bancocistela Pic, 1947				X			
Bearnicistela Pic, 1909					X		
Borchmannius Bousquet & Bouchard, 2015				X			
= *Glyptothorax* Borchmann, 1937							
Borneocistela Pic, 1922					X		
Bratyna Westwood, 1875				X			
= *Morocaulus* Fairmaire, 1899							
Buxela Fairmaire, 1894					X		
Cistelodema Borchmann, 1932					X		
Compsocula Fairmaire, 1898				X			
Costallecula Pic, 1954				X			
Dioxycula Fairmaire, 1896					X		
Ectatocera Fåhraeus, 1870				X			
Ectenostoma Fåhraeus, 1870				X			
Eutrapelodes Borchmann, 1929				X			
Falsopsilonycha Pic, 1930				X			
Flabellalogista Pic, 1954				X			
Helopsallecula Pic, 1936				X			
Homoropsis Fairmaire, 1886				X			
Hovacula Fairmaire, 1898				X			
Idatius Fairmaire, 1906				X			
Isomiropsis Borchmann, 1942				X			
Lagriallecula Pic, 1920				X			
Macrocistela Pic, 1941				X			
Mayidicistela Pic, 1954				X			
Microamarygmus Pic, 1915					X		
Mimocistela Borchmann, 1938				X			
Omolepta Fåhraeus, 1870				X			
Pseudomorocaulus Pic, 1915				X			
Rhipidonyx Reitter, 1876					X		
Seydelicistela Pic, 1954				X			
Stenerula Fairmaire, 1875				X			
Stenogenomorpha Pic, 1919				X			
Strongyallecula Pic, 1955				X			
Diaperinae Latreille, 1802							
Crypticini Brullé, 1832							
Apteroseriscius Koch, 1950				X			
Araeopselaphus Gebien, 1921				X			
Capicrypticus Koch, 1950				X			
Cechenosternum Gebien, 1921			X	X	X		
Crypticus Latreille, 1816			X				
SG *Crypticopsis* Antoine, 1945			X				
SG *Crypticus* Latreille, 1816			X				
SG *Platycrypticus* Español, 1952			X				
= *Ulomoides* Escalera, 1927							
SG *Seriscius* Motschulsky, 1845			X				
Ellipsodes Wollaston, 1854		*X*	X	X	X	X	X
SG *Anthrenopsis* Koch, 1950		*X*	X	X	X	X	X
SG *Ellipsodes* Wollaston, 1854			X				
Gondwanocrypticus Español, 1955	X	X					
Lamprocrypticus Español, 1950			X				

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Lineocrypticus Koch, 1950				X			
Microcrypticus Gebien, 1921				X	X		
SG *Crypticocatops* Kaszab, 1975					X		
SG *Microcrypticus* Gebien, 1921				X			
Myrmecocatops Wasmann, 1897				X			
Oochrotus P.H. Lucas, 1852			X				
Poecilocrypticus Gebien, 1928	X	X					
Pseudoseriscius Español, 1950			X	X			
SG *Australoseriscius* Koch, 1950				X			
SG *Pseudoseriscius* Español, 1950			X				
Diaperini Latreille, 1802							
Adelinina LeConte, 1862							
Adelina Dejean, 1835	X	X	X		X	X	
= *Doliema* Pascoe, 1860							
= *Schedarosus* Reitter, 1876							
Alphitophagus Stephens, 1832	*X*		X		X	*X*	
= *Phyletes* Redtenbacher, 1845							
Arabcynaeus Schawaller, 2009			X				
Cynaeus LeConte, 1862	X		*X*		*X*		
Doliodesmus Spilman, 1967	X						
Doliopines Horn, 1894	X						
Gnatocerus Thunberg, 1814	X	X	X	X	X	*X*	
SG *Echocerus* Horn, 1870	X	X	X	X	X		
SG *Gnatocerus* Thunberg, 1814	X	X	X	X	X	*X*	
= *Cerandria* Dejean, 1834							
= *Gnathocerus* Agassiz, 1846							
= *Sicinus* Champion, 1886							
Iccius Champion, 1886	X	X					
Mophis Champion, 1886		X					
Neoplateia Marcuzzi, 1986		X					
Palembomimus Matthews & Lawrence, 2005						X	
Sitophagus Mulsant, 1854	X	X					
Diaperina Latreille, 1802							
Basides Motschulsky, 1873			X		X	X	
= *Ischnodactylus* Chevrolat, 1877							
Ceropria Laporte & Brullé, 1831		*X*	X	X	X	X	
= *Epilampus* Dejean, 1834							
= *Epilamprus* Gistel, 1848							
= *Dictysomorphus* Pic, 1921							
Cissides Chatanay, 1915				X			
Coelopleurum Gebien, 1921				X			
Cosmonota Blanchard, 1842		X					
Cyclobiomorphus Pic, 1916					X		
Cyclobium Pic, 1916					X		
Diaperis Geoffroy, 1762	X	X	X		X		
= *Allophasia* Pascoe, 1871							
Espagnolina Kaszab, 1965					X		
Exapinaeus Pascoe, 1882		X					
Falsocosmonota Kaszab, 1962					X		
Gargilius Fairmaire, 1891				X			
Gressittiola Kaszab, 1955						X	
Heterophylus Klug, 1833				X			
= *Heterophyllus* Gemminger, 1870							
Hoplaspis Motschulsky, 1858					X		
Lelegeis Champion, 1886		X					
Liodema Horn, 1870	X	X					
Louwerensia Kaszab, 1964						X	
Loxostethus Triplehorn, 1962		X					
Neomida Latreille, 1829	X	X	X		X		
= *Oplocephala* Laporte & Brullé, 1831							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Arrhenoplita* W. Kirby, 1837							
= *Hoplocephala* Agassiz, 1846							
= *Evoplus* LeConte, 1866							
Paniasis Champion, 1886		X					
= *Pseudapsida* Kulzer, 1961							
Pentaphyllus Dejean, 1821	X	X	X	X	X	X	X
= *Iphicorynus* Jacquelin du Val, 1861							
Phayllus Champion, 1886		X					
Platydema Laporte & Brullé, 1831	X	X	X	X	X	X	X
= *Typhobia* Pascoe, 1869							
= *Histeropsis* Chevrolat, 1878							
= *Anisocara* Gebien, 1925							
Platydemoides Kaszab, 1980					X		
Pseudobasides Pic, 1916					X		
Saptine Champion, 1886		X					
Sciophagus Sharp, 1885						X	X
= *Pachycerus* Montrouzier, 1860							
Stenoscapha Bates, 1873		X					
Stomylus Fåhraeus, 1870				X			
= *Pselaphidion* Gebien, 1921							
Ulomoides Blackburn, 1888		*X*	X		X	X	X
= *Palembus* Casey, 1891							
= *Martianus* Fairmaire, 1893							
= *Tenebriomimus* Kolbe, 1901							
= *Phayllidius* Gebien, 1922							
Yamatotakeru Ando, 2015			X		X		
Diaperini *incertae sedis*							
Pelleas Bates, 1872			X				
Ectychini Doyen, Matthews & Lawrence, 1990							
Ectyche Pascoe, 1869						X	
Micrectyche Bates, 1873						X	
Gnathidiini Gebien, 1921							
Anopidiina Jeannel & Paulian, 1945							
Anopidium Jeannel & Paulian, 1945				X			
Caecophloeus Dajoz, 1972		X					
Cryptozoon Schaufuss, 1882		X					
Mauritianopidium Dajoz, 1977				X			
Menimopsis Champion, 1896		X					
= *Caecomenimopsis* Kaszab, 1970							
Nanocaecus Schawaller & Purchart, 2012				X			
Neanopidium Dajoz, 1975		X					
Paralyreus Grouvelle, 1918				X			
Paranopidium Dajoz, 1974				X			
Peyrierasia Dajoz, 1975				X			
Prototyrtaeus Spiessberger & Ivie, 2020		X					
Pseudanopidium Dajoz, 1974				X			
Sphaerognathium Dajoz, 1975		X					
Tyrtaeus Champion, 1913		X		X		X	
Gnathidiina Gebien, 1921							
Anommabates Koch, 1956				X			
Caecochares Koch, 1956				X			
Enanea Lewis, 1894			X		X		
Gnathidium Gebien, 1921				X			
Menimus Sharp, 1876			X		X	X	X
SG *Menimus* Sharp, 1876			X		X	X	X
= *Ceramba* Fauvel, 1904							
= *Paita* Fauvel, 1904							
= *Microcilibe* Carter, 1919							
= *Tjikoraia* Pic, 1921							
= *Neomenimus* Kaszab, 1939							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
SG *Sinomenimus* G.S. Medvedev, 2007					X		
Micropeneta Pic, 1921					X		
= *Menimoides* Kaszab, 1946							
Pseudoenanea Pic, 1924					X		
Sakaiomenimus Ando, 2003			X				
Szentivanya Kaszab, 1958						X	
Taiwanomenimus Masumoto, Akita & Lee, 2019					X		
Gnathidiini *incertae sedis*							
Betschia Dajoz, 1980				X			
Mireanopidium Dajoz, 1977				X			
Hyociini G.S. Medvedev & Lawrence, 1982							
Brittonina G.S. Medvedev & Lawrence, 1986							
Brittona G.S. Medvedev & Lawrence, 1986						X	
Magela G.S. Medvedev & Lawrence, 1986						X	
Hyociina G.S. Medvedev & Lawrence, 1982							
Csiro G.S. Medvedev & Lawrence, 1984						X	
SG *Csiro* G.S. Medvedev & Lawrence, 1984						X	
SG *Millstreamia* G.S. Medvedev & Lawrence, 1984						X	
Hyocis Pascoe, 1866						X	
SG *Hyocis* Pascoe, 1866						X	
SG *Nannohyocis* G.S. Medvedev & Lawrence, 1983						X	
SG *Neohyocis* G.S. Medvedev & Lawrence, 1983						X	
Parahyocis Kaszab, 1955						X	X
Uptonina G.S. Medvedev & Lawrence, 1986							
Uptona G.S. Medvedev & Lawrence, 1986						X	
Hypophlaeini Billberg, 1820							
Cheilopoma Murray, 1867				X			
Corticeus Piller & Mitterpacher, 1783	X	X	X	X	X	X	X
SG Alienophloeus Bremer, 2018		X					
SG *Corticeus* Piller & Mitterpacher, 1783	X	X	X	X	X		X
= *Hypophlaeus* Fabricius, 1790							
= *Paraphloeus* Seidlitz, 1894							
= *Syncolydium* Kolbe, 1897							
SG *Metacorticeus* Bremer & Lillig, 2017					X	X	
SG *Neglectophloeus* Bremer & Lillig, 2017		X			X	X	X
SG *Pogonophloeus* Bremer, 1998	X		X	X	X		
SG *Seorsophloeus* Bremer, 1998				X	X		
SG *Stenophloeus* Blair, 1921		X		X	X	X	
= *Cnemophloeus* Bremer, 1998							
SG *Tylophloeus* Bremer, 1998	X	X	X		X		
Ischnarthron Gebien, 1921				X			
Myonophloeus Bremer & Lillig, 2017		X					
Pogonoxenus Wasmann, 1899				X			
Typhlophloeus Jeannel & Paulian, 1945			X	X			
Leiochrinini Lewis, 1894							
Ades Guérin-Méneville, 1857			X	X	X	X	X
= *Leiochrodes* Westwood, 1883							
Crypsis C.O. Waterhouse, 1877			X		X		
= *Leiochrotina* Westwood, 1883							
Derispia Lewis, 1894			X		X	X	
Derispiella Kaszab, 1961					X		
Derispiola Kaszab, 1946					X		
Leiochrinus Westwood, 1883			X		X	X	
Leiochrodinus Kaszab, 1961					X		
Leiochrodontes Kaszab, 1946					X		
Leiochrota Westwood, 1883					X		
Pimplema Pascoe, 1887					X	X	
= *Hades* J. Thomson, 1860							
Stethotrypes Gebien, 1914					X		
= *Leichrodomorphus* Pic, 1921							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Myrmechixenini Jacquelin du Val, 1858							
Myrmechixenus Chevrolat, 1835	*X*		X	X	X	*X*	
= *Myrmecoxenus* Märkel, 1844							
= *Myrmechoxenus* Aubé, 1850							
Phaleriini Blanchard, 1845							
Emypsara Pascoe, 1866			X				
= *Callicomus* Motschulsky, 1860							
= *Obenbergeria* Strand, 1929							
Halammobia Semenov, 1901			X				
Pachyphaleria Gebien, 1920				X			
Paranemia Heyden, 1892			X				
= *Taklamakania* Ferrer & Yvinec, 2004							
= *Taclamacanius* Ferrer & Yvinec, 2005							
Phaleria Latreille, 1802	X	X	X	X	X	*X*	
SG *Epiphaleria* Lewis, 1894			X	X	X	X	
SG *Eremophaleria* Español, 1951			X				
SG *Neophaleria* Español, 1963				X			
SG *Phaleria* Latreille, 1802	X	X	X			*X*	
= *Uria* Gistel, 1848							
= *Sepedonastes* Gistel, 1856							
= *Halophalerus* Crotch, 1874							
= *Phalerisida* Kulzer, 1959							
= *Atahualpina* Español, 1960							
Phaleromela Reitter, 1916	X		X				
Phtora Germar, 1836			X	X			
SG *Clypeophtora* F. Soldati & L. Soldati, 2003			X				
SG *Phtora* Germar, 1836			X	X			
= *Cataphronetis* P.H. Lucas, 1846							
= *Pseudostene* Wollaston, 1861							
= *Phthora* Gemminger, 1870							
Scaphidemini Reitter, 1922							
Basanus Lacordaire, 1859			X		X		
Laoscapha Schawaller, 2016					X		
†*Palaeobasanus* Nabozhenko & Kirejtshuk, 2020							
Pseudoscaphidema Pic, 1926			X				
Scaphidema Redtenbacher, 1848	X		X		X		
= *Nelites* LeConte, 1850							
= *Microbasanus* Pic, 1921							
Spiloscapha Bates, 1873			X		X	X	
Trachyscelini Blanchard, 1845							
Macrotrachyscelis Pic, 1925				X			
Taiwanotrachyscelis Masumoto, Akita & Lee, 2012					X		
Trachyscelis Latreille, 1809	*X*	*X*	X	X	X	X	
Diaperinae *incertae sedis*							
Triplehornia Matthews & Lawrence, 2005						X	
Stenochiinae W. Kirby, 1837							
Cnodalonini Oken, 1843							
Acanthobas Gebien, 1928		X					
Acanthocamaria Gebien, 1919		X					
Achariotheca Kaszab, 1970						X	
Achrostus Fairmaire, 1891				X			
Actanorie Bates, 1879				X			
= *Callimaria* Fairmaire, 1888							
Aesthetus C.O. Waterhouse, 1890		X					
Agymnonyx Gebien, 1921						X	
Ahexaroptrum Kaszab, 1960					X		
Ainu Lewis, 1894			X		X		
SG *Ainu* Lewis, 1894			X		X		
SG *Erulipus* Fairmaire, 1903					X		
Alcyonotus Pascoe, 1882				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Adonicus* Fairmaire, 1891							
= *Sterces* Champion, 1891							
Alobates Motschulsky, 1872	X						
Amarsenes Bates, 1879				X			
Amenophis J. Thomson, 1858				X			
SG *Amenophis* J. Thomson, 1858				X			
= *Hemerobates* Kolbe, 1884							
= *Praostetha* Fairmaire, 1897							
= *Pseudamenophis* Pic, 1916							
SG *Deriles* Motschulsky, 1872				X			
= *Anadischidus* Kolbe, 1897							
Anachayus Bouchard & Bousquet, **nom. nov.**				X			
= *Chatanayus* Ardoin, 1957							
Andocamaria Masumoto, 1993					X		
Androsus Gebien, 1921					X	X	
Anisophaedis Ando, 1993					X		
Annamosdara Kaszab, 1941					X		
Apsida Lacordaire, 1859	X	X					
= *Hapsida* Gemminger, 1870							
Aptereucyrtus Gebien, 1922					X		
Apterobrachys Kaszab, 1986						X	
Apteromaia Kulzer, 1952					X		
Apteromerus Blair, 1928						X	X
Apterophenus Gebien, 1921						X	X
Apterotheca Gebien, 1921						X	
= *Austropeus* Carter, 1924							
= *Caxtonana* Buck, 1960							
Argobrachium Fairmaire, 1899				X			
= *Aphelus* Gebien, 1921							
Argutiolana Robiche, 2001				X			
= *Wahlbergylium* Ferrer, 2011							
Artactes Pascoe, 1868					X		
= *Macroartactes* Pic, 1924							
Asbolodes Fairmaire, 1892					X		
Asbolodomimus Pic, 1921					X		
= *Allopezus* Gebien, 1922							
Asididius Fairmaire, 1869				X			
Asidobothris Fairmaire, 1886				X			
Asopidiopsis Kaszab, 1955							X
Asopis Haag-Rutenberg, 1878							X
Astathmetus Bates, 1874		X					
Augolesthus Motschulsky, 1872					X		
= *Chrysomaia* Kulzer, 1952							
Baratus Fairmaire, 1897					X		
Becvarius Masumoto, 1998					X		
Biroum Kaszab, 1956					X		
Blapida Perty, 1830		X					
= *Rhyssochiton* Gray, 1831							
= *Metonites* Gistel, 1848							
Borneocamaria Pic, 1917					X		
= *Homoeogenus* C.O. Waterhouse, 1882							
= *Homoeocamaria* Blair, 1919							
= *Krollus* R. Lucas, 1920							
Borneosphaerotus Grimm, 2015					X		
Borneosphena Purchart & Grimm, 2016					X		
Borneosynopticus Grimm, 2015					X		
Bothynocara Gebien, 1928		X					
Bothynocephalus Doyen, 1988		X					
Bradymerus Perroud & Montrouzier, 1865			X	X	X	X	X
= *Isostira* Pascoe, 1870							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Bradynocerus* Fairmaire, 1883							
= *Pseudobradymerus* Pic, 1926							
= *Planibates* Kaszab, 1939							
Bradysphaerotus Kaszab, 1986						X	
Brasilius Gebien, 1928		X					
Brosimapsida Ferrer & Ødegaard, 2005		X					
Byzacnus Pascoe, 1866				X			
Calabosca Fairmaire, 1894					X		
= *Ascalabus* Fairmaire, 1893							
Calydonella Doyen, 1995		X					
Calydoniomorpha Pic, 1917		X					
Calydonis Pascoe, 1882		X					
Camaria Lepeletier & Audinet-Serville, 1828		X					
= *Truncatocamaria* Pic, 1922							
Camarimena Motschulsky, 1863					X		
= *Sinopium* Pascoe, 1866							
= *Espitomorphus* Pic, 1921							
Camariocropterum Pic, 1920		X					
Camariodes Fairmaire, 1869				X			
= *Tinophyllus* Fairmaire, 1869							
Camariomorpha Pic, 1915					X		
= *Methistamena* Gebien, 1919							
Campolene Pascoe, 1863						X	
Campsia Lepeletier & Audinet-Serville, 1828		X					
SG *Blapidocampsia* Pic, 1919		X					
SG *Campsia* Lepeletier & Audinet-Serville, 1828		X					
= *Celox* Gistel, 1848							
Campsiomorpha Pic, 1917			X		X		
Camptobrachys Kaszab, 1941					X		
Carabelops Fairmaire, 1899				X			
= Agraecus Fairmaire, 1900							
Caracasa Pic, 1921		X					
Cataphanus Gebien, 1921						X	
Catapiestus Perty, 1831					X		
= *Plateia* Laporte, 1840							
Celebesa Pic, 1921						X	
Cephalothydemus Pic, 1923					X		
Cerandrosus Gebien, 1921						X	
Cerocamptus Gebien, 1919					X		
Chaetopsia Gebien, 1925					X		
Chalcocyclus Fairmaire, 1884				X			
Chalcopauliana Ardoin, 1961				X			
Charianus Bates, 1879				X			
Chariotheca Pascoe, 1860						X	X
= *Chariothes* Carter, 1914							
Chemolanus Bates, 1879				X			
Chlorocamma Bates, 1873						X	
Choastes Champion, 1893		X					
= *Choaspes* Champion, 1885							
Chrysopeplus Gebien, 1942						X	
= *Leiopeplus* Broun, 1893							
Cibdelis Mannerheim, 1843	X						
= *Scotera* Motschulsky, 1845							
Cleomis Fairmaire, 1892					X		
= *Pseudeucyrtus* Pic, 1916							
= *Oyanus* Pic, 1921							
Cnephalura Doyen, 1988		X					
Cnodalon Latreille, 1797		X					
= *Cnodalum* Agassiz, 1846							
Coelocnemis Mannerheim, 1843	X						

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Coelometopus Solier, 1848			X				
Cophodema Gebien, 1943		X					
= *Cophosoma* Gebien, 1928							
Cryptobates Fairmaire, 1882					X		
Cryptobatoides Kaszab, 1941					X		
Cryptobrachys Kaszab, 1941					X		
Cryptostenophanes Kaszab, 1941					X		
Csikiola Kaszab, 1955							X
Cuemus Bouchard, 2000						X	
Cybopiestes Reitter, 1917			X				
Cyclonesus Fairmaire, 1896					X		
Cyrtosoma Perty, 1830		X					
Cyrtotyche Pascoe, 1866				X			
Cyrtotyctus Kolbe, 1897				X			
Damatris Laporte, 1840				X			
= *Hybonotus* Dejean, 1834							
= *Malacova* Fairmaire, 1898							
Danodema Gebien, 1925				X			
Dechiustes Blair, 1940							X
Dentatoploedipus Kaszab, 1984					X		
Deplanchesia Fauvel, 1860		X					
Derosphaerus J. Thomson, 1858			X	X	X	X	
= *Euphron* Dejean, 1834							
= *Encyalesthus* Motschulsky, 1860							
= *Pachyurgus* LeConte, 1862							
= *Cholipus* Pascoe, 1866							
= *Notiolesthus* Motschulsky, 1872							
= *Neandrosus* Pic, 1921							
= *Falsoencyalesthus* Pic, 1923							
Diachoriops Ando, 2020			X		X	X	X
= *Schizomma* Gebien, 1921							
Dinomus Brême, 1842		X					
Diopethes Pascoe, 1882		X					
Dioscoridemus Koch, 1970				X			
Drocleana Bates, 1879				X			
Eccoptostoma Gebien, 1913				X			
= *Ogoueum* Pic, 1923							
Ectomopsis Fairmaire, 1905		X					
Elomosda Bates, 1870		X					
Epicalla Lacordaire, 1859		X					
Episopus Bates, 1873						X	
Eremobatodes Gebien, 1943				X			
= *Eremobates* Gebien, 1921							
Espites Pascoe, 1882						X	
Eucyrtus Lacordaire, 1859					X		
= *Microeucyrtus* Pic, 1926							
Euhemicera Ando, 1996					X		
Euphloeus Pascoe, 1887					X		
Eutelonodolinus Robiche, 2007				X			
Eutelonotus Fairmaire, 1902				X			
= *Eutelus* Solier, 1843							
= *Nodotelus* Koch, 1950							
Euthysternum Chatanay, 1915				X			
Exocolena Gebien, 1914					X		
Falsandrosus Kaszab, 1980					X		
Falsobates Kaszab, 1941					X		
Falsobrachys Kulzer, 1954					X		
Falsocamaria Pic, 1917			X		X		
= *Eucamaria* Gebien, 1919							
Falsocamariodes Ardoin, 1956				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Falsodiopethes Pic, 1924		X					
Falsonannocerus Pic, 1947				X			
Falsoperichilus Pic, 1920				X			
Falsozotypus Kaszab, 1980					X		
Foochounus Pic, 1921					X		
= *Chariophenus* Blair, 1929							
= *Anobriomaia* Kaszab, 1941							
= *Microcameria* Ren, 1998							
Gaurobates Gebien, 1928		X					
Gauromaia Pascoe, 1866					X		
SG *Falsogauromaia* Pic, 1921					X		
SG *Gauromaia* Pascoe, 1866					X		
= *Cephaleucyrtus* Pic, 1923							
Gebienella Kaszab, 1941					X		
Gebienocamaria Masumoto, 1993					X		
Gigantopigeus Kaszab, 1984					X		
Girardocamaria Masumoto, 1993					X		
Glyptotus LeConte, 1858	X	X					
Gnesis Pascoe, 1866					X		
= *Tromosternus* Harold, 1876							
Gonespites Gebien, 1921						X	
Gonospa Champion, 1886		X					
Graptopezus Gebien, 1921						X	
Haplandrus LeConte, 1862	X						
Haporema Fairmaire, 1892				X			
Hegemona Laporte, 1840		X					
= *Eucamptus* Germar, 1842							
= *Eusarca* Chevrolat, 1845							
Heliofugus Guérin-Méneville, 1831		X					
SG *Collariheliofugus* Freude, 1960		X					
SG *Heliofugus* Guérin-Méneville, 1831		X					
= *Heliosteres* Hope, 1841							
= *Heliophygus* Agassiz, 1846							
= *Euschatia* Solier, 1851							
SG *Inscutoheliofugus* Freude, 1960		X					
SG *Rugosiheliofugus* Freude, 1960		X					
Hemicera Laporte & Brullé, 1831					X		
SG *Hemicera* Laporte & Brullé, 1831					X		
= *Chrysolinoides* Jolivet, 1951							
SG *Nanohemicera* Pic, 1923					X		
Hemimmedia Gebien, 1928		X					
Hesiodus Champion, 1885		X					
Hexarhopalus Fairmaire, 1891			X		X		
SG *Hexarhopalus* Fairmaire, 1891			X		X		
= *Hexarhoptrum* Fairmaire, 1894							
= *Laosocryptobates* Pic, 1928							
= *Apteroleprocaulus* Kaszab, 1983							
SG *Leprocaulus* Fairmaire, 1896					X		
= *Pseudocaelophus* Pic, 1922							
= *Pseudoderosphaerus* Pic, 1922							
Hicetaon Champion, 1885		X					
Holobrachys Fairmaire, 1869				X			
Hoploedipinus Kaszab, 1984					X		
Hoploedipus Fairmaire, 1898					X		
Hyboproctus Kolbe, 1897				X			
Hydissus Pascoe, 1869						X	
= *Hydisus* Scudder, 1882							
Hypaulax Bates, 1868						X	
= *Chileone* Bates, 1868							
Hypocalis Dejean, 1834				X			

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Hypovinsonia Ardoin, 1961				X			
Ilus Champion, 1885		X					
Immedia Pascoe, 1882		X					
Iphthiminus Spilman, 1973	X		X				
Iphthimulus Reitter, 1920			X				
Irianobates Kaszab, 1986						X	
Isaminas Champion, 1887		X					
= *Pteroglymmius* Gebien, 1928							
Isicerdes Champion, 1885		X					
Isopus Montrouzier, 1860						X	
Kabakoviella Kaszab, 1980					X		
Kaszaba Matthews & Doyen, 1989						X	
Lenkous Kaszab, 1973		X					
Lepidocaulinus Schawaller, Masumoto & Merkl, 2013					X		
Leprocaulinus Kaszab, 1982					X		
= *Pigeocaulinus* Kaszab, 1984							
Lomocnemis Gebien, 1921						X	
Lordodera Gebien, 1921				X			
Lycidioides Ando, 2003					X		
Macropachylesthus Pic, 1923					X		
Macrostethus Wollaston, 1854			X				
Mahena Gebien, 1922				X			
Malayaplamius Masumoto, 1986					X		
Malaysphena Bečvář & Purchart, 2008					X		
Maracia Gebien, 1919		X					
Mariepskopia Schawaller, 2012				X			
Mechanetes C.O. Waterhouse, 1887					X		
= *Diabolicobates* Pic, 1930							
Melobrachys Kaszab, 1960					X		
Menandris Haag-Rutenberg, 1878							X
Menephilus Mulsant, 1854			X		X		X
Merinus LeConte, 1862	X						
Metisopus Bates, 1873						X	X
Micreuphlaeus Fairmaire, 1897					X		
Microbradymerus Schawaller, 1999					X		
Micromenandris Kaszab, 1955							X
Microphenus Gebien, 1921						X	
Microsphaerotus Pic, 1928					X		
Misolampidius Solsky, 1875			X		X		
= *Ptilonix* Allard, 1877							
Misolampomorphus Kaszab, 1941					X		
Misolampus Latreille, 1806			X				
Mitys Champion, 1885		X					
Moeon Champion, 1886		X					
Mophon Champion, 1886		X					
Moromelas Fairmaire, 1898				X			
Morphostenophanes Pic, 1925			X		X		
= *Promorphostenophanes* Kaszab, 1960							
Mrazius Pic, 1925		X					
Mylaris Pallas, 1781		X					
= *Iphthinus* Dejean, 1834							
= *Cecrops* Gistel, 1834							
= *Nyctobates* Guérin-Méneville, 1834							
= *Iphthimus* Gemminger, 1870							
Nannalcyon Koch, 1950				X			
= *Nannocerus* Fairmaire, 1887							
Necrobioides Fairmaire, 1882					X		
Neoplamius Löbl, Bouchard, Merkl & Bousquet, 2020					X		
Neoporphyrhyba Ardoin, 1956				X			
Neotheca Carter, 1930						X	

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Nesocyrtosoma Marcuzzi, 1976		X					
= †*Hesiodobates* Kaszab & Schawaller, 1984							
= *Pachycyrtosoma* Marcuzzi, 1999							
= *Serrania* Garrido, 2003							
Nesosphaerotus Gebien, 1921				X			
= *Nesophaerotus* Ardoin, 1962							
Nuptis Motschulsky, 1872		X					
Oeatus Champion, 1885		X					
Oectosis Pascoe, 1869						X	
Oedemutes Pascoe, 1860					X		
SG *Oedemutes* Pascoe, 1860					X		
SG *Tamdaous* Pic, 1923					X		
Oenopion Champion, 1885	X	X					
Omolipus Pascoe, 1860						X	
Osdara Walker, 1858					X	X	
SG *Osdara* Walker, 1858					X		
SG *Spinosdara* Bouchard & Bousquet, **subgen. nov.**					X	X	
Osdaroides Kaszab, 1980					X		
Osternus Fairmaire, 1895				X			
SG *Microcalydonis* Pic, 1923				X			
SG *Osternus* Fairmaire, 1895				X			
Othryoneus Champion, 1886		X					
Oxidates Champion, 1886		X					
Ozaenimorphus Fairmaire, 1882				X			
Ozotypus Pascoe, 1862					X		
Pachylesthus Fairmaire, 1897					X		
Papuamisolampus Kaszab, 1986						X	
Paramisolampidius Merkl & Masumoto, 2020			X		X		
Parimmedia Gebien, 1928		X					
Paroeatus Gebien, 1928		X					
Paulianaria Bouchard & Bousquet, **gen. nov.**				X			
Perichilus Quedenfeldt, 1885				X			
Periphanodes Gebien, 1943					X		
= *Periphanes* Fairmaire, 1882							
Pezomaia Kulzer, 1952					X		
Pezophenus Gebien, 1921						X	
Phaedis Pascoe, 1866					X		
= *Pseudeumolpus* Kraatz, 1880							
= *Phaedeucyrtus* Pic, 1916							
= *Microgauromaia* Pic, 1921							
Phenus Gebien, 1921						X	
Phymaeus Pascoe, 1883					X		
Picocamaria Masumoto, 1993					X		
Pigeostrongylium Kaszab, 1984					X		
Pigeus Gebien, 1919					X		
= *Pseudocamarimena* Pic, 1923							
Piloxys Fairmaire, 1895				X			
Plamius Fairmaire, 1896			X		X		
= *Cnemandrosus* Gebien, 1927							
Platycrepis Lacordaire, 1859					X		
Poeciltoides Fairmaire, 1896				X			
Polopinus Casey, 1924	X						
Polposipus Solier, 1848				X			
= *Pulposipes* Gemminger, 1870							
= *Dysceladus* C.O. Waterhouse, 1875							
Polypleurus Eschscholtz, 1831	X						
Ponapeida Kulzer, 1957							X
Porphyrhyba Fairmaire, 1877				X			
= *Porphyrohyba* Rye, 1879							
= *Hybocaulus* Fairmaire, 1895							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Postandrosus Kulzer, 1951					X		
Priocamaria Gebien, 1919		X					
Promethis Pascoe, 1869			X	X	X	X	X
= *Mederis* Motschulsky, 1872							
= *Pediris* Motschulsky, 1872							
= *Setenis* Motschulsky, 1872							
= *Pseudobates* Fairmaire, 1882							
Proscorus Fairmaire, 1901				X			
Pseudabax Kraatz, 1880					X		
Pseudamarsenes Ardoin, 1955				X			
Pseudandrosus Kulzer, 1951					X		
Pseudhadrus Kolbe, 1910				X			
= *Paradrus* Jakobson, 1924							
Pseudimmedia Kulzer, 1958		X					
Pseudisopus Kulzer, 1957							X
Pseudoblapida Pic, 1917		X					
SG *Blapidocamaria* Pic, 1919		X					
SG *Pseudoblapida* Pic, 1917		X					
Pseudocamaria Bates, 1879				X			
Pseudochrysomela Pic, 1925					X		
Pseudoderiles Gebien, 1928		X					
Pseudonautes Fairmaire, 1892			X		X		
= *Thydemus* Lewis, 1894							
Pseudoperichilus Pic, 1921				X			
Pseudopigeus Kaszab, 1984					X		
Pseudothryoneus Pic, 1921		X					
Psydocamaria Pic, 1923					X		
Psydomorphus Pic, 1921					X		
Psydus Pascoe, 1868					X		
Rehumius Fairmaire, 1893					X		
= *Melobates* Kaszab, 1941							
Rhopalobates Fairmaire, 1897					X		
Robustocamaria Pic, 1922					X		
= *Neocamaria* Kulzer, 1954							
Rhophobas Motschulsky, 1872					X		
Sadanaria Ando & Ichiyanagi, 2009					X		
Saziches Champion, 1886		X					
Scotaeus Hope, 1834					X		
Scotoderus Perroud & Montrouzier, 1865						X	X
= *Dechius* Pascoe, 1866							
= *Pelecypalpus* Hinton, 1947							
Scutopiloxys Pic, 1924				X			
Simalura Gebien, 1914			X		X		
= *Microhemicera* Pic, 1921							
Sophrobates Fairmaire, 1889		X					
Sphaerocaulus Fairmaire, 1869				X			
Sphaeromatris Fairmaire, 1899				X			
Sphaerotidius Kaszab, 1941					X		
Sphaerotus W. Kirby, 1819		X					
Spheneuphloeus Kaszab, 1941					X		
Sphenolampidius Kaszab, 1941					X		
Sphenosdara Kaszab, 1941					X		
Spinepicalla Pic, 1921		X					
Spinoderosphaerus Pic, 1922					X		
= *Spinogauromaia* Pic, 1922							
Srilanka Kaszab, 1980					X		
Steneucyrtus Fairmaire, 1896					X		
= *Pseudochariotheca* Pic, 1934							
Stenochinus Motschulsky, 1860			X	X	X		
= *Dicraeus* Marseul, 1876							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
= *Brachypilium* Fairmaire, 1896							
= *Dicraeosis* Gebien, 1911							
Stenophanes Solsky, 1876			X				
Stenothesilea Kulzer, 1951					X	X	
Sternomaia Kulzer, 1952					X		
Sthenoboea Champion, 1885		X					
Strepsius Fairmaire, 1896				X			
Styphloeus Kaszab, 1941					X		
Suarezius Fairmaire, 1895				X			
Sulpiusoma Ferrer, 2006				X			
Sundon Pic, 1923					X		
Sycophantes Kirsch, 1866		X					
Sycophantomorphus Pic, 1924		X					
Tabarus Gebien, 1921						X	
Taichius Ando, 1996					X		
Taiwanomenephilus Masumoto, 1986					X		
Tanchirus Fairmaire, 1897					X		
Taphrosoma Kirsch, 1866		X					
= *Orobychus* Pascoe, 1868							
Taraxides C.O. Waterhouse, 1876				X			
= *Dischidus* Kolbe, 1886							
Tearchus Kraatz, 1880					X		
= *Heteromerotylus* Pic, 1921							
Teles Mulsant & Godart, 1876			X				
Telethrus Pascoe, 1882		X					
Telleus Fairmaire, 1904		X					
Temnoaphelus Ferrer, 1988				X			
Temnophthalmus Gebien, 1921				X			
Tenebriocamaria Pic, 1919		X					
Tenebriopsis Gebien, 1928		X					
Tenesis Duvivier, 1892				X			
Tentyriopsis Gebien, 1928		X					
Tetragonomenes Chevrolat, 1878			X		X	X	
= *Tetragonomecus* Rye, 1880							
= *Obriomaia* Gebien, 1927							
= *Falsoaugolesthus* Masumoto, 1993							
Tetraphyllus Laporte & Brullé, 1831			X		X		
= *Adeps* Gistel, 1857							
= *Addia* Lewis, 1894							
= *Adepsion* Strand, 1917							
Thecacerus Lacordaire, 1859		X					
Thesilea Haag-Rutenberg, 1878					X	X	X
Thettea Bates, 1879				X			
Thydemorphus Pic, 1918					X		
Tonkinius Fairmaire, 1903					X		
Toxocnema Fåhraeus, 1870				X			
Trichodamatris Chatanay, 1915				X			
Uenomisolampidius Masumoto, 1996					X		
Upis Fabricius, 1792	X		X				
Xanthobates Gebien, 1928		X					
Xantusiella Kaszab, 1941					X		
Xenius Champion, 1886		X					
Xylopinus LeConte, 1862	X						
= *Taenobates* Motschulsky, 1872							
Zabroideus Fairmaire, 1894			X				
Zophius Dejean, 1834				X			
Zophophilus Fairmaire, 1881					X	X	
= *Sphenothorax* Gebien, 1906							
= *Teremenes* Carter, 1914							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Stenochiini W. Kirby, 1837							
Agissopterus Fairmaire, 1884		X					
Asemogena Péringuey, 1904				X			
Azonoderus Harold, 1879				X			
Bionesus Fairmaire, 1879							X
Bremerianus Masumoto & Bečvář, 2005					X		
Cuphotes Champion, 1887		X					
= *Spheniscus* W. Kirby, 1819							
= *Eucosmus* Gistel, 1848							
= *Phygoscotus* Schulz, 1902							
Dauresia Ferrer, 2001				X			
Dicyrtus Duponchel, 1844		X					
Diestesoma Péringuey, 1904				X			
Dorelogena Péringuey, 1904				X			
Elasmocerella Strand, 1935		X					
= *Elasmocera* Mäklin, 1867							
Epiplecta Mäklin, 1867		X					
Eucrossoscelis Nakane, 1963					X		
Eutherama Carter, 1914						X	
Falsocuphotes Pic, 1918		X					
Falsonotostrongylium Kaszab, 1955							X
Falsostrongylium Pic, 1915		X					
Flabellostrongylium Pic, 1938		X					
Freudella Ardoin, 1961				X			
Genateropa Bouchard & Bousquet, **nom. nov.**				X			
= *Apterogena* Ardoin, 1962							
Heterostrongylium Kaszab, 1977						X	
Holostrongylium Kaszab, 1977					X	X	
Hoplostrongylium Ardoin, 1965				X			
Hyperchalca Fairmaire, 1869				X			
SG *Hyperchalca* Fairmaire, 1869				X			
SG *Macrohyperchalca* Pic, 1935				X			
Lophocnemis Mäklin, 1867					X	X	
= *Pseudostrongylium* Kraatz, 1880							
= *Enganodia* Fairmaire, 1898							
= *Mimothydemus* Pic, 1923							
Mentes Champion, 1893		X					
Microtocerus Pic, 1918		X					
Mictopsis Fairmaire, 1899				X			
Miotodera Fairmaire, 1901				X			
= *Cyphelops* Fairmaire, 1901							
Nodosogylium Pic, 1951				X			
Oenomia Pascoe, 1883		X					
Oploptera Chevrolat, 1844		X					
SG *Oploptera* Chevrolat, 1844		X					
= *Otocerus* Mäklin, 1867							
= *Hoploptera* Gemminger, 1870							
SG *Plicatocerus* Pic, 1918		X					
Otoceromorphus Pic, 1915		X					
Parastrongylium Kaszab, 1977						X	
Phyllechus Bouchard & Bousquet, **gen. nov.**					X		
Phymatosoma Laporte & Brullé, 1831					X		
Platyesthus Mäklin, 1878		X					
Poecilesthus Dejean, 1834		X					
= *Dinax* Gistel, 1848							
= *Diestica* Pascoe, 1868							
Pseudogena Fairmaire, 1899				X			
Pseudotocerus Champion, 1888		X					
Psilonesogena Bates, 1879				X			
= *Asthenopoda* Chatanay, 1915							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Saitostrongylium Masumoto, 1996					X		
Strongylacanthus Brèthes, 1925		X					
Strongylium W. Kirby, 1819	X	X	X	X	X	X	X
SG *Afrostrongylium* Robiche, 2019				X			
SG *Strongylium* W. Kirby, 1819	X	X	X	X	X	X	X
= *Stenochia* W. Kirby, 1819							
= *Gentinadis* Laporte, 1840							
= *Saerangodes* Gistel, 1848							
= *Anomoearthrum* Mäklin, 1867							
= *Coelolophus* Mäklin, 1867							
= *Xanthothopeia* Mäklin, 1867							
= *Xanthothopia* Gemminger, 1870							
= *Styrax* Westwood, 1875							
= *Messalia* Pascoe, 1883							
= *Strongyliastrum* Fairmaire, 1894							
= *Eustrongylium* Kolbe, 1895							
= *Allostrongylium* Kolbe, 1896							
= *Ebenolus* Fairmaire, 1897							
= *Zuercheria* Reitter, 1908							
= *Crossoscelis* Gebien, 1914							
= *Notostrongylium* Carter, 1915							
= *Pedostrongylium* Pic, 1916							
= *Falsolophocnemis* Pic, 1917							
= *Gibbostrongylium* Pic, 1917							
= *Microstrongylium* Pic, 1917							
= *Poecilesthostrongylium* Pic, 1918							
= *Reminius* Casey, 1924							
= *Mimogoueum* Pic, 1952							
Theresea Pic, 1917					X		
Uenostrongylium Masumoto, 1999					X		
Talanini Champion, 1887 (1883)							
Talanus Jacquelin du Val, 1857		X					
= *Dignamptus* LeConte, 1878							
Stenochiinae *incertae sedis*							
†*Anthracohelops* Haupt, 1950							
†*Caryosoma* Haupt, 1950							
†*Eodromus* Haupt, 1950							
†*Mimohelops* Haupt, 1950							
†*Parakeleusticus* Haupt, 1950							
†*Pseudohelops* Haupt, 1950							
†*Pyrochalcaspis* Haupt, 1950							
Tenebrionidae *incertae sedis*							
Afrohelops Schawaller, 2012				X			
Allotriocochabambia Faúndez, Rider & Carvajal, 2014		X					
= *Cochabambia* Marcuzzi, 1985							
Ancylopoma Pascoe, 1871		X					
Baryscelis Boisduval, 1835						X	
Camarothelops Kolbe, 1910				X			
†*Cretaceites* Wang, 1997							
†*Eoallognosis* Haupt, 1950							
†*Eocallidium* Haupt, 1950							
†*Eohelaeus* Haupt, 1950							
Erelus Mulsant & Rey, 1853			X				
Gnathelops Gebien, 1922				X			
Homocyrtus Dejean, 1834		X					
= *Cyphonotus* Guérin-Méneville, 1831							
= *Schlinkus* R. Lucas, 1920							
Macrophtalmus Montrouzier, 1855						X	
= *Macrophthalmata* Strand, 1935							
†*Paropiophorus* Haupt, 1950							

Genus-group names	Nearctic	Neotropic	Palaearctic	Afrotropic	Indo-Malay	Australasia	Oceania
Physciolagria Pic, 1930				X			
†*Protoplatycera* Wickham, 1914							
Pygidiphorus Mulsant, 1856			X				
†*Rhinohelaeites* Haupt, 1950							
†*Tagenopsis* Heer, 1864							
†*Tenebrionites* Cockerell, 1920							

List of available genus-group names in Tenebrionidae Latreille, 1802

Abantiades Fairmaire, 1894f: 395 [M]. Type species [automatic]: *Abantis aenescens* Fairmaire, 1892, by monotypy. Status: junior synonym of *Diphyrrhynchus* Fairmaire, 1849 in Blaptinae: Opatrini: Heterotarsina. Note: replacement name for *Abantis* Fairmaire, 1892; junior homonym of *Abantiades* Herrich-Schäffer, 1856 [Lepidoptera].

Abantis Fairmaire, 1892a: 109 [F]. Type species: *Abantis aenescens* Fairmaire, 1892, by monotypy. Status: junior synonym of *Diphyrrhynchus* Fairmaire, 1849 in Blaptinae: Opatrini: Heterotarsina. Synonymy: Gebien (1938a: 407). Note: junior homonym of *Abantis* Hoppfer, 1855 [Lepidoptera].

Aberlencus Iwan, 2002b: 559 [M]. Type species: *Aberlencus angolensis* Iwan, 2002, by original designation. Status: junior synonym of *Angolositus* Koch, 1955 in Blaptinae: Platynotini: Platynotina. Synonymy: Kamiński (2015a: 90).

Abiga Guérin-Méneville, 1860: clxxxix [F]. Type species: *Abiga humilis* Guérin-Méneville, 1860, by subsequent designation (Löbl et al. 2008a: 40). Status: junior synonym of *Scelosodis* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Guérin-Méneville (1862: 376).

Abigopsis Escalera, 1914: 277 [F]. Type species: *Scelosodis ustus* Fairmaire, 1879, by subsequent designation (Gebien 1937a: 612). Status: valid genus in Pimeliinae: Tentyriini.

Ablapsis Reitter, 1887a: 368 [F]. Type species: *Blaps compressipes* Reitter, 1887, by monotypy. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Acanthioides Fairmaire, 1894e: 320 [F]. Type species: *Acanthioides asperula* Fairmaire, 1894, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Acanthobas Gebien, 1928: 168, 175 [M]. Type species: *Acanthobas angusticollis* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Acanthoblaps Reitter, 1889a: 687 [F]. Type species: *Acanthoblaps dentitibia* Reitter, 1889, by monotypy. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gebien (1910b: 226).

Acanthocamaria Gebien, 1919: 26, 31 [F]. Type species: *Acanthocamaria brunneoopaca* Gebien, 1919, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Acanthomera Latreille, 1828: 580 [F]. Type species: *Pimelia dentipes* Fabricius, 1787, by monotypy. Status: senior synonym of *Psorodes* Dejean, 1834 in Tenebrioninae: Amarygmini. Note: junior homonym of *Acanthomera* Wiedemann, 1821 [Diptera].

Acanthomerus Agassiz, 1846b: 2 [M]. Type species [automatic]: *Pimelia dentipes* Fabricius, 1787, by monotypy. Status: junior synonym of *Psorodes* Dejean, 1834 in Tenebrioninae: Amarygmini. Note: unjustified emendation of *Acanthomera* Latreille, 1828, not in prevailing usage.

Acanthosternus Montrouzier, 1860: 289 [M]. Type species: *Acanthosternus halorageos* Montrouzier, 1860, by monotypy. Status: junior synonym of *Diphyrrhynchus* Fairmaire, 1849 in Blaptinae: Opatrini: Heterotarsina. Synonymy: Bates (1872a: 97).

Acantophorus Billberg, 1820: 32 [M]. Type species: *Erodius gibbus* Fabricius, 1775, by subsequent designation (Bouchard and Bousquet 2020b: 7). Status: junior synonym of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini. Synonymy: Bouchard and Bousquet (2020b: 7).

Acastus Péringuey, 1896: 177 [M]. Type species: *Acastus agrestis* Péringuey, 1896, by subsequent designation (Ardoin 1963a: 87). Status: junior synonym of *Gonocnemis* J. Thomson, 1858 in Tenebrioninae: Amarygmini. Synonymy: Gebien (1913: 76).

Accanthopus Dejean, 1821: 71 [M]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Tenebrio velikensis* Piller & Mitterpacher, 1783, misidentified as *Tenebrio caraboides* Linnaeus, 1758 in the original designation by monotypy in Dejean (1821). Status: valid genus in Tenebrioninae: Helopini: Enoplopodina. Note: the type species "*Blaps caraboides* Germ." was first established by monotypy; Seidlitz (1895: 681) first noted that *Tenebrio caraboides* Linnaeus of Germar (1817) was identical to *Helops dentipes* Rossi, 1790, currently a junior synonym of *Tenebrio velikensis* Piller & Mitterpacher, 1783; we follow currently accepted concepts (e.g., Löbl et al. 2008b: 246) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Tenebrio caraboides* Linnaeus, 1758 is a valid species in the genus *Cychrus* Fabricius, 1794 [Coleoptera: Carabidae].

Acerogria Borchmann, 1936: 19, 137 [F]. Type species: *Cerogria dohrni* Borchmann, 1911, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Acestophanus Koch, 1950a: 67 [M]. Type species [automatic]: *Acestus elongatus* Haag-Rutenberg, 1875, by subsequent designation (R. Lucas 1920: 69). Status: valid genus in Pimeliinae: Adelostomini. Note: replacement name for *Acestus* Haag-Rutenberg, 1875.

Acestus Haag-Rutenberg, 1875b: 4, 56 [M]. Type species: *Acestus elongatus* Haag-Rutenberg, 1875, by subsequent designation (R. Lucas 1920: 69). Status: senior synonym of *Acestophanus* Koch, 1950 in Pimeliinae: Adelostomini. Note: junior homonym of *Acestus* Leidy, 1851 [Annelida].

Achaemenes Bogatchev, 1949: 39 [M]. Type species: *Achaemenes villosus* Bogatchev, 1949 (= *Thriptera bogatchevi* Kwieton, 1982), by original designation. Status: senior synonym of *Bogatshevia* G.S. Medvedev & Iwan, 2006 in Pimeliinae: Pimeliini. Note: junior homonym of *Achaemenes* Stål, 1866 [Hemiptera].

Achanius Erichson, 1847a: 118 [M]. Type species: *Achanius anthicoides* Erichson, 1847, by monotypy. Status: valid genus and subgenus in Pimeliinae: Evaniosomini.

Note: transferred from Edrotini (where it was previously placed by Doyen (1994: 500)) by Flores and Aballay (2015: 167).

Achariotheca Kaszab, 1970a: 273 [F]. Type species: *Achariotheca baloghi* Kaszab, 1970, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Achora Pascoe, 1869: 279 [F]. Type species: *Asida serricollis* Hope, 1843 (= *Cestrinus obscurus* Erichson, 1842), by monotypy. Status: junior synonym of *Isopteron* Hope, 1841 in Lagriinae: Adeliini. Synonymy: Gemminger in Gemminger and Harold (1870: 1929, with *Prionotus* Mulsant & Rey, 1859, a junior synonym of *Isopteron* Hope, 1841); Matthews (1998: 788).

Achrostus Fairmaire, 1891b: 256 [M]. Type species: *Achrostus rufonitens* Fairmaire, 1891, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Achthosus Pascoe, 1863a: 42 [M]. Type species: *Achthosus westwoodii* Pascoe, 1863, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Acidia Illiger, 1804: 79 [F]. Type species [automatic]: *Pimelia reflexa* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Akis* Herbst, 1799 in Pimeliinae: Akidini. Note: unjustified emendation of *Akis* Herbst, 1799, not in prevailing usage.

Acis Billberg, 1820: 32 [F]. Type species [automatic]: *Pimelia reflexa* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Akis* Herbst, 1799 in Pimeliinae: Akidini. Note: unjustified emendation of *Akis* Herbst, 1799, not in prevailing usage.

Acisba Dejean, 1834: 185 [F]. Type species: *Tentyria cribrosa* Besser, 1832 (= *Pimelia punctata* Fabricius, 1798), by subsequent designation (Löbl et al. 2008a: 40). Status: junior synonym of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Solier (1835b: 288). Note: the original combination of the accepted name of the type species, *Pimelia punctata* Fabricius, 1798, is a junior primary homonym of *Pimelia punctata* Thunberg, 1787.

Acmoeus Fåhraeus, 1870: 293 [M]. Type species: *Anomalipus elephas* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Anomalipus* Guérin-Méneville, 1831 in Blaptinae: Platynotini: Platynotina. Synonymy: Gebien (1938a: 409).

Aconobius Casey, 1895: 617 [M]. Type species: *Conibiosoma laciniata* Casey, 1892, by original designation. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Acontodactylus Desbrochers des Loges, 1894: 5 [M]. Type species: *Cossyphus minutissimus* Laporte, 1840, by original designation. Status: valid subgenus of *Cossyphus* G.-A. Olivier, 1791 in Lagriinae: Cossyphini.

Acritolagria Borchmann, 1916a: 48, 98 [F]. Type species: *Lagria fulvopilosa* Fairmaire, 1887, by subsequent designation (Borchmann 1936: 166). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Acromaticus Koch, 1955a: 143 [M]. Type species: *Sepidium acuminatum* Quensel, 1806 (= *Sepidium striatum* Thunberg, 1787), by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Acropachia Mäklin, 1875: 656 [F]. Type species: *Acropachia bifoveolata* Mäklin, 1875, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Acropteron Perty, 1832: 64 [N]. Type species: *Acropteron rufipes* Perty, 1832 (= *Acropteryx rufipes* Gistel, 1831), by subsequent designation (Hope 1841: 133). Status: junior synonym of *Acropteryx* Gistel, 1831 in Tenebrioninae: Acropteronini. Synonymy: Gistel (1857: 551, synonymy of the type species), Martins and Pereira (1966: 159, as "*Acropteroxys rufipes* Distl., 1831").

Acropterum Agassiz, 1846b: 6 [N]. Type species [automatic]: *Acropteron rufipes* Perty, 1832 (= *Acropteryx rufipes* Gistel, 1831), by subsequent designation (Hope 1841: 133). Status: junior synonym of *Acropteryx* Gistel, 1831 in Tenebrioninae: Acropteronini. Note: unjustified emendation of *Acropteron* Perty, 1832, not in prevailing usage.

Acropteryx Gistel, 1831: 308 [F]. Type species: *Acropteryx rufipes* Gistel, 1831, by original designation. Status: valid genus in Tenebrioninae: Acropteronini. Note: genus previously included in Erotylidae: Languriinae (see Leschen and Węgrzynowicz 1998: 234); reversal of precedence cannot be used to conserve the usage of *Acropteron* Perty, 1832 because *Acropteryx* was used as valid after 1899 (e.g., Blackwelder 1945: 427).

Acroschatia Wilke, 1922: 269 [F]. Type species: *Microschatia robusta* Horn, 1893, by original designation. Status: junior synonym of *Microschatia* Solier, 1836 in Pimeliinae: Asidini. Synonymy: K.W. Brown and Doyen (1992: 546).

Actanorie Bates, 1879a: 289 [M]. Type species: *Camaria undaticollis* Fairmaire, 1875, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Actizeta Pascoe, 1875: 214 [F]. Type species: *Actizeta ammobioides* Pascoe, 1875 (= *Actizeta albata* Pascoe, 1875), by original designation. Status: valid genus in Pimeliinae: Cnemeplatiini: Actizetina.

Acutogria Merkl, 1988a: 137 [F]. Type species: *Acutogria falcata* Merkl, 1988, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Acutoodescelis Kaszab, 1940b: 941, 951 [F]. Type species: *Platyscelis punctatissima* Fairmaire, 1886, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Adamus Iwan, 1997: 255 [M]. Type species: *Platynotus micrositoides* Kaszab, 1975, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Adavius Mulsant & Rey, 1859a: 126, 138 [M]. Type species: *Adavius clavipes* Mulsant & Rey, 1859, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Addia Lewis, 1894: 465 [F]. Type species: *Addia scatebrae* Lewis, 1894, by monotypy. Status: junior synonym of *Tetraphyllus* Laporte & Brullé, 1831 in Stenochiinae: Cnodalonini. Synonymy: Masumoto (1982a: 23, probable); Ando (1991: 64, confirmed).

Adelina Dejean, 1835: 315 [F]. Type species: *Cucujus planus* Fabricius, 1801, by monotypy. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Adelium W. Kirby, 1819a: 420 [N]. Type species: *Adelium calosomoides* W. Kirby, 1819, by subsequent designation (Meyer 1844: 180). Status: valid genus in Lagriinae: Adeliini. Note: the type species previously recognized for this genus was *Carabus porcatus* Fabricius, 1775, by subsequent designation by Lacordaire (1859b: 438).

Adelodemus Haag-Rutenberg, 1878: 100 [M]. Type species: *Adelodemus asperulus* Haag-Rutenberg, 1878 (= *Cestrinus squalidus* W.J. MacLeay, 1872), by monotypy. Status: valid genus in Lagriinae: Adeliini.

Adelonia Laporte, 1840: 221 [F]. Type species: *Uloma filiforme* Laporte, 1840, by monotypy. Status: valid genus and subgenus in Lagriinae: Belopini.

Adelostoma Duponchel, 1827: 342 [N]. Type species: *Adelostoma sulcatum* Duponchel, 1827, by monotypy. Status: valid genus and subgenus in Pimeliinae: Adelostomini.

Adelostomoides Carl, 1991: 24 [M]. Type species: *Adelostoma grande* Haag-Rutenberg, 1879, by monotypy. Status: junior synonym of *Zarudnionymus* Semenov-Tjan-Shansky & Bogatchev, 1947 in Pimeliinae: Adelostomini. Synonymy: Purchart (2007: 240).

Adelozotypus Kaszab, 1982b: 224 [M]. Type species: *Adelozotypus novaecaledoniae* Kaszab, 1982, by original designation. Status: valid genus in Lagriinae: Adeliini.

Adelphinops Reitter, 1922b: 168, 169 [M]. Type species: *Adelphinus ordubadensis* Reitter, 1890, by monotypy. Status: valid subgenus of *Adelphinus* Fairmaire & Coquerel, 1866 in Tenebrioninae: Helopini: Helopina.

Adelphinus Fairmaire & Coquerel, 1866: 44 [M]. Type species: *Eutrapela suturalis* P.H. Lucas, 1847, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina.

Adelphus Dejean, 1834: 208 [M]. Type species: *Helops marginatus* Fabricius, 1792, by subsequent designation (Bousquet and Bouchard 2013a: 58). Status: senior synonym of *Praeugena* Laporte, 1840 in Tenebrioninae: Praeugenini. Synonymy: Chevrolat (1847b: 458). Note: nomen oblitum (see Bouchard and Bousquet, 2020b: 6).

Adeps Gistel, 1857: 63 [M]. Type species: *Amarygmus paykullii* Dalman, 1823, by original designation. Status: junior synonym of *Tetraphyllus* Laporte & Brullé, 1831 in Stenochiinae: Cnodalonini. Synonymy: **new synonym** [PB]. Note: *Adeps* Gistel, 1857, and its replacement name *Adepsion* Strand, 1917, have been forgotten in the literature; the type species of *Adeps* is currently included in the genus *Tetraphyllus* Laporte & Brullé, 1831 and for that reason Gistel's name is considered a junior synonym of *Tetraphyllus*; junior homonym of *Adeps* Gistel, 1848 [Crustacea].

Adepsion Strand, 1917: 90 [N]. Type species [automatic]: *Amarygmus paykullii* Dalman, 1823, by original designation. Status: junior synonym of *Tetraphyllus* Laporte & Brullé, 1831 in Stenochiinae: Cnodalonini. Synonymy: **new synonym** [PB]. Note: replacement name for *Adeps* Gistel, 1857.

Ades Guérin-Méneville, 1857: 277 [M]. Type species: *Ades hemisphericus* Guérin-Méneville, 1857, by monotypy. Status: valid genus in Diaperinae: Leiochrinini.

Adesmia Fischer, 1822: 153 [F]. Type species: *Adesmia longipes* Fischer, 1822 (= *Pimelia anomala* Fischer, 1820), by monotypy. Status: valid genus and subgenus in Pimeliinae: Adesmiini.

Adesmina Reitter, 1916a: 5, 29 [F]. Type species: *Adesmia arabica* Reitter, 1916, by subsequent designation (Löbl et al. 2008b: 122). Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini.

Adisema Borchmann, 1936: pl. 7 [F]. Type species: *Disema ambigua* Mäklin, 1875, by monotypy. Status: junior synonym of *Nemostiromorpha* Pic, 1917 in Lagriinae: Lagriini: Statirina.

Adonicus Fairmaire, 1891b: 258 [M]. Type species: *Adonicus purpuripennis* Fairmaire, 1891, by monotypy. Status: junior synonym of *Alcyonotus* Pascoe, 1882 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1905: 255).

Adordanea Reitter, 1897b: 229 [F]. Type species: *Microdera subseriata* Reitter, 1889, by monotypy. Status: junior synonym of *Dordanea* Reitter, 1887 in Pimeliinae: Tentyriini. Synonymy: Kaszab (1966: 304), G.S. Medvedev (1990: 112).

Adoryacus Koch, 1963: 34 [M]. Type species: *Stizopus rotundicollis* Fairmaire, 1897, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Adosogria Borchmann, 1936: 16, 63 [F]. Type species: *Lagria bennigseni* Borchmann, 1909, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Adynata Fåhraeus, 1870: 330 [F]. Type species: *Adynata tricolor* Fåhraeus, 1870, by subsequent designation (Borchmann 1936: 23). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Aeanes Champion, 1893a: 566 [M]. Type species: *Aeanes angusticollis* Champion, 1893, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Aediatorix Bates, 1868: 315 [M]. Type species: *Aediatorix jansoni* Bates, 1868, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Aemymone Bates, 1868: 314 [F]. Type species: *Goniadera cariosa* Bates, 1868, by original designation. Status: valid subgenus of *Goniadera* Perty, 1832 in Lagriinae: Goniaderini. Note: combined description of a new genus and single new species (ICZN 1999, Article 12.2.6).

Aequigula Penrith, 1979: 20, 23 [F]. Type species: *Alogenius hughesae* Penrith, 1979, by original designation. Status: valid subgenus of *Alogenius* Gebien, 1910 in Pimeliinae: Adesmiini.

Aeschrocera Chen & Chou, 1996: 265 [F]. Type species: *Cerogria brunneocollis* Chen & Chou, 1996 (= *Cerogria diversicornis* Pic, 1933), by original designation. Status: junior synonym of *Cerogria* Borchmann, 1911 in Lagriinae: Lagriini: Lagriina. Synonymy: Merkl (2007: 262).

Aesthetus C.O. Waterhouse, 1890: 552 [M]. Type species: *Aesthetus tuberculatus* C.O. Waterhouse, 1890, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Aesymnus Champion, 1886: 168 [M]. Type species: *Aesymnus nitidus* Champion, 1886, by monotypy. Status: valid genus in Tenebrioninae: Triboliini.

Aethales Dejean, 1834: 180 [M]. Type species: *Epitragus brunnicornis* Latreille, 1811, by monotypy. Status: junior synonym of *Epitragus* Latreille, 1802 in Pimeliinae: Epitragini. Synonymy: Bousquet and Bouchard (2013a: 43). Note: as mentioned by Bousquet and Bouchard (2013a: 43) the type species *Epitragus brunnicornis* Latreille was listed as a species incertae sedis in the genus *Epitragus* Latreille, 1802 by Freude (1967: 176).

Aethalides Bates, 1873d: 50 [M]. Type species: *Aethalides punctipennis* Bates, 1873, by monotypy. Status: junior synonym of *Nyctozoilus* Guérin-Méneville, 1831 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 473).

Aethyssius Pascoe, 1863a: 45 [M]. Type species [automatic]: *Atractus viridis* Boisduval, 1835, by subsequent designation (Duponchel and Chevrolat 1841: 312). Status: junior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Matthews and Bouchard (2008: 324). Note: replacement name for *Atractus* Boisduval, 1835.

Afghanillus Kaszab, 1960a: 1 [M]. Type species: *Afghanillus klapperichi* Kaszab, 1960, by original designation. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Afghanopachys Kwieton, 1978: 29, 30 [M]. Type species: *Pachyscelis haarlovi* Gridelli, 1954, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Afrasida Wilke, 1922: 260 [F]. Type species: *Asida caryophyllea* Wiedemann, 1823, by original designation. Status: valid genus and subgenus in Pimeliinae: Asidini.

Afrethas Koch, 1962a: 23 [M]. Type species: *Stenosis pusillima* Fairmaire, 1888, by original designation. Status: valid subgenus of *Anethas* Jakobson, 1924 in Pimeliinae: Stenosini: Stenosina.

Afrinus Fairmaire, 1888a: 189 [M]. Type species: *Afrinus grandicornis* Fairmaire, 1888, by subsequent designation (R. Lucas 1920: 79). Status: valid genus and subgenus in Pimeliinae: Tentyriini. Note: the designation of *Afrinus striolifrons* Fairmaire, 1888 as the type species of *Afrinus* Fairmaire, 1888 by Koch (1950b: 329) is invalid (ICZN 1999, Article 69.1).

Afrobyrsax Ardoin, 1973: 894 [M]. Type species: *Afrobyrsax girardi* Ardoin, 1973, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Afrohelops Schawaller, 2012a: 75 [M]. Type species: *Afrohelops kenyaensis* Schawaller, 2012, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: removed from the tribe Helopini and placed as Tenebrionidae incertae sedis by Nabozhenko (2018: 183).

Afrolaena Endrödy-Younga & Schawaller, 2002: 9, 11 [F]. Type species: *Afrolaena tibialis* Endrödy-Younga & Schawaller, 2002, by original designation. Status: valid genus in Lagriinae: Laenini.

Afronosis G.S. Medvedev, 1995a: 849, 859 [F]. Type species: *Stenosis ciliaris* Gebien, 1920, by original designation. Status: valid subgenus of *Stenosis* Herbst, 1799 in Pimeliinae: Stenosini: Stenosina. Note: *Stenosis leontjevi* G.S. Medvedev, 1995 was listed as a second type species of this genus in the original publication (G.S. Medvedev, 1995: 859); we act as First Revisers and select *Stenosis ciliaris* Gebien, 1920 as the type species for *Afronosis* G.S. Medvedev, 1995.

Afrostrongylium Robiche, 2019a: 83 [N]. Type species: *Strongylium francoisi* Robiche, 2019, by original designation. Status: valid subgenus of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini.

Afrotagalus Gebien, 1942b: 111, 120 [M]. Type species: *Afrotagalus eidmanni* Gebien, 1942, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Afrotenebrio Gridelli, 1951: 223, 230 [M]. Type species: *Tenebrio guineensis* Imhoff, 1843, by original designation. Status: valid subgenus of *Tenebrio* Linnaeus, 1758 in Tenebrioninae: Tenebrionini.

Agastenes R. Lucas, 1920: 79 [M]. Type species [automatic]: *Agasthenes westwoodi* Bates, 1873, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina. Note: unjustified emendation of *Agasthenes* Bates, 1873.

Agasthenes Bates, 1873e: 352 [M]. Type species: *Agasthenes westwoodi* Bates, 1873, by monotypy. Status: senior synonym of *Agastenes* R. Lucas, 1920 in Tenebrioninae: Heleini: Cyphaleina. Note: junior homonym of *Agasthenes* Förster, 1869 [Hymenoptera].

Agelarches Gistel, 1848a: x [M]. Type species [automatic]: *Pimelia angulata* Fabricius, 1775, by subsequent designation (Hope 1841: 118). Status: junior synonym of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini. Note: unnecessary replacement name for *Pimelia* Fabricius, 1775.

Agissopterus Fairmaire, 1884a: 513 [M]. Type species: *Agissopterus semipunctatus* Fairmaire, 1884, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Aglypta Gebien, 1908a: 329 [F]. Type species: *Aglypta octocostata* Gebien, 1908, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Agnaptoria Reitter, 1887a: 364, 372 [F]. Type species: *Agnaptoria rubripes* Reitter, 1887, by monotypy. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Agonopus Gebien, 1920: 110 [M]. Type species: *Gonopus puncticollis* Solier, 1848, by subsequent designation (Endrödy-Younga 2000: 7). Status: valid subgenus of *Gonopus* Latreille, 1828 in Blaptinae: Platynotini: Platynotina.

Agraecus Fairmaire, 1900a: 21 [M]. Type species: *Agraecus chalcoides* Fairmaire, 1900, by monotypy. Status: junior synonym of *Carabelops* Fairmaire, 1899 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1956b: 90).

Agroblaps Motschulsky, 1860c: 531 [F]. Type species: *Blaps fatidica* Sturm, 1807 (= *Blaps lethifera* Marsham, 1802), by subsequent designation (Nabozhenko 2008: 35). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860).

Agymnonyx Gebien, 1921a: 325, 328 [M]. Type species: *Agymnonyx sulciventris* Gebien, 1921, by subsequent designation (Gebien 1942a: 334). Status: valid genus in Stenochiinae: Cnodalonini.

Ahexaroptrum Kaszab, 1960b: 291 [N]. Type species: *Ahexaroptrum humeridens* Kaszab, 1960, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Ainu Lewis, 1894: 479 [M]. Type species: *Ainu tenuicornis* Lewis, 1894, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Akis Herbst, 1799: 124 [F]. Type species: *Pimelia reflexa* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: valid genus in Pimeliinae: Akidini.

Alaephus Horn, 1870: 344, 346 [M]. Type species: *Alaephus pallidus* Horn, 1870, by monotypy. Status: valid genus in Pimeliinae: Vacronini.

Alaetrinus Iwan, 1995a: 14, 24 [M]. Type species: *Tenebrio pullus* Sahlberg, 1823, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Alagria Borchmann, 1916a: 50, 183 [F]. Type species [automatic]: *Lagriostira hispida* Kolbe, 1902 (= *Lagria subseriata* Reitter, 1880), by subsequent designation (Borchmann 1936: 224). Status: valid genus in Lagriinae: Lagriini: Lagriina. Note: replacement name for *Lagriostira* Kolbe, 1902.

Alaudes Horn, 1870: 361 [M]. Type species: *Alaudes singularis* Horn, 1870, by monotypy. Status: valid genus in Pimeliinae: Cnemeplatiini: Alaudina.

Alcinoe Ménétriés, 1849: 230 [F]. Type species: *Alcinoe helopioides* Ménétriés, 1849, by monotypy. Status: senior synonym of *Alcinoeta* Strand, 1929 in Pimeliinae: Tentyriini. Note: junior homonym of *Alcinoe* Rang, 1828 [Ctenophora].

Alcinoeta Strand, 1929: 23 [F]. Type species [automatic]: *Alcinoe helopioides* Ménétriés, 1849, by monotypy. Status: valid genus in Pimeliinae: Tentyriini. Note: replacement name for *Alcinoe* Ménétriés, 1849.

Alcmeonis Bates, 1868: 270 [F]. Type species: *Alcmeonis pulchra* Bates, 1868, by monotypy. Status: junior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Matthews and Bouchard (2008: 324, with *Aethyssius* Pascoe, 1863, a junior synonym of *Lepturidea* Fauvel, 1862).

Alcyonotus Pascoe, 1882: 35 [M]. Type species: *Alcyonotus iridescens* Pascoe, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Alegoria Laporte, 1840: 221 [F]. Type species: *Alegoria dilatata* Laporte, 1840, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Alethia Champion, 1888: 417 [F]. Type species: *Alethia sallaei* Champion, 1888, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Alhuena Kulzer, 1956b: 912 [F]. Type species: *Alhuena penai* Kulzer, 1956 (= *Peltolobus waterhousei* Bates, 1873), by original designation. Status: junior synonym of *Peltolobus* Lacordaire, 1859 in Pimeliinae: Trilobocarini. Synonymy: Kulzer (1962: 100).

Alienophloeus Bremer, 2018: 45 [M]. Type species: *Corticeus pumilio* Bremer, 2018, by original designation. Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Alienoplonyx Bremer, 2019: 59 [M]. Type species: *Alienoplonyx alleni* Bremer, 2019, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: we act as First Revisers and reject the alternative original spelling *Alienolonyx*, used by Bremer (2019: 60).

Allardius Ragusa, 1898: 130 [M]. Type species: *Parablops oculatus* Baudi di Selve, 1876, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Allecula Fabricius, 1801b: 21 [F]. Type species: *Cistela morio* Fabricius, 1787, by subsequent designation (Duponchel 1840: 283). Status: valid genus and subgenus in Alleculinae: Alleculini: Alleculina.

Alleculina Pic, 1954: 246 [F]. Type species: *Synallecula macroceps* Pic, 1922, by original designation. Status: valid subgenus of *Allecula* Fabricius, 1801 in Alleculinae: Alleculini: Alleculina.

Alleculodes Borchmann, 1925: 335 [F]. Type species: *Alleculodes discrepans* Borchmann, 1925, by original designation. Status: junior synonym of *Bolbostetha* Fairmaire, 1896 in Alleculinae: Alleculini: Alleculina. Synonymy: Borchmann (1941a: 23).

Alleculopsis Semenov, 1894: 609 [F]. Type species: *Alleculopsis deserticola* Semenov, 1894, by original designation. Status: valid subgenus of *Mycetocharina* Seidlitz, 1890 in Alleculinae: Alleculini: Alleculina.

Allocera Borchmann, 1916a: 49, 175 [F]. Type species: *Porrolagria subaenea* Borchmann, 1908, by subsequent designation (Borchmann 1936: 227). Status: senior synonym of *Cerostira* Borchmann, 1942 in Lagriinae: Lagriini: Lagriina. Note: junior homonym of *Allocera* Sichel, 1866 [Hymenoptera].

Allocossyphodes Andreae, 1961: 204, 215 [M]. Type species: *Cossyphodes arnoldi* Brauns, 1925, by original designation. Status: junior synonym of *Cossyphodes* Westwood, 1851 in Pimeliinae: Cossyphodini: Cossyphodina. Synonymy: Schawaller (2013c: 362, implied by inclusion of *Cossyphodes arnoldi* Brauns, 1925 in *Cossyphodes* Westwood, 1851 without use of a subgenus rank).

Allodengitha Bogatchev, 1963: 57 [F]. Type species: *Allodengitha deserta* Bogatchev, 1963, by original designation. Status: junior synonym of *Alcinoeta* Strand, 1929 in Pimeliinae: Tentyriini. Synonymy: G.S. Medvedev (1989: 798).

Allogria Borchmann, 1916a: 48, 100 [F]. Type species: *Allogria spinosa* Borchmann, 1916, by subsequent designation (Borchmann 1936: 74). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Allomyladion Bogatchev, 1972: 626 [N]. Type species: *Penthicus poricollis* Reitter, 1896, by original designation. Status: valid subgenus of *Penthicus* Faldermann, 1836 in Tenebrioninae: Opatrini: Opatrina.

Allopezus Gebien, 1922a: 504 [M]. Type species: *Allopezus miritarsis* Gebien, 1922, by monotypy. Status: junior synonym of *Asbolodomimus* Pic, 1921 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1948: 543).

Allophasia Pascoe, 1871: 351 [F]. Type species: *Allophasia fryi* Pascoe, 1871, by monotypy. Status: junior synonym of *Diaperis* Geoffroy, 1762 in Diaperinae: Diaperini: Diaperina. Synonymy: Triplehorn and Brendell (1985: 14).

Allophylax Bedel, 1906b: 177 [M]. Type species: *Phylax littoralis* Mulsant, 1854 (= *Opatrum picipes* G.-A. Olivier, 1812), by subsequent designation (Gebien 1938a: 412). Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina. Note: replacement name for *Neophylax* Bedel, 1906.

Allostrongylium Kolbe, 1896: 364 [N]. Type species: *Allostrongylium silvestre* Kolbe, 1896, by **present designation**. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 539, with *Anomoearthrum* Mäklin, 1867, a junior synonym of *Strongylium* W. Kirby, 1819).

Allotadzhikistania Bogatchev, 1960a: 43 [F]. Type species: *Allotadzhikistania comata* Bogatchev, 1960, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Allotriocochabambia Faúndez, Rider & Carvajal, 2014: 595 [F]. Type species [automatic]: *Cochabambia kulzeri* Marcuzzi, 1985, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: replacement name for *Cochabambia* Marcuzzi, 1985; Marcuzzi (1985: 185) mentioned that his new genus *Cochabambia* could not be placed in "any given Neotropical tribe so far known" and is therefore included here in Tenebrionidae incertae sedis under its replacement name.

Alobates Motschulsky, 1872: 25 [M]. Type species: *Tenebrio pensylvanicus* DeGeer, 1775, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Alogenius Gebien, 1910a: 91 [M]. Type species [automatic]: *Metriopus favosus* Erichson, 1843, by subsequent designation (Gebien 1937a: 661). Status: valid genus and subgenus in Pimeliinae: Adesmiini. Note: replacement name for *Pedionomus* Haag-Rutenberg, 1875.

Alogista Fåhraeus, 1870: 318 [F]. Type species: *Alogista abnormis* Fåhraeus, 1870, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Alogistopsis Borchmann, 1943: 53 [F]. Type species: *Alogistopsis pilistriata* Borchmann, 1943, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Alphasida Escalera, 1905a: 380 [F]. Type species: *Asida gaditana* Escalera, 1905 (= *Alphasida typica* Gebien 1937), by subsequent designation (Casey 1912: 78). Status: valid genus and subgenus in Pimeliinae: Asidini.

Alphitobius Stephens, 1829: 19 [M]. Type species: *Helops picipes* Panzer, 1794 (= *Opatrum laevigatum* Fabricius, 1781), by monotypy (see ICZN 1975, Opinion 1039). Status: valid genus in Tenebrioninae: Alphitobiini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1975, Opinion 1039).

Alphitophagus Stephens, 1832b: 12 [M]. Type species: *Alphitophagus quadripustulatus* Stephens, 1832 (= *Diaperis bifasciata* Say, 1824), by monotypy. Status: valid genus in Diaperinae: Diaperini: Adelinina.

†*Alphitopsis* Kirejtshuk, Nabozhenko & Nel, 2011: 549 [F]. Type species: *Alphitopsis initialis* Kirejtshuk, Nabozhenko & Nel, 2011, by original designation. Status: valid genus in Tenebrioninae: Alphitobiini. Note: described from Lower Cretaceous deposits (China).

Altes Pascoe, 1869: 288, 290 [M]. Type species: *Chartopteryx binodosus* Pascoe, 1862, by original designation. Status: junior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Gemminger in Gemminger and Harold (1870: 1994, with *Chartopteryx* Westwood, 1841, a synonym of *Cyphaleus* Westwood, 1841); Matthews (1992: 490).

Altiprosodes G.S. Medvedev, 1997: 580 [M]. Type species: *Prosodes kuhistanica* G.S. Medvedev, 1996, by original designation. Status: junior synonym of *Megaprosodes* Reitter, 1909 in Blaptinae: Blaptini: Prosodina. Synonymy: G.S. Medvedev (2001: 83). Note: originally described as a section within a subgenus.

Alymon Pascoe, 1866a: 484 [M]. Type species: *Alymon prolatus* Pascoe, 1866, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Amachla Koch, 1962a: 117 [F]. Type species: *Machla sulcicollis* Fåhraeus, 1871, by original designation. Status: valid genus in Pimeliinae: Asidini.

Amarantha Motschulsky, 1860b: 141 [F]. Type species: *Amarantha viridis* Motschulsky, 1860, by monotypy. Status: senior synonym of *Metaclisa* Jacquelin du Val, 1861 in Tenebrioninae: Metaclisini. Synonymy: Lewis (1891: 70). Note: nomen oblitum (see Bouchard et al. 2007: 393).

Amaropsis Champion, 1893a: 567 [F]. Type species: *Amaropsis annulicornis* Champion, 1893, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Amarosoma Redtenbacher, 1868: 131 [N]. Type species: *Amarosoma simulans* Redtenbacher, 1868, by monotypy. Status: junior synonym of *Pheloneis* Pascoe, 1866 in Lagriinae: Adeliini. Synonymy: Pascoe (1876: 52).

Amarsenes Bates, 1879a: 297 [M]. Type species: *Tetraphyllus oblongocamelus* Fairmaire, 1877, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Amarygmimus Bates, 1873e: 354 [M]. Type species: *Amarygmimus duboulayi* Bates, 1873, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Amarygmomimus Rye, 1875: 290 [M]. Type species [automatic]: *Amarygmimus duboulayi* Bates, 1873, by monotypy. Status: junior synonym of *Amarygmimus* Bates, 1873 in Tenebrioninae: Heleini: Cyphaleina. Note: unjustified emendation of *Amarygmimus* Bates, 1873, not in prevailing usage.

Amarygmus Dalman, 1823: 60 [M]. Type species: *Chrysomela micans* Fabricius, 1794, by subsequent designation (Gebien 1921a: 410). Status: valid genus and subgenus in Tenebrioninae: Amarygmini.

Amathobius Gebien, 1920: 129 [M]. Type species: *Amathobius glyptopterus* Gebien, 1920, by subsequent designation (Koch 1963: 42). Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Amatodes Dejean, 1834: 189 [F]. Type species: *Pimelia gemmata* Fabricius, 1801, by monotypy. Status: valid genus and subgenus in Blaptinae: Pedinini: Helopinina. Note: the original combination of the name of the type species, *Pimelia gemmata* Fabricius, 1801, is a junior primary homonym of *Pimelia gemmata* Herbst, 1799.

†*Amberophlus* Novák & Háva, 2019: 128 [M]. Type species: *Amberophlus niger* Novák & Háva, 2019, by original designation. Status: valid genus in Alleculinae: Cteniopodini. Note: described from Eocene Baltic amber.

Ambigatus Fairmaire, 1892b: 246 [M]. Type species: *Ambigatus rufonitens* Fairmaire, 1892, by subsequent designation (R. Lucas 1920: 87). Status: valid subgenus of *Achanius* Erichson, 1847 in Pimeliinae: Evaniosomini.

Amblycara Fairmaire, 1893a: cxlvii [N]. Type species: *Amblycara biskrense* Fairmaire, 1893 (= *Melancrus alutaceum* Fairmaire, 1875), by monotypy. Status: senior synonym of *Amblycarenum* Gebien, 1910 in Pimeliinae: Tentyriini. Note: junior homonym of *Amblycara* Bergroth, 1891 [Hemiptera].

Amblycarenum Gebien, 1910a: 77 [N]. Type species [automatic]: *Amblycara biskrense* Fairmaire, 1893 (= *Melancrus alutaceum* Fairmaire, 1875), by monotypy. Status: valid genus in Pimeliinae: Tentyriini. Note: replacement name for *Amblycara* Fairmaire, 1893.

Amblychirus Koch, 1956a: 87 [M]. Type species: *Trigonopus brevior* Fairmaire, 1897, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Amblycyphus Motschulsky, 1870: 401 [M]. Type species: *Amblycyphus asperatus* Motschulsky, 1870 (= *Centrioptera pectoralis* Blaisdell, 1921), by monotypy. Status: junior synonym of *Cryptoglossa* Solier, 1837 in Pimeliinae: Cryptoglossini. Synonymy: Aalbu et al. (1995: 483).

Amblyptera Solier, 1836: 195 [F]. Type species: *Pimelia scabrosa* Solier, 1836, by subsequent designation (Viñolas and Cartagena 2005: 267). Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Amblypteraca Mas-Peinado, Buckley, Ruiz & García-París, 2018: 543 [F]. Type species: *Pimelia rugosa* Fabricius, 1792 (= *Pimelia fairmairii* Kraatz, 1865), by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini. Note: we act as First Revisers and reject the alternative original spelling *Amplypteraca*, used by Mas-Peinado et al. (2018: 531, 543).

Amblysphagus Fairmaire, 1896a: 16 [M]. Type species: *Amblysphagus pachyderus* Fairmaire, 1896, by monotypy. Status: valid genus in Blaptinae: Opatrini: Neopachypterina.

Amenophis J. Thomson, 1858: 93 [M]. Type species: *Amenophis fairmairei* J. Thomson, 1858, by subsequent designation (Gebien 1941: 342). Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Ametrocera Fåhraeus, 1870: 260 [F]. Type species: *Ametrocera aurita* Fåhraeus, 1870, by subsequent designation (R. Lucas 1920: 88). Status: valid genus in Blaptinae: Pedinini: Helopinina.

Amiantus Fåhraeus, 1870: 279 [M]. Type species: *Amiantus gibbosus* Fåhraeus, 1870, by subsequent designation (Haag-Rutenberg 1871: 45). Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Amicrodera Kaszab, 1966: 282, 292 [F]. Type species: *Microdera lindbergi* Kaszab, 1966, by original designation. Status: valid subgenus of *Microdera* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Ammidanemia Reitter, 1904: 132 [F]. Type species: *Anemia fausti* Solsky, 1882 (= *Cheirodes brevicollis* Wollaston, 1864), by subsequent designation (G.S. Medvedev 1990: 212). Status: junior synonym of *Pseudanemia* Wollaston, 1864 in Tenebrioninae: Melanimonini. Synonymy: Ardoin (1971: 359, through placement of the type species in the subgenus *Pseudanemia* Wollaston, 1864).

Ammidium Erichson, 1843: 250 [N]. Type species: *Ammidium ciliatum* Erichson, 1843, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Ammobius Guérin-Méneville, 1844: 121 [M]. Type species: *Ammobius rufus* Guérin-Méneville, 1844, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina. Note: combined description of a new genus and a single new species (ICZN 1999, Article 12.2.6); the original combination of the name of the type species has been given as "*Trachyscelis rufus* Guérin-Méneville, 1844" in recent literature; however, we use the combination *Ammobius rufus* here as it was used by Guérin-Méneville (1844: 560) in his 'Table alphabétique des genres, sous-genres et espèces figurés ou décrits dans l'iconographie du règne animal. Insectes'.

Ammocera Borchmann, 1941a: 5 [F]. Type species: *Ammocera unicolor* Borchmann, 1941, by original designation. Status: valid subgenus of *Lagria* Fabricius, 1775 in Lagriinae: Lagriini: Lagriina.

Ammodoides Lesne, 1915: 227, 233 [M]. Type species: *Arthrodeis lateripunctatus* Fairmaire, 1890, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Ammodonus Mulsant & Rey, 1859a: 141, 143 [M]. Type species: *Opatrum fossor* J.L. LeConte, 1847, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina. Note: transferred from Ammobiina by Lumen et al. (2020: 341).

Ammogiton Peyerimhoff, 1920: 326 [M]. Type species: *Ammogiton viberti* Peyerimhoff, 1920, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Ammophorus Guérin-Méneville, 1831a: pl. 4 [M]. Type species: *Ammophorus peruvianus* Guérin-Méneville, 1831, by monotypy. Status: valid genus in Tenebrioninae: Scotobiini.

Ammophtorus Lacordaire, 1859a: 284 [M]. Type species [automatic]: *Ammobius rufus* Guérin-Méneville, 1844, by monotypy. Status: junior synonym of *Ammobius* Guérin-Méneville, 1844 in Blaptinae: Opatrini: Ammobiina. Note: unnecessary replacement name for *Ammobius* Guérin-Méneville, 1844.

Ammotrypes Fairmaire, 1879a: 194 [M]. Type species: *Ammotrypes crenulicollis* Fairmaire, 1879, by monotypy. Status: junior synonym of *Eurycaulus* Fairmaire, 1868 in Blaptinae: Opatrini: Sclerina. Synonymy: Grimm (2005: 9); Löbl and Smetana (2010: 33).

Ammozoides Kaszab, 1979a: 91 [M]. Type species: *Ammozoum validicorne* Reitter, 1900, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Ammozoum Semenov, 1891: 352 [N]. Type species: *Ammozoum hyalinum* Semenov, 1891, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Amnodeis Miller, 1858: 117 [M]. Type species: *Amnodeis grandis* Miller, 1858, by subsequent designation (R. Lucas 1920: 90). Status: valid genus in Pimeliinae: Erodiini.

Amorphochirus Gebien, 1904a: 339 [M]. Type species: *Pycnocerus hercules* Fairmaire, 1884, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Amorphopoda Fåhraeus, 1870: 320 [F]. Type species: *Amorphopoda elateroides* Fåhraeus, 1870, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Amphianax Bates, 1873e: 350 [M]. Type species: *Amphianax subcoriaceus* Bates, 1873, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Amphidora Eschscholtz, 1829: 9 [F]. Type species: *Amphidora littoralis* Eschscholtz, 1829, by monotypy. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini. Note: Doyen and Lawrence (1979: 367) synonymized this genus with *Eleodes* Eschscholtz, 1829; however, Smith and Johnston in Bousquet et al. (2018: 143) used *Amphidora* as a valid subgenus of *Eleodes*.

Amphithrix Español, 1952b: 306 [F]. Type species: *Amphithrix peyerimhoffi* Español, 1952, by original designation. Status: senior synonym of *Amphithrixoides* Bouchard & Löbl, 2008 in Blaptinae: Opatrini: Ammobiina. Note: junior homonym of *Amphithrix* Ragonot, 1893 [Lepidoptera].

Amphithrixoides Bouchard & Löbl, 2008: 39 [M]. Type species [automatic]: *Amphithrix peyerimhoffi* Español, 1952, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina. Note: replacement name for *Amphithrix* Español, 1952.

Anacardiosis Endrödy-Younga, 1986: 210, 221 [F]. Type species: *Cardiosis hamiltonuli* Koch, 1969, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Anachayus Bouchard & Bousquet, **new replacement name** [M]. Type species [automatic]: *Chemolanus villosipes* Fairmaire, 1884, by original designation.

Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Chatanayus* Ardoin, 1957.

Anacycus Fairmaire, 1896a: 33 [M]. Type species: *Dietysus navicularis* Fairmaire, 1894, by subsequent designation (Löbl et al. 2008: 215). Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Blair (1929a: 245; with *Elixota* Pascoe, 1866, a junior synonym of *Amarygmus* Dalman, 1823).

Anadischidus Kolbe, 1897a: 241 [M]. Type species: *Nyctobates iphthinoides* Quedenfeldt, 1885, by monotypy. Status: junior synonym of *Deriles* Motschulsky, 1872 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1911a: 441).

Anaedes Agassiz, 1846b: 20 [M]. Type species [automatic]: *Anaedus punctatissimus* Blanchard, 1842, by monotypy. Status: junior synonym of *Anaedus* Blanchard, 1842 in Lagriinae: Goniaderini. Note: unjustified emendation of *Anaedus* Blanchard, 1842, not in prevailing usage.

Anaedus Blanchard, 1842: pl. 14 [M]. Type species: *Anaedus punctatissimus* Blanchard, 1842, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Anamenederes Koch, 1954a: 68 [M]. Type species: *Menederes digitatus* Koch, 1954, by original designation. Status: valid subgenus of *Menederes* Solier, 1848 in Blaptinae: Platynotini: Eurynotina.

Anamphidora Casey, 1924: 330 [F]. Type species: *Anamphidora parvula* Casey, 1924, by original designation. Status: valid genus in Alleculinae: Alleculini: Xystropodina.

Anarmostodera Fairmaire, 1897a: 114 [F]. Type species: *Anarmostodera crassicornis* Fairmaire, 1897, by monotypy. Status: valid genus in Tenebrioninae: Praeugenini.

Anatolica Eschscholtz, 1831: 5, 7 [F]. Type species: *Tentyria subquadrata* Tauscher, 1812, by subsequent designation (Gebien 1937a: 599). Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Anatrum Reichardt, 1936: 84, 209 [N]. Type species: *Anatrum songoricum* Reichardt, 1936, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Anausis Bates, 1873e: 355 [F]. Type species: *Anausis macleayi* Bates, 1873, by monotypy. Status: junior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 490).

Anaxius Fåhraeus, 1870: 307 [M]. Type species: *Anaxius obesus* Fåhraeus, 1870, by monotypy. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Anaxo Bates, 1868: 272 [F]. Type species: *Anaxo brevicornis* Bates, 1868, by monotypy. Status: junior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Matthews and Bouchard (2008: 324, with *Aethyssius* Pascoe, 1863, a junior synonym of *Lepturidea* Fauvel, 1862).

Anchomma J.L. LeConte, 1858a: 63 [N]. Type species: *Anchomma costatum* J.L. LeConte, 1858, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina. Note: **new placement** [RLA], previously included in Pimeliinae: Anepsiini; genus originally described in Tenebrionoidea: Zopheridae: Colydiinae.

Anchophthalmops Koch, 1956a: 173 [M]. Type species: *Anchophthalmops brevipleurum* Koch, 1956, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Anchophthalmus Gerstaecker, 1854: 533 [M]. Type species: *Anchophthalmus silphoides* Gerstaecker, 1854, by subsequent designation (Gebien 1938a: 298). Status: valid genus and subgenus in Blaptinae: Platynotini: Platynotina.

Ancylopoma Pascoe, 1871: 354 [N]. Type species: *Ancylopoma punctigerum* Pascoe, 1871, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: see Bouchard and Bousquet (2020a: 102) for comments regarding the placement of this genus and its associated family-group name.

Andocamaria Masumoto, 1993b: 230, 232 [F]. Type species: *Campsiomorpha formosana* Pic, 1930, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Andremiopsis Chatanay, 1913a: 406 [F]. Type species: *Andremiopsis costata* Chatanay, 1913, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Andremius Fairmaire, 1903b: 364 [M]. Type species: *Andremius crispatus* Fairmaire, 1903, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Andrimus Casey, 1891: 155 [M]. Type species: *Cteniopus murrayi* J.L. LeConte, 1866, by subsequent designation (R. Lucas 1920: 96). Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Androchirus J.L. LeConte, 1862: 244 [M]. Type species: *Cistela fuscipes* Melsheimer, 1846 (= *Cistela erythropa* W. Kirby, 1837), by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Androsus Gebien, 1921a: 325, 386 [M]. Type species: *Chariotheca violacea* Pascoe, 1887, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Anebacis Peyerimhoff, 1927: 4, 15 [F]. Type species: *Tentyria cribricollis* Fairmaire, 1875, by subsequent designation (Löbl et al. 2008a: 40). Status: valid subgenus of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Anectus Horn, 1867: 399 [M]. Type species: *Anectus vestitus* Horn, 1867, by monotypy. Status: valid genus in Pimeliinae: Branchini.

Anemia Laporte, 1840: 218 [F]. Type species: *Anemia granulata* Laporte, 1840, by monotypy. Status: junior synonym of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini. Synonymy: Marseul (1863: 183); Spilman (1973: 41).

Anemiadena Bouchard & Bousquet, **new subgenus** [F]. Type species: *Anemia convexa* Gestro, 1881, by **present designation**. Status: valid subgenus of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini. Note: Ardoin (1971: 362, 402) introduced the new subgenus name *Anemiadena* for two nominal species, but unfortunately did not designate a type species; the fact that *Anemia convexa* Gestro, 1881 was listed as the "type" of *Anemiadena* in the Zoological Record for the year 1971 (Anonymous in Commonwealth Institute of Entomology 1975) does not represent a valid type species designation since the nomenclatural act is anonymous (ICZN 1999, Article 14); the subgenus *Anemiadena*, which has been treated as valid since 1971, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Anemia convexa* Gestro, 1881 as type species and referring to Ardoin (1971: 362) for the character states that characterise and differentiate *Anemiadena*.

Anephyctus Fairmaire, 1891b: 257 [M]. Type species: *Anephyctus hirtulus* Fairmaire, 1891, by monotypy. Status: junior synonym of *Miltoprepes* Gerstaecker, 1871 in

Tenebrioninae: Praeugenini. Synonymy: Gridelli (1939: 78, through placement of the type species in *Miltoprepes* Gerstaecker, 1871).

Anepsius J.L. LeConte, 1851: 147 [M]. Type species: *Anepsius delicatulus* J.L. LeConte, 1851, by monotypy. Status: valid genus in Pimeliinae: Anepsiini.

Anethas Jakobson, 1924: 242 [M]. Type species [automatic]: *Pseudethas longiceps* Fairmaire, 1898, by monotypy. Status: valid genus and subgenus in Pimeliinae: Stenosini: Stenosina. Note: replacement name for *Pseudethas* Fairmaire, 1898.

Angoleantus Koch, 1952a: 128, 133 [M]. Type species: *Rhammatodes striatulus* Koch, 1941, by original designation. Status: valid subgenus of *Rhammatodes* Haag-Rutenberg, 1876 in Pimeliinae: Tentyriini.

Angolositus Koch, 1955c: 448 [M]. Type species: *Angolositus sadabandeirus* Koch, 1955, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Aniara Melsheimer, 1853: 139 [F]. Type species: *Uloma piceum* Melsheimer, 1846, by monotypy. Status: senior synonym of *Eutochia* J.L. LeConte, 1862 in Tenebrioninae: Ulomini. Note: name previously attributed to "Lacordaire, 1859" in the literature; junior homonym of *Aniara* Hope, 1838 [Coleoptera: Carabidae].

Aniarus Gemminger in Gemminger and Harold, 1870: 1964 [M]. Type species [automatic]: *Uloma piceum* Melsheimer, 1846, by monotypy. Status: junior synonym of *Eutochia* J.L. LeConte, 1862 in Tenebrioninae: Ulomini. Note: unjustified emendation of *Aniara* Melsheimer, 1853, not in prevailing usage.

Anisocara Gebien, 1925e: 101 [N]. Type species: *Anisocara gynandromorphum* Gebien, 1925, by monotypy. Status: junior synonym of *Platydema* Laporte & Brullé, 1831 in Diaperinae: Diaperini: Diaperina. Synonymy: Schawaller (2004: 5).

Anisocerus Faldermann, 1837: 39 [M]. Type species: *Anisocerus tristis* Faldermann, 1837, by monotypy. Status: senior synonym of *Ceratanisus* Gemminger, 1870 in Pimeliinae: Ceratanisini. Note: junior homonym of *Anisocerus* Audinet-Serville, 1835 [Coleoptera: Cerambycidae].

Anisophaedis Ando, 1993: 107 [M]. Type species: *Anisophaedis ohkurai* Ando, 1993, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Anisosis Deyrolle, 1867: 81, 232 [F]. Type species: *Anisosis caudata* Deyrolle, 1867, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini. Note: the alternative original spelling *Urosis*, used by Deyrolle (1867: 81), was rejected by Dallas (1868: 265–266) who acted as First Reviser.

Anisostira Borchmann, 1915: 296 [F]. Type species: *Anisostira varicolor* Borchmann, 1915 (= *Macrolagria rugipennis* Lewis, 1896), by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Annamosdara Kaszab, 1941a: 3, 30 [F]. Type species: *Annamosdara multidentata* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Anobriomaia Kaszab, 1941b: 67 [F]. Type species: *Anobriomaia sulcata* Kaszab, 1941, by original designation. Status: junior synonym of *Foochounus* Pic, 1921 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983a: 134).

Anodesis Solier, 1834: 508, 594 [F]. Type species: *Anodesis cleryi* Solier, 1834, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Anognathena Ando in Ando et al., 2017: 148 [F]. Type species: *Anognathena neraida* Ando, 2017, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Anomalipus Guérin-Méneville, 1831b: pl. 29 [M]. Type species: *Blaps dentipes* Fabricius, 1794, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina. Note: nomen protectum (see Bouchard and Bousquet 2020a: 101, 132); unjustified emendation of the original spelling *Anomalipes*, introduced by Lacordaire (1859a: 257), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1), see Bouchard et al. (2005: 511).

Anommabates Koch, 1956b: 84 [M]. Type species: *Anommabates pauliani* Koch, 1956, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Anomoearthrum Mäklin, 1867: 482 [N]. Type species: *Anomoearthrum debile* Mäklin, 1867, by subsequent designation (Gebien 1948: 540). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gemminger in Gemminger and Harold (1870: 2028).

Anophthalmolamus Ferrer, 1993: 122 [M]. Type species: *Anophthalmolamus fuerteventurae* Ferrer, 1993, by original designation. Status: valid genus in Tenebrioninae: incertae sedis.

Anopidium Jeannel & Paulian, 1945: 63 [N]. Type species: *Anopidium elgonicum* Jeannel & Paulian, 1945, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.Note: originally described in Tenebrionoidea: Zopheridae: Colydiinae.

Anotoma Borchmann, 1936: 18, 81 [F]. Type species: *Chrysolagria heynei* Borchmann, 1915, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Antennoluprops Schawaller, 2007: 30 [M]. Type species: *Antennoluprops bremeri* Schawaller, 2007, by original designation. Status: valid genus in Lagriinae: Lupropini.

Anteros Laporte, 1840: 235 [M]. Type species: *Helops chalibeus* Rossi, 1790 (= *Tenebrio caeruleus* Linnaeus, 1758), by subsequent designation (Iablokoff-Khnzorian 1964: 303). Status: junior synonym of *Helops* Fabricius, 1775 in Tenebrioninae: Helopini: Helopina. Synonymy: Erichson in Agassiz (1846a: 12). Note: junior homonym of *Anteros* Hübner, 1819 [Lepidoptera].

Anthracias Dejean, 1834: 205 [M]. Type species: *Uloma cornutum* Fischer, 1823, by monotypy. Status: junior synonym of *Cryphaeus* Klug, 1833 in Tenebrioninae: Toxicini: Toxicina. Synonymy: Gebien (1921b: 238).

†*Anthracohelops* Haupt, 1950: 114, 128 [M]. Type species: *Anthracohelops gigas* Haupt, 1950, by original designation. Status: valid genus in Stenochiinae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

Anthracosomus Agassiz, 1846b: 26 [M]. Type species [automatic]: *Anthrasomus chevrolatii* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Anthrasomus* Guérin-Méneville, 1834 in Pimeliinae: Praociini. Note: unjustified emendation of *Anthrasomus* Guérin-Méneville, 1834, not in prevailing usage.

Anthracula Fairmaire, 1897c: 236 [F]. Type species: *Anthracula latifrons* Fairmaire, 1897, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Anthrasomus Guérin-Méneville, 1834: 32 [M]. Type species: *Anthrasomus chevrolatii* Guérin-Méneville, 1834, by monotypy. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini.

Anthrenopsis Koch, 1950c: 74 [F]. Type species: *Platydema scriptipennis* Fairmaire, 1875 (= *Basides ziczac* Motschulsky, 1873), by original designation. Status: valid subgenus of *Ellipsodes* Wollaston, 1854 in Diaperinae: Crypticini.

Anticlia Gistel, 1848a: x, 125 [F]. Type species [automatic]: *Opatrum orientale* Fabricius, 1775, by subsequent designation (Hope 1841: 110). Status: junior synonym of *Sclerum* Dejean, 1834 in Blaptinae: Opatrini: Sclerina. Note: unnecessary replacement name for *Sclerum* Dejean, 1834.

Antimachus Gistel, 1829: 1055 [M]. Type species: *Phalaria furcifera* Dalman, 1821, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Antofagapraocis Flores, 2000b: 62, 68 [M]. Type species: *Falsopraocis subnudus* Kulzer, 1959, by original designation. Status: valid genus in Pimeliinae: Praociini.

Antoineius Koch, 1948: 418 [M]. Type species: *Micrositus jeanneli* Koch, 1945 (= *Melambius inermis* Antoine, 1942), by original designation. Status: valid subgenus of *Otinia* Antoine, 1942 in Blaptinae: Dendarini: Melambiina.

Aoupinia Matthews, 2003a: 441 [F]. Type species: *Aoupinia pseudohelea* Matthews, 2003, by original designation. Status: valid genus in Lagriinae: Adeliini.

Apalmia Fairmaire, 1896a: 60 [F]. Type species: *Apalmia cerambycina* Fairmaire, 1896, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Apasis Pascoe, 1869: 139 [F]. Type species: *Apasis howittii* Pascoe, 1869, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Apatelus Mulsant & Rey, 1859a: 88, 91 [M]. Type species: *Apatelus hopei* Mulsant & Rey, 1859, by monotypy. Status: junior synonym of *Isopteron* Hope, 1841 in Lagriinae: Adeliini. Synonymy: Carter (1926: 123).

Apatopsis Semenov, 1891: 368 [F]. Type species: *Apatopsis grombczewskii* Semenov, 1891, by subsequent designation (R. Lucas 1920: 107). Status: valid genus in Pimeliinae: Pimeliini.

Apelina Saha, 1988: 429 [F]. Type species: *Apelina keralaensis* Saha, 1988, by original designation. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Bremer and Lillig (2014: 12).

Apellatus Pascoe, 1863a: 45 [M]. Type species: *Apellatus lateralis* Pascoe, 1863 (= *Apellatus amoenus* Pascoe, 1866), by monotypy. Status: junior synonym of *Euomma* Boheman, 1858 in Alleculinae: Alleculini: Alleculina. Synonymy: Pascoe (1866a: 491).

Apentanes Reitter, 1914a: 45, 51 [M]. Type species: *Arthrodeis occidentalis* Fairmaire, 1868, by subsequent designation (Gebien 1937a: 536). Status: valid subgenus of *Arthrodeis* Solier, 1834 in Pimeliinae: Erodiini.

Apentanodes Reitter, 1914a: 46, 53 [M]. Type species: *Arthrodeis globosus* Reiche & Saulcy, 1857, by subsequent designation (Gebien 1937a: 539). Status: valid genus and subgenus in Pimeliinae: Erodiini.

Aphaleria Reitter, 1896a: 235 [F]. Type species: *Aphaleria capnisoides* Reitter, 1896 (= *Erodius pygmaeus* Fischer, 1821), by monotypy. Status: junior synonym of *Bradyus* Dejean, 1834 in Tenebrioninae: Dissonomini. Synonymy: Löbl et al. (2008b: 240).

Aphanaspis Wollaston, 1864: 478 [F]. Type species: *Pimelia granulicollis* Wollaston, 1864, by subsequent designation (Löbl et al. 2008a: 40). Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Aphanotus J.L. LeConte, 1862: 233 [M]. Type species: *Eulabis brevicornis* J.L. LeConte, 1859, by original designation. Status: valid subgenus of *Tribolium* W.S. MacLeay, 1825 in Tenebrioninae: Triboliini.

Aphectus Carter, 1926: 127, 128 [M]. Type species [automatic]: *Hectus anthracinus* Pascoe, 1869, by monotypy. Status: junior synonym of *Olisthaena* Erichson, 1842 in Tenebrioninae: Heleini: Cyphaleina. Note: unnecessary replacement name for *Hectus* Pascoe, 1869.

Aphelus Gebien, 1921b: 62, 78 [M]. Type species: *Aphelus simplicicollis* Gebien, 1921, by subsequent designation (Gebien 1941: 341). Status: junior synonym of *Argobrachium* Fairmaire, 1899 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1961b: 31).

Aphrotus Péringuey, 1904: 252 [M]. Type species [automatic]: *Xenus tricorniger* Péringuey, 1899, by monotypy. Status: valid genus in Pimeliinae: Tentyriini. Note: replacement name for *Xenus* Péringuey, 1899.

Aphtora Bates, 1872b: 265 [F]. Type species: *Aphtora rufipes* Bates, 1872, by monotypy. Status: valid genus in Phrenapatinae: incertae sedis. Note: Matthews and Lawrence (2019: 623) placed this genus in the subfamily Phrenapatinae (tribal position uncertain).

Aphyllocerus Fairmaire, 1881a: 348 [M]. Type species: *Aphyllocerus decipiens* Fairmaire, 1881, by monotypy. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Gebien (1921a: 409).

Apistocerus Fairmaire, 1899a: 78 [M]. Type species: *Apistocerus wasmanni* Fairmaire, 1899, by monotypy. Status: valid subgenus of *Rhyzodina* Chevrolat, 1873 in Tenebrioninae: Rhysopaussini.

Apithesis C.O. Waterhouse, 1881: 476 [F]. Type species: *Apithesis obesa* C.O. Waterhouse, 1881, by monotypy. Status: junior synonym of *Clitobius* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Purchart and Kamiński (2017: 143).

Aplanasida Reitter, 1917a: 11, 30 [F]. Type species: *Asida brevicosta* Solier, 1836, by monotypy. Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Apocrypha Eschscholtz, 1831: 13 [F]. Type species: *Apocrypha anthicoides* Eschscholtz, 1831, by monotypy. Status: valid genus in Tenebrioninae: Apocryphini.

Apocryphodes Matthews, 1998: 704, 765 [M]. Type species: *Apocryphodes thompsoni* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Apodemus Fåhraeus, 1870: 293 [M]. Type species: *Anomalipus planus* Fåhraeus, 1870, by subsequent designation (Iwan 2002c: 234). Status: junior synonym of

Anomalipus Guérin-Méneville, 1831 in Blaptinae: Platynotini: Platynotina. Synonymy: Gebien (1938a: 409). Note: junior homonym of *Apodemus* Kaup, 1829 [Mammalia].

Apolites Jacquelin du Val, 1861: 324 [M]. Type species: *Helops mucoreus* Waltl, 1838, by monotypy. Status: senior synonym of *Ceratanisus* Gemminger, 1870 in Pimeliinae: Ceratanisini. Synonymy: Allard (1876b: ciii). Note: junior homonym of *Apolites* Sundevall, 1835 [Aves].

Apomestris Bates, 1873e: 357 [M]. Type species: *Apomestris westwoodi* Bates, 1873, by monotypy. Status: junior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1926: 119, with *Altes* Pascoe, 1869, a junior synonym of *Cyphaleus* Westwood, 1841).

Apostethus Pascoe, 1882: 27 [M]. Type species: *Apostethus terrenus* Pascoe, 1882, by monotypy. Status: junior synonym of *Adelodemus* Haag-Rutenberg, 1878 in Lagriinae: Adeliini. Synonymy: Carter (1926: 131).

Apristopus Kolbe, 1903: 167 [M]. Type species: *Prioscelis crassicornis* Westwood, 1842, by monotypy. Status: junior synonym of *Calostegia* Westwood, 1843 in Lagriinae: Pycnocerini. Synonymy: Gebien (1904a: 169).

Aprosphaena Reitter, 1916c: 140, 142 [F]. Type species: *Aprosphaena adriani* Reitter, 1916 (= *Tagenia striatopunctata* Wiedemann, 1821), by subsequent designation (Löbl et al. 2008a: 40). Status: junior synonym of *Stenosida* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Blair (1935a: 103).

Apsena J.L. LeConte, 1862: 228 [F]. Type species: *Eulabis pubescens* J.L. LeConte, 1851, by original designation. Status: valid genus in Tenebrioninae: Eulabini.

Apsheronellus Bogatchev, 1967: 157 [M]. Type species: *Apsheronellus arenarius* Bogatchev, 1967, by original designation. Status: valid genus in Blaptinae: Pedinini: Leichenina.

Apsida Lacordaire, 1859a: 309 [F]. Type species: *Apsida chrysomelina* Lacordaire, 1859, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Aptereucyrtus Gebien, 1922a: 477 [M]. Type species: *Aptereucyrtus hemichalceus* Gebien, 1922, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Aptereutochia Kaszab, 1980a: 190 [F]. Type species: *Eutochia aptera* Kaszab, 1980, by original designation. Status: valid subgenus of *Cenoscelis* Wollaston, 1868 in Tenebrioninae: Ulomini. Note: this name was first published by Kaszab (1979a: 92) without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article (13.1) and is therefore unavailable from that date.

Aptericula Borchmann, 1937: 219 [F]. Type species: *Aptericula nyassensis* Borchmann, 1937, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Apterobrachys Kaszab, 1986: 295 [M]. Type species: *Apterobrachys wilhelminae* Kaszab, 1986, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Apteroclitobius Koch, 1960: 391, 404 [M]. Type species: *Clitobius grandis* Fairmaire, 1896, by original designation. Status: junior synonym of *Clitobius* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Purchart and Kamiński (2017: 143).

Apterocyphostethe Kaszab, 1962a: 302 [F]. Type species: *Himatismus koltzei* Reitter, 1895, by original designation. Status: valid subgenus of *Cyphostethe* Marseul, 1866 in Pimeliinae: Tentyriini.

Apterogena Ardoin, 1962a: 67 [F]. Type species: *Apterogena canonnei* Ardoin, 1962, by original designation. Status: senior synonym of *Genateropa* Bouchard & Bousquet, **nom. nov.** in Stenochiinae: Stenochiini. Note: junior homonym of *Apterogena* Amyot, 1847 [Hemiptera].

Apteroleprocaulus Kaszab, 1983c: 182 [M]. Type species: *Leprocaulus montanus* Kaszab, 1982, by original designation. Status: junior synonym of *Hexarhopalus* Fairmaire, 1891 in Stenochiinae: Cnodalonini. Synonymy: Bečvář and Purchart (2008: 39).

Apteromaia Kulzer, 1952: 719 [F]. Type species: *Eucyrtus ovipennis* Gebien, 1913, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Apteromerus Blair, 1928: 72 [M]. Type species: *Opatrinus convexus* Fairmaire, 1849, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Apteromira Weise, 1974: 123 [F]. Type species: *Cistela ovulum* Kiesenwetter, 1863, by original designation. Status: valid subgenus of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina.

Apteronympha Seidlitz, 1898b: 336, 338 [F]. Type species: *Lagria rubida* Graells, 1858, by subsequent designation (Merkl 2004: 284). Status: valid subgenus of *Lagria* Fabricius, 1775 in Lagriinae: Lagriini: Lagriina.

Apterophenus Gebien, 1921a: 325, 342 [M]. Type species: *Apterophenus evanescens* Gebien, 1921, by subsequent designation (Gebien 1941: 1142). Status: valid genus in Stenochiinae: Cnodalonini.

Apteroseriscius Koch, 1950c: 64 [M]. Type species: *Pseudoseriscius espanoli* Koch, 1950, by original designation. Status: valid genus in Diaperinae: Crypticini.

Apterosphaeria Koch, 1950b: 298 [F]. Type species: *Derosphaerius rugifrons* Fairmaire, 1888, by original designation. Status: valid subgenus of *Derosphaerius* Westwood, 1881 in Pimeliinae: Tentyriini.

Apterotarpela Kaszab, 1954: 262 [F]. Type species: *Apterotarpela klapperichi* Kaszab, 1954, by original designation. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Apterotheca Gebien, 1921a: 348 [F]. Type species: *Chariotheca besti* Blackburn, 1894, by subsequent designation (Gebien 1942a: 338). Status: valid genus in Stenochiinae: Cnodalonini.

Apterozidalus Ardoin, 1965b: 1315 [M]. Type species: *Apterozidalus royi* Ardoin, 1965, by original designation. Status: junior synonym of *Zidalus* Mulsant & Rey, 1853 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan (1995b: 362).

Apteruleda Gebien, 1928: 134 [F]. Type species: *Apteruleda uncipes* Gebien, 1928, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Apteruloma Gebien, 1928: 149 [N]. Type species: *Apteruloma magnum* Gebien, 1928, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Apterulomoides Kaszab, 1982d: 279 [M]. Type species: *Uloma rotundipenne* Kaszab, 1982, by monotypy. Status: valid subgenus of *Uloma* Dejean, 1821 in Tenebrioninae: Ulomini.

Aptila Fåhraeus, 1870: 258 [F]. Type species: *Aptila costata* Fåhraeus, 1870, by subsequent designation (R. Lucas 1920: 115). Status: valid genus in Blaptinae: Pedinini: Helopinina.

Arabammobius Grimm & Lillig, 2020: 307 [M]. Type species: *Ammobius tarsalis* Grimm, 2012, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Arabcynaeus Schawaller, 2009a: 164 [M]. Type species: *Arabcynaeus bremeri* Schawaller, 2009, by original designation. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Araeopselaphus Gebien, 1921b: 10 [M]. Type species: *Araeopselaphus myrmecophilus* Gebien, 1921, by monotypy. Status: valid genus in Diaperinae: Crypticini.

Araeoschizus J.L. LeConte, 1851: 138 [M]. Type species: *Araeoschizus costipennis* J.L. LeConte, 1851, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Araeoschizina.

Araucaricola Lea, 1929: 218 [F]. Type species: *Araucaricola ebenina* Lea, 1929, by monotypy. Status: junior synonym of *Iscanus* Fauvel, 1904 in Lagriinae: Lupropini. Synonymy: Kaszab (1982a: 59).

Archaeoglenes Broun, 1893a: 188 [M]. Type species: *Archaeoglenes costipennis* Broun, 1893, by monotypy. Status: valid genus in Phrenapatinae: Archaeoglenini.

Archasida Wilke, 1922: 261 [F]. Type species: *Afrasida innotata* Wilke, 1922, by original designation. Status: valid subgenus of *Afrasida* Wilke, 1922 in Pimeliinae: Asidini.

Archeophthora Kaszab, 1978a: 166 [F]. Type species: *Brachycilibe tasmanicum* Carter, 1919, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Archinamaqua Schawaller, 2012b: 80 [F]. Type species: *Archinamaqua lyleae* Schawaller, 2012 (= *Menederopsis constricta* Koch, 1954), by original designation. Status: junior synonym of *Menederopsis* Koch, 1954 in Blaptinae: Platynotini: Eurynotina. Synonymy: Kamiński and Schawaller (2019: 293).

Archinamibia Koch, 1952a: 157 [F]. Type species: *Archinamibia peezi* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Arcothymus Pascoe, 1866a: 476 [M]. Type species: *Arcothymus coenosus* Pascoe, 1866 (= *Adelium triste* Montrouzier, 1860), by monotypy. Status: valid genus in Lagriinae: Adeliini. Note: as mentioned by Matthews and Bouchard (2008: 350) the type species was originally described from Australia in error; the genus *Arcothymus* Pascoe, 1866 is endemic to New Caledonia.

Arctylus Dejean, 1834: 180 [M]. Type species: *Praocis pentagonus* Lacordaire, 1830, by monotypy. Status: junior synonym of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini. Synonymy: Bousquet and Bouchard (2013a: 43).

Ardamimicus Smith, 2013: 601 [M]. Type species: *Ardamimicus cognatoi* Smith, 2013, by original designation. Status: valid genus in Pimeliinae: Asidini.

Ardeleodes Blaisdell, 1937: 128 [M]. Type species: *Eleodes tibialis* Blaisdell, 1909, by original designation. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini. Note: the alternative original spelling *Arpeleodes*, used by Blaisdell (1937: 128), was rejected by Gebien (1938a: 63) who acted as First Reviser.

Ardelio Gistel, 1848a: xi [M]. Type species [automatic]: *Uloma cornutum* Fischer, 1823, by monotypy. Status: junior synonym of *Cryphaeus* Klug, 1833 in Tenebrioninae: Toxicini: Toxicina. Note: unnecessary replacement name for *Anthracias* Dejean, 1834.

Ardoinia Kaszab, 1969a: 249 [F]. Type species: *Ardoinia diaclinoides* Kaszab, 1969, by original designation. Status: valid genus in Tenebrioninae: Alphitobiini.

Ardoinia Özdikmen, 2005: 202 [F]. Type species [automatic]: *Orghidania torrei* Ardoin, 1977, by monotypy. Status: senior synonym of *Spelaebiosis* Bousquet & Bouchard, 2018 in Tenebrioninae: Triboliini. Note: replacement name for *Orghidania* Ardoin, 1977; junior homonym of *Ardoinia* Kaszab, 1969 [Coleoptera: Tenebrionidae: Tenebrioninae: Alphitobiini].

Ardoiniellus Schawaller, 2013a: 138 [M]. Type species: *Ardoiniellus montanus* Schawaller, 2013, by original designation. Status: valid genus in Lagriinae: Lupropini.

Arenacara Penrith, 1979: 43, 46 [N]. Type species: *Stenocara brunnipes* Haag-Rutenberg, 1877, by original designation. Status: valid subgenus of *Stenocara* Solier, 1835 in Pimeliinae: Adesmiini.

Arenoblaps G.S. Medvedev, 1999b: 400 [F]. Type species: *Blaps hiemalis* Semenov-Tjan-Shansky & Bogatchev, 1940, by original designation. Status: valid subgenus of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina.

Argasidus Péringuey, 1899: 251 [M]. Type species: *Argasidus squamosus* Péringuey, 1899, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Argenticrinis Louw, 1979: 99, 100 [M]. Type species: *Argenticrinis haackei* Louw, 1979 (= *Psammodes lossowi* Koch, 1952), by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Argobrachium Fairmaire, 1899d: 216 [N]. Type species: *Argobrachium impressifrons* Fairmaire, 1899, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Argoporis Horn, 1870: 325 [F]. Type species: *Cerenopus costipennis* J.L. LeConte, 1851, by subsequent designation (Gebien 1937a: 797). Status: valid genus in Tenebrioninae: Cerenopini. Note: as pointed out by Bousquet et al. (2018: 97, 179), evidence shows that *Threnus* Motschulsky, 1870 was published before the currently accepted valid name *Argoporis* Horn, 1870; as *Threnus* Motschulsky, 1870 was used as valid after 1899 (e.g., Leng 1920: 224), reversal of precedence cannot be used to conserve usage of *Argoporis* Horn, 1870; an application to the ICZN is necessary to conserve usage of *Argoporis* Horn, 1870.

Argutiolana Robiche, 2001: 191 [F]. Type species: *Argutiolana maguini* Robiche, 2001, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: transferred from Tenebrioninae: Tenebrionini by Robiche (2019a: 97).

Argyradelpha G.S. Medvedev, 2005a: 306 [F]. Type species: *Argyradelpha lopatini* G.S. Medvedev, 2005, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Argyrophana Semenov, 1889: 222, 224 [F]. Type species: *Argyrophana deserti* Semenov, 1889, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Ariarathus Fairmaire, 1891e: ccxi [M]. Type species: *Ariarathus ulomoides* Fairmaire, 1891 (= *Tenebrio atronitens* Fairmaire, 1891), by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Armalia Casey, 1907: 289, 330 [F]. Type species: *Emmenastus texanus* J.L. LeConte, 1866, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Armenohelops Nabozhenko, 2002a: 42 [M]. Type species: *Armenohelops armeniacus* Nabozhenko, 2002, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Armigena Bouchard & Bousquet, **new subgenus** [F]. Type species: *Nesogena testaceipes* Fairmaire, 1868, by **present designation**. Status: valid subgenus of *Nesogena* Mäklin, 1863 in Tenebrioninae: Praeugenini. Note: first proposed by Froussart (1961: 60) without type species designation; the subgenus *Armigena*, which is currently used as valid, is therefore unavailable (ICZN 1999, Articles 13.3, 16.1); we hereby make the name available by selecting *Nesogena testaceipes* Fairmaire, 1868 as type species and referring to Froussart (1961: 60) for the character states that characterise and differentiate *Armigena*.

Arnoldiola Semenov-Tjan-Shansky & Bogatchev, 1940: 201 [F]. Type species: *Arnoldiola peculiaris* Semenov-Tjan-Shansky & Bogatchev, 1940 (= *Stalagmoptera ruginota* Reitter, 1896), by original designation. Status: junior synonym of *Stalagmoptera* Solsky, 1876 in Pimeliinae: Pimeliini. Synonymy: Löbl et al. (2008b: 168). Note: junior homonym of *Arnoldiola* Strand, 1928 [Diptera].

Arrhabaeus Champion, 1886: 144 [M]. Type species: *Arrhabaeus convexus* Champion, 1886, by monotypy. Status: junior synonym of *Dioedus* J.L. LeConte, 1862 in Phrenapatinae: Penetini. Synonymy: Kaszab (1977a: 314).

Arrhenoplita W. Kirby, 1837: 235 [F]. Type species: *Ips haemorrhoidalis* Fabricius, 1787, by original designation. Status: junior synonym of *Neomida* Latreille, 1829 in Diaperinae: Diaperini: Diaperina. Synonymy: Duponchel and Chevrolat (1841: 157).

Artactes Pascoe, 1868: xii [M]. Type species: *Artactes nigritarsis* Pascoe, 1868, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Arthrochora Gebien, 1938b: 75 [F]. Type species: *Arthrochora arenicola* Gebien, 1938, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Arthroconus Solier, 1851: 238 [M]. Type species: *Arthroconus piceus* Solier, 1851 (= *Gymnognathus fuscus* Solier, 1851), by subsequent designation (Lacordaire 1859a: 67). Status: valid genus in Pimeliinae: Edrotini. Note: the First Reviser (*Arthroconus* Solier, 1851 versus *Gymnognathus* Solier, 1851) is Lacordaire (1859a: 67).

Arthrodeis Solier, 1834: 508, 513 [M]. Type species: *Arthrodeis rotundatus* Solier, 1834, by subsequent designation (Hope 1841: 114). Status: valid genus and subgenus in Pimeliinae: Erodiini.

Arthrodes Agassiz, 1846b: 35 [M]. Type species [automatic]: *Arthrodeis rotundatus* Solier, 1834, by subsequent designation (Hope 1841: 114). Status: junior synonym of *Arthrodeis* Solier, 1834 in Pimeliinae: Erodiini. Note: unjustified emendation of *Arthrodeis* Solier, 1834, not in prevailing usage.

Arthrodibius Lesne, 1915: 227, 235 [M]. Type species: *Arthrodeis laxepunctatus* Fairmaire, 1884, by subsequent designation (Sharp 1919: 119). Status: valid genus and subgenus in Pimeliinae: Erodiini.

Arthrodinus Reitter, 1900b: 299 [M]. Type species: *Erodius obesus* Brullé, 1839, by subsequent designation (Reitter 1914a: 46). Status: valid subgenus of *Arthrodeis* Solier, 1834 in Pimeliinae: Erodiini.

Arthrodion Lesne, 1915: 227, 234 [N]. Type species: *Spyrathus africanus* Fairmaire, 1882, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Arthrodosis Reitter, 1900b: 299 [F]. Type species: *Erodius globosus* Faldermann, 1837, by subsequent designation (R. Lucas 1920: 119). Status: valid genus in Pimeliinae: Erodiini. Note: the original combination of the accepted name of the type species, *Erodius globosus* Faldermann, 1837, is a junior primary homonym of *Erodius globosus* Thunberg, 1787.

Arthrodygmus Reitter, 1914a: 46 [M]. Type species: *Arthrodygmus fieberi* Reitter, 1914, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Arthrohyalosis Kaszab, 1979a: 75 [F]. Type species: *Arthrodosis mostofii* Pierre, 1975, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Arthrohyalus Koch, 1943a: 490, 503 [M]. Type species: *Arthrohyalus sarcinipennis* Koch, 1943, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Arthromacra W. Kirby, 1837: 238 [F]. Type species: *Arthromacra donacioides* W. Kirby, 1837 (= *Lagria aenea* Say, 1824), by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Arthroplatus Solier, 1851: 246 [M]. Type species: *Arthroplatus pallipes* Solier, 1851, by monotypy. Status: junior synonym of *Acropteryx* Gistel, 1831 in Tenebrioninae: Acropteronini. Synonymy: Schaum (1852: 183, with *Acropteron* Perty, 1832, a junior synonym of *Acropteryx* Gistel, 1831).

Arturium Koch, 1951: 83 [N]. Type species: *Melanolophus ater* C.O. Waterhouse, 1885, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Artystona Bates, 1874: 104 [F]. Type species: *Titaena erichsonii* White, 1846, by subsequent designation (R. Lucas 1920: 120). Status: valid genus in Tenebrioninae: Titaenini. Note: this name was introduced one year earlier by Bates (1873f: 473) but it is unavailable from that date since there is no description nor originally included species (ICZN 1999, Article 12.1).

Arunogria Merkl, 1991: 14 [F]. Type species: *Arunogria pubescens* Merkl, 1991, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Aryenis Bates, 1868: 309 [F]. Type species: *Aryenis rufescens* Bates, 1868 (= *Statira unicolor* Blanchard, 1843), by monotypy. Status: valid genus in Pimeliinae: Evaniosomini.

Asbolius Fairmaire, 1902a: 134 [M]. Type species: *Asbolius quadricollis* Fairmaire, 1902, by monotypy. Status: junior synonym of *Rhammatodes* Haag-Rutenberg, 1876 in Pimeliinae: Tentyriini. Synonymy: Blair (1935a: 103).

Asbolodes Fairmaire, 1892c: 52 [M]. Type species: *Asbolodes humerosus* Fairmaire, 1892, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Asbolodomimus Pic, 1921d: 20 [M]. Type species: *Asbolodomimus subcarinatus* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Asbolus J.L. LeConte, 1851: 129 [M]. Type species: *Asbolus verrucosus* J.L. LeConte, 1851, by subsequent designation (Aalbu 2005: 721). Status: valid genus

in Pimeliinae: Cryptoglossini. Note: the older name *Asbolus* Voet, 1793 [Coleoptera: Silphidae] was published in a work that did not include consistent application of binominal nomenclature and is therefore unavailable (ICZN 1999, Article 11.4).

Ascalabus Fairmaire, 1893b: 30 [M]. Type species: *Ascalabus pedinoides* Fairmaire, 1893, by monotypy. Status: senior synonym of *Calabosca* Fairmaire, 1894 in Stenochiinae: Cnodalonini. Note: junior homonym of *Ascalabus* Agassiz, 1846 [Pisces].

Ascelosodis Redtenbacher, 1868: 117 [F]. Type species: *Ascelosodis serripes* Redtenbacher, 1868, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Asemogena Péringuey, 1904: 281 [F]. Type species: *Asemogena simplex* Péringuey, 1904, by subsequent designation (R. Lucas 1920: 121). Status: valid genus in Stenochiinae: Stenochiini.

Asialassus Nabozhenko & Ando, 2018: 311 [M]. Type species: *Helops cordicollis* Marseul, 1876, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Asida Latreille, 1802: 167 [F]. Type species: *Opatrum griseum* Fabricius, 1781, by monotypy. Status: valid genus and subgenus in Pimeliinae: Asidini.

Asidelia Fairmaire, 1905: 296 [F]. Type species: *Asidelia contracta* Fairmaire, 1905, by monotypy. Status: valid genus in Pimeliinae: Praociini.

Asidesthes Fairmaire, 1900c: 246 [F]. Type species: *Asidesthes perrieri* Fairmaire, 1900, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Asididius Fairmaire, 1869b: 236 [M]. Type species: *Asididius coquerelii* Fairmaire, 1869, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Asidina Casey, 1912: 76, 169 [F]. Type species: *Pelecyphorus parallelus* J.L. LeConte, 1851, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Asidoblaps Fairmaire, 1886d: 342 [F]. Type species: *Asidoblaps davidis* Fairmaire, 1886, by subsequent designation (R. Lucas 1920: 122). Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Asidobothris Fairmaire, 1886c: 72 [F]. Type species: *Asidobothris clathrata* Fairmaire, 1886, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Asidodema Koch, 1958: 139 [F]. Type species: *Oncosoma alternicoste* Gebien, 1910, by original designation. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Asidomachla Wilke, 1922: 262 [F]. Type species: *Asida bicostata* Fåhraeus, 1870, by original designation. Status: junior synonym of *Machlomorpha* Péringuey, 1899 in Pimeliinae: Asidini. Synonymy: Koch (1962a: 125).

Asidomorpha Koch, 1962a: 121 [F]. Type species: *Afrasida prona* Wilke, 1922, by original designation. Status: valid genus in Pimeliinae: Asidini.

Asidopsis Casey, 1912: 77, 185 [F]. Type species: *Asida opaca* Say, 1824, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Asiobirus G.S. Medvedev, 1968a: 170, 179 [M]. Type species: *Cabirus validipes* Reitter, 1891, by original designation. Status: junior synonym of *Cabirutus* Strand, 1929 in Blaptinae: Pedinini: Pedinina. Synonymy: Kamiński and Iwan (2017: 595).

Asiocaedius G.S. Medvedev & Nepesova, 1985: 138 [M]. Type species [automatic]: *Pseudocaedius kiseritzkii* G.S. Medvedev, 1966, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina. Note: replacement name for *Pseudocaedius* G.S. Medvedev, 1966.

Asiomira Dubrovina, 1973: 367 [F]. Type species: *Isomira ophthalmica* Seidlitz, 1896, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina. Note: changed from subgenus of *Isomira* Mulsant, 1856 to valid genus by Novák (2016a: 179).

Asiopus Sharp, 1892b: 43 [M]. Type species: *Asiopus opatroides* Sharp, 1892, by monotypy. Status: valid genus in Lagiinae: incertae sedis. Note: this little-known genus has been treated as a member of the subfamily Lagriinae (e.g., Fery 2013: 66).

Asiris Motschulsky, 1872: 24 [F]. Type species: *Asiris angulicollis* Motschulsky, 1872 (= *Tenebrio australis* Boisduval, 1835), by original designation. Status: junior synonym of *Meneristes* Pascoe, 1869 in Tenebrioninae: Heleini: Asphalina. Synonymy: C.O. Waterhouse (1876: 288).

Asopidiopsis Kaszab, 1955a: 511, 515 [F]. Type species: *Asopidiopsis ovalis* Kaszab, 1955, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Asopis Haag-Rutenberg, 1878: 104 [F]. Type species: *Asopis suavis* Haag-Rutenberg, 1878, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Asphaltesthes Kraatz, 1865: 80, 181 [F]. Type species: *Mesostena costata* Erichson, 1843, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Asphalus Pascoe, 1868: xii [M]. Type species: *Asphalus ebeninus* Pascoe, 1868, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Asphalina.

Asphena Semenov, 1889: 218 [F]. Type species: *Asphena komarowi* Semenov, 1889, by monotypy. Status: junior synonym of *Cyphostethe* Marseul, 1866 in Pimeliinae: Tentyriini. Synonymy: Reitter (1916c: 141).

Aspidius Mulsant & Rey, 1859: 123 [M]. Type species: *Blaps punctata* Fabricius, 1792, by subsequent designation (Bousquet et al. 2018: 195). Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Champion (1885: 124).

Aspidocephalus Motschulsky, 1839: 63 [M]. Type species: *Aspidocephalus desertus* Motschulsky, 1839, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina. Note: unjustified emendation of the original spelling *Aspicephalus*, introduced by Lacordaire (1859a: 107), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1).

Aspidolobus Redtenbacher, 1868: 118 [M]. Type species: *Aspidolobus piliger* Redtenbacher, 1868, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Aspidosoma Agassiz, 1846b: 36, 37 [N]. Type species [automatic]: *Aspisoma fulvipenne* Duponchel & Chevrolat, 1841, by original designation. Status: junior synonym of *Anaedus* Blanchard, 1842 in Lagriinae: Goniaderini. Note: unjustified emendation of *Aspisoma* Duponchel & Chevrolat, 1841, not in prevailing usage.

Aspidosternum Mäklin, 1867: 500 [N]. Type species: *Tenebrio cyaneus* Fabricius, 1794, by monotypy. Status: junior synonym of *Metallonotus* Gray, 1832 in Lagriinae: Pycnocerini. Synonymy: Alluaud (1889: xlvi).

Aspila Fåhraeus, 1870: 251 [F]. Type species: *Aspila bicostata* Fåhraeus, 1870, by monotypy. Status: senior synonym of *Prunaspila* Koch, 1950 in Pimeliinae: Adelostomini. Note: junior homonym of *Aspila* Stephens, 1834 [Lepidoptera].

Aspilomorpha Koch, 1952b: 33, 101 [F]. Type species: *Aspilomorpha mediolobata* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Aspisoma Duponchel & Chevrolat, 1841: 240 [N]. Type species: *Aspisoma fulvipenne* Duponchel & Chevrolat, 1841, by original designation. Status: senior synonym of *Anaedus* Blanchard, 1842 in Lagriinae: Goniaderini. Synonymy: Lacordaire (1859a: 396). Note: junior homonym of *Aspisoma* Laporte, 1833 [Coleoptera: Lampyridae].

Astalbus Fairmaire, 1900d: 484 [M]. Type species: *Astalbus scrobicollis* Fairmaire, 1900, by monotypy. Status: valid genus in Tenebrioninae: Palorini.

Astathmetus Bates, 1874: 23 [M]. Type species: *Astathmetus alienus* Bates, 1874, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: this name was introduced one year earlier by Bates (1873f: 472) but it is unavailable from that date since there is no description nor originally included species (ICZN 1999, Article 12.1).

Astatira Borchmann, 1921: 218, 322 [F]. Type species: *Astatira humeralis* Borchmann, 1921, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Asthenochirus Fairmaire, 1885a: viii [M]. Type species: *Asthenochirus nigropunctatus* Fairmaire, 1885, by subsequent designation (R. Lucas 1920: 123). Status: valid genus in Tenebrioninae: Amarygmini. Note: redescribed as new by Fairmaire (1887b: 298).

Asthenopoda Chatanay, 1915a: 527, 544 [F]. Type species: *Asthenopoda fragilis* Chatanay, 1915, by original designation. Status: junior synonym of *Psilonesogena* Bates, 1879 in Stenochiinae: Stenochiini. Synonymy: De Moor (1970: 9).

Asticostena Fairmaire, 1897c: 228 [F]. Type species: *Asticostena alternata* Fairmaire, 1897, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Astorthocnemis Lillig & Pavlíček, 2002: 98 [F]. Type species: *Storthocnemis saudita* Koch, 1965, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Astrotus J.L. LeConte, 1858b: 19 [M]. Type species: *Microschatia contorta* J.L. LeConte, 1853, by original designation. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini.

Asyleptus Péringuey, 1896: 179 [M]. Type species: *Asyleptus fumosus* Péringuey, 1896, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Asyrmatus Canzoneri, 1959: 149 [M]. Type species: *Helops piceus* Sturm, 1826, by original designation. Status: junior synonym of *Pystelops* Gozis, 1910 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: **new synonym** [YB]. Note: *Pystelops* Gozis, 1910 has been forgotten in the literature; its type species is currently included in the subgenus *Asyrmatus* Canzoneri, 1959 and for that reason Canzoneri's name is considered a junior synonym of *Pystelops*; the original combination of the accepted name of the type species, *Helops piceus* Sturm, 1826, is a junior primary homonym of *Helops piceus* G.-A. Olivier, 1792.

Atahualpina Español, 1960: 113 [F]. Type species: *Atahualpina peruviana* Español, 1960 (= *Phaleria subparalella* Chevrolat, 1878), by original designation. Status: junior synonym of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini. Synonymy: Triplehorn (1991: 258).

Atasthalomorpha Miyatake, 1964: 68, 77 [F]. Type species: *Atasthalus dentifrons* Lewis, 1894, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Atasthalus Pascoe, 1871: 348 [M]. Type species: *Atasthalus spectrum* Pascoe, 1871, by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Athrodactyla Klug, 1833: 90 [F]. Type species: *Athrodactyla elongata* Klug, 1833, by subsequent designation (Hope 1841: 126). Status: valid genus in Tenebrioninae: Tenebrionini.

Atlasion Koch, 1948: 427 [N]. Type species: *Micrositus bedeli* Escalera, 1914, by original designation. Status: valid subgenus of *Hoplarion* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina. Note: the First Reviser (*Atlasion* Koch, 1948 versus *Megatlasion* Koch, 1948) is Antoine (1957: 351).

Atlasotaurus Bouyon, 2011: 464 [M]. Type species: *Omophlus maroccanus* P.H. Lucas, 1846, by original designation. Status: valid subgenus of *Heliotaurus* Mulsant, 1856 in Alleculinae: Cteniopodini.

Atoichus Carter, 1915a: 72 [M]. Type species: *Licymnius bicolor* Blackburn, 1893, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Atoreuma Gebien, 1941: 1132 [N]. Type species [automatic]: *Toreuma cupreum* Carter, 1913, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina. Note: replacement name for *Eutoreuma* Carter, 1914.

Atrachyderma Skopin, 1962: 228 [N]. Type species: *Pimelia setosa* Faldermann, 1832, by original designation. Status: valid subgenus of *Trachyderma* Latreille, 1828 in Pimeliinae: Pimeliini. Note: *Pimelia setosa*, the type species, has been attributed to Fischer in the literature; the species was described as "Pimelia setosa Fald." which, from the context, indicates that Faldermann was responsible for the description of the species.

Atractus Boisduval, 1835: 283 [M]. Type species: *Atractus viridis* Boisduval, 1835, by subsequent designation (Duponchel and Chevrolat 1841: 312). Status: senior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Matthews and Bouchard (2008: 324). Note: junior homonym of *Atractus* Wagler, 1828 [Reptilia].

Atrocrates Koch, 1956a: 82 [M]. Type species: *Trigonopus platyderus* Mulsant & Rey, 1853, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Atrocrypticanus Iwan, 1999a: 73 [M]. Type species: *Atrocrypticanus fraternus* Iwan, 1999, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Atropsorodes Ardoin, 1963a: 88 [M]. Type species: *Atropsorodes barnardi* Ardoin, 1963, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Note: name published earlier by Ardoin (1962b: 969) without fixation of a type species in the original publication (ICZN 1999, Article 13.3) and is therefore unavailable from that date.

Atryphodes Pascoe, 1866a: 478 [M]. Type species [automatic]: *Thoracophorus walckenaerii* Hope, 1841, by original designation. Status: junior synonym of *Cardiothorax* Motschulsky, 1860 in Lagriinae: Adeliini. Note: unnecessary replacement name for *Thoracophorus* Hope, 1841.

Auchmobius J.L. LeConte, 1851: 139 [M]. Type species: *Auchmobius sublaevis* J.L. LeConte, 1851, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Augolesthus Motschulsky, 1872: 34 [M]. Type species: *Augolesthus purpureofasciatus* Motschulsky, 1872, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Aulacodera Agassiz, 1846b: 40, 41 [F]. Type species [automatic]: *Nyctelia crenicosta* Guérin-Méneville, 1834, by subsequent designation (Gebien 1937a: 752). Status: junior synonym of *Auladera* Solier, 1836 in Pimeliinae: Nycteliini. Note: unjustified emendation of *Auladera* Solier, 1836, not in prevailing usage.

Aulacus Gray in Griffith and Pidgeon, 1832: 783 [M]. Type species: *Aulacus chilensis* Gray, 1832, by monotypy. Status: senior synonym of *Orthogonoderes* Solier, 1841 in Pimeliinae: Praociini. Synonymy: Kulzer (1958a: 81). Note: junior homonym of *Aulacus* Jurine, 1807 [Hymenoptera].

Auladera Solier, 1836: 307, 331 [F]. Type species: *Nyctelia crenicosta* Guérin-Méneville, 1834, by subsequent designation (Gebien 1937a: 752). Status: valid genus in Pimeliinae: Nycteliini.

Aulonasida Reitter, 1917a: 9, 19 [F]. Type species: *Asida chauveneti* Solier, 1836, by subsequent designation (F. Soldati 2008: 32). Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Aulonogria Borchmann, 1929a: 9 [F]. Type species: *Lagria rugosa* Fabricius, 1801, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina. Note: also published as new in Borchmann (1930a: 405, 424).

Aulonolcus Reitter, 1904: 168 [M]. Type species: *Pedinus altaicus* Gebler, 1830, by monotypy. Status: valid subgenus of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina.

Aulonoscelis Reitter, 1896c: 173 [F]. Type species: *Platyscelis hauseri* Reitter, 1895 (= *Dila philacoides* Fischer von Waldheim, 1844), by original designation. Status: junior synonym of *Gebleria* Motschulsky, 1846 in Blaptinae: Blaptini: Prosodina. Synonymy: G.S. Medvedev (2005b: 99).

Auristira Borchmann, 1916a: 47, 129 [F]. Type species: *Auristira octocostata* Borchmann, 1916, by **present designation**. Status: junior synonym of *Costiferolagria* Pic, 1915 in Lagriinae: Lagriini: Lagriina. Synonymy: Borchmann (1936: 176).

Australoseriscius Koch, 1950c: 65 [M]. Type species: *Crypticus explorator* Gebien, 1920, by original designation. Status: valid subgenus of *Pseudoseriscius* Español, 1950 in Diaperinae: Crypticini.

Austrocaribius Marcuzzi, 1954: 18 [M]. Type species: *Austrocaribius venezuelensis* Marcuzzi, 1954, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Austropalorus Halstead, 1967a: 72, 129 [M]. Type species: *Austropalorus planatus* Halstead, 1967, by original designation. Status: valid genus in Tenebrioninae: Palorini.

Austropeus Carter, 1924b: 543 [M]. Type species: *Austropeus pustulosus* Carter, 1924, by monotypy. Status: junior synonym of *Apterotheca* Gebien, 1921 in Stenochiinae: Cnodalonini. Synonymy: Bouchard (2002: 452).

Austroptorina Bai, Li & Ren, 2020: 166 [F]. Type species: *Gnaptorina longicornis* Li & Ren, 2004, by original designation. Status: valid subgenus of *Gnaptorina* Reitter, 1887 in Blaptinae: Blaptini: Gnaptorinina.

Autocera Wollaston, 1857: 154 [F]. Type species: *Autocera laticeps* Wollaston, 1857, by monotypy. Status: junior synonym of *Cnemeplatia* Costa, 1847 in Pimeliinae: Cnemeplatiini: Cnemeplatiina. Synonymy: Kraatz (1859: 75).

Axumia Reiche, 1850: pl. 22 [F]. Type species: *Axumia praelonga* Reiche, 1850, by monotypy. Status: junior synonym of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Kraatz (1865: 170).

Axynaon Blackburn, 1897a: 34 [N]. Type species: *Axynaon championi* Blackburn, 1897, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Azarelius Fairmaire, 1892d: vii [M]. Type species: *Azarelius sculpticollis* Fairmaire, 1892, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: transferred from Rhysopaussini to Amarygmini by Löbl and Smetana (2010: 34).

Azonoderus Harold, 1879: 125 [M]. Type species: *Azonoderus tristis* Harold, 1879, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Balachowskya Peyerimhoff, 1928: 61 [F]. Type species: *Balachowskya portentosa* Peyerimhoff, 1928, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Balassogloa Semenov, 1891: 372 [F]. Type species: *Balassogloa sphenarioides* Semenov, 1891, by subsequent designation (R. Lucas 1920: 131). Status: valid genus in Alleculinae: Cteniopodini.

Balius Gistel, 1848a: xi, xiv [M]. Type species [automatic]: *Pimelia simplex* Solier, 1836, by monotypy. Status: junior synonym of *Melanostola* Solier, 1836 in Pimeliinae: Pimeliini. Note: unnecessary replacement name for *Melanostola* Solier, 1836.

Bancocistela Pic, 1947: 151 [F]. Type species: *Bancocistela ivoirensis* Pic, 1947, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Bantodemus Koch, 1955c: 428 [M]. Type species: *Trigonopus lethaeus* Mulsant & Rey, 1853, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Baratus Fairmaire, 1897c: 233 [M]. Type species: *Baratus crenulatus* Fairmaire, 1897, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Barbora Novák, 2020b: 462 [F]. Type species: *Barbora castanea* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Barlacus Fairmaire, 1900b: 45 [M]. Type species: *Barlacus costulatus* Fairmaire, 1900 (= *Asyleptus fumosus* Péringuey, 1896), by monotypy. Status: junior synonym of *Asyleptus* Péringuey, 1896 in Tenebrioninae: Amarygmini. Synonymy: Ardoin (1962b: 957); Bremer (2013a: 77).

Barsenis Pascoe, 1887: 17 [F]. Type species: *Barsenis fulvipes* Pascoe, 1887, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Bartolozzia Ferrer, 1998a: 369 [F]. Type species: *Bartolozzia hispida* Ferrer, 1998, by original designation. Status: valid genus in Pimeliinae: Asidini.

Barycistela Blackburn, 1891: 327 [F]. Type species: *Barycistela robusta* Blackburn, 1891, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Baryscelis Boisduval, 1835: 253 [F]. Type species: *Baryscelis laticollis* Boisduval, 1835, by subsequent designation (Hope 1841: 126). Status: valid genus in Tenebrionidae: incertae sedis. Note: the type material of the two species included in this genus has not been located (Matthews and Bouchard 2008: 350) and therefore the identity of the genus is uncertain.

Barytipha Pascoe, 1869: 288, 292 [F]. Type species: *Barytipha socialis* Pascoe, 1869, by monotypy. Status: junior synonym of *Pterohelaeus* Brême, 1842 in Tenebrioninae: Heleini: Heleina. Synonymy: Matthews (1993: 1041).

Basanaedus Pic, 1917d: 11 [M]. Type species: *Basanaedus luteomaculatus* Pic, 1917, by subsequent designation (Gebien 1941: 820). Status: junior synonym of *Lyprochelyda* Fairmaire, 1899 in Lagriinae: Goniaderini. Synonymy: Ardoin (1969a: 166).

Basanopsis Gebien, 1914a: 21 [F]. Type species: *Basanopsis curvipes* Gebien, 1914, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Basanus Lacordaire, 1859a: 306 [M]. Type species: *Basanus forticornis* Lacordaire, 1859, by monotypy. Status: valid genus in Diaperinae: Scaphidemini. Note: combined description of a new genus and single new species (ICZN 1999, Article 12.2.6).

Basides Motschulsky, 1873: 471 [M]. Type species: *Basides bifasciatus* Motschulsky, 1873, by subsequent designation (Gebien 1925d: 560). Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: *Basides* Motschulsky, 1873 was used as valid after 1899 (e.g., Gebien, 1911a: 381) and therefore reversal of precedence cannot be used to conserve usage of *Ischnodactylus* Chevrolat, 1877.

Basilewskyum Koch, 1952b: 30, 94 [N]. Type species: *Basilewskyum stenosinoide* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Bassianus Matthews & Doyen, 1989: 44 [M]. Type species: *Tenebrio colydioides* Erichson, 1842, by original designation. Status: valid genus in Tenebrioninae: Heleini: Asphalina.

Batessia Ponting, 2018: 131 [F]. Type species [automatic]: *Agasthenes westwoodi* Bates, 1873, by monotypy. Status: junior synonym of *Agastenes* R. Lucas, 1920 in Tenebrioninae: Heleini: Cyphaleina. Note: unnecessary replacement name for *Agasthenes* Bates, 1873.

Batuliodes Casey, 1907: 499 [M]. Type species: *Batulius rotundicollis* J.L. LeConte, 1851, by original designation. Status: valid genus in Pimeliinae: Anepsiini.

Batuliomorpha Doyen, 1987: 359 [F]. Type species: *Batuliomorpha comata* Doyen, 1987, by original designation. Status: valid genus in Pimeliinae: Anepsiini.

Batulius J.L. LeConte, 1851: 148 [M]. Type species: *Batulius setosus* J.L. LeConte, 1851, by subsequent designation (Casey 1907: 497). Status: valid genus in Pimeliinae: Anepsiini.

Bearnicistela Pic in E. Olivier and Pic, 1909: 139 [F]. Type species: *Bearnicistela luteicolor* Pic, 1909, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Bechuanitis Koch, 1955a: 93 [F]. Type species: *Trachynotus brucki* Haag-Rutenberg, 1873, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Becvaramarygmus Masumoto, 1999c: 369 [M]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Dietysus nodicornis* Gravely, 1915, misidentified as *Dietysus atricolor* Pic, 1922 in the original designation in Masumoto (1999). Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Note: the type species "*Dietysus atricolor* Pic" was first established by original designation; Bremer and Lillig (2014: 12, 49) first noted that *Dietysus atricolor* Pic of Masumoto (1999) was identical to *Dietysus nodicornis* Gravely, 1915; we follow the concept of Bremer and Lillig (2014: 12, 49) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Dietysus atricolor* Pic, 1922 is a junior synonym of *Amarygmus filicornis* (Gravely, 1915); Iwan et al. (2020: 262) erroneously placed *Becvaramarygmus* Masumoto, 1999 as a junior synonym of the subgenus *Amarygmus* Dalman, 1823 (M. Lillig and H. Bremer, pers. comm. 2020).

Becvarius Masumoto, 1998: 207 [M]. Type species: *Becvarius stanislavi* Masumoto, 1998, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Bellendenum Matthews, 1998: 704, 794 [N]. Type species: *Bellendenum gonyxuthum* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Belopomerus Reitter, 1920a: 3 [M]. Type species: *Calcar zoufali* Reitter, 1915, by monotypy. Status: valid subgenus of *Centorus* Mulsant, 1854 in Lagriinae: Belopini.

Belopus Gebien, 1911a: 459 [M]. Type species [automatic]: *Tenebrio elongatus* Herbst, 1797, by monotypy. Status: valid subgenus of *Centorus* Mulsant, 1854 in Lagriinae: Belopini. Note: replacement name for *Calcar* Dejean, 1821; nomen protectum (see Bouchard and Bousquet 2020b: 6).

Belousovia G.S. Medvedev, 2007a: 157 [F]. Type species: *Belousovia helenae* G.S. Medvedev, 2007, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Belutschistanops Löbl, Bouchard, Merkl & Bousquet, 2020: 3 [M]. Type species: *Hyperops schusteri* Koch, 1940, by original designation. Status: valid subgenus of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: name first proposed by Koch (1943a: 523, 552) without a type species originally included (ICZN 1999, Article 13.3); Löbl et al. (2008a: 40) designated *Hyperops schusteri* Koch, 1940 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Bequaertiella Pic, 1914a: 486 [F]. Type species: *Bequaertiella coerulescens* Pic, 1914, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Bermejoina Español, 1944: 12 [F]. Type species: *Bermejoina aiunica* Español, 1944, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Betasida Reitter, 1917a: 8, 11 [F]. Type species: *Asida luctuosa* Boisduval, 1835, by subsequent designation (Viñolas and Cartagena 2005: 110). Status: valid subgenus of *Alphasida* Escalera, 1905 in Pimeliinae: Asidini. Note: some authors (e.g., F. Soldati 2008: 32) have used *Asida argenteolimbata* Escalera, 1901 as type species for this genus; however, the older designation by Viñolas and Cartagena (2005: 110) should stand since *Asida luctuosa* Boisduval, 1835 was one of the two originally included nominal species in *Betasida*.

Betschia Dajoz, 1980: 135 [F]. Type species: *Betschia minuta* Dajoz, 1980, by original designation. Status: valid genus in Diaperinae: Gnathidiini: incertae sedis. Note: transferred from Tenebrionoidea: Zopheridae (as "Colydiidae") by Ivie and Ślipiński (1990: 18); placed in "Gnathidiini incertae sedis" by Schawaller and Purchart (2012: 312).

Bia Hope, 1841: 132 [F]. Type species [automatic]: *Trogossita thoracica* Fabricius, 1792, by monotypy. Status: junior synonym of *Bius* Dejean, 1834 in Tenebrioninae: Tenebrionini. Note: unjustified emendation of *Bius* Dejean, 1834, not in prevailing usage.

Bielawskia Marcuzzi, 1985: 179 [F]. Type species: *Bielawskia cubana* Marcuzzi, 1985 (= *Trimytantron decui* Ardoin, 1977), by monotypy. Status: junior synonym of *Trimytantron* Ardoin, 1977 in Pimeliinae: Edrotini. Synonymy: Marcuzzi (1998: 153).

Biolus Mulsant & Rey, 1854: 25 [M]. Type species: *Eurynotus asperipennis* Mulsant & Rey, 1854 (= *Helops granulatus* Fabricius, 1787), by subsequent designation (Koch 1953a: 276). Status: valid subgenus of *Eurynotus* W. Kirby, 1819 in Blaptinae: Platynotini: Eurynotina.

Biomorphus Motschulsky, 1872: 38 [M]. Type species: *Biomorphus tuberculatus* Motschulsky, 1872 (= *Amphidora attenuata* J.L. LeConte, 1851), by original designation. Status: junior synonym of *Helops* Fabricius, 1775 in Tenebrioninae: Helopini: Helopina. Synonymy: Aalbu et al. (1995: 485).

Bionesus Fairmaire, 1879b: 70 [M]. Type species: *Bionesus cinereosparsus* Fairmaire, 1879, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Bioplanes Mulsant, 1854: 144 [M]. Type species: *Bioplanes meridionalis* Mulsant, 1854, by monotypy. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Bioramix Bates, 1879b: 478 [M]. Type species: *Bioramix ovalis* Bates, 1879, by subsequent designation (Kaszab 1940a: 175). Status: valid genus and subgenus in Blaptinae: Platyscelidini. Note: nomenclatural stability in this genus is threatened by the discovery of an older type species designation (*Bioramix pamirensis* Bates, 1879, by subsequent designation by R. Lucas (1920: 138), which is currently included in the valid subgenus *Planoplatyscelis* Kaszab, 1940); we recommend that an application be submitted to the International Commission

on Zoological Nomenclature to maintain the type species designation proposed by Kaszab (1940a: 175); taxon also described as a new taxon with the same species by Bates (1890: 69).

Birolagria Pic, 1956: 86 [F]. Type species: *Birolagria cicatricosa* Pic, 1956 (= *Cerogria oriunda* Borchmann, 1924), by monotypy. Status: junior synonym of *Acerogria* Borchmann, 1936 in Lagriinae: Lagriini: Lagriina. Synonymy: Merkl (1987: 124).

Biroum Kaszab, 1956a: 104 [N]. Type species: *Biroum paradoxum* Kaszab, 1956, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Bius Dejean, 1834: 205 [M]. Type species: *Trogossita thoracicus* Fabricius, 1792, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Blacodatus Koch, 1963: 42 [M]. Type species: *Blacodes vertagus* Mulsant & Rey, 1859, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Blacodes Duponchel, 1842a: 590 [M]. Type species: *Pedinus sulcatus* Laporte, 1840, by monotypy. Status: junior synonym of *Blenosia* Laporte, 1840 in Blaptinae: Opatrini: Stizopodina. Synonymy: Erichson (1843: 245). Note: name previously attributed to Blanchard (1845: 13) in the literature.

Blapida Perty, 1830: 58 [F]. Type species: *Blapida okeni* Perty, 1830, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Blapidium Bauer, 1921: 231 [N]. Type species: *Blaps ocreata* Allard, 1880, by subsequent designation (Nabozhenko and Chigray 2020: 10). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Nabozhenko and Chigray (2020: 10). Note: originally proposed without included nominal species; Kolbe (1928: 200), by including four species in association with this name, was the first author to subsequently and expressly included nominal species in *Blapidium* (ICZN 1999, Article 67.2.2).

Blapidocamaria Pic, 1919a: 7 [F]. Type species: *Pseudoblapida incostata* Pic, 1919, by monotypy. Status: valid subgenus of *Pseudoblapida* Pic, 1917 in Stenochiinae: Cnodalonini.

Blapidocampsia Pic, 1919b: 3 [F]. Type species: *Campsia pallidipes* Pic, 1918, by **present designation**. Status: valid subgenus of *Campsia* Lepeletier & Audinet-Serville, 1828 in Stenochiinae: Cnodalonini.

Blapidurus Fairmaire, 1891d: xcvi [M]. Type species: *Blapidurus crassicornis* Fairmaire, 1891, by monotypy. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Champion (1895: 48).

Blapimorpha Motschulsky, 1860c: 531 [F]. Type species: *Blaps reflexa* Gebler, 1832, by subsequent designation (Nabozhenko 2008: 35). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860).

Blapisa Motschulsky, 1860c: 530 [F]. Type species: *Blaps jaegeri* Hummel, 1827 (= *Tenebrio mortisagus* Linnaeus, 1758), by subsequent designation (Nabozhenko 2008: 35). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860).

Blaposodes Skopin, 1960a: 47 [M]. Type species: *Blaps baerii* Fischer von Waldheim, 1842, by original designation. Status: junior synonym of *Peltarium* Fischer von Waldheim, 1844 in Blaptinae: Blaptini: Blaptina. Synonymy: Nabozhenko and Chigray (2020: 10).

Blaps Fabricius, 1775: 254 [F]. Type species: *Tenebrio mortisagus* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: valid genus and subgenus in Blaptinae: Blaptini: Blaptina.

Blapstinus Dejean, 1821: 66 [M]. Type species: *Blaps punctata* Fabricius, 1792, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Blaptogonia G.S. Medvedev, 1998a: 186 [F]. Type species: *Tagonoides costulata* Fairmaire, 1901, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Blaptoprosodes Reitter, 1909a: 120 [M]. Type species: *Prosodes mucronata* Reitter, 1893, by original designation. Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: G.S. Medvedev (2001: 54).

Blapylis Horn, 1870: 304, 315 [F]. Type species: *Eleodes cordata* Eschscholtz, 1829, by subsequent designation (Bousquet et al. 2018: 143). Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Blastarnodes Koch, 1958: 154 [M]. Type species: *Blastarnodes herero* Koch, 1958, by original designation. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Blastarnus Fairmaire, 1897f: 132 [M]. Type species: *Blastarnus grallator* Fairmaire, 1897, by subsequent designation (Oustalet 1898: 972). Status: junior synonym of *Diestecopus* Solier, 1848 in Blaptinae: Pedinini: Helopinina. Synonymy: Koch (1958: 152).

Blatticephalus Heller, 1918: 377 [M]. Type species: *Blatticephalus adelotopus* Heller, 1918, by monotypy. Status: valid genus in Tenebrioninae: Falsocossyphini.

Blenosia Laporte, 1840: 209 [F]. Type species: *Pedinus sulcatus* Laporte, 1840, by subsequent designation (R. Lucas 1920: 140). Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Blepegenes Pascoe, 1868: xii [M]. Type species: *Blepegenes aruspex* Pascoe, 1868, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Blepusa Westwood, 1842: 69 [F]. Type species: *Blepusa costata* Westwood, 1842, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Blindus Mulsant & Rey, 1853b: 206 [M]. Type species: *Pedinus strigosus* Faldermann, 1835, by monotypy. Status: valid subgenus of *Pedinus* Latreille, 1797 in Blaptinae: Pedinini: Pedinina.

Bluops Carter, 1914a: 227 [M]. Type species: *Bluops verrucosus* Carter, 1914, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Bobina Novák, 2015a: 125 [F]. Type species: *Bobina jendeki* Novák, 2015, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Bobisthes Novák, 2019a: 178 [M]. Type species: *Bobisthes bellator* Novák, 2019, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Bogatshevia G.S. Medvedev & Iwan, 2006: 618 [F]. Type species [automatic]: *Achaemenes villosus* Bogatchev, 1949 (= *Thriptera bogatchevi* Kwieton, 1982), by original designation. Status: valid genus in Pimeliinae: Pimeliini. Note: replacement name for *Achaemenes* Bogatchev, 1949 (as "*Achaemenus*").

Bolbophanes Carter, 1913a: 86 [M]. Type species: *Paraphanes dumbrelli* Lea, 1895, by subsequent designation (Gebien 1941: 1133). Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Bolbostetha Fairmaire, 1896c: 117 [F]. Type species: *Bolbostetha soleata* Fairmaire, 1896, by subsequent designation (Novák and Pettersson 2008: 320). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Boletophagus Agassiz, 1846b: 48 [M]. Type species [automatic]: *Silpha reticulata* Linnaeus, 1767, by subsequent designation (C.G. Thomson 1859: 115). Status: junior synonym of *Bolitophagus* Illiger, 1798 in Tenebrioninae: Bolitophagini. Note: unjustified emendation of *Bolitophagus* Illiger, 1798, not in prevailing usage.

Boletoxenus Motschulsky, 1858a: 63 [M]. Type species: *Boletoxenus gibber* Motschulsky, 1858, by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Bolithophilus Gistel, 1832: 137 [M]. Type species [automatic]: *Cistela scapularis* Illiger, 1805 (= *Cistela humeralis* Fabricius, 1787), by subsequent designation (Westwood 1838: 32). Status: junior synonym of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina. Note: replacement name for *Mycetophila* Gyllenhal, 1810.

Bolitolaemus Gebien, 1921b: 23 [M]. Type species: *Bolitolaemus catenulatus* Gebien, 1921, by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Bolitonaeus Lewis, 1894: 387 [M]. Type species: *Bolitonaeus mergae* Lewis, 1894, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Bolitopertha Gebien, 1910c: 379 [F]. Type species: *Bolitopertha novemcostata* Gebien, 1910 (= *Bolitophagus borbonicus* Fairmaire, 1880), by monotypy. Status: junior synonym of *Rhipidandrus* J.L. LeConte, 1862 in Tenebrioninae: Bolitophagini. Synonymy: Gebien (1922b: 268, with *Cherostus* C.O. Waterhouse, 1894, a junior synonym of *Rhipidandrus* J.L. LeConte, 1862).

Bolitophagiella Miyatake, 1964: 68, 71 [F]. Type species: *Bolitophagus pannosus* Lewis, 1894, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Bolitophagus Illiger, 1798: 100 [M]. Type species: *Silpha reticulata* Linnaeus, 1767, by subsequent designation (C.G. Thomson 1859: 115). Status: valid genus in Tenebrioninae: Bolitophagini. Note: as mentioned by Bouchard and Bousquet (2020b: 8) nomenclatural stability in this genus is threatened by the discovery of an older type species designation (*Opatrum agricola* Herbst, 1783, by subsequent designation by Curtis (1836: pl. 586), which is currently the type species of the valid genus *Eledona* Latreille, 1797); we recommend that an application be submitted to the International Commission on Zoological Nomenclature to maintain the type species designation proposed by C.G. Thomson (1859: 115).

Bolitotherus Candèze, 1861: 367 [M]. Type species: *Bolitophagus cornutus* Fabricius, 1801, by subsequent designation (J.L. LeConte 1862: 236). Status: valid genus in Tenebrioninae: Bolitophagini. Note: the younger species name *Bolitophagus cornutus* Fabricius, 1801 was given priority over the older synonym *Opatrum bifurcum* Fabricius, 1798 by the ICZN (2019, Opinion 2438).

Bolitotrogus Miyatake, 1964: 68, 80 [M]. Type species: *Bolitotrogus kurosonis* Miyatake, 1964, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Bolitoxenus Gemminger in Gemminger and Harold, 1870: 1946 [M]. Type species [automatic]: *Boletoxenus gibber* Motschulsky, 1858, by monotypy. Status: junior synonym of *Boletoxenus* Motschulsky, 1858 in Tenebrioninae: Bolitophagini. Note: unjustified emendation of *Boletoxenus* Motschulsky, 1858, not in prevailing usage.

Bolitrium Gebien, 1914b: 390 [N]. Type species: *Bolitrium crenulicolle* Gebien, 1914, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Bolusculus Matthews, 1998: 704, 798 [M]. Type species: *Bolusculus arcanus* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Bombocnodulus Koch, 1955a: 36 [M]. Type species: *Psammodes crinicollis* Haag-Rutenberg, 1879, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Borbochara Novák, 2009: 259 [F]. Type species: *Borbochara bicolor* Novák, 2009, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Borbonalia Novák, 2014: 136 [F]. Type species: *Borbonalia brancuccii* Novák, 2014, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Borborella Novák, 2020a: 196 [F]. Type species: *Borborella hergovitsi* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Borboresthes Fairmaire, 1897d: 253 [F]. Type species: *Allecula cruralis* Marseul, 1876, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: see Löbl and Smetana (2013: 39) for comments on the gender of this name.

Borchmannia Pic in Borchmann and Pic, 1912: 35 [F]. Type species: *Borchmannia lineaticeps* Pic, 1912, by subsequent designation (R. Lucas 1920: 144). Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Borchmannius Bousquet & Bouchard in Bousquet et al., 2015: 142 [M]. Type species [automatic]: *Glyptothorax pilosus* Borchmann, 1937, by original designation. Status: valid genus in Alleculinae: incertae sedis. Note: replacement name for *Glyptothorax* Borchmann, 1937.

Boreoptorina G.S. Medvedev, 2009: 417 [F]. Type species: *Gnaptorina cordicollis* G.S. Medvedev, 1998, by original designation. Status: junior synonym of *Hesperoptorina* G.S. Medvedev, 2009 in Blaptinae: Blaptini: Gnaptorinina. Synonymy and First Reviser action (*Boreoptorina* G.S. Medvedev, 2009 versus *Hesperoptorina* G.S. Medvedev, 2009) by Li et al. (2021: 245).

Boreosaragus Matthews, 1993: 1040, 1067 [M]. Type species: *Saragus lugubris* Lea, 1897, by original designation. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Borneocamaria Pic, 1917e: 17 [F]. Type species: *Borneocamaria atra* Pic, 1917, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Borneocistela Pic, 1922d: 18 [F]. Type species: *Borneocistela diversicornis* Pic, 1922, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Borneogonocnemis Pic, 1936b: 16 [F]. Type species: *Borneogonocnemis ruficolor* Pic, 1936, by monotypy. Status: valid subgenus of *Paragonocnemis* Kraatz, 1899 in Tenebrioninae: Amarygmini.

Borneolaena Schawaller, 1998: 2 [F]. Type species: *Borneolaena riedeli* Schawaller, 1998, by original designation. Status: valid genus in Lagriinae: Laenini.

Borneosphaerotus Grimm, 2015: 218 [M]. Type species: *Borneosphaerotus santubongicus* Grimm, 2015, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Borneosphena Purchart & Grimm, 2016: 522 [F]. Type species: *Borneosphena fouquei* Purchart & Grimm, 2016, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Borneostira Pic, 1912: 53 [F]. Type species: *Rouyerus brevilineatus* Pic, 1912, by monotypy. Status: valid subgenus of *Rouyerus* Pic, 1911 in Lagriinae: Lagriini: Statirina.

Borneosynopticus Grimm, 2015: 219 [M]. Type species: *Borneosynopticus tubericollis* Grimm, 2015, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Boromorphus Wollaston, 1854: 492 [M]. Type species: *Boromorphus maderae* Wollaston, 1854 (= *Boros tagenioides* P.H. Lucas, 1846), by monotypy. Status: valid genus in Pimeliinae: Boromorphini.

Bothrasida Casey, 1912: 76, 122 [F]. Type species: *Asida clathrata* Champion, 1884, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Bothrichara Borchmann, 1916a: 48, 104 [F]. Type species: *Lagria pulchella* Guérin-Méneville, 1830, by subsequent designation (Borchmann 1936: 68). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Bothrionota Borchmann, 1936: 16, 66 [F]. Type species: *Bothrionota foveata* Borchmann, 1930, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Bothriostira Borchmann, 1936: 239, 473 [F]. Type species: *Bothriostira cylindracea* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Bothrotes Casey, 1907: 379 [M]. Type species: *Epitragus canaliculatus* Say, 1824, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Bothynocara Gebien, 1928: 167, 170 [N]. Type species: *Bothynocara tenuepunctatum* Gebien, 1928, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Bothynocephalus Doyen, 1988: 315 [M]. Type species: *Bothynocephalus cristatus* Doyen, 1988, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Bothynogria Borchmann, 1916a: 128 [F]. Type species: *Bothynogria calcarata* Borchmann, 1916, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Botiras Fairmaire, 1891d: xcviii [M]. Type species: *Botiras striatellus* Fairmaire, 1891, by subsequent designation (R. Lucas 1920: 145). Status: junior synonym of *Chianalus* Bates, 1879 in Blaptinae: Platyscelidini. Synonymy: Blair (1923a: 283).

Bouchardandrus Steiner, 2016: 543 [M]. Type species: *Haplandrus concolor* J.L. LeConte, 1866, by original designation. Status: valid genus in Tenebrioninae: Tenebrionini.

Bovius Gistel, 1848a: ix [M]. Type species [automatic]: *Tenebrio serratus* Fabricius, 1775, by monotypy. Status: junior synonym of *Prioscelis* Hope, 1841 in Lagriinae: Pycnocerini. Note: unnecessary replacement name for *Iphius* Dejean, 1834.

Brachycilibe Carter, 1911a: 207 [F]. Type species: *Brachycilibe antennata* Carter, 1911, by monotypy. Status: junior synonym of *Dioedus* J.L. LeConte, 1862 in Phrenapatinae: Penetini. Synonymy: Kaszab (1978a: 164).

Brachycryptus Quedenfeldt, 1891: 129 [M]. Type species: *Brachycryptus tripolitanus* Quedenfeldt, 1891, by monotypy. Status: senior synonym of *Tripolicryptus* Strand, 1929 in Alleculinae: Cteniopodini. Note: junior homonym of *Brachycryptus* C.G. Thomson, 1873 [Hymenoptera].

Brachycula Fairmaire, 1906: 278 [F]. Type species: *Brachycula quadrivittata* Fairmaire, 1906, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina. Note: the alternative original spelling *Brachicula*, used by Fairmaire (1906: 278), was rejected by Bousquet et al. (2015: 143) who acted as the First Revisers.

Brachycyphus Gebler, 1859: 473. Type species: *Pimelia imbricata* Fischer, 1820, by monotypy. Status: junior synonym of *Ocnera* Fischer, 1822 in Pimeliinae: Pimeliini. Synonymy: Gemminger in Gemminger and Harold (1870: 1888).

Brachyesthes Fairmaire, 1868: 490 [F]. Type species: *Melanesthes pilosellus* Marseul, 1866, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Brachygenius Dejean, 1836: 206 [M]. Type species [automatic]: *Nyctelia luczotii* Guérin-Méneville, 1831, by subsequent designation (Duponchel 1845b: 449). Status: junior synonym of *Gyriosomus* Guérin-Méneville, 1834 in Pimeliinae: Nycteliini. Note: unnecessary replacement name for *Gyriosomus* Guérin-Méneville, 1834.

Brachyidium Fairmaire, 1883a: 33 [N]. Type species: *Brachyidium breviusculum* Fairmaire, 1883, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Brachymoschium Fairmaire, 1896b: 348 [N]. Type species: *Brachymoschium parvitarse* Fairmaire, 1896, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Brachyontis Casey, 1908: 82, 141 [F]. Type species: *Coniontis globulina* Casey, 1895, by monotypy. Status: junior synonym of *Coniontis* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Aalbu et al. (2002: 487).

Brachyphrynus Fairmaire in Fairmaire et al., 1882: 71 [M]. Type species: *Brachyphrynus spissicornis* Fairmaire, 1882, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Brachypilium Fairmaire, 1896a: 23 [N]. Type species: *Brachypilium sculpturatum* Fairmaire, 1896, by monotypy. Status: junior synonym of *Stenochinus* Motschulsky, 1860 in Stenochiinae: Cnodalonini. Synonymy: Löbl et al. (2008b: 349).

Brachypophlaeus Fairmaire, 1897a: 113 [M]. Type species: *Hypophlaeus dimidiatipennis* Fairmaire, 1880, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Brachyscelis Dejean, 1834: 179 [F]. Type species: *Pimelia musiva* Ménétriés, 1832, by subsequent designation (Bouchard et al. 2007: 388). Status: senior synonym of *Pachyscelis* Solier, 1836 in Pimeliinae: Pimeliini. Synonymy: Bouchard et al. (2007: 388). Note: the date of publication of the name *Brachyscelis* Germar, 1834 (Coleoptera: Chrysomelidae) is unknown whereas *Brachyscelis* Dejean was published by 30 June 1834; nomen oblitum (see Bouchard et al. 2007: 388).

Bradygena Fairmaire, 1903c: 211 [F]. Type species: *Nesogena violacea* Fairmaire, 1903 (= *Nesogena episcopalis* Fairmaire, 1875), by subsequent designation (Froussart 1961: 91). Status: junior synonym of *Nesogena* Mäklin, 1863 in Tenebrioninae: Praeugenini. Synonymy: Gebien (1948: 549).

Bradymerus Perroud & Montrouzier, 1865: 110 [M]. Type species: *Bradymerus tuberculatus* Perroud & Montrouzier, 1865, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Bradynocerus Fairmaire, 1883a: 36 [M]. Type species: *Bradynocerus aulacopterus* Fairmaire, 1883, by monotypy. Status: junior synonym of *Bradymerus* Perroud & Montrouzier, 1865 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1939: 751).

Bradysphaerotus Kaszab, 1986: 293 [M]. Type species: *Bradysphaerotus papuanus* Kaszab, 1986, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Bradyus Dejean, 1834: 190 [M]. Type species: *Erodius pygmaeus* Fischer, 1821, by monotypy. Status: valid genus in Tenebrioninae: Dissonomini.

Branchus J.L. LeConte, 1862: 222 [M]. Type species: *Branchus floridanus* J.L. LeConte, 1862, by monotypy. Status: valid genus in Pimeliinae: Branchini.

Brasilius Gebien, 1928: 169, 178 [M]. Type species: *Nyctobates exaratus* Fairmaire, 1889, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Bratyna Westwood, 1875: 228 [F]. Type species: *Bratyna apicalis* Westwood, 1875, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Bremerianus Masumoto & Bečvář, 2005: 418 [M]. Type species: *Bremerianus cameronensis* Masumoto & Bečvář, 2005, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Bremerus Ferrer, 2004a: 234 [M]. Type species: *Bremerus frankkochi* Ferrer, 2004, by original designation. Status: valid genus in Tenebrioninae: Tenebrionini.

Brinckia Koch, 1962b: 117 [F]. Type species: *Psammodes debilis* Péringuey, 1899, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Brises Pascoe, 1869: 145 [M]. Type species: *Brises trachynotoides* Pascoe, 1869, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina. Note: the First Reviser (*Brises* Pascoe, 1869 versus *Ephidonius* Pascoe, 1869) is Carter (1914b: 46).

Brittona G.S. Medvedev & Lawrence, 1986: 574 [F]. Type species: *Brittona minuta* G.S. Medvedev & Lawrence, 1986, by original designation. Status: valid genus in Diaperinae: Hyociini: Brittonina.

Broomium Koch, 1950b: 338, 342 [N]. Type species: *Broomium nudum* Koch, 1950, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Brosimapsida Ferrer & Ødegaard, 2005: 640 [F]. Type species: *Brosimapsida gonospoides* Ferrer & Ødegaard, 2005, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Brycopia Pascoe, 1869: 141 [F]. Type species: *Brycopia pilosella* Pascoe, 1869, by monotypy. Status: valid genus in Lagriinae: Adeliini. Note: the First Reviser (*Brycopia* Pascoe, 1869 versus *Dinoria* Pascoe, 1869) is Carter (1920a: 238).

Bulbulus Lesne, 1915: 227, 240 [M]. Type species: *Arthrodeis byrrhiformis* Fairmaire, 1892, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Bunamarygmus Masumoto, 1988a: 127 [M]. Type species: *Bunamarygmus thailandicus* Masumoto, 1988, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Burmanosis G.S. Medvedev, 1995a: 845, 859 [F]. Type species: *Stenosis kaszabi* G.S. Medvedev, 1995, by original designation. Status: valid subgenus of *Stenosis* Herbst, 1799 in Pimeliinae: Stenosini: Stenosina.

Buxela Fairmaire, 1894a: 28 [F]. Type species: *Buxela sordescens* Fairmaire, 1894, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Byallius Pascoe, 1869: 42 [M]. Type species: *Byallius reticulatus* Pascoe, 1869, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Bycrea Pascoe, 1868: xii [F]. Type species: *Bycrea villosa* Pascoe, 1868, by monotypy. Status: junior synonym of *Trichoton* Hope, 1841 in Blaptinae: Opatrini: Blapstinina. Synonymy: Kamiński et al. (2019c: 360).

Byrrhoncus Koch, 1954a: 49 [M]. Type species: *Byrrhoncus monticola* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Byrsax Pascoe, 1860a: 42 [M]. Type species: *Byrsax coenosus* Pascoe, 1860 (= *Boletophagus gibbifer* Wesmael, 1836), by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini. Note: genus originally described in Tenebrionoidea: Zopheridae: Colydiinae.

Byzacnus Pascoe, 1866a: 469 [M]. Type species: *Byzacnus picticollis* Pascoe, 1866, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cabirus Mulsant & Rey, 1853b: 148, 223 [M]. Type species: *Cabirus minutissimus* Mulsant & Rey, 1853, by subsequent designation (Gebien 1938a: 314). Status: senior synonym of *Cabirutus* Strand, 1929 in Blaptinae: Pedinini: Pedinina. Note: junior homonym of *Cabirus* Hübner, 1819 [Lepidoptera].

Cabirutus Strand, 1929: 24 [M]. Type species [automatic]: *Cabirus minutissimus* Mulsant & Rey, 1853, by subsequent designation (Gebien 1938a: 314). Status: valid genus and subgenus in Blaptinae: Pedinini: Pedinina. Note: replacement name for *Cabirus* Mulsant & Rey, 1853.

Cacicus Dejean, 1834: 182 [M]. Type species: *Elenophorus americanus* Lacordaire, 1830, by monotypy. Status: senior synonym of *Megelenophorus* Gebien, 1910 in Pimeliinae: Elenophorini: Megelenophorina. Note: junior homonym of *Cacicus* Lacépède, 1799 [Aves].

Cacoplesia Fairmaire, 1898a: 237 [F]. Type species [automatic]: *Plesia melanura* Klug, 1833, by subsequent designation (Bousquet et al. 2015: 137). Status: junior synonym of *Eubalia* Laporte, 1840 in Alleculinae: Alleculini: Gonoderina. Synonymy: Borchmann (1909a: 713). Note: replacement name for *Plesia* Klug, 1833.

Caecochares Koch, 1956b: 91 [M]. Type species: *Caecochares grjebinei* Koch, 1956, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Caecomenimopsis Kaszab, 1970b: 198 [F]. Type species: *Caecomenimopsis leleupi* Kaszab, 1970, by original designation. Status: junior synonym of *Menimopsis* Champion, 1896 in Diaperinae: Gnathidiini: Anopidiina. Synonymy: Peck (1990: 370).

Caecophloeus Dajoz, 1972: 278 [M]. Type species: *Caecophloeus franzi* Dajoz, 1972, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Caediexis Lebedev, 1932: 125 [F]. Type species: *Caediexis arenicola* Lebedev, 1932, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Caediomorpha Blackburn, 1888: 272 [F]. Type species: *Caediomorpha australis* Blackburn, 1888 (= *Morychus heteromerus* King, 1869), by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina. Note: moved from the subtribe Ammobiina to Opatrina by Lumen et al. (2020: 346).

Caedius Blanchard, 1845: 13 [M]. Type species: *Opatrum sphaeroides* Hope, 1843, by subsequent designation (Lacordaire 1859a: 262). Status: valid genus in Blaptinae: Opatrini: Ammobiina. Note: *Caedius* is an incorrect subsequent spelling of the original spelling *Coedius*, first used by Lacordaire (1859a: 261), and in prevailing usage; *Caedius* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Caenoblaps König, 1906: 24 [F]. Type species: *Caenoblaps difformis* König, 1906, by monotypy. Status: junior synonym of *Dila* Fischer von Waldheim, 1844 in Blaptinae: Blaptini: Blaptina. Synonymy: Chigray et al. (2019: 3).

Caenocapicus Endrödy-Younga, 1996: 15, 19 [M]. Type species: *Caenocrypticus capensis* Endrödy-Younga, 1996, by original designation. Status: valid subgenus of *Caenocrypticus* Gebien, 1920 in Pimeliinae: Caenocrypticini.

Caenocorse C.G. Thomson, 1859: 117 [F]. Type species: *Hypophlaeus depressus* Fabricius, 1790, by original designation. Status: junior synonym of *Palorus* Mulsant, 1854 in Tenebrioninae: Palorini. Synonymy: Bedel (1906a: 92).

Caenocrypticoides Kaszab, 1969b: 322 [M]. Type species: *Caenocrypticoides loksai* Kaszab, 1969, by original designation. Status: valid genus in Pimeliinae: Caenocrypticini. Note: we act as First Revisers and reject the alternative original spelling *Caenocripticoides*, used by Kaszab (1969b: 324).

Caenocrypticus Gebien, 1920: 139 [M]. Type species: *Caenocrypticus uncinatus* Gebien, 1920, by monotypy. Status: valid genus and subgenus in Pimeliinae: Caenocrypticini.

Calabosca Fairmaire, 1894f: 395 [F]. Type species [automatic]: *Ascalabus pedinoides* Fairmaire, 1893, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Ascalabus* Fairmaire, 1893.

Calaharena Koch, 1963: 64 [F]. Type species: *Calaharena dutoiti* Koch, 1963, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Calcar Dejean, 1821: 67 [N]. Type species: *Tenebrio elongatus* Herbst, 1797, by monotypy. Status: senior synonym of *Belopus* Gebien, 1911 in Lagriinae: Belopini. Note: junior homonym of *Calcar* de Montfort, 1810 [Mollusca].

†*Calcarocistela* Nabozhenko in Nabozhenko et al., 2016a: 1421 [F]. Type species: *Calcarocistela kirejtshuki* Nabozhenko, 2016, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina. Note: described from Lower Cretaceous deposits (China).

Calcarosis Penrith, 1977: 21, 98 [F]. Type species: *Zophosis michaelis* Penrith, 1977, by original designation. Status: junior synonym of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini. Synonymy: Penrith (1981a: 22).

Callicomus Motschulsky, 1860d: 138 [M]. Type species: *Diaperis riederii* Faldermann, 1833, by subsequent designation (Jakobson 1924: 243). Status: senior synonym of *Emypsara* Pascoe, 1866 in Diaperinae: Phaleriini. Synonymy: Jakobson (1924: 243). Note: junior homonym of *Callicomus* Agassiz, 1846 [Coleoptera: Cerambycidae].

Callignathus Agassiz, 1846b: 58, 60 [M]. Type species [automatic]: *Calognathus chevrolatii* Guérin-Méneville, 1836, by monotypy. Status: junior synonym of *Calognathus* Guérin-Méneville, 1836 in Pimeliinae: Cryptochilini: Calognathina. Note: unjustified emendation of *Calognathus* Guérin-Méneville, 1836, not in prevailing usage.

Callimaria Fairmaire, 1888b: 12 [F]. Type species: *Callimaria impressipennis* Fairmaire, 1888, by monotypy. Status: junior synonym of *Actanorie* Bates, 1879 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1956b: 90).

Callismilax Bates, 1874: 105 [F]. Type species: *Leptomorpha aenea* Montrouzier, 1860, by subsequent designation (Gebien 1942a: 333). Status: valid genus in Tenebrioninae: Titaenini. Note: Matthews and Lawrence (2019: 637) mentioned that this genus is not distinguishable from *Titaena* Erichson, 1842.

Callyntra Solier, 1836: 307, 335 [F]. Type species: *Nyctelia multicosta* Guérin-Méneville, 1834, by subsequent designation (Duponchel 1842b: 63). Status: valid genus in Pimeliinae: Nycteliini.

Calobamon Kraatz, 1865: 80, 105 [M]. Type species: *Calobamon leptoderus* Kraatz, 1865, by monotypy. Status: senior synonym of *Thraustocolus* Kraatz, 1866 in Pimeliinae: Tentyriini. Note: junior homonym of *Calobamon* Loew, 1850 [Diptera].

Calognathus Guérin-Méneville, 1836: pl. 172 [M]. Type species: *Calognathus chevrolatii* Guérin-Méneville, 1836, by monotypy. Status: valid genus in Pimeliinae: Cryptochilini: Calognathina.

Calogria Borchmann, 1916a: 48, 107 [F]. Type species: *Calogria costata* Borchmann, 1916, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Calosis Deyrolle, 1867: 81, 222 [F]. Type species: *Calosis amabilis* Deyrolle, 1867, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini. Note: the alternative original spelling *Calliosis* (p. 81) was corrected to *Calosis* in the "Errata" of the same work (p. 248), *Calosis* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1).

Calostega Gemminger in Gemminger and Harold, 1870: 1991 [F]. Type species [automatic]: *Calostegia purpuripennis* Westwood, 1843, by monotypy. Status: junior synonym of *Calostegia* Westwood, 1843 in Lagriinae: Pycnocerini. Note: unjustified emendation of *Calostegia* Westwood, 1843, not in prevailing usage.

Calostegia Westwood, 1843: 117 [F]. Type species: *Calostegia purpuripennis* Westwood, 1843, by monotypy. Status: valid genus in Lagriinae: Pycnocerini. Note: redescribed as a new genus by Westwood (1844: 221, as "*Calostega*").

Calous Koch, 1958: 151 [M]. Type species: *Blastarnus michaelseni* Gebien, 1920, by original designation. Status: valid subgenus of *Nicandra* Fairmaire, 1888 in Blaptinae: Pedinini: Helopinina.

Calydonella Doyen, 1995: 8 [F]. Type species: *Calydonella lisa* Doyen, 1995, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Calydoniomorpha Pic, 1917g: 19 [F]. Type species: *Calydoniomorpha brevicornis* Pic, 1917, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Calydonis Pascoe, 1882: 31 [F]. Type species: *Calydonis refulgens* Pascoe, 1882, by subsequent designation (Gebien 1919: 141). Status: valid genus in Stenochiinae: Cnodalonini.

Calymmatophorus Gemminger in Gemminger and Harold, 1870: 1904 [M]. Type species [automatic]: *Praocis cucullatus* Guérin-Méneville, 1834, by subsequent designation (R. Lucas 1920: 161). Status: junior synonym of *Calymmophorus* Solier, 1841 in Pimeliinae: Praociini. Note: unjustified emendation of *Calymmophorus* Solier, 1841 (as "*Calymmaphorus*"), not in prevailing usage.

Calymmophorus Solier, 1841a: 209, 245 [M]. Type species: *Praocis cucullata* Guérin-Méneville, 1834, by subsequent designation (R. Lucas 1920: 161). Status: valid genus in Pimeliinae: Praociini. Note: two spellings were originally used, *Calymmaphorus* (pp. 209, 245, 246, 247, 250, 370) and *Galymmaphorus* (p. 247, in note); however, the incorrect subsequent spelling *Calymmophorus*, first introduced by Burmeister (1875: 494), is in prevailing usage and deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Calymmus Montrouzier, 1860: 289 [M]. Type species: *Toxicum berardi* Montrouzier, 1860, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina. Note: the name *Calymmus* was listed as a synonym of *Toxicum* Latreille, 1802 by Montrouzier (1860: 289); it was treated before 1961 as an available name and adopted as the name of a taxon (e.g., Fauvel 1862: 148); therefore, *Calymmus* was made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Calyptopsis Solier, 1835b: 253, 269 [F]. Type species: *Calyptopsis emondi* Solier, 1835 (= *Hegeter caraboides* Brullé, 1832), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Camaria Lepeletier & Audinet-Serville, 1828: 454 [F]. Type species: *Camaria nitida* Lepeletier & Audinet-Serville, 1828 (= *Tenebrio nitens* G.-A. Olivier, 1795), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Camarimena Motschulsky, 1863: 473 [F]. Type species: *Camarimena ovicauda* Motschulsky, 1863, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Camariocropterum Pic, 1920a: 16 [N]. Type species: *Camariocropterum laticeps* Pic, 1920, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Camariodes Fairmaire, 1869b: 232 [M]. Type species: *Camariodes coquerelii* Fairmaire, 1869 (= *Camaria helopioides* Klug, 1833), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: the First Reviser (*Camariodes* Fairmaire, 1869 versus *Tinophyllus* Fairmaire, 1869) is Fairmaire (1886c: 75).

Camariomorpha Pic, 1915d: 7 [F]. Type species: *Camariomorpha singularis* Pic, 1915, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Camarothelops Kolbe, 1910: 30 [M]. Type species: *Camarothelops braueri* Kolbe, 1910, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: removed from the tribe Helopini and placed as Tenebrionidae incertae sedis by Nabozhenko (2018: 183).

Camphonota Solier, 1836: 195 [F]. Type species: *Tenebrio subglobosus* Pallas, 1781, by subsequent designation (Lacordaire 1859a: 188). Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Campolene Pascoe, 1863a: 44 [F]. Type species: *Campolene nitida* Pascoe, 1863, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Camponotiphilus Lea, 1914: 257 [M]. Type species: *Camponotiphilus fimbricollis* Lea, 1914, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Campsia Lepeletier & Audinet-Serville, 1828: 455 [F]. Type species: *Cnodalon irroratum* Dalman, 1823, by subsequent designation (Hope 1841: 133). Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Campsiomorpha Pic, 1917g: 19 [F]. Type species: *Camaria lata* Pic, 1915, by subsequent designation (Gebien 1942a: 323). Status: valid genus in Stenochiinae: Cnodalonini.

Camptobrachys Kaszab, 1941a: 4, 24 [M]. Type species: *Camptobrachys sulcatus* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Canariella Uyttenboogaart, 1929: 341, 342 [F]. Type species: *Canariella arenapta* Uyttenboogaart, 1929 (= *Philhammus sericans* Fairmaire, 1871), by monotypy. Status: junior synonym of *Philhammus* Fairmaire, 1871 in Pimeliinae: Cnemeplatiini: Cnemeplatiina. Synonymy: Uyttenboogaart (1940: 68). Note: junior homonym of *Canariella* Hesse, 1918 [Mollusca].

Cantaloubeus Ardoin, 1959b: 203 [M]. Type species: *Cantaloubeus viridis* Ardoin, 1959, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Cantopipleurus Koch, 1943a: 578 [M]. Type species: *Tentyria mesostenoides* Baudi di Selve, 1881, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Capeluprops Schawaller, 2011: 271, 273 [M]. Type species: *Capeluprops laenoides* Schawaller, 2011, by original designation. Status: valid genus in Lagriinae: Lupropini.

Capicrypticus Koch, 1950c: 55 [M]. Type species: *Lamprocrypticus capensis* Koch, 1950, by original designation. Status: valid genus in Diaperinae: Crypticini.

Capidium Koch, 1954a: 44 [N]. Type species: *Oncotus tardus* Solier, 1848, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Capnisa Dejean, 1836: 197 [F]. Type species: *Bradyus karelini* Faldermann, 1836, by monotypy. Status: junior synonym of *Gnathosia* Fischer, 1821 in Pimeliinae: Tentyriini. Synonymy: Reitter (1896d: 129).

Capnisiceps Chatanay, 1914a: 215 [M]. Type species: *Capnisiceps maindroni* Chatanay, 1914, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Capnochroa J.L. LeConte, 1862: 244 [F]. Type species: *Cistela fuliginosa* Melsheimer, 1846, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Capricephalius Koch, 1943a: 492, 508 [M]. Type species: *Arthrodibius bazmanicus* Schuster, 1938, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Carabelops Fairmaire, 1899e: 534 [M]. Type species: *Carabelops aenescens* Fairmaire, 1899, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Caraboblaps Bauer, 1921: 231 [F]. Type species: none designated. Status: undetermined taxon in Blaptinae: Blaptini: Blaptina. Note: this genus was described before 1931 (ICZN 1999, Article 12.1); however, we could not find any nominal species that were subsequently and expressly included in *Caraboblaps* and therefore no "originally included nominal species" could be used to fix the type species (ICZN 1999, Article 67.2.2).

Caracasa Pic, 1921d: 21 [F]. Type species: *Caracasa aeneipennis* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Carchares Pascoe, 1887: 12 [M]. Type species: *Carchares macer* Pascoe, 1887, by monotypy. Status: valid genus in Tenebrioninae: Scaurini.

Cardigenius Solier, 1836: 407, 492 [M]. Type species: *Cardigenius laticollis* Solier, 1836, by subsequent designation (Wilke 1922: 276). Status: valid genus and subgenus in Pimeliinae: Asidini.

Cardiobioramix Kaszab, 1940a: 154, 183 [M]. Type species: *Bioramix asidioides* Bates, 1879, by original designation. Status: junior synonym of *Euryhelops* Reitter, 1902 in Blaptinae: Platyscelidini. Synonymy: Nabozhenko and Egorov (2020: 266).

Cardiochianalus Kaszab, 1940a: 150, 202 [M]. Type species: *Botiras sculptipennis* Fairmaire, 1891, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini. Note: the alternative original spelling *Chardiochianalus*, used by Kaszab (1940a: 202), was rejected by Kaszab (1975a: 4) who acted as the First Reviser (ICZN 1999, Article 24.2.4).

Cardiogenius Agassiz, 1846b: 65, 66 [M]. Type species [automatic]: *Cardigenius laticollis* Solier, 1836, by subsequent designation (Wilke 1922: 276). Status: junior synonym of *Cardigenius* Solier, 1836 in Pimeliinae: Asidini. Note: unjustified emendation of *Cardigenius* Solier, 1836, not in prevailing usage.

Cardiosis Deyrolle, 1867: 81, 235 [F]. Type species: *Cardiosis mouffleti* Deyrolle, 1867, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Cardiothorax Motschulsky, 1860a: 67 [M]. Type species [automatic]: *Thoracophorus walckenaerii* Hope, 1841, by original designation. Status: valid genus in Lagriinae: Adeliini. Note: replacement name for *Thoracophorus* Hope, 1841.

Caribanosis Nabozhenko, Kirejtshuk, Merkl, Varela, Aalbu & Smith, 2016d: 568 [F]. Type species: *Rhypasma quisqueyanus* Garrido & Varela, 2011, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Carinosella Purchart, 2010: 254 [F]. Type species: *Carinosella maasaiorum* Purchart, 2010, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Caristela Fairmaire, 1894d: 311 [F]. Type species: *Caristela megalops* Fairmaire, 1894, by monotypy. Status: junior synonym of *Mycetocharina* Seidlitz, 1890 in Alleculinae: Alleculini: Alleculina. Synonymy: Bedel (1897: 36).

Caroliphosis Penrith, 1981b: 114, 115 [F]. Type species: *Hesseosis adamantina* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Carpiella Koch, 1962b: 148 [F]. Type species: *Carpiella latisternum* Koch, 1962, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

†*Caryosoma* Haupt, 1950: 114, 125 [N]. Type species: *Caryosoma rugosum* Haupt, 1950, by original designation. Status: valid genus in Stenochiinae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

Casnonidea Fairmaire, 1882a: 264 [F]. Type species: *Casnonidea holomelaena* Fairmaire, 1882, by subsequent designation (Borchmann 1930a: 444). Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Catamerus Fairmaire, 1887b: 290 [M]. Type species: *Catamerus revoili* Fairmaire, 1887, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Cataphanus Gebien, 1921a: 325, 346 [M]. Type species: *Cataphanus quadraticollis* Gebien, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cataphronetis P.H. Lucas, 1846: pl. 30 [F]. Type species: *Cataphronetis levaillantii* P.H. Lucas, 1846 (= *Phtora crenata* Germar, 1836), by monotypy. Status: junior synonym of *Phtora* Germar, 1836 in Diaperinae: Phaleriini. Synonymy: Lacordaire (1859a: 335).

Catapiestus Perty, 1831: xxxviii [M]. Type species: *Catapiestus piceus* Perty, 1831, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Catobleps Blair, 1918: 149 [M]. Type species: *Catobleps blattoides* Blair, 1918 (= *Blatticephalus adelotopus* Heller, 1918), by original designation. Status: junior synonym of *Blatticephalus* Heller, 1918 in Tenebrioninae: Falsocossyphini. Synonymy: Blair (1919c: 102).

Catolaena Reitter, 1900a: 282 [F]. Type species: *Laena turkestanica* Reitter, 1897, by subsequent designation (Löbl et al. 2008a: 41). Status: junior synonym of *Laena* Dejean, 1821 in Lagriinae: Laenini. Synonymy: Schawaller (2001b: 4).

Catomidius Seidlitz, 1895: 791, 792 [M]. Type species: *Hedyphanes rhynchophorus* Seidlitz, 1895, by subsequent designation (Nabozhenko 2008: 38). Status: junior synonym of *Catomus* Allard, 1876 in Tenebrioninae: Helopini: Helopina. Synonymy: Reitter (1922a: 7).

Catomodontus Löbl & Merkl in Löbl et al., 2020: 2 [M]. Type species: *Catomus coronatus* Koch, 1935, by original designation. Status: valid subgenus of *Catomus* Allard, 1876 in Tenebrioninae: Helopini: Helopina. Note: the name was first proposed by Koch (1935: 107, 108) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl and Merkl (2003: 251) designated *Catomus coronatus* Koch, 1935 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Catomulus Reitter, 1897a: 302 [M]. Type species: *Catomulus subaeneus* Reitter, 1897 (= *Oxycara olcesii* Fairmaire, 1883), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Catomus Allard, 1876a: 4 [M]. Type species: *Catomus persicus* Allard, 1876, by subsequent designation (Gebien 1943: 409). Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina.

Catopherus Carter, 1918: 713 [M]. Type species: *Catopherus corpulentus* Carter, 1918 (= *Axynaon championi* Blackburn, 1897), by monotypy. Status: junior synonym of *Axynaon* Blackburn, 1897 in Tenebrioninae: Amarygmini. Synonymy: Carter (1920a: 249).

Caucasohelops Nabozhenko, 2006: 816 [M]. Type species: *Eustenomacidius svetlanae* Nabozhenko, 2006, by original designation. Status: valid subgenus of *Eustenomacidius* Nabozhenko, 2006 in Tenebrioninae: Helopini: Cylindrinotina.

Caucasonotus Nabozhenko, 2000: 107 [M]. Type species: *Cylindronotus dombaicus* Nabozhenko, 2000, by original designation. Status: valid subgenus of *Nalassus* Mulsant, 1854 in Tenebrioninae: Helopini: Cylindrinotina.

Caudamarygmus Bremer, 2001b: 88, 94 [M]. Type species: *Caudamarygmus notabilis* Bremer, 2001, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Caulostena Fairmaire, 1896b: 355 [F]. Type species: *Caulostena foveicollis* Fairmaire, 1896, by monotypy. Status: valid genus in Alleculinae: Alleculini: Mycetocharina.

Cauricara Penrith, 1979: 7, 42 [N]. Type species: *Stenocara velox* Péringuey, 1886, by original designation. Status: valid subgenus of *Stenocara* Solier, 1835 in Pimeliinae: Adesmiini.

Caverneleodes Triplehorn, 1975: 39 [M]. Type species: *Eleodes easterlai* Triplehorn, 1975, by original designation. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Caxtonana Buck, 1960: 224 [F]. Type species: *Caxtonana costata* Buck, 1960, by monotypy. Status: junior synonym of *Apterotheca* Gebien, 1921 in Stenochiinae: Cnodalonini. Synonymy: Bouchard (2002: 452).

Cechenosternum Gebien, 1921b: 9 [N]. Type species: *Cechenosternum nigromaculatum* Gebien, 1921, by subsequent designation (Gebien 1939: 748). Status: valid genus in Diaperinae: Crypticini.

Cecrops Gistel, 1834: 21 [M]. Type species: *Tenebrio gigas* Linnaeus, 1763, by subsequent designation (Bousquet and Bouchard 2017: 131). Status: junior synonym of *Mylaris* Pallas, 1781 in Stenochiinae: Cnodalonini. Synonymy: Bousquet and Bouchard (2017: 131).

Cedrosius Fairmaire, 1902b: 332 [M]. Type species: *Cedrosius calosomoides* Fairmaire, 1902, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Celebesa Pic, 1921d: 23 [F]. Type species: *Celebesa elongata* Pic, 1921, by subsequent designation (Riley 1923: 126). Status: valid genus in Stenochiinae: Cnodalonini.

Celibe Boisduval, 1835: 262 [F]. Type species: *Celibe australis* Boisduval, 1835, by subsequent designation (Watt 1968: 36). Status: valid genus in Tenebrioninae: Heleini: Heleina.

Celox Gistel, 1848a: 126 [F]. Type species [automatic]: *Cnodalon irroratum* Dalman, 1823, by subsequent designation (Hope 1841: 133). Status: junior synonym of *Campsia* Lepeletier & Audinet-Serville, 1828 in Stenochiinae: Cnodalonini. Note: unnecessary replacement name for *Campsia* Lepeletier & Audinet-Serville, 1828.

Cenophorus Mulsant & Rey, 1859a: 113 [M]. Type species: *Cenophorus viduus* Mulsant & Rey, 1859, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Cenoscelis Wollaston, 1868: 179 [F]. Type species: *Cenoscelis tibialis* Wollaston, 1868 (= *Uloma pullum* Erichson, 1843), by monotypy. Status: valid genus and subgenus in Tenebrioninae: Ulomini.

Centorus Mulsant, 1854: 272 [M]. Type species: *Calcar procerum* Mulsant, 1854, by monotypy. Status: valid genus and subgenus in Lagriinae: Belopini.

Centrioptera Mannerheim, 1843: 279 [F]. Type species: *Centrioptera caraboides* Mannerheim, 1843, by monotypy. Status: junior synonym of *Cryptoglossa* Solier, 1837 in Pimeliinae: Cryptoglossini. Synonymy: Aalbu et al. (2002: 486).

Centrocnemis Kraatz in Heyden and Kraatz, 1882: 330 [F]. Type species: *Centrocnemis mollis* Kraatz, 1882, by monotypy. Status: senior synonym of *Centrocnemita* Strand, 1935 in Pimeliinae: Pimeliini. Note: junior homonym of *Centrocnemis* Signoret, 1852 [Hemiptera].

Centrocnemita Strand, 1935a: 284 [F]. Type species [automatic]: *Centrocnemis mollis* Kraatz, 1882, by monotypy. Status: valid subgenus of *Lasiostola* Dejean, 1834 in Pimeliinae: Pimeliini. Note: replacement name for *Centrocnemis* Kraatz, 1882.

Centronopus Solier, 1848: 153, 154, 258 [M]. Type species: *Centronopus extensicollis* Solier, 1848 (= *Tenebrio suppressus* Say, 1835), by original designation. Status: valid genus and subgenus in Tenebrioninae: Centronopini.

Centropus Jakobson, 1914: 528 [M]. Type species [automatic]: *Centronopus extensicollis* Solier, 1848 (= *Tenebrio suppressus* Say, 1835), by original designation. Status: junior synonym of *Centronopus* Solier, 1848 in Tenebrioninae: Centronopini. Note: unjustified emendation of *Centronopus* Solier, 1848, not in prevailing usage; junior homonym of *Centropus* Illiger, 1811 [Aves].

Cephacerus Rafinesque, 1815: 113 [M]. Type species [automatic]: *Erodius gibbus* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini. Note: unnecessary replacement name for *Erodius* Fabricius, 1775.

Cephaladesmia Gebien, 1920: 49, 61 [F]. Type species: *Cephaladesmia thomseni* Gebien, 1920, by monotypy. Status: junior synonym of *Stenodesia* Reitter, 1916 in Pimeliinae: Adesmiini. Synonymy: Penrith (1979: 70, 85).

Cephalamarygmus Bremer, 2001b: 92, 95 [M]. Type species: *Amarygmus preangerensis* Pic, 1952, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Cephaleucyrtus Pic, 1923c: 22 [M]. Type species: *Cephaleucyrtus viridicollis* Pic, 1923, by monotypy. Status: junior synonym of *Gauromaia* Pascoe, 1866 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1941: 1144).

Cephaloplonyx Pic, 1922c: 12 [M]. Type species: *Cephaloplonyx opacus* Pic, 1922 (= *Helops dentipes* Fabricius, 1781), by monotypy. Status: junior synonym of *Hoplobrachium* Fairmaire, 1886 in Tenebrioninae: Amarygmini. Synonymy: Gebien (1943: 922).

Cephalostenus Solier, 1838b: 160, 184 [M]. Type species: *Cephalostenus dejeanii* Solier, 1838 (= *Scaurus elegans* Brullé, 1832), by subsequent designation (Hope 1841: 115). Status: valid genus in Tenebrioninae: Scaurini.

Cephalothydemus Pic, 1923c: 24 [M]. Type species: *Cephalothydemus theresae* Pic, 1923, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Ceradelium Preudhomme de Borre, 1868: 126 [N]. Type species: *Ceradelium armatum* Preudhomme de Borre, 1868 (= *Blepegenes aruspex* Pascoe, 1868), by monotypy. Status: junior synonym of *Blepegenes* Pascoe, 1868 in Lagriinae: Adeliini. Synonymy: Pascoe (1869: 41).

Ceradesmia Gebien, 1920: 49, 63 [F]. Type species: *Stenocara albicolle* Haag-Rutenberg, 1878, by original designation. Status: valid subgenus of *Metriopus* Solier, 1835 in Pimeliinae: Adesmiini.

Ceramba Fauvel, 1904: 206 [F]. Type species: *Ceramba hydrovatina* Fauvel, 1904, by monotypy. Status: junior synonym of *Menimus* Sharp, 1876 in Diaperinae: Gnathidiini: Gnathidiina. Synonymy: Gebien (1940: 429).

Cerandria Dejean, 1834: 200 [F]. Type species: *Trogossita cornuta* Fabricius, 1798, by subsequent designation (Duponchel 1842b: 285). Status: junior synonym of *Gnatocerus* Thunberg, 1814 in Diaperinae: Diaperini: Adelinina. Synonymy: Erichson (1847a: 119).

Cerandrosus Gebien, 1921a: 325, 394 [M]. Type species: *Cerandrosus nodipennis* Gebien, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cerasoma Endrödy-Younga, 1989: 113 [N]. Type species: *Cerasoma cerasus* Endrödy-Younga, 1989, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Ceratanisus Gemminger in Gemminger and Harold, 1870: 1818 [M]. Type species [automatic]: *Anisocerus tristis* Faldermann, 1837, by monotypy. Status: valid genus in Pimeliinae: Ceratanisini. Note: replacement name for *Anisocerus* Faldermann, 1837.

Ceratoma Borchmann, 1916a: 49 [F]. Type species: none designated. Status: undetermined taxon in Lagriinae: Lagriini: Lagriina. Note: this genus was included in a key, which fulfils the criteria of availability for new genus-group names proposed before 1931 (ICZN 1999, Article 12.1); however, we could not find any nominal species that were subsequently and expressly included in *Ceratoma* and therefore no "originally included nominal species" could be used to fix the type species (ICZN 1999, Article 67.2.2).

Ceratopelius Antoine, 1963: 52, 54 [M]. Type species: *Ceratopelius mussardi* Antoine, 1963, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Ceratupis Perty, 1830: 57 [F]. Type species: *Ceratupis nigerrima* Perty, 1830, by monotypy. Status: junior synonym of *Antimachus* Gistel, 1829 in Tenebrioninae: Ulomini. Synonymy: Lacordaire (1859a: 330).

Cerenopus J.L. LeConte, 1851: 143 [M]. Type species: *Cerenopus concolor* J.L. LeConte, 1851, by subsequent designation (R. Lucas 1920: 173). Status: valid genus in Tenebrioninae: Cerenopini.

Cerocamptus Gebien, 1919: 28, 151 [M]. Type species: *Camaria malayana* Fairmaire, 1893, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Cerodolus Sharp, 1886: 410 [M]. Type species: *Cerodolus chrysomeloides* Sharp, 1886, by monotypy. Status: valid genus in Tenebrioninae: Heleini: incertae sedis. Note: transferred from Titaenini by Matthews and Lawrence (2019: 628).

Cerogria Borchmann, 1911: 210 [F]. Type species: *Lagria anisocera* Wiedemann, 1823, by subsequent designation (Borchmann 1936: 119). Status: valid genus and subgenus in Lagriinae: Lagriini: Lagriina. Note: as mentioned by Löbl et al. (2020: 5), discovery of the earlier designation of *Cerogria dohrni* Borchmann, 1911 as the type species of *Cerogria* (by subsequent designation by R. Lucas (1920: 174)) threatens the nomenclatural stability of this genus since *C. dohrni* is the type species of the valid genus *Acerogria* Borchmann, 1936; we recommend that an application be submitted to the International Commission on Zoological Nomenclature to maintain the type species designation proposed by Borchmann (1936: 119).

Cerogriodes Borchmann, 1941b: 25 [M]. Type species: *Cerogria klapperichi* Borchmann, 1941, by monotypy. Status: junior synonym of *Cerogria* Borchmann, 1911 in Lagriinae: Lagriini: Lagriina. Synonymy: Merkl (2007: 262).

Ceromelaephus Koch, 1955a: 87 [M]. Type species: *Trachynotus badeni* Haag-Rutenberg, 1873, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Ceropria Laporte & Brullé, 1831: 332, 396 [F]. Type species: *Helops indutus* Wiedemann, 1819, by subsequent designation (Duponchel 1844b: 359). Status: valid genus in Diaperinae: Diaperini: Diaperina.

Cerosis Gebien, 1920: 33, 35 [F]. Type species: *Cerosis hereroensis* Gebien, 1920, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Cerostena Solier, 1836: 307, 325 [F]. Type species: *Cerostena deplanata* Solier, 1836, by **present designation**. Status: junior synonym of *Psectrascelis* Solier, 1836 in Pimeliinae: Nycteliini. Synonymy: Fairmaire (1876: 356).

Cerostira Borchmann, 1942a: 36 [F]. Type species [automatic]: *Porrolagria subaenea* Borchmann, 1908, by subsequent designation (Borchmann 1936: 227). Status: valid genus in Lagriinae: Lagriina. Note: replacement name for *Allocera* Borchmann, 1916.

Cerysia Bremer, 2001a: 68 [F]. Type species: *Elixota laevicornis* Blair, 1929, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Cestrinus Erichson, 1842a: 172 [M]. Type species: *Cestrinus trivialis* Erichson, 1842, by subsequent designation (Blair 1919a: 529). Status: junior synonym of *Isopteron* Hope, 1841 in Lagriinae: Adeliini. Synonymy: Champion (1894a: 354), Doyen et al. (1990: 231).

Chaerodes White, 1846: 12 [M]. Type species: *Chaerodes trachyscelides* White, 1846, by monotypy. Status: valid genus in Lagriinae: Chaerodini.

Chaeroplonyx Bremer, 2014a: 36 [M]. Type species: *Plesiophthalmus kimanisensis* Masumoto, 2001, by original designation. Status: valid subgenus of *Plesiophthalmus* Motschulsky, 1857 in Tenebrioninae: Amarygmini.

Chaetopsia Gebien, 1925c: 567 [F]. Type species: *Chaetopsia angusticollis* Gebien, 1925, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Chaetotoma Motschulsky, 1860c: 533 [F]. Type species: *Tenebrio cephalotes* Pallas, 1781, by subsequent designation (Löbl et al. 2008a: 41). Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Chaetyllus Pascoe, 1860b: 122 [M]. Type species: *Chaetyllus anthicoides* Pascoe, 1860, by monotypy. Status: valid genus in Lagriinae: Laenini. Note: placed in the tribe Laenini by Kanda (2016: 562).

Chalcocyclus Fairmaire, 1884d: 74 [M]. Type species: *Chalcocyclus speculifer* Fairmaire, 1884, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Chalcopauliana Ardoin, 1961a: 209 [F]. Type species: *Chalcopauliana vinsoni* Ardoin, 1961, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Chalcoplonyx Ardoin, 1963b: 308, 333 [M]. Type species: *Gonocnemis viridis* Kraatz, 1899, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Chalcopteroides Gebien, 1948: 497 [M]. Type species [automatic]: *Chalcopterus iridicolor* Blessig, 1861, by subsequent designation (Gebien 1948: 497). Status: valid genus in Tenebrioninae: Amarygmini. Note: replacement name for *Chalcopterus* Blessig, 1861; *Chalcopteroides* was proposed earlier by Strand (1935b: 302); however, this name is unavailable because Strand did not designate a type species for the nominal taxon, a mandatory requirement for replacement name without valid typification proposed after 1930 (ICZN 1999; Article 13.3.1).

Chalcopterus Blessig, 1861: 103 [M]. Type species: *Chalcopterus iridicolor* Blessig, 1861, by subsequent designation (Gebien 1948: 497). Status: senior synonym of *Chalcopteroides* Gebien, 1948 in Tenebrioninae: Amarygmini. Note: junior homonym of *Chalcopterus* Reichenbach, 1852 [Aves].

Chalcostylus Fairmaire, 1898b: 409 [M]. Type species: *Chalcostylus perrieri* Fairmaire, 1898, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Nycteropina.

Charianus Bates, 1879a: 297 [M]. Type species: *Tetraphyllus purpuratus* Coquerel, 1851, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Chariophenus Blair, 1929a: 239 [M]. Type species: *Chariophenus wasmanni* Blair, 1929, by original designation. Status: junior synonym of *Foochounus* Pic, 1921 in Stenochiinae: Cnodalonini. Synonymy: Schawaller and Ando (2009: 260).

Chariotheca Pascoe, 1860b: 125 [F]. Type species: *Chariotheca coruscans* Pascoe, 1860, by subsequent designation (Gebien 1942a: 335). Status: valid genus in Stenochiinae: Cnodalonini.

Chariothes Carter, 1914b: 78 [M]. Type species [automatic]: *Chariotheca coruscans* Pascoe, 1860, by subsequent designation (Gebien 1942a: 335). Status: junior synonym of *Chariotheca* Pascoe, 1860 in Stenochiinae: Cnodalonini. Note: unnecessary replacement name for *Chariotheca* Pascoe, 1860.

Charisius Champion, 1888: 421 [M]. Type species: *Charisius fasciatus* Champion, 1888, by subsequent designation (R. Lucas 1920: 178). Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: the First Reviser (*Charisius* Champion, 1888 versus *Narses* Champion, 1888) is Campbell (2014: 271).

Chartopteryx Westwood, 1841a: 43 [F]. Type species: *Chartopteryx childrenii* Westwood, 1841, by monotypy. Status: junior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy and First Reviser action (*Chartopteryx* Westwood, 1841 versus *Cyphaleus* Westwood, 1841): Matthews (1992: 490).

Chaseleodes Thomas, 2015: 122 [F]. Type species: *Eleodes curta* Champion, 1884, by original designation. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Chatanayus Ardoin, 1957: 61 [M]. Type species: *Chemolanus villosipes* Fairmaire, 1884, by original designation. Status: senior synonym of *Anachayus* Bouchard & Bousquet, **nom. nov.** in Stenochiinae: Cnodalonini. Note: junior homonym of *Chatanayus* Fleutiaux 1940 [Coleoptera: Elateridae].

Cheilopoma Murray, 1867: 20 [N]. Type species: *Cheilopoma castaneum* Murray, 1867, by monotypy. Status: valid genus in Diaperinae: Hypophlaeini.

Cheirodes Gené, 1839: 73 [M]. Type species: *Cheirodes sardous* Gené, 1839, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Melanimonini.

Cheiroplus Ardoin, 1963a: 129 [M]. Type species: *Cheiroplus freyi* Ardoin, 1963, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: the earlier usage of *Cheiroplus* by Ardoin (1962b: 970) is unavailable since it was published after 1930 without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Cheirosis Deyrolle, 1867: 81, 220 [F]. Type species: *Zophosis ovata* Faldermann, 1837 (= *Pedinus acuminatus* Fischer, 1832), by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Chemolanus Bates, 1879a: 296 [M]. Type species: *Tetraphyllus consobrinus* Fairmaire, 1868 (= *Camaria obscura* Klug, 1833), by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Cherostus C.O. Waterhouse, 1894: 68 [M]. Type species: *Cherostus walkeri* C.O. Waterhouse, 1894, by subsequent designation (Barber 1914: 191). Status: junior synonym of *Rhipidandrus* J.L. LeConte, 1862 in Tenebrioninae: Bolitophagini. Synonymy: Gebien (1939: 762).

Chianalus Bates, 1879b: 479 [M]. Type species: *Chianalus costipennis* Bates, 1879, by monotypy. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Chilenolagria Pic, 1936a: 28 [F]. Type species: *Chilenolagria limbata* Pic, 1936, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Chileone Bates, 1868: 264 [F]. Type species: *Chileone deyrollei* Bates, 1868, by monotypy. Status: junior synonym of *Hypaulax* Bates, 1868 in Stenochiinae: Cnodalonini. Synonymy: Carter (1914b: 46).

Chiliarchum Koch, 1953a: 263 [N]. Type species: *Moluris bertolonii* Guérin-Méneville, 1844, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina. Note: elevated to rank of genus (from subgenus of *Ocnodes* Fåhraeus, 1870) by Kamiński et al. (2020: 9, 17)

Chilometopon Horn, 1874: 31 [N]. Type species: *Trimytis abnormis* Horn, 1870, by subsequent designation (Casey 1907: 367). Status: valid genus in Pimeliinae: Edrotini.

Chinotrigon Skopin, 1973: 170 [M]. Type species: *Trigonoscelis sublaevigata* Reitter, 1887, by original designation. Status: valid subgenus of *Trigonoscelis* Dejean, 1834 in Pimeliinae: Pimeliini.

Chirocharis Kolbe, 1903: 166, 179 [F]. Type species: *Chiroscelis australis* Westwood, 1845, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Chirodes Agassiz, 1846b: 78, 81 [M]. Type species [automatic]: *Cheirodes sardous* Gené, 1839, by monotypy. Status: junior synonym of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini. Note: unjustified emendation of *Cheirodes* Gené, 1839, not in prevailing usage.

Chiroscelis Lamarck, 1804: 261 [F]. Type species: *Chiroscelis bifenestra* Lamarck, 1804 (= *Tenebrio digitatus* Fabricius, 1801), by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Chirosis Gemminger in Gemminger and Harold, 1870: 1806 [F]. Type species [automatic]: *Zophosis ovata* Faldermann, 1837 (= *Pedinus acuminatus* Fischer, 1832), by monotypy. Status: junior synonym of *Cheirosis* Deyrolle, 1867 in Pimeliinae: Zophosini. Note: unjustified emendation of *Cheirosis* Deyrolle, 1867, not in prevailing usage.

Chitwania Novák, 2015d: 91 [F]. Type species: *Chitwania kejvali* Novák, 2015, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Chlamydion Gistel, 1848a: x [N]. Type species [automatic]: *Opatrum orientale* Fabricius, 1775, by subsequent designation (Hope 1841: 110). Status: junior synonym of *Sclerum* Dejean, 1834 in Blaptinae: Opatrini: Sclerina. Note: unnecessary replacement name for *Sclerum* Dejean, 1834.

Chlorocamma Bates, 1873e: 371 [N]. Type species: *Chlorocamma carenipenne* Bates, 1873 (= *Leptomorpha sulcata* Montrouzier, 1860), by subsequent designation (Gebien 1942a: 755). Status: valid genus in Stenochiinae: Cnodalonini.

Chlorophanes Matthews, 1992: 451, 461 [M]. Type species: *Platyphanes punctipennis* Carter, 1911, by original designation. Status: senior synonym of *Phanechloros* Matthews & Bouchard, 2008 in Tenebrioninae: Heleini: Cyphaleina. Note: junior homonym of *Chlorophanes* Reichenbach, 1853 [Aves].

Chlorophila Semenov, 1891: 374 [F]. Type species: *Lagria portschinskii* Semenov, 1891, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Choaspes Champion, 1885: 118 [M]. Type species: *Choaspes purpureus* Champion, 1885, by subsequent designation (Gebien 1941: 338). Status: senior synonym of *Choastes* Champion, 1893 in Stenochiinae: Cnodalonini. Note: junior homonym of *Choaspes* Moore, 1881 [Lepidoptera].

Choastes Champion, 1893a: 526 [M]. Type species [automatic]: *Choaspes purpureus* Champion, 1885, by subsequent designation (Gebien 1941: 338). Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Choaspes* Champion, 1885.

Choerodes Gemminger in Gemminger and Harold, 1870: 1944 [M]. Type species [automatic]: *Chaerodes trachyscelides* White, 1846, by monotypy. Status: junior synonym of *Chaerodes* White, 1846 in Lagriinae: Chaerodini. Note: unjustified emendation of *Chaerodes* White, 1846, not in prevailing usage; junior homonym of *Choerodes* Leidy, 1852 [Mammalia] and *Choerodes* Guenée, 1857 [Lepidoptera].

Cholipus Pascoe, 1866a: 471 [M]. Type species: *Cholipus brevicornis* Pascoe, 1866, by original designation. Status: junior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Mäklin (1863a: 552, with *Encyalesthus* Motschulsky, 1860, a junior synonym of *Derosphaerus* J. Thomson, 1858).

Chorasmius Bates, 1868: 310 [M]. Type species: *Evaniosomus procerus* Erichson, 1847, by monotypy. Status: valid genus in Pimeliinae: Evaniosomini.

Choresmolamus G.S. Medvedev, 1978: 150 [M]. Type species: *Dilamus oxianus* G.S. Medvedev, 1978, by original designation. Status: valid subgenus of *Dilamus* Jacquelin du Val, 1861 in Blaptinae: Opatrini: Ammobiina.

Choristopsis Kraatz, 1865: 81, 227 [F]. Type species: *Choristopsis caucasica* Kraatz, 1865, by monotypy. Status: junior synonym of *Calyptopsis* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Reitter (1900c: 130).

Chromatia J.L. LeConte, 1862: 244 [F]. Type species: *Cistela amoena* Say, 1824, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Chromomaea Pascoe, 1866a: 490 [F]. Type species: *Chromomaea picta* Pascoe, 1866, by monotypy. Status: junior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Fauvel (1905: 225).

Chrysobalus Boisduval, 1835: 267 [M]. Type species: *Chrysobalus fulgidipennis* Boisduval, 1835, by monotypy. Status: senior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Lacordaire (1859b: 409); although the identity of the type species is uncertain (Matthews 1992: 439, Matthews and Bouchard 2008: 350), it is probably a species of *Cyphaleus* Westwood, 1841. Note: nomen oblitum; we provide references to support the conservation of *Cyphaleus* Westwood, 1841 as the valid name for this genus (ICZN 1999, Article 23.9.1) in Appendix 2.

Chrysolagria Seidlitz, 1898b: 336, 339 [F]. Type species: *Lagria viridipennis* Fabricius, 1798, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Chrysolinoides Jolivet, 1951: 2 [M]. Type species: *Chrysolinoides philippinensis* Jolivet, 1951 (= *Hemicera iridicolor* Gebien, 1921), by monotypy. Status: junior synonym of *Hemicera* Laporte & Brullé, 1831 in Stenochiinae: Cnodalonini. Synonymy: Kulzer (1952: 764). Note: genus originally described in Chrysomeloidea: Chrysomelidae.

Chrysomaia Kulzer, 1952: 755, 756 [F]. Type species: *Eucyrtus carbunculus* Fairmaire, 1885, by original designation. Status: junior synonym of *Augolesthus* Motschulsky, 1872 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983a: 134).

Chrysopeplus Gebien, 1942a: 755 [M]. Type species [automatic]: *Helops expolitus* Broun, 1880, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Leiopeplus* Broun, 1893.

Cibdelis Mannerheim, 1843: 282 [F]. Type species: *Cibdelis blaschkii* Mannerheim, 1843, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cilioncotus Koch, 1954a: 41 [M]. Type species: *Oncotus namaquanus* Koch, 1954, by original designation. Status: valid subgenus of *Oncotus* Blanchard, 1845 in Blaptinae: Platynotini: Eurynotina.

Cillibus Matthews, 1993: 1040, 1078 [M]. Type species: *Saragus blackburni* W.J. MacLeay, 1888, by original designation. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Cimicia Fairmaire, 1891a: lxxxix [F]. Type species: *Cimicia spinipes* Fairmaire, 1891, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Cimicichora Koch, 1952b: 38 [F]. Type species: *Cimicichora crenulata* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Cimiciopsis Koch, 1952b: 21, 87 [F]. Type species: *Cimiciopsis castleae* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Cimipsa Peyerimhoff, 1911: 346 [F]. Type species: *Cimipsa sergenti* Peyerimhoff, 1911, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Circomus Fleischer, 1900: 236 [M]. Type species: *Hypophlaeus subdepressus* Wollaston, 1864, by monotypy. Status: junior synonym of *Palorus* Mulsant, 1854 in Tenebrioninae: Palorini. Synonymy: Löbl et al. (2008b: 276).

Cirsa P.H. Lucas, 1857: lvi [F]. Type species: *Cirsa striaticollis* P.H. Lucas, 1857, by monotypy. Status: valid subgenus of *Micipsa* P.H. Lucas, 1855 in Pimeliinae: Tentyriini.

Cirta Gemminger in Gemminger and Harold, 1870: 1831 [F]. Type species [automatic]: *Cirsa striaticollis* P.H. Lucas, 1857, by monotypy. Status: junior synonym of *Cirsa* P.H. Lucas, 1857 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Cirsa* P.H. Lucas, 1857, not in prevailing usage.

Cissides Chatanay, 1915a: 475, 495 [M]. Type species: *Heterophylus punctatissimus* Fairmaire, 1869, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Cistela Fabricius, 1775: 116 [F]. Type species: *Chrysomela sulphurea* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: senior synonym of *Cteniopus* Solier, 1835 in Alleculinae: Cteniopodini. Note: junior homonym of *Cistela*

Geoffroy, 1762 [Coleoptera: Byrrhidae]. Note: the older name *Cistela* Geoffroy, 1762 was suppressed for purposes of the Principle of Priority but not for those of the Principle of Homonymy (ICZN 1994a, Opinion 1754).

Cistelampra Fairmaire, 1897b: 386 [F]. Type species: *Cistelampra purpurina* Fairmaire, 1897, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Cistelina Seidlitz, 1896: 195 [F]. Type species: *Cistela davidis* Fairmaire, 1878, by subsequent designation (R. Lucas 1920: 187). Status: valid genus in Alleculinae: Cteniopodini.

Cistella Gistel, 1848a: xi [F]. Type species [automatic]: *Chrysomela sulphurea* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Cteniopus* Solier, 1835 in Alleculinae: Cteniopodini. Note: unjustified emendation of *Cistela* Fabricius, 1775, not in prevailing usage.

Cistelodema Borchmann, 1932a: 380 [F]. Type species: *Pseudocistela cyanea* Pic, 1930, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Cisteloida Fairmaire, 1882a: 256 [F]. Type species: *Cisteloida castanescens* Fairmaire, 1882, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Cistelomorpha Redtenbacher, 1868: 134 [F]. Type species: *Cistelomorpha straminea* Redtenbacher, 1868, by subsequent designation (Borchmann 1932a: 358). Status: valid genus in Alleculinae: Cteniopodini.

Cistelopsis Fairmaire, 1896a: 39 [F]. Type species: *Cistelopsis rufina* Fairmaire, 1896, by subsequent designation (R. Lucas 1920: 187). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Clamoris Gozis, 1886: 25 [F]. Type species [automatic]: *Phtora crenata* Mulsant, 1854 (= *Clamoris insurgens* Gozis, 1886), by monotypy. Status: valid genus in Phrenapatinae: Penetini. Note: replacement name for *Phtora* Mulsant, 1854.

Clastopus Fairmaire, 1898b: 407 [M]. Type species: *Clastopus eurynotoides* Fairmaire, 1898, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Claudegirardius Iwan, 1999b: 372 [M]. Type species: *Claudegirardius bertiae* Iwan, 1999, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Clavatoodescelis Kaszab, 1940b: 942, 974 [F]. Type species: *Platyscelis melas* Fischer, 1823, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini. Note: the First Reviser (*Clavatoodescelis* Kaszab, 1940 versus *Oblongoodescelis* Kaszab, 1940) is Egorov (2020: 380).

Cleognathus Gebien, 1921b: 154 [M]. Type species: *Cleognathus prosternalis* Gebien, 1921, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Cleolaus Champion, 1886: 142 [M]. Type species: *Peneta sommeri* Lacordaire, 1859, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Cleomis Fairmaire, 1892c: 54 [M]. Type species: *Cleomis violaceipes* Fairmaire, 1892, by subsequent designation (R. Lucas 1920: 189). Status: valid genus in Stenochiinae: Cnodalonini. Note: removed from synonymy with *Psydus* Pascoe, 1868 by Kaszab (1983b: 382).

Clinocranion Solier, 1843: 114 [N]. Type species: *Clinocranion spinosum* Solier, 1843, by subsequent designation (R. Lucas 1920: 190). Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina. Note: the alternative original spelling *Clynocranion*, used by Solier (1843: 4), was rejected by Koch (1955a: 70) who acted as the First Reviser.

Clitobius Mulsant & Rey, 1859c: 141 [M]. Type species: *Clitobius sabulicola* Mulsant & Rey, 1859 (= *Opatrum ovatum* Erichson, 1843), by monotypy. Status: valid genus and subgenus in Blaptinae: Opatrini: Ammobiina. Note: the original combination of the accepted name of the type species, *Opatrum ovatum* Erichson, 1843, is a junior primary homonym of *Opatrum ovatum* Fabricius, 1801.

Clypeophtora F. Soldati & L. Soldati, 2003: 4 [F]. Type species: *Phtora tronqueti* F. Soldati & L. Soldati, 2003, by original designation. Status: valid subgenus of *Phtora* Germar, 1836 in Diaperinae: Phaleriini.

Cnecosochara Reitter, 1913: 660 [F]. Type species: *Cnecosochara petriiformis* Reitter, 1913, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Cnemandrosus Gebien, 1927: 42 [M]. Type species: *Eucyrtus semipurpureus* Fairmaire, 1896, by original designation. Status: junior synonym of *Plamius* Fairmaire, 1896 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1941: 1143).

Cnemeplatia Costa, 1847: 146 [F]. Type species: *Cnemeplatia atropos* Costa, 1847, by monotypy. Status: valid genus in Pimeliinae: Cnemeplatiini: Cnemeplatiina.

Cnemodasus Gebien, 1914b: 374 [M]. Type species: *Cnemodasus rectangulus* Gebien, 1914, by subsequent designation (Kaszab 1982b: 43). Status: junior synonym of *Brachyidium* Fairmaire, 1883 in Blaptinae: Opatrini: Ammobiina. Synonymy: Gebien (1921a: 492).

Cnemodinus Cockerell, 1906: 242 [M]. Type species [automatic]: *Cnemodus testaceus* Horn, 1870, by monotypy. Status: valid genus in Pimeliinae: Cnemodinini. Note: replacement name for *Cnemodus* Horn, 1870.

Cnemodus Horn, 1870: 266 [M]. Type species: *Cnemodus testaceus* Horn, 1870, by monotypy. Status: senior synonym of *Cnemodinus* Cockerell, 1906 in Pimeliinae: Cnemodinini. Note: junior homonym of *Cnemodus* Herrich-Schaeffer, 1850 [Hemiptera].

Cnemophloeus Bremer, 1998: 10, 13 [M]. Type species: *Hypophlaeus filum* Fairmaire, 1893, by original designation. Status: junior synonym of *Stenophloeus* Blair, 1921 in Diaperinae: Hypophlaeini. Synonymy: Löbl et al. (2008b: 312).

Cnemoplatia Wollaston, 1865: 411 [F]. Type species [automatic]: *Cnemeplatia atropos* Costa, 1847, by monotypy. Status: junior synonym of *Cnemeplatia* Costa, 1847 in Pimeliinae: Cnemeplatiini: Cnemeplatiina. Note: unjustified emendation of *Cnemeplatia* Costa, 1847, not in prevailing usage.

Cneocnemis Gebien, 1914c: 32 [F]. Type species: *Uloma haemorrhoum* Fairmaire, 1893, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Cnephalura Doyen, 1988: 313 [F]. Type species: *Cnephalura umbrata* Doyen, 1988, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Cnodalon Latreille, 1797: 23 [N]. Type species: *Cnodalon viride* Latreille, 1804, by subsequent monotypy (Latreille 1804: 321). Status: valid genus in Stenochiinae: Cnodalonini. Note: originally proposed without included nominal species; in order to promote nomenclatural stability Bousquet and Bouchard (2019: 114, 116) recommended to the ICZN to use its plenary powers to designate *Cnodalon viride* Latreille, 1804 as the type species for the nominal genus *Cnodalon* Latreille, 1797, as currently accepted in the literature, after the recent discovery that this species was in fact not an originally included nominal species in the genus *Cnodalon*, and so not available as the type species.

Cnodalum Agassiz, 1846b: 91 [N]. Type species [automatic]: *Cnodalon viride* Latreille, 1804, by subsequent monotypy (Latreille 1804: 321). Status: junior synonym of *Cnodalon* Latreille, 1797 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Cnodalon* Latreille, 1797, not in prevailing usage; in a recent application to the ICZN to fix type species problems with the genus *Cnodalon* Latreille, 1797, Bousquet and Bouchard (2019: 116) recommended that *Cnodalum* Agassiz, 1846 be placed on the Official Index of Rejected and Invalid Generic Names in Zoology in order to avoid homonymy problems with the name *Cnodalum* Emeljanov, 1978 [Hemiptera], which is currently used as valid.

Coccimarygmus Ardoin, 1966: 185, 187 [M]. Type species: *Paramarygmus morychoides* Fairmaire, 1894, by original designation. Status: valid genus and subgenus in Tenebrioninae: Amarygmini.

Cochabambia Marcuzzi, 1985: 184 [F]. Type species: *Cochabambia kulzeri* Marcuzzi, 1985, by monotypy. Status: senior synonym of *Allotriocochabambia* Faúndez, Rider & Carvajal, 2014 in Tenebrionidae: incertae sedis. Note: junior homonym of *Cochabambia* Pirán, 1959 [Hemiptera].

Coeladesmia Reitter, 1916a: 3 [F]. Type species: *Metriopus platynotus* Gerstaecker, 1854, by subsequent designation (Gebien 1937a: 656). Status: valid subgenus of *Metriopus* Solier, 1835 in Pimeliinae: Adesmiini.

Coelocnemis Mannerheim, 1843: 280 [F]. Type species: *Coelocnemis dilaticollis* Mannerheim, 1843, by subsequent designation (R. Lucas 1920: 194). Status: valid genus in Stenochiinae: Cnodalonini.

Coelocnemodes Bates, 1879b: 474 [M]. Type species: *Coelocnemodes stoliczkanus* Bates, 1879, by monotypy. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Coeloecetes Blair, 1929b: 384 [M]. Type species: *Coeloecetes cavernicola* Blair, 1929, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Coelolophus Mäklin, 1867: 502 [M]. Type species: *Coelolophus bicarinatus* Mäklin, 1867, by subsequent designation (Löbl et al. 2008a: 41). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Coelometopus Solier, 1848: 154, 278 [M]. Type species: *Coelometopus clypeatus* Solier, 1848 (= *Blaps clypeata* Germar, 1813), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Coelomorpha Casey, 1890a: 182 [F]. Type species: *Coelomorpha maritima* Casey, 1890, by monotypy. Status: junior synonym of *Coelus* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Doyen (1972: 371).

Coelopalorus Blair, 1930: 135 [M]. Type species: *Palorus foveicollis* Blair, 1930 (= *Ulomina carinata* Baudi di Selve, 1876), by monotypy. Status: junior synonym of *Ulomina* Baudi di Selve, 1876 in Tenebrioninae: Palorini. Synonymy: Scupola (2002: 186).

Coelophanes Iablokoff-Khnzorian, 1964: 309 [M]. Type species: *Hedyphanes impressicollis* Faldermann, 1837 (= *Hedyphanes laticollis* Fischer, 1832), by original designation. Status: junior synonym of *Hedyphanes* Fischer, 1820 in Tenebrioninae: Helopini: Helopina. Synonymy: Nabozhenko (2005: 351).

Coelopleurum Gebien, 1921b: 35 [N]. Type species: *Coelopleurum glabratum* Gebien, 1921, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Coelosattus Blaisdell, 1927: 166 [M]. Type species: *Coelosattus fortineri* Blaisdell, 1927 (= *Eusattus dilatatus* J.L. LeConte, 1851), by monotypy. Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: Doyen (1972: 373).

Coelotaxis Horn, 1876b: 200 [F]. Type species: *Coelotaxis punctulata* Horn, 1876, by subsequent designation (Gebien 1938a: 289). Status: junior synonym of *Coniontis* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Doyen (1972: 373).

Coelus Eschscholtz, 1829: 5 [M]. Type species: *Coelus ciliatus* Eschscholtz, 1829, by monotypy. Status: valid genus in Pimeliinae: Coniontini.

Colasia Koch, 1965: 127, 131 [F]. Type species: *Colasia akisoides* Koch, 1965, by monotypy. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Collariheliofugus Freude, 1960a: 125, 126 [M]. Type species: *Euschatia collaris* Germain, 1855, by original designation. Status: valid subgenus of *Heliofugus* Guérin-Méneville, 1831 in Stenochiinae: Cnodalonini.

Colophonesthes Koch, 1954a: 48 [F]. Type species: *Colophonesthes montisatri* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Colparthrum Kirsch, 1866: 204 [N]. Type species: *Colparthrum gerstaeckeri* Kirsch, 1866, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Colpopatrum Reitter, 1904: 148 [N]. Type species: *Opatrum asperipenne* Reitter, 1897, by monotypy. Status: valid subgenus of *Opatrum* Fabricius, 1775 in Blaptinae: Opatrini: Opatrina.

Colpophorinus Escalera, 1914: 336 [M]. Type species: *Opatrum gonocephaloides* Escalera, 1914, by monotypy. Status: junior synonym of *Colpophorus* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Opatrina. Synonymy: Español (1954b: 317).

Colpophorus Mulsant & Rey, 1859c: 44 [M]. Type species: *Opatrum emarginatum* P.H. Lucas, 1847, by subsequent designation (Iwan and Löbl 2008: 269). Status: valid subgenus of *Opatrum* Fabricius, 1775 in Blaptinae: Opatrini: Opatrina.

Colposcelis Dejean, 1834: 185 [F]. Type species: *Tentyria longicollis* Zubkov, 1833, by subsequent designation (Gebien 1937a: 598). Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Colposceloides Schuster, 1940: 20 [M]. Type species: *Colposcelis licenti* Schuster, 1940, by monotypy. Status: valid subgenus of *Colposcelis* Dejean, 1834 in Pimeliinae: Tentyriini.

Colposcythis Reitter, 1889b: 113 [F]. Type species: *Colposcythis walteri* Reitter, 1889, by monotypy. Status: valid subgenus of *Colposcelis* Dejean, 1834 in Pimeliinae: Tentyriini.

Colposphena Semenov, 1889: 217 [F]. Type species: *Sphenaria brevicollis* Solsky, 1882, by subsequent designation (Gebien 1937a: 577). Status: valid genus in Pimeliinae: Tentyriini.

Colpotinoides Kaszab, 1975b: 282, 354 [M]. Type species: *Pseudoblaps gebieni* Kaszab, 1942, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Colpotinus Fairmaire, 1891c: xvii [M]. Type species: *Colpotinus simulator* Fairmaire, 1891, by monotypy. Status: valid genus in Blaptinae: Pedinini: Pedinina.

Colpotus Mulsant & Rey, 1853b: 148, 208 [M]. Type species: *Colpotus strigicollis* Mulsant & Rey, 1853, by subsequent designation (Gebien 1938a: 313). Status: valid subgenus of *Pedinus* Latreille, 1797 in Blaptinae: Pedinini: Pedinina.

Comphosida Macquart, 1850: 174 [F]. Type species: *Mesostena punctipennis* Solier, 1835 (= *Pimelia angustata* Fabricius, 1775), by monotypy. Status: junior synonym of *Mesostena* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Lacordaire (1859a: 52).

Compsocula Fairmaire, 1898a: 236 [F]. Type species: *Stenogena apicata* Fairmaire, 1896, by subsequent designation (R. Lucas 1920: 199). Status: valid genus in Alleculinae: incertae sedis. Note: placed in Alleculinae by Chatanay (1915a: 526).

Compsomorphus Solier, 1851: 208 [M]. Type species: *Compsomorphus elegans* Solier, 1851, by original designation. Status: junior synonym of *Apocrypha* Eschscholtz, 1831 in Tenebrioninae: Apocryphini. Synonymy: Lacordaire (1859b: 433).

Conibiosoma Casey, 1890b: 476 [N]. Type species: *Conibius elongatus* Horn, 1870, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Conibius J.L. LeConte, 1851: 145 [M]. Type species: *Conibius seriatus* J.L. LeConte, 1851, by subsequent designation (R. Lucas 1920: 199). Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Coniontellus Casey, 1890b: 388 [M]. Type species: *Coniontis obesa* J.L. LeConte, 1851, by subsequent designation (Casey 1908: 57). Status: junior synonym of *Coniontis* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Doyen (1972: 373).

Coniontides Casey, 1908: 57, 78 [M]. Type species: *Coniontis lata* J.L. LeConte, 1866, by original designation. Status: junior synonym of *Coniontis* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Doyen (1972: 373).

Coniontis Eschscholtz, 1829: 7 [F]. Type species: *Coniontis viatica* Eschscholtz, 1829, by subsequent designation (Casey 1908: 57). Status: valid genus in Pimeliinae: Coniontini.

Conipinus J.L. LeConte, 1862: 223 [M]. Type species: *Eusattus dubius* J.L. LeConte, 1851, by subsequent designation (Gebien 1938a: 284). Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: J.L. LeConte (1866a: 60).

Conisattus Casey, 1895: 614 [M]. Type species: *Conisattus rectus* Casey, 1895, by monotypy. Status: valid genus in Pimeliinae: Coniontini.

Conoecus Horn, 1885: 159 [M]. Type species: *Conoecus ovipennis* Horn, 1885, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Conophthalmus Quedenfeldt, 1885: 13 [M]. Type species: *Conophthalmus setulosus* Quedenfeldt, 1885, by monotypy. Status: valid subgenus of *Amatodes* Dejean, 1834 in Blaptinae: Pedinini: Helopinina. Note: see Robiche (2013: 522) for placement of the genus.

Convexoodescelis Egorov, 2004: 593 [F]. Type species: *Platyscelis brevipennis* Kaszab, 1938, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Cophodema Gebien, 1943: 402 [F]. Type species [automatic]: *Cophosoma humeridens* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Cophosoma* Gebien, 1928.

Cophosoma Gebien, 1928: 219, 222 [N]. Type species: *Cophosoma humeridens* Gebien, 1928, by monotypy. Status: senior synonym of *Cophodema* Gebien, 1943 in Stenochiinae: Cnodalonini. Note: junior homonym of *Cophosoma* Costa, 1849 [Hemiptera].

Copistethus Seidlitz, 1890: 524 [M]. Type species: *Cistela spadix* Kiesenwetter, 1861, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Coracostira Fairmaire, 1899d: 220 [F]. Type species: *Coracostira armipes* Fairmaire, 1899, by **present designation**. Status: junior synonym of *Xenostethus* Bates, 1868 in Lagriinae: Lagriini: Statirina. Synonymy: Borchmann (1936: 460).

Cordibates Kulzer, 1956b: 909 [M]. Type species: *Cordibates chilensis* Kulzer, 1956, by original designation. Status: valid genus in Pimeliinae: Thinobatini.

Corinta Koch, 1950c: 36 [F]. Type species: *Corinta litoralis* Koch, 1950, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Coripera Pascoe, 1866a: 483 [F]. Type species: *Adelium deplanatum* Boisduval, 1835, by original designation. Status: valid genus in Lagriinae: Adeliini.

Cornopterus Koch, 1950c: 40 [M]. Type species: *Cornopterus wykehami* Koch, 1950, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Cornucistela Campbell, 1980: 133 [F]. Type species: *Cornucistela serrata* Campbell, 1980, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Cornugeton Bremer, 2016: 224 [M]. Type species: *Platolenes monilicornis* Gebien, 1920, by original designation. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Corticeus Piller & Mitterpacher, 1783: 87 [M]. Type species: *Corticeus unicolor* Piller & Mitterpacher, 1783, by monotypy. Status: valid genus and subgenus in Diaperinae: Hypophlaeini.

Coscinoptilix Allard, 1876a: 15 [M]. Type species: *Coscinoptilix gracilicornis* Allard, 1876, by monotypy. Status: junior synonym of *Helops* Fabricius, 1775 in Tenebrioninae: Helopini: Helopina. Synonymy: Champion (1887: 312). Note: Allard's original spelling *Coscinopter* is corrected to *Coscinoptilix* in the errata for volume 14 of 'L'Abeille, Journal d'Entomologie' (at the end of page 36 of the section "Table alphabétique") and therefore *Coscinoptilix* is considered the correct original spelling (ICZN 1999, Article 32.5.1.1); see Bousquet et al. (2018: 183).

Cosmogaster Koch, 1956a: 164 [F]. Type species: *Anchophthalmus impressicollis* Fairmaire, 1897, by original designation. Status: senior synonym of *Kochogaster* Kamiński & Raś, 2011 in Blaptinae: Platynotini: Platynotina. Note: junior homonym of *Cosmogaster* Faust, 1904 [Coleoptera: Curculionidae].

Cosmonota Blanchard, 1842: pl. 14 [F]. Type species: *Cosmonota angustata* Blanchard, 1842, by subsequent designation (Gebien 1928: 127). Status: valid genus in Diaperinae: Diaperini: Diaperina.

Cossyphodes Westwood, 1851: 168 [M]. Type species: *Cossyphodes wollastonii* Westwood, 1851, by monotypy. Status: valid genus in Pimeliinae: Cossyphodini: Cossyphodina.

Cossyphodinus Wasmann, 1899a: 163 [M]. Type species: *Cossyphodinus indicus* Wasmann, 1899, by monotypy. Status: valid genus in Pimeliinae: Cossyphodini: Paramellonina.

Cossyphodites Brauns, 1901: 91 [M]. Type species: *Cossyphodes woodrooffei* Péringuey, 1885, by monotypy. Status: valid genus in Pimeliinae: Cossyphodini: Cossyphoditina.

Cossyphus G.-A. Olivier, 1791: 121 [M]. Type species: *Lampyris depressa* Fabricius, 1781, by monotypy. Status: valid genus and subgenus in Lagriinae: Cossyphini.

Costallecula Pic, 1954: 235 [F]. Type species: *Costallecula luteocostata* Pic, 1954, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Costatosora Pic, 1934: 32 [F]. Type species: *Nemostira distincticornis* Pic, 1911, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Costiferolagria Pic, 1915b: 5 [F]. Type species: *Lagria semialutacea* Pic, 1915, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Coxelinus Fairmaire, 1869b: 202 [M]. Type species: *Coxelinus stricticollis* Fairmaire, 1869, by subsequent designation (Gebien 1941: 826). Status: valid genus in Lagriinae: Lupropini.

Craniosphena Koch, 1962a: 45, 54, 143 [F]. Type species: *Himatismus justi* Fairmaire, 1880, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Craniotus J.L. LeConte, 1851: 142 [M]. Type species: *Craniotus pubescens* J.L. LeConte, 1851, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Cratidus J.L. LeConte, 1862: 239 [M]. Type species: *Amphidora osculans* J.L. LeConte, 1851, by monotypy. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Cratopus Eschscholtz, 1831: 5, 8 [M]. Type species: *Cratopus castaneus* Eschscholtz, 1831, by monotypy. Status: senior synonym of *Scelosodis* Solier, 1835 in Pimeliinae: Tentyriini. Note: junior homonym of *Cratopus* Schönherr, 1826 [Coleoptera: Curculionidae].

†*Cretaceites* Wang, 1997: 203 [M]. Type species: *Cretaceites jingxiensis* Wang, 1997, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: described from Lower Cretaceous deposits (China).

Cribrasida Reitter, 1917a: 11, 38 [F]. Type species: *Asida grandipalpis* Allard, 1869, by subsequent designation (F. Soldati 2008: 32). Status: junior synonym of *Elongasida* Escalera, 1906 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 290).

Crististibes Koch, 1963: 62 [M]. Type species: *Planostibes binodosus* Gebien, 1920, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Crossoscelis Gebien, 1914a: 52 [F]. Type species: *Crossoscelis clauda* Gebien, 1914, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Masumoto (1999a: 123).

Cruracurvamtenebrio Robiche, 2019b: 97 [M]. Type species: *Tenebrio kamgangi* Robiche, 2019, by monotypy. Status: valid subgenus of *Tenebrio* Linnaeus, 1758 in Tenebrioninae: Tenebrionini.

Cryphaeus Klug, 1833: 89 [M]. Type species: *Cryphaeus aries* Klug, 1833, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Toxicina.

Crypsinous Fairmaire, 1891b: 262 [M]. Type species: *Crypsinous acutispina* Fairmaire, 1891, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Crypsis C.O. Waterhouse, 1877: 73 [F]. Type species: *Crypsis violaceipennis* C.O. Waterhouse, 1877, by monotypy. Status: valid genus in Diaperinae: Leiochrinini.

Cryptadius Fairmaire, 1894f: 395 [M]. Type species [automatic]: *Crypsinous acutispina* Fairmaire, 1891, by monotypy. Status: junior synonym of *Crypsinous* Fairmaire, 1891 in Tenebrioninae: Amarygmini. Note: unnecessary replacement name for *Crypsinous* Fairmaire, 1891 (as "*Crypsinon*"); junior homonym of *Cryptadius* J.L. LeConte, 1851 [Coleoptera: Tenebrionidae: Pimeliinae: Edrotini].

Cryptadius J.L. LeConte, 1851: 140 [M]. Type species: *Cryptadius inflatus* J.L. LeConte, 1851, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Cryptasida Koch, 1962a: 129 [F]. Type species: *Asida namaqua* Péringuey, 1899, by original designation. Status: valid genus in Pimeliinae: Asidini.

Crypticanus Fairmaire, 1897f: 119 [M]. Type species: *Crypticanus cuneatus* Fairmaire, 1897 (= *Melanopterus edwarsii* Mulsant & Rey, 1854), by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Crypticocatops Kaszab, 1975c: 102 [M]. Type species: *Platydema catopoides* Fairmaire, 1896, by original designation. Status: valid subgenus of *Microcrypticus* Gebien, 1921 in Diaperinae: Crypticini.

Crypticoides Fairmaire, 1898d: 389 [M]. Type species: *Crypticoides mellyi* Fairmaire, 1898, by monotypy. Status: junior synonym of *Oxycara* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Koch (1960: 382).

Crypticomorpha Casey, 1908: 81, 140 [F]. Type species: *Coniontis tenuis* Casey, 1908, by monotypy. Status: junior synonym of *Coniontis* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Aalbu et al. (2002: 487).

Crypticopsis Antoine, 1945: 270 [F]. Type species: *Crypticus corticeus* Fairmaire, 1871, by original designation. Status: valid subgenus of *Crypticus* Latreille, 1816 in Diaperinae: Crypticini.

Crypticus Latreille, 1816: 298 [M]. Type species: *Helops glaber* Fabricius, 1775 (= *Tenebrio quisquilius* Linnaeus, 1761), by monotypy. Status: valid genus and subgenus in Diaperinae: Crypticini.

Cryptobates Fairmaire, 1882a: 231 [M]. Type species: *Cryptobates rubigineus* Fairmaire, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cryptobatoides Kaszab, 1941a: 2, 15 [F]. Type species: *Cryptobatoides opaca* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Cryptobrachys Kaszab, 1941a: 4, 14 [M]. Type species: *Cryptobates crassecostatus* Fairmaire, 1898, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cryptocarpes Koch, 1952a: 191 [M]. Type species: *Cryptocarpes elongatus* Koch, 1952, by original designation. Status: valid subgenus of *Caenocrypticus* Gebien, 1920 in Pimeliinae: Caenocrypticini. Note: the First Reviser (*Cryptocarpes* Koch, 1952 versus *Lornamus* Koch, 1952) is Endrödy-Younga (1996: 21).

Cryptochile Latreille, 1828: 576 [F]. Type species: *Pimelia maculata* Fabricius, 1781, by monotypy. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina. Note: discovery of the older unused name *Phymatium* Billberg, 1820 threatens the validity of *Cryptochile* Latreille, 1828 and its associated family-group names currently used as valid; we recommend that an application be submitted to the International Commission on Zoological Nomenclature to conserve usage of *Cryptochile* Latreille, 1828.

Cryptogenius Solier, 1843: 37, 122 [M]. Type species: *Cryptogenius dentatus* Solier, 1843, by original designation. Status: senior synonym of *Phrynocolus* Lacordaire, 1859 in Pimeliinae: Sepidiini: Molurina. Note: junior homonym of *Cryptogenius* Westwood, 1842 [Coleoptera: Hybosoridae].

Cryptoglossa Solier, 1837a: 638, 680 [F]. Type species: *Cryptoglossa bicostata* Solier, 1837, by monotypy. Status: valid genus in Pimeliinae: Cryptoglossini.

†*Cryptohelops* Nabozhenko & Kirejtshuk, 2014: 68 [M]. Type species: *Cryptohelops menaticus* Nabozhenko & Kirejtshuk, 2014, by original designation. Status: valid genus in Tenebrioninae: Helopini: Helopina. Note: described from Middle-Upper Paleocene deposits (France).

Cryptomysia Pic, 1954: 260 [F]. Type species: *Cryptomysia minor* Pic, 1954, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Cryptops Solier, 1851: 235 [M]. Type species: *Cryptops ulomoides* Solier, 1851 (= *Tenebrio diaperinus* Panzer, 1797), by original designation. Status: junior synonym of *Alphitobius* Stephens, 1829 in Tenebrioninae: Alphitobiini. Synonymy: Gemminger in Gemminger and Harold (1870: 1962). Note: junior homonym of *Cryptops* Leach, 1814 [Chilopoda].

Cryptostenophanes Kaszab, 1941a: 5, 12 [M]. Type species: *Cryptostenophanes borneensis* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Cryptotrophus Gistel, 1848a: xi [M]. Type species [automatic]: *Pimelia maculata* Fabricius, 1781, by monotypy. Status: junior synonym of *Cryptochile* Latreille, 1828 in Pimeliinae: Cryptochilini: Cryptochilina. Note: unnecessary replacement name for *Cryptochile* Latreille, 1828.

Cryptozoon Schaufuss, 1882: 47 [N]. Type species: *Cryptozoon civile* Schaufuss, 1882, by subsequent designation (Bousquet et al. 2018: 284). Status: valid genus in Diaperinae: Gnathidiini: Anopidiina. Note: transferred from Colydiidae (see Doyen and Lawrence 1979: 366).

Csikiola Kaszab, 1955a: 493 [F]. Type species: *Csikiola thesileiformis* Kaszab, 1955, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Csiro G.S. Medvedev & Lawrence, 1984: 563 [F]. Type species: *Hyocis subparallelus* Champion, 1894, by original designation. Status: valid genus and subgenus in Diaperinae: Hyociini: Hyociina.

Cteisa Solier, 1835a: 242 [F]. Type species: *Cteisa hirta* Solier, 1835, by monotypy. Status: valid genus in Alleculinae: Alleculini: Xystropodina.

Cteisodella Novák, 2020f: 50 [F]. Type species: *Cteisodella assamica* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Cteisodes Borchmann, 1932a: 307 [F]. Type species: *Cteisodes sericea* Borchmann, 1932, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Cteniopinus Seidlitz, 1896: 200 [M]. Type species: *Cistela altaica* Gebler, 1830, by subsequent designation (R. Lucas 1920: 212). Status: valid genus and subgenus in Alleculinae: Cteniopodini.

Ctenioposomus Reitter, 1906b: 131 [M]. Type species: *Cteniopus frater* Reitter, 1903, by subsequent designation (Novák and Pettersson 2008: 330). Status: valid subgenus of *Cteniopus* Solier, 1835 in Alleculinae: Cteniopodini. Note: the alternative original spelling *Ctenoposomus*, used by Reitter (1906b: 135), was rejected by Bousquet et al. (2015: 140) who acted as the First Revisers.

Cteniopus Solier, 1835: 245, 246 [M]. Type species: *Chrysomela sulphurea* Linnaeus, 1758, by subsequent designation (Westwood 1838: 32). Status: valid genus and subgenus in Alleculinae: Cteniopodini.

Ctenogria Borchmann, 1916a: 48, 101 [F]. Type species: *Ctenogria vermiculata* Borchmann, 1916, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Ctesicles Champion, 1896: 7 [M]. Type species: *Ctesicles insularis* Champion, 1896, by subsequent designation (R. Lucas 1920: 214). Status: junior synonym of *Diastolinus* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Blapstinina. Synonymy: Ivie and Hart (2016: 468).

Ctimene Bates, 1873e: 359 [F]. Type species: *Ctimene breweri* Bates, 1873, by monotypy. Status: senior synonym of *Mitrothorax* Carter, 1914 in Tenebrioninae: Heleini: Cyphaleina. Note: junior homonym of *Ctimene* Boisduval, 1832 [Lepidoptera].

Cuemus Bouchard, 2000: 96 [M]. Type species: *Cuemus monteithi* Bouchard, 2000, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Cuphotes Champion, 1887: 332 [F]. Type species [automatic]: *Spheniscus erotyloides* W. Kirby, 1819, by monotypy. Status: valid genus in Stenochiinae: Stenochiini. Note: replacement name for *Spheniscus* W. Kirby, 1819.

Curimosphena Gebien, 1920: 42, 43 [F]. Type species: *Himatismus villosus* Haag-Rutenberg, 1870, by original designation. Status: junior synonym of *Imatismus* Dejean, 1834 in Pimeliinae: Tentyriini. Synonymy: Bouchard et al. (2007: 386).

Curtolyprops Pic, 1917a: 11 [M]. Type species: *Curtolyprops latipennis* Pic, 1917, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Curtopeltoides Pic, 1916d: 14 [M]. Type species: *Curtopeltoides rufescens* Pic, 1916, by subsequent designation (Gebien 1940: 1062). Status: valid genus in Tenebrioninae: Ulomini.

Cybopiestes Reitter, 1917b: 148, 150 [M]. Type species: *Cybopiestes csikii* Reitter, 1917, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cybostira Borchmann, 1936: 429, 430 [F]. Type species: *Cybostira caligata* Borchmann, 1936, by original designation. Status: valid subgenus of *Epicydes* Champion, 1889 in Lagriinae: Lagriini: Statirina.

Cybotus Casey, 1890b: 482 [M]. Type species: *Blapstinus estriatus* J.L. LeConte, 1878, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Cychrachna Koch, 1950b: 341, 361 [F]. Type species: *Cychrachna carcharoides* Koch, 1950, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Cychrochile Koch, 1953b: 160 [F]. Type species: *Cychrochile erodioides* Koch, 1953, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Cyclobiomorphus Pic, 1916c: 1 [M]. Type species: *Cyclobiomorphus undulatus* Pic, 1916, by subsequent designation (Gebien 1940: 420). Status: valid genus in Diaperinae: Diaperini: Diaperina.

Cyclobium Pic, 1916a: 11 [N]. Type species: *Cyclobium vesiculiferum* Pic, 1916, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Cyclocnera Leo, 2018: 50 [F]. Type species: *Cyclocnera azarovi* Leo, 2018, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Cyclonesus Fairmaire, 1896c: 104 [M]. Type species: *Cyclonesus parvicollis* Fairmaire, 1896, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cyclophanes Carter, 1913a: 92 [M]. Type species: *Cyclophanes variegatus* Carter, 1913, by subsequent designation (R. Lucas 1920: 217). Status: junior synonym of *Hemicyclus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 497).

Cyclosattus Casey, 1892: 710 [M]. Type species: *Eusattus websteri* Casey, 1891 (= *Celibe costata* Solier, 1848), by monotypy. Status: junior synonym of *Saragus* Erichson, 1842 in Tenebrioninae: Heleini: Heleina. Synonymy: Doyen et al. (1990: 244). Note: the type species was originally described from Colorado [United States of America] in error, Doyen et al. (1990: 244) pointed out that *Eusattus websteri* Casey, 1891 is a synonym of the Australian species *Celibe costata* Solier, 1848.

Cylindrinotus Faldermann, 1837: 73 [M]. Type species: *Cylindrinotus lugubris* Faldermann, 1837 (= *Helops femoratus* Faldermann, 1837), by subsequent designation (Gebien 1943: 425). Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina. Note: Gebien (1943: 425) selected *Helops femoratus* Faldermann, 1837 as type species, which is not an originally included species in *Cylindrinotus*; however, since Gebien listed *Cylindrinotus lugubris* Faldermann, 1837 (a species originally included in *Cylindrinotus*) as a synonym of *Helops femoratus* Faldermann, 1837, he is deemed to have designated the latter as type species (ICZN 1999, Article 69.2.2); the original combination of the accepted name of the type species, *Helops femoratus* Faldermann, 1837, is a junior primary homonym of *Helops femoratus* Fabricius, 1798.

Cylindronotus Agassiz, 1846b: 111 [M]. Type species [automatic]: *Cylindrinotus lugubris* Faldermann, 1837 (= *Helops femoratus* Faldermann, 1837), by subsequent designation (Gebien 1943: 425). Status: junior synonym of *Cylindrinotus* Faldermann, 1837 in Tenebrioninae: Helopini: Cylindrinotina. Note: unjustified emendation of *Cylindrinotus* Faldermann, 1837, not in prevailing usage.

Cylindrosia Gebien, 1922b: 289 [F]. Type species: *Cylindrosia foveifrons* Gebien, 1922, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Cylindrosora Borchmann, 1936: 237, 375 [F]. Type species: *Sora macer* Borchmann, 1930, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Cylindrostira Borchmann, 1936: 237, 374 [F]. Type species: *Casnonidea corporaali* Borchmann, 1929, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Cylindrothorus Solier, 1843: 4, 50 [M]. Type species: *Cylindrothorus pilosus* Solier, 1843, by original designation. Status: valid genus and subgenus in Alleculinae: Alleculini: Mycetocharina.

Cymatodes Agassiz, 1846b: 112 [M]. Type species [automatic]: *Helops undatus* Fabricius, 1792 (= *Erotylus nebulosus* Fabricius, 1781), by monotypy. Status: junior synonym of *Cymatothes* Dejean, 1834 in Tenebrioninae: Amarygmini. Note: unjustified emendation of *Cymatothes* Dejean, 1834, not in prevailing usage; the older name *Cymatodes* W. Kirby & Spence, 1828 [Coleoptera: Curculionidae] is not nomenclaturally available.

Cymatothes Dejean, 1834: 208 [M]. Type species: *Helops undatus* Fabricius, 1792 (= *Erotylus nebulosus* Fabricius, 1781), by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Cymbeba Pascoe, 1866a: 483 [F]. Type species: *Cymbeba dissimilis* Pascoe, 1866, by monotypy. Status: valid genus in Lagriinae: Adeliini. Note: as mentioned by Matthews and Bouchard (2008: 350) the type species was erroneously described from Australia; the genus *Cymbeba* Pascoe, 1866 is endemic to New Caledonia.

Cynaeus J.L. LeConte, 1862: 233 [M]. Type species: *Platydema angusta* J.L. LeConte, 1851, by original designation. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Cyphaleus Westwood, 1841a: 43 [M]. Type species: *Helops rugosus* Gray, 1831, by subsequent designation (Duponchel 1844a: 547). Status: valid genus in Tenebrioninae: Heleini: Cyphaleina. Note: nomen protectum (see Appendix 2); *Cyphaleus* is sometimes attributed to Hope (1841: 126) in the literature (e.g., Matthews 2019: 631); however, Hope did not describe the genus and there is no indication in his publication that "*Cyphaleus rugosus* Hope"; the only species he included in the genus is the same as *Helops rugosus* Gray, 1831 ("*Cyphaleus* Hope" was treated as an unavailable name by Neave (1939: 939)); the First Reviser (*Cyphaleus* Westwood, 1841 versus *Chartopteryx* Westwood, 1841) is Matthews (1992: 490).

Cyphelops Fairmaire, 1901a: 73 [M]. Type species: *Cyphelops inflatus* Fairmaire, 1901, by monotypy. Status: junior synonym of *Miotodera* Fairmaire, 1901 in Stenochiinae: Stenochiini. Synonymy: Chatanay (1915a: 526).

Cyphogenia Solier, 1837a: 638, 677 [F]. Type species: *Tenebrio auritus* Pallas, 1781, by monotypy. Status: valid genus and subgenus in Pimeliinae: Akidini.

Cyphonotus Guérin-Méneville, 1831a: pl. 5 [M]. Type species: *Cyphonotus dromedarius* Guérin-Méneville, 1831, by monotypy. Status: senior synonym of *Homocyrtus* Dejean, 1834 in Tenebrionidae: incertae sedis. Note: junior homonym of *Cyphonotus* Fischer, 1823 [Coleoptera: Scarabaeidae].

Cyphostethe Marseul, 1866: xxxix [F]. Type species: *Himatismus ferrugineus* Marseul, 1866, by subsequent designation (Gebien 1937a: 573). Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Cyphostethoides Löbl & Merkl in Löbl et al., 2020: 3 [M]. Type species: *Cyphostethe brunnea* Kaszab, 1962, by original designation. Status: valid subgenus of *Cyphostethe* Marseul, 1866 in Pimeliinae: Tentyriini. Note: name first proposed by Kaszab (1979c: 273) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl and Merkl (2003: 244) designated *Cyphostethe brunnea* Kaszab, 1962 as the type species of Kaszab's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Cyptus Gerstaecker, 1871: 61 [M]. Type species: *Cyptus scabrosus* Gerstaecker, 1871, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Cyriogeton Pascoe, 1871: 356 [M]. Type species: *Cyriogeton insignis* Pascoe, 1871, by monotypy. Status: valid subgenus of *Plesiophthalmus* Motschulsky, 1857 in Tenebrioninae: Amarygmini.

Cyrta Lacordaire, 1859: 724 [F]. Type species [automatic]: *Cirsa striaticollis* P.H. Lucas, 1857, by monotypy. Status: junior synonym of *Cirsa* P.H. Lucas, 1857 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Cirsa* P.H. Lucas, 1857, not in prevailing usage.

Cyrtoderes Dejean, 1834: 181 [M]. Type species: *Sepidium lacunosum* Thunberg, 1784 (= *Tenebrio cristatus* DeGeer, 1778), by subsequent designation (Bousquet and Bouchard 2013a: 45). Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Cyrtomius Casey, 1907: 379 [M]. Type species: *Cyrtomius cavicauda* Casey, 1907 (= *Epitragus plicatus* Champion, 1884), by original designation. Status: valid genus and subgenus in Pimeliinae: Epitragini.

Cyrtosoma Perty, 1830: 59 [N]. Type species: *Cyrtosoma unicolor* Perty, 1830, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cyrtostrongylium Blair, 1929a: 246 [N]. Type species: *Cyrtostrongylium rhysopaussoides* Blair, 1929 (= *Macrosynopticus costatus* Pic, 1922), by monotypy. Status: junior synonym of *Macrosynopticus* Pic, 1922 in Tenebrioninae: Amarygmini. Synonymy: Pic (1930d: 12).

Cyrtotyche Pascoe, 1866a: 469 [F]. Type species: *Cyrtotyche satanas* Pascoe, 1866, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Cyrtotyctus Kolbe, 1897a: 241 [M]. Type species: *Cyrtotyctus osdaroides* Kolbe, 1897, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Dactylocalcar Gebien, 1938b: 46 [N]. Type species: *Dactylocalcar caecus* Gebien, 1938, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Daedrosis Bates, 1868: 266 [F]. Type species: *Daedrosis crenatostriata* Bates, 1868, by subsequent designation (R. Lucas 1920: 224). Status: valid genus in Lagriinae: Adeliini.

Dailognatha Steven, 1828: 88 [F]. Type species: *Tentyria aequalis* Tauscher, 1812, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Dalmanius Bremer, 2001b: 90, 95 [M]. Type species: *Dalmanius peregrinus* Bremer, 2001, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Damatris Laporte, 1840: 224 [F]. Type species: *Tetraphyllus formosus* Laporte & Brullé, 1831, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Danielomira Weise, 1974: 119 [F]. Type species: *Isomira cantabrica* Weise, 1974, by original designation. Status: valid subgenus of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina.

Danodema Gebien, 1925c: 570 [F]. Type species: *Danodema subcalva* Gebien, 1925, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Daochus Champion, 1886: 139 [M]. Type species: *Daochus mandibularis* Champion, 1886, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Dasus Motschulsky, 1845a: 78 [M]. Type species: *Opatrum fuscum* Herbst, 1793 (= *Opatrum rusticum* G.-A. Olivier, 1812), by original designation. Status: junior synonym of *Gonocephalum* Solier, 1834 in Blaptinae: Opatrini: Opatrina. Synonymy: Bedel (1894: 154).

Dasyplonyx Bremer, 2014a: 37 [M]. Type species: *Cyriogeton maculosus* Pic, 1922, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Dasytoxystropus Pic, 1921b: 12 [M]. Type species: *Dasytoxystropus subparallelus* Pic, 1921, by original designation. Status: valid genus in Alleculinae: Alleculini: Xystropodina.

Dauresia Ferrer, 2001: 187 [F]. Type species: *Dauresia montisusti* Ferrer, 2001, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Davaona Borchmann, 1930a: 442, 524 [F]. Type species: *Casnonidea perforata* Borchmann, 1913, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Debeauxiella Bouchard & Bousquet, **new subgenus** [F]. Type species: *Pachycera angulophthalma* Koch, 1943, by **present designation**. Status: valid subgenus of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: Koch (1943a: 524, 546) introduced the new subgenus name *Debeauxiella* for three nominal species, but unfortunately did not designate a type species; the subgenus *Debeauxiella*, which has been treated as valid since 1943, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Pachycera angulophthalma* Koch, 1943 as type species and referring to Koch (1943a: 524) for the character states that characterise and differentiate *Debeauxiella*.

Dechius Pascoe, 1866a: 455 [M]. Type species: *Dechius aphodioides* Pascoe, 1866 (= *Tenebrio cancellatus* Montrouzier, 1860), by monotypy. Status: junior synonym of *Scotoderus* Perroud & Montrouzier, 1865 in Stenochiinae: Cnodalonini. Synonymy: Bates (1873f: 473).

Dechiustes Blair, 1940: 137 [M]. Type species: *Dechiustes carolinensis* Blair, 1940, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Decialma Pascoe, 1869: 288, 291 [F]. Type species: *Decialma tenuitarsis* Pascoe, 1869, by monotypy. Status: junior synonym of *Olisthaena* Erichson, 1842 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1913a: 62).

Decoriplus Louw, 1979: 117, 120 [M]. Type species: *Psammodes pictus* Haag-Rutenberg, 1871, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Oxurina.

Delognatha Agassiz, 1846b: 116, 118 [F]. Type species [automatic]: *Tentyria aequalis* Tauscher, 1812, by monotypy. Status: junior synonym of *Dailognatha* Steven, 1828 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Dailognatha* Steven, 1828, not in prevailing usage; suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy and placed on the Official Index of Rejected and Invalid Generic Names in Zoology by the ICZN (2010b, Opinion 2250).

Delognatha Lacordaire, 1859a: 315 [F]. Type species: *Delognatha lacordairei* Lacordaire, 1859, by subsequent designation (Gebien 1940: 756). Status: valid genus in Phrenapatinae: Phrenapatini. Note: the senior homonym *Delognatha* Agassiz, 1846, an unjustified emendation of *Dailognatha* Steven, 1828 [Coleoptera: Tenebrionidae: Pimeliinae: Tentyriini], was placed on the Official Index of Rejected and Invalid Generic Names in Zoology and suppressed for the purposes of both the Principle of Priority and the Principle of Homonymy by the ICZN (2010b, Opinion 2250).

Delonurops Reitter, 1922a: 24, 25 [M]. Type species: *Entomogonus clavimanus* Reitter, 1903, by subsequent designation (Iablokoff-Khnzorian 1964: 304). Status: valid subgenus of *Entomogonus* Solier, 1848 in Tenebrioninae: Helopini: Helopina.

Delopygus J.L. LeConte, 1866b: 129 [M]. Type species: *Delopygus crenatus* J.L. LeConte, 1866, by monotypy. Status: junior synonym of *Eutochia* J.L. LeConte, 1862 in Tenebrioninae: Ulomini. Synonymy: Horn (1870: 372).

Dema Gistel, 1848a: xi [F]. Type species [automatic]: *Opatrum clathratum* Fabricius, 1787, by monotypy. Status: junior synonym of *Opatrinus* Dejean, 1821 in Blaptinae: Platynotini: Platynotina. Note: unnecessary replacement name for *Opatrinus* Dejean 1821.

Demtrius Broun, 1895: 243 [M]. Type species: *Demtrius carinulatus* Broun, 1895, by monotypy. Status: valid genus in Tenebrioninae: Titaenini. Note: placed in Titaenini by Matthews (2003b: 13).

Dendarophylan Español, 1945: 312, 313 [M]. Type species: *Phylan pardoi* Español, 1945, by original designation. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Dendaroscelis Reitter, 1904: 79 [F]. Type species: *Dendarus serripes* Reitter, 1904, by monotypy. Status: valid subgenus of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina.

Dendarus Dejean, 1821: 65 [M]. Type species: *Helops tristis* Rossi, 1790, by subsequent designation (Blanchard 1844: pl. 48). Status: valid genus and subgenus in Blaptinae: Dendarini: Dendarina. Note: as pointed out by Silfverberg (1984: 59) and Löbl et al. (2008a: 41) the *Helops tristis* Herbst of Laporte (1840) (= *Pandarus coarcticollis* Mulsant, 1854) was used as the type species of *Dendarus* (e.g., Gebien 1938a: 299) because *Helops tristis* Rossi, 1790 was treated as a nomen dubium; however, the *Helops tristis* Herbst of Laporte (1840), in addition to being nomenclaturally unavailable, was not originally included in *Dendarus* Dejean, 1821 and therefore cannot be used as the type species; the earliest, and valid, type species designation is that of Blanchard (1844: pl. 48, as "*Pedinus* (*Dendarus*) *tristis* Rossi").

Dendroscopius Gistel, 1848a: 125 [M]. Type species [automatic]: *Trogossita thoracica* Fabricius, 1792, by monotypy. Status: junior synonym of *Bius* Dejean, 1834 in Tenebrioninae: Tenebrionini. Note: unnecessary replacement name for *Bius* Dejean, 1834.

Dengitha Reitter, 1887b: 516 [F]. Type species: *Dengitha lutea* Reitter, 1887, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Dentatoploedipus Kaszab, 1984: 355, 383 [M]. Type species: *Dentatoploedipus sembilanicus* Kaszab, 1984, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Dentibirus G.S. Medvedev, 1968a: 170, 204 [M]. Type species: *Heliopates pusillus* Ménétriés, 1849, by original designation. Status: junior synonym of *Cabirutus* Strand, 1929 in Blaptinae: Pedinini: Pedinina. Synonymy: Kamiński and Iwan (2017: 595).

Deplanchesia Fauvel, 1860: 310 [F]. Type species: *Deplanchesia metallescens* Fauvel, 1860, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Deretus Gahan, 1900: 10 [M]. Type species: *Deretus denticollis* Gahan, 1900, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Deriles Motschulsky, 1872: 24 [M]. Type species: *Upis excavata* Herbst, 1797, by original designation. Status: valid subgenus of *Amenophis* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Note: we act as First Revisers and reject the alternative original spelling *Derilis*, used by Motschulsky (1872: 27).

Derispia Lewis, 1894: 389 [F]. Type species: *Diaperis maculipennis* Marseul, 1876, by original designation. Status: valid genus in Diaperinae: Leiochrinini.

Derispiella Kaszab, 1961a: 357, 364 [F]. Type species: *Derispiella hingstoni* Kaszab, 1961, by original designation. Status: valid genus in Diaperinae: Leiochrinini.

Derispiola Kaszab, 1946a: 30, 115 [F]. Type species: *Derispiola fruhstorferi* Kaszab, 1946, by original designation. Status: valid genus in Diaperinae: Leiochrinini. Note: *Derispiola* was used earlier by Gebien (1940: 434) but is unavailable from that date because it was published without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1).

Derispiolina Kaszab, 1979b: 279 [F]. Type species: *Derispiolina pterolomoides* Kaszab, 1979, by original designation. Status: junior synonym of *Falsotithassa* Pic, 1934 in Lagriinae: Lupropini. Synonymy: Schawaller (2000: 2).

Derolagria Borchmann, 1916a: 61 [F]. Type species: *Lagria plicatula* Borchmann, 1909, by subsequent designation (Borchmann 1936: 151). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Deroplatus Solier, 1851: 133 [M]. Type species: *Geoborus costatus* Blanchard, 1842, by subsequent designation (Gebien 1937a: 563). Status: junior synonym of *Geoborus* Blanchard, 1842 in Pimeliinae: Epitragini. Synonymy: Lacordaire (1859a: 77).

Derosalax Gebien, 1926: 85 [M]. Type species: *Derosalax bruchi* Gebien, 1926, by monotypy. Status: valid genus in Pimeliinae: Trilobocarini.

Derosimus Fairmaire, 1904a: 62 [M]. Type species: *Derosimus quadricollis* Fairmaire, 1904, by monotypy. Status: junior synonym of *Rhypasma* Pascoe, 1862 in Lagriinae: Belopini. Synonymy: Blair (1935a: 104).

Derosphaerius Westwood, 1881: 362 [M]. Type species: *Derosphaerius anthracinus* Westwood, 1881, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Derosphaerus J. Thomson, 1858: 99 [M]. Type species: *Derosphaerus globicollis* J. Thomson, 1858, by subsequent designation (R. Lucas 1920: 233). Status: valid genus in Stenochiinae: Cnodalonini. Note: nomen protectum (see Bouchard and Bousquet 2020b: 6).

Derostethe Koch, 1950b: 285 [F]. Type species: *Himatismus punctatissimus* Haag-Rutenberg, 1870, by original designation. Status: valid subgenus of *Cyphostethe* Marseul, 1866 in Pimeliinae: Tentyriini.

Derostira Fairmaire, 1897b: 388 [F]. Type species: *Derostira crenulipennis* Fairmaire, 1897, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Derostirostaius Borchmann, 1936: 477 [M]. Type species: *Derostira laticollis* Pic, 1913, by original designation. Status: valid subgenus of *Staius* Fairmaire, 1896 in Lagriinae: Lagriini: Statirina. Note: first proposed by Pic (1934: 32) without original type species designation; it is therefore unavailable from that date (ICZN 1999, Article 13.3).

Derostrophus Fairmaire, 1888a: 186 [M]. Type species [automatic]: *Derosphaerius anthracinus* Westwood, 1881, by monotypy. Status: junior synonym of *Derosphaerius* Westwood, 1881 in Pimeliinae: Tentyriini. Note: unnecessary replacement name for *Derosphaerius* Westwood, 1881.

Desertosochrus Koch, 1958: 149 [M]. Type species: *Drosochrus piligaster* Koch, 1958, by original designation. Status: valid subgenus of *Drosochrus* Erichson, 1843 in Blaptinae: Pedinini: Helopinina.

Diabolicobates Pic, 1930b: 30 [M]. Type species: *Diabolicobates cornutus* Pic, 1930 (= *Mechanetes platitubera* Kaszab, 1941), by monotypy. Status: junior synonym of *Mechanetes* C.O. Waterhouse, 1887 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1941a: 43).

Diachoriops Ando, 2020: 8 [M]. Type species [automatic]: *Schizomma cucumericola* Gebien, 1921, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Schizomma* Gebien, 1921.

Diacis Koch, 1955a: 105 [M]. Type species: *Trachynotus regalis* Haag-Rutenberg, 1876, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Diaclina Jacquelin du Val, 1861: 296 [F]. Type species: *Tenebrio chrysomelinus* Herbst, 1799 (= *Tenebrio testudineus* Piller & Mitterpacher, 1783), by original designation. Status: valid genus in Tenebrioninae: Alphitobiini.

Diaderma Koch, 1960: 399, 405 [N]. Type species: *Diaderma punticum* Koch, 1960, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Diaperis Geoffroy, 1762: 337 [F]. Type species: *Chrysomela boleti* Linnaeus, 1758, by subsequent monotypy (Müller 1776: 74; see ICZN 1994a, Opinion 1754). Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: originally proposed without included nominal species; placed on the Official List of Generic names in Zoology by the ICZN (1994a, Opinion 1754).

Diaphanidus Reitter, 1900b: 299, 301 [M]. Type species: *Arthrodeis antennatus* Reitter, 1894, by subsequent designation (R. Lucas 1920: 235). Status: valid genus and subgenus in Pimeliinae: Erodiini.

Diaspirus Matthews, 1998: 704, 759 [M]. Type species: *Diaspirus bellendenus* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Diastanus Fairmaire, 1902b: 338 [M]. Type species: *Diastanus nitidiventris* Fairmaire, 1902, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Diastixus Allard, 1876a: 5 [M]. Type species: *Helops punctipennis* P.H. Lucas, 1846 (= *Helops heteromorphus* P.H. Lucas, 1846), by subsequent designation (Nabozhenko 2008: 38). Status: junior synonym of *Nesotes* Allard, 1876 in Tenebrioninae: Helopini: Helopina. Synonymy: Antoine (1949: 134).

Diastoleus Solier, 1838b: 8, 67 [M]. Type species: *Scotobius collaris* Guérin-Méneville, 1834, by original designation. Status: valid genus in Tenebrioninae: Scotobiini.

Diastolinus Mulsant & Rey, 1859a: 70, 74 [M]. Type species: *Blaps clathrata* Fabricius, 1792, by subsequent designation (R. Lucas 1920: 236). Status: valid genus in Blaptinae: Opatrini: Blapstinina. Note: the First Revisers (*Diastolinus* Mulsant & Rey, 1859 versus *Sellio* Mulsant & Rey, 1859) are Ivie and Hart (2016: 468).

Diceroderes Solier, 1841b: 30, 46 [M]. Type species: *Diceroderes mexicanus* Solier, 1841, by original designation. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Dichastops Gerstaecker, 1871: 63 [M]. Type species: *Dichastops subaeneus* Gerstaecker, 1871, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Dichillesthes Reitter, 1916d: 156 [F]. Type species: *Dichillus cordicollis* Reitter, 1886, by monotypy. Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Dichillinus Reitter, 1916d: 156, 161 [M]. Type species: *Tagenia pusilla* Ménétriés, 1849, by subsequent designation (G.S. Medvedev 1975: 599). Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Dichillocerus Reitter, 1916d: 155, 167 [M]. Type species: *Hyperops pertusus* Kiesenwetter, 1861, by subsequent designation (G.S. Medvedev 1975: 603). Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Dichillodontus Reitter, 1916d: 156, 166 [M]. Type species: *Dichillus adriani* Reitter, 1916, by monotypy. Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Dichillomessor Reitter, 1916d: 155 [M]. Type species: *Dichillus himalayanus* Fairmaire, 1896, by subsequent designation (G.S. Medvedev 1975: 594). Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Dichillus Jacquelin du Val, 1860: 253 [M]. Type species: *Tagenia minuta* Solier, 1838, by original designation. Status: valid genus and subgenus in Pimeliinae: Stenosini: Dichillina.

Dichomma Solier, 1835b: 253, 271 [N]. Type species: *Dichomma maillei* Solier, 1835 (= *Tentyria dardana* Steven, 1828), by subsequent designation (Jacquelin du Val 1860: 249). Status: valid genus in Pimeliinae: Tentyriini.

Dichotymus Fairmaire, 1891f: ccxcv [M]. Type species: *Dichotymus striatipennis* Fairmaire, 1891, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Dichromma Mulsant & Rey, 1855: 94 [N]. Type species: *Pandarinus foraminosus* Mulsant & Rey, 1855, by monotypy. Status: junior synonym of *Paroderus* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Dendarina. Synonymy: Reitter (1904: 89, through placement of the type species in *Paroderus* Mulsant & Rey, 1854).

Dichtha Haag-Rutenberg, 1871: 39 [F]. Type species: *Cryptogenius inflatus* Gerstaecker, 1854, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Dicraeosis Gebien, 1911a: 355 [F]. Type species [automatic]: *Dicraeus bacillus* Marseul, 1876, by monotypy. Status: junior synonym of *Stenochinus* Motschulsky, 1860 in Stenochiinae: Cnodalonini. Note: replacement name for *Dicraeus* Marseul, 1876.

Dicraeus Marseul, 1876: 103 [M]. Type species: *Dicraeus bacillus* Marseul, 1876, by monotypy. Status: junior synonym of *Stenochinus* Motschulsky, 1860 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1925a: 79). Note: junior homonym of *Dicraeus* Loew, 1873 [Diptera].

Dictysomorphus Pic, 1921d: 24 [M]. Type species: *Dictysomorphus dentaticornis* Pic, 1921, by monotypy. Status: junior synonym of *Ceropria* Laporte & Brullé, 1831 in Diaperinae: Diaperini: Diaperina. Synonymy: Kaszab (1983a: 132).

Dictysus Rye, 1874: 281 [M]. Type species [automatic]: *Dietysus confusus* Pascoe, 1866 (= *Cnodalon metallicum* Perty, 1831), by monotypy. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Note: unjustified emendation for *Dietysus* Pascoe, 1866, not in prevailing usage.

Dicyrtodes Matthews, 1998: 706, 740 [M]. Type species: *Dicyrtodes arneius* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Dicyrtus Duponchel, 1844a: 5 [M]. Type species: *Dicyrtus gibbosus* Duponchel, 1844, by monotypy. Status: valid genus in Stenochiinae: Stenochiini. Note: combined description of a new genus and single new species (ICZN 1999, Article 12.2.6).

Diemenoma Matthews, 1998: 707, 710 [F]. Type species: *Adelium commodum* Pascoe, 1869, by original designation. Status: valid genus in Lagriinae: Adeliini.

Diesia Fischer, 1820: pl. 14 [F]. Type species: *Diesia quadridentata* Fischer, 1820, by subsequent designation (Hope 1841: 118). Status: valid genus in Pimeliinae: Pimeliini.

Diesiola Skopin, 1961a: 397, 398 [F]. Type species: *Diesia quadridentata* Fischer, 1820, by original designation. Status: junior synonym of *Diesia* Fischer, 1820 in Pimeliinae: Pimeliini. Synonymy: Skopin (1971: 328).

Diestecopus Solier, 1848: 152, 194 [M]. Type species: *Diestecopus erodioides* Solier, 1848, by original designation. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Diestesoma Péringuey, 1904: 271 [N]. Type species: *Diestesoma pulchrum* Péringuey, 1904, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Diestica Pascoe, 1868: xii [F]. Type species: *Diestica viridipennis* Pascoe, 1868, by monotypy. Status: junior synonym of *Poecilesthus* Dejean, 1834 in Stenochiinae: Stenochiini. Synonymy: Gebien (1911b: 589).

Dietomorpha Reymond, 1938: 143 [F]. Type species: *Dietomorpha pardalis* Reymond, 1938, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Dietopsis Solier, 1835a: 236 [F]. Type species: *Allecula solieri* Laporte, 1840, by subsequent monotypy (Laporte 1840: 243). Status: valid subgenus of *Allecula* Fabricius, 1801 in Alleculinae: Alleculini: Alleculina. Note: originally proposed without included nominal species; Laporte (1840: 243), by describing one new species *Allecula solieri* Laporte, 1840 in association with the subgenus "*Dietopsis* Sol.", was the first author to subsequently and expressly include nominal species in *Dietopsis* (ICZN 1999, Article 67.2.2).

Dietysus Pascoe, 1866a: 486 [M]. Type species: *Dietysus confusus* Pascoe, 1866 (= *Cnodalon metallicum* Perty, 1831), by monotypy. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Gebien (1921a: 409).

Dignamptus J.L. LeConte, 1878: 421 [M]. Type species: *Dignamptus stenochinus* J.L. LeConte, 1878, by subsequent designation (Bousquet et al. 2018: 325). Status: junior synonym of *Talanus* Jacquelin du Val, 1857 in Stenochiinae: Talanini. Synonymy: Champion (1887: 321).

Dignathosis Koch, 1958: 75 [F]. Type species: *Dignathosis arcana* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Dila Fischer von Waldheim, 1844: 111 [F]. Type species: *Blaps laevicollis* Gebler, 1841, by subsequent designation (Motschulsky 1860c: 530). Status: valid genus in Blaptinae: Blaptini: Blaptina.

Dilablaps Bogatchev, 1976: 98 [F]. Type species: *Dilablaps paradoxa* Bogatchev, 1976, by original designation. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Dilamus Jacquelin du Val, 1861: 279 [M]. Type species: *Boros rufipes* P.H. Lucas, 1846, by original designation. Status: valid genus and subgenus in Blaptinae: Opatrini: Ammobiina.

Dillacerus Solier, 1835: 497 [M]. Type species: *Dillacerus duponti* Solier, 1835 (= *Dolichoderus acuminatus* Klug, 1833), by monotypy. Status: senior synonym of *Macellocerus* Solier, 1848 in Tenebrioninae: Toxicini: Nycteropina. Note: discovery of this forgotten name threatens the stability of the junior synonym *Macellocerus* Solier, 1848; although *Dillacerus* Solier, 1835 has not been used as valid in the literature after 1899, we could not find usage of *Macellocerus* Solier, 1848 in at least 25 works, published by at least ten authors in the immediately preceding 50 years, and therefore reversal of precedence cannot be used to treat *Dillacerus* Solier, 1835 as a nomen oblitum; we recommend that an application be submitted to the International Commission on Zoological Nomenclature to conserve usage of *Macellocerus* Solier, 1848, a genus that includes approximately 50 valid species.

Dilopersina Reitter, 1909a: 117 [F]. Type species: *Prosodes jakowlewi* Semenov, 1894, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Dimeriseis Solier, 1834: 530 [F]. Type species: *Erodius laevigatus* G.-A. Olivier, 1792, by subsequent designation (Löbl et al. 2008a: 41). Status: valid subgenus of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini.

Dimoniacis Koch, 1958: 44 [F]. Type species: *Dimoniacis jacksoni* Koch, 1958, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Dimorphochilus Borchmann, 1908: 352 [M]. Type species: *Dimorphochilus apicalis* Borchmann, 1908, by subsequent designation (R. Lucas 1920: 240). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Dinax Gistel, 1848a: xi [M]. Type species [automatic]: *Erotylus fasciatus* Fabricius, 1781, by subsequent designation (Hope 1841: 133). Status: junior synonym of *Poecilesthus* Dejean, 1834 in Stenochiinae: Stenochiini. Note: unnecessary replacement name for *Poecilesthus* Dejean, 1834.

Dineria Motschulsky, 1860c: 530 [F]. Type species: *Blaps confusa* Ménétriés, 1832 (= *Blaps halophila* Fischer, 1820), by subsequent designation (G.S. Medvedev and Iwan 2006: 617). Status: valid subgenus of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina.

Dinomus Brême, 1842a: 113 [M]. Type species: *Dinomus perforatus* Brême, 1842, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Dinoria Pascoe, 1869: 141 [F]. Type species: *Dinoria picta* Pascoe, 1869, by monotypy. Status: junior synonym of *Brycopia* Pascoe, 1869 in Lagriinae: Adeliini. Synonymy: Carter (1920a: 238).

Dinoscelis Gerstaecker, 1854: 533 [F]. Type species: *Dinoscelis passerinii* Gerstaecker, 1854, by monotypy. Status: valid subgenus of *Pycnocerus* Westwood, 1841 in

Lagriinae: Pycnocerini. Note: combined description of a new genus and single new species (ICZN 1999, Article 12.2.6).

Diodontes Solier, 1834: 508, 518 [M]. Type species: *Diodontes porcatus* Solier, 1834, by subsequent designation (Hope 1841: 114). Status: valid genus in Pimeliinae: Erodiini.

Dioedus J.L. LeConte, 1862: 238 [M]. Type species: *Dioedus punctatus* J.L. LeConte, 1862, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Diopethes Pascoe, 1882: 32 [M]. Type species: *Diopethes arachnoides* Pascoe, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Diopoenus Champion, 1888: 445 [M]. Type species: *Diopoenus compressicornis* Champion, 1888, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Diorhychina Borchmann, 1936: 239, 472 [F]. Type species: *Diorhychina perforata* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Dioscoridemus Koch, 1970: 115 [M]. Type species: *Dioscoridemus vonhayekae* Koch, 1970, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Dioxycula Fairmaire, 1896c: 115 [F]. Type species: *Dioxycula aranea* Fairmaire, 1896, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Diphyrrhynchus Fairmaire, 1849: 445 [M]. Type species: *Diphyrrhynchus chalceus* Fairmaire, 1849, by monotypy. Status: valid genus in Blaptinae: Opatrini: Heterotarsina. Note: *Diphyrrhynchus* is an incorrect subsequent spelling of the original spelling *Diphyrhynchus*, first used by Gemminger in Gemminger and Harold (1870: 1955), and in prevailing usage; *Diphyrrhynchus* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Diplocyrtus Quedenfeldt, 1887: 257 [M]. Type species: *Diplocyrtus floccosus* Quedenfeldt, 1887, by monotypy. Status: valid genus in Tenebrioninae: Apocryphini.

Diprosodes Reitter, 1909a: 115 [M]. Type species: *Prosodes biformis* Semenov, 1894, by subsequent designation (G.S. Medvedev 1997: 570). Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Dirosis Miller, 1858: 115 [F]. Type species: *Dirosis nervosa* Miller, 1858 (= *Erodius servillei* Solier, 1834), by monotypy. Status: valid subgenus of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini.

Dischidus Kolbe, 1886: 297 [M]. Type species: *Helops sinuatus* Fabricius, 1801 (= *Tenebrio laevigatus* Fabricius, 1781), by **present designation**. Status: junior synonym of *Taraxides* C.O. Waterhouse, 1876 in Stenochiinae: Cnodalonini. Synonymy: Champion (1891: 637). Note: the original combination of the accepted name of the type species, *Tenebrio laevigatus* Fabricius, 1781, is a junior primary homonym of *Tenebrio laevigatus* Linnaeus, 1767.

Dischizillus Wasmann, 1902: 244 [M]. Type species [automatic]: *Schizillus rogersi* Wasmann, 1899, by monotypy. Status: junior synonym of *Pseudethas* Fairmaire, 1896 in Pimeliinae: Stenosini: Dichillina. Note: replacement name for *Schizillus* Wasmann, 1899.

Discodemus J.L. LeConte, 1862: 223 [M]. Type species: *Zophosis reticulata* Say, 1824, by monotypy. Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: J.L. LeConte (1866a: 60).

Discogenia J.L. LeConte, 1866b: 117 [F]. Type species: *Eleodes scabricula* J.L. LeConte, 1858, by subsequent designation (Bousquet et al. 2018: 149). Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Discopleurus Lacordaire, 1859a: 105 [M]. Type species [automatic]: *Pleurophorus quadricollis* Solier, 1851, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina. Note: replacement name for *Pleurophorus* Solier, 1851.

Discotus Reitter, 1904: 161 [M]. Type species: *Opatrum dilectans* Faldermann, 1836, by subsequent designation (G.S. Medvedev 1990: 185). Status: valid subgenus of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina.

Disema Mäklin, 1875: 646 [F]. Type species: *Disema bimaculata* Mäklin, 1875, by subsequent designation (R. Lucas 1920: 244). Status: valid genus in Lagriinae: Lagriini: Statirina.

Disemorpha Pic, 1917f: 16 [F]. Type species: *Disemorpha ciliata* Pic, 1917, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Dissonomus Jacquelin du Val, 1861: 280 [M]. Type species [automatic]: *Heliopates picipes* Faldermann, 1837, by subsequent designation (Gebien 1938a: 397). Status: valid genus and subgenus in Tenebrioninae: Dissonomini. Note: replacement name for *Heterophylus* Mulsant & Rey, 1859.

Distretus Haag-Rutenberg, 1871: 42 [M]. Type species: *Moluris amplipennis* Fåhraeus, 1870, by subsequent designation (Rye 1873: 287). Status: valid genus and subgenus in Pimeliinae: Sepidiini: Molurina.

Ditaphronotus Casey, 1907: 289, 341 [M]. Type species: *Emmenastus foveicollis* Champion, 1884, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Diversogria Pic, 1954: 229 [F]. Type species: *Heterogria lepersonnei* Pic, 1954, by original designation. Status: junior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Synonymy: Merkl (2004: 285).

Dividiopsa Koch, 1944a: 158 [F]. Type species: *Gnophota angolensis* Harold, 1879, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Divieta Reitter, 1914c: 390 [F]. Type species: *Vieta costata* Allard, 1874, by subsequent designation (Löbl et al. 2008a: 41). Status: junior synonym of *Vieta* Laporte, 1840 in Pimeliinae: Sepidiini: Sepidiina. Synonymy: Lesne (1922: 696).

Doderoella Schuster, 1926: 133 [F]. Type species: *Doderoella cyrenaica* Schuster, 1926, by monotypy. Status: junior synonym of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini. Synonymy: Kwieton (1982: 35).

Dolamara Reichardt, 1935: 251 [F]. Type species: *Melanimon cupreomicans* Reitter, 1915, by original designation. Status: valid genus in Tenebrioninae: Melanimonini.

Dolichasida Reitter, 1917a: 40, 58 [F]. Type species: *Asida moraguezi* Schaufuss, 1879, by subsequent designation (Wilke 1922: 258). Status: junior synonym of *Asida* Latreille, 1802 in Pimeliinae: Asidini. Synonymy: Gebien (1937a: 733; with *Insulasida* Escalera, 1922, a junior synonym of *Asida* Latreille, 1802).

Dolichoderus Klug, 1833: 87 [M]. Type species: *Dolichoderus acuminatus* Klug, 1833, by monotypy. Status: senior synonym of *Macellocerus* Solier, 1848 in Tenebrioninae: Toxicini: Nycteropina. Note: junior homonym of *Dolichoderus* Lund, 1831 [Hymenoptera].

Doliema Pascoe, 1860a: 50 [N]. Type species: *Doliema platisoides* Pascoe, 1860, by monotypy. Status: junior synonym of *Adelina* Dejean, 1835 in Diaperinae: Diaperini: Adelinina. Synonymy: Fleutiaux and Sallé (1890: 428), Spilman (1973: 40).

Doliodesmus Spilman, 1967: 149 [M]. Type species: *Doliodesmus charlesi* Spilman, 1967, by monotypy. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Doliopines Horn, 1894: 427 [M]. Type species: *Doliopines cucujinus* Horn, 1894, by monotypy. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Dolphus Blanchard, 1847: pl. 11 [M]. Type species: *Dolphus globipennis* Blanchard, 1847, by monotypy. Status: valid genus in Tenebrioninae: Helopini: incertae sedis.

Donaciolagria Pic, 1914b: 14 [F]. Type species: *Donaciolagria impressipennis* Pic, 1914, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Donisiellus Bremer, 1992: 111, 113 [M]. Type species: *Donisiellus decellei* Bremer, 1992, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Doranalia Novák, 2020c: 481 [F]. Type species: *Cistela rufipennis* Marseul, 1876, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Dordanea Reitter, 1887a: 357 [F]. Type species: *Dordanea elegans* Reitter, 1887, by monotypy. Status: valid subgenus of *Microdera* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Dorelogena Péringuey, 1904: 280 [F]. Type species: *Dorelogena castanea* Péringuey, 1904, by subsequent designation (R. Lucas 1920: 248). Status: valid genus in Stenochiinae: Stenochiini.

Dorota Novák, 2018c: 452 [F]. Type species: *Allecula rufoposticalis* Pic, 1944, by original designation. Status: valid genus in Alleculina: Alleculini: Alleculina.

Dorrigonum Matthews, 1998: 708, 752 [N]. Type species: *Licinoma umbilicata* Carter, 1924, by original designation. Status: valid genus in Lagriinae: Adeliini.

Doryagus Pascoe, 1887: 12 [M]. Type species: *Doryagus talpa* Pascoe, 1887, by monotypy. Status: junior synonym of *Stizopus* Erichson, 1843 in Blaptinae: Opatrini: Stizopodina. Synonymy: Gebien (1920: 120).

Doyenia Matthews & Lawrence, 2005: 532 [F]. Type species: *Doyenia crematogastri* Matthews & Lawrence, 2005, by original designation. Status: valid genus in Lagriinae: Belopini.

Doyenus Iwan, 1996: 385, 386 [M]. Type species: *Doyenus uncus* Iwan, 1996, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Drepanomela Borchmann, 1936: 119 [F]. Type species: *Lagria cribratula* Schaufuss, 1887, by original designation. Status: valid subgenus of *Cerogria* Borchmann, 1911 in Lagriinae: Lagriini: Lagriina.

Drocleana Bates, 1879a: 291 [F]. Type species: *Camaria chalcoptera* Klug, 1833, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Drosochrus Erichson, 1843: 243 [M]. Type species: *Drosochrus brunnipes* Erichson, 1843, by subsequent designation (Gebien 1943: 910). Status: valid genus and subgenus in Blaptinae: Pedinini: Helopinina.

Dryadigmus Bremer, 2007: 26 [M]. Type species: *Amarygmus cechovskyi* Bremer, 2007, by original designation. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Duocula Novák, 2019f: 56 [F]. Type species: *Oracula clara* Novák, 2019, by original designation. Status: valid subgenus of *Oracula* Novák, 2019 in Alleculinae: Alleculini: Alleculina.

Durandius Kaszab, 1970c: 115 [M]. Type species: *Durandius ardoini* Kaszab, 1970, by original designation. Status: valid genus in Pimeliinae: Cnemeplatiini: Rondoniellina.

Durasida Reitter, 1917a: 9, 14 [F]. Type species: *Tenebrio silphoides* Linnaeus, 1767, by subsequent designation (F. Soldati 2008: 32). Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Dymonus Solier, 1843: 7, 121 [M]. Type species: *Sepidium vestitum* Guérin-Méneville, 1831, by original designation. Status: junior synonym of *Vieta* Laporte, 1840 in Pimeliinae: Sepidiini: Sepidiina. Synonymy: Lacordaire (1859a: 205).

Dysantes Pascoe, 1869: 31 [M]. Type species: *Diceroderes elongatus* Redtenbacher, 1868, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina. Note: this name is not a junior homonym of *Dysantes* Forster, 1869 [Hymenoptera], as previously reported in the literature, since the name in Coleoptera was published 1 January 1869 whereas the name in Hymenoptera was issued in May 1869 (see Bouchard and Bousquet 2020a: 101 for additional comments).

Dysarchus Pascoe, 1866a: 449 [M]. Type species: *Dysarchus odewahnii* Pascoe, 1866, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Dysceladus C.O. Waterhouse, 1875: 411 [M]. Type species: *Dysceladus tuberculatus* C.O. Waterhouse, 1875 (= *Polposipus herculeanus* Solier, 1848), by monotypy. Status: junior synonym of *Polposipus* Solier, 1848 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1922b: 268, 311).

Dysgena Mäklin, 1863b: 558 [F]. Type species: *Dysgena lugubris* Mäklin, 1863, by subsequent designation (R. Lucas 1920: 252). Status: valid genus in Tenebrioninae: Praeugenini.

Dysodera Borchmann, 1936: 238, 470 [F]. Type species: *Dysodera methneri* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Dysopinus Borchmann, 1936: 236, 379 [M]. Type species: *Nemostira serra* Borchmann, 1913, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Dystalica Pascoe, 1869: 142 [F]. Type species: *Dystalica homogenea* Pascoe, 1869, by monotypy. Status: junior synonym of *Adelium* W. Kirby, 1819 in Lagriinae: Adeliini. Synonymy: Matthews (1998: 777).

Dzhungaropterocoma Skopin, 1974b: 150 [F]. Type species: *Pterocoma subnuda* Reitter, 1897, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Earophanta Semenov, 1903b: 172 [F]. Type species [automatic]: *Platyope serrata* Semenov, 1893, by original designation. Status: valid genus in Pimeliinae: Pimeliini. Note: replacement name for *Earophila* Semenov, 1903.

Earophila Semenov, 1903a: 9 [F]. Type species: *Platyope serrata* Semenov, 1893, by original designation. Status: senior synonym of *Earophanta* Semenov, 1903 in Pimeliinae: Pimeliini. Note: junior homonym of *Earophila* Gumppenberg, 1887 [Lepidoptera].

Earophilina Strand, 1917: 99 [F]. Type species [automatic]: *Platyope serrata* Semenov, 1893, by original designation. Status: junior synonym of *Earophanta* Semenov, 1903 in Pimeliinae: Pimeliini. Note: unnecessary replacement name for *Earophila* Semenov, 1903.

Eba Pascoe, 1863b: 122, 129 [F]. Type species: *Eba cerylonoides* Pascoe, 1863, by monotypy. Status: junior synonym of *Palorus* Mulsant, 1854 in Tenebrioninae: Palorini. Synonymy: Carter and Zeck (1937: 194). Note: transferred from "Tenebrionoidea: Colydiidae" by Carter and Zeck (1937: 194).

Ebenolus Fairmaire, 1897c: 227 [M]. Type species: *Ebenolus vernicatus* Fairmaire, 1897, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Kaszab (1977b: 29).

Ebertius Jedlička, 1965: 98 [M]. Type species: *Ebertius nepalensis* Jedlička, 1965 (= *Laena longipilis* Schuster, 1926), by original designation. Status: junior synonym of *Laena* Dejean, 1821 in Lagriinae: Laenini. Synonymy: Kaszab (1970d: 429, through placement of the type species in *Laena* Dejean, 1821). Note: originally described in the family Carabidae.

Eccoptostira Borchmann, 1936: 236, 377 [F]. Type species: *Nemostira rohdei* Pic, 1912, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: we act as First Revisers and reject the alternative original spelling *Ecoptostira*, used by Borchmann (1936: 236).

Eccoptostoma Gebien, 1913: 70 [N]. Type species: *Taraxides ruficrus* Fairmaire, 1894, by **present designation**. Status: valid genus in Stenochiinae: Cnodalonini. Note: redescribed as new by Gebien (1921b: 62, 82).

Echinotrigon Skopin, 1973: 170 [M]. Type species: *Trigonoscelis granulata* Reitter, 1915, by original designation. Status: valid subgenus of *Trigonoscelis* Dejean, 1834 in Pimeliinae: Pimeliini.

Echinotus Solier, 1843: 30 [M]. Type species: *Sepidium spinicolle* Laporte, 1840, by original designation [p. 122]. Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Echocerus Horn, 1870: 364, 366 [M]. Type species: *Trogossita maxillosa* Fabricius, 1801, by monotypy. Status: valid subgenus of *Gnatocerus* Thunberg, 1814 in Diaperinae: Diaperini: Adelinina.

Ecnocera Borchmann, 1936: 22, 220 [F]. Type species: *Porrolagria gracilis* Borchmann, 1909, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Ecnolagria Borchmann, 1916a: 49, 139 [F]. Type species: *Lagria grandis* Gyllenhal, 1817, by original designation. Status: valid genus and subgenus in Lagriinae: Lagriini: Lagriina.

Ecnomoderes Gebien, 1928: 109, 110 [M]. Type species: *Ecnomoderes barbatus* Gebien, 1928, by subsequent designation (Gebien 1937a: 690). Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Ecnomosternum Gebien, 1928: 104 [N]. Type species: *Ecnomosternum vermiculatum* Gebien, 1928, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Ecphoroma Solier, 1836: 195 [N]. Type species: *Pimelia hemisphaerica* Solier, 1836, by subsequent designation (Löbl et al. 2008b: 157). Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Ecripsis Pascoe, 1866a: 456 [F]. Type species: *Ecripsis pubescens* Pascoe, 1866, by monotypy. Status: junior synonym of *Ammidium* Erichson, 1843 in Blaptinae: Opatrini: Ammobiina. Synonymy: Blair in Carter (1914c: 406). Note: this African genus was originally described from Australia in error (see Matthews and Bouchard 2008: 351).

Ectateus Koch, 1956a: 230 [M]. Type species: *Anchophthalmus modestus* Fairmaire, 1887, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Ectatocera Fåhraeus, 1870: 325 [F]. Type species: *Ectatocera longicornis* Fåhraeus, 1870, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Ectatocnemis Horn, 1867: 400 [F]. Type species: *Ectatocnemis multilineata* Horn, 1867, by monotypy. Status: junior synonym of *Anomalipus* Guérin-Méneville, 1831 in Blaptinae: Platynotini: Platynotina. Synonymy: Endrödy-Younga (1988: 19). Note: this taxon was originally described from Chile in error, it is native to South Africa (see Endrödy-Younga 1988: 19).

Ectenostoma Fåhraeus, 1870: 317 [N]. Type species: *Ectenostoma nigriventris* Fåhraeus, 1870, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Ectomopsis Fairmaire, 1905: 299 [F]. Type species: *Ectomopsis bruchi* Fairmaire, 1905, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Ectromopsis Antoine, 1949: 125, 145 [F]. Type species: *Catomus politicollis* Allard, 1876, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Ectyche Pascoe, 1869: 143 [F]. Type species: *Ectyche erebea* Pascoe, 1869, by monotypy. Status: valid genus in Diaperinae: Ectychini. Note: "*Ectyche? nana* Pascoe, 1869" was doubtfully included in this genus by Pascoe (1869: 143) and is therefore not an originally included species (ICZN 1999: Article 67.2.5).

Edalus Broun, 1893b: 1159 [M]. Type species: *Edalus opacus* Broun, 1893, by subsequent designation (R. Lucas 1920: 255). Status: senior synonym of *Wattadelium* Emberson, 2000 in Lagriinae: Adeliini. Note: junior homonym of *Edalus* Broun, 1886 [Coleoptera: Zopheridae].

Edrotes J.L. LeConte, 1851: 140 [M]. Type species: *Edrotes ventricosus* J.L. LeConte, 1851, by monotypy. Status: valid genus and subgenus in Pimeliinae: Edrotini.

Edrotinus Fairmaire, 1904b: 461 [M]. Type species: *Edrotinus tucumanus* Fairmaire, 1904, by original designation. Status: junior synonym of *Trilobocara* Solier, 1851 in Pimeliinae: Trilobocarini. Synonymy: Gebien (1937a: 592).

Edrotopus Haag-Rutenberg, 1877: 129 [M]. Type species: *Edrotopus strigicollis* Haag-Rutenberg, 1877, by monotypy. Status: junior synonym of *Platyholmus* Dejean, 1834 genus in Pimeliinae: Praociini. Synonymy: Fairmaire (1884a: 508).

Edylius Champion, 1894a: 353 [M]. Type species: *Edylius canescens* Champion, 1894, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Eichleria Kamiński, 2015b: 132 [F]. Type species: *Eichleria ostrowskii* Kamiński, 2015, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Elaeodes Gemminger in Gemminger and Harold, 1870: 1868 [F]. Type species [automatic]: *Eleodes dentipes* Eschscholtz, 1829, by subsequent designation (Hope 1841: 124). Status: junior synonym of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini. Note: unjustified emendation of *Eleodes* Eschscholtz, 1829, not in prevailing usage.

Elaeus Gemminger in Gemminger and Harold, 1870: 1969 [M] Type species [automatic]: *Helea perforata* Latreille, 1816, by subsequent monotypy (Latreille 1817: 261). Status: junior synonym of *Helea* Latreille, 1804 in Tenebrioninae: Heleini: Heleina. Note: unjustified emendation of *Helea* Latreille, 1804 (as "*Helaeus* Latreille"), not in prevailing usage.

Elasmocera Mäklin, 1867: 504 [F]. Type species: *Elasmocera dentipes* Mäklin, 1867, by monotypy. Status: senior synonym of *Elasmocerella* Strand, 1935 in Stenochiinae: Stenochiini. Note: junior homonym of *Elasmocera* Rondani, 1846 [Diptera].

Elasmocerella Strand, 1935b: 302 [F]. Type species [automatic]: *Elasmocera dentipes* Mäklin, 1867, by monotypy. Status: valid genus in Stenochiinae: Stenochiini. Note: replacement name for *Elasmocera* Mäklin, 1867.

Eleates Casey, 1886: 253 [M]. Type species: *Eleates occidentalis* Casey, 1886, by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Eledona Latreille, 1797: 19 [F]. Type species: *Opatrum agricola* Herbst, 1783, by subsequent monotypy (Latreille 1802: 162). Status: valid genus in Tenebrioninae: Bolitophagini. Note: originally proposed without included nominal species; Latreille (1802: 162)), by including the species "*Bolitophagus agricola*" in association with this name, was the first author to subsequently and expressly include nominal species in *Eledona* (ICZN 1999, Article 67.2.2).

Eledonoprius Reitter, 1911: 329, 338 [M]. Type species: *Opatrum armatum* Panzer, 1799, by subsequent designation (R. Lucas 1920: 258). Status: valid genus in Tenebrioninae: Bolitophagini.

Elenophorus Dejean, 1821: 64 [M]. Type species: *Tenebrio collaris* Linnaeus, 1767, by monotypy. Status: junior synonym of *Leptoderis* Billberg, 1820 in Pimeliinae: Elenophorini: Elenophorina. Synonymy: Silfverberg (1984: 59).

Eleodes Eschscholtz, 1829: 8 [F]. Type species: *Eleodes dentipes* Eschscholtz, 1829, by subsequent designation (Hope 1841: 124). Status: valid genus and subgenus in Blaptinae: Amphidorini.

Eleodimorpha Blaisdell, 1909: 477 [F]. Type species: *Eleodimorpha bolcan* Blaisdell, 1909, by original designation. Status: valid genus in Blaptinae: Amphidorini.

Eleodopsis Blaisdell, 1939: 52 [F]. Type species: *Eleodopsis subvestita* Blaisdell, 1939, by original designation. Status: junior synonym of *Blapylis* Horn, 1870 in Blaptinae: Amphidorini. Synonymy: Spilman (1962a: 59).

Eleoselinus Kamiński, 2014: 101 [M]. Type species: *Ectateus villiersi* Ardoin, 1965, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Elixota Pascoe, 1866a: 475 [F]. Type species: *Elixota cuprea* Pascoe, 1866 (= *Amarygmus hopei* Bremer, 2001), by original designation. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Bremer (2001a: 65).

Ellaemus Pascoe, 1866c: 495 [M]. Type species: *Emcephalus submaculatus* Brême, 1842, by **present designation**. Status: junior synonym of *Emcephalus* W. Kirby, 1828 in Tenebrioninae: Heleini: Heleina. Synonymy: Matthews and Bouchard (2008: 304).

Ellidoneus Wilke, 1922: 277 [M]. Type species: *Cardigenius granulatus* Fairmaire, 1873, by original designation. Status: valid subgenus of *Cardigenius* Solier, 1836 in Pimeliinae: Asidini.

Ellipsodes Wollaston, 1854: 485 [M]. Type species: *Sphaeridium glabratum* Fabricius, 1781, by monotypy. Status: valid genus and subgenus in Diaperinae: Crypticini.

Elomosda Bates, 1870: 273 [F]. Type species: *Elomosda beltii* Bates, 1870, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Elongasida Escalera, 1906: 306 [F]. Type species: *Asida grandipalpis* Allard, 1869, by subsequent designation (Viñolas and Cartagena 2005: 164). Status: valid subgenus of *Alphasida* Escalera, 1905 in Pimeliinae: Asidini.

Embaphion Say, 1824: 254 [N]. Type species: *Akis muricata* Say, 1824, by monotypy. Status: valid genus in Blaptinae: Amphidorini.

Emcephalus W. Kirby, 1828: 524 [M]. Type species: *Emcephalus gibbosus* W. Kirby, 1828, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Emeacoides Gebien, 1937a: 698 [M]. Type species [automatic]: *Enneacoides vinculiger* Fairmaire, 1881 (= *Nyctoporis carinata* J.L. LeConte, 1851), by monotypy. Status: junior synonym of *Nyctoporis* Eschscholtz, 1831 in Pimeliinae: Nyctoporini. Note: unjustified emendation of *Enneacoides* Fairmaire, 1881, not in prevailing usage.

Emeax Pascoe, 1866a: 450 [M]. Type species: *Emeax sculpturatus* Pascoe, 1866 (= *Nyctoporis cristata* Eschscholtz, 1831), by monotypy. Status: junior synonym of *Nyctoporis* Eschscholtz, 1831 in Pimeliinae: Nyctoporini. Synonymy: J.L. LeConte (1873: 334). Note: as mentioned by Matthews and Bouchard (2008: 351) the type species was originally described from Australia in error; the genus *Nyctoporis* Eschscholtz, 1831 is endemic to the Nearctic realm.

Emmallodera Blanchard, 1842: pl. 13 [F]. Type species: *Emmallodera crenaticostata* Blanchard, 1842, by monotypy. Status: valid genus in Tenebrioninae: Scotobiini. Note: unjustified emendation of the original spelling *Emalodera*, introduced by Agassiz (1846b: 137), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1).

Emmallus Agassiz, 1846b: 137 [M]. Type species [automatic]: *Emmalus pilosus* Erichson, 1843, by monotypy. Status: junior synonym of *Emmalus* Erichson, 1843 in Blaptinae: Opatrini: Ammobiina. Note: unjustified emendation of *Emmalus* Erichson, 1843, not in prevailing usage.

Emmalus Erichson, 1843: 251 [M]. Type species: *Emmalus pilosus* Erichson, 1843, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Emmenastrichus Horn, 1894: 413 [M]. Type species: *Emmenastrichus cribratus* Horn, 1894, by subsequent designation (Casey 1907: 289). Status: valid genus in Pimeliinae: Edrotini.

Emmenastus Motschulsky, 1845a: 75 [M]. Type species: *Emmenastus rugosus* Motschulsky, 1845, by subsequent designation (J.L. LeConte 1866b: 106). Status: junior synonym of *Oxycara* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Aalbu et al. (1995: 484).

Emmenides Casey, 1907: 329 [M]. Type species: *Emmenastus punctatus* J.L. LeConte, 1866, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Emydodes Pascoe, 1860a: 56 [M]. Type species: *Emydodes collaris* Pascoe, 1860, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Emyon Gerstaecker, 1854: 532 [M]. Type species: *Emyon caelatus* Gerstaecker, 1854, by monotypy. Status: junior synonym of *Helopinus* Solier, 1848 in Blaptinae: Pedinini: Helopinina. Synonymy: Koch (1958: 149).

Emypsara Pascoe, 1866a: 460 [F]. Type species: *Emypsara adamsii* Pascoe, 1866 (= *Diaperis riederii* Faldermann, 1833), by subsequent designation (Löbl et al. 2008a: 41). Status: valid genus in Diaperinae: Phaleriini.

Enanea Lewis, 1894: 467 [F]. Type species: *Enanea testacea* Lewis, 1894, by monotypy. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Encara Gemminger, 1870: 124 [N]. Type species [automatic]: *Emcephalus gibbosus* W. Kirby, 1828, by monotypy. Status: junior synonym of *Emcephalus* W. Kirby, 1828 in Tenebrioninae: Heleini: Heleina. Note: replacement name for *Emcephalus* W. Kirby, 1828 (as "*Encephalus* Brême").

Encephalus Agassiz, 1846b: 137 [M]. Type species [automatic]: *Emcephalus gibbosus* W. Kirby, 1828, by monotypy. Status: junior synonym of *Emcephalus* W. Kirby, 1828 in Tenebrioninae: Heleini: Heleina. Note: unjustified emendation of *Emcephalus* W. Kirby, 1828, not in prevailing usage; junior homonym of *Encephalus* Stephens, 1832 [Coleoptera: Staphylinidae].

Encyalesthus Motschulsky, 1860d: 139 [M]. Type species: *Encyalesthus subviolaceus* Motschulsky, 1860, by monotypy. Status: junior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1987: 43).

Endostomus Gemminger in Gemminger and Harold, 1870: 1973 [M]. Type species [automatic]: *Cossyphus senegalensis* Laporte, 1833, by subsequent monotypy (Duponchel 1844b: 315). Status: junior synonym of *Endustomus* Brême, 1842 in Lagriinae: Cossyphini. Note: unjustified emendation of *Endustomus* Brême, 1842, not in prevailing usage.

Endostostomus Jakobson, 1914: 528 [M]. Type species [automatic]: *Cossyphus senegalensis* Laporte, 1833, by subsequent monotypy (Duponchel 1844b: 315). Status: junior synonym of *Endustomus* Brême, 1842 in Lagriinae: Cossyphini. Note: unjustified emendation of *Endustomus* Brême, 1842, not in prevailing usage.

Endothina Carter, 1924b: 536 [F]. Type species: *Endothina squamosa* Carter, 1924 (= *Opatrum canaliculatum* Fabricius, 1798), by monotypy. Status: junior synonym of *Leichenum* Dejean, 1834 in Blaptinae: Pedinini: Leichenina. Synonymy: Carter (1928: 284).

Endroeditagalus Schawaller & Bouchard, 2019: 192 [M]. Type species: *Endroeditagalus ntsubanus* Schawaller & Bouchard, 2019, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Endustomus Brême, 1842b: 17 [M]. Type species: *Cossyphus senegalensis* Laporte, 1833, by subsequent monotypy (Duponchel 1844b: 315). Status: valid genus in Lagriinae: Cossyphini. Note: originally proposed without included nominal species; Duponchel (1844b: 315), by including the species "*Cossyphus senegalensis*" in association with this name, was the first author to subsequently and expressly include nominal species in *Endustomus* (ICZN 1999, Article 67.2.2).

Enganodia Fairmaire, 1898d: 398 [F]. Type species: *Enganodia sanguinicrus* Fairmaire, 1898, by monotypy. Status: junior synonym of *Lophocnemis* Mäklin, 1867 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 543).

Enicmonota Ardoin, 1959a: 61 [F]. Type species: *Enicmosoma crassicorne* Ardoin, 1959, by monotypy. Status: junior synonym of *Enicmosoma* Gebien, 1922 in Lagriinae: Lupropini. Synonymy: Schawaller (2013a: 139).

Enicmosoma Gebien, 1922b: 312 [N]. Type species: *Enicmosoma punctum* Gebien, 1922, by subsequent designation (Gebien 1941: 823). Status: valid genus in Lagriinae: Lupropini.

Enigmatica Ferrer, 2005: 202 [F]. Type species: *Enigmatica endroedyi* Ferrer, 2005, by monotypy. Status: valid genus in Lagriinae: Laenini.

Enneacoides Fairmaire, 1881c: 277 [M]. Type species: *Enneacoides vinculiger* Fairmaire, 1881 (= *Nyctoporis carinata* J.L. LeConte, 1851), by monotypy. Status: junior synonym of *Nyctoporis* Eschscholtz, 1831 in Pimeliinae: Nyctoporini. Synonymy: Gebien (1908b: 287).

Ennychiatus Koch, 1963: 28 [M]. Type species: *Stizopus caraboides* Fairmaire, 1897, by original designation. Status: junior synonym of *Parastizopus* Gebien, 1938 in Blaptinae: Opatrini: Stizopodina. Synonymy: Iwan and Schimrosczyk (2017: 384).

Ennychius Fåhraeus, 1870: 299 [M]. Type species: *Ennychius morio* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Helibatus* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Stizopodina. Synonymy: Gebien (1938a: 74).

Enoplopus Solier, 1848: 151, 158 [M]. Type species [automatic]: **fixed herein** (ICZN 1999, Article 70.3) as *Tenebrio velikensis* Piller & Mitterpacher, 1783, misidentified as *Tenebrio caraboides* Linnaeus, 1758 in the original designation by monotypy in Dejean (1821). Status: junior synonym of *Accanthopus* Dejean, 1821 in Tenebrioninae: Helopini: Enoplopodina. Note: unnecessary replacement name for *Accanthopus* Dejean, 1821.

Entinopoda Gebien, 1938b: 64 [F]. Type species: *Eustolopus octoseriatus* Gebien, 1938, by monotypy. Status: junior synonym of *Eustolopus* Gebien, 1938 in Pimeliinae: Adesmiini. Synonymy: Penrith (1979: 40).

Entomobalia Flores & Triplehorn, 2002: 607 [F]. Type species: *Asida platynotos* Perty, 1830, by original designation. Status: valid genus in Pimeliinae: Nycteliini.

Entomochilus Gay & Solier in Solier, 1843: 48 [M]. Type species: *Entomochilus pilosus* Gay & Solier, 1843, by original designation. Status: valid genus in Pimeliinae: Physogasterini.

Entomoderes Solier, 1836: 308, 346 [M]. Type species: *Entomoderes erebi* Solier, 1836, by monotypy. Status: valid genus in Pimeliinae: Nycteliini.

Entomogonus Solier, 1848: 151, 155 [M]. Type species: *Entomogonus barthelemyi* Solier, 1848, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina.

Entypodera Gerstaecker, 1871: 66 [F]. Type species: *Entypodera anthicoides* Gerstaecker, 1871, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: **new placement** [OM], previously included in Lagriinae: Lagriini: Lagriina.

†*Eoallognosis* Haupt, 1950: 115, 137 [F]. Type species: *Eoallognosis undulata* Haupt, 1950, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

†*Eocallidium* Haupt, 1950: 143 [N]. Type species: *Eocallidium rugulosum* Haupt, 1950, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: originally included in the family Cerambycidae, transferred to Tenebrionidae by Vitali (2008: 8); described from Middle Eocene deposits (Germany).

Eocyphogenia G.S. Medvedev, 1968b: 897, 898 [F]. Type species: *Akis rugipennis* Faldermann, 1835, by original designation. Status: junior synonym of *Cyphogenia* Solier, 1837 in Pimeliinae: Akidini. Synonymy: Ren and Yu (2000: 54).

Eodirosis Kwieton, 1980: 25 [F]. Type species: *Erodius quadrilineatus* Kraatz, 1865, by original designation. Status: valid subgenus of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini. Note: the original combination of the accepted name of the type species, *Erodius quadrilineatus* Kraatz, 1865, is a junior primary homonym of *Erodius quadrilineatus* G.-A. Olivier, 1792.

†*Eodromus* Haupt, 1950: 113, 120 [M] Type species: †*Ancylochira agilis* Meunier, 1915, by original designation. Status: valid genus in Stenochiinae: incertae sedis. Note: originally proposed in the family Carabidae by Pongrácz (1935: 538) without type species (ICZN 1999, Article 13.3); we act as First Revisers and reject the alternative original spelling *Edromus*, used by Haupt (1950: 120); described from Middle Eocene deposits (Germany).

†*Eohelaeus* Haupt, 1950: 115, 135 [M]. Type species: *Eohelaeus sublaevis* Haupt, 1950, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

Epairops Fåhraeus, 1870: 282 [M]. Type species: *Epairops fragilis* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Ossiporis* Pascoe, 1866 in Pimeliinae: Sepidiini: Trachynotina. Synonymy: Gebien (1937b: 37).

Epairopsis Koch, 1955a: 47 [F]. Type species: *Trachynotus frontalis* Haag-Rutenberg, 1873, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Epantius J.L. LeConte, 1851: 144 [M]. Type species: *Epantius obscurus* J.L. LeConte, 1851, by monotypy. Status: valid genus in Tenebrioninae: Eulabini.

Epeurycaulus Kolbe, 1902a: 579 [M]. Type species: *Epeurycaulus aldabricus* Kolbe, 1902, by **present designation**. Status: junior synonym of *Plesioderes* Mulsant, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Gebien (1922b: 268).

Ephalus J.L. LeConte, 1862: 228 [M]. Type species: *Heliopates latimanus* J.L. LeConte, 1847, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina. Note: transferred from Ammobiina by Lumen et al. (2020: 344).

Ephidonius Pascoe, 1869: 151 [M]. Type species: *Ephidonius acuticornis* Pascoe, 1869, by original designation. Status: junior synonym of *Brises* Pascoe, 1869 in Tenebrioninae: Heleini: Heleina. Synonymy: Carter (1914b: 46).

Epicalla Lacordaire, 1859a: 309 [F]. Type species: *Epicalla varipes* Champion, 1886, by subsequent designation (R. Lucas 1920: 268). Status: valid genus in Stenochiinae: Cnodalonini. Note: the authorship of this genus name has been credited to Champion (1886: 249) in the literature; however, Lacordaire (1859a: 309) mentioned that the genus *Epicalla* has the "mandibules entières au bout", which fulfils the requirements of availability (ICZN 1999, Article 12.1); Champion (1886: 249–251), by describing three new species in association with the genus *Epicalla*, was the first author to subsequently and expressly include nominal species in this genus (ICZN 1999, Article 67.2.2).

Epicydes Champion, 1889: 60 [M]. Type species: *Epicydes oculatus* Champion, 1889, by subsequent designation (Borchmann 1936: 429). Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Epilamprus Gistel, 1848a: xiv [M]. Type species [automatic]: *Helops indutus* Wiedemann, 1819, by subsequent designation (Duponchel 1844b: 359). Status: junior synonym of *Ceropria* Laporte & Brullé, 1831 in Diaperinae: Diaperini: Diaperina. Note: unjustified emendation of *Epilampus* Dejean, 1834, not in prevailing usage.

Epilampus Dejean, 1834: 198 [M]. Type species [automatic]: *Helops indutus* Wiedemann, 1819, by subsequent designation (Duponchel 1844b: 359). Status: junior synonym of *Ceropria* Laporte & Brullé, 1831 in Diaperinae: Diaperini: Diaperina. Note: unnecessary replacement name for *Ceropria* Laporte & Brullé, 1831 (see Bousquet and Bouchard 2013a: 52).

Epilasium Erichson, 1842a: 237 [N]. Type species: *Trichoton cayennense* Hope, 1841, by monotypy. Status: junior synonym of *Trichoton* Hope, 1841 in Blaptinae: Opatrini: Blapstinina. Synonymy: Erichson (1842a: 237). Note: the name *Epilasium* was listed as synonym of *Trichoton* Hope, 1841 by Erichson (1842a: 237), it was treated before 1961 as an available name and adopted as the name of a taxon (e.g., Curtis 1844: 222), *Epilasium* was therefore made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Epipagus Haag-Rutenberg, 1872: 274, 311 [M]. Type species: *Epipagus benguelensis* Haag-Rutenberg, 1872, by monotypy. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Epipedodema Gebien, 1921b: 54 [F]. Type species: *Epipedodema depressa* Gebien, 1921, by monotypy. Status: valid genus in Tenebrioninae: Alphitobiini.

Epipedonota Solier, 1836: 307, 342 [F]. Type species: *Epipedonota ebenina* Solier, 1836, by subsequent designation (Solier 1851: 159). Status: valid genus in Pimeliinae: Nycteliini. Note: the alternative original spelling *Epipedonata*, used by Solier (1836: 342), was rejected by Solier (1838a: 487) who acted as the First Reviser.

Epiphaleria Lewis, 1894: 382 [F]. Type species: *Epiphaleria atriceps* Lewis, 1894, by original designation. Status: valid subgenus of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini.

Epiphysa Dejean, 1834: 178 [F]. Type species: *Pimelia flavicollis* Fabricius, 1794, by monotypy. Status: valid genus in Pimeliinae: Adesmiini.

Epiplecta Mäklin, 1867: 498 [F]. Type species: *Epiplecta maculata* Mäklin, 1867, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Episopus Bates, 1873e: 372 [M]. Type species: *Episopus politus* Bates, 1873, by subsequent designation (R. Lucas 1920: 270). Status: valid genus in Stenochiinae: Cnodalonini.

Epitoxicum Bates, 1873d: 46 [N]. Type species: *Epitoxicum haplandroides* Bates, 1873, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Toxicina.

Epitragella Kulzer, 1958b: 184 [F]. Type species: *Epitragella dimorpha* Kulzer, 1958, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Epitragodes Casey, 1890b: 365 [M]. Type species: *Epitragus tomentosus* J.L. LeConte, 1866, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Epitragoma Casey, 1907: 386 [N]. Type species: *Epitragus vestitus* Casey, 1891, by monotypy. Status: junior synonym of *Pechalius* Casey, 1907 in Pimeliinae: Epitragini. Synonymy: Freude (1968: 61).

Epitragopsis Casey, 1907: 386 [F]. Type species: *Epitragus godmani* Champion, 1884, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Epitragosoma K.W. Brown & Triplehorn, 2002: 515 [N]. Type species: *Epitragosoma arenaria* K.W. Brown & Triplehorn, 2002, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Epitragus Latreille, 1802: 165 [M]. Type species: *Epitragus fuscus* Latreille, 1804, by subsequent monotypy (Latreille 1804: 322). Status: valid genus and subgenus in Pimeliinae: Epitragini. Note: originally proposed without included nominal species since the species listed (*Helops variegatus* ? Fab.) is conditionally included; Latreille (1804: 322), by including the species *Epitragus fuscus* Latreille, 1804 in association with this name, was the first author to subsequently and expressly include a nominal species in *Epitragus* (ICZN 1999, Article 67.2.2).

Epitrichia Gebler, 1859: 475 [F]. Type species: *Helops tomentosus* Gebler, 1842, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Epityria Koch, 1950b: 298 [F]. Type species: *Himatismus striatopunctatus* Haag-Rutenberg, 1877, by original designation. Status: valid subgenus of *Derosphaerius* Westwood, 1881 in Pimeliinae: Tentyriini.

Epomidus Matthews, 1998: 705, 763 [M]. Type species: *Epomidus prionodes* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Erelus Mulsant & Rey, 1853a: 185 [M]. Type species: *Erelus sulcipennis* Mulsant & Rey, 1853, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: included in a list of "Tenebrionidae *nomina dubia*" by Iwan et al. (2020: 475).

Eremobates Gebien, 1921b: 120 [M]. Type species: *Eremobates crux* Gebien, 1921, by monotypy. Status: senior synonym of *Eremobatodes* Gebien, 1943 in Stenochiinae: Cnodalonini. Note: junior homonym of *Eremobates* Banks, 1900 [Arachnida].

Eremobatodes Gebien, 1943: 404 [M]. Type species [automatic]: *Eremobates crux* Gebien, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Eremobates* Gebien, 1921.

Eremocantor Smith & Wirth, 2016: 582 [M]. Type species: *Eremocantor marioni* Smith & Wirth, 2016, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Eremoecus Lacordaire, 1859a: 69 [M]. Type species: *Hyperops eschscholtzii* Solier, 1851, by monotypy. Status: valid genus in Pimeliinae: Trilobocarini.

Eremonomus Wollaston, 1861: 199 [M]. Type species: *Eremonomus huttoni* Wollaston, 1861 (= *Ammidium ciliatum* Erichson, 1843), by monotypy. Status: junior synonym of *Ammidium* Erichson, 1843 in Blaptinae: Opatrini: Ammobiina. Synonymy: Ardoin (1971: 358).

Eremophaleria Español, 1951: 32, 34 [F]. Type species: *Phaleria bedeli* Chobaut, 1900, by original designation. Status: valid subgenus of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini.

Eremostibes Koch, 1963: 60 [M]. Type species: *Eremostibes opacus* Koch, 1963, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Ergenna Fairmaire, 1897f: 139 [F]. Type species: *Ergenna caerulescens* Fairmaire, 1897, by monotypy. Status: junior synonym of *Praeugena* Laporte, 1840 in Tenebrioninae: Praeugenini. Synonymy: De Moor (1970: 42).

Erionura Reitter, 1903: 18 [F]. Type species: *Helops giganteus* Kraatz, 1862, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Ernocharis C.G. Thomson, 1859: 118 [F]. Type species: *Cistela brevis* Illiger, 1794 (= *Cistela maura* Fabricius, 1792), by original designation. Status: valid subgenus of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina.

Erodibius Löbl, Bouchard, Merkl & Bousquet, 2020: 2 [M]. Type species: *Arthrodeis cyphonotus* Fairmaire, 1887, by original designation. Status: valid subgenus of *Arthrodibius* Lesne, 1915 in Pimeliinae: Erodiini. Note: name first proposed by Koch (1960: 354) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl et al. (2008a: 40) designated *Arthrodeis cyphonotus* Fairmaire, 1887 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Erodinus Reitter, 1900b: 299 [M]. Type species: none designated. Status: undetermined taxon in Pimeliinae: Erodiini. Note: this genus was included in a key, which fulfils the criteria of availability for new genus-group names proposed before 1931 (ICZN 1999, Article 12.1); however, we could not find any nominal species that were subsequently and expressly included in *Erodinus* and therefore no "originally included nominal species" could be used to fix the type species (ICZN 1999, Article 67.2.2).

Erodiontes Reitter, 1914a: 48, 79 [M]. Type species: *Erodiontes vermiculatus* Reitter, 1914, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Erodius Fabricius, 1775: 258 [M]. Type species: *Erodius gibbus* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: valid genus and subgenus in Pimeliinae: Erodiini.

Erulipothydemus Pic, 1918b: 19 [M]. Type species: *Erulipothydemus latior* Pic, 1918, by subsequent designation (Gebien 1943: 902). Status: valid genus in Tenebrioninae: Helopini: incertae sedis.

Erulipus Fairmaire, 1903a: 14 [M]. Type species: *Erulipus fruhstorferi* Fairmaire, 1903, by monotypy. Status: valid subgenus of *Ainu* Lewis, 1894 in Stenochiinae: Cnodalonini.

Erxias Champion, 1888: 460 [M]. Type species: *Erxias bicolor* Champion, 1888, by subsequent designation (Bousquet et al. 2015: 138). Status: valid genus in Alleculinae: Alleculini: Xystropodina.

Erycastus Fairmaire, 1897f: 133 [M]. Type species: *Erycastus navicularis* Fairmaire, 1897, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Eryx Stephens, 1832b: 27 [M]. Type species: *Pyrochroa nigra* DeGeer, 1775 (= *Helops ater* Fabricius, 1775), by monotypy. Status: senior synonym of *Prionychus* Solier, 1835 in Alleculinae: Alleculini: Alleculina. Synonymy: Mulsant (1856a: 12, 61). Note: junior homonym of *Eryx* Daudin, 1803 [Reptilia].

Erzika Novák, 2020d: 53 [F]. Type species: *Erzika tamdaoica* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Eschatomoxys Blaisdell, 1935: 125 [M]. Type species: *Eschatomoxys wagneri* Blaisdell, 1935, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Eschatoporis Blaisdell, 1906: 76 [F]. Type species: *Eschatoporis nunenmacheri* Blaisdell, 1906, by monotypy. Status: valid genus in Lagriinae: Eschatoporiini.

Eschatostena Keleinikova, 1977: 654 [F]. Type species: *Eschatostena kuznetzovi* Keleinikova, 1977, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Esemephe Steiner, 1980: 385 [F]. Type species: *Esemephe tumi* Steiner, 1980, by original designation. Status: valid genus in Pimeliinae: Cossyphodini: Esemephina.

Espagnolina Kaszab, 1965: 117 [F]. Type species: *Espagnolina assamica* Kaszab, 1965, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Espidium Rafinesque, 1815: 113 [N]. Type species [automatic]: *Sepidium tricuspidatum* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Sepidium* Fabricius, 1775 in Pimeliinae: Sepidiini: Sepidiina. Note: unnecessary replacement name for *Sepidium* Fabricius, 1775.

Espites Pascoe, 1882: 32 [M]. Type species: *Espites basalis* Pascoe, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Espitomorphus Pic, 1921d: 24 [M]. Type species: *Espitomorphus multicolor* Pic, 1921, by monotypy. Status: junior synonym of *Camarimena* Motschulsky, 1863 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983a: 136).

Etazeta Fairmaire, 1889a: 358 [F]. Type species: *Etazeta aeneicolor* Fairmaire, 1889, by monotypy. Status: junior synonym of *Luprops* Hope, 1833 in Lagriinae: Lupropini. Synonymy: Gebien (1914a: 35).

Ethas Pascoe, 1862: 324 [M]. Type species: *Ethas carbonarius* Pascoe, 1862, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Ethmomerus Koch, 1953a: 243 [M]. Type species: *Ethmus subcylindricus* Koch, 1953, by original designation. Status: valid subgenus of *Ethmus* Haag-Rutenberg, 1873 in Pimeliinae: Sepidiini: Trachynotina.

Ethmophobes Koch, 1953a: 244 [M]. Type species: *Ethmus latus* Haag-Rutenberg, 1873, by original designation. Status: valid subgenus of *Ethmus* Haag-Rutenberg, 1873 in Pimeliinae: Sepidiini: Trachynotina.

Ethmus Haag-Rutenberg, 1873: 44 [M]. Type species: *Ethmus maculatus* Haag-Rutenberg, 1873, by subsequent designation (Gebien 1937a: 778). Status: valid genus and subgenus in Pimeliinae: Sepidiini: Trachynotina. Note: nomenclatural stability is threatened by the discovery of an older type species designation (*Ethmus latus* Haag-Rutenberg, 1873, by subsequent designation by R. Lucas (1920: 276), which is the type species of the valid subgenus *Ethmophobes* Koch, 1953); we recommend that an application be submitted to the International Commission on Zoological Nomenclature to maintain the type species designation proposed by Gebien (1937a: 778).

Eubalia Laporte, 1840: 257 [F]. Type species: *Statira ovalis* Laporte, 1840, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Euboeus Boieldieu, 1865: 10 [M]. Type species: *Euboeus mimonti* Boieldieu, 1865, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Eucaliga Fairmaire & Germain, 1861: 5 [F]. Type species: *Eucaliga sanguinicollis* Fairmaire & Germain, 1861, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Eucamaria Gebien, 1919: 28, 149 [F]. Type species: *Camaria spectabilis* Pascoe, 1860, by original designation. Status: junior synonym of *Falsocamaria* Pic, 1917 in Stenochiinae: Cnodalonini. Synonymy: Masumoto (1993a: 142).

Eucamptus Germar, 1842: 444 [M]. Type species: *Eucamptus iridis* Germar, 1842 (= *Hegemona resplendens* Laporte, 1840), by monotypy. Status: junior synonym of *Hegemona* Laporte, 1840 in Stenochiinae: Cnodalonini. Synonymy: Duponchel (1845b: 498).

Euclarkia Lea, 1919: 180 [F]. Type species: *Euclarkia costata* Lea, 1919, by monotypy. Status: valid genus in Lagriinae: Belopini.

Eucolus Mulsant & Rey, 1853b: 39, 67 [M]. Type species: *Eucolus polinierii* Mulsant & Rey, 1853, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Euconibius Casey, 1895: 618 [M]. Type species: *Notibius gagates* Horn, 1870, by monotypy. Status: junior synonym of *Conibius* J.L. LeConte, 1851 in Blaptinae: Opatrini: Blapstinina. Synonymy: Aalbu in Bousquet et al. (2018: 202).

Eucosmus Gistel, 1848a: x [M]. Type species [automatic]: *Spheniscus erotyloides* W. Kirby, 1819, by monotypy. Status: junior synonym of *Cuphotes* Champion, 1887 in Stenochiinae: Stenochiini. Note: replacement name for *Spheniscus* W. Kirby, 1819; junior homonym of *Eucosmus* Agassiz, 1846 [Echinoidea].

Eucrossoscelis Nakane, 1963: 29 [F]. Type species: *Eucrossoscelis broscosomoides* Nakane, 1963, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Eucyrtus Lacordaire, 1859b: 417 [M]. Type species: *Eucyrtus pretiosus* Lacordaire, 1859, by subsequent designation (Gebien 1921a: 335). Status: valid genus in Stenochiinae: Cnodalonini. Note: the name *Eucyrtus* was listed as synonym of *Scotaeus* Hope, 1834 by Lacordaire (1859b: 417); as it was treated before 1961 as an available name and adopted as the name of a taxon (e.g., Pascoe 1866a: 473), *Eucyrtus* was therefore made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Eudissonomus G.S. Medvedev, 1968a: 218 [M]. Type species: *Heterophylus substriatus* Reitter, 1898, by original designation. Status: valid subgenus of *Dissonomus* Jacquelin du Val, 1861 in Tenebrioninae: Dissonomini.

Eudysantes Bouchard, Lawrence, Davies & Newton, 2005: 508 [M]. Type species [automatic]: *Diceroderes elongatus* Redtenbacher, 1868, by original designation. Status: junior synonym of *Dysantes* Pascoe, 1871 in Tenebrioninae: Toxicini: Dysantina. Note: unnecessary replacement name for *Dysantes* Pascoe, 1871 (see Bouchard and Bousquet 2020a: 101 for additional comments).

Euglyptonotus Gestro, 1901: 744 [M]. Type species: *Euglyptonotus magrettii* Gestro, 1901, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Euhelaeus Gebien, 1921a: 281 [M]. Type species: *Euhelaeus speculiferus* Gebien, 1921, by monotypy. Status: junior synonym of *Emcephalus* W. Kirby, 1828 in Tenebrioninae: Heleini: Heleina. Synonymy: Matthews (1993: 1074).

Euhemicera Ando, 1996: 189, 197 [F]. Type species: *Epilampus pulcher* Hope, 1843, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Eulabis Eschscholtz, 1829: 14 [F]. Type species: *Eulabis bicarinata* Eschscholtz, 1829, by subsequent designation (Blaisdell 1932: 44). Status: valid genus in Tenebrioninae: Eulabini.

Eulea Carter, 1937: 131 [F]. Type species: *Eulea caeca* Carter, 1937, by monotypy. Status: valid genus in Lagriinae: Belopini.

Euleantus Haag-Rutenberg, 1876: 85 [M]. Type species: *Euleantus humeralis* Haag-Rutenberg, 1876, by monotypy. Status: junior synonym of *Rhammatodes* Haag-Rutenberg, 1876 in Pimeliinae: Tentyriini. Synonymy: Koch (1952a: 133).

Eulipus Wollaston, 1864: 448 [M]. Type species: *Tentyria elongata* Brullé, 1839 (= *Tentyria brullaei* Wollaston, 1865), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Eulytus C.O. Waterhouse, 1882a: 175 [M]. Type species: *Eulytus nodipennis* C.O. Waterhouse, 1882, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Eumicrositus Viñolas, 1990: 57, 62 [M]. Type species: *Pedinus ulissiponensis* Germar, 1823, by original designation. Status: valid subgenus of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina. Note: this name was first proposed by Español (1947: 11, 15) without type species designation and is therefore unavailable from that date.

Eumolpamarygmus Pic, 1923b: 11 [M]. Type species: *Eumolpamarygmus bigibbosus* Pic, 1923, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Eumolparamarygmus Bremer, 2006: 8 [M]. Type species: *Eumolpamarygmus nitidus* Pic, 1935, by original designation. Status: valid genus in Tenebrioninae: Amarygmini. Note: the earlier usage of *Eumolparamarygmus* by Pic (1935: 24) is interpreted as an incorrect subsequent spelling of *Eumolpamarygmus* Pic, 1923 (see Bremer 2005: 210).

Eumolpocyriogeton Pic, 1923f: 305 [M]. Type species: *Eumolpocyriogeton convexus* Pic, 1923 (= *Plesiophthalmus concameratus* Bremer & Lillig, 2014), by monotypy. Status: valid subgenus of *Plesiophthalmus* Motschulsky, 1857 in Tenebrioninae: Amarygmini.

Eumylada Reitter, 1904: 170 [F]. Type species: *Myladina punctifera* Reitter, 1889, by subsequent designation (Gebien 1939: 461). Status: valid genus in Blaptinae: Opatrini: Opatrina.

Eunotiodes Casey, 1907: 519 [M]. Type species: *Eunotiodes brevicollis* Casey, 1907, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Euomma Boheman, 1858: 101 [N]. Type species: *Euomma laterale* Boheman, 1858, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Euomophlus Iablokoff-Khnzorian, 1983: 134 [M]. Type species: *Cistela rugosicollis* Brullé, 1832, by original designation. Status: valid subgenus of *Omophlus* Dejean, 1834 in Alleculinae: Cteniopodini.

†*Eupachypterus* Kirejtshuk, Nabozhenko & Nel, 2010: 192 [M]. Type species: *Eupachypterus eocenicus* Kirejtshuk, Nabozhensko & Nel, 2010, by original designation. Status: valid genus in Blaptinae: Opatrini: Neopachypterina. Note: described from Eocene deposits (France).

Eupezoplonyx Pic, 1922c: 12 [M]. Type species: *Eupezoplonyx ater* Pic, 1922, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Eupezus Dejean, 1834: 211 [M]. Type species: *Helops longipes* Fabricius, 1781, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Euphloeus Pascoe, 1887: 15 [M]. Type species: *Euphloeus verrucosus* Pascoe, 1887, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Euphron Dejean, 1834: 206 [M]. Type species: *Helops coerulescens* Guérin-Méneville, 1831, by monotypy. Status: senior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Bousquet and Bouchard (2013a: 55). Note: nomen oblitum (see Bouchard and Bousquet 2020b: 6).

Euphrynus Fairmaire, 1897f: 114 [M]. Type species: *Euphrynus spinithorax* Fairmaire, 1897, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Eupomeca Solier, 1848: 289 [F]. Type species: *Blaps cylindrica* Herbst, 1799 (= *Blaps obtusa* Fabricius, 1798), by subsequent designation (Nabozhenko 2008: 35). Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: Gemminger in Gemminger and Harold (1870: 1866).

Eupsophulus Cockerell, 1906: 242 [M]. Type species [automatic]: *Eupsophus castaneus* Horn, 1870, by monotypy. Status: valid genus in Pimeliinae: Vacronini. Note: replacement name for *Eupsophus* Horn, 1870.

Eupsophus Horn, 1870: 344, 347 [M]. Type species: *Eupsophus castaneus* Horn, 1870, by monotypy. Status: senior synonym of *Eupsophulus* Cockerell, 1906 in Pimeliinae: Vacronini. Note: junior homonym of *Eupsophus* Fitzinger, 1843 [Amphibia].

Eupterocoma Skopin, 1974b: 152 [F]. Type species: *Pterocoma ganglbaueri* Reitter, 1890, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Eurepipleura Bogdanov-Katjkov, 1915: 2 [F]. Type species: *Anatolica minima* Bogdanov-Katjkov, 1915, by monotypy. Status: valid subgenus of *Anatolica* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Eurhysodina Wasmann, 1921: 18 [F]. Type species: *Rhyzodina marshalli* Blair, 1913, by original designation. Status: valid subgenus of *Rhyzodina* Chevrolat, 1873 in Tenebrioninae: Rhyssopaussini.

Euryasida Reitter, 1917a: 40, 58 [F]. Type species: *Asida barceloi* Pérez Arcas, 1868, by monotypy. Status: junior synonym of *Asida* Latreille, 1802 in Pimeliinae: Asidini. Synonymy: F. Soldati (2008: 34).

Eurycaulinus Koch, 1937: 468 [M]. Type species: *Eurycaulus quedenfeldti* Heyden, 1890, by monotypy. Status: valid subgenus of *Eurycaulus* Fairmaire, 1868 in Blaptinae: Opatrini: Sclerina.

Eurycaulus Fairmaire, 1868: 492 [M]. Type species: *Eurycaulus marmottani* Fairmaire, 1868, by monotypy. Status: valid genus and subgenus in Blaptinae: Opatrini: Sclerina.

Eurychora Thunberg, 1789: 9 [F]. Type species: *Pimelia ciliata* Fabricius, 1781, by monotypy. Status: valid genus in Pimeliinae: Adelostomini. Note: *Eurychora* is an incorrect subsequent spelling of the original spelling *Evrychora*, first used by Thunberg (1791: 116), in prevailing usage; *Eurychora* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Eurychorula Koch, 1952b: 7 [F]. Type species: *Eurychora acuminata* Fairmaire, 1891, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Eurygona Laporte, 1840: 187 [F]. Type species: *Aulacus chilensis* Gray, 1832, by monotypy. Status: senior synonym of *Orthogonoderes* Solier, 1841 in Pimeliinae: Praociini. Note: replacement name for *Aulacus* Gray, 1832; junior homonym of *Eurygona* Boisduval, 1836 [Lepidoptera].

Euryhelops Reitter, 1902b: 209 [M]. Type species: *Helops championi* Reitter, 1891, by monotypy. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Euryhelops Reitter, 1902b: 214 [M]. Type species: *Euryhelops tiro* Reitter, 1902, by subsequent designation (Gebien 1943: 424). Status: senior synonym of *Zophohelops* Reitter, 1902 in Tenebrioninae: Helopini: Cylindrinotina. Note: junior homonym of *Euryhelops* Reitter, 1902 [Tenebrionidae: Blaptinae: Platyscelidini].

Eurymetopon Eschscholtz, 1831: 5, 8 [N]. Type species: *Eurymetopon rufipes* Eschscholtz, 1831, by subsequent designation (Casey 1907: 288). Status: valid genus in Pimeliinae: Edrotini.

Eurymetopum Agassiz, 1846b: 151 [N]. Type species [automatic]: *Eurymetopon rufipes* Eschscholtz, 1831, by subsequent designation (Casey 1907: 288). Status: junior synonym of *Eurymetopon* Eschscholtz, 1831 in Pimeliinae: Edrotini. Note: unjustified emendation of *Eurymetopon* Eschscholtz, 1831, not in prevailing usage.

Eurynotus W. Kirby, 1819a: 418 [M]. Type species: *Eurynotus muricatus* W. Kirby, 1819 (= *Helops capensis* Fabricius, 1794), by monotypy. Status: valid genus and subgenus in Blaptinae: Platynotini: Eurynotina.

Euryostola Reitter, 1893: 202, 207 [F]. Type species: *Pachyscelis minor* Baudi di Selve, 1875, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Eurypera Pascoe, 1870: 106 [F]. Type species: *Eurypera cuprea* Pascoe, 1870 (= *Amarygmus pascoei* Gebien, 1911), by monotypy. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Blackburn (1893a: 92).

Eurypimelia Reitter, 1915: 9, 49 [F]. Type species: *Tenebrio subglobosus* Pallas, 1781, by subsequent designation (Chernei 2005: 104). Status: junior synonym of *Camphonota* Solier, 1836 in Pimeliinae: Pimeliini. Synonymy: Gebien (1937a: 837).

Euryprosodes Reitter, 1909a: 122 [M]. Type species: *Prosodes areolata* Reitter, 1893, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Euryprosternum Chatanay, 1914b: 3 [N]. Type species: *Andremius parallelus* Chatanay, 1913, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Eusarca Chevrolat, 1845: 526 [F]. Type species: *Eusarca iridipennis* Chevrolat, 1845 (= *Hegemona resplendens* Laporte, 1840), by monotypy. Status: junior synonym of *Hegemona* Laporte, 1840 in Stenochiinae: Cnodalonini. Synonymy: Duponchel (1845a: 498). Note: junior homonym of *Eusarca* Hübner, 1813 [Lepidoptera].

Eusattodes Casey, 1908: 56, 64 [M]. Type species: *Eusattus laevis* J.L. LeConte, 1866, by original designation. Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: Triplehorn (1968: 379).

Eusattus J.L. LeConte, 1851: 131 [M]. Type species: *Eusattus difficilis* J.L. LeConte, 1851, by subsequent designation (Casey 1908: 56). Status: valid genus in Pimeliinae: Coniontini.

Euschatia Solier, 1851: 227 [F]. Type species: *Euschatia proxima* Solier, 1851, by **present designation**. Status: junior synonym of *Heliofugus* Guérin-Méneville, 1831 in Stenochiinae: Cnodalonini. Synonymy: Lacordaire (1859b: 443).

Euschides J.L. LeConte, 1851: 127 [F]. Type species [automatic]: *Stenomorpha blapsoides* Solier, 1836, by subsequent designation (Desmarest 1860: 150). Status: junior synonym of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini. Note: unnecessary replacement name for *Stenomorpha* Solier, 1836.

Euspinamarygmus Masumoto, 1989b: 295 [M]. Type species: *Euspinamarygmus kaszabi* Masumoto, 1989, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Eustenia Fairmaire, 1905: 303 [F]. Type species: *Eustenia tenuimembris* Fairmaire, 1905, by monotypy. Status: senior synonym of *Tucumana* Gebien, 1911 in Alleculinae: Alleculini: Xystropodina. Note: junior homonym of *Eustenia* Snellen, 1899 [Lepidoptera].

Eustenomacidius Nabozhenko, 2006: 807 [M]. Type species: *Helops luridus* Ménétriés, 1849 (= *Stenomax laevicollis* Kraatz, 1882), by original designation. Status: valid genus and subgenus in Tenebrioninae: Helopini: Cylindrinotina.

Eustolopus Gebien, 1938b: 61 [M]. Type species: *Eustolopus calcaratus* Gebien, 1938, by original designation. Status: valid genus in Pimeliinae: Adesmiini. Note: the First Reviser (*Eustolopus* Gebien, 1938 versus *Entinopoda* Gebien, 1938) is Penrith (1979: 40).

Eustrongylium Kolbe, 1895: 366 [N]. Type species: *Strongylium episcopale* Kolbe, 1895, by subsequent designation (Löbl et al. 2008a: 41). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1911b: 590).

Eusyntelia C.O. Waterhouse, 1881: 473 [F]. Type species: *Eusyntelia balfouri* C.O. Waterhouse, 1881, by subsequent designation (R. Lucas 1920: 290). Status: valid genus in Pimeliinae: Tentyriini.

Eutagenia Reitter, 1886: 100, 125 [F]. Type species: *Stenosis smyrnensis* Solier, 1848, by subsequent designation (Iwan et al. 2020: 208). Status: valid genus in Pimeliinae: Stenosini: Stenosina. Note: Reitter (1916: 152) first noted that *Stenosis smyrnensis* Solier of Reitter (1886) was misidentified and proposed the new species *Eutagenia cribricollis* for it; the earlier selection of the taxonomic species *Stenosis smyrnensis* Solier sensu Reitter, 1886 (= *Eutagenia cribricollis* Reitter, 1916) by Gebien (1937a: 685) as type species is invalid since such an action would have required approval from the International Commission on Zoological Nomenclature at the time; Iwan et al. (2020: 208) fixed the nominal species *Stenosis smyrnensis* Solier, 1848 as the type species following Article 70.3.1 (ICZN 1999).

Euteleocera Agassiz, 1846b: 152 [F]. Type species [automatic]: *Eutelocera viatica* Solier, 1841, by original designation. Status: junior synonym of *Eutelocera* Solier, 1841 in Pimeliinae: Praociini. Note: unjustified emendation of *Eutelocera* Solier, 1841, not in prevailing usage.

Eutelocera Solier, 1841a: 209, 237 [F]. Type species: *Eutelocera viatica* Solier, 1841, by original designation. Status: valid genus in Pimeliinae: Praociini.

Eutelogonus Reitter, 1922a: 24 [M]. Type species: *Helops davidis* Fairmaire, 1884, by monotypy. Status: valid subgenus of *Entomogonus* Solier, 1848 in Tenebrioninae: Helopini: Helopina.

Eutelonodolinus Robiche, 2007: 450 [M]. Type species: *Eutelonodolinus jolyi* Robiche, 2007, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Eutelonotus Fairmaire in Alluaud, 1902: 456 [M]. Type species [automatic]: *Eutelus requieni* Solier, 1843, by subsequent designation (R. Lucas 1920: 291). Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Eutelus* Solier, 1843 (see Bousquet 2016a: 44).

Eutelus Solier, 1843: 56 [M]. Type species: *Eutelus requieni* Solier, 1843, by subsequent designation (R. Lucas 1920: 291). Status: senior synonym of *Eutelonotus* Fairmaire in Alluaud, 1902 in Stenochiinae: Cnodalonini. Note: we act as First Revisers and reject the alternative original spelling *Lutelus*, used by Solier (1843: 4); junior homonym of *Eutelus* Walker, 1834 [Hymenoptera].

Eutermicola Lea, 1916: 273 [M]. Type species: *Eutermicola sculpticollis* Lea, 1916, by monotypy. Status: valid genus in Tenebrioninae: Palorini.

Eutherama Carter, 1914c: 405 [N]. Type species: *Eutherama cyaneum* Carter, 1914, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Euthriptera Reitter, 1893: 203, 229 [F]. Type species: *Thriptera grisescens* Fairmaire, 1875, by monotypy. Status: valid genus in Pimeliinae: Pimeliini. Note: we act as First Revisers and reject the alternative original spelling *Enthriptera*, used by Reitter (1893: 203).

Euthysternum Chatanay, 1915a: 508 [N]. Type species: *Chemolanus episcopalis* Fairmaire, 1886, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Eutichus Haag-Rutenberg, 1875b: 4, 58 [M]. Type species: *Eutichus wahlbergi* Haag-Rutenberg, 1875, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Eutochia J.L. LeConte, 1862: 238 [F]. Type species [automatic]: *Uloma piceum* Melsheimer, 1846, by monotypy. Status: valid genus in Tenebrioninae: Ulomini. Note: replacement name for *Aniara* Melsheimer, 1853.

Eutomus Lacordaire, 1865: 369 [M]. Type species: *Eutomus micrographus* Lacordaire, 1865, by subsequent designation (Barber 1914: 191). Status: junior synonym of *Rhipidandrus* J.L. LeConte, 1862 in Tenebrioninae: Bolitophagini. Synonymy: J.L. LeConte and Horn (1883: 232). Note: originally described as a member of Curculionoidea: Curculionidae: Scolytinae.

Eutoreuma Carter, 1914b: 78 [N]. Type species [automatic]: *Toreuma cupreum* Carter, 1913, by monotypy. Status: senior synonym of *Atoreuma* Gebien, 1941 in Tenebrioninae: Heleini: Cyphaleina. Note: replacement name for *Toreuma* Carter, 1913; junior homonym of *Eutoreuma* Grote, 1872 [Lepidoptera].

Eutrapela Dejean, 1834: 215 [F]. Type species: *Crioceris elongata* Fabricius, 1781 (= *Chrysomela unifasciata* DeGeer, 1778), by subsequent designation (Duponchel 1845a: 533). Status: senior synonym of *Neoeutrapela* Bousquet & Bouchard, 2013 in Lagriinae: Lagriini: Statirina. Synonymy: Bousquet and Bouchard (2013a: 61). Note: junior homonym of *Eutrapela* Hübner, 1809 [Lepidoptera].

Eutrapelodes Borchmann, 1929b: 132 [F]. Type species: *Cteniopus gracillimus* Fairmaire, 1888, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Eutriorophus Casey, 1924: 296 [M]. Type species: *Eutriorophus tuckeri* Casey, 1924, by original designation. Status: junior synonym of *Stibia* Horn, 1870 in Pimeliinae: Edrotini. Synonymy: Blaisdell (1933: 210).

Euzadenos Koch, 1956a: 286 [M]. Type species: *Eurynotus delalandii* Mulsant & Rey, 1854, by original designation. Status: junior synonym of *Selenepistoma* Dejean, 1834 in Blaptinae: Dendarini: Melambiina. Synonymy: **new synonym** [PB]. Note: *Euzadenos* Koch, 1956 was recently treated as a valid subgenus of *Zadenos* Laporte, 1840 (Kamiński 2015: 549); however, the type species of the older available genus name *Selenepistoma* Dejean, 1834 is currently placed in *Euzadenos* and therefore *Selenepistoma* has priority.

Evaniosomus Guérin-Méneville, 1834: 14 [M]. Type species: *Evaniosomus orbignianus* Guérin-Méneville, 1834, by monotypy. Status: valid genus in Pimeliinae: Evaniosomini.

Evaostetha Novák, 2008a: 208 [F]. Type species: *Evaostetha petri* Novák, 2008, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Evelina J. Thomson, 1860c: 22 [F]. Type species: *Evelina lacordairei* J. Thomson, 1860, by monotypy. Status: valid genus in Pimeliinae: Evaniosomini.

Eviropodus Koch, 1956a: 84 [M]. Type species: *Trigonopus alternans* Fåhraeus, 1870, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Evoplus J.L. LeConte, 1866b: 128 [M]. Type species: *Evoplus ferrugineus* J.L. LeConte, 1866, by monotypy. Status: junior synonym of *Neomida* Latreille, 1829 in Diaperinae: Diaperini: Diaperina. Synonymy: Champion (1886: 175, with *Arrhenoplita* W. Kirby, 1837, a junior synonym of *Neomida* Latreille, 1829).

Exadelium Watt, 1992: 29 [N]. Type species: *Adelium rufilabrum* Broun, 1886, by original designation. Status: valid genus in Lagriinae: Adeliini.

Exangeltus Blackburn, 1897b: 93 [M]. Type species: *Exangeltus angustus* Blackburn, 1897, by monotypy. Status: valid genus in Pimeliinae: Vacronini.

Exapinaeus Pascoe, 1882: 34 [M]. Type species: *Exapinaeus politus* Pascoe, 1882, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Exechophthalmus Ardoin, 1974a: 168 [M]. Type species: *Exechophthalmus guillaumeti* Ardoin, 1974, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Exerestus Bates, 1870: 268 [M]. Type species: *Exerestus jansonii* Bates, 1870 (= *Rhinandrus elongatus* Horn, 1866), by monotypy. Status: junior synonym of *Rhinandrus* J.L. LeConte, 1866 in Tenebrioninae: Tenebrionini. Synonymy: Bates (1872a: 98).

Exeniotis Pascoe, 1871: 353 [F]. Type species: *Exeniotis collaris* Pascoe, 1871, by monotypy. Status: valid genus in Lagriinae: Belopini.

Exocolena Gebien, 1914c: 43 [F]. Type species: *Exocolena longipes* Gebien, 1914, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Exostira Borchmann, 1925: 353 [F]. Type species: *Exostira sellata* Borchmann, 1925, by subsequent designation (Borchmann 1930a: 512). Status: valid genus in Lagriinae: Lagriini: Statirina.

Extetranosis Koch, 1940b: 741 [F]. Type species: *Tetranosis ethasicornis* Koch, 1940, by monotypy. Status: valid subgenus of *Microtelopsis* Koch, 1940 in Pimeliinae: Stenosini: Stenosina. Note: we act as First Revisers and select *Microtelopsis* Koch, 1940 as the valid name for this genus instead of *Extetranosis* Koch, 1940 and *Hypermicrotelopsis* Koch, 1940.

Fahraeus Ardoin, 1963b: 309, 349 [M]. Type species: *Oplocheirus punctatissimus* Fåhraeus, 1870, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Falacer Laporte, 1840: 233 [M]. Type species: *Accanthopus cupreus* Laporte, 1840 (= *Helops contractus* Palisot de Beauvois, 1811), by subsequent designation (Bousquet et al. 2018: 141). Status: junior synonym of *Meracantha* W. Kirby, 1837 in Tenebrioninae: Amarygmini. Synonymy: Lacordaire (1859b: 466).

Falsammidium Koch, 1960: 395, 405 [N]. Type species: *Clitobius laevipennis* Fairmaire, 1892, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Falsandrosus Kaszab, 1980b: 307 [M]. Type species: *Falsandrosus tetrops* Kaszab, 1980, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: *Faslandrosus* was introduced earlier by Kaszab (1979a: 104) but the name is unavailable from that date since it was published after 1930 without a description, a definition or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1).

Falsaspila Koch, 1952b: 28 [F]. Type species: *Adelostoma batesi* Haag-Rutenberg, 1875, by original designation. Status: junior synonym of *Zarudnionymus* Semenov-Tjan-Shansky & Bogatchev, 1947 in Pimeliinae: Adelostomini. Synonymy: Ardoin (1976: 149).

Falsastenochirus Pic, 1938: 13 [M]. Type species: *Asthenochirus contractus* Fairmaire, 1894, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Falsasthenochirus Ardoin, 1965a: 637 [M]. Type species [automatic]: *Asthenochirus contractus* Fairmaire, 1894, by monotypy. Status: junior synonym of *Falsastenochirus* Pic, 1938 in Tenebrioninae: Amarygmini. Note: unjustified emendation of *Falsastenochirus* Pic, 1938, not in prevailing usage.

Falsoarthroconus Kaszab, 1978b: 52, 57 [M]. Type species: *Falsoarthroconus nocturnus* Kaszab, 1978, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Falsoaugolesthus Masumoto, 1993c: 38 [M]. Type species: *Eucyrtus pulcher* Pic, 1927, by original designation. Status: junior synonym of *Tetragonomenes* Chevrolat, 1878 in Stenochiinae: Cnodalonini. Synonymy: Ando et al. (2016: 65).

Falsobates Kaszab, 1941a: 5, 27 [M]. Type species: *Falsobates xantusi* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Falsobrachys Kulzer, 1954a: 65 [M]. Type species: *Falsobrachys longipes* Kulzer, 1954, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Falsocaedius Español, 1943: 140, 142 [M]. Type species: *Clitobius fossulatus* Escalera, 1914, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Falsocalcar Pic, 1925: 9 [N]. Type species: *Falsocalcar bicolor* Pic, 1925, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Falsocamaria Pic, 1917g: 19 [F]. Type species: *Falsocamaria obscura* Pic, 1917, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Falsocamariodes Ardoin, 1956a: 159 [M]. Type species: *Falsocamariodes viettei* Ardoin, 1956, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Falsocasnonidea Pic, 1934a: 31 [F]. Type species: *Nemostira diversipennis* Pic, 1923, by monotypy. Status: junior synonym of *Casnonidea* Fairmaire, 1882 in Lagriinae: Lagriini: Statirina. Synonymy: Borchmann (1936: 393).

Falsocatomulus Pic, 1914c: 10 [M]. Type species: *Falsocatomulus euphraticus* Pic, 1914, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Falsocosmonota Kaszab, 1962b: 75 [F]. Type species: *Falsocosmonota cheni* Kaszab, 1962, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Falsocossyphus Pic, 1916b: 4 [M]. Type species: *Falsocossyphus pilosus* Pic, 1916, by monotypy. Status: valid genus in Tenebrioninae: Falsocossyphini.

Falsocuphotes Pic, 1918b: 22 [F]. Type species: *Falsocuphotes curticornis* Pic, 1918, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Falsodiopethes Pic, 1924b: 12 [M]. Type species: *Falsodiopethes gounellei* Pic, 1924, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Falsoencyalesthus Pic, 1923c: 29 [M]. Type species: *Falsoencyalesthus latipennis* Pic, 1923, by monotypy. Status: junior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1969b: 125, with *Encyalesthus* Motschulsky, 1860, a junior synonym of *Derosphaerus* J. Thomson, 1858).

Falsogauromaia Pic, 1921d: 22 [F]. Type species: *Falsogauromaia annulipes* Pic, 1921, by monotypy. Status: valid subgenus of *Gauromaia* Pascoe, 1866 in Stenochiinae: Cnodalonini.

Falsolagria Pic, 1927a: 44 [F]. Type species: *Falsolagria marmorata* Pic, 1927, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Falsolobodera Kaszab, 1967: 24 [F]. Type species: *Falsolobodera skopini* Kaszab, 1967, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Falsolophocnemis Pic, 1917d: 13 [F]. Type species: *Falsolophocnemis sinuatipes* Pic, 1917, by subsequent designation (Gebien 1948: 542). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Kaszab (1977b: 29).

Falsomicrodera Kaszab, 1966: 291, 294 [F]. Type species: *Microdera turkestanica* Schuster, 1915, by original designation. Status: valid subgenus of *Microdera* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Falsomophlus Pic, 1925c: 11 [M]. Type species: *Falsomophlus niger* Pic, 1925, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Falsomycterus Pic, 1907a: 127 [M]. Type species: *Falsomycterus diversipes* Pic, 1907, by monotypy. Status: valid genus in Pimeliinae: Falsomycterini.

Falsonannocerus Pic, 1947: 150 [M]. Type species: *Falsonannocerus dentaticeps* Pic, 1947, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Falsonemostira Pic, 1917c: 14 [F]. Type species: *Nemostira annulipes* Pic, 1912, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Falsonotostrongylium Kaszab, 1955a: 538, 552 [N]. Type species: *Falsonotostrongylium bradymeroides* Kaszab, 1955, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Falsoperichilus Pic, 1920a: 16 [M]. Type species: *Falsoperichilus semirugosus* Pic, 1920, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Falsophthora Kaszab, 1977a: 306, 309 [F]. Type species: *Tagalus fordi* Kulzer, 1957, by monotypy. Status: valid subgenus of *Pseudophthora* Kaszab, 1970 in Phrenapatinae: Penetini.

Falsoplonyx Ardoin, 1963b: 308, 337 [M]. Type species: *Gonocnemis rubripes* Fairmaire, 1899, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Falsopraocis Kulzer, 1958a: 5, 102 [M]. Type species: *Amphidora ricardae* (as "*richardae*") Solier, 1851, by original designation. Status: valid genus in Pimeliinae: Praociini.

Falsopsilonycha Pic, 1931c: 303 [F]. Type species: *Psilonycha usambarana* Pic, 1917, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Falsostrongylium Pic, 1915: 11 [N]. Type species: *Falsostrongylium semirufum* Pic, 1915, by subsequent designation (Gebien 1948: 539). Status: valid genus in Stenochiinae: Stenochiini.

Falsosynopticus Pic, 1936b: 17 [M]. Type species: *Falsosynopticus ater* Pic, 1936, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Falsotagalus Kaszab, 1977a: 301, 310 [M]. Type species: *Falsotagalus subcoecus* Kaszab, 1977, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Falsotithassa Pic, 1934b: 18 [F]. Type species: *Falsotithassa sumatrana* Pic, 1934, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Falsozialeus Pic, 1951: 11 [M]. Type species: *Falsozialeus ater* Pic, 1951 (= *Asyleptus fumosus* Péringuey, 1896), by monotypy. Status: junior synonym of *Asyleptus* Péringuey, 1896 in Tenebrioninae: Amarygmini. Synonymy: Ardoin (1962b: 957); Schawaller and Bremer (2013: 81).

Falsozotypus Kaszab, 1980b: 334 [M]. Type species: *Falsozotypus opacipennis* Kaszab, 1980, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: this name was first published by Kaszab (1979a: 108) without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article (13.1) and is therefore unavailable from that date.

Farsarthrosis Kaszab, 1979a: 86 [F]. Type species: *Farsarthrosis benardi* Kaszab, 1979, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Faustia Kraatz, 1882: 92 [F]. Type species: *Faustia modesta* Kraatz, 1882, by monotypy. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Ferganoprosodes G.S. Medvedev, 1997: 595 [M]. Type species: *Prosodes angulicollis* Kraatz, 1883, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Ferveoventer Smith, 2013: 604 [M]. Type species: *Ferveoventer browni* Smith, 2013, by original designation. Status: valid genus in Pimeliinae: Asidini.

Fifina Novák, 2018d: 470 [F]. Type species: *Fifina romani* Novák, 2018, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Fifinoides Novák, 2020h: 78 [M]. Type species: *Fifinoides chinensis* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Filotarsus Solier, 1841a: 209, 239 [M]. Type species: *Filotarsus tenuicornis* Solier, 1841, by original designation. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini.

Fitzsimonsia Koch, 1955b: 415 [F]. Type species: *Fitzsimonsia cymbium* Koch, 1955, by original designation. Status: senior synonym of *Fitzsimonsium* Koch, 1962 in Pimeliinae: Stenosini: Platamodina. Note: junior homonym of *Fitzsimonsia* Witte, 1943 [Reptilia].

Fitzsimonsium Koch, 1962b: 152 [N]. Type species [automatic]: *Fitzsimonsia cymbium* Koch, 1955, by original designation. Status: valid genus in Pimeliinae: Stenosini: Platamodina. Note: replacement name for *Fitzsimonsia* Koch, 1955.

Flabellalogista Pic, 1954: 256 [F]. Type species: *Flabellalogista minuta* Pic, 1954, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Flabellolagria Pic, 1927c: 27 [F]. Type species: *Flabellolagria luteovittata* Pic, 1927, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Flabellostrongylium Pic, 1938: 18 [N]. Type species: *Flabellostrongylium atronitidum* Pic, 1938, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Flavipoda Campbell, 1966: 21 [F]. Type species: *Helops flavipes* Fabricius, 1792 [as "*Allecula flavipes* Jacquelin du Val, 1857"], by original designation. Status: valid subgenus of *Lobopoda* Solier, 1835 in Alleculinae: Alleculini: Alleculina.

Foleya Peyerimhoff, 1916: 71 [F]. Type species: *Foleya brevicornis* Peyerimhoff, 1916, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Foochounus Pic, 1921d: 22 [M]. Type species: *Foochounus convexipennis* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Foranotum Nabozhenko & Sadeghi, 2017: 165 [N]. Type species: *Foranotum perforatum* Nabozhenko & Sadeghi, 2017, by original designation. Status: valid genus in Kuhitangiinae: Foranotini.

Fossilochile Koch, 1952c: 63 [F]. Type species: *Fossilochile rufa* Koch, 1952, by original designation. Status: junior synonym of *Pachynotelus* Solier, 1841 in Pimeliinae: Cryptochilini: Cryptochilina. Synonymy: Penrith and Endrödy-Younga (1994: 54).

Fourtaus Pic in Alfieri, 1921: 47 [M]. Type species: *Fourtaus brevicornis* Pic, 1921 (= *Hegeterocara arabicum* Reitter, 1900), by monotypy. Status: junior synonym of *Hegeterocara* Reitter, 1900 in Pimeliinae: Tentyriini. Synonymy: Koch (1941: 294).

Foveostatira Pic, 1918b: 24 [F]. Type species: *Statira foveicollis* Pic, 1918, by subsequent designation (Borchmann 1936: 244). Status: valid subgenus of *Statira* Lepeletier & Audinet-Serville, 1828 in Lagriinae: Lagriini: Statirina.

Freudeia Kaszab, 1961b: 216 [F]. Type species: *Freudeia nepalica* Kaszab, 1961, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Freudella Ardoin, 1961b: 30 [F]. Type species: *Freudella auripunctata* Ardoin, 1961, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Freyitia Koch, 1943a: 522, 525 [F]. Type species: *Freyitia ornatipes* Koch, 1943, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Freyula Koch, 1959: 591, 593 [F]. Type species: *Freyula psammarina* Koch, 1959, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Fundulus Gistel, 1848a: 125 [M]. Type species [automatic]: *Opatrum tibiale* Fabricius, 1781, by monotypy. Status: junior synonym of *Melanimon* Steven, 1828 in Tenebrioninae: Melanimonini. Note: unnecessary replacement name for *Microzoum* Dejean, 1834; junior homonym of *Fundulus* Lacepède, 1803 [Pisces].

Gabonia Fairmaire, 1894e: 326 [F]. Type species: *Gabonia denticulata* Fairmaire, 1894, by monotypy. Status: senior synonym of *Gabonisca* Fairmaire, 1894 in Lagriinae: Pycnocerini. Note: junior homonym of *Gabonia* Jacoby, 1893 [Coleoptera: Chrysomelidae].

Gabonisca Fairmaire, 1894f: 395 [F]. Type species [automatic]: *Gabonia denticulata* Fairmaire, 1894, by monotypy. Status: valid genus in Lagriinae: Pycnocerini. Note: replacement name for *Gabonia* Fairmaire, 1894.

Gahanosis Penrith, 1983: 371, 379 [F]. Type species: *Zophosis undulata* Gahan, 1900, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Gamaxus Bates, 1868: 315 [M]. Type species: *Gamaxus hauxwellii* Bates, 1868, by monotypy. Status: valid genus in Lagriinae: Goniaderini. Note: combined description of a new genus and single new species (ICZN 1999, Article 12.2.6).

Garambanus Ardoin, 1964a: 847 [M]. Type species: *Garambanus verschureni* Ardoin, 1964, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Gargilius Fairmaire, 1891b: 251 [M]. Type species: *Gargilius trispinosus* Fairmaire, 1891, by subsequent designation (Gebien 1940: 421). Status: valid genus in Diaperinae: Diaperini: Diaperina.

Garridoa Marcuzzi, 1985: 180 [F]. Type species: *Garridoa kaszabi* Marcuzzi, 1985, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Gastrhaema Jacquelin du Val, 1863: 353 [N]. Type species: *Cistela rufiventris* Waltl, 1835, by subsequent designation (Novák and Pettersson 2008: 331). Status: valid genus in Alleculinae: Cteniopodini.

Gaurobates Gebien, 1928: 170, 184 [M]. Type species: *Gaurobates pictus* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Gauromaia Pascoe, 1866a: 473 [F]. Type species: *Gauromaia dives* Pascoe, 1866, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Gebienella Kaszab, 1941a: 4, 21 [F]. Type species: *Gebienella interrumpens* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Gebienia Borchmann, 1921: 219, 352 [F]. Type species: *Gebienia rimulosa* Borchmann, 1921, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Gebieniella Koch, 1940b: 736 [F]. Type species: *Ethas stenosides* Pascoe, 1862, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Gebienocamaria Masumoto, 1993b: 223, 232 [F]. Type species: *Camaria angulicollis* Fairmaire, 1896, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Gebleria Motschulsky, 1846: 410 [F]. Type species: *Dila philacoides* Fischer von Waldheim, 1844, by monotypy. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Gedeon Reiche & Saulcy, 1857: 219 [M]. Type species: *Gedeon hierichonticus* Reiche & Saulcy, 1857, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Gedrosia Bogatchev, 1961: 111 [F]. Type species: *Gedrosia monstrosa* Bogatchev, 1961 (= *Pseudopodhomala gabrieli* Schuster, 1938), by original designation. Status: junior synonym of *Pseudopodhomala* Schuster, 1938 in Pimeliinae: Pimeliini. Synonymy: Löbl et al. (2008b: 166). Note: junior homonym of *Gedrosia* Stål, 1862 [Hemiptera].

Genateropa Bouchard & Bousquet, **new replacement name** [F]. Type species [automatic]: *Apterogena canonnei* Ardoin, 1962, by original designation. Status: valid genus in Stenochiinae: Stenochiini. Note: replacement name for *Apterogena* Ardoin, 1962.

Genoblaps Bauer, 1921: 230 [F]. Type species: *Blaps tentyroides* Seidlitz, 1893 (= *Blaps socia* Seidlitz, 1893), by monotypy. Status: valid subgenus of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina.

Gentinadis Laporte, 1840: 240 [M]. Type species: *Stenochia caerulea* Laporte, 1840 (= *Strongylium azureum* Germar, 1823), by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Lacordaire (1859b: 484).

Geoborus Blanchard, 1842: pl. 13 [M]. Type species: *Geoborus costatus* Blanchard, 1842 (= *Gyriosomus lineatus* Guérin-Méneville, 1834), by subsequent designation (Pizarro-Araya and Flores 2006: 95). Status: valid genus in Pimeliinae: Epitragini.

Geophanus Haag-Rutenberg, 1875b: 4, 46 [M]. Type species: *Psaryphis confusa* Fåhraeus, 1870, by subsequent designation (Gebien 1937a: 675). Status: valid genus in Pimeliinae: Adelostomini.

Gerandryus Rottenberg, 1873: 217 [M]. Type species [automatic]: *Parablops aetnensis* Rottenberg, 1871, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina. Note: replacement name for *Parablops* Rottenberg, 1871.

Gerardia Pic, 1954: 258 [F]. Type species: *Gerardia sublineata* Pic, 1954, by monotypy. Status: senior synonym of *Piccula* Bousquet & Bouchard, 2015 in Alleculinae: Alleculini: Gonoderina. Note: junior homonym of *Gerardia* Lacaze-Duthiers, 1864 [Cnidaria].

Gerdacula Novák, 2015b: 145 [F]. Type species: *Gerdacula fujianica* Novák, 2015, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Ghaleca Péringuey, 1899: 316 [F]. Type species: *Ghaleca laeta* Péringuey, 1899 (= *Alymon prolatus* Pascoe, 1866), by monotypy. Status: junior synonym of *Alymon* Pascoe, 1866 in Tenebrioninae: Amarygmini. Synonymy: Péringuey (1904: 297, through synonymy of its type species with *Alymon prolatus* Pascoe, 1866).

Gibbostrongylium Pic, 1917d: 18 [N]. Type species: *Strongylium medanense* Pic, 1917, by subsequent designation (Löbl et al. 2008a: 41). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Gigantopigeus Kaszab, 1984: 355, 374 [M]. Type species: *Gigantopigeus mirabilis* Kaszab, 1984, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Girardius L. Soldati, 2009: 73 [M]. Type species: *Micipsa persica* Baudi, 1874, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Girardocamaria Masumoto, 1993b: 227, 232 [F]. Type species: *Girardocamaria ardoini* Masumoto, 1993, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Glabrasida Escalera, 1910: 408 [F]. Type species: *Glabrasida conspuata* Escalera, 1910, by subsequent designation (F. Soldati 2008: 32). Status: valid subgenus of *Alphasida* Escalera, 1905 in Pimeliinae: Asidini.

Glabrilobopoda Campbell, 1966: 46 [F]. Type species: *Lobopoda glabrata* Champion, 1888, by original designation. Status: valid subgenus of *Lobopoda* Solier, 1835 in Alleculinae: Alleculini: Alleculina.

Globasida Escalera, 1905b: 430 [F]. Type species: *Asida oblonga* Rambur, 1838, by subsequent designation (Viñolas and Cartagena 2005: 209). Status: valid subgenus of *Asida* Latreille, 1802 in Pimeliinae: Asidini.

Globularthrodosis Kaszab, 1979a: 95 [F]. Type species: *Diaphanidus semenowi* Reitter, 1900, by original designation. Status: junior synonym of *Diaphanidus* Reitter, 1900 in Pimeliinae: Erodiini. Synonymy: G.S. Medvedev and Nepesova (1985: 52).

Glyptariobius Koch, 1948: 423 [M]. Type species: *Hoplariobius exacavatus* Koch, 1948, by original designation. Status: valid subgenus of *Hoplarion* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Glyptasida Casey, 1912: 75, 95 [F]. Type species: *Ophryastes sordidus* J.L. LeConte, 1853, by original designation. Status: valid subgenus of *Philolithus* Lacordaire, 1858 in Pimeliinae: Asidini.

Glyptophrynus Fairmaire, 1899e: 532 [M]. Type species: *Glyptophrynus tenuesculptus* Fairmaire, 1899, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Glyptopteryx Gebien, 1910c: 376 [F]. Type species: *Glyptopteryx forticostis* Gebien, 1910 (= *Selinus quadricollis* Fairmaire, 1887), by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Glyptothorax Borchmann, 1937: 223 [M]. Type species: *Glyptothorax pilosus* Borchmann, 1937, by original designation. Status: senior synonym of *Borchmannius* Bousquet & Bouchard, 2015 in Alleculinae: incertae sedis. Note: junior homonym of *Glyptothorax* Blyth, 1860 [Pisces]; taxon also described as new by Borchmann (1938: 122).

Glyptotus J.L. LeConte, 1858a: 75 [M]. Type species: *Glyptotus cribratus* J.L. LeConte, 1858, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Gnaptor Brullé, 1831: 254 [M]. Type species: *Tenebrio spinimanus* Pallas, 1781, by monotypy. Status: valid genus and subgenus in Blaptinae: Blaptini: Gnaptorina. Note: this name was previously attributed to Brullé (1832: 202 as *Petrobius*, corrected to *Gnaptor* in the "Errata" of the same work) in the literature.

Gnaptorina Reitter, 1887a: 364 [F]. Type species: *Gnaptorina felicitana* Reitter, 1887, by monotypy. Status: valid genus and subgenus in Blaptinae: Blaptini: Gnaptorinina.

Gnathelops Gebien, 1922b: 320 [M]. Type species: *Gnathelops chatanayi* Gebien, 1922, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: removed from the tribe Helopini and placed as Tenebrionidae incertae sedis by Nabozhenko (2018: 183).

Gnathidium Gebien, 1921b: 41 [N]. Type species: *Gnathidium cephalotes* Gebien, 1921, by monotypy. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Gnathocerus Agassiz, 1846b: 164 [M]. Type species [automatic]: *Gnatocerus ruber* Thunberg, 1814 (= *Trogossita cornuta* Fabricius, 1798), by monotypy (see ICZN 1975, Opinion 1039). Status: junior synonym of *Gnatocerus* Thunberg, 1814 in Diaperinae: Diaperini: Adelinina. Note: unjustified emendation of *Gnatocerus* Thunberg, 1814, not in prevailing usage.

Gnathosia Fischer, 1821: 13 [F]. Type species: *Gnathosia glabra* Fischer, 1821, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Gnatocerus Thunberg, 1814: 47 [M]. Type species: *Gnatocerus ruber* Thunberg, 1814 (= *Trogossita cornuta* Fabricius, 1798), by monotypy (see ICZN 1975, Opinion 1039). Status: valid genus and subgenus in Diaperinae: Diaperini: Adelinina. Note: placed on the Official List of Generic Names in Zoology by the ICZN (1975, Opinion 1039).

Gnesis Pascoe, 1866a: 477 [M]. Type species: *Gnesis helopioides* Pascoe, 1866, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Gnophota Erichson, 1843: 237 [F]. Type species: *Gnophota antracina* Erichson, 1843, by subsequent designation (R. Lucas 1920: 306). Status: valid genus in Pimeliinae: Tentyriini.

Goajiria Ivie & Hart, 2016: 474 [F]. Type species: *Diastolinus curtus* Mulsant & Rey, 1859, by original designation. Status: valid subgenus of *Diastolinus* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Blapstinina. Note: name first introduced by Marcuzzi (1986: 180) without a type species designation.

Gobretus Freude, 1967: 148, 152 [M]. Type species: *Epitragus cephalotes* Freude, 1967, by monotypy. Status: valid subgenus of *Epitragus* Latreille, 1802 in Pimeliinae: Epitragini.

Gonasida Casey, 1912: 75, 117 [F]. Type species: *Pelecyphorus elatus* J.L. LeConte, 1853, by original designation. Status: valid subgenus of *Philolithus* Lacordaire, 1858 in Pimeliinae: Asidini.

Gondvanadelium Kaszab, 1981a: 81 [N]. Type species: *Gondvanadelium seirotranoides* Kaszab, 1981, by original designation. Status: valid genus in Lagriinae: Adeliini.

Gondwanocrypticus Español, 1955: 10 [M]. Type species: *Crypticus platensis* Fairmaire, 1884, by original designation. Status: valid genus in Diaperinae: Crypticini. Note: this name was introduced earlier by Koch (1950c: 64) without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1) and is therefore unavailable from that date.

Gondwanodilamus Kaszab, 1969b: 320 [M]. Type species: *Conibius franzi* Kaszab, 1969, by original designation. Status: junior synonym of *Conibius* J.L. LeConte, 1851 in Blaptinae: Opatrini: Blapstinina. Synonymy: **new synonym** [RLA]. Note: the new synonymy is based on taxonomic studies of all known species in the genus *Conibius* J.L. LeConte, 1851 and follows the previous synonymization of the two other subgenera previously treated as valid, *Ooconibius* Casey, 1895 and *Euconibius* Casey, 1895, by Aalbu in Bousquet et al. (2018: 202).

Gonespites Gebien, 1921a: 325, 396 [M]. Type species: *Gonespites subcrenatus* Gebien, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Goniadera Perty, 1832: 62 [F]. Type species: *Goniadera crenata* Perty, 1832, by monotypy. Status: valid genus and subgenus in Lagriinae: Goniaderini. Note: the alternative original spelling *Gonyodera*, used by Perty (1832: 63), was rejected by Perty (1833: 14) who acted as the First Reviser.

†*Gonialaena* Nabozhenko, Bukejs & Telnov, 2019: 254 [F]. Type species: *Gonialaena groehni* Nabozhenko, Bukejs & Telnov, 2019, by original designation. Status: valid genus in Lagriinae: Gonialaenini. Note: described from Eocene Baltic amber.

Goniodera Agassiz, 1846b: 165 [F]. Type species [automatic]: *Goniadera crenata* Perty, 1832, by monotypy. Status: junior synonym of *Goniadera* Perty, 1832 in Lagriinae: Goniaderini. Note: unjustified emendation of *Goniadera* Perty, 1832, not in prevailing usage.

Gonocephalum Solier, 1834: 498 [N]. Type species: *Opatrum fuscum* Herbst, 1793 (= *Opatrum rusticum* G.-A. Olivier, 1812), by subsequent designation (Gebien 1939: 443). Status: valid genus and subgenus in Blaptinae: Opatrini: Opatrina.

Gonocnemis J. Thomson, 1858: 101 [F]. Type species: *Gonocnemis strigipennis* J. Thomson, 1858, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Gonocnemocistela Pic, 1935a: 22 [F]. Type species: *Gonocnemocistela lutea* Pic, 1935, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Gonodera Mulsant, 1856a: 41 [F]. Type species: *Cistela fulvipes* Fabricius, 1792 (= *Cistela luperus* Herbst, 1783), by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Gonogenius Solier, 1838b: 8, 48 [M]. Type species: *Scotobius vulgaris* Guérin-Méneville, 1834, by original designation. Status: junior synonym of *Scotobius* Germar, 1823 in Tenebrioninae: Scotobiini. Synonymy: Lacordaire (1859a: 129).

Gonopterus Solier, 1843: 101 [M]. Type species: *Sepidium rugosum* Fabricius, 1781, by monotypy. Status: junior synonym of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina. Synonymy: Gemminger in Gemminger and Harold (1870: 1900).

Gonopus Latreille, 1828: 580 [M]. Type species: *Blaps tibialis* Fabricius, 1798, by monotypy. Status: valid genus and subgenus in Blaptinae: Platynotini: Platynotina.

Gonospa Champion, 1886: 216 [F]. Type species: *Gonospa phaedonoides* Champion, 1886, by subsequent designation (Gebien 1940: 426). Status: valid genus in Stenochiinae: Cnodalonini.

Grabulax Kanda, 2016: 558 [M]. Type species: *Grabulax darlingtoni* Kanda, 2016, by original designation. Status: valid genus in Lagriinae: Laenini.

Gracilasida Escalera, 1905b: 445 [F]. Type species: *Asida ariasi* Escalera, 1909, by subsequent designation (F. Soldati 2008: 32). Status: valid subgenus of *Asida* Latreille, 1802 in Pimeliinae: Asidini. Note: this genus was established without included nominal species; *Asida ariasi* Escalera, 1909 and *A. pusillima* Kraatz, 1874 were first subsequently and expressly included in *Gracilasida* by Escalera (1909: 135–136).

Graecopachys Skopin, 1968a: 99 [M]. Type species: *Tentyria quadricollis* Brullé, 1832, by original designation. Status: junior synonym of *Phymatiotris* Solier, 1836 in Pimeliinae: Pimeliini. Synonymy: Löbl et al. (2008a: 43).

Grammicus G.R. Waterhouse, 1845b: 323 [M]. Type species: *Grammicus chilensis* G.R. Waterhouse, 1845, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Granasida Reitter, 1917a: 9, 14 [F]. Type species: *Asida granulifera* Chevrolat, 1840, by monotypy. Status: valid subgenus of *Alphasida* Escalera, 1905 in Pimeliinae: Asidini.

Grandelagria Pic, 1940: 3 [F]. Type species: *Grandelagria bicoloripes* Pic, 1940, by monotypy. Status: valid subgenus of *Lagria* Fabricius, 1775 in Lagriinae: Lagriini: Lagriina.

Grandicyrtomius Freude, 1967: 225 [M]. Type species: *Epitragus grandis* Champion, 1884, by original designation. Status: valid subgenus of *Cyrtomius* Casey, 1907 in Pimeliinae: Epitragini.

Granulasida Escalera, 1922a: 427 [F]. Type species: *Asida setipennis* Allard, 1869, by subsequent designation (Viñolas and Cartagena 2005: 192). Status: junior synonym of *Gracilasida* Escalera, 1905 in Pimeliinae: Asidini. Synonymy: F. Soldati (2008: 34, with *Planasida* Escalera, 1907, a junior synonym of *Gracilasida* Escalera, 1905).

Granulophanes Nabozhenko, 2013: 2 [M]. Type species: *Hedyphanes lutosus* Allard, 1877, by original designation. Status: valid subgenus of *Hedyphanes* Fischer, 1820 in Tenebrioninae: Helopini: Helopina.

Graptopezus Gebien, 1921a: 296 [M]. Type species: *Setenis costipennis* Blair, 1915 (= *Nyctozoilus crenaticollis* W.J. MacLeay, 1886), by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Gressittiola Kaszab, 1955a: 462, 464 [F]. Type species: *Gressittiola platydemoides* Kaszab, 1955, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Gridellia Kammerer, 2006: 270 [F]. Type species [automatic]: *Tenebrio clypealis* Gebien, 1920, by original designation. Status: valid genus in Tenebrioninae: Tenebrionini. Note: replacement name for *Villiersia* Gridelli, 1951.

Gridelliopus Koch, 1956a: 358 [M]. Type species: *Gridelliopus subsquamosus* Koch, 1956, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Gronophora Borchmann, 1916a: 48, 103 [F]. Type species: *Gronophora gravida* Borchmann, 1916, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Guanobius Grimm, 2008: 375 [M]. Type species: *Guanobius borneensis* Grimm, 2008, by original designation. Status: valid genus in Tenebrioninae: Alphitobiini.

Guildia Antoine, 1957: 346, 359 [F]. Type species: *Micrositus punctistriatus* Escalera, 1925, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Gunarellus Reitter, 1922a: 22 [M]. Type species: *Helops gratus* Frivaldszky, 1894, by subsequent designation (Nabozhenko 2008: 38). Status: junior synonym of *Stenohelops* Reitter, 1922 in Tenebrioninae: Helopini: Helopina. Synonymy: Nabozhenko et al. (2020b: 297). Note: *Gunarellus* was first described by Reitter (1922a: 22, in key; issued 30 March 1922) without originally included species; Reitter (1922b: 114–115; issued 25 October 1922) was the first author to subsequently and expressly include nominal species in *Gunarellus* (ICZN 1999, Article 67.2.2).

Gunarus Gozis, 1886: 25 [M]. Type species: *Helops hirtulus* Reiche, 1862, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Gymnetasida Reitter, 1917a: 10, 22 [F]. Type species: *Asida tricostata* Allard, 1869, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Gymnognathus Solier, 1851: 136 [M]. Type species: *Gymnognathus fuscus* Solier, 1851, by monotypy. Status: junior synonym of *Arthroconus* Solier, 1851 in Pimeliinae: Edrotini. Synonymy: Lacordaire (1859a: 67). Note: junior homonym of *Gymnognathus* Schönherr, 1823 [Coleoptera: Anthribidae].

Gynandrocera Gebien, 1920: 46 [F]. Type species: *Gynandrocera cephalotes* Gebien, 1920 (= *Afrinus minor* Péringuey, 1908), by subsequent designation (Koch 1950b: 328). Status: valid subgenus of *Afrinus* Fairmaire, 1888 in Pimeliinae: Tentyriini.

Gyrasida Koch, 1962a: 127, 143 [F]. Type species: *Afrasida propensa* Wilke, 1922, by original designation. Status: valid genus in Pimeliinae: Praociini. Note: elevated to the rank of genus and transferred from Pimeliinae: Asidini by Flores and Vidal (2009: 52); as mentioned by Flores and Vidal (2009: 48, 56) the type species was originally described from South Africa in error: the genus *Gyrasida* Koch, 1962 is endemic to Chile.

Gyrinodes Fauvel, 1897: 61 [M]. Type species: *Helops gagatinus* Küster, 1850, by monotypy. Status: junior synonym of *Nesotes* Allard, 1876 in Tenebrioninae: Helopini: Helopina. Synonymy: **new synonym** [YB]. Note: this genus-group taxon has been forgotten in the literature; its type species is currently placed in the nominotypical subgenus of *Nesotes* Allard, 1876 and for that reason Fauvel's name is regarded as a new junior synonym of *Nesotes*.

Gyriosomus Guérin-Méneville, 1834: 6 [M]. Type species: *Nyctelia luczotii* Guérin-Méneville, 1831, by subsequent designation (Duponchel 1845b: 449). Status: valid genus in Pimeliinae: Nycteliini.

Gyrosis Gebien, 1920: 33, 37 [F]. Type species: *Zophosis orbicularis* Deyrolle, 1867, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Habrobates Semenov, 1903a: 11 [M]. Type species: *Habrobates vernalis* Semenov, 1903, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Habrochiton Semenov-Tjan-Shansky, 1907a: 177, 179 [M]. Type species: *Habrochiton vernus* Semenov-Tjan-Shansky, 1907, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Hades J. Thomson, 1860a: 13 [M]. Type species: *Hades tenebrosus* J. Thomson, 1860 (= *Platydema hemisphaerica* Laporte & Brullé, 1831), by monotypy. Status: senior synonym of *Pimplema* Pascoe, 1887 in Diaperinae: Leiochrinini. Synonymy: Gebien (1940: 755). Note: junior homonym of *Hades* Westwood, 1851 [Lepidoptera].

Hadroderus Koch, 1956a: 347 [M]. Type species: *Hadroderus tuberculiferus* Koch, 1956, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Hadrodes Wollaston, 1877: 226 [M]. Type species: *Hadrodes helenensis* Wollaston, 1877, by monotypy. Status: valid genus in Blaptinae: Opatrini: AMMOBIINA.

Hadromelambius Koch, 1948: 432 [M]. Type species: *Melambius telueticus* Escalera, 1914, by original designation. Status: valid subgenus of *Melambius* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Hadrophasis Ferrer, 1992: 87 [F]. Type species: *Hadrophasis angolensis* Ferrer, 1992, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Hadrus Wollaston, 1854: 502 [M]. Type species: *Hadrus alpinus* Wollaston, 1854, by subsequent designation (R. Lucas 1920: 313). Status: senior synonym of *Wolladrus* Iwan & Kamiński, 2016 in Blaptinae: Opatrini: Opatrina. Note: junior homonym of *Hadrus* Perty, 1833 [Diptera].

Haemerophygus Baudi di Selve, 1876b: 266 [M]. Type species: *Helops mucoreus* Waltl, 1838, by monotypy. Status: junior synonym of *Ceratanisus* Gemminger, 1870 in Pimeliinae: Ceratanisini. Synonymy: Nabozhenko et al. (2016b: 608).

Haemodus Gebien, 1943: 904 [M]. Type species [automatic]: *Haemus carinatipennis* Péringuey, 1904, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina. Note: replacement name for *Haemus* Péringuey, 1904.

Haemus Péringuey, 1904: 228 [M]. Type species: *Haemus carinatipennis* Péringuey, 1904, by monotypy. Status: senior synonym of *Haemodus* Gebien, 1943 in Blaptinae: Dendarini: Melambiina. Note: junior homonym of *Haemus* Stål, 1862 [Hemiptera].

Halammobia Semenov, 1901: 92 [F]. Type species: *Tenebrio pellucidus* Herbst, 1799, by monotypy. Status: valid genus in Diaperinae: Phaleriini.

Halonomus Wollaston, 1861: 201 [M]. Type species: *Halonomus grayii* Wollaston, 1861 (= *Opatrum ovatum* Erichson, 1843), by subsequent designation (Iwan and Löbl 2007: 734). Status: junior synonym of *Clitobius* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Fairmaire (1886b: ccv). Note: the original combination of the accepted name of the type species, *Opatrum ovatum* Erichson, 1843, is a junior primary homonym of *Opatrum ovatum* Fabricius, 1801.

Halophalerus Crotch, 1874: 107 [M]. Type species: *Phaleria rotundata* J.L. LeConte, 1851, by subsequent designation (Bousquet et al. 2018: 289). Status: junior synonym of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini. Synonymy: Austin (1880: 38).

Hangaya Matthews & Merkl, 2015: 479 [F]. Type species: *Hangaya enigmatica* Matthews & Merkl, 2015, by original designation. Status: valid genus in Tenebrioninae: incertae sedis. Note: according to Matthews and Lawrence (2019: 628) the closest relative of this genus within the subfamily Tenebrioninae remains to be determined.

Hanstroemium Koch, 1953c: 19 [N]. Type species: *Hanstroemium adelostomoide* Koch, 1953, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Haplandrus J.L. LeConte, 1862: 230 [M]. Type species: *Helops femoratus* Fabricius, 1798 (= *Upis fulvipes* Herbst, 1797), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Haporema Fairmaire, 1892a: 109 [F]. Type species: *Haporema decipiens* Fairmaire, 1892, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hapsida Gemminger in Gemminger and Harold, 1870: 1955 [F]. Type species [automatic]: *Apsida chrysomelina* Lacordaire, 1859, by original designation. Status: junior synonym of *Apsida* Lacordaire, 1859 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Apsida* Lacordaire, 1859, not in prevailing usage.

Harvengia Ferrer, 2004b: 367 [F]. Type species: *Harvengia vietnamita* Ferrer, 2004, by original designation. Status: valid genus in Pimeliinae: Stenosini: Harvengiina.

Hasticollinum Kaszab, 1939a: 96 [N]. Type species: *Hasticollinum podagrarium* Kaszab, 1939, by original designation. Status: junior synonym of *Gonocephalum* Solier, 1834 in Blaptinae: Opatrini: Opatrina. Synonymy: Ferrer (1995a: 72).

Havanalia Novák, 2020c: 489 [F]. Type species: *Havanalia qazvinica* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Hectus Pascoe, 1869: 288, 289 [M]. Type species: *Hectus anthracinus* Pascoe, 1869, by monotypy. Status: junior synonym of *Olisthaena* Erichson, 1842 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1913a: 62).

Hedrotes Gemminger in Gemminger and Harold, 1870: 1816 [M]. Type species [automatic]: *Edrotes ventricosus* J.L. LeConte, 1851, by monotypy. Status: junior synonym of *Edrotes* J.L. LeConte, 1851 in Pimeliinae: Edrotini. Note: unjustified emendation of *Edrotes* J.L. LeConte, 1851, not in prevailing usage.

Hedyphanes Fischer, 1820: pl.15 [M]. Type species: *Hedyphanes coerulescens* Fischer, 1820, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina.

Hegemona Laporte, 1840: 230 [F]. Type species: *Hegemona resplendens* Laporte, 1840, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hegeter Latreille, 1802: 172 [M]. Type species: *Hegeter striatus* Latreille, 1804 (= *Blaps tristis* Fabricius, 1792), by subsequent monotypy (Latreille 1804: 276). Status: valid genus and subgenus in Pimeliinae: Tentyriini. Note: originally proposed without included nominal species; Latreille (1804: 276), by including the species *Hegeter striatus* Latreille, 1804 in association with this name, was the first author to subsequently and expressly include nominal species in *Hegeter* (ICZN 1999, Article 67.2.2); the previously accepted type species for this genus was *Blaps elongata* G.-A.

Olivier, 1795 (= *Blaps tristis* Fabricius, 1792), by subsequent designation (Latreille 1810: 429); Latreille (1804: 276) mentioned "Le type de ce genre paroît être le blaps alongé d'Olivier" however he did not use a Latin name for the species.

Hegeterocara Reitter, 1900c: 94, 190 [N]. Type species: *Hegeterocara arabicum* Reitter, 1900, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Hegeteromorpha Escalera, 1913: 38 [F]. Type species: *Pachychila externecostata* Haag-Rutenberg, 1875, by subsequent monotypy (Escalera 1914: 281). Status: valid subgenus of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: originally proposed without included nominal species; Escalera (1914: 281), by including the species *Pachychila externecostata* Haag-Rutenberg, 1875 in association with this name, was the first author to subsequently and expressly include nominal species in *Hegeteromorpha* (ICZN 1999, Article 67.2.2).

Heinrichesia Carl, 2000: 258 [F]. Type species: *Heinrichesia schaeferi* Carl, 2000, by monotypy. Status: junior synonym of *Waterhousia* Skopin, 1973 in Pimeliinae: Pimeliini. Synonymy: G.S. Medvedev (2005a: 309). Note: combined description of new genus-group taxon and new species (ICZN 1999, Article 13.4).

Helea Latreille, 1804: 326 [F]. Type species: *Helea perforata* Latreille, 1817, by subsequent monotypy (Latreille 1817: 261). Status: valid genus in Tenebrioninae: Heleini: Heleina. Note: the name *Helea* Meigen, 1800 (Diptera) was suppressed for the purposes of zoological nomenclature by the ICZN (1963, Opinion 678); originally proposed without included nominal species; Latreille (1817: 261), by including the new species *Helea perforata* Latreille, 1817 [as *Heleus perforatus*] in association with this name, was the first author to subsequently and expressly include nominal species in *Helea* (ICZN 1999, Article 67.2.2).

Heledona Agassiz, 1846b: 135, 174 [F]. Type species [automatic]: *Opatrum agricola* Herbst, 1783, by subsequent monotypy (Latreille 1802: 162). Status: junior synonym of *Eledona* Latreille, 1797 in Tenebrioninae: Bolitophagini. Note: unjustified emendation of *Eledona* Latreille, 1797, not in prevailing usage.

Helenomelas Ardoin, 1972: 190 [M]. Type species: *Helenomelas basilewskyi* Ardoin, 1972, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Helenophorus Gemminger in Gemminger and Harold, 1870: 1851 [M]. Type species [automatic]: *Tenebrio collaris* Linnaeus, 1767, by monotypy. Status: junior synonym of *Leptoderis* Billberg, 1820 in Pimeliinae: Elenophorini: Elenophorina. Note: unjustified emendation of *Elenophorus* Dejean, 1821, not in prevailing usage.

Helibatus Mulsant & Rey, 1859c: 94, 100 [M]. Type species: *Helibatus morio* Mulsant & Rey, 1859, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Helioarthrodibius Koch, 1960: 353 [M]. Type species: *Arthrodeis ruguliventris* Fairmaire, 1884, by monotypy. Status: valid subgenus of *Arthrodibius* Lesne, 1915 in Pimeliinae: Erodiini.

Heliocaes Bedel, 1906a: 92 [M]. Type species: *Blaps emarginata* Fabricius, 1792, by **present designation**. Status: junior synonym of *Heliopates* Dejean, 1834 in Blaptinae: Dendarini: Dendarina. Synonymy: Gebien (1938a: 304). Note: this genus was proposed as a replacement name for "*Heliopathes*" Dejean sensu

Mulsant, 1854, an incorrect subsequent spelling of *Heliopates* Dejean, 1834, which is unavailable (ICZN 1999, Article 33.3); *Heliocaes* Bedel, 1906 was made available by indication (ICZN 1999, Article 12.2.1); Escalera (1914: 326) was the first author to subsequently and expressly include nominal species in *Heliocaes* (ICZN 1999, Article 67.2.2).

Heliocrates Reitter, 1904: 98 [M]. Type species: *Heliophilus humerangulus* Reitter, 1904, by subsequent designation (Iwan and Löbl 2007: 734). Status: valid subgenus of *Heliopates* Dejean, 1834 in Blaptinae: Dendarini: Dendarina.

Heliodromus Brullé, 1832: 196 [M]. Type species: *Heliodromus rotundatus* Brullé, 1832, by subsequent designation (Löbl et al. 2008a: 41). Status: junior synonym of *Tentyria* Latreille, 1802 in Pimeliinae: Tentyriini. Synonymy: Solier (1835b: 314).

Heliofugus Guérin-Méneville, 1831a: pl. 4 [M]. Type species: *Heliofugus arenosus* Guérin-Méneville, 1831, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Heliomelasma Koch, 1948: 408 [N]. Type species: *Melasmana appenhageni* Koch, 1948, by original designation. Status: valid subgenus of *Melasmana* Strand, 1935 in Blaptinae: Dendarini: Melambiina.

Heliomophlus Reitter, 1906b: 147 [M]. Type species: *Heliotaurus scabriusculus* Fairmaire, 1866, by subsequent designation (R. Lucas 1920: 319). Status: valid genus in Alleculinae: Cteniopodini.

Heliopates Dejean, 1834: 191 [M]. Type species: *Tenebrio lusitanicus* Herbst, 1797, by subsequent designation (Gebien 1938a: 304). Status: valid genus and subgenus in Blaptinae: Dendarini: Dendarina. Note: this genus was originally proposed as a replacement name for the junior homonym *Heliophilus* Dejean, 1821 (see Bousquet and Bouchard 2013a: 46) and should have the same type species as *Heliophilus* Dejean, 1821 (i.e., *Pedinus hybridus* Latreille, 1804); however, recent authors (e.g., Silfverberg 1984: 59, Iwan and Löbl 2008: 279, Iwan and Löbl 2020: 302) have followed the type species designation proposed by Gebien (1938a: 304) and treated *Heliopates* as a separate genus with *Tenebrio lusitanicus* Herbst, 1797 as its type species; in order to maintain nomenclatural stability we recommend that an application be submitted to the International Commission on Zoological Nomenclature to request that the type species designation proposed by Gebien (1938a: 304) be used for *Heliopates* Dejean, 1834.

Heliopathes Gebien, 1938a: 304 [M]. Type species: *Tenebrio lusitanicus* Herbst, 1797, by subsequent designation (Gebien 1938a: 304). Status: junior synonym of *Heliopates* Dejean, 1834 in Blaptinae: Dendarini: Dendarina. Note: unjustified emendation of *Heliopates* Dejean, 1834, not in prevailing usage; see comments regarding the type species of *Heliopates* Dejean, 1834 under that name.

Heliophilus Dejean, 1821: 65 [M]. Type species: *Pedinus hybridus* Latreille, 1804, by subsequent designation (Duponchel 1845b: 517). Status: senior synonym of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina. Synonymy: Iwan and Löbl (2008: 282). Note: junior homonym of *Heliophilus* Meigen, 1803 [Diptera]; the currently accepted valid name of the type species, "*Phylan abbreviatus* (G.-A.

Olivier, 1795)", should not be considered as an available name since G.-A. Olivier (1795: [57] 17) clearly refers to *Tenebrio abbreviatus* Fabricius, 1775.

Heliophosis Koch, 1952a: 95 [F]. Type species: *Heliophosis kalaharica* Koch, 1952, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Heliophygus Agassiz, 1846b: 175 [M]. Type species [automatic]: *Heliofugus arenosus* Guérin-Méneville, 1831, by monotypy. Status: junior synonym of *Heliofugus* Guérin-Méneville, 1831 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Heliofugus* Guérin-Méneville, 1831, not in prevailing usage.

Heliosteres Hope, 1841: 124 [M]. Type species [automatic]: *Heliofugus arenosus* Guérin-Méneville, 1831, by monotypy. Status: junior synonym of *Heliofugus* Guérin-Méneville, 1831 in Stenochiinae: Cnodalonini. Note: unnecessary replacement name for *Heliofugus* Guérin-Méneville, 1831.

Heliostrhaema Reitter, 1890a: 34 [N]. Type species: *Heliotaurus rolphii* Fairmaire, 1867, by subsequent designation (R. Lucas 1920: 319). Status: valid genus in Alleculinae: Cteniopodini. Note: *Heliostrhaema* is an unjustified emendation of the original spelling *Heliosthraema*, introduced by Seidlitz (1896: 223), in prevailing usage and attributed to the original author and date; it is considered here to be a justified emendation (ICZN 1999, Article 33.2.3.1).

Heliotaurus Mulsant, 1856a: 73 [M]. Type species: *Cistela distincta* Laporte, 1840, by subsequent designation (Novák and Pettersson 2008: 332). Status: valid genus and subgenus in Alleculinae: Cteniopodini.

Helogria Borchmann, 1916a: 48, 110 [F]. Type species: *Lagria pruinosa* Chevrolat, 1841, by subsequent designation (Borchmann 1936: 143). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Helopelius Reitter, 1922b: 123, 152 [M]. Type species: *Stenomax aeneipennis* Allard, 1876, by subsequent designation (Nabozhenko 2008: 38). Status: valid subgenus of *Stenohelops* Reitter, 1922 in Tenebrioninae: Helopini: Helopina. Note: downgraded to a subgenus of *Stenohelops* Reitter, 1922 by Nabozhenko et al. (2020b: 293).

Helopidesthes Fairmaire, 1895b: 446 [F]. Type species: *Helopidesthes coriaria* Fairmaire, 1895, by monotypy. Status: valid genus in Tenebrioninae: Helopini: incertae sedis.

Helopidoxus Reitter, 1922a: 32, 44 [M]. Type species: *Helops superbus* Mulsant & Godart, 1855, by monotypy. Status: valid subgenus of *Euboeus* Boieldieu, 1865 in Tenebrioninae: Helopini: Helopina.

Helopimorphus Desbrochers des Loges, 1881: 140 [M]. Type species: *Helopimorphus angulipennis* Desbrochers des Loges, 1881, by monotypy. Status: junior synonym of *Heterotarsus* Latreille, 1829 in Blaptinae: Opatrini: Heterotarsina. Synonymy: Seidlitz (1896: 24).

Helopinus Solier, 1848: 152, 197 [M]. Type species: *Helopinus costatus* Solier, 1848, by monotypy. Status: valid subgenus of *Drosochrus* Erichson, 1843 in Blaptinae: Pedinini: Helopinina. Note: the First Reviser (*Helopinus* Solier, 1848 versus *Pteraulus* Solier, 1848) is Koch (1958: 149)

Helopocerodes Reitter, 1922b: 122, 144 [M]. Type species: *Helops faldermanni* Faldermann, 1837, by subsequent designation (Nabozhenko 2001a: 633). Status: junior synonym of *Nalassus* Mulsant, 1854 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: Keskin et al. (2017: 726).

Helopogonus Reitter, 1922b: 122, 150 [M]. Type species: *Helops viridicollis* Schaufuss, 1869, by monotypy. Status: valid subgenus of *Nesotes* Allard, 1876 in Tenebrioninae: Helopini: Helopina.

Helopondrus Reitter, 1922b: 123, 153 [M]. Type species: *Stenomax sareptanus* Allard, 1876, by subsequent designation (Nabozhenko 2001a: 652). Status: junior synonym of *Horistelops* Gozis, 1910 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: **new synonym** [YB]. Note: *Horistelops* Gozis, 1910 has been forgotten in the literature; its type species is currently included in the subgenus *Helopondrus* Reitter, 1922 and for that reason Reitter's name is considered a new junior synonym of *Horistelops*.

Helopostygnus Antoine, 1949: 133, 153 [M]. Type species: *Helops atlantis* Antoine, 1926, by original designation. Status: valid subgenus of *Euboeus* Boieldieu, 1865 in Tenebrioninae: Helopini: Helopina.

Helopotrichus Reitter, 1922a: 32, 44 [M]. Type species: *Helops villosipennis* P.H. Lucas, 1846, by subsequent designation (Viñolas and Cartagena 2005: 38). Status: valid subgenus of *Euboeus* Boieldieu, 1865 in Tenebrioninae: Helopini: Helopina.

Helops Fabricius, 1775: 257 [M]. Type species: *Tenebrio caeruleus* Linnaeus, 1758, by subsequent designation (Hope 1841: 133; see ICZN 2009, Opinion 2237). Status: valid genus in Tenebrioninae: Helopini: Helopina. Note: as mentioned in Bousquet et al. (2018: 183) and Vela et al. (2020: 63) the type of the nominal species *Tenebrio caeruleus* Linnaeus, 1758 is actually a leaf beetle that belongs to the genus *Timarcha* Samouelle, 1819 (Coleoptera: Chrysomelidae) based on examination of a syntype; since *Tenebrio caeruleus* Linnaeus, 1758 was placed on the Official List of Specific Names in Zoology and fixed as the type species of *Helops* Fabricius, 1775 in Opinion 2237 (ICZN 2009), an application to the International Commission on Zoological Nomenclature is necessary to request that the type species of *Helops* be changed to *Tenebrio caeruleus* Linnaeus sensu Fabricius, 1775 (= *Helops chalibaeus* Rossi, 1790).

Helopsallecula Pic, 1936a: 33 [F]. Type species: *Helopsallecula minutissima* Pic, 1936, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Helopsisomira Pic, 1952a: 63 [F]. Type species: *Helopsisomira kochi* Pic, 1952, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Hemasodes Casey, 1907: 378 [M]. Type species: *Schoenicus vestitus* Champion, 1884, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Hemeralopius Gistel, 1848a: viii, 125 [M]. Type species [automatic]: *Tenebrio elongatus* Herbst, 1797, by monotypy. Status: senior synonym of *Belopus* Gebien, 1911 in Lagriinae: Belopini. Note: replacement name for *Calcar* Dejean, 1821; nomen oblitum (see Bouchard and Bousquet 2020b: 6).

Hemerobates Kolbe, 1884: 189 [M]. Type species: *Nyctobates mechowi* Kolbe, 1884, by monotypy. Status: junior synonym of *Amenophis* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1911a: 441).

Hemicera Laporte & Brullé, 1831: 332, 393 [F]. Type species: *Cnodalon splendens* Wiedemann, 1823, by subsequent designation (Gebien 1921a: 335). Status: valid genus and subgenus in Stenochiinae: Cnodalonini. Note: nomenclatural stability in this genus is threatened by the discovery of an older type species designation (*Hemicera arcuata* Laporte & Brullé, 1831 [misspelled "*Hemicera armata*"], by subsequent designation by Duponchel (1845b: 528), which is currently the type species of the valid genus *Hypocalis* Dejean, 1834); we recommend that an application be submitted to the International Commission on Zoological Nomenclature to maintain the type species designation proposed by Gebien (1921a: 335).

Hemicistela Blackburn, 1891: 331 [F]. Type species: *Hemicistela discoidalis* Blackburn, 1891, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Hemicyclus Westwood, 1841a: 44 [M]. Type species: *Hemicyclus grandis* Westwood, 1841 (= *Tetraphyllus reaumuri* Laporte, 1840), by subsequent designation (Gebien 1941: 1133). Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Hemimmedia Gebien, 1928: 220, 229 [F]. Type species: *Hemimmedia corpulenta* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hemipraocis Flores & Pizarro-Araya, 2014: 66 [M]. Type species: *Praocis sellatus* Berg, 1889, by original designation. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini. Note: this name was first proposed by Kulzer (1958a: 13, 60) without type species designation; the fact that *Praocis sellatus* Berg, 1889 was listed as the "type" of *Hemipraocis* in the Zoological Record for the year 1958 (Anonymous in Commonwealth Institute of Entomology 1960) does not represent a valid type species designation since the nomenclatural act is anonymous (ICZN 1999, Article 14).

Hemipristis Kolbe, 1903: 165, 177 [F]. Type species: *Hemipristis ukamia* Kolbe, 1903, by **present designation**. Status: senior synonym of *Hemipristula* Bouchard & Bousquet, **nom. nov.** in Lagriinae: Pycnocerini. Note: junior homonym of *Hemipristis* Agassiz, 1833 [Pisces].

Hemipristula Bouchard & Bousquet, **new replacement name** [F]. Type species [automatic]: *Hemipristis ukamia* Kolbe, 1903, by **present designation**. Status: valid genus in in Lagriinae: Pycnocerini. Note: replacement name *Hemipristis* Kolbe, 1903; *Hemipristula* was proposed earlier by Strand (1935a: 291); however, this name is unavailable because Strand did not designate a type species for the nominal taxon, a mandatory requirement for replacement name without valid typification proposed after 1930 (ICZN 1999; Article 13.3.1).

Hemipterocoma Skopin, 1974b: 159 [F]. Type species: *Pterocoma nikolskii* Semenov-Tjan-Shansky, 1910, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Hemitrichestes Reitter, 1904: 169 [M]. Type species: *Penthicus hirsutus* Reitter, 1896, by monotypy. Status: junior synonym of *Melanesthes* Dejean, 1834 in Blaptinae: Opatrini: Opatrina. Synonymy: Löbl et al. (2008b: 267).

Heptaphylla Friedenreich, 1883: 375 [F]. Type species: *Heptaphylla fungicola* Friedenreich, 1883, by monotypy. Status: junior synonym of *Rhipidandrus* J.L. LeConte, 1862 in Tenebrioninae: Bolitophagini. Synonymy: Arrow (1904: 31).

Herbertfranzia Kaszab, 1973a: 26, 28 [F]. Type species: *Herbertfranzia nepalica* Kaszab, 1973, by original designation. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Herbertfranziella Kaszab, 1973a: 26, 28 [F]. Type species: *Herbertfranzia eutagenoides* Kaszab, 1973, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Herlesa Reitter, 1897a: 298, 301 [F]. Type species: *Herlesa globicollis* Reitter, 1897 (= *Micipsa cavifrons* Fairmaire, 1863), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Herodius Agassiz, 1846b: 143,179 [M]. Type species [automatic]: *Erodius gibbus* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini. Note: unjustified emendation of *Erodius* Fabricius, 1775, not in prevailing usage.

Herpiscius Solier, 1838b: 160, 188 [M]. Type species: *Herpiscius spinolae* Solier, 1838, by subsequent designation (Hope 1841: 115). Status: valid genus in Tenebrioninae: Scaurini.

Herpsis Haag-Rutenberg, 1875b: 4, 66 [F]. Type species: *Adelostoma rugosum* Guérin-Méneville, 1831, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Herthasida Wilke, 1922: 269 [F]. Type species: *Asida ingens* Champion, 1892, by monotypy. Status: valid subgenus of *Philolithus* Lacordaire, 1858 in Pimeliinae: Asidini.

†*Hesiodobates* Kaszab & Schawaller, 1984: 1 [M]. Type species: *Hesiodobates antiquus* Kaszab & Schawaller, 1984, by original designation. Status: junior synonym of *Nesocyrtosoma* Marcuzzi, 1976 in Stenochiinae: Cnodalonini. Synonymy: Doyen and Poinar (1994: 45). Note: described from Early Miocene amber (Dominican Republic).

Hesiodus Champion, 1885: 115 [M]. Type species: *Hesiodus longitarsis* Champion, 1885, by subsequent designation (R. Lucas 1920: 323). Status: valid genus in Stenochiinae: Cnodalonini.

Hesperoptorina G.S. Medvedev, 2009: 417 [F]. Type species: *Gnaptorina brucei* Blair, 1923, by original designation. Status: valid subgenus of *Gnaptorina* Reitter, 1887 in Blaptinae: Blaptini: Gnaptorinina.

Hesseodes Ardoin, 1963a: 92 [M]. Type species: *Hoplonyx kalaharica* Hesse, 1935, by original designation. Status: valid genus in Tenebrioninae: Amarygmini. Note: the name *Hesseodes* used earlier by Ardoin (1962b: 969) is unavailable since it was published after 1930 without a type species designation.

Hesseosis Koch, 1958: 76 [F]. Type species: *Hesseosis purpurascens* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Heterarthron Gistel, 1848a: 190 [N]. Type species [automatic]: *Eulabis bicarinata* Eschscholtz, 1829, by subsequent designation (Blaisdell 1932: 44). Status: junior synonym of *Eulabis* Eschscholtz, 1829 in Tenebrioninae: Eulabini. Note: junior homonym of *Heterarthron* Dejean, 1836 [Coleoptera: Bostrichidae]; unnecessary replacement name for *Eulabis* Eschscholtz, 1829 (as "*Eulabes*").

Heterasida Casey, 1912: 76, 165 [F]. Type species: *Pelecyphorus bifurcus* J.L. LeConte, 1861, by original designation. Status: valid genus in Pimeliinae: Asidini.

Heterocheira Dejean, 1836: 220 [F]. Type species: *Uloma australe* Boisduval, 1835, by monotypy. Status: valid genus in Blaptinae: Opatrini: Heterotarsina.

Heterochira Agassiz, 1846b: 180 [F]. Type species [automatic]: *Uloma australe* Boisduval, 1835, by monotypy. Status: junior synonym of *Heterocheira* Dejean, 1836 in Blaptinae: Opatrini: Heterotarsina. Note: unjustified emendation of *Heterocheira* Dejean, 1836, not in prevailing usage.

Heterogena Froussart, 1961: 60, 105 [F]. Type species: *Nesogena goudotii* Fairmaire, 1868, by original designation. Status: valid subgenus of *Nesogena* Mäklin, 1863 in Tenebrioninae: Praeugenini.

Heterogria Fairmaire, 1896a: 42 [F]. Type species: *Heterogria punctatissima* Fairmaire, 1896, by monotypy. Status: junior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Synonymy: Merkl (2004: 285).

Heteromerotylus Pic, 1921b: 11 [M]. Type species: *Heteromerotylus bicoloripes* Pic, 1921, by monotypy. Status: junior synonym of *Tearchus* Kraatz, 1880 in Stenochiinae: Cnodalonini. Synonymy: Kulzer (1954a: 71).

Heteromira Hölzel, 1958: 19 [F]. Type species: *Isomira moroi* Hölzel, 1958, by monotypy. Status: valid subgenus of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina.

Heteronicandra Koch, 1958: 151 [F]. Type species: *Nicandra zumpti* Kulzer, 1951, by original designation. Status: valid subgenus of *Nicandra* Fairmaire, 1888 in Blaptinae: Pedinini: Helopinina.

Heterophaga Dejean, 1834: 199 [F]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Opatrum laevigatum* Fabricius, 1781, misidentified as *Tenebrio mauritanicus* Linnaeus, 1764 in the subsequent designation of Duponchel (1845b: 601). Status: junior synonym of *Alphitobius* Stephens, 1829 in Tenebrioninae: Alphitobiini. Synonymy: Wollaston (1854: 498). Note: see Spilman (1972: 32) for the history of the misidentification.

Heterophyllus Gemminger in Gemminger and Harold, 1870: 1955 [M]. Type species [automatic]: *Heterophylus chrysomelinus* Klug, 1833, by monotypy. Status: junior synonym of *Heterophylus* Klug, 1833 in Diaperinae: Diaperini: Diaperina. Note: unjustified emendation of *Heterophylus* Klug, 1833, not in prevailing usage.

Heterophylus Klug, 1833: 91 [M]. Type species: *Heterophylus chrysomelinus* Klug, 1833, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Heterophylus Mulsant & Rey, 1859c: 7 [M]. Type species: *Heliopates picipes* Faldermann, 1837, by subsequent designation (Gebien 1938a: 397). Status: senior synonym of *Dissonomus* Jacquelin du Val, 1861 in Tenebrioninae: Dissonomini. Note: junior

homonym of *Heterophylus* Klug, 1833 [Tenebrionidae: Diaperinae: Diaperini: Diaperina].

Heteropromus Blaisdell, 1909: 179 [M]. Type species: *Eleodes vetorator* Horn, 1874, by monotypy. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Heteropsectropus Kaszab, 1941c: 33, 34 [M]. Type species: *Heteropsectropus aenescens* Kaszab, 1941, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Heteropus Laporte, 1840: 221 [M]. Type species: *Heteropus holosericeus* Laporte, 1840, by monotypy. Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Lacordaire (1859a: 250). Note: junior homonym of *Heteropus* Palisot de Beauvois, 1820 [Mammalia].

Heteroscelis Agassiz, 1846b: 181, 266 [F]. Type species [automatic]: *Adesmia pulcherrima* Solier, 1835 (= *Adesmia audouini* Solier, 1835), by subsequent designation (Hope 1841: 118). Status: junior synonym of *Oteroscelis* Solier, 1835 in Pimeliinae: Adesmiini. Note: unjustified emendation of *Oteroscelis* Solier, 1835, not in prevailing usage; junior homonym of *Heteroscelis* Latreille, 1828 [Coleoptera: Tenebrionidae: Blaptinae: Platynotini: Platynotina].

Heteroscelis Latreille, 1828: 574 [F]. Type species: *Blaps dentipes* Fabricius, 1794, by subsequent designation (Blanchard 1844: pl. 48). Status: senior synonym of *Anomalipus* Guérin-Méneville, 1831 in Blaptinae: Platynotini: Platynotina. Synonymy: Lacordaire (1859a: 257). Note: nomen oblitum (see Bouchard and Bousquet 2020a: 101); this genus used to be credited to Latreille (1829a: 18) and treated as a junior homonym of *Heteroscelis* Latreille, 1829 [Hemiptera] until bibliographic research determined that the tenebrionid name was made available earlier by Latreille (1828: 574) and is in fact the senior homonym (see Bouchard and Bousquet 2020a: 101).

Heterostrongylium Kaszab, 1977b: 10, 27 [N]. Type species: *Strongylium weiskei* Gebien, 1921, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Heterotarsus Latreille, 1829a: 26 [M]. Type species: *Heterotarsus tenebrioides* Guérin-Méneville, 1831, by subsequent monotypy (Guérin-Méneville 1831b: pl. 30). Status: valid genus in Blaptinae: Opatrini: Heterotarsina. Note: originally proposed without included nominal species; Guérin-Méneville (1831b: pl. 30), by including the new species *Heterotarsus tenebrioides* Guérin-Méneville, 1831 in association with this name, was the first author to subsequently and expressly include nominal species in *Heterotarsus* (ICZN 1999, Article 67.2.2).

Hexagonochilus Solier, 1851: 168 [M]. Type species: *Hexagonochilus dilaticollis* Solier, 1851, by original designation. Status: valid genus in Pimeliinae: Stenosini: Dichillina. Note: *Hexagonochilus* is an incorrect subsequent spelling of the original spelling *Hexagonocheilus*, first used by Imhoff (1856: 234), and is in prevailing usage; *Hexagonochilus* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Hexarhopalus Fairmaire, 1891c: xix [M]. Type species: *Hexarhopalus sculpticollis* Fairmaire, 1891, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Hexarhoptrum Fairmaire, 1894a: 38 [N]. Type species [automatic]: *Hexarhopalus sculpticollis* Fairmaire, 1891, by monotypy. Status: junior synonym of *Hexarhopalus* Fairmaire, 1891 in Stenochiinae: Cnodalonini. Note: the alternative original spelling *Hexaroptrum*, used by Fairmaire (1894a: 38), was rejected by Bečvář and Purchart (2008: 39) who acted as the First Revisers; unnecessary replacement name for *Hexarhopalus* Fairmaire, 1891.

Hicetaon Champion, 1885: 111 [M]. Type species: *Hicetaon frontalis* Champion, 1885, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hidrosella Koch, 1952b: 32 [F]. Type species: *Hidrosis incostata* Haag-Rutenberg, 1875, by original designation. Status: valid subgenus of *Machlopsis* Pomel, 1871 in Pimeliinae: Adelostomini.

Hidrosis Haag-Rutenberg, 1875a: 120 [F]. Type species: *Steira crenatocostata* Redtenbacher, 1868, by subsequent designation (Löbl et al. 2008b: 121). Status: junior synonym of *Machlopsis* Pomel, 1871 in Pimeliinae: Adelostomini. Synonymy: Bedel (1887: 199).

Himastethe Koch, 1950b: 286 [F]. Type species: *Cyphostethe gigantea* Koch, 1950, by original designation. Status: valid subgenus of *Cyphostethe* Marseul, 1866 in Pimeliinae: Tentyriini.

Himatismus Erichson, 1843: 253 [M]. Type species: *Himatismus mandibularis* Erichson, 1843, by subsequent designation (Gebien 1937a: 574). Status: valid subgenus of *Imatismus* Dejean, 1834 in Pimeliinae: Tentyriini.

Hionthis Miller, 1861: 174 [F]. Type species: *Hionthis tentyrioides* Miller, 1861, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Hionthisoma Gebien, 1937a: 609 [N]. Type species [automatic]: *Hionthis occidentalis* Fairmaire, 1897, by monotypy. Status: junior synonym of *Hyonthosoma* Reitter, 1900 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Hyonthosoma* Reitter, 1900, not in prevailing usage.

Hipalmus Bates, 1870: 269 [M]. Type species: *Tenebrio costatus* Guérin-Méneville, 1831, by original designation. Status: valid genus in Tenebrioninae: Tenebrionini. Note: the original combination of the name of the type species, *Tenebrio costatus* Guérin-Méneville, 1831, is a junior primary homonym of *Tenebrio costatus* Pallas, 1781.

Hipomelus Dejean, 1834: 181 [M]. Type species: *Sepidium vittatum* Fabricius, 1781, by subsequent designation (Hope 1841: 116). Status: junior synonym of *Trachynotus* Latreille, 1828 in Pimeliinae: Sepidiini: Trachynotina. Synonymy: Bousquet and Bouchard (2013a: 47).

Hipponome Laporte, 1840: 235 [F]. Type species: *Helops azureus* Brullé, 1832, by monotypy. Status: senior synonym of *Raiboscelis* Allard, 1876 in Tenebrioninae: Helopini: Helopina. Synonymy: Seidlitz (1895: 754). Note: nomen oblitum (see Nabozhenko and Löbl 2009: 194).Note: the original combination of the name of the type species, *Helops azureus* Brullé, 1832, is a junior primary homonym of *Helops azureus* Germar, 1823.

Hirsutosora Pic, 1934a: 32 [F]. Type species: *Nemostira fortithorax* Pic, 1922, by monotypy. Status: valid subgenus of *Sora* Walker, 1859 in Lagriinae: Lagriini: Statirina.

Hirtograbies Koch, 1954a: 23 [M]. Type species: *Hirtograbies oograbiesensis* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Hispanomelia Mas-Peinado, Buckley, Ruiz & García-París, 2018: 541 [F]. Type species: *Pimelia manchega* Lauffer, 1905, by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Histeromimus Gahan, 1895: 288 [M]. Type species: *Histeromimus arabicus* Gahan, 1895, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Histeromorphus Kraatz, 1865: 6, 11 [M]. Type species: *Histeromorphus plicatus* Kraatz, 1865, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Histeropsis Chevrolat, 1878a: 221 [F]. Type species: *Platydema americana* Laporte & Brullé, 1831, by subsequent designation (Löbl et al. 2008a: 42). Status: junior synonym of *Platydema* Laporte & Brullé, 1831 in Diaperinae: Diaperini: Diaperina. Synonymy: Champion (1886: 181).

Histiaea Fairmaire, 1892a: 107 [F]. Type species: *Histiaea bidentula* Fairmaire, 1892, by monotypy. Status: valid subgenus of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini.

Histrionotus Koch, 1955a: 44 [M]. Type species: *Trachynotus lightfooti* Péringuey, 1892, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Holaniara Fairmaire, 1871b: 43 [F]. Type species [automatic]: *Uloma piceum* Melsheimer, 1846, by monotypy. Status: junior synonym of *Eutochia* J.L. LeConte, 1862 in Tenebrioninae: Ulomini. Note: replacement name for *Aniara* Melsheimer, 1853.

Holdhausia Reitter, 1906b: 125 [F]. Type species: *Cteniopus crassus* Fairmaire, 1892, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Holeleodes Blaisdell, 1937: 132 [M]. Type species: *Eleodes beameri* Blaisdell, 1937 (= *Eleodes hepburni* Champion, 1884), by original designation. Status: junior synonym of *Steneleodes* Blaisdell, 1909 in Blaptinae: Amphidorini. Synonymy: Johnston (2015: 12).

Holoblaps Bauer, 1921: 233 [F]. Type species: none designated. Status: undetermined taxon in Blaptinae: Blaptini: Blaptina. Note: this genus was described before 1931 (ICZN 1999, Article 12.1); however, we could not find any nominal species that were subsequently and expressly included in *Holoblaps* and therefore no "originally included nominal species" could be used to fix the type species (ICZN 1999, Article 67.2.2).

Holobrachium Gebien, 1905: 256 [N]. Type species [automatic]: *Hoplobrachium asperipenne* Fairmaire, 1886 (= *Helops dentipes* Fabricius, 1781), by monotypy. Status: junior synonym of *Hoplobrachium* Fairmaire, 1886 in Tenebrioninae: Amarygmini. Note: unjustified emendation of *Hoplobrachium* Fairmaire, 1886, not in prevailing usage.

Holobrachys Fairmaire, 1869b: 233 [M]. Type species: *Holobrachys heterocerus* Fairmaire, 1869, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hologenosis Deyrolle, 1867: 81, 82 [F]. Type species: *Hologenosis lacerata* Deyrolle, 1867, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Holostrongylium Kaszab, 1977b: 10, 20 [N]. Type species: *Strongylium gravidum* Mäklin, 1867, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Homala Eschscholtz, 1831: 5, 6 [F]. Type species: *Homala polita* Eschscholtz, 1831, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Homalapipleurus Español, 1957a: 166, 167 [M]. Type species: *Hegeter gonzalezi* Español, 1957, by original designation. Status: valid subgenus of *Hegeter* Latreille, 1802 in Pimeliinae: Tentyriini.

Homaleis Rye, 1879: 62 [M]. Type species [automatic]: *Helops congener* Reiche, 1861, by subsequent designation (Nabozhenko 2008: 38). Status: junior synonym of *Odocnemis* Allard, 1876 in Tenebrioninae: Helopini: Cylindrinotina. Note: unjustified emendation of *Omaleis* Allard, 1877, not in prevailing usage.

Homalinota Koch, 1950a: 66 [F]. Type species [automatic]: *Homala agona* Fairmaire, 1884, by subsequent designation (Gebien 1937a: 610). Status: valid genus in Pimeliinae: Tentyriini. Note: replacement name for *Homalopsis* Lesne, 1922.

Homalopsis Lesne, 1922: 675 [F]. Type species: *Homala agona* Fairmaire, 1884, by subsequent designation (Gebien 1937a: 610). Status: senior synonym of *Homalinota* Koch, 1950 in Pimeliinae: Tentyriini. Note: junior homonym of *Homalopsis* Kuhl & Hasselt, 1822 [Reptilia].

Homalus Rye, 1878: 69 [M]. Type species [automatic]: *Helops congener* Reiche, 1861, by subsequent designation (Nabozhenko 2008: 38). Status: junior synonym of *Odocnemis* Allard, 1876 in Tenebrioninae: Helopini: Cylindrinotina. Note: unjustified emendation of *Omaleis* Allard, 1876 (as "*Omalus*"); junior homonym of *Homalus* Agassiz, 1846 [Hymenoptera].

Homebius Endrödy-Younga, 1989: 124 [M]. Type species: *Homebius kaszabi* Endrödy-Younga, 1989, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Homebiina.

Homocyrtus Dejean, 1834: 211 [M]. Type species [automatic]: *Cyphonotus dromedarius* Guérin-Méneville, 1831, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: replacement name for *Cyphonotus* Guérin-Méneville, 1831; based on a recent assessment of adult and larval morphological characters, Matthews and Lawrence (2015: 290) determined that this genus could not be placed in any known tribe and that the status of *Homocyrtus* should be regarded as Tenebrionidae incertae sedis.

Homoeocamaria Blair, 1919b: 75 [F]. Type species [automatic]: *Homoeogenus laticornis* C.O. Waterhouse, 1882, by monotypy. Status: junior synonym of *Borneocamaria* Pic, 1917 in Stenochiinae: Cnodalonini. Note: replacement name for *Homoeogenus* C.O. Waterhouse, 1882.

Homoeogenus C.O. Waterhouse, 1882a: 174 [M]. Type species: *Homoeogenus laticornis* C.O. Waterhouse, 1882, by monotypy. Status: senior synonym of *Borneocamaria*

Pic, 1917 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1942a: 323). Note: junior homonym of *Homoeogenus* C.O. Waterhouse, 1880 [Coleoptera: Psephenidae].

Homoeonota Fairmaire in Fairmaire et al., 1882: 63 [F]. Type species: *Homoeonota subopaca* Fairmaire, 1882, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Homopsis Semenov, 1893: 258, 263 [F]. Type species: *Homopsis grumi* Semenov, 1893, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Homoropsis Fairmaire, 1886a: 450 [F]. Type species: *Homoropsis ustulata* Fairmaire, 1886, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Homotrysis Pascoe, 1866a: 489 [F]. Type species: *Allecula tristis* Germar, 1848 (= *Allecula carbonaria* Germar, 1848), by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: the First Reviser (*Homotrysis* Pascoe, 1866 versus *Hybrenia* Pascoe, 1866) is Champion (1897: 158).

Hopatrinus Agassiz, 1846b: 185, 260 [M]. Type species [automatic]: *Opatrum clathratum* Fabricius, 1787, by monotypy. Status: junior synonym of *Opatrinus* Dejean, 1821 in Blaptinae: Platynotini: Platynotina. Note: unjustified emendation of *Opatrinus* Dejean, 1821, not in prevailing usage.

Hopatroides Agassiz, 1846b: 185, 260 [M]. Type species [automatic]: *Opatroides punctulatus* Brullé, 1832, by monotypy. Status: junior synonym of *Opatroides* Brullé, 1832 in Blaptinae: Opatrini: Opatrina. Note: unjustified emendation of *Opatroides* Brullé, 1832, not in prevailing usage.

Hopatromorpha Blackburn, 1907: 286 [F]. Type species [automatic]: *Opatrum murinum* Baudi di Selve, 1876 (= *Opatrinus setosus* Mulsant & Rey, 1853), by subsequent designation (Gebien 1938a: 399). Status: junior synonym of *Mesomorphus* Miedel, 1880 in Blaptinae: Opatrini: Opatrina. Note: unnecessary replacement name for *Mesomorphus* Miedel, 1880 (incorrectly attributed to "Reitter, 1904").

Hopatropteron Reitter, 1889a: 701 [N]. Type species: *Hopatropteron subcostatum* Reitter, 1889 (= *Heterotarsus carinula* Marseul, 1876), by monotypy. Status: junior synonym of *Heterotarsus* Latreille, 1829 in Blaptinae: Opatrini: Heterotarsina. Synonymy: Seidlitz (1894: 413), Gebien (1911a: 473).

Hopatrum Agassiz, 1846b: 185, 260 [N]. Type species [automatic]: *Silpha sabulosa* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Opatrum* Fabricius, 1775 in Blaptinae: Opatrini: Opatrina. Note: unjustified emendation of *Opatrum* Fabricius, 1775, not in prevailing usage.

Hoplambius Reitter, 1904: 114 [M]. Type species: *Hoplarion melambioides* (as "*melambioide*") Fairmaire, 1893, by monotypy. Status: valid subgenus of *Melambius* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Hoplariobius Reitter, 1904: 115 [M]. Type species: *Micrositus decurtatus* Fairmaire, 1884, by subsequent designation (Antoine 1942: 25). Status: valid subgenus of *Hoplarion* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Hoplarion Mulsant & Rey, 1854: 150 [N]. Type species: *Micrositus tumidus* Mulsant & Rey, 1854, by monotypy. Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina.

Hoplaspis Motschulsky, 1858a: 113 [F]. Type species: *Hoplaspis lamellicornis* Motschulsky, 1858, by subsequent designation (Crotch 1876: 418). Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: the alternative original spelling *Hoplapsis*, used by Motschulsky (1858: 113), was rejected by Motschulsky (1868: 69) who acted as the First Reviser (ICZN 1999, Article 24.2.4); transferred from Cucujoidea: Erotylidae by Arrow (1909: 196).

Hoplitoblaps Fairmaire, 1889b: 26 [F]. Type species: *Hoplitoblaps fallaciosa* Fairmaire, 1889, by monotypy. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Hoplobrachium Fairmaire, 1886c: 74 [N]. Type species: *Hoplobrachium asperipenne* Fairmaire, 1886 (= *Helops dentipes* Fabricius, 1781), by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Hoplocephala Agassiz, 1846b: 185, 262 [F]. Type species [automatic]: *Ips haemorrhoidalis* Fabricius, 1787, by subsequent designation (Motschulsky 1845a: 80). Status: junior synonym of *Neomida* Latreille, 1829 in Diaperinae: Diaperini: Diaperina. Note: unjustified emendation of *Oplocephala* Laporte & Brullé, 1831, not in prevailing usage.

Hoplochirus Scudder, 1882: 153 [M]. Type species [automatic]: *Hoplonyx alleculoides* J. Thomson, 1858, by subsequent designation (Gebien 1943: 919). Status: junior synonym of *Hoplonyx* J. Thomson, 1858 in Tenebrioninae: Amarygmini. Note: unjustified emendation of *Oplocheirus* Klug, 1835, not in prevailing usage.

Hoploedipinus Kaszab, 1984: 355, 356 [M]. Type species: *Hoploedipus heterodoxus* Fairmaire, 1898, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Hoploedipus Fairmaire, 1898d: 395 [M]. Type species: *Camarimena armipes* Fairmaire, 1882, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Hoplonyx J. Thomson, 1858: 98 [M]. Type species: *Hoplonyx alleculoides* J. Thomson, 1858, by subsequent designation (Gebien 1943: 919). Status: valid genus and subgenus in Tenebrioninae: Amarygmini.

Hoplopeltis Fairmaire, 1894a: 22 [F]. Type species: *Hoplopeltis tricornis* Fairmaire, 1894, by monotypy. Status: valid genus in Tenebrioninae: Alphitobiini.

Hoploptera Gemminger in Gemminger and Harold, 1870: 2037 [F]. Type species [automatic]: *Strongylium serraticorne* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Oploptera* Chevrolat, 1844 in Stenochiinae: Stenochiini. Note: unjustified emendation of *Oploptera* Chevrolat, 1844, not in prevailing usage.

Hoplostira Borchmann, 1921: 217, 225 [F]. Type species: *Hoplostira femoralis* Borchmann, 1921, by original designation. Status: junior synonym of *Spinostatira* Pic, 1918 in Lagriinae: Lagriini: Statirina. Synonymy: Borchmann (1936: 247).

Hoplostrongylium Ardoin, 1965c: 1326 [N]. Type species: *Hoplostrongylium ghesquierei* Ardoin, 1965, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Horatoma Solier, 1841a: 210, 264 [364] [F]. Type species: *Horatoma parvula* Solier, 1841, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Horatomella Penrith & Endrödy-Younga, 1994: 6, 7 [F]. Type species: *Parapachynotela johni* Koch, 1957, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Horatomodes Haag-Rutenberg, 1872: 274, 305 [M]. Type species: *Horatomodes batesi* Haag-Rutenberg, 1872, by monotypy. Status: junior synonym of *Horatoma* Solier, 1841 in Pimeliinae: Cryptochilini: Cryptochilina. Synonymy: Penrith and Endrödy-Younga (1994: 10).

Horistelops Gozis, 1910: 112 [M]. Type species: *Helops assimilis* Küster, 1850, by original designation. Status: valid subgenus of *Nalassus* Mulsant, 1854 in Tenebrioninae: Helopini: Cylindrinotina.

Hosohamudama Masumoto, 1988b: 43 [F]. Type species: *Hosohamudama sasajii* Masumoto, 1988, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Houaphanica Novák, 2020b: 470 [F]. Type species: *Houaphanica fera* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Hovacula Fairmaire, 1898a: 236 [F]. Type species: *Hovacula lineolata* Fairmaire, 1898, by monotypy. Status: valid genus in Alleculinae: incertae sedis. Note: placed in Alleculinae by Chatanay (1915a: 526).

Hovadelium Ardoin, 1961c: 34 [N]. Type species: *Hovadelium discoidale* Ardoin, 1961, by original designation. Status: valid genus in Lagriinae: Laenini.

Hovademulus Iwan, 1996: 385, 390 [M]. Type species: *Selinus punctipennis* Fairmaire, 1902, by original designation. Status: junior synonym of *Clastopus* Fairmaire, 1898 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan (2001: 500).

Hovademus Iwan, 1996: 385, 395 [M]. Type species: *Hovademus andringitrensis* Ardoin, 1974, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina. Note: the name *Hovademus* was proposed earlier by Ardoin (1974a: 165) without a type species designation; the fact that *Hovademus andringitrensis* Ardoin, 1974 was listed as the "type" of *Hovademus* in the Zoological Record for the year 1974 (Anonymous in Staff of the Zoological Society of London 1979) does not represent a valid type species designation since the nomenclatural act is anonymous (ICZN 1999, Article 14).

Hovarygmus Fairmaire, 1898a: 234 [M]. Type species: *Hovarygmus insularis* Fairmaire, 1898, by monotypy. Status: valid genus in Blaptinae: Opatrini: incertae sedis. Note: placed in Opatrini incertae sedis by Kamiński et al. (2021b: 151).

Huilamus Koch, 1953d: 79 [M]. Type species: *Huilamus welwitschi* Koch, 1953, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Hummelinckia Marcuzzi, 1954: 19 [F]. Type species: *Hummelinckia caraibica* Marcuzzi, 1954, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Hyalarthrodosis Kaszab, 1979a: 74 [F]. Type species: *Arthrodosis monodi* Pierre, 1974, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Hyalerodius Kaszab, 1979a: 80 [M]. Type species: *Hyalerodius jirofti* Kaszab, 1979, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Hybocaulus Fairmaire, 1895a: 27 [M]. Type species: *Hybocaulus laticornis* Fairmaire, 1895 (= *Porphyrhyba violaceicolor* Fairmaire, 1877), by monotypy. Status: junior synonym of *Porphyrhyba* Fairmaire, 1877 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1956b: 89).

Hybonotus Dejean, 1834: 211 [M]. Type species: *Tetraphyllus formosus* Laporte & Brullé, 1831, by monotypy. Status: senior synonym of *Damatris* Laporte, 1840 in Stenochiinae: Cnodalonini. Synonymy: **new synonym** [PB]. Note: the type species of *Hybonotus* Dejean, 1834 is the same as the type species of *Damatris* Laporte, 1840 and therefore the two genera are objective synonyms; junior homonym of *Hybonotus* Klug, 1803 [Hymenoptera].

Hyboproctus Kolbe, 1897a: 241 [M]. Type species: *Hyboproctus nodifer* Kolbe, 1897, by subsequent designation (Gebien 1940: 1089). Status: valid genus in Stenochiinae: Cnodalonini.

Hybrenia Pascoe, 1866a: 489 [F]. Type species: *Hybrenia vittata* Pascoe, 1866, by subsequent designation (Matthews and Bouchard 2008: 328). Status: junior synonym of *Homotrysis* Pascoe, 1866 in Alleculinae: Alleculini: Alleculina. Synonymy: Champion (1897: 158).

Hydissus Pascoe, 1869: 148 [M]. Type species: *Nyctobates feronioides* Pascoe, 1866, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hydisus Scudder, 1882: 167 [M]. Type species [automatic]: *Nyctobates feronioides* Pascoe, 1866, by monotypy. Status: junior synonym of *Hydissus* Pascoe, 1869 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Hydissus* Pascoe, 1869, not in prevailing usage.

Hylithus Guérin-Méneville, 1834: 12 [M]. Type species: *Hylithus tentyrioides* Guérin-Méneville, 1834, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Hylocrinus Casey, 1907: 289, 331 [M]. Type species: *Eurymetopon lungulum* J.L. LeConte, 1851, by original designation. Status: valid genus and subgenus in Pimeliinae: Edrotini.

Hylonoma Macquart, 1850: 183 [F]. Type species: *Alegoria dilatata* Laporte, 1840, by monotypy. Status: junior synonym of *Alegoria* Laporte, 1840 in Tenebrioninae: Ulomini. Synonymy: Lacordaire (1859a: 325).

Hyloplonyx Ardoin, 1963c: 716 [M]. Type species: *Hoplonyx monophthalmus* J. Thomson, 1858, by original designation. Status: valid subgenus of *Hoplonyx* J. Thomson, 1858 in Tenebrioninae: Amarygmini.

Hymenalia Mulsant, 1856a: 48 [F]. Type species: *Cistela fusca* Illiger, 1794 (= *Cistela rufipes* Fabricius, 1792), by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Hymenochara Campbell, 1978: 435 [F]. Type species: *Mycetophila rufipes* J.E. LeConte, 1824, by original designation. Status: valid genus in Alleculinae: Alleculini: Mycetocharina.

Hymenorus Mulsant, 1852: 68 [M]. Type species: *Hymenorus doublieri* Mulsant, 1852, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: the alternative original spelling *Hymenophorus* was corrected to *Hymenorus* in the "Emendanda" of the same work (p. 188), *Hymenorus* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1); see Bousquet et al. (2015: 133).

Hyocis Pascoe, 1866a: 457 [M]. Type species: *Hyocis bakewellii* Pascoe, 1866, by original designation. Status: valid genus and subgenus in Diaperinae: Hyociini: Hyociina.

Hyonthosoma Reitter, 1900c: 89, 142 [N]. Type species: *Hionthis occidentalis* Fairmaire, 1897, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Hypamarygmus Gebien, 1904b: 27 [M]. Type species: *Hypamarygmus coccinelloides* Gebien, 1904, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Hypaulax Bates, 1868: 259 [F]. Type species: *Hypaulax marginata* Bates, 1868, by subsequent designation (Gebien 1941: 333). Status: valid genus in Stenochiinae: Cnodalonini. Note: the First Reviser (*Hypaulax* Bates, 1868 versus *Chileone* Bates, 1868) is Carter (1914b: 46).

Hyperamarygmus Kaszab, 1964a: 291 [M]. Type species: *Hyperamarygmus antennalis* Kaszab, 1964, by original designation. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Hyperchalca Fairmaire, 1869b: 238 [F]. Type species: *Hyperchalca aenescens* Fairmaire, 1869, by monotypy. Status: valid genus and subgenus in Stenochiinae: Stenochiini.

Hypercossyphodes Andreae, 1961: 205, 215 [M]. Type species: *Cossyphodes vandami* Andreae, 1961, by original designation. Status: junior synonym of *Cossyphodes* Westwood, 1851 in Pimeliinae: Cossyphodini: Cossyphodina. Synonymy: Schawaller (2013c: 362, implied by inclusion of *Cossyphodes vandami* Andreae, 1961 in *Cossyphodes* Westwood, 1851 without use of a subgenus rank).

Hypermicrotelopsis Koch, 1940b: 743 [F]. Type species: *Microtelopsis thibetana* Koch, 1940, by monotypy. Status: valid subgenus of *Microtelopsis* Koch, 1940 in Pimeliinae: Stenosini: Stenosina. Note: combined description of new genus-group taxon and a single new species (ICZN 1999, Article 13.4); we act as First Revisers and select *Microtelopsis* Koch, 1940 as the valid name for this genus instead of *Extetranosis* Koch, 1940 and *Hypermicrotelopsis* Koch, 1940.

Hyperops Eschscholtz, 1831: 5, 9 [M]. Type species: *Hyperops tagenioides* Eschscholtz, 1831, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Hyperopsis Bouchard & Bousquet, **new subgenus** [F]. Type species: *Pachycera colasi* Koch, 1943, by **present designation**. Status: valid subgenus of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: Koch (1943a: 524, 536) introduced the new subgenus name *Hyperopsis* for five nominal species, but unfortunately did not designate a type species; the subgenus *Hyperopsis*, which has been treated as valid since 1943, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Pachycera colasi* Koch, 1943 as type species and referring to Koch (1943a: 524) for the character states that characterise and differentiate *Hyperopsis*.

Hypoblaps Kolbe, 1928: 200 [F]. Type species: *Blaps rotundata* Solier, 1848, by original designation. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Nabozhenko and Chigray (2020: 10).

Hypocalis Dejean, 1834: 206 [F]. Type species: *Hemicera arcuata* Laporte & Brullé, 1831, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hypocilibe Bates, 1872b: 275 [F]. Type species: *Hypocilibe macleayi* Bates, 1872, by monotypy. Status: junior synonym of *Nyctozoilus* Guérin-Méneville, 1831 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1911b: 139, with *Onosterrhus* Pascoe, 1866, a junior synonym of *Nyctozoilus* Guérin-Méneville, 1831).

Hypocistela Bates, 1879b: 482 [F]. Type species: *Hypocistela tenuipes* Bates, 1879, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Hypogena Dejean, 1834: 199 [F]. Type species: *Tenebrio biimpressus* Latreille, 1833 (= *Peltis brasilica* Perty, 1830), by monotypy. Status: valid genus in Tenebrioninae: Triboliini.

Hypolaenopsis Masumoto, 2001: 45 [F]. Type species: *Hypolaenopsis uenoi* Masumoto, 2001 (= *Laena nanpingica* Schawaller, 2001), by original designation. Status: valid genus in Lagriinae: Laenini.

Hypomelus Solier, 1843: 4, 93, 126 [M]. Type species: *Hypomelus bicolor* Solier, 1843 (= *Helops peronatus* Germar, 1823), by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Hypophlaeus Fabricius, 1790: 222 [M]. Type species: *Hypophlaeus castaneus* Fabricius, 1790 (= *Corticeus unicolor* Piller & Mitterpacher, 1783), by subsequent designation (Curtis 1832: pl. 430). Status: junior synonym of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini. Synonymy: Crotch (1870a: 47).

Hypoprosodes Reitter, 1909a: 122 [M]. Type species: *Prosodes minuta* Kraatz, 1881, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Hypostatira Fairmaire, 1889c: xlix [F]. Type species: *Hypostatira variicolor* Fairmaire, 1889, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Hypovinsonia Ardoin, 1961a: 207 [F]. Type species: *Hypovinsonia albopilosa* Ardoin, 1961, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Hypselops Solier, 1851: 135 [M]. Type species: *Hypselops oblongus* Solier, 1851, by subsequent designation (R. Lucas 1920: 347). Status: valid genus in Pimeliinae: Epitragini.

Hypsosoma Ménétriés, 1854: 30 [N]. Type species: *Hypsosoma mongolicum* Ménétriés, 1854, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Hypulus Rafinesque, 1815: 114 [M]. Type species [automatic]: *Tenebrio caeruleus* Linnaeus, 1758, by subsequent designation (Hope 1841: 133; see ICZN 2009, Opinion 2237). Status: junior synonym of *Helops* Fabricius, 1775 in Tenebrioninae: Helopini: Helopina. Note: unnecessary replacement name for *Helops* Fabricius, 1775; junior homonym of *Hypulus* Paykull, 1798 [Coleoptera: Melandryidae]; see entry for *Helops* Fabricius, 1775 for information regarding the identity of the type species.

Hysterarthron J. Thomson, 1864: 224 [N]. Type species: *Hysterarthron collare* J. Thomson, 1864, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Iberomelia Mas-Peinado, Buckley, Ruiz & García-París, 2018: 539 [F]. Type species: *Pimelia castellana* Pérez Arcas, 1865, by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Ibnsaudia Koch, 1941: 290 [F]. Type species: *Ibnsaudia propheta* Koch, 1941, by monotypy. Status: junior synonym of *Thraustocolus* Kraatz, 1866 in Pimeliinae: Tentyriini. Synonymy: Kaszab (1981b: 341).

Iccius Champion, 1886: 147 [M]. Type species: *Iccius cephalotes* Champion, 1886, by subsequent designation (Gebien 1940: 760). Status: valid genus in Diaperinae: Diaperini: Adelinina.

Idahelops Keskin & Nabozhenko, 2012: 63 [M]. Type species: *Idahelops alpagutae* Keskin & Nabozhenko, 2012, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Idastrandiella Strand, 1929: 23 [F]. Type species [automatic]: *Helops mucoreus* Waltl, 1838, by monotypy. Status: junior synonym of *Ceratanisus* Gemminger, 1870 in Pimeliinae: Ceratanisini. Note: replacement name for *Apolites* Jacquelin du Val, 1861.

Idatius Fairmaire, 1906: 276 [M]. Type species: *Idatius ophtalmicus* Fairmaire, 1906, by monotypy. Status: valid genus in Alleculinae: incertae sedis. Note: placed in Alleculinae by Chatanay (1915a: 526).

Idiesa Reitter, 1893: 203, 245 [F]. Type species: *Diesia fischeri* Ménétriés, 1849, by subsequent designation (Gebien 1937a: 807). Status: valid genus in Pimeliinae: Pimeliini.

Idiobates Casey, 1891: 62 [M]. Type species: *Tenebrio castaneus* Knoch, 1801, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Idiopsis Kaszab, 1981a: 78 [F]. Type species: *Idiopsis opaca* Kaszab, 1981, by original designation. Status: senior synonym of *Kocakia* Kaszab, 1985 in Pimeliinae: Edrotini. Note: junior homonym of *Idiopsis* Brauer & Bergenstamm, 1890 [Diptera].

Idisia Pascoe, 1866a: 452 [F]. Type species: *Idisia ornata* Pascoe, 1866, by monotypy. Status: valid genus in Pimeliinae: Idisiini.

Idricus Fairmaire, 1888c: 199 [M]. Type species: *Idricus diabolicus* Fairmaire, 1888, by monotypy. Status: junior synonym of *Ametrocera* Fåhraeus, 1870 in Blaptinae: Pedinini: Helopinina. Synonymy: Péringuey (1904: 296).

Iliodera Skopin, 1961a: 396 [F]. Type species: *Microdera desertoides* Skopin, 1961, by original designation. Status: valid subgenus of *Microdera* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Ilus Champion, 1885: 117 [M]. Type species: *Ilus apicicornis* Champion, 1885, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Ilyxerus Pascoe, 1866a: 458 [M]. Type species: *Ilyxerus asper* Pascoe, 1866, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Imatismus Dejean, 1834: 202 [M]. Type species: *Helops fasciculatus* Fabricius, 1798, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Immedia Pascoe, 1882: 33 [F]. Type species: *Immedia occulta* Pascoe, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Impressallecula Pic, 1951: 12 [F]. Type species: *Impressallecula purpureipes* Pic, 1951, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Impressosora Pic, 1952b: 254 [F]. Type species: *Impressosora notaticollis* Pic, 1952, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina. Note: **new placement** [OM], previously included in Lagriinae: Lagriini: Lagriina.

Indenicmosoma Ardoin, 1964b: 688, 689 [N]. Type species: *Enicmosoma indochinense* Kaszab, 1940, by original designation. Status: valid genus in Lagriinae: Lupropini.

Indeucolus Kaszab, 1975b: 280, 282 [M]. Type species: *Indeucolus costatus* Kaszab, 1975, by original designation. Status: junior synonym of *Eucolus* Mulsant & Rey, 1853 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan (1997: 258).

Indianosis Koch, 1941: 297 [F]. Type species: *Stenosis capitata* Koch, 1941, by monotypy. Status: valid subgenus of *Stenosis* Herbst, 1799 in Pimeliinae: Stenosini: Stenosina.

Indochillus Koch, 1941: 300 [M]. Type species: *Indochillus cristatus* Koch, 1941, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Indoprosodes G.S. Medvedev, 2003: 690 [M]. Type species: *Prosodes boorpi* Kaszab, 1956, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Indostola G.S. Medvedev, 1991: 557 [F]. Type species: *Indostola pulchella* G.S. Medvedev, 1991, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Indricula Novák, 2016c: 47 [F]. Type species: *Indricula argynnis* Novák, 2016, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Inscutoheliofugus Freude, 1960a: 126, 130 [M]. Type species: *Heliofugus kuscheli* Freude, 1960, by original designation. Status: valid subgenus of *Heliofugus* Guérin-Méneville, 1831 in Stenochiinae: Cnodalonini.

Insolitoplonyx Bremer, 2014b: 178, 181 [M]. Type species: *Insolitoplonyx seorsus* Bremer, 2014, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Inspinogeton Pic, 1937a: 174 [M]. Type species: *Cyriogeton impressipennis* Pic, 1937, by monotypy. Status: valid subgenus of *Plesiophthalmus* Motschulsky, 1857 in Tenebrioninae: Amarygmini.

Insulasida Escalera, 1922b: 64 [F]. Type species: *Asida moraguezi* Schaufuss, 1879, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Asida* Latreille, 1802 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 291).

Iphicorynus Jacquelin du Val, 1861: 299 [M]. Type species: *Pentaphyllus melanophthalmus* Mulsant, 1854 (= *Nitidula chrysomeloides* Rossi, 1792), by monotypy. Status: junior synonym of *Pentaphyllus* Dejean, 1821 in Diaperinae: Diaperini: Diaperina. Synonymy: Gemminger in Gemminger and Harold (1870: 1956).

Iphius Dejean, 1834: 203 [M]. Type species: *Tenebrio serratus* Fabricius, 1775, by monotypy. Status: senior synonym of *Prioscelis* Hope, 1841 in Lagriinae: Pycnocerini. Synonymy: Imhoff (1856: 238). Note: junior homonym of *Iphius* Schönherr, 1823 [Coleoptera: Curculionidae].

Iphthimera Reitter, 1916a: 4 [F]. Type species: *Stenocara ruficorne* Solier, 1835, by **present designation**. Status: junior synonym of *Metriopus* Solier, 1835 in Pimeliinae: Adesmiini. Synonymy: **new synonym** [PB]. Note: the type species of *Iphthimera* Reitter, 1916 is currently included in the genus *Metriopus* Solier, 1835 and for that reason *Iphthimera* is considered a junior synonym of Solier's name.

Iphthiminus Spilman, 1973: 42 [M]. Type species: *Iphthinus italicus* Truqui, 1857, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Iphthimulus Reitter, 1920a: 16, 17 [M]. Type species: *Iphthinus truquii* Marseul, 1869, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Iphthimus Gemminger in Gemminger and Harold, 1870: 1977 [M]. Type species [automatic]: *Tenebrio gigas* Linnaeus, 1763, by subsequent designation (Spilman 1973: 42). Status: junior synonym of *Mylaris* Pallas, 1781 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Iphthinus* Dejean, 1834, not in prevailing usage.

Iphthinus Dejean, 1834: 203 [M]. Type species: *Tenebrio gigas* Linnaeus, 1763, by subsequent designation (Spilman 1973: 42). Status: junior synonym of *Mylaris* Pallas, 1781 in Stenochiinae: Cnodalonini. Synonymy: Chevrolat (1845b: 106, with *Nyctobates* Guérin-Méneville, 1834, a junior synonym of *Mylaris* Pallas, 1781), Spilman (1973: 42).

Iranarthrodosis Kaszab, 1959a: 334 [F]. Type species: *Arthrodosis pfaundleri* Schuster, 1935, by original designation. Status: junior synonym of *Erodiontes* Reitter, 1914 in Pimeliinae: Erodiini. Synonymy: Kaszab (1979a: 88).

Iranerodius Kaszab, 1959a: 334 [M]. Type species: *Arthrodosis richteri* Kaszab, 1957, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Iranolasiostola Pierre, 1968: 1020 [F]. Type species: *Iranolasiostola davatchii* Pierre, 1968, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Iranopachyscelis Pierre, 1968: 1027 [F]. Type species: *Iranopachyscelis eghbali* Pierre, 1968 (= *Thriptera persica* Redtenbacher, 1850), by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Iranosodes G.S. Medvedev, 1996: 605 [M]. Type species: *Prosodes kaszabi* G.S. Medvedev & Kabakov, 1996, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Irianobates Kaszab, 1986: 291 [M]. Type species: *Irianobates krikkeni* Kaszab, 1986, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Isaminas Champion, 1887: 266 [M]. Type species: *Isaminas gibbipennis* Champion, 1887, by subsequent designation (Gebien 1943: 401). Status: valid genus in Stenochiinae: Cnodalonini.

Isarida Pascoe, 1866a: 456 [F]. Type species: *Isarida testacea* Pascoe, 1866 (= *Caedius fulvus* Mulsant & Rey, 1859), by monotypy. Status: junior synonym of *Caedius* Blanchard, 1845 in Blaptinae: Opatrini: Ammobiina. Synonymy: Gebien (1939: 466).

Iscanus Fauvel, 1904: 176 [M]. Type species: *Iscanus kuniensis* Fauvel, 1904, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Ischnarthron Gebien, 1921b: 47 [N]. Type species: *Ischnarthron longipes* Gebien, 1921, by monotypy. Status: valid genus in Diaperinae: Hypophlaeini.

Ischnodactylus Chevrolat, 1877: 173 [M]. Type species: *Ischnodactylus quadrioculatus* Chevrolat, 1877, by monotypy. Status: junior synonym of *Basides* Motschulsky, 1873 in Diaperinae: Diaperini: Diaperina. Synonymy: Schawaller (2004: 47, implied through placement of the type species of *Basides* Motschulsky, 1873 in *Ischnodactylus* Chevrolat, 1877). Note: the original spelling of the type species,

Ischnodactylus quadridentatus, was corrected to *Ischnodactylus quadrioculatus* in the "Errata & Notes" of the same work (p. 178), *Ischnodactylus quadrioculatus* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1).

Isicerdes Champion, 1885: 113 [M]. Type species: *Isicerdes occultus* Champion, 1885, by subsequent designation (R. Lucas 1920: 353). Status: valid genus in Stenochiinae: Cnodalonini.

Ismarus Haag-Rutenberg, 1878: 104 [M]. Type species: *Ismarus godeffroyi* Haag-Rutenberg, 1878, by monotypy. Status: senior synonym of *Simarus* Borchmann, 1909 in Alleculinae: Alleculini: Alleculina. Note: junior homonym of *Ismarus* Haliday, 1835 [Hymenoptera].

Isocera Borchmann, 1909a: 713 [F]. Type species [automatic]: *Isotoma emarginaticollis* Blanchard, 1842, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: replacement name for *Isotoma* Blanchard, 1842.

Isocerus Dejean, 1821: 66 [M]. Type species: *Tenebrio purpurascens* Herbst, 1799 (= *Helops ferrugineus* Fabricius, 1798), by monotypy. Status: senior synonym of *Neoisocerus* Bouchard, Lawrence, Davies & Newton, 2005 in Blaptinae: Dendarini: Dendarina. Note: junior homonym of *Isocerus* Illiger, 1802 [Coleoptera: Cerambycidae].

Isomira Mulsant, 1856a: 52 [F]. Type species: *Chrysomela murina* Linnaeus, 1758, by subsequent designation (C.G. Thomson 1859: 119). Status: valid genus and subgenus in Alleculinae: Alleculini: Gonoderina.

Isomiropsis Borchmann, 1942: 48 [F]. Type species: *Isomiropsis wittei* Borchmann, 1942, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Isoncophallus Koch, 1954a: 55 [M]. Type species: *Isoncophallus zabroides* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Isonota Fairmaire, 1887a: 171 [F]. Type species: *Isonota opaca* Fairmaire, 1887, by monotypy. Status: junior synonym of *Homoeonota* Fairmaire, 1882 in Pimeliinae: Tentyriini. Synonymy: Koch (1962c: 254).

Isopedus Stein in Stein and Weise, 1877: 121 [M]. Type species: *Helops tenebrioides* Germar, 1813, **by present designation**. Status: junior synonym of *Odocnemis* Allard, 1876 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: Heyden et al. (1883: 136, with *Omaleis* Allard, 1876, a synonym of *Odocnemis* Allard, 1876). Note: the original combination of the name of the type species, *Helops tenebrioides* Germar, 1813, is a junior primary homonym of *Helops tenebrioides* Palisot de Beauvois, 1812.

Isopteron Hope, 1841: 112 [N]. Type species: *Isopteron australe* Hope, 1841, by original designation. Status: valid genus in Lagriinae: Adeliini. Note: combined description of a new genus-group taxon and a single new species (ICZN 1999, Article 12.2.6).

Isopteroplonyx Bremer, 2006: 7 [M]. Type species: *Amarygmus termitophilus* Lea, 1910, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Isopterum Agassiz, 1846b: 197 [N]. Type species [automatic]: *Isopteron australe* Hope, 1841, by original designation. Status: junior synonym of *Isopteron* Hope, 1841 in Lagriinae: Adeliini. Note: unjustified emendation of *Isopteron* Hope, 1841, not in prevailing usage.

Isopus Montrouzier, 1860: 299 [M]. Type species: *Isopus blanchardi* Montrouzier, 1860, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Isostira Pascoe, 1870: 97 [F]. Type species: *Isostira crenata* Pascoe, 1870, by monotypy. Status: junior synonym of *Bradymerus* Perroud & Montrouzier, 1865 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1921a: 253).

Isotoma Blanchard, 1842: pl. 15 [F]. Type species: *Isotoma emarginaticollis* Blanchard, 1842, by monotypy. Status: senior synonym of *Isocera* Borchmann, 1909 in Lagriinae: Lagriini: Statirina. Note: junior homonym of *Isotoma* Bourlet, 1839 [Collembola].

Itagonia Reitter, 1887a: 362 [F]. Type species: *Itagonia gnaptorinoides* Reitter, 1887, by monotypy. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Italohelops Español, 1961b: 295 [M]. Type species: *Parablops subchalybaeus* Reitter, 1907, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Italomelia Mas-Peinado, Buckley, Ruiz & García-París, 2018: 539 [F]. Type species: *Pimelia rugulosa* Germar, 1823, by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Itampolis Koch, 1962a: 31, 143 [F]. Type species: *Itampolis oceanica* Koch, 1962, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Iugidorsum Louw, 1979: 99, 102 [N]. Type species: *Iugidorsum cumstriis* Louw, 1979, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Ixalus Gistel, 1848a: x [M]. Type species [automatic]: *Blaps excavata* Fabricius, 1775, by subsequent designation (Hope 1841: 110). Status: junior synonym of *Platynotus* Fabricius, 1801 in Blaptinae: Platynotini: Platynotina. Note: unnecessary replacement name for *Platynotus* Fabricius, 1801.

Jaklia Novák, 2010: 180 [F]. Type species: *Jaklia serraticornis* Novák, 2010, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Japetus Reitter, 1904: 160 [M]. Type species: *Japetus melanarius* Reitter, 1904 (= *Opatrum melanarium* Erichson, 1843), by monotypy. Status: junior synonym of *Trichosternum* Wollaston, 1861 in Blaptinae: Opatrini: Opatrina. Synonymy: Gebien (1905: 253, with *Trichopodus* [as *Trichopodum*] Mulsant & Rey, 1859, a senior synonym of *Trichosternum* Wollaston, 1861). Note: junior homonym of *Japetus* Stål, 1863 [Hemiptera].

Javamarygmus Pic, 1928a: 22 [M]. Type species: *Javamarygmus tristis* Pic, 1928, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Jintaium Ren in Ren and Yu, 1999: 228 [N]. Type species: *Jintaium sulcatum* Ren, 1999, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Jophon Champion, 1895a: 224 [M]. Type species: *Jophon myrmecophilus* Champion, 1895, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: *Jophon* is an incorrect subsequent spelling of the original spelling *Iophon*,

first used by Kolbe (1898: 601), in prevailing usage; *Jophon* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1), see Matthews and Bouchard (2008: 330).

Julogenius Reitter, 1906b: 138 [M]. Type species: *Heliotaurus reichii* Mulsant, 1856, by subsequent designation (Novák and Pettersson 2008: 333). Status: valid subgenus of *Heliotaurus* Mulsant, 1856 in Alleculinae: Cteniopodini.

†*Jurallecula* L.N. Medvedev, 1969: 124 [F]. Type species: *Jurallecula grossa* L.N. Medvedev, 1969, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: described from Upper Jurassic deposits (Kazakhstan).

Kabakoviella Kaszab, 1980c: 205 [F]. Type species: *Kabakoviella menephiloides* Kaszab, 1980, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Kaindilagria Merkl, 1988a: 138 [F]. Type species: *Kaindilagria forcipata* Merkl, 1988, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Karroocara Koch, 1952a: 176 [N]. Type species: *Stenocara gibbipenne* Haag-Rutenberg, 1875, by original designation. Status: junior synonym of *Stenodesia* Reitter, 1916 in Pimeliinae: Adesmiini. Synonymy: Penrith (1979: 70, 85).

Kaszaba Matthews & Doyen, 1989: 40 [F]. Type species: *Tenebrio corvinus* Erichson, 1842, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Kaszabadelium Watt, 1992: 29 [N]. Type species: *Adelium aucklandicum* Broun, 1880, by original designation. Status: valid genus in Lagriinae: Adeliini.

Kaszabiella Koch, 1943b: 774, 885 [F]. Type species: *Thalpophila subhemisphaerica* Koch, 1943, by monotypy. Status: valid subgenus of *Thalpophilodes* Strand, 1942, in Pimeliinae: Tentyriini.

Kaszabochillus Fouquè, 2015: 228, 240 [M]. Type species: *Indochillus andamanus* Kaszab, 1981, by original designation. Status: valid subgenus of *Pseudochillus* Fouquè, 2015 in Pimeliinae: Stenosini: Dichillina.

Kaszaboscelis Löbl & Merkl, 2003: 246 [F]. Type species: *Tenebrio hypolithus* Pallas, 1781, by original designation. Status: junior synonym of *Platyscelis* Latreille, 1818 in Blaptinae: Platyscelidini. Synonymy: Egorov (2004: 605).

Kaszabus Freude, 1967: 194 [M]. Type species: *Kaszabus aurulentiformis* Freude, 1967, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Kawiria Schuster, 1935: 26 [F]. Type species: *Kawiria gabrieli* Schuster, 1935, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Kershawia Lea, 1905: 379 [F]. Type species: *Kershawia rugiceps* Lea, 1905, by monotypy. Status: valid genus in Lagriinae: Belopini.

Kirgisomira Weise, 1974: 71 [F]. Type species: *Isomira ophthalmica* Seidlitz, 1896, by original designation. Status: junior synonym of *Asiomira* Dubrovina, 1973 in Alleculinae: Alleculini: Gonoderina. Synonymy: Muche (1981: 157).

Klapperichia Kaszab, 1954: 249 [F]. Type species: *Klapperichia mirabilis* Kaszab, 1954 (= *Tenebriocephalon thoracicum* Pic, 1925), by original designation. Status: junior synonym of *Tenebriocephalon* Pic, 1925 in Pimeliinae: Ceratanisini. Synonymy: Kaszab (1983a: 130).

Klewaria Reitter, 1910: 20 [F]. Type species: *Klewaria colydiiformis* Reitter, 1910, by monotypy. Status: valid genus in Pimeliinae: Klewariini.

Knausia Fall, 1931: 15 [F]. Type species: *Knausia crassicornis* Fall, 1931, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Kocakia Kaszab, 1985: 54 [F]. Type species [automatic]: *Idiopsis opaca* Kaszab, 1981, by original designation. Status: valid genus in Pimeliinae: Edrotini. Note: replacement name for *Idiopsis* Kaszab, 1981.

Kocheria Antoine, 1946: 25, 30 [F]. Type species: *Arthrodeis rungsi* Español, 1943, by monotypy. Status: valid subgenus of *Arthrodeis* Solier, 1834 in Pimeliinae: Erodiini.

Kochogaster Kamiński & Raś, 2011: 654 [F]. Type species [automatic]: *Anchophthalmus impressicollis* Fairmaire, 1897, by original designation. Status: valid subgenus of *Anchophthalmus* Gerstaecker, 1854 in Blaptinae: Platynotini: Platynotina. Note: replacement name for *Cosmogaster* Koch, 1956.

Kochotella Bouchard & Bousquet, **new replacement name** [F]. Type species [automatic]: *Millotella microcornis* Koch, 1962, by original designation. Status: valid genus in Pimeliinae: Asidini. Note: replacement name for *Millotella* Koch, 1962.

Kokeniella Reitter, 1906a: 41 [F]. Type species: *Kokeniella mesostenoides* Reitter, 1906, by subsequent designation (Gebien 1937a: 626). Status: valid genus in Pimeliinae: Tentyriini.

Kombacula Novák, 2012: 271 [F]. Type species: *Kombacula kantneri* Novák, 2012, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Koneus Giraldo-Mendoza & Flores, 2019: 94 [M]. Type species: *Prohylithus peruanus* Kaszab, 1981, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Kralia Novák, 2013: 500 [F]. Type species: *Kralia minshanica* Novák, 2013, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Krollus R. Lucas, 1920: 357 [M]. Type species [automatic]: *Homoeogenus laticornis* C.O. Waterhouse, 1882, by monotypy. Status: junior synonym of *Borneocamaria* Pic, 1917 in Stenochiinae: Cnodalonini. Note: replacement name for *Homoeogenus* C.O. Waterhouse, 1882.

Ksukolcula Novák, 2017a: 168 [F]. Type species: *Ksukolcula hesperia* Novák, 2017, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Kuhitangia G.S. Medvedev, 1962: 1184 [F]. Type species: *Kuhitangia kryzhanovskii* G.S. Medvedev, 1962, by original designation. Status: valid genus in Kuhitangiinae: Kuhitangiini.

Kuschelus Kaszab, 1982b: 112 [M]. Type species: *Kuschelus lathridioides* Kaszab, 1982, by original designation. Status: valid genus in Lagriinae: Lupropini.

Labetis C.O. Waterhouse, 1879a: 267 [F]. Type species: *Labetis tibialis* C.O. Waterhouse, 1879, by monotypy. Status: valid genus in Alleculinae: Alleculini: Mycetocharina.

Lachna Billberg, 1820: 35 [F]. Type species: *Chrysomela hirta* Linnaeus, 1758, by subsequent designation (Merkl 2006: 223). Status: junior synonym of *Lagria* Fabricius, 1775 in Lagriinae: Lagriini: Lagriina. Synonymy: Lawrence and Newton (1995: 893).

Lachnodactylus Seidlitz, 1898a: 838 [M]. Type species [automatic]: *Lachnopus digitalis* Seidlitz, 1894, by monotypy. Status: valid genus in Pimeliinae: Lachnogyini: Lachnodactylina. Note: replacement name for *Lachnopus* Seidlitz, 1894.

Lachnoderes Mulsant & Rey, 1859a: 70, 102 [M]. Type species: *Pedonoeces pubescens* G.R. Waterhouse, 1845, by monotypy. Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Gemminger in Gemminger and Harold (1870: 1923, with *Pedonoeces* G.R. Waterhouse, 1845, a junior synonym of *Blapstinus* Dejean, 1821); Aalbu and Triplehorn (1991: 170).

Lachnogya Ménétriés, 1849: 228 [F]. Type species: *Lachnogya squamosa* Ménétriés, 1849, by monotypy. Status: valid genus in Pimeliinae: Lachnogyini: Lachnogyina.

Lachnopus Seidlitz, 1894: 476 [M]. Type species: *Lachnopus digitalis* Seidlitz, 1894, by monotypy. Status: senior synonym of *Lachnodactylus* Seidlitz, 1898 in Pimeliinae: Lachnogyini: Lachnodactylina. Note: junior homonym of *Lachnopus* Schönherr, 1840 [Coleoptera: Curculionidae].

Laena Dejean, 1821: 64 [F]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Scaurus viennensis* Sturm, 1807, misidentified as *Helops pimelia* Fabricius, 1787 in the original designation by monotypy in Dejean (1821). Status: valid genus in Lagriinae: Laenini. Note: the type species "*Helops pimelia* Fabricius" was first established by monotypy (ICZN 1999, Article 68.3); Bouchard and Bousquet (2020b: 7) noted that the only valid species originally included in *Laena*, *Helops pimelia* Fabricius, 1787, is currently considered a valid species in the genus *Penthe* Newman, 1838 [Coleoptera: Tetratomidae] and therefore the taxonomic species involved, *Helops pimelia* Fabricius sensu Dejean 1821 (= *Scaurus viennensis* Sturm, 1807) is fixed here as the type species of *Laena* Dejean, 1821 according to the requirements of Article 70.3.2 (ICZN 1999).

Lagria Fabricius, 1775: 124 [F]. Type species: *Chrysomela hirta* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: valid genus and subgenus in Lagriinae: Lagriini: Lagriina.

Lagriallecula Pic, 1920b: 19 [F]. Type species: *Lagriallecula aeneipennis* Pic, 1920, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Lagriella Borchmann, 1916a: 61 [F]. Type species: *Lagria mima* Borchmann, 1916, by original designation. Status: valid subgenus of *Lagria* Fabricius, 1775 in Lagriinae: Lagriini: Lagriina.

Lagrimina Fairmaire, 1894g: 675 [F]. Type species: *Lagrimina strigipennis* Fairmaire, 1894 (= *Porrolagria nuda* Kolbe, 1883), by monotypy. Status: junior synonym of *Porrolagria* Kolbe, 1883 in Lagriinae: Lagriini: Lagriina. Synonymy: Kolbe (1897a: 250).

Lagriocera Fairmaire, 1896a: 41 [F]. Type species: *Lagriocera cavicornis* Fairmaire, 1896, by monotypy. Status: junior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Synonymy: Merkl (2004: 285).

Lagriodema Borchmann, 1930a: 442, 524 [F]. Type species: *Nemostira gestroi* Borchmann, 1910, by subsequent designation (Borchmann 1936: 458). Status: valid genus in Lagriinae: Lagriini: Statirina.

Lagriodes Borchmann, 1930a: 405, 432 [M]. Type species: *Heterogria armigera* Borchmann, 1930, by monotypy. Status: junior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Synonymy: Merkl (2004: 285).

Lagriogonia Fairmaire, 1891e: ccxvii [F]. Type species: *Lagriogonia humerosa* Fairmaire, 1891, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Lagriola Kirsch, 1874: 409 [F]. Type species: *Lagriola operosa* Kirsch, 1874, by subsequent designation (Bousquet et al. 2018: 33). Status: junior synonym of *Paratenetus* Spinola, 1845 in Lagriinae: Goniaderini. Synonymy: Gebien (1922b: 268), Matthews and Lawrence (2015: 311).

Lagriomima Pic, 1934a: 31 [F]. Type species: *Nemostira maxima* Pic, 1912, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Lagriomima Pic, 1950: 11 [F]. Type species: *Lagriomima albolineata* Pic, 1950, by monotypy. Status: junior synonym of *Neogria* Borchmann, 1911 in Lagriinae: Lagriini: Lagriina. Synonymy: **new synonym** [OM]. Note: based on the description, the type species belongs to *Neogria* Borchmann, 1911 and is probably synonymous with the valid species *Neogria cyanipennis* Borchmann, 1911, therefore, *Lagriomima* Pic, 1950 is proposed as a new synonym of *Neogria*; junior homonym of *Lagriomima* Pic, 1934 [Coleoptera: Tenebrionidae: Lagriinae: Lagriini: Statirina].

Lagriopsis Borchmann, 1916a: 49, 138 [F]. Type species: *Lagriopsis insularis* Borchmann, 1916, by subsequent designation (Borchmann 1936: 146). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Lagriostira Fairmaire, 1883b: 103 [F]. Type species: *Statira rufonitens* Fairmaire, 1883, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Lagriostira Kolbe, 1902b: 550 [F]. Type species: *Lagriostira hispida* Kolbe, 1902 (= *Lagria subseriata* Reitter, 1880), by subsequent designation (Borchmann 1936: 224). Status: senior synonym of *Alagria* Borchmann, 1916 in Lagriinae: Lagriini: Lagriina. Note: junior homonym of *Lagriostira* Fairmaire, 1883 [Coleoptera: Tenebrionidae: Lagriinae: Lagriini: Statirina].

Lamperos Allard, 1876a: 4 [M]. Type species: *Helops micans* Fabricius, 1798, by subsequent designation (Nabozhenko and Löbl 2008: 256). Status: junior synonym of *Tarpela* Bates, 1870 in Tenebrioninae: Helopini: Helopina. Synonymy: Champion (1887: 288).

Lamprobothris Fairmaire, 1887b: 302 [F]. Type species: *Lamprobothris attenuata* Fairmaire, 1887 (= *Praogena fossulata* Müller, 1887), by monotypy. Status: junior synonym of *Praeugena* Laporte, 1840 in Tenebrioninae: Praeugenini. Synonymy: De Moor (1970: 42).

Lamprocrypticus Español, 1950: 127 [M]. Type species: *Crypticus alpinus* Comolli, 1837, by original designation. Status: valid genus in Diaperinae: Crypticini.

Lanhsia Shibata, 1980: 63, 64 [F]. Type species: *Lanhsia bucca* Shibata, 1980, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Laonicus Haag-Rutenberg, 1878: 100 [M]. Type species: *Laonicus pilosus* Haag-Rutenberg, 1878, by subsequent designation (R. Lucas 1920: 361). Status:

junior synonym of *Platyphanes* Westwood, 1849 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 454).

Laoscapha Schawaller, 2016: 440 [F]. Type species: *Laoscapha phoupanensis* Schawaller, 2016, by original designation. Status: valid genus in Diaperinae: Scaphidemini.

Laosocryptobates Pic, 1928a: 25 [M]. Type species: *Laosocryptobates tuberculatus* Pic, 1928, by monotypy. Status: junior synonym of *Hexarhopalus* Fairmaire, 1891 in Stenochiinae: Cnodalonini. Synonymy: Bečvář and Purchart (2008: 39).

Laraliprosodes Bogatchev, 1947: 513 [M]. Type species: *Prosodes lar* Bogatchev, 1947, by original designation. Status: junior synonym of *Dineria* Motschulsky, 1860 in Blaptinae: Blaptini: Blaptina. Synonymy: G.S. Medvedev and Iwan (2006: 617).

Lariversius Blaisdell, 1947: 59 [M]. Type species: *Lariversius tibialis* Blaisdell, 1947, by original designation. Status: valid genus in Blaptinae: Amphidorini.

Lasiocnema G.S. Medvedev, 1993: 110 [F]. Type species: *Lasiostola heterogena* Fischer von Waldheim, 1844, by original designation. Status: valid subgenus of *Lasiostola* Dejean, 1834 in Pimeliinae: Pimeliini.

Lasioderus Mulsant & Rey, 1854: 13, 42 [M]. Type species: *Lasioderus sulcipennis* Mulsant & Rey, 1854, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Lasiograna G.S. Medvedev, 1993: 111 [F]. Type species: *Lasiostola interrupta* Reitter, 1901, by original designation. Status: valid subgenus of *Lasiostola* Dejean, 1834 in Pimeliinae: Pimeliini.

Lasiostola Dejean, 1834: 179 [F]. Type species: *Tenebrio pubescens* Pallas, 1781, by subsequent designation (Hope 1841: 118). Status: valid genus and subgenus in Pimeliinae: Pimeliini.

Latacula Campbell, 1971: 103 [F]. Type species: *Latacula beckeri* Campbell, 1971, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Latetribolium Lepesme, 1943: 46 [N]. Type species: *Tribolium risbeci* Lepesme, 1943 (= *Opatrum laevigatum* Fabricius, 1781), by monotypy. Status: junior synonym of *Alphitobius* Stephens, 1829 in Tenebrioninae: Alphitobiini. Synonymy: Hinton (1948: 13, through synonymy of its type species with *Opatrum laevigatum* Fabricius, 1781).

Latheticus C.O. Waterhouse, 1880: 147 [M]. Type species: *Latheticus oryzae* C.O. Waterhouse, 1880, by monotypy. Status: valid genus in Tenebrioninae: Triboliini.

Latipleurosis Penrith, 1977: 19, 204 [F]. Type species: *Zophosis benguelensis* Deyrolle, 1867, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Latorhascius Pic, 1925b: 8 [M]. Type species: *Rhacius baeri* Pic, 1925, by monotypy. Status: valid subgenus of *Adelonia* Laporte, 1840 in Lagriinae: Belopini.

Lawrenceus Iwan, 1998b: 307 [M]. Type species: *Lawrenceus capensis* Iwan, 1998, by original designation. Status: junior synonym of *Schelodontes* Koch, 1956 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan and Kamiński (2014: 171).

Leanum Uyttenboogaart, 1934: 29, 31 [N]. Type species: *Tribolium myrmecophilum* Lea, 1904, by monotypy. Status: junior synonym of *Tribolium* W.S. MacLeay, 1825 in Tenebrioninae: Triboliini. Synonymy: Hinton (1948: 21).

Leaus Matthews & Lawrence, 1992: 312 [M]. Type species: *Leaus tasmanicus* Matthews & Lawrence, 1992, by original designation. Status: valid genus in Tenebrioninae: Trachelostenini. Note: transferred from Titaenini by Matthews and Lawrence (2015: 293).

Lechinius Blair, 1922: 561 [M]. Type species: *Lechinius catenulatus* Blair, 1922 (= *Cistelomorpha fossulata* Pic, 1913), by monotypy. Status: valid subgenus of *Cteniopinus* Seidlitz, 1896 in Alleculinae: Cteniopodini.

Lechinius Borchmann, 1930b: 151 [M]. Type species: *Cistelomorpha fossulata* Pic, 1913, by subsequent designation (Novák and Pettersson 2008: 330). Status: junior synonym of *Lechinius* Blair, 1922 in Alleculinae: Cteniopodini. Note: junior homonym of *Lechinius* Blair, 1922 [Coleoptera: Alleculinae: Cteniopodini].

Lechius Iwan, 1995c: 404 [M]. Type species: *Selinus abacoides* Fairmaire, 1902, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Lechriomus Morawitz, 1865: 21 [M]. Type species: *Akis lucifuga* Adams, 1817, by subsequent designation (Chernei 2005: 102). Status: valid subgenus of *Cyphogenia* Solier, 1837 in Pimeliinae: Akidini.

Leichenum Dejean, 1834: 194 [N]. Type species: *Opatrum pictum* Fabricius, 1801, by monotypy. Status: valid genus in Blaptinae: Pedinini: Leichenina.

Leichrodomorphus Pic, 1921c: 6 [M]. Type species: *Leichrodomorphus brevicornis* Pic, 1921, by subsequent designation (Pic 1922e: 135). Status: junior synonym of *Stethotrypes* Gebien, 1914 in Diaperinae: Leiochrinini. Synonymy: Gebien (1940: 431).

Leiochrinus Westwood, 1883: 68 [M]. Type species: *Leiochrinus fulvicollis* Westwood, 1883, by subsequent designation (W.F. Kirby 1885a: 89). Status: valid genus in Diaperinae: Leiochrinini.

Leiochrodes Westwood, 1883: 69 [M]. Type species: *Leiochrodes discoidalis* Westwood, 1883, by subsequent designation (W.F. Kirby 1885a: 89). Status: junior synonym of *Ades* Guérin-Méneville, 1857 in Diaperinae: Leiochrinini. Synonymy: Gebien (1911a: 388).

Leiochrodinus Kaszab, 1961a: 358, 365 [M]. Type species: *Leiochrodinus tetraphyllus* Kaszab, 1961, by original designation. Status: valid genus in Diaperinae: Leiochrinini. Note: the alternative original spelling *Leichrodinus*, used by Kaszab (1961a: 365), was rejected by Papp and Seeno (1981: 53, 71) who acted as the First Revisers.

Leiochrodontes Kaszab, 1946a: 30, 200 [M]. Type species: *Leiochrodes madurensis* Pic, 1918, by original designation. Status: valid genus in Diaperinae: Leiochrinini. Note: the earlier usage of *Leiochrodontes* by Gebien (1940: 755) was not accompanied by a description, a definition or a bibliographic reference to such a published statement and therefore is not available from that date.

Leiochromimus Ardoin, 1966: 187, 199 [M]. Type species: *Coccimarygmus punctatus* Ardoin, 1966, by monotypy. Status: valid subgenus of *Coccimarygmus* Ardoin, 1966 in Tenebrioninae: Amarygmini.

Leiochrota Westwood, 1883: 70 [F]. Type species: *Leiochrinus uniformis* Westwood, 1883, by subsequent designation (W.F. Kirby 1885a: 90). Status: valid genus in Diaperinae: Leiochrinini.

Leiochrotina Westwood, 1883: 70, 76 [F]. Type species: *Leiochrinus indicus* Westwood, 1883, by monotypy. Status: junior synonym of *Crypsis* C.O. Waterhouse, 1877 in Diaperinae: Leiochrinini. Synonymy: Gebien (1940: 436).

Leiopeplus Broun, 1893b: 1160 [M]. Type species: *Helops expolitus* Broun, 1880, by original designation. Status: senior synonym of *Chrysopeplus* Gebien, 1942 in Stenochiinae: Cnodalonini. Note: junior homonym of *Leiopeplus* Murray, 1864 [Coleoptera: Nitidulidae].

Leipopleura Seidlitz, 1893: 342, 345 [F]. Type species: *Faustia integra* Reitter, 1887, by subsequent designation (Kaszab 1940a: 167). Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Lelegeis Champion, 1886: 209 [M]. Type species: *Lelegeis aeneipennis* Champion, 1886, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Leleupium Kaszab, 1956b: 106 [N]. Type species: *Leleupium subcoecum* Kaszab, 1956, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Lemoultia Chatanay, 1913b: 313 [F]. Type species: *Lemoultia scabripennis* Chatanay, 1913, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Lenkous Kaszab, 1973b: 315 [M]. Type species: *Lenkous myrmecophilus* Kaszab, 1973, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Lepidocaulinus Schawaller, Masumoto & Merkl, 2013: 378 [M]. Type species: *Lepidocaulinus mirabilis* Schawaller, Masumoto & Merkl, 2013, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Lepidochora Koch, 1952b: 36 [F]. Type species: *Lepidochora eberlanzi* Gebien, 1938, by original designation. Status: valid genus in Pimeliinae: Adelostomini. Note: the earlier usage of *Lepidochora* by Gebien (1938b: 71) is unavailable since it was published after 1930 without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Lepidocnemeplatia Bousquet & Bouchard in Bousquet et al., 2018: 20 [F]. Type species: *Cnemeplatia sericea* Horn, 1870, by original designation. Status: valid genus in Pimeliinae: Cnemeplatiini: Cnemeplatiina. Note: *Lepidocnemeplatia* was previously described by Kaszab (1938: 80) without original type species fixation and is therefore unavailable from that date (ICZN 1999, Article 13.3); Löbl and Merkl (2003: 245) designated *Cnemeplatia sericea* Horn, 1870 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Lepidospilus Agassiz, 1846b: 205 [M]. Type species [automatic]: *Pachycoelia sulcicollis* Boisduval, 1835, by monotypy. Status: junior synonym of *Pachycoelia* Boisduval, 1835 in Tenebrioninae: Heleini: Cyphaleina. Note: unjustified emendation of *Lepispilus* Westwood, 1841, not in prevailing usage.

Lepispilus Westwood, 1841a: 44 [M]. Type species: *Pachycoelia sulcicollis* Boisduval, 1835, by monotypy. Status: junior synonym of *Pachycoelia* Boisduval, 1835 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Lacordaire (1859b: 413).

Leprocaulinus Kaszab, 1982c: 75 [M]. Type species: *Leprocaulinus krikkeni* Kaszab, 1982, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: this genus-group name has been considered a junior homonym of *Leprocaulinus* Uvarov, 1940 [Orthoptera] in literature on Tenebrionidae; however, no type species has yet been designated for orthopteran name *Leprocaulus* Redtenbacher, 1908 nor its replacement name *Leprocaulinus* Uvarov, 1940 (see Herwaarden 1998: 65) and therefore *Leprocaulinus* Uvarov, 1940 is unavailable since it has been proposed as a replacement name after 1930, without a type species designation, for a generic taxon without valid typification (ICZN 1999: Article 13.3.1).

Leprocaulus Fairmaire, 1896c: 95 [M]. Type species: *Leprocaulus clavipes* Fairmaire, 1896, by monotypy. Status: valid subgenus of *Hexarhopalus* Fairmaire, 1891 in Stenochiinae: Cnodalonini.

Leptasida Chatanay, 1914b: 3 [F]. Type species: *Leptasida tenuipes* Chatanay, 1914, by original designation. Status: valid genus in Pimeliinae: Asidini.

Leptasida Reitter, 1917a: 40, 60 [F]. Type species: *Asida diecki* Allard, 1869, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Asida* Latreille, 1802 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 291). Note: junior homonym of *Leptasida* Chatanay, 1914 [Coleoptera: Tenebrionidae: Pimeliinae: Asidini].

Leptinostethus Borchmann, 1936: 238, 466 [M]. Type species: *Leptinostethus methneri* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Leptocolena Allard, 1880: 74 [F]. Type species: *Blaps mucronata* Latreille, 1804, by subsequent designation (Harold 1882: 194). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gebien (1910b: 226).

Leptoderis Billberg, 1820: 31 [F]. Type species: *Tenebrio collaris* Linnaeus, 1767, by monotypy. Status: valid genus in Pimeliinae: Elenophorini: Elenophorina.

Leptoderops Löbl, Bouchard, Merkl & Bousquet, 2020: 5 [M]. Type species: *Thraustocolus priesneri* Koch, 1934, by original designation. Status: valid subgenus of *Thraustocolus* Kraatz, 1866 in Pimeliinae: Tentyriini. Note: name first proposed by Koch (1934: 96) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl et al. (2008a: 40) designated *Thraustocolus priesneri* Koch, 1934 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Leptodes Dejean, 1834: 181 [M]. Type species: *Sepidium boisduvalii* Zubkov, 1833, by monotypy. Status: valid genus and subgenus in Pimeliinae: Leptodini.

Leptodinopsis Kaszab, 1959b: 353, 359 [F]. Type species: *Sepidium boisduvalii* Zubkov, 1833, by original designation. Status: junior synonym of *Leptodes* Dejean, 1834 in Pimeliinae: Leptodini. Synonymy: G.S. Medvedev and Iljina (2007: 882).

Leptodopsis Haag-Rutenberg, 1879a: 408 [F]. Type species: *Leptodopsis insignis* Haag-Rutenberg, 1879, by monotypy. Status: valid subgenus of *Leptodes* Dejean, 1834 in Pimeliinae: Leptodini.

Leptogastrus W.J. MacLeay, 1872: 293 [M]. Type species: *Leptogastrus mastersii* W.J. MacLeay, 1872, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Leptomorpha Faldermann, 1835: 406 [F]. Type species: *Leptomorpha chinensis* Faldermann, 1835, by monotypy. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Champion (1895: 48).

Leptonychoides Schawaller, 1990: 51 [M]. Type species: *Leptonychoides juengeri* Schawaller, 1990, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Leptonychus Chevrolat, 1833a: 26, pl. 1 [M]. Type species: *Leptonychus erodioides* Chevrolat, 1833, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Leptoscapha Fairmaire, 1886c: 73 [F]. Type species [automatic]: *Stenoscapha spissicornis* Fairmaire, 1885, by monotypy. Status: senior synonym of *Brachypophlaeus* Fairmaire, 1897 in Tenebrioninae: Ulomini. Synonymy: Alluaud (1899: 342, as "*Brachypophloeus*"). Note: replacement name for *Stenoscapha* Fairmaire, 1885; junior homonym of *Leptoscapha* Fischer, 1883 [Mollusca].

Leptosora Borchmann, 1936: 238, 471 [F]. Type species: *Leptosora hamata* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Leptosphena Semenov, 1891: 356, 358 [F]. Type species: *Sphenaria tomentosa* Semenov, 1889 (= *Sphenaria rubripes* Reitter, 1889), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Lepturidea Fauvel, 1862: 150 [F]. Type species: *Lepturidea deplanchei* Fauvel, 1862, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Leptynoderes Solier, 1838b: 8, 44 [M]. Type species: *Scotobius varicosus* Germar, 1823, by original designation. Status: valid genus in Tenebrioninae: Scotobiini.

Lesbidana Reitter, 1904: 173 [F]. Type species: *Melanesthes simplex* Reitter, 1897, by subsequent designation (G.S. Medvedev 1990: 203). Status: valid subgenus of *Melanesthes* Dejean, 1834 in Blaptinae: Opatrini: Opatrina.

Leucolaephus P.H. Lucas, 1859: xxii [M]. Type species: *Leucolaephus perrisii* P.H. Lucas, 1859 (= *Pimelia liliputana* P.H. Lucas, 1857), by subsequent designation (Gebien 1937a: 803). Status: valid genus in Pimeliinae: Pimeliini. Note: *Leucolaephus* is an incorrect subsequent spelling of the original spelling *Leucoloephus*, first used by Kraatz (1865: 314), and is in prevailing usage; *Leucolaephus* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1), see Bouchard et al. (2005: 506).

Lichenum Agassiz, 1846b: 203, 209 [N]. Type species [automatic]: *Opatrum pictum* Fabricius, 1801, by monotypy. Status: junior synonym of *Leichenum* Dejean, 1834 in Blaptinae: Pedinini: Leichenina. Note: unjustified emendation of *Leichenum* Dejean, 1834, not in prevailing usage.

Licinoma Pascoe, 1869: 140 [F]. Type species: *Licinoma nitida* Pascoe, 1869, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Licymnius Bates, 1868: 271 [M]. Type species: *Licymnius foveicollis* Bates, 1868, by monotypy. Status: junior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Carter (1915a: 60, with *Chromomaea* Pascoe, 1866, a junior synonym of *Lepturidea* Fauvel, 1862).

Lindia Blackburn, 1888: 275 [F]. Type species: *Lindia angusta* Blackburn, 1888, by monotypy. Status: junior synonym of *Lyphia* Mulsant & Rey, 1859 in Tenebrioninae: Triboliini. Synonymy: Champion (1894a: 351, 370). Note: junior homonym of *Lindia* Dujardin, 1841 [Rotifera].

Lineocrypticus Koch, 1950c: 52 [M]. Type species: *Lineocrypticus hessei* Koch, 1950, by original designation. Status: valid genus in Diaperinae: Crypticini.

Linio Bouchard & Bousquet, **new subgenus** [M]. Type species: *Nilio lanatus* Germar, 1823, by **present designation**. Status: valid subgenus of *Nilio* Latreille, 1802 in Nilioninae. Note: Mader (1936: 94) introduced the new subgenus name *Linio* for several nominal species, but unfortunately did not designate a type species; the subgenus *Linio*, which has been treated as valid since 1936, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Nilio lanatus* Germar, 1823 as type species and referring to Mader (1936: 94) for the character states that characterise and differentiate *Linio*.

Liodema Horn, 1870: 378, 385 [F]. Type species: *Platydema laevis* Haldeman, 1848, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Liodocistela Pic, 1930a: 28 [F]. Type species: *Cistelopsis rufomarginata* Pic, 1930, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Lioprosodes Reitter, 1909a: 121 [M]. Type species: *Prosodes dilaticollis* Motschulsky, 1859, by original designation. Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: Skopin (1960a: 46).

Lisa Haag-Rutenberg, 1879c: 134 [F]. Type species: *Lisa singularis* Haag-Rutenberg, 1879 (= *Allecula omophloides* Hope, 1843), by monotypy. Status: junior synonym of *Metistete* Pascoe, 1866 in Alleculinae: Alleculini: Alleculina. Synonymy: Carter (1915a: 78).

Litasida Casey, 1912: 77, 184 [F]. Type species: *Litasida townsendi* Casey, 1912, by original designation. Status: valid genus in Pimeliinae: Asidini.

Litheleodes Blaisdell, 1909: 114 [M]. Type species: *Blaps extricata* Say, 1824, by subsequent designation (Triplehorn and Thomas 2015: 11). Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Lithoblaps Motschulsky, 1860c: 532 [F]. Type species: *Tenebrio gigas* Linnaeus, 1767, by subsequent designation (Skopin, 1960a: 44). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860). Note: the original combination of the name of the type species, *Tenebrio gigas* Linnaeus, 1767, is a junior primary homonym of *Tenebrio gigas* Linnaeus, 1763.

Litoboriolus Español, 1945: 310, 313 [M]. Type species: *Olocrates collaris* Mulsant & Rey, 1854, by original designation. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Litoboromimus Koch, 1948: 413 [M]. Type species: *Litoborus parallelus* Schuster, 1919, by original designation. Status: valid subgenus of *Allophylax* Bedel, 1906 in Blaptinae: Dendarini: Melambiina.

Litoborus Mulsant & Rey, 1854: 124, 126 [M]. Type species: *Phylax moreletii* P.H. Lucas, 1846, by subsequent designation (Antoine 1931: 181). Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina.

Litopous Matthews, 2012: 1 [M]. Type species: *Litopous baehri* Matthews, 2012, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: placed in the subtribe Alleculina by Matthews and Lawrence (2019: 645).

Litororus Reitter, 1904: 96 [M]. Type species: *Micrositus semicostatus* Mulsant & Rey, 1854, by monotypy. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Lixionica Blackburn, 1896: 280 [F]. Type species: *Lixionica costatipennis* Blackburn, 1896, by monotypy. Status: valid genus in Pimeliinae: Vacronini.

Lobatopezus Pic, 1952c: 2 [M]. Type species: *Lobatopezus diversecostatus* Pic, 1952, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: Bremer (2005: 211) transferred this genus to Chrysomeloidea: Chrysomelidae, but later retained this genus in Tenebrioninae: Amarygmini after further study (Bremer 2013b: 127–128).

Lobetas Motschulsky, 1872: 26 [M]. Type species: *Tenebrio costatus* Guérin-Méneville, 1831, by original designation. Status: junior synonym of *Hipalmus* Bates, 1870 in Tenebrioninae: Tenebrionini. Synonymy: C.O. Waterhouse (1876: 288). Note: the original combination of the name of the type species, *Tenebrio costatus* Guérin-Méneville, 1831, is a junior primary homonym of *Tenebrio costatus* Pallas, 1781.

Lobodera Mulsant & Rey, 1859c: 12, 18 [F]. Type species: *Lobodera rufescens* Mulsant & Rey, 1859, by monotypy. Status: junior synonym of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina. Synonymy: Gebien (1910b: 333).

Lobometopon Casey, 1907: 379, 385 [N]. Type species: *Epitragus fusiformis* Casey, 1890, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Lobophilomorphus Pic, 1911a: 183 [M]. Type species: *Lobophilomorphus rubicollis* Pic, 1911, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Lobopoda Solier, 1835a: 233 [F]. Type species: *Lobopoda striata* Solier, 1835, by subsequent designation (Bousquet et al. 2015: 134). Status: valid genus and subgenus in Alleculinae: Alleculini: Alleculina.

Lobothorax Gemminger, 1870: 124 [M]. Type species [automatic]: *Lobodera rufescens* Mulsant & Rey, 1859, by monotypy. Status: junior synonym of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina. Note: unnecessary replacement name for *Lobodera* [as "*Loboderus*"] Mulsant & Rey, 1859.

Locrodes Casey, 1907: 332 [M]. Type species: *Emmenastus piceus* Casey, 1890, by subsequent designation (Bousquet et al. 2018: 104). Status: valid subgenus of *Hylocrinus* Casey, 1907 in Pimeliinae: Edrotini.

Lodinus Mulsant & Rey, 1859a: 113, 131 [M]. Type species: *Lodinus nigroaeneus* Mulsant & Rey, 1859 (= *Blapstinus punctulatus* Solier 1851), by monotypy. Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Gemminger in Gemminger and Harold (1870: 1923).

Loensus R. Lucas, 1920: 380, 489 [M]. Type species [automatic]: *Pedinopsis pilipes* Gebien, 1910, by monotypy. Status: valid genus and subgenus in Blaptinae: Pedinini: Pedinina. Note: replacement name for *Pedinopsis* Gebien, 1910.

Lomocnemis Gebien, 1921a: 287 [F]. Type species: *Lomocnemis polita* Gebien, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Longuloodescelis Kaszab, 1940b: 940, 957 [F]. Type species: *Platyscelis hirta* Seidlitz, 1893, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini. Note: the First Reviser (*Longuloodescelis* Kaszab, 1940 versus *Trichoodescelis* Kaszab, 1940) is Egorov (2004: 595).

Lophocnemis Mäklin, 1867: 505 [F]. Type species: *Lophocnemis amabilis* Mäklin, 1867, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Lopholagria Borchmann, 1916a: 48, 97 [F]. Type species: *Lagria amoena* Fåhraeus, 1870, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Lagriina.

Lophoma Solier, 1835b: 253, 285 [N]. Type species: *Pimelia punctata* Fabricius, 1798, by monotypy. Status: junior synonym of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Lacordaire (1859a: 46). Note: the original combination of the name of type species, *Pimelia punctata* Fabricius, 1798, is a junior primary homonym of *Pimelia punctata* Thunberg, 1787.

Lophophyllus Fairmaire, 1887c: 71 [M]. Type species: *Lophophyllus costipennis* Fairmaire, 1887, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Lordodera Gebien, 1921b: 64 [F]. Type species: *Tenebrio quadrihamatus* Fairmaire, 1875, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Lorelopsis Champion, 1896: 15 [F]. Type species: *Lorelopsis pilosa* Champion, 1896, by monotypy. Status: junior synonym of *Lorelus* Sharp, 1876 in Lagriinae: Lupropini. Synonymy: Doyen (1993: 295).

Lorelus Sharp, 1876: 76 [M]. Type species: *Lorelus priscus* Sharp, 1876, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Loricula Novák, 2016d: 45 [F]. Type species: *Allecula subaeneipennis* Pic, 1922, by original designation. Status: senior synonym of *Loriculoides* Novák, 2020 in Alleculinae: Alleculini: Alleculina. Note: junior homonym of *Loricula* Curtis, 1833 [Hemiptera].

Loriculoides Novák, 2020i: 9 [M]. Type species [automatic]: *Allecula subaeneipennis* Pic, 1922, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: replacement name for *Loricula* Novák, 2016.

Lornamus Koch, 1952a: 191 [M]. Type species: *Lornamus dividiopsis* Koch, 1952, by original designation. Status: junior synonym of *Cryptocarpes* Koch, 1952 in Pimeliinae: Caenocrypticini. Synonymy: Endrödy-Younga (1996: 21).

Lorona Borchmann, 1936: 16, 62 [F]. Type species: *Lagria bakeri* Borchmann, 1930, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Loubacantus Bonadona, 1959: 1033 [M]. Type species: *Loubacantus giganteus* Bonadona, 1959, by original designation. Status: junior synonym of *Entypodera* Gerstaecker, 1871 in Lagriinae: Lagriini: Statirina. Synonymy: Bonadona (1984: 469).

Louwerensia Kaszab, 1964b: 104 [F]. Type species: *Louwerensia papuana* Kaszab, 1964, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Loxostethus Triplehorn, 1962: 504 [M]. Type species: *Loxostethus fasciatus* Triplehorn, 1962, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: **new placement** [RLA], previously included in Diaperinae: Diaperini: Adelinina.

Lucidolaena Endrödy-Younga & Schawaller, 2002: 9, 20 [F]. Type species: *Lucidolaena amatolensis* Endrödy-Younga & Schawaller, 2002, by original designation. Status: valid genus in Lagriinae: Laenini.

Luebbertia Koch, 1963: 20, 44 [F]. Type species: *Luebbertia plana* Koch, 1963, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Luprops Hope, 1833: 63 [M]. Type species: *Luprops chrysophthalmus* Hope, 1833 (= *Tagenia indica* Wiedemann, 1823), by monotypy. Status: valid genus in Lagriinae: Lupropini.

Luzonoplonyx Bremer, 2009: 331 [M]. Type species: *Luzonoplonyx grandis* Bremer, 2009, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Lycanthropa J. Thomson, 1860b: 20 [F]. Type species: *Eurychora cimicoides* Quensel, 1806, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Lycidioides Ando, 2003a: 107 [M]. Type species: *Lycidioides kaniei* Ando, 2003, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Lycogonocnemis Pic, 1915a: 13 [F]. Type species: *Lycogonocnemis rufa* Pic, 1915, by monotypy. Status: valid subgenus of *Paragonocnemis* Kraatz, 1899 in Tenebrioninae: Amarygmini.

Lycoscelis Blair, 1929a: 242 [F]. Type species: *Lycoscelis fulva* Blair, 1929 (= *Plinthochrous gounellei* Fairmaire, 1891), by original designation. Status: junior synonym of *Plinthochrous* Fairmaire, 1891 in Tenebrioninae: Amarygmini. Synonymy: Ardoin (1962b: 957).

Lycula Campbell, 1976: 30 [F]. Type species: *Lycula chilensis* Campbell, 1976, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Lygestira Pascoe, 1866a: 470 [F]. Type species: *Prophanes simplex* Westwood, 1849, by subsequent designation (R. Lucas 1920: 384). Status: junior synonym of *Prophanes* Westwood, 1849 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 488).

Lygophilus Rafinesque, 1815: 114 [M]. Type species [automatic]: *Epitragus fuscus* Latreille, 1804, by subsequent monotypy (Latreille 1804: 322). Status: junior synonym of *Epitragus* Latreille, 1802 in Pimeliinae: Epitragini. Note: unnecessary replacement name for *Epitragus* Latreille, 1802.

Lyphia Mulsant & Rey, 1859b: 166 [F]. Type species: *Lyphia ficicola* Mulsant & Rey, 1859 (= *Bius tetraphyllus* Fairmaire, 1857), by monotypy. Status: valid genus in Tenebrioninae: Triboliini.

Lyprochelyda Fairmaire, 1899d: 214 [F]. Type species: *Lyprochelyda purpurina* Fairmaire, 1899, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Lyprosodes Reitter, 1909a: 116 [M]. Type species: *Prosodes quadricostata* Reitter, 1893, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Lystronychus Latreille, 1829a: 41 [M]. Type species: *Helops equestris* Fabricius, 1775, by subsequent designation (Saunders 1837: 154). Status: valid genus and subgenus in Alleculinae: Alleculini: Xystropodina. Note: *Lystronychus* is an incorrect subsequent spelling of the original spelling *Lystronichus*, first used by Perty (1832: 63), in prevailing usage; *Lystronychus* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Macellocerus Solier, 1848: 154, 263 [M]. Type species [automatic]: *Dolichoderus acuminatus* Klug, 1833, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Nycteropina. Note: replacement name for *Dolichoderus* Klug, 1833; discovery of the older unused name *Dillacerus* Solier, 1835 threatens the stability of *Macellocerus* Solier, 1848; we recommend that an application be submitted to the International Commission on Zoological Nomenclature to conserve usage of *Macellocerus* Solier, 1848.

Machla Herbst, 1799: 152 [F]. Type species: *Opatrum villosum* G.-A. Olivier, 1795, by subsequent designation (R. Lucas 1920: 386). Status: valid genus in Pimeliinae: Asidini. Note: the older name *Machla* Lichtenstein, 1796 was published in a work that was suppressed for nomenclatural purposes (ICZN 1995, Opinion 1820).

Machlasida Escalera, 1907: 336 [F]. Type species: *Asida muleyhafidi* Escalera, 1907, by subsequent designation (Escalera 1928: 137). Status: valid subgenus of *Alphasida* Escalera, 1905 in Pimeliinae: Asidini.

Machleida Fåhraeus, 1870: 256 [F]. Type species: *Machleida nodulosa* Fåhraeus, 1870, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Machloida Rye, 1873: 286 [F]. Type species [automatic]: *Machleida nodulosa* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Machleida* Fåhraeus, 1870 in Pimeliinae: Asidini. Note: unjustified emendation of *Machleida* Fåhraeus, 1870, not in prevailing usage.

Machlomorpha Péringuey, 1899: 257 [F]. Type species: *Machlomorpha altitudinis* Péringuey, 1899, by subsequent designation (Gebien 1937a: 739). Status: valid genus and subgenus in Pimeliinae: Asidini.

Machlophila Wilke, 1924: 521 [F]. Type species: *Machlophila vogti* Wilke, 1924, by monotypy. Status: junior synonym of *Machla* Herbst, 1799 in Pimeliinae: Asidini. Synonymy: Koch (1962a: 121, 144).

Machloplasta Wilke, 1922: 263 [F]. Type species: *Opatrum villosum* G.-A. Olivier, 1795, by original designation. Status: junior synonym of *Machla* Herbst, 1799 in Pimeliinae: Asidini. Synonymy: Koch (1962a: 119).

Machlopsis Pomel, 1871: 236 [F]. Type species: *Eurychora levaillantii* P.H. Lucas, 1850, by original designation. Status: valid genus and subgenus in Pimeliinae: Adelostomini. Note: *Machlopsis* is an incorrect subsequent spelling of the original spelling *Maclopsis*, first used by Bedel (1887: 199), in prevailing usage; *Machlopsis* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Macradesmia Kaszab, 1959a: 402 [F]. Type species: *Adesmia servillei* Solier, 1835, by monotypy. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini. Note: name first proposed by Koch (1944b: 146) without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Macradesmia Löbl & Merkl in Löbl et al., 2020: 1 [F]. Type species: *Pimelia cancellata* Klug, 1830, by original designation. Status: junior synonym of *Macradesmia* Kaszab, 1959 in Pimeliinae: Adesmiini. Note: name first proposed by Koch (1944b: 146) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); not knowing about the availability of *Macradesmia* Kaszab, 1959, Löbl & Merkl (2003: 244) designated *Pimelia cancellata* Klug, 1830 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1) and subsequently *Macradesmia* was proposed as new by Löbl and Merkl in Löbl et al. (2020: 1); junior homonym of *Macradesmia* Kaszab, 1959 [Coleoptera: Tenebrionidae: Pimeliinae: Adesmiini].

Macrarthra Agassiz, 1846b: 35, 219 [F]. Type species [automatic]: *Arthromacra donacioides* W. Kirby, 1837 (= *Lagria aenea* Say, 1824), by monotypy. Status: junior synonym of *Arthromacra* W. Kirby, 1837 in Lagriinae: Lagriini: Statirina. Note: unjustified emendation of *Arthromacra* W. Kirby, 1837, not in prevailing usage; the original combination of the accepted name of the type species, *Lagria aenea* Say, 1824, is a junior primary homonym of *Lagria aenea* Fabricius, 1775.

Macroartactes Pic, 1924a: 24 [M]. Type species: *Macroartactes costulatus* Pic, 1924, by subsequent designation (Gebien 1935: 64). Status: junior synonym of *Artactes* Pascoe, 1868 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1935: 64).

Macrocasnonidea Pic, 1934a: 31 [F]. Type species: *Nemostira quadrimaculata* Pic, 1912, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Macrocistela Pic, 1941: 13 [F]. Type species: *Macrocistela striata* Pic, 1941, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Macrocistelopsis Pic, 1956: 89 [F]. Type species: *Macrocistelopsis testaceicolor* Pic, 1956, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Macrohyperchalca Pic, 1935b: 98 [F]. Type species: *Hyperchalca striata* Pic, 1935, by monotypy. Status: valid subgenus of *Hyperchalca* Fairmaire, 1869 in Stenochiinae: Stenochiini.

Macrolagria Lewis, 1895: 422 [F]. Type species: *Statira rufobrunnea* Marseul, 1876, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Macropachylesthus Pic, 1923c: 28 [M]. Type species: *Macropachylesthus gigas* Pic, 1923, by subsequent designation (Gebien 1941: 350). Status: valid genus in Stenochiinae: Cnodalonini.

Macroperas Carter, 1914c: 393 [N]. Type species: *Macroperas antennale* Carter, 1914, by monotypy. Status: junior synonym of *Daedrosis* Bates, 1868 in Lagriinae: Adeliini. Synonymy: Matthews (1998: 756).

Macrophanes Iablokoff-Khnzorian, 1957: 165 [M]. Type species: *Hedyphanes corax* Iablokoff-Khnzorian, 1957 (= *Helops amandanus* Reitter, 1902), by original designation. Status: junior synonym of *Delonurops* Reitter, 1922 in Tenebrioninae: Helopini: Helopina. Synonymy: Nabozhenko (2002b: 689).

Macrophtalmus Montrouzier, 1855: 33 [M]. Type species: *Macrophtalmus coeruleus* Montrouzier, 1855, by monotypy. Status: senior synonym of *Macrophthalmata* Strand, 1935 in Tenebrionidae: incertae sedis. Note: this genus has been treated as a junior homonym of *Macrophtalmus* Laporte, 1832 [Hemiptera] in the literature; however, the hemipteran name was originally proposed with two spellings, *Macrophthalmus* (Laporte, 1832: 6, 11, 87) and *Macrophtalmus* (Laporte, 1832: 78); the alternative original spelling *Macrophtalmus* of the hemipteran name, used by Laporte (1832: 78), was rejected by Neave (1940: 17) who acted as First Reviser; therefore *Macrophtalmus* Montrouzier, 1855 is the valid name for the tenebrionid genus since it is not a junior homonym.

Macrophthalmata Strand, 1935b: 302 [F]. Type species [automatic]: *Macrophtalmus coeruleus* Montrouzier, 1855, by monotypy. Status: junior synonym of *Macrophtalmus* Montrouzier, 1855 in Tenebrionidae: incertae sedis. Note: replacement name for *Macrophtalmus* Montrouzier, 1855.

Macropoda Solier, 1835b: 512, 515 [F]. Type species: *Pimelia variolaris* G.-A. Olivier, 1795, by subsequent designation (Hope 1841: 118). Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini.

Macropodesmia Löbl & Merkl in Löbl et al., 2020: 1 [F]. Type species: *Pimelia reticulata* Klug, 1830, by original designation. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini. Note: name first proposed by Koch (1944b: 147) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl and Merkl (2003: 244) designated *Pimelia reticulata* Klug, 1830 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Macrostethus Wollaston, 1854: 504 [M]. Type species: *Macrostethus tuberculatus* Wollaston, 1854, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Macrosynopticus Pic, 1922d: 25 [M]. Type species: *Macrosynopticus costatus* Pic, 1922, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Macrotrachyscelis Pic, 1925b: 12 [F]. Type species: *Macrotrachyscelis rufa* Pic, 1925, by monotypy. Status: valid genus in Diaperinae: Trachyscelini.

Macrozophobas Pic, 1913b: 6 [M]. Type species: *Macrozophobas gracilicornis* Pic, 1913, by monotypy. Status: valid subgenus of *Zophobas* Dejean, 1834 in Tenebrioninae: Tenebrionini.

Macruloma Pic, 1921d: 20 [N]. Type species: *Macruloma gigas* Pic, 1921, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Madagassa Koch, 1950a: 67 [F]. Type species [automatic]: *Pycna aphodina* Fairmaire, 1894, by monotypy. Status: valid genus in Phrenapatinae: Penetini. Note: replacement name for *Pycna* Fairmaire, 1894.

Madobalus Fairmaire, 1901a: 73 [M]. Type species: *Madobalus rotundicollis* Fairmaire, 1901, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Madreallecula Kanda, 2013: 587 [F]. Type species: *Madreallecula mcclevei* Kanda, 2013, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Maerodes C.O. Waterhouse, 1877: 72 [M]. Type species: *Prophanes westwoodi* W.J. MacLeay, 1872 (= *Prophanes aculeatus* Westwood, 1849), by monotypy. Status: junior synonym of *Prophanes* Westwood, 1849 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1918: 717).

Magdanalia Novák, 2020c: 496 [F]. Type species: *Prionychus denticulatus* Muche, 1982, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Magela G.S. Medvedev & Lawrence, 1986: 578 [F]. Type species: *Magela uptoni* G.S. Medvedev & Lawrence, 1986, by original designation. Status: valid genus in Diaperinae: Hyociini: Brittonina.

Magrebmelia Mas-Peinado, Buckley, Ruiz & García-París, 2018: 540 [F]. Type species: *Pimelia xauenensis* Escalera, 1923, by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Mahena Gebien, 1922b: 315 [F]. Type species: *Mahena cuprea* Gebien, 1922, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Makicula Novák, 2012: 275 [F]. Type species: *Makicula phoupaneica* Novák, 2012, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Malacova Fairmaire, 1898c: 479 [F]. Type species: *Malacova bicolor* Fairmaire, 1898, by **present designation**. Status: junior synonym of *Damatris* Laporte, 1840 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1942a: 316).

Malaiseum Borchmann, 1941a: 13 [N]. Type species: *Malaiseum singulare* Borchmann, 1941, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Malayaplamius Masumoto, 1986a: 17 [M]. Type species: *Malayaplamius sakaii* Masumoto, 1986, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Malaymira Novák, 2020g: 56 [F]. Type species: *Malaymira jenisi* Novák, 2020, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Malayoscelis Schawaller, 2003: 198 [F]. Type species: *Malayoscelis gebieni* Schawaller, 2003, by original designation. Status: valid genus in Lagriinae: Pycnocerini.

Malaysphena Bečvář & Purchart, 2008: 38 [F]. Type species: *Laosocryptobates rotundipennis* Kaszab 1960, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Mallogria Borchmann, 1936: 20, 165 [F]. Type species: *Lagria longipilis* Fairmaire, 1875, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Mamorina Antoine, 1951: 98 [F]. Type species: *Mamorina sulcaticeps* Antoine, 1951, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Mantichorula Reitter, 1889a: 695 [F]. Type species: *Mantichorula semenowi* Reitter, 1889, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Maracia Gebien, 1919: 27, 34 [F]. Type species: *Camaria femoralis* Kirsch, 1866, by subsequent designation (Gebien 1942a: 319). Status: valid genus in Stenochiinae: Cnodalonini.

Margus Dejean, 1834: 200 [M]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Colydium castaneum* Herbst, 1797, misidentified as *Tenebrio ferrugineus* Fabricius, 1781 in the original designation by monotypy in Dejean (1834). Status: junior synonym of *Tribolium* W.S. MacLeay, 1825 in Tenebrioninae: Triboliini. Synonymy: Guérin-Méneville (1846: cxvii). Note: the type species "*Tenebrio ferrugineus* Fabricius" was first established by monotypy (ICZN 1999, Article 68.3); as noted by C.O. Waterhouse (1896: 230) and Blair (1913: 223) the *Tenebrio ferrugineus* Fabricius of authors, including Stephens (1829: 19, as "*ferruginea*, Oliv."), was misidentified; Blair (1913: 223) noted that the species to which the authors referred is in fact *Colydium castaneum* Herbst, 1797; we follow currently accepted concepts (e.g., Bousquet et al. 2018: 224) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Tenebrio ferrugineus* Fabricius, 1781 is a valid species in the genus *Tribolioides* Blair, 1913 [Coleoptera: Cucujidae].

Mariepskopia Schawaller, 2012c: 218 [F]. Type species: *Mariepskopia albomaculata* Schawaller, 2012, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Martianus Fairmaire, 1893d: 540 [M]. Type species: *Martianus castaneus* Fairmaire, 1893 (= *Palembus ocularis* Casey, 1891), by original designation. Status: junior synonym of *Ulomoides* Blackburn, 1888 in Diaperinae: Diaperini: Diaperina. Synonymy: Halstead (1975: 241, with *Palembus* Casey, 1891, a junior synonym of *Ulomoides* Blackburn, 1888).

Massadraamelia Mas-Peinado, Buckley, Ruiz & García-París, 2018: 541 [F]. Type species: *Pimelia granulithorax* Escalera, 1914, by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Mateuina Español, 1944: 22, 30 [F]. Type species: *Mateuina kaszabi* Español, 1944, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Matthewsotys Bouchard & Bousquet, **new genus** [M]. Type species: *Otys armatus* Champion, 1895, by **present designation**. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: Matthews and Bouchard (2008: 333) selected *Otys armatus* Champion, 1895 as the type species of *Otys* Champion, 1895 and treated it as a valid genus; however, an earlier type species designation by R. Lucas (1920: 468) confirms *Otys* Champion, 1895 as a junior synonym of *Scaletomerus* Blackburn, 1891; we hereby establish *Matthewsotys* as a new genus and refer to Matthews and Bouchard (2008: 205) for the character states that characterise and differentiate this taxon.

Mauritianopidium Dajoz, 1977: 244 [N]. Type species: *Mauritianopidium oculatum* Dajoz, 1977, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Mayidicistela Pic, 1954: 259 [F]. Type species: *Mayidicistela paulostriata* Pic, 1954, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Mechanetes C.O. Waterhouse, 1887: 448 [M]. Type species: *Mechanetes cornutus* C.O. Waterhouse, 1887, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Mecocerus Solier, 1835a: 241 [M]. Type species: *Xystropus dejeanii* Solier, 1835, by monotypy. Status: junior synonym of *Prostenus* Klug, 1829 in Alleculinae: Alleculini: Xystropodina. Synonymy: Lacordaire (1859b: 513). Note: junior homonym of *Mecocerus* Schönherr, 1833 [Coleoptera: Anthribidae].

Mecopisthopus Karsch, 1881: 46 [M]. Type species: *Mecopisthopus rohlfsi* Karsch, 1881, by original designation. Status: junior synonym of *Leucolaephus* P.H. Lucas, 1859 in Pimeliinae: Pimeliini. Synonymy: Semenov (1893: 261).

Mecysmus Horn, 1870: 349 [M]. Type species: *Blapstinus angustus* J.L. LeConte, 1851, by monotypy. Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Lumen et al. (2020: 342).

Mederis Motschulsky, 1872: 24 [M]. Type species: *Upis angulata* Erichson, 1842, by original designation. Status: junior synonym of *Promethis* Pascoe, 1869 in Stenochiinae: Cnodalonini. Synonymy: C.O. Waterhouse (1876: 288).

Medvedevia Chigray, 2019: 915 [F]. Type species: *Medvedevia glebi* Chigray, 2019, by original designation. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Medvedevoblaps Bouchard & Bousquet, **new replacement name** [F]. Type species [automatic]: *Protoblaps kashkarovi* G.S. Medvedev, 1998, by original designation. Status: valid genus in Blaptinae: Blaptini: Blaptina. Note: replacement name for *Protoblaps* G.S. Medvedev, 1998.

Megacantha Westwood, 1843: 121 [F]. Type species: *Megacantha tenebrosa* Westwood, 1843 (= *Helops dentatus* Fabricius, 1801), by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: genus also described as new by Westwood (1844: 228).

Megadasus Reitter, 1904: 146 [M]. Type species: *Opatrum lefranci* Fairmaire, 1863, by original designation. Status: junior synonym of *Gonocephalum* Solier, 1834 in Blaptinae: Opatrini: Opatrina. Synonymy: Gebien (1939: 443).

Megagenius Solier, 1835b: 512, 513 [M]. Type species: *Megagenius frioli* Solier, 1835, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Megalophrys G.R. Waterhouse, 1845b: 321, 322 [F]. Type species: *Megalophrys patagonica* G.R. Waterhouse, 1845, by monotypy. Status: senior synonym of *Peltolobus* Lacordaire, 1859 in Pimeliinae: Trilobocarini. Note: although the older name *Megalophrys* Wagler, 1830 [Amphibia] was placed on the Official Index of Rejected and Invalid Generic Names in Zoology by the ICZN (1994b, Opinion 1763), it was not suppressed for the Principle of Homonymy and therefore remains available and the senior homonym.

Megaprosodes Reitter, 1909a: 118 [M]. Type species: *Prosodes striata* Reitter, 1893, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Megasattus Casey, 1908: 56, 62 [M]. Type species: *Eusattus erosus* Horn, 1870, by original designation. Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: Triplehorn (1968: 379).

Megascythis Keleinikova, 1963: 622 [F]. Type species: *Megascythis panfilovi* Keleinikova, 1963, by monotypy. Status: junior synonym of *Scythis* Kraatz, 1865 in Pimeliinae: Tentyriini. Synonymy: Skopin (1979: 171).

Megasida Casey, 1912: 77, 202 [F]. Type species: *Asida obliterata* Champion, 1892, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Megatenebrio Gridelli, 1951: 221 [M]. Type species: *Tenebrio giganteus* Fairmaire, 1897, by monotypy. Status: valid subgenus of *Tenebrio* Linnaeus, 1758 in Tenebrioninae: Tenebrionini.

Megatlasion Koch, 1948: 427 [N]. Type species: *Micrositus atlantis* Escalera, 1914, by original designation. Status: junior synonym of *Atlasion* Koch, 1948 in Blaptinae: Dendarini: Melambiina. Synonymy: Antoine (1957: 351).

Megeleates Casey, 1895: 623 [M]. Type species: *Megeleates sequoiarum* Casey, 1895, by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Megelenophorus Gebien, 1910a: 121 [M]. Type species [automatic]: *Elenophorus americanus* Lacordaire, 1830, by monotypy. Status: valid genus in Pimeliinae: Elenophorini: Megelenophorina. Note: replacement name for *Cacicus* Dejean, 1834.

Megischia Solier, 1835a: 245, 247 [F]. Type species: *Cistela curvipes* Brullé, 1832, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Megischina Reitter, 1906b: 118, 171 [F]. Type species: *Cistela armillata* Brullé, 1832, by subsequent designation (R. Lucas 1920: 399). Status: valid genus in Alleculinae: Cteniopodini.

Meglyphus Motschulsky, 1872: 38 [M]. Type species: *Meglyphus laenoides* Motschulsky, 1872, by original designation. Status: valid genus in Blaptinae: Dendarini: Dendarina. Note: we act as First Revisers and reject the alternative original spelling *Megliphus*, used by Motschulsky (1872: 41).

Meladeras Mulsant & Rey, 1854: 191, 219 [N]. Type species: *Meladeras quadratulum* Mulsant & Rey, 1854, by subsequent designation (Viñolas 1990: 61). Status: valid subgenus of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina.

Meladiesia Reitter, 1909b: 309 [F]. Type species: *Meladiesia miritarsis* Reitter, 1909, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Meladocrates Reitter, 1904: 96 [M]. Type species: *Olocrates planiusculus* Mulsant & Rey, 1854, by subsequent designation (Viñolas 1990: 60). Status: valid subgenus of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina.

Melambasida Reitter, 1917a: 10, 21 [F]. Type species: *Alphasida interjecta* Reitter, 1917, by monotypy. Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Melambatlasus Koch, 1948: 433 [M]. Type species: *Micrositus hebes* Antoine, 1933, by original designation. Status: valid subgenus of *Melambius* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Melambiophylax Schuster, 1922: 48, 49 [M]. Type species: *Phylax sardous* Baudi di Selve, 1876, by monotypy. Status: junior synonym of *Allophylax* Bedel, 1906 in Blaptinae: Dendarini: Melambiina. Synonymy: Leo (1994: 134).

Melambius Mulsant & Rey, 1854: 124 [M]. Type species: *Opatrum barbarum* Erichson, 1841, by monotypy. Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina.

Melanastus Casey, 1907: 289, 353 [M]. Type species: *Eurymetopon atrum* J.L. LeConte, 1851, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Melancrus Reiche & Saulcy, 1857: 190 [N]. Type species: *Melancrus laevigatum* Reiche & Saulcy, 1857, by subsequent designation (Löbl et al. 2008a: 42). Status: junior synonym of *Oxycara* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Lacordaire (1859a: 57). Note: authors have assigned a masculine gender for this name in the literature; however, the correct gender is neuter; *Melancrus* has two roots: *melan-* and *-crus*, the first root is clearly Greek: *melas*, *melaina*, *melan* (an irregular adjective meaning dark or black) while the second is Latin: *crus* (the name for a leg, shank, or shin); the second word is a neuter noun and therefore the gender of *Melancrus* is neuter (ICZN 1999, Article 30.1.1).

Melaneleodes Blaisdell, 1909: 36 [M]. Type species: *Blaps carbonaria* Say, 1824, by subsequent designation (Triplehorn and Thomas 2012: 254). Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Melanesthes Dejean, 1834: 191 [F]. Type species: *Opatrum sibiricum* Faldermann, 1833, by subsequent designation (Gebien 1939: 462). Status: valid genus and subgenus in Blaptinae: Opatrini: Opatrina.

Melanimon Motschulsky, 1845a: 78 [N]. Type species: *Microzoum collare* Motschulsky, 1839, by monotypy. Status: senior synonym of *Platynosum* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Sclerina. Synonymy: Seidlitz (1894: 413, 454). Note: junior homonym of *Melanimon* Steven, 1828 [Coleoptera: Tenebrionidae: Tenebrioninae: Melanimonini].

Melanimon Steven, 1828: 98 [N]. Type species: *Opatrum tibiale* Fabricius, 1781, by monotypy. Status: valid genus in Tenebrioninae: Melanimonini.

Melanochrus Wollaston, 1864: 467 [M]. Type species: *Melanochrus lacordairii* Wollaston, 1864, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Melanocoma Wollaston, 1868: 181 [F]. Type species: *Melanocoma vestita* Wollaston, 1868, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Melanocratus Fairmaire, 1895a: 21 [M]. Type species: *Melanocratus validipes* Fairmaire, 1895, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Melanolophus Fairmaire in Fairmaire et al., 1882: 69 [M]. Type species: *Melanolophus septemcostatus* Fairmaire, 1882, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Melanophorus Lacordaire, 1859a: 74 [M]. Type species [automatic]: *Melaphorus reichii* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Melaphorus* Guérin-Méneville, 1834 in Pimeliinae: Evaniosomini. Note: unjustified emendation of *Melaphorus* Guérin-Méneville, 1834, not in prevailing usage.

Melanopterus Mulsant & Rey, 1854: 13, 14 [M]. Type species: *Melanopterus porcatus* Mulsant & Rey, 1854, by subsequent designation (Gebien 1938a: 292). Status: valid genus in Blaptinae: Platynotini: Platynotina.

Melanostola Solier, 1836: 123 [F]. Type species: *Pimelia simplex* Solier, 1836, by monotypy. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini. Note: the name *Melanostola* was listed as synonym of *Pimelia* Fabricius,

1775 by Solier (1836; published by 16 May), being treated before 1961 as an available name and adopted as the name of a taxon (e.g., Dejean 1836 (published by 30 July), Hope 1841: 118); *Melanostola* was therefore made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Melansis Wollaston, 1864: 491 [F]. Type species: *Phylax costatus* Brullé, 1839, by subsequent designation (Dallas 1865: 401). Status: valid genus in Blaptinae: Dendarini: Melambiina.

Melaphorus Guérin-Méneville, 1834: 13 [M]. Type species: *Melaphorus reichii* Guérin-Méneville, 1834, by monotypy. Status: valid genus in Pimeliinae: Evaniosomini.

Melaps Carter, 1908b: 409 [M]. Type species: *Melaps cisteloides* Carter, 1908, by monotypy. Status: junior synonym of *Oocistela* Borchmann, 1908 in Alleculinae: Alleculini: Alleculina. Synonymy: Carter (1915a: 78). Note: although this name has been used as valid, with *Oocistela* Borchmann, 1908 as a synonym, in recent literature (e.g., Matthews and Lawrence 2019: 645), data on the date of publication of both names reveals that *Oocistela* was published first and has priority over *Melaps*.

Melarachnica Kraatz, 1865: 80, 174 [F]. Type species: *Melarachnica westermanni* Kraatz, 1865 (= *Microdera coromandelensis* Solier, 1835), by monotypy. Status: junior synonym of *Nemapus* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Koch (1943b: 790).

Melasia Perroud & Mulsant, 1856: 160 [F]. Type species: *Melasia gagatina* Perroud & Mulsant, 1856 (= *Tenebrio culinaris* Linnaeus, 1758), by subsequent designation (G.S. Medvedev 1990: 227). Status: junior synonym of *Uloma* Dejean, 1821 in Tenebrioninae: Ulomini. Synonymy: Lacordaire (1859a: 332).

Melasma Wollaston, 1864: 484 [N]. Type species: *Phylax lineatus* Brullé, 1838, by monotypy. Status: senior synonym of *Melasmana* Strand, 1935 in Blaptinae: Dendarini: Melambiina. Note: junior homonym of *Melasma* Adams, 1854 [Mollusca].

Melasmana Strand, 1935a: 297 [F]. Type species [automatic]: *Phylax lineatus* Brullé, 1838, by monotypy. Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina. Note: replacement name for *Melasma* Wollaston, 1864.

Melasmocara Reitter, 1900c: 95 [N]. Type species: *Melanochrus lacordairii* Wollaston, 1864, by subsequent monotypy (Löbl et al. 2008a: 42). Status: junior synonym of *Melanochrus* Wollaston, 1864 in Pimeliinae: Tentyriini. Synonymy: Jakobson (1924: 243), Löbl et al. (2008a: 42). Note: originally proposed without included nominal species; Löbl et al. (2008a: 42), by including the species *Melanochrus lacordairii* Wollaston, 1864 in association with this name, were the first authors to subsequently and expressly include nominal species in *Melasmocara* (ICZN 1999, Article 67.2.2).

Melaxumia Reitter, 1895: 280 [F]. Type species: *Melaxumia acutangula* Reitter, 1895 (= *Tentyria angulosa* Gebler, 1832), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Melobates Kaszab, 1941a: 4, 23 [M]. Type species: *Melobates biroi* Kaszab, 1941, by original designation. Status: junior synonym of *Rehumius* Fairmaire, 1893 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983d: 84).

Melobrachys Kaszab, 1960b: 273 [M]. Type species: *Melobrachys sarawakensis* Kaszab, 1960, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Menandris Haag-Rutenberg, 1878: 103 [F]. Type species: *Menandris aenea* Haag-Rutenberg, 1878, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Mencheres Champion, 1884: 5 [M]. Type species: *Mencheres nicaraguensis* Champion, 1884, by subsequent designation (R. Lucas 1920: 403). Status: valid genus in Pimeliinae: Edrotini.

Menearchus Carter, 1920a: 229 [M]. Type species: *Menearchus impressosulcatus* Carter, 1920 (= *Helops nigritus* Fabricius, 1777), by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina. Note: as mentioned by Matthews and Bouchard (2008: 351) the type species was originally described from Australia in error, as the genus *Menearchus* Carter, 1920 is endemic to India and Sri Lanka.

Menechides Motschulsky, 1872: 26 [M]. Type species: *Helops calcaratus* Fabricius, 1798, by original designation. Status: valid subgenus of *Centronopus* Solier, 1848 in Tenebrioninae: Centronopini.

Menederes Solier, 1848: 152, 203 [M]. Type species: *Menederes rufilabris* Solier, 1848, by original designation. Status: valid genus and subgenus in Blaptinae: Platynotini: Eurynotina.

Menederopsis Koch, 1954a: 16 [F]. Type species: *Menederopsis constricta* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Menedrio Motschulsky, 1872: 27 [M]. Type species: *Tenebrio obscurus* Fabricius, 1792, by original designation. Status: junior synonym of *Tenebrio* Linnaeus, 1758 in Tenebrioninae: Tenebrionini. Synonymy: Heyden in Heyden et al. (1883: 134).

Menephilus Mulsant, 1854: 291 [M]. Type species: *Tenebrio curvipes* Fabricius, 1792 (= *Tenebrio cylindricus* Herbst, 1784), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Meneristes Pascoe, 1869: 150 [M]. Type species: *Meneristes laticollis* Pascoe, 1869 (= *Tenebrio australis* Boisduval, 1835), by original designation. Status: valid genus in Tenebrioninae: Heleini: Asphalina.

Menes Champion, 1888: 442 [M]. Type species: *Menes meridanus* Champion, 1888, by subsequent designation (Bousquet et al. 2015: 134). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Menimoides Kaszab, 1946b: 19 [M]. Type species: *Menimoides tarandus* Kaszab, 1946, by original designation. Status: junior synonym of *Micropeneta* Pic, 1921 in Diaperinae: Gnathidiini: Gnathidiina. Synonymy: Kaszab (1978a: 172).

Menimopsis Champion, 1896: 16 [F]. Type species: *Menimopsis excaecus* Champion, 1896, by monotypy. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Menimus Sharp, 1876: 73 [M]. Type species: *Menimus batesi* Sharp, 1876, by subsequent designation (Gebien 1940: 429). Status: valid genus and subgenus in Diaperinae: Gnathidiini: Gnathidiina.

Meniscophorus Champion, 1889: 64 [M]. Type species: *Meniscophorus amazonicus* Champion, 1889, by subsequent designation (R. Lucas 1920: 404). Status: valid genus in Lagriinae: Lagriini: Statirina.

Menoeceus Champion, 1888: 443 [M]. Type species: *Menoeceus crassicornis* Champion, 1888, by subsequent designation (Casey 1891: 122). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Menoncotus Koch, 1954a: 34 [M]. Type species: *Oncotus chaetotaxicus* Koch, 1954, by original designation. Status: valid subgenus of *Oncotus* Blanchard, 1845 in Blaptinae: Platynotini: Eurynotina.

Mentariobius Koch, 1948: 425 [M]. Type species: *Micrositus distinguendus* Mulsant & Rey, 1854, by original designation. Status: valid subgenus of *Hoplarion* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Mentes Champion, 1893a: 559 [M]. Type species: *Mentes ruficollis* Champion, 1893, by subsequent designation (R. Lucas 1920: 404). Status: valid genus in Stenochiinae: Stenochiini.

Meracantha W. Kirby, 1837: 237 [F]. Type species: *Meracantha canadensis* W. Kirby, 1837 (= *Helops contractus* Palisot de Beauvois, 1811), by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Meracanthoides Linell, 1896: 698 [M]. Type species: *Meracanthoides cupreolineatus* Linell, 1896, by monotypy. Status: valid subgenus of *Paramarygmus* Quedenfeldt, 1885 in Tenebrioninae: Amarygmini.

Merinus J.L. LeConte, 1862: 230 [M]. Type species: *Tenebrio laevis* G.-A. Olivier, 1795, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: the original combination of the name of the type species, *Tenebrio laevis* G.-A. Olivier, 1795, is a junior primary homonym of *Tenebrio laevis* Forskål, 1775.

Merklia Chen, 1997: 307 [F]. Type species: *Merklia bimaculata* Chen, 1997, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Meropersina Reitter, 1909a: 117 [F]. Type species: *Prosodes cordicollis* Allard, 1884, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Meropria Borchmann, 1921: 217, 228 [F]. Type species: *Statira glabrata* Mäklin, 1863, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Merotemnus Horn, 1870: 364, 367 [M]. Type species: *Merotemnus elongatus* Horn, 1870 (= *Uloma filiforme* Laporte, 1840), by monotypy. Status: junior synonym of *Adelonia* Laporte, 1840 in Lagriinae: Belopini. Synonymy: Spilman (1961: 49).

Meroxys Ardoin, 1963a: 132 [M]. Type species: *Meroxys haafi* Ardoin, 1963, by original designation. Status: valid genus in Tenebrioninae: Amarygmini. Note: name first proposed by Ardoin (1962b: 970) without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Mesabates Champion, 1884: 3 [M]. Type species: *Mesabates latifrons* Champion, 1884, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Mesabatodes Casey, 1907: 517 [M]. Type species: *Mesabates inaequalis* Champion, 1892, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Mesoblaps Bauer, 1921: 231 [F]. Type species: *Blaps rugulipennis* Fairmaire, 1891, by monotypy. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Nabozhenko and Chigray (2020: 10).

Mesohelops Reitter, 1922a: 31 [M]. Type species: *Helops cyanipes* Allard, 1877, by subsequent designation (Nabozhenko and Löbl 2008: 251). Status: junior synonym of *Helops* Fabricius, 1775 in Tenebrioninae: Helopini: Helopina. Synonymy: Nabozhenko and Keskin (2017: 41). Note: the original combination of the name of the type species, *Helops cyanipes* Allard, 1877, is a junior primary homonym of *Helops cyanipes* Fabricius, 1801.

Mesoleptodes G.S. Medvedev & Iljina, 2007: 881 [M]. Type species: *Leptodes semenowi* Reitter, 1892, by original designation. Status: valid subgenus of *Leptodes* Dejean, 1834 in Pimeliinae: Leptodini.

Mesolobopoda Campbell, 1966: 34 [F]. Type species: *Allecula socia* J.L. LeConte, 1854, by original designation. Status: valid subgenus of *Lobopoda* Solier, 1835 in Alleculinae: Alleculini: Alleculina.

Mesomorphus Miedel, 1880: 140 [M]. Type species: *Opatrum murinum* Baudi di Selve, 1876 (= *Opatrinus setosus* Mulsant & Rey, 1853), by subsequent designation (Gebien 1938a: 399). Status: valid genus in Blaptinae: Opatrini: Opatrina.

Mesopatrum Broun, 1893b: 1355 [N]. Type species: *Mesopatrum granulosum* Broun, 1893, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Mesopraocis Flores & Pizarro-Araya, 2014: 60 [M]. Type species: *Praocis calderanus* Kulzer, 1958, by original designation. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini. Note: this name was first proposed by Kulzer (1958a: 12, 31) without type species designation.

Mesoprosodes G.S. Medvedev, 1995b: 827 [M]. Type species: *Prosodes nuratensis* Semenov, 1894, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Mesopterocoma Skopin, 1974b: 147 [F]. Type species: *Pterocoma semicarinata* Bates, 1879, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Mesostena Eschscholtz, 1831: 5, 9 [F]. Type species: *Mesostena punctata* Eschscholtz, 1831 (= *Pimelia angustata* Fabricius, 1775), by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Mesostenopa Kraatz, 1865: 80, 179 [F]. Type species: *Mesostenopa picea* Kraatz, 1865, by subsequent designation (Gebien 1937a: 608). Status: valid subgenus of *Mesostena* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Mesosternoplax Skopin, 1973: 110, 142 [F]. Type species: *Trigonoscelis laeviuscula* Kraatz, 1882, by original designation. Status: valid subgenus of *Sternoplax* Frivaldszky, 1890 in Pimeliinae: Pimeliini.

Mesotretis Bates, 1872c: 151 [F]. Type species: *Mesotretis ferruginea* Bates, 1872, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Messalia Pascoe, 1883: 442 [F]. Type species: *Messalia varians* Pascoe, 1883, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Messoricolum Koch, 1960: 384 [N]. Type species: *Messoricolum scotti* Koch, 1960, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Metablapylis Blaisdell, 1909: 391 [F]. Type species: *Eleodes nigrina* J.L. LeConte, 1858, by subsequent designation (Bousquet et al. 2018: 159). Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Metabolocerus Bates, 1873c: 259 [M]. Type species: *Metabolocerus pilosus* Bates, 1873, by subsequent designation (R. Lucas 1920: 407). Status: valid genus in Tenebrioninae: Ulomini.

Metaclisa Jacquelin du Val, 1861: 296 [F]. Type species: *Platydema parallela* Fairmaire, 1855 (= *Diaperis azurea* Waltl, 1838), by original designation. Status: valid genus in Tenebrioninae: Metaclisini. Note: nomen protectum (see Bouchard et al. 2007: 393).

Metacorticeus Bremer & Lillig, 2017a: 71 [M]. Type species: *Corticeus ornatus* Bremer, 1993, by original designation. Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Metacossyphodes Andreae, 1961: 205, 215 [M]. Type species: *Cossyphodes kundelunguensis* Basilewsky, 1950, by original designation. Status: junior synonym of *Cossyphodes* Westwood, 1851 in Pimeliinae: Cossyphodini: Cossyphodina. Synonymy: Schawaller (2013c: 362, implied by inclusion of *Cossyphodes kundelunguensis* Basilewsky, 1950 in *Cossyphodes* Westwood, 1851 without use of a subgenus rank).

Metallonotus Gray in Griffith and Pidgeon, 1832: 790 [M]. Type species: *Metallonotus denticollis* Gray, 1832, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Methistamena Gebien, 1919: 28, 151 [F]. Type species: *Methistamena clavipes* Gebien, 1919, by original designation. Status: junior synonym of *Camariomorpha* Pic, 1915 in Stenochiinae: Cnodalonini. Synonymy: Kulzer (1954a: 71).

Metisopus Bates, 1873e: 371 [M]. Type species: *Metisopus purpureipennis* Bates, 1873, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Metistete Pascoe, 1866a: 489 [F]. Type species: *Tanychilus gibbicollis* Newman, 1838, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Metonites Gistel, 1848a: viii, 126 [M]. Type species [automatic]: *Blapida okeni* Perty, 1830, by monotypy. Status: junior synonym of *Blapida* Perty, 1830 in Stenochiinae: Cnodalonini. Note: unnecessary replacement name for *Blapida* Perty, 1830.

Metopoloba Casey, 1907: 379 [F]. Type species: *Epitragus pruinosus* Horn, 1870, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Metoponiopsis Casey, 1907: 290 [F]. Type species: *Eurymetopon bicolor* Horn, 1870, by monotypy. Status: valid subgenus of *Metoponium* Casey, 1907 in Pimeliinae: Edrotini.

Metoponium Casey, 1907: 288 [N]. Type species: *Eurymetopon abnorme* J.L. LeConte, 1851, by original designation. Status: valid genus and subgenus in Pimeliinae: Edrotini.

Metriolagria Merkl, 1987: 124, 138 [F]. Type species: *Lagria affinis* Boisduval, 1835, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Metriopus Solier, 1835b: 512, 570 [M]. Type species: *Metriopus hoffmanseggii* Solier, 1835, by monotypy. Status: valid genus and subgenus in Pimeliinae: Adesmiini.

Metulosonia Bates, 1873c: 261 [F]. Type species: *Metulosonia horni* Bates, 1873, by subsequent designation (Gebien 1940: 1061). Status: valid genus in Tenebrioninae: Triboliini.

Micipsa P.H. Lucas, 1855: xxxiv [M]. Type species: *Micipsa rufitarsis* P.H. Lucas, 1855 (= *Pimelia mulsanti* Levrat, 1853), by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Micipsina Reitter, 1900c: 94, 188 [F]. Type species: *Micipsina rolphi* Reitter, 1900, by monotypy. Status: junior synonym of *Thalpobia* Fairmaire, 1871 in Pimeliinae: Tentyriini. Synonymy: Escalera (1914: 279).

Micrantereus Solier, 1848: 151, 175 [M]. Type species: *Acanthomerus anomalus* Guérin-Méneville, 1834, by original designation. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Micrarmalia Casey, 1907: 516 [F]. Type species: *Emmenastus constrictus* Champion, 1892, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Micrasida Smith, 2013: 608 [F]. Type species: *Micrasida obrienorum* Smith, 2013, by original designation. Status: valid genus in Pimeliinae: Asidini.

Micrectyche Bates, 1873e: 362 [F]. Type species: *Micrectyche intermedia* Bates, 1873, by subsequent designation (R. Lucas 1920: 412). Status: valid genus in Diaperinae: Ectychini.

Micreuphlaeus Fairmaire, 1897e: 223 [M]. Type species: *Micreuphlaeus asperipellis* Fairmaire, 1897, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Micrisomira Pic, 1930a: 30 [F]. Type species: *Micrisomira ruficollis* Pic, 1930, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Microamarygmus Pic, 1915d: 8 [M]. Type species: *Microamarygmus madurensis* Pic, 1915, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Microanaedus Pic, 1923b: 16 [M]. Type species: *Microanaedus notatus* Pic, 1923, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Microatasthalus Ando, 2010: 153 [M]. Type species: *Microatasthalus hadrocerus* Ando, 2010, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Microbasanus Pic, 1921a: 1 [M]. Type species: *Microbasanus jureceki* Pic, 1921, by monotypy. Status: junior synonym of *Scaphidema* Redtenbacher, 1848 in Diaperinae: Scaphidemini. Synonymy: Löbl et al. (2008b: 318), see also Schawaller (2008: 384).

Microblattellus Ferrer, 2006a: 78 [M]. Type species: *Microblattellus lecongmani* Ferrer, 2006, by original designation. Status: valid genus in Tenebrioninae: Falsocossyphini.

Microblemma Semenov, 1889: 213 [N]. Type species: *Microblemma simplex* Semenov, 1889, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Platamodina.

Microbolitonaeus Grimm, 2014: 194 [M]. Type species: *Microbolitonaeus armatus* Grimm, 2014, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Microbradymerus Schawaller, 1999a: 144 [M]. Type species: *Microbradymerus merkli* Schawaller, 1999, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Microcalcar Pic, 1925b: 9 [N]. Type species: *Belopus instriatus* Pic, 1925, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Microcalydonis Pic, 1923d: 17 [F]. Type species: *Microcalydonis metallica* Pic, 1923, by monotypy. Status: valid subgenus of *Osternus* Fairmaire, 1895 in Stenochiinae: Cnodalonini.

Microcameria Ren, 1998: 108, 113 [F]. Type species: *Microcameria pygmaea* Ren, 1998, by original designation. Status: junior synonym of *Foochounus* Pic, 1921 in Stenochiinae: Cnodalonini. Synonymy: Ando (2008: 39).

Microcatomus Pic, 1925b: 7 [M]. Type species: *Microcatomus longipilis* Pic, 1925, by monotypy. Status: valid genus in Tenebrioninae: Helopini: incertae sedis. Note: Nabozhenko (2018: 183) mentioned that the position of this genus within the tribe Helopini is unclear.

Microcenoscelis Schawaller, 2015: 438 [F]. Type species: *Microcenoscelis caeca* Schawaller, 2015, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Microcilibe Carter, 1919: 147 [F]. Type species: *Microcilibe castanea* Carter, 1919, by monotypy. Status: junior synonym of *Menimus* Sharp, 1876 in Diaperinae: Gnathidiini: Gnathidiina. Synonymy: Kaszab (1978a: 173).

Microcistela Pic, 1904: 26 [F]. Type species: *Microcistela rosinae* Pic, 1904, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Microcistela Pic, 1919b: 6 [F]. Type species: *Microcistela obscura* Pic, 1919, by monotypy. Status: senior synonym of *Microcistelopsis* Pic, 1922 in Alleculinae: Alleculini: Alleculina. Note: junior homonym of *Microcistela* Pic, 1904 [Coleoptera: Tenebrionidae: Alleculinae: Alleculini: Gonoderina].

Microcistelopsis Pic, 1922d: 20 [F]. Type species [automatic]: *Microcistela obscura* Pic, 1919, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: replacement name for *Microcistela* Pic, 1919.

Microcrypticus Gebien, 1921b: 7 [M]. Type species: *Diaperis variegata* Klug, 1833, by original designation. Status: valid genus and subgenus in Diaperinae: Crypticini.

Microdendarus Escalera, 1944: 84 [M]. Type species: *Dendarus schusteri* Español, 1937, by original designation. Status: junior synonym of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina. Synonymy: Español (1961a: 44).

Microdera Eschscholtz, 1831: 5, 6 [F]. Type species: *Tentyria deserta* Tauscher, 1812, by subsequent designation (Gebien 1937a: 619). Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Microderopsis Haag-Rutenberg, 1876: 86 [F]. Type species: *Microderopsis benguelensis* Haag-Rutenberg, 1876, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Microdisema Pic, 1917b: 2, 3 [F]. Type species: *Disema gounellei* Pic, 1912, by monotypy. Status: valid subgenus of *Barsenis* Pascoe, 1887 in Lagriinae: Lagriini: Statirina. Note: this genus was established without included nominal species; *Disema gounellei* Pic, 1912 was first and expressly included in *Microdisema* by Pic (1937c: 36).

Microdocnemis Nabozhenko & Keskin, 2010: 841 [F]. Type species: *Microdocnemis xerophilica* Nabozhenko & Keskin, 2010, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Microeucyrtus Pic, 1926a: 47 [M]. Type species: *Microeucyrtus coomani* Pic, 1926, by monotypy. Status: junior synonym of *Eucyrtus* Lacordaire, 1859 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1941: 1139).

Microgauromaia Pic, 1921d: 23 [F]. Type species: *Microgauromaia minuta* Pic, 1921, by monotypy. Status: junior synonym of *Phaedis* Pascoe, 1866 in Stenochiinae: Cnodalonini. Synonymy: Ando (2007: 164).

Microgoniadera Pic, 1917d: 9 [F]. Type species: *Microgoniadera hirsuta* Pic, 1917, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Microgonocnemis Pic, 1936b: 16 [F]. Type species: *Microgonocnemis carinata* Pic, 1936, by monotypy. Status: valid subgenus of *Paragonocnemis* Kraatz, 1899 in Tenebrioninae: Amarygmini.

Microhedyphanes Nabozhenko & Lillig, 2013: 189 [M]. Type species: *Hedyphanes chikatunovi* Nabozhenko & Lillig, 2013, by original designation. Status: valid subgenus of *Hedyphanes* Fischer, 1820 in Tenebrioninae: Helopini: Helopina.

Microhemicera Pic, 1921d: 30 [F]. Type species: *Hemicera humeralis* Pic, 1921, by monotypy. Status: junior synonym of *Simalura* Gebien, 1914 in Stenochiinae: Cnodalonini. Synonymy: Löbl et al. (2008b: 347).

Microhionthis Blair, 1923b: 120 [F]. Type species: *Microhionthis patriciae* Blair, 1923 (= *Falsocatomulus euphraticus* Pic, 1914), by monotypy. Status: junior synonym of *Falsocatomulus* Pic, 1914 in Pimeliinae: Tentyriini. Synonymy: Koch (1941: 267).

Microlagria Seidlitz, 1898b: 336, 339 [F]. Type species: *Lagria poupillieri* Reiche, 1864, by monotypy. Status: junior synonym of *Adynata* Fåhraeus, 1870 in Lagriinae: Lagriini: Lagriina. Synonymy: Borchmann (1936: 23).

Microleichenum G.S. Medvedev, 1973: 648 [N]. Type species: *Microleichenum choresmense* G.S. Medvedev, 1973, by original designation. Status: junior synonym of *Apsheronellus* Bogatchev, 1967 in Blaptinae: Pedinini: Leichenina. Synonymy: G.S. Medvedev and Iwan (2006: 614).

Microlyprops Kaszab, 1939a: 108 [M]. Type species: *Microlyprops ceylonicus* Kaszab, 1939, by original designation. Status: valid genus in Lagriinae: Goniaderini.

Micromenandris Kaszab, 1955a: 511, 513 [F]. Type species: *Micromenandris mirabilis* Kaszab, 1955, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Micromes Casey, 1907: 432, 441 [M]. Type species: *Stibia ovipennis* Horn, 1874, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Micromophlus Znojko in Ogloblin and Znojko, 1950: 124 [M]. Type species: *Omophlus subtilis* Solsky, 1881, by monotypy. Status: valid subgenus of *Omophlus* Dejean, 1834 in Alleculinae: Cteniopodini.

Micronilio Pic, 1936c: 198 [M]. Type species: *Nilio punctatus* Pic, 1918 (= *Nilio gounellei* Ihering, 1914), by monotypy. Status: valid subgenus of *Nilio* Latreille, 1802 in Nilioninae.

Microomopheres Freude, 1993: 214 [M]. Type species: *Omopheres brendelli* Freude, 1993, by monotypy. Status: valid subgenus of *Omopheres* Casey, 1907 in Pimeliinae: Epitragini.

Micropedinus Lewis, 1894: 379 [M]. Type species: *Micropedinus algae* Lewis, 1894 (= *Heterophaga pullulus* Boheman, 1858), by subsequent designation (R. Lucas 1920: 415). Status: valid genus in Lagriinae: Lupropini.

Micropeltoides Pic, 1916d: 16 [M]. Type species: *Micropeltoides crypticoides* Pic, 1916, by monotypy. Status: valid subgenus of *Peltoides* Laporte, 1833 in Tenebrioninae: Alphitobiini.

Micropeneta Pic, 1921d: 19 [F]. Type species: *Micropeneta testacea* Pic, 1921, by subsequent designation (Riley 1923: 128). Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Microphenus Gebien, 1921a: 324, 338 [M]. Type species: *Microphenus cordicollis* Gebien, 1921 (= *Espites obscurus* Blair, 1915), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Microphligra Koch, 1955a: 47 [F]. Type species: *Phligra minuta* Péringuey, 1904, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Microphyes W.J. MacLeay, 1872: 286 [M]. Type species: *Microphyes rufipes* W.J. MacLeay, 1872 (= *Opatrum laevigatum* Fabricius, 1781), by monotypy. Status: junior synonym of *Alphitobius* Stephens, 1829 in Tenebrioninae: Alphitobiini. Synonymy: Blair (1914: 486).

Microphylacinus Iwan, Kamiński & Aalbu, 2011: 2 [M]. Type species: *Microphylacinus verendus* Iwan, Kamiński & Aalbu, 2011, by original designation. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Microplatyscelis Kaszab, 1940a: 142, 144 [F]. Type species: *Faustia seriepunctata* Reitter, 1890, by original designation. Status: valid genus in Blaptinae: Platyscelidini.

Microprostenus Pic, 1921d: 14 [M]. Type species: *Microprostenus longicornis* Pic, 1921, by monotypy. Status: valid genus in Alleculinae: Alleculini: Xystropodina.

Micropseudochillus Fouquè, 2015: 230, 240 [M]. Type species: *Pseudochillus palawanus* Fouquè, 2015, by original designation. Status: valid subgenus of *Pseudochillus* Fouquè, 2015 in Pimeliinae: Stenosini: Dichillina.

Microschatia Solier, 1836: 406, 474 [F]. Type species: *Microschatia punctata* Solier, 1836, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Microselinus Koch, 1956a: 214 [M]. Type species: *Microselinus muelleri* Koch, 1956, by original designation. Status: junior synonym of *Glyptopteryx* Gebien, 1910 in Blaptinae: Platynotini: Platynotina. Synonymy: Kamiński (2015a: 91).

Microsis Koch, 1958: 76, 82 [F]. Type species: *Microsis vilhenai* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Micrositus Mulsant & Rey, 1854: 131, 148 [M]. Type species: *Micrositus orbicularis* Mulsant & Rey, 1854, by subsequent designation (Gebien 1938a: 415). Status: valid genus in Blaptinae: Dendarini: Dendarina.

Microsphaerotus Pic, 1928b: 10 [M]. Type species: *Microsphaerotus ruficornis* Pic, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Microstenogena Pic, 1924a: 30 [F]. Type species: *Microstenogena ruficornis* Pic, 1924, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Microsthes Novák, 2011: 322 [M]. Type species: *Microsthes barborae* Novák, 2011, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Microstizopus Koch, 1963: 36 [M]. Type species: *Microstizopus ciliatus* Koch, 1963, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Microstrongylium Pic, 1917d: 13 [N]. Type species: *Microstrongylium cyanicolle* Pic, 1917, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Kaszab (1977b: 30).

Microtelopsis Koch, 1940b: 742 [F]. Type species: *Tetranillus simplicifrons* Gridelli, 1934, by monotypy. Status: valid genus and subgenus in Pimeliinae: Stenosini: Stenosina. Note: we act as First Revisers and select *Microtelopsis* Koch, 1940 as the valid name for this genus instead of *Extetranosis* Koch, 1940 and *Hypermicrotelopsis* Koch, 1940.

Microtelus Solier, 1838b: 7, 9 [M]. Type species: *Microtelus asiaticus* Solier, 1838, by original designation. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Microthelecta Pic, 1952a: 65 [F]. Type species: *Cylindrothorus braunsi* Pic, 1952, by monotypy. Status: valid subgenus of *Cylindrothorus* Solier, 1843 in Alleculinae: Alleculini: Mycetocharina.

Microtocerus Pic, 1918a: 11 [M]. Type species: *Microtocerus grandicornis* Pic, 1918, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Microzoon Hope, 1841: 112 [N]. Type species [automatic]: *Opatrum tibiale* Fabricius, 1781, by monotypy. Status: junior synonym of *Melanimon* Steven, 1828 in Tenebrioninae: Melanimonini. Note: unjustified emendation of *Microzoum* Dejean, 1834, not in prevailing usage.

Microzophobas Pic, 1944: 7 [M]. Type species: *Microzophobas luteomaculatus* Pic, 1944, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Microzoum Dejean, 1834: 193 [N]. Type species: *Opatrum tibiale* Fabricius, 1781, by monotypy. Status: junior synonym of *Melanimon* Steven, 1828 in Tenebrioninae: Melanimonini. Synonymy: Seidlitz (1894: 452).

Mictopsis Fairmaire, 1899e: 538 [F]. Type species: *Mictopsis laticollis* Fairmaire, 1899, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Miglica Reitter, 1904: 171 [F]. Type species: *Pedinus laticollis* Gebler, 1830, by subsequent designation (Iwan and Löbl 2008: 267). Status: junior synonym of *Melanesthes* Dejean, 1834 in Blaptinae: Opatrini: Opatrina. Synonymy: Reichardt (1936: 175).

Millotella Koch, 1962a: 116, 130 [F]. Type species: *Millotella microcornis* Koch, 1962, by original designation. Status: senior synonym of *Kochotella* Bouchard & Bousquet, **nom. nov.** in Pimeliinae: Asidini. Note: junior homonym of *Millotella* Poisson, 1949 [Hemiptera].

Millstreamia G.S. Medvedev & Lawrence, 1984: 579 [F]. Type species: *Csiro parodoxa* G.S. Medvedev & Lawrence, 1984, by original designation. Status: valid subgenus of *Csiro* G.S. Medvedev & Lawrence, 1984 in Diaperinae: Hyociini: Hyociina.

Miltoprepes Gerstaecker, 1871: 65 [M]. Type species: *Miltoprepes laetus* Gerstaecker, 1871, by monotypy. Status: valid genus in Tenebrioninae: Praeugenini.

Mimelasida Reitter, 1917a: 10, 21 [F]. Type species: *Asida puncticollis* Solier, 1836, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Mimoborchmania Pic, 1934a: 31 [F]. Type species: *Nemostira coloripes* Pic, 1922, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Mimocellus Wasmann, 1904: 11 [M]. Type species: *Mimocellus trechoides* Wasmann, 1904, by subsequent designation (R. Lucas 1920: 419). Status: valid genus in Lagriinae: Lupropini.

Mimocistela Borchmann, 1938: 124 [F]. Type species: *Mimocistela zumpti* Borchmann, 1938, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Mimocossyphus Pic, 1923a: 5 [M]. Type species: *Mimocossyphus minor* Pic, 1923, by monotypy. Status: valid genus in Pimeliinae: Cossyphodini: incertae sedis. Note: Schawaller (2013c: 362) mentioned that the position of this taxon within Cossyphodini is doubtful.

Mimogoueum Pic, 1952d: 10 [N]. Type species: *Mimogoueum hutteli* Pic, 1952, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Ardoin (1962a: 64).

†*Mimohelops* Haupt, 1950: 114, 130 [M]. Type species: *Mimohelops venosus* Haupt, 1950, by original designation. Status: valid genus in Stenochiinae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

Mimolaena Ardoin, 1961c: 36 [F]. Type species: *Mimolaena pauliani* Ardoin, 1961, by monotypy. Status: valid genus in Lagriinae: Laenini.

Mimolagria Pic, 1927a: 44 [F]. Type species: *Mimolagria bruchi* Pic, 1927, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Mimopeus Pascoe, 1866a: 477 [M]. Type species: *Mimopeus amaroides* Pascoe, 1866 (= *Celibe elongata* Brême, 1842), by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina. Note: as mentioned by Matthews and Bouchard (2008: 350) the type species was originally described from Australia in error, the genus *Mimopeus* Pascoe, 1866 is endemic to New Zealand; Matthews and Lawrence (2019: 629) mentioned that this genus seems indistinguishable from the Australian genus *Celibe* Boisduval, 1835.

Mimopraogena Pic, 1952d: 10 [F]. Type species: *Allecula metallicipennis* Pic, 1942, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Mimosynopticus Pic, 1922d: 25 [M]. Type species: *Mimosynopticus parvulus* Pic, 1922, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Mimothydemus Pic, 1923c: 20 [M]. Type species: *Mimothydemus angustatus* Pic, 1923 (= *Lophocnemis cyaneus* Kraatz, 1880), by monotypy. Status: junior synonym of *Lophocnemis* Mäklin, 1867 in Stenochiinae: Stenochiini. Synonymy: Kulzer (1966: 352).

Mimoxenotermes Pic, 1931a: 106 [M]. Type species: *Mimoxenotermes duporti* Pic, 1931, by monotypy. Status: valid genus in Tenebrioninae: Rhysopaussini.

Mimuroplatopsis Borchmann, 1936: 485 [F]. Type species: *Mimuroplatopsis atricolor* Pic, 1931, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: this genus was proposed earlier by Pic (1931b: 32) without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Minasius Pic, 1932: 18 [M]. Type species: *Minasius opacipennis* Pic, 1932, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Minorus Mulsant & Rey, 1854: 41 [M]. Type species: *Eurynotus rugicollis* Mulsant & Rey, 1854, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina.

†*Miostenosis* Wickham,1913: 297 [F]. Type species: *Miostenosis lacordairei* Wickham, 1913, by original designation. Status: valid genus in Pimeliinae: Stenosini: incertae sedis. Note: described from Upper Eocene deposits (USA).

Miotodera Fairmaire, 1901b: 190 [F]. Type species: *Miotodera funeraria* Fairmaire, 1901, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Mireanopidium Dajoz, 1977: 240 [N]. Type species: *Mireanopidium camerunense* Dajoz, 1977, by original designation. Status: valid genus in Diaperinae: Gnathidiini: incertae sedis. Note: placed in "Gnathidiini incertae sedis" by Schawaller and Purchart (2012: 312).

Miripronotum Louw, 1979: 117, 118 [N]. Type species: *Miripronotum prominoculatum* Louw, 1979, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Oxurina.

Misolampidius Solsky, 1876: 292 [M]. Type species: *Misolampidius tentyrioides* Solsky, 1876, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Misolampomorphus Kaszab, 1941a: 2, 6 [M]. Type species: *Misolampomorphus kochi* Kaszab, 1941 (= *Leprocaulus reitteri* Pic, 1934), by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Misolampus Latreille, 1806: 160 [M]. Type species: *Misolampus hoffmannseggii* Latreille, 1806 (= *Pimelia gibbula* Herbst, 1799), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Mithippia Pascoe, 1869: 288, 293 [F]. Type species: *Mithippia aurita* Pascoe, 1869, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Mitotagenia Reitter, 1916d: 138, 153 [F]. Type species: *Stenosis arabs* Baudi di Selve, 1881, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Mitragardhus Koch, 1956a: 379 [M]. Type species: *Tragardhus nodosus* Koch, 1956, by monotypy. Status: valid subgenus of *Tragardhus* Koch, 1956 in Blaptinae: Dendarini: Melambiina. Note: combined description of a new genus-group taxon and a single new species (ICZN 1999, Article 13.4).

Mitragenius Solier, 1836: 307, 328 [M]. Type species: *Mitragenius dejeanii* Solier, 1836, by monotypy. Status: valid genus in Pimeliinae: Nycteliini. Note: the alternative original spelling *Mitrogenius*, used by Solier (1836: 330), was rejected by Solier (1838a: 487) who acted as First Reviser (ICZN 1999, Article 24.2.4).

Mitrephorus Carter, 1913a: 83 [M]. Type species: *Mitrephorus convexicollis* Carter, 1913, by monotypy. Status: senior synonym of *Mitrothorax* Carter, 1914 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1914b: 78, with *Ctimene* Bates, 1873, a senior synonym of *Mitrothorax* Carter, 1914). Note: junior homonym of *Mitrephorus* Schönherr, 1837 [Coleoptera: Curculionidae].

Mitrothorax Carter, 1914b: 78 [M]. Type species [automatic]: *Mitrephorus convexicollis* Carter, 1913, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina. Note: replacement name for *Mitrephorus* Carter, 1913. Note: the First Reviser (*Mitrothorax* Carter, 1914 versus *Timeneca* Carter, 1914) is Matthews (1992: 456)

Mitua Hope, 1848: 56 [F]. Type species: *Mitua bidwelli* Hope, 1848 (= *Opatrum tuberculicostatum* White, 1846), by original designation. Status: senior synonym of *Pseudopatrum* Sharp, 1886 in Lagriinae: Adeliini. Synonymy: Blair (1919a: 531). Note: *Mitua* Hope, 1848 has been used as valid in recent literature despite the fact that it is a junior homonym of *Mitua* Strickland, 1841, an unjustified emendation for *Mitu* Lesson, 1831 [Aves]; Strickland's name has been used as valid since 1899 (e.g., Heinroth 1931: 278) and therefore reversal of precedence cannot be used to conserve the younger name as valid in Tenebrionidae.

Mitys Champion, 1885: 97 [M]. Type species: *Mitys inflatus* Champion, 1885, by subsequent designation (Gebien 1943: 402). Status: valid genus in Stenochiinae: Cnodalonini.

Modicodisema Pic, 1917b: 3 [F]. Type species: *Disema subopaca* Pic, 1912, by **present designation**. Status: valid subgenus of *Barsenis* Pascoe, 1887 in Lagriinae: Lagriini: Statirina. Note: originally proposed without included nominal species; based on personal communications with Maurice Pic, Borchmann (1936: 510) was the first author to subsequently and expressly include nominal species in *Modicodisema* (ICZN 1999, Article 67.2.2), by including the species *Disema serraticornis* Mäklin, 1875 and *Disema subopaca* Pic, 1912, in association with this name.

Moeon Champion, 1886: 251 [N]. Type species: *Moeon isthmicum* Champion, 1886, by subsequent designation (Gebien 1942a: 330). Status: valid genus in Stenochiinae: Cnodalonini. Note: as pointed out by M.A. Alonso-Zarazaga (in Bousquet et al. 2018: 307) the name *Moeon* is the Latinization of the Greek noun *moion* (privy parts) and is neuter.

Moerodes Rye, 1879: 62 [M]. Type species [automatic]: *Prophanes westwoodi* W.J. MacLeay, 1872 (= *Prophanes aculeatus* Westwood, 1849), by monotypy. Status: junior synonym of *Prophanes* Westwood, 1849 in Tenebrioninae: Heleini: Cyphaleina. Note: unjustified emendation of *Maerodes* C.O. Waterhouse, 1877, not in prevailing usage.

Mogadoria Escalera, 1905c: 467 [F]. Type species: *Tentyria subelegans* Fairmaire, 1871, by monotypy. Status: junior synonym of *Eulipus* Wollaston, 1864 in Pimeliinae: Tentyriini. Synonymy: Gebien (1937a: 634).

Mokalagria Pic, 1953: 163 [F]. Type species: *Lopholagria angustata* Pic, 1953, by original designation. Status: valid subgenus of *Lopholagria* Borchmann, 1916 in Lagriinae: Lagriini: Lagriina.

Molion Champion, 1886: 142 [M]. Type species: *Peneta taurus* Lacordaire, 1859, by subsequent designation (Gebien 1940: 758). Status: valid genus in Phrenapatinae: Penetini.

Moluris Latreille, 1802: 169 [F]. Type species: *Pimelia gibba* Fabricius, 1787 (= *Tenebrio gibbus* Pallas, 1781), by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina. Note: the original combination of the accepted name of the type species, *Tenebrio gibbus* Pallas, 1781, is a junior primary homonym of both *Tenebrio gibbus* Linnaeus, 1767 and *Tenebrio gibbus* DeGeer, 1778.

Monatrum Reichardt, 1936: 81, 208 [N]. Type species: *Opatrum carinatum* Gebler, 1830, by original designation. Status: junior synonym of *Scleropatrum* Reitter, 1887 in Blaptinae: Opatrini: Opatrina. Synonymy: Löbl and Merkl (2003: 250).

Mongolesthes Reitter, 1904: 174 [F]. Type species: *Melanesthes heydeni* Csiki, 1901, by monotypy. Status: valid subgenus of *Melanesthes* Dejean, 1834 in Blaptinae: Opatrini: Opatrina.

Mongolopterocoma Skopin, 1974b: 146 [F]. Type species: *Pterocoma reitteri* Frivaldszky, 1890, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Monodius Koch, 1956a: 180 [M]. Type species: *Selinus convexipennis* Gebien, 1904, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Monoloba Solier, 1835a: 235 [F]. Type species: *Lobopoda dircaeoides* Solier, 1835, by monotypy. Status: valid subgenus of *Lobopoda* Solier, 1835 in Alleculinae: Alleculini: Alleculina.

Montagona G.S. Medvedev, 1998a: 176 [F]. Type species: *Tagonoides asperula* Fairmaire, 1896, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Montaguea Kaszab, 1982b: 227 [F]. Type species: *Montaguea caledonica* Kaszab, 1982, by original designation. Status: valid genus in Lagriinae: Adeliini.

Montanocatomus Nabozhenko, 2006: 842 [M]. Type species: *Catomus grandis* G.S. Medvedev, 1978, by original designation. Status: valid subgenus of *Catomus* Allard, 1876 in Tenebrioninae: Helopini: Helopina.

Montanoodescelis Egorov, 2004: 592 [F]. Type species: *Platyscelis sahlbergi* Reitter, 1900, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Monteithium Matthews, 1998: 704, 803 [N]. Type species: *Monteithium ascetum* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Montiprosodes G.S. Medvedev, 2001: 83 [M]. Type species: *Prosodes alaiensis* Kraatz, 1885, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Mophis Champion, 1886: 168 [M]. Type species: *Mophis marginicollis* Champion, 1886, by subsequent designation (Gebien 1940: 1061). Status: valid genus in Diaperinae: Diaperini: Adelinina.

Mophon Champion, 1886: 247 [M]. Type species: *Mophon tinctipennis* Champion, 1886, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Moragacinella Español, 1954a: 162 [F]. Type species [automatic]: *Moralesia longepilosa* Kaszab, 1944, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina. Note: replacement name for *Moralesia* Kaszab, 1944.

Moralesia Kaszab in Español, 1944: 18, 29 [F]. Type species: *Moralesia longepilosa* Kaszab, 1944, by original designation. Status: senior synonym of *Moragacinella* Español, 1954 in Blaptinae: Opatrini: Ammobiina. Note: junior homonym of *Moralesia* Fowler, 1943 [Pisces].

Morica Dejean, 1834: 182 [F]. Type species: *Akis planata* Fabricius, 1801, by subsequent designation (Hope 1841: 122). Status: valid genus in Pimeliinae: Akidini.

Morocaulus Fairmaire, 1899d: 215 [M]. Type species: *Morocaulus remipes* Fairmaire, 1899 (= *Bratyna apicalis* Westwood, 1875), by monotypy. Status: junior synonym of *Bratyna* Westwood, 1875 in Alleculinae: incertae sedis. Synonymy: Borchamann (1938: 120, through synonymy of the type species with the type species of *Bratyna* Westwood, 1875).

Moromelas Fairmaire, 1898c: 481 [M]. Type species: *Moromelas foveipennis* Fairmaire, 1898, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Morphostenophanes Pic, 1925b: 7 [M]. Type species: *Morphostenophanes aenescens* Pic, 1925, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Mrazius Pic, 1925d: 86 [M]. Type species: *Mrazius nodulosus* Pic, 1925, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Mucheimira Novák, 2016a: 188 [F]. Type species: *Isomira stoetzneri* Muche, 1981, by original designation. Status: valid subgenus of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina.

Mutiloxicum Nabozhenko & Ivanov, 2018: 546 [N]. Type species: *Toxicum elvirae* Nabozhenko & Ivanov, 2018, by original designation. Status: valid subgenus of *Toxicum* Latreille, 1802 in Tenebrioninae: Toxicini: Toxicina.

Myatis Bates, 1879b: 480 [F]. Type species: *Myatis humeralis* Bates, 1879, by subsequent designation (R. Lucas 1920: 425). Status: valid genus in Blaptinae: Platyscelidini.

Mycetochara Guérin-Méneville, 1827a: 346 [F]. Type species [automatic]: *Cistela flavipes* Fabricius, 1792, by subsequent designation (C.G. Thomson 1859: 118). Status: valid genus and subgenus in Alleculinae: Alleculini: Mycetocharina. Note: replacement name for *Mycetophila* Gyllenhal, 1810; *Mycetochara* was also proposed later in the same year by Berthold (1827: 371), see Bouchard and Bousquet (2020a: 101); nomenclatural stability in this genus is threatened by the discovery that 1) the accepted type species, *Cistela scapularis* Illiger, 1805 (= *Cistela humeralis* Fabricius, 1787) by subsequent designation by Westwood (1838: 32), is currently placed in the valid subgenus *Ernocharis* C.G. Thomson, 1859 (e.g., Novák 2020i: 436) and 2) there are two other species currently placed in subgenus *Ernocharis* C.G. Thomson, 1859 that were selected as type species of *Mycetochara* before the currently accepted designation in Westwood (1838: 32): *Cistela humeralis* Fabricius, 1787 was chosen as the type species by Guérin-Méneville (1827: 346) when he proposed the replacement name *Mycetochara*,

and *Cistela linearis* Illiger, 1794 (= *Cistela maura* Fabricius, 1792) was selected as the type species for *Mycetocharis* Gyllenhal, 1827, another replacement name for *Mycetophila* Gyllenhal, 1810, by Stephens (1832a: 375); of the nominal species originally included in *Mycetophila* Gyllenhal, 1810 that are currently placed in the subgenus *Mycetochara* Guérin-Méneville, 1827, C.G. Thomson (1859: 118) was the first to select *Cistela flavipes* Fabricius, 1792 as the type species; we recommend that an application be submitted to the International Commission on Zoological Nomenclature to set aside previous type species designations for *Mycetochara* Guérin-Méneville, 1827 and select the type species designation proposed by C.G. Thomson (1859: 118).

Mycetochares Latreille, 1829a: 42 [M]. Type species [automatic]: *Cistela flavipes* Fabricius, 1792, by subsequent designation (C.G. Thomson 1859: 118). Status: junior synonym of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina. Note: replacement name for *Mycetophila* Gyllenhal, 1810.

Mycetocharina Seidlitz, 1890: 136 [F]. Type species: *Allecula orientalis* Faust, 1877, by monotypy. Status: valid genus and subgenus in Alleculinae: Alleculini: Alleculina.

Mycetocharis Gyllenhal, 1827: 510 [F]. Type species [automatic]: *Cistela flavipes* Fabricius, 1792, by subsequent designation (C.G. Thomson 1859: 118). Status: junior synonym of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina. Note: replacement name for *Mycetophila* Gyllenhal, 1810.

†*Mycetocharoides* Schaufuss, 1889: 269 [M]. Type species: *Mycetocharoides baumeisteri* Schaufuss, 1889, by monotypy. Status: valid genus in Alleculinae: Alleculini: Mycetocharina. Note: described from Eocene Baltic amber.

Mycetocula Novák, 2015c: 78 [F]. Type species: *Mycetocharina subcruciata* Pic, 1922, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Mycetophila Gyllenhal, 1810: 541 [F]. Type species: *Cistela flavipes* Fabricius, 1792, by subsequent designation (C.G. Thomson 1859: 118). Status: senior synonym of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina. Note: junior homonym of *Mycetophila* Meigen, 1803 [Diptera].

Mychestes Pascoe, 1870: 96 [M]. Type species: *Mychestes lignarius* Pascoe, 1870, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Mycotrogus Horn, 1870: 364, 367 [M]. Type species: *Mycotrogus piceus* Horn, 1870, by subsequent designation (R. Lucas 1920: 427). Status: valid genus in Tenebrioninae: Triboliini.

Myladanesthes Skopin, 1961b: 202 [F]. Type species: *Myladina fortidens* Reitter, 1915, by original designation. Status: valid subgenus of *Gonocephalum* Solier, 1834 in Blaptinae: Opatrini: Opatrina. Note: the alternative original spelling *Myladansthes*, used by Skopin (1961b: 202), was rejected by Skopin (1967: 205) who acted as the First Reviser (ICZN 1999, Article 24.2.4).

Myladina Reitter, 1889a: 706 [F]. Type species: *Myladina unguiculina* Reitter, 1889, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Myladion Reitter, 1887a: 386 [N]. Type species: *Myladion acuticolle* Reitter, 1887, by monotypy. Status: valid subgenus of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina. Note: the alternative original spelling *Miladion*, used by Reitter (1887a: 385), was rejected by Reitter (1896b: 166) who acted as the First Reviser (ICZN 1999, Article 24.2.4).

Mylaris Pallas, 1781: 37 [F]. Type species: *Tenebrio gigas* Linnaeus, 1763, by subsequent designation (Guérin-Méneville 1844: 120). Status: valid genus in Stenochiinae: Cnodalonini. Note: see Bousquet et al. (2018: 307, footnote 82) regarding a possible nomenclatural problem with this genus name.

Myonophloeus Bremer & Lillig, 2017a: 68 [M]. Type species: *Corticeus tuberculatus* Triplehorn, 1979, by original designation. Status: valid genus in Diaperinae: Hypophlaeini.

Myrmechixenus Chevrolat, 1835: 267 [M]. Type species: *Myrmechixenus subterraneus* Chevrolat, 1835, by monotypy. Status: valid genus in Diaperinae: Myrmechixenini.

Myrmechoxenus Gaubil, 1849: 288 [M]. Type species [automatic]: *Myrmechixenus subterraneus* Chevrolat, 1835, by monotypy. Status: junior synonym of *Myrmechixenus* Chevrolat, 1835 in Diaperinae: Myrmechixenini. Note: unjustified emendation of *Myrmechixenus* Chevrolat, 1835, not in prevailing usage; while both *Myrmechixenus* (p. 71) and *Myrmechoxenus* (p. 266) were used by Gaubil (1849), the fact that *Myrmechixenus* was written in italics in the Index (p. 282) indicates that the original spelling was treated as a synonym.

Myrmecocatops Wasmann, 1897: 268 [M]. Type species: *Myrmecocatops latus* Wasmann, 1897, by monotypy. Status: valid genus in Diaperinae: Crypticini.

Myrmecodema Gebien, 1943: 402 [F]. Type species [automatic]: *Myrmecosoma nycterinoides* Germain, 1855, by monotypy. Status: valid genus in Tenebrioninae: Trachelostenini. Note: replacement name for *Myrmecosoma* Germain, 1855. Note: transferred from Stenochiinae: Cnodalonini by Matthews and Lawrence (2015: 293).

Myrmecodichillus Kaszab, 1960a: 6, 7, 14 [M]. Type species: *Dichillus reichenspergeri* Kaszab, 1960, by original designation. Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Myrmecopeltoides Kaszab, 1973b: 318 [M]. Type species: *Myrmecopeltoides camponoti* Kaszab, 1973, by original designation. Status: valid genus in Lagriinae: Goniaderini.

Myrmecophosis Koch, 1958: 72 [F]. Type species: *Zophosis pedinoides* Gebien, 1920, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Myrmecosoma Germain, 1855: 403 [N]. Type species: *Myrmecosoma nycterinoides* Germain, 1855, by monotypy. Status: senior synonym of *Myrmecodema* Gebien, 1943 in Tenebrioninae: Trachelostenini. Note: junior homonym of *Myrmecosoma* Mannerheim, 1846 [Coleoptera: Anthicidae].

Myrmecoxenus Märkel, 1844: 253 [M]. Type species [automatic]: *Myrmechixenus subterraneus* Chevrolat, 1835, by monotypy. Status: junior synonym of *Myrmechixenus* Chevrolat, 1835 in Diaperinae: Myrmechixenini. Note: unjustified emendation of *Myrmechixenus* Chevrolat, 1835, not in prevailing usage.

Nalassus Mulsant, 1854: 323 [M]. Type species: *Helops dryadophilus* Mulsant, 1854, by subsequent designation (Nabozhenko 2001a: 630). Status: valid genus and subgenus in Tenebrioninae: Helopini: Cylindrinotina.

Nalepa Reitter, 1887a: 366 [F]. Type species: *Blaps cylindracea* Reitter, 1887, by monotypy. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Namaphosis Penrith, 1981c: 127, 143 [F]. Type species: *Zophosis solivaga* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Namaquaeon Koch, 1950b: 305, 341 [N]. Type species: *Phaeotribon australis* Péringuey, 1908, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Namazopus Koch, 1963: 34 [M]. Type species: *Namazopus arachnipes* Koch, 1963, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Namibismus Koch, 1952a: 107 [M]. Type species: *Namibismus castaneus* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Namibomodes Koch, 1952d: 223 [M]. Type species: *Psammodes serrimargo* Gebien, 1938, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Oxurina.

Nannalcyon Koch, 1950a: 68 [F]. Type species [automatic]: *Nannocerus cylindrus* Fairmaire, 1887, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Nannocerus* Fairmaire, 1887.

Nannocerus Fairmaire, 1887b: 292 [M]. Type species: *Nannocerus cylindrus* Fairmaire, 1887, by monotypy. Status: senior synonym of *Nannalcyon* Koch, 1950 in Stenochiinae: Cnodalonini. Note: junior homonym of *Nannocerus* Mayr, 1885 [Hymenoptera].

Nannohyocis G.S. Medvedev & Lawrence, 1983: 569 [M]. Type species: *Hyocis inquilinus* Carter, 1921, by original designation. Status: valid subgenus of *Hyocis* Pascoe, 1866 in Diaperinae: Hyociini: Hyociina.

Nanoblaps Semenov-Tjan-Shansky & Bogatchev, 1936: 565 [F]. Type species: *Blaps jakovlevi* Semenov-Tjan-Shansky & Bogatchev, 1936, by monotypy. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Löbl et al. (2008c: 219).

Nanocaecus Schawaller & Purchart, 2012: 305, 310 [M]. Type species: *Nanocaecus hlavaci* Schawaller & Purchart, 2012, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Nanocalcar Skopin, 1974a: 67, 102 [N]. Type species: *Nanocalcar nanum* Skopin, 1974, by monotypy. Status: valid subgenus of *Centorus* Mulsant, 1854 in Lagriinae: Belopini.

Nanohemicera Pic, 1923c: 25 [F]. Type species: *Hemicera rufomaculata* Pic, 1923, by monotypy. Status: valid subgenus of *Hemicera* Laporte & Brullé, 1831 in Stenochiinae: Cnodalonini.

Nanotagalus Gebien, 1942b: 118, 120 [M]. Type species: *Afrotagalus usambaricus* Gebien, 1942, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Narses Champion, 1888: 423 [M]. Type species: *Narses subalatus* Champion, 1888, by monotypy. Status: junior synonym of *Charisius* Champion, 1888 in Alleculinae: Alleculini: Alleculina. Synonymy: Campbell (2014: 271).

Narsodes Campbell, 1976: 32 [M]. Type species: *Narsodes brachypterus* Campbell, 1976, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Nataloplonyx Ardoin, 1963c: 716 [M]. Type species: *Hoplonyx micans* Schaufuss, 1870, by original designation. Status: valid subgenus of *Hoplonyx* J. Thomson, 1858 in Tenebrioninae: Amarygmini.

Natalostira Pic, 1913c: 143 [F]. Type species: *Natalostira brevithorax* Pic, 1913, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Nautes Pascoe, 1866a: 475 [M]. Type species: *Nautes fervidus* Pascoe, 1866, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Neacisba Peyerimhoff, 1927: 53 [F]. Type species [automatic]: *Pachychila dissecta* Kraatz, 1865, by monotypy. Status: junior synonym of *Neocisba* Reitter, 1900 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Neocisba* Reitter, 1900, not in prevailing usage.

Neandrosus Pic, 1921b: 12 [M]. Type species: *Neandrosus singularipes* Pic, 1921, by monotypy. Status: junior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1987: 44). Note: we act as First Revisers and reject the alternative original spelling *Neoandrosus*, used by Pic (1921b: 12).

Neanopidium Dajoz, 1975a: 93 [N]. Type species: *Neanopidium mexicanum* Dajoz, 1975, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Neatus J.L. LeConte, 1862: 233 [M]. Type species: *Helops tenebrioides* Palisot de Beauvois, 1812, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Necrobioides Fairmaire, 1882a: 234 [M]. Type species: *Necrobioides coeruleatus* Fairmaire, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Neglectophloeus Bremer & Lillig, 2017a: 71 [M]. Type species: *Hypophlaeus luteomaculatus* Pic, 1914, by original designation. Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Nelites J.L. LeConte, 1850: 232 [M]. Type species: *Nelites aeneolus* J.L. LeConte, 1850, by monotypy. Status: junior synonym of *Scaphidema* Redtenbacher, 1848 in Diaperinae: Scaphidemini. Synonymy: J.L. LeConte (1862: 237).

Nemanes Fairmaire, 1888a: 195 [M]. Type species: *Nemanes expansicollis* Fairmaire, 1888, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Nemapus Solier, 1835b: 313 [M]. Type species: *Microdera coromandelensis* Solier, 1835, by original designation. Status: valid subgenus of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: the name *Nemapus* was listed as synonym of *Microdera* Eschscholtz, 1831 by Solier (1835b: 313); it was treated before 1961 as

an available name and adopted as the name of a taxon (e.g., Koch 1943b: 860); therefore, *Nemapus* was made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Nemoplonyx Ardoin, 1963c: 715, 734 [M]. Type species: *Hoplonyx gallanus* Gridelli, 1939, by original designation. Status: valid subgenus of *Hoplonyx* J. Thomson, 1858 in Tenebrioninae: Amarygmini.

Nemostira Fairmaire, 1869a: 815 [F]. Type species: *Nemostira coquerelii* Fairmaire, 1869, by subsequent designation (R. Lucas 1920: 434). Status: junior synonym of *Sora* Walker, 1859 in Lagriinae: Lagriini: Statirina. Synonymy: Borchmann (1929a: 5).

Nemostiromorpha Pic, 1917b: 2,3 [F]. Type species: *Disema longicornis* Mäklin, 1875, by subsequent monotypy (Borchmann 1936: 510). Status: valid subgenus of *Barsenis* Pascoe, 1887 in Lagriinae: Lagriini: Statirina. Note: originally proposed without included nominal species; based on personal communications with Maurice Pic, Borchmann (1936: 510) was the first author to subsequently and expressly include nominal species in *Nemostiromorpha* (ICZN 1999, Article 67.2.2), by including the species *Disema longicornis* Mäklin, 1875, in association with this name.

Nemostiropsis Borchmann, 1936: 341 [F]. Type species: *Sora purpureipennis* Borchmann, 1930, by original designation. Status: valid subgenus of *Sora* Walker, 1859 in Lagriinae: Lagriini: Statirina.

Neoabantis Gebien, 1910b: 341 [F]. Type species [automatic]: *Abantis aenescens* Fairmaire, 1892, by monotypy. Status: junior synonym of *Diphyrrhynchus* Fairmaire, 1849 in Blaptinae: Opatrini: Heterotarsina. Synonymy: Gebien (1938a: 407). Note: replacement name for *Abantiades* Fairmaire, 1894.

Neoadelium Carter, 1908a: 259 [N]. Type species: *Adelium fairmairei* Bates, 1873, by subsequent designation (Gebien 1942a: 742). Status: valid genus in Lagriinae: Adeliini.

Neoatractus Borchmann, 1909a: 713 [M]. Type species [automatic]: *Atractus viridis* Boisduval, 1835, by subsequent designation (Duponchel and Chevrolat 1841: 312). Status: junior synonym of *Lepturidea* Fauvel, 1862 in Alleculinae: Alleculini: Alleculina. Synonymy: Matthews and Bouchard (2008: 324). Note: unnecessary replacement name for *Atractus* Boisduval, 1835.

Neobaphion Blaisdell, 1925: 390 [N]. Type species: *Eleodes planipennis* J.L. LeConte, 1866, by monotypy. Status: valid genus in Blaptinae: Amphidorini.

Neoblaps Ren & Li, 2001: 310 [F]. Type species: *Neoblaps huizensis* Ren & Li, 2001, by monotypy. Status: junior synonym of *Coelocnemodes* Bates, 1879 in Blaptinae: Blaptini: Blaptina. Synonymy: Ren et al. (2016: 432).

Neocabirutus Kulzer, 1964: 221 [M]. Type species: *Neocabirutus indicus* Kulzer, 1964, by monotypy. Status: valid subgenus of *Cabirutus* Strand, 1929 in Blaptinae: Pedinini: Pedinina.

Neocaedius Pierre, 1972: 960, 967 [M]. Type species: *Caedius halli* Kaszab, 1949, by original designation. Status: junior synonym of *Cyptus* Gerstaecker, 1871 in Blaptinae: Opatrini: Ammobiina. Synonymy: Ferrer (1996: 254, 2003: 297).

Neocamaria Kulzer, 1954a: 52 [F]. Type species: *Neocamaria tibialis* Kulzer, 1954, by original designation. Status: junior synonym of *Robustocamaria* Pic, 1922 in Stenochiinae: Cnodalonini. Synonymy: Masumoto (1993b: 222).

Neocisba Reitter, 1900c: 154 [F]. Type species: *Pachychila dissecta* Kraatz, 1865, by monotypy. Status: valid subgenus of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Neocistela Borchmann, 1909a: 713 [F]. Type species [automatic]: *Pseudocistela ovalis* Blackburn, 1891, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: replacement name for *Pseudocistela* Blackburn, 1891.

Neodissonomus G.S. Medvedev, 1968a: 235 [M]. Type species: *Heterophylus angustitarsis* Reitter, 1896, by original designation. Status: valid subgenus of *Dissonomus* Jacquelin du Val, 1861 in Tenebrioninae: Dissonomini.

Neoeutrapela Bousquet & Bouchard, 2013a: 61 [F]. Type species [automatic]: *Crioceris elongata* Fabricius, 1781 (= *Chrysomela unifasciata* DeGeer, 1778), by subsequent designation (Duponchel 1844b: 533). Status: valid subgenus (**stat. nov.** [OM]) of *Impressosora* Pic, 1952 in Lagriinae: Lagriini: Statirina. Note: replacement name for *Eutrapela* Dejean, 1834; **new placement** [OM], previously included in Lagriinae: Lagriini: Lagriina.

Neognathosia Kaszab, 1959a: 383 [F]. Type species: *Gnathosia pseudanemia* Reitter, 1915, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Neogria Borchmann, 1911: 222 [F]. Type species: *Neogria sulcipennis* Borchmann, 1911, by subsequent designation (R. Lucas 1920: 436). Status: valid genus in Lagriinae: Lagriini: Lagriina.

Neohelops Dajoz, 2001: 356 [M]. Type species: *Neohelops texanus* Dajoz, 2001, by original designation. Status: valid genus in Tenebrioninae: Helopini: Helopina. Note: placed in the subtribe Helopina by Nabozhenko and Purchart (2019: 156).

Neohyocis G.S. Medvedev & Lawrence, 1983: 571 [M]. Type species: *Hyocis waterhousei* G.S. Medvedev & Lawrence, 1983, by original designation. Status: valid subgenus of *Hyocis* Pascoe, 1866 in Diaperinae: Hyociini: Hyociina.

Neoisocerus Bouchard, Lawrence, Davies & Newton, 2005: 510 [M]. Type species [automatic]: *Tenebrio purpurascens* Herbst, 1799 (= *Helops ferrugineus* Fabricius, 1798), by monotypy. Status: valid genus in Blaptinae: Dendarini: Dendarina. Note: replacement name for *Isocerus* Dejean, 1821.

Neomenimus Kaszab, 1939b: 190 [M]. Type species: *Neomenimus clavatus* Kaszab, 1939, by original designation. Status: junior synonym of *Menimus* Sharp, 1876 in Diaperinae: Gnathidiini: Gnathidiina. Synonymy: G.S. Medvedev (2007b: 665).

Neomida Latreille, 1829a: 29 [F]. Type species: *Ips haemorrhoidalis* Fabricius, 1787, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: *Neomida* was used earlier by Dahl (1823: 44) but Dahl's work was suppressed for the purposes of zoological nomenclature by the ICZN (1964, Opinion 710).

Neooligocara Guerrero, Vidal & Moore, 2007: 407 [N]. Type species: *Oligocara bucki* Kulzer, 1962, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Neopachypterus Bouchard, Löbl & Merkl, 2007: 386 [M]. Type species [automatic]: *Pachypterus mauritanicus* P.H. Lucas, 1847, by monotypy. Status: valid genus in Blaptinae: Opatrini: Neopachypterina. Note: replacement name for *Pachypterus* P.H. Lucas, 1847.

Neophaleria Español, 1963a: 74, 76 [F]. Type species: *Phaleria ardoini* Español, 1963, by monotypy. Status: valid subgenus of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini.

Neophylax Bedel, 1906a: 92 [M]. Type species [automatic]: *Phylax littoralis* Mulsant, 1854 (= *Opatrum picipes* G.-A. Olivier, 1812), by subsequent designation (Gebien 1938a: 412). Status: senior synonym of *Allophylax* Bedel, 1906 in Blaptinae: Dendarini: Melambiina. Note: junior homonym of *Neophylax* McLachlan, 1871 [Trichoptera].

Neoplamius Löbl, Bouchard, Merkl & Bousquet, 2020: 4 [M]. Type species: *Neoplamius zoltani* Masumoto, 1981, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: name first proposed by Masumoto (1981: 15) without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Neoplateia Marcuzzi, 1986: 177 [F]. Type species: *Neoplateia kaszabi* Marcuzzi, 1986, by monotypy. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Neoplonyx Ardoin, 1963b: 309, 352 [M]. Type species: *Gonocnemis sulcicollis* Fairmaire, 1899, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Neoporphyrhyba Ardoin, 1956b: 89 [F]. Type species: *Porphyrhyba cyaneocuprea* Fairmaire, 1894, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Neopraocis Kulzer, 1958a: 3, 6 [M]. Type species: *Praocis reflexicollis* Solier, 1851, by monotypy. Status: valid genus in Pimeliinae: Praociini.

Neopsectropus Kaszab, 1941c: 30 [M]. Type species: *Neopsectropus gebieni* Kaszab, 1941, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Neopterocoma Skopin, 1974b: 158 [F]. Type species: *Pterocoma balchashensis* Skopin, 1974, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Neosolenopistoma Bouchard & Bousquet, **new subgenus**. [N]. Type species: *Eurynotus denticosta* Mulsant & Rey, 1854, by **present designation**. Status: valid subgenus of *Eurynotus* W. Kirby, 1819 in Blaptinae: Platynotini: Eurynotina. Note: taxon first proposed by Mulsant and Rey (1854: 29; as "*Solenopistoma* Solier"); however, this is treated as an incorrect subsequent spelling of *Selenepistoma* Dejean, 1834 (see Bousquet and Bouchard 2013: 50); the subgenus *Solenopistoma* Mulsant & Rey, 1854, which is currently used as valid, is therefore unavailable (ICZN 1999, Articles 33.3); we hereby make the name *Neosolenopistoma* available by selecting *Eurynotus denticosta* Mulsant & Rey, 1854 as type species and referring to Mulsant and Rey (1854: 29) for the character states that characterise and differentiate *Neosolenopistoma*.

Neotagalus Kaszab, 1955a: 471, 477 [M]. Type species: *Neotagalus tuberculiger* Kaszab, 1955, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Neotheca Carter, 1930: 540 [F]. Type species: *Neotheca fusca* Carter, 1930, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Neozophobas Ferrer, 2006b: 235 [M]. Type species: *Zophobas laticollis* Kraatz, 1880, by original designation. Status: valid genus in Tenebrioninae: Tenebrionini.

Nepalindia G.S. Medvedev, 1998a: 187 [F]. Type species: *Tagonoides alpina* Kaszab, 1965, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Nepalofranziella Fouquè, 2013: 194, 196 [F]. Type species: *Nepalofranziella kaszabi* Fouquè, 2013, by original designation. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Nepalolaena Schawaller, 2001a: 277 [F]. Type species: *Nepalolaena kira* Schawaller, 2001, by original designation. Status: valid genus in Lagriinae: Laenini.

Nepaloplonyx Bremer, 2014b: 175, 181 [M]. Type species: *Nepaloplonyx caelebs* Bremer, 2014, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Nephodes Blanchard, 1845: 34 [M]. Type species: *Nephodes villiger* Rosenhauer, 1856, by subsequent monotypy (Rosenhauer 1856: 218). Status: senior synonym of *Nephodinus* Gebien, 1943 in Tenebrioninae: Helopini: Helopina. Note: originally proposed without included nominal species; Rosenhauer (1856: 218), by including the new species *Nephodes villiger* Rosenhauer, 1856 in association with this name, was the first author to subsequently and expressly include nominal species in *Nephodes* (ICZN 1999, Article 67.2.2); the older name *Nephodes* Schönherr, 1840 [Coleoptera: Curculionidae] is available as it was originally proposed as a synonym and subsequently treated as a senior homonym by Gebien (1943: 900; see ICZN 1999, Article 11.6.1), therefore *Nephodes* Blanchard, 1845 is a junior homonym of *Nephodes* Schönherr, 1840.

Nephodinus Gebien, 1943: 900 [M]. Type species [automatic]: *Nephodes villiger* Rosenhauer, 1856, by subsequent monotypy (Rosenhauer 1856: 218). Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina. Note: replacement name for *Nephodes* Blanchard, 1845.

Nerina Lacordaire, 1859a: 70 [F]. Type species: *Nerina dispar* Lacordaire, 1859, by monotypy. Status: senior synonym of *Afrinus* Fairmaire, 1888 in Pimeliinae: Tentyriini. Synonymy: Blair (1935a: 103). Note: junior homonym of *Nerina* Robineau-Desvoidy, 1830 [Diptera].

Nerinodon Koch, 1952a: 138 [M]. Type species: *Nerinodon caviceps* Koch, 1952, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Nesioticus Westwood, 1843: 120 [M]. Type species: *Nesioticus flavopictus* Westwood, 1843, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: redescribed as new by Westwood (1844: 227).

Nesocaedius Kolbe, 1915: 262 [M]. Type species: *Nesocaedius schultzei* Kolbe, 1915, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Nesocyrtosoma Marcuzzi, 1976: 137 [N]. Type species: *Cyrtosoma inflatum* Marcuzzi, 1976, by plenary powers (ICZN 2017, Opinion 2398). Status: valid genus in Stenochiinae: Cnodalonini. Note: following an application by Hopp et al.

(2014) to conserve the generic name *Nesocyrtosoma* Marcuzzi, 1976, the ICZN (2017, Opinion 2398) determined that this name is nomenclaturally available despite not having been accompanied by a type species fixation in the original publication, placed it on the Official List of Generic Names in Zoology and, designated *Cyrtosoma inflatum* Marcuzzi, 1976 as its type species.

Nesogena Mäklin, 1863b: 557 [F]. Type species: *Nesogena hybrida* Mäklin, 1863, by subsequent designation (Gebien 1948: 549). Status: valid genus and subgenus in Tenebrioninae: Praeugenini.

Nesogenomorpha Pic, 1917c: 18 [F]. Type species: *Nesogenomorpha semiviolacea* Pic, 1917, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Nesopatrum Gebien, 1921b: 20 [N]. Type species: *Opatrinus josephi* Karsch, 1881, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Nesophaerotus Ardoin, 1962a: 66, 67 [M]. Type species [automatic]: *Nesosphaerotus aeneus* Gebien, 1921, by subsequent designation (Gebien 1943: 403). Status: junior synonym of *Nesosphaerotus* Gebien, 1921 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Nesosphaerotus* Gebien, 1921, not in prevailing usage.

Nesosphaerotus Gebien, 1921b: 115 [M]. Type species: *Nesosphaerotus aeneus* Gebien, 1921, by subsequent designation (Gebien 1943: 403). Status: valid genus in Stenochiinae: Cnodalonini.

Nesostes Casey, 1908: 56, 58 [M]. Type species: *Eusattus robustus* J.L. LeConte, 1866, by original designation. Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: Triplehorn (1968: 379).

Nesotaurus Fairmaire, 1896b: 354 [M]. Type species: *Nesotaurus sericans* Fairmaire, 1896, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Nesotes Allard, 1876a: 5 [M]. Type species: *Helops asper* Küster, 1850, by subsequent designation (Nabozhenko 2008: 38). Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina. Note: the First Reviser (*Nesotes* Allard, 1876 versus *Diastixus* Allard, 1876) is Antoine (1949: 134).

Netopha Fairmaire, 1893c: 299 [F]. Type species: *Netopha pallidipes* Fairmaire, 1893, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Netuschilia Reitter, 1904: 34, 35 [F]. Type species: *Lachnopus hauseri* Reitter, 1897, by monotypy. Status: valid genus in Pimeliinae: Lachnogyini: Netuschiliina.

Nevermanniella Borchmann, 1936: 235, 332 [F]. Type species: *Statira albolineata* Champion, 1889, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: the alternative original spelling *Nevermannia* (pp. 11, 235) was corrected to *Nevermanniella* in the "Corrigenda" of the same work (p. 541), *Nevermanniella* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1)

Nevisia Marcuzzi, 1986: 179 [F]. Type species: *Diastolinus bardudensis* Marcuzzi, 1962, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Nicandra Fairmaire, 1888a: 191 [F]. Type species: *Nicandra costulipennis* Fairmaire, 1888, by monotypy. Status: valid genus and subgenus in Blaptinae: Pedinini: Helopinina.

Nikomenalia Dubrovina, 1975: 166 [F]. Type species: *Hymenalia kaszabi* Muche, 1972, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: elevated from subgenus of *Hymenalia* Mulsant, 1856 by Novák (2020c: 507).

Nilio Latreille, 1802: 179 [M]. Type species: *Coccinella villosa* Fabricius, 1787, by monotypy. Status: valid genus and subgenus in Nilioninae. Note: *Nilio* is an incorrect subsequent spelling of the original spelling *Nilion*, first used by Latreille (1804: 333), in prevailing usage; *Nilio* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1); the original combination of the name of the type species, *Coccinella villosa* Fabricius, 1787, is a junior primary homonym of *Coccinella villosa* Fourcroy, 1785.

Nipponalassus Nabozhenko & Ando, 2018: 306 [M]. Type species: *Tarpela andoi* Masumoto, 1993, by original designation. Status: valid subgenus of *Nalassus* Mulsant, 1854 in Tenebrioninae: Helopini: Cylindrinotina.

Nipponohelops Masumoto, Ando & Akita, 2006: 33 [M]. Type species: *Nipponohelops ishikawai* Masumoto, Ando & Akita, 2006, by original designation. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Nocar Blackburn, 1891: 328 [N]. Type species: *Cistela depressiuscula* W.J. MacLeay, 1872, by subsequent designation (R. Lucas 1920: 441). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Nochelius Gistel, 1848a: xi [M]. Type species [automatic]: *Evaniosomus orbignianus* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Evaniosomus* Guérin-Méneville, 1834 in Pimeliinae: Evaniosomini. Note: unnecessary replacement name for *Evaniosomus* Guérin-Méneville, 1834, not in prevailing usage.

Nocibiotes Casey, 1895: 617 [M]. Type species: *Notibius granulatus* J.L. LeConte, 1851, by subsequent designation (Gebien 1938a: 407). Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Nodosogylium Pic, 1951: 12 [N]. Type species: *Nodosogylium inaequale* Pic, 1951, by monotypy. Status: valid genus in Stenochiinae: Stenochiini. Note: we act as First Revisers and reject the alternative original spelling *Nodosogilium*, used by Pic (1951: 12).

Nodotelus Koch, 1950a: 67 [M]. Type species [automatic]: *Eutelus requieni* Solier, 1843, by subsequent designation (R. Lucas 1920: 291). Status: junior synonym of *Eutelonotus* Fairmaire in Alluaud, 1902 in Stenochiinae: Cnodalonini. Note: unnecessary replacement name for *Eutelus* Solier, 1843.

Nolicima Matthews, 1998: 708, 714 [F]. Type species: *Cardiothorax angusticollis* Carter, 1906, by original designation. Status: valid genus in Lagriinae: Adeliini.

Notacula Campbell, 1971: 107 [F]. Type species: *Notacula howdenae* Campbell, 1971, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Nothogria Borchmann, 1916a: 49, 142 [F]. Type species: *Nothogria nodipennis* Borchmann, 1916, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Nothrocerus Fairmaire, 1887a: 174 [M]. Type species: *Nothrocerus cylindricornis* Fairmaire, 1887, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Notiasida Casey, 1912: 76, 124 [F]. Type species: *Notiasida abstrusa* Casey, 1912, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Notibius J.L. LeConte, 1851: 144 [M]. Type species: *Notibius puberulus* J.L. LeConte, 1851, by subsequent designation (Gebien 1938a: 406). Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Notiolesthus Motschulsky, 1872: 25 [M]. Type species: *Notiolesthus natalensis* Motschulsky, 1872, by original designation. Status: junior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1921b: 69). Note: we act as First Revisers and reject the alternative original spelling *Notiolosthus*, used by Motschulsky (1872: 34).

Notioscythis Fairmaire, 1883a: 31 [F]. Type species: *Notioscythis punctoseriata* Fairmaire, 1883, by monotypy. Status: junior synonym of *Stenosida* Solier, 1835 in Pimeliinae: Tentyriini. Synonymy: Chatanay (1917: 231).

Notoblaps Bauer, 1921: 232 [F]. Type species: *Blaps juliae* Allard, 1881, by monotypy. Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Nabozhenko and Chigray (2020: 10).

Notocistela Carter, 1915a: 78, 102 [F]. Type species: *Notocistela tibialis* Carter, 1915, by subsequent designation (Matthews and Bouchard 2008: 333). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Notocorax Dejean, 1834: 191 [M]. Type species: *Opatrum javanum* Wiedemann, 1819, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Notoprataeus Carter, 1924a: 37 [M]. Type species: *Notoprataeus litoralis* Carter, 1924 (= *Mesotertis inconstans* Lea, 1917), by monotypy. Status: junior synonym of *Micropedinus* Lewis, 1894 in Lagriinae: Lupropini. Synonymy: G.S. Medvedev (1992: 656), Matthews and Lawrence (2005: 534).

Notostrongylium Carter, 1915b: 523 [N]. Type species: *Notostrongylium rugosicolle* Carter, 1915, by subsequent designation (Kulzer 1966: 387). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Kaszab (1977b: 3, 29).

Nototrintus Carter, 1924a: 40 [M]. Type species: *Otrintus jacksoni* Carter, 1905, by original designation. Status: valid genus in Lagriinae: Adeliini.

Nudoplatyscelis Kaszab, 1940a: 149, 222 [F]. Type species: *Platynoscelis turanica* Reitter, 1896, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Nuptis Motschulsky, 1872: 25 [M]. Type species: *Nuptis tenuis* Motschulsky, 1872, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Nyctalops Gistel, 1848a: 125 [M]. Type species [automatic]: *Pseudoblaps substriata* Guérin-Méneville, 1834, by subsequent designation (Hope 1841: 124). Status: junior synonym of *Pseudoblaps* Guérin-Méneville, 1834 in Blaptinae: Platynotini: Platynotina. Note: unnecessary replacement name for *Pseudoblaps* Guérin-Méneville, 1834; junior homonym of *Nyctalops* Wagler, 1832 [Aves].

Nyctelia Berthold, 1827: 367 [F]. Type species: *Zophosis nodosa* Germar, 1823 (= *Zophosis picipes* Billberg, 1815), by monotypy. Status: valid genus in Pimeliinae: Nycteliini. Note: nomen protectum (see Silvestro and Flores 2016: 658).

Nyctelioma Casey, 1908: 163 [F]. Type species: *Nyctelioma explanata* Casey, 1908, by original designation. Status: junior synonym of *Nyctelia* Berthold, 1827 in Pimeliinae: Nycteliini. Synonymy: Gebien (1910a: 141).

Nyctelius Guérin-Méneville, 1827b: 21 [M]. Type species: *Zophosis nodosa* Germar, 1823 (= *Zophosis picipes* Billberg, 1815), by monotypy. Status: senior synonym of *Nyctelia* Berthold, 1827 in Pimeliinae: Nycteliini. Synonymy: Silvestro and Flores (2016: 658). Note: nomen oblitum (see Silvestro and Flores 2016: 658).

Nycterinus Eschscholtz, 1829: 9.13 [M]. Type species: *Nycterinus thoracicus* Eschscholtz, 1829, by subsequent designation (Hope 1841: 124). Status: valid genus in Blaptinae: Amphidorini.

Nycteropus Klug, 1833: 89 [M]. Type species: *Nycteropus ebeninus* Klug, 1833, by subsequent designation (Hope 1841: 124). Status: valid genus in Tenebrioninae: Toxicini: Nycteropina.

Nyctipates Gebler, 1841: 373 [M]. Type species: *Nyctipates rugulosus* Gebler, 1841, by monotypy. Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: Erichson (1845a: 116).

Nyctipates Solier, 1848: 154, 285 [M]. Type species: *Nyctipates coriaceus* Solier, 1848 (= *Blaps angustata* Zubkov, 1833), by subsequent designation (Löbl et al. 2008c: 236). Status: senior synonym of *Prosodopria* Reitter, 1909 in Blaptinae: Blaptini: Prosodina. Synonymy: Löbl et al. (2008a: 43). Note: junior homonym of *Nyctipates* Gebler, 1841 [Coleoptera: Tenebrionidae: Blaptinae: Blaptini: Prosodina].

Nyctobates Guérin-Méneville, 1834: 33 [M]. Type species: *Tenebrio gigas* Linnaeus, 1763, by original designation. Status: junior synonym of *Mylaris* Pallas, 1781 in Stenochiinae: Cnodalonini. Synonymy: Spilman (1973: 42), Ferrer and Siliansky (2008: 186).

Nyctopetus Guérin-Méneville, 1831a: pl. 4 [M]. Type species: *Nyctopetus tenebrioides* Guérin-Méneville, 1831, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Nyctoporis Eschscholtz, 1831: 10, 11 [F]. Type species: *Nyctoporis cristata* Eschscholtz, 1831, by subsequent designation (Hope 1841: 124). Status: valid genus in Pimeliinae: Nyctoporini.

Nyctozoilus Guérin-Méneville, 1831a: pl. 4 [M]. Type species: *Nyctozoilus obesus* Guérin-Méneville, 1831, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Nypsius Champion, 1895a: 219 [M]. Type species: *Nypsius aeneopiceus* Champion, 1895, by subsequent designation (R. Lucas 1920: 447). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Oatesius Westwood, 1889: 376 [M]. Type species [automatic]: *Derosphaerius anthracinus* Westwood, 1881, by monotypy. Status: junior synonym of *Derosphaerius* Westwood, 1881 in Pimeliinae: Tentyriini. Note: unnecessary replacement name for *Derosphaerius* Westwood, 1881.

Obenbergeria Strand, 1929: 24 [F]. Type species [automatic]: *Diaperis riederii* Faldermann, 1833, by subsequent designation (Jakobson 1924: 243). Status: junior synonym of *Emypsara* Pascoe, 1866 in Diaperinae: Phaleriini. Synonymy: Gebien (1939: 743). Note: replacement name for *Callicomus* Motschulsky, 1860.

Obesacula Campbell, 1971: 109 [F]. Type species: *Obesacula aptera* Campbell, 1971, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Oblongoodescelis Kaszab, 1940b: 941, 958 [F]. Type species: *Platyscelis oblonga* Ballion, 1878, by original designation. Status: junior synonym of *Clavatoodescelis* Kaszab, 1940 in Blaptinae: Platyscelidini. Synonymy: Egorov (2020: 380).

Oblongoplatyscelis Kaszab, 1940b: 910, 916 [F]. Type species: *Platyscelis ganglbaueri* Seidlitz, 1893, by original designation. Status: valid subgenus of *Platyscelis* Latreille, 1818 in Blaptinae: Platyscelidini.

Obriomaia Gebien, 1927: 45 [F]. Type species: *Eucyrtus subcostatus* Fairmaire, 1893, by original designation. Status: junior synonym of *Tetragonomenes* Chevrolat, 1878 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983a: 133).

Occidentophosis Penrith, 1977: 18, 157 [F]. Type species: *Zophosis damarina* Péringuey, 1908, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Ochrolamus Reitter, 1904: 73 [M]. Type species: *Dilamus pictus* Baudi di Selve, 1881, by monotypy. Status: valid subgenus of *Dilamus* Jacquelin du Val, 1861 in Blaptinae: Opatrini: Ammobiina.

Ocnera Fischer, 1822: 169 [F]. Type species: *Pimelia imbricata* Fischer, 1820, by subsequent designation (Wilke 1922: 260). Status: valid genus in Pimeliinae: Pimeliini. Note: as mentioned by Bouchard and Bousquet (2020b: 7) the nomenclatural stability of this name is threatened by the discovery of an older type species designation (*Tenebrio cephalotes* Pallas, 1781, by subsequent designation by Crotch (1870b: 241), currently the type species of the valid subgenus *Chaetotoma* Motschulsky, 1860 in *Pimelia* Fabricius, 1775); we recommend that an application be submitted to the International Commission on Zoological Nomenclature to maintain the type species designation proposed by Gebien (1937a: 814).

Ocnodes Fåhraeus, 1870: 270 [F]. Type species: *Ocnodes scrobicollis* Fåhraeus, 1870, by subsequent designation (Kamiński et al. 2019b: 55). Status: valid genus and subgenus in Pimeliinae: Sepidiini: Molurina.

Ocularisora Pic, 1934a: 32 [F]. Type species: *Nemostira benitensis* Pic, 1912, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Oculochara Novák, 2020e: 80 [F]. Type species: *Mycetochara ocularis* Reitter, 1884, by original designation. Status: valid subgenus of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina.

Oculosis Penrith, 1977: 18, 126 [F]. Type species: *Zophosis boei* Solier, 1834, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Odocnemis Allard, 1876a: 4 [F]. Type species: *Odocnemis caudata* Allard, 1876 (= *Helops praelongus* Baudi di Selve, 1876), by subsequent designation (Nabozhenko 2001a: 662). Status: valid genus and subgenus in Tenebrioninae: Helopini: Cylindrinotina. Note: the First Reviser (*Odocnemis* Allard, 1876 versus *Omaleis* Allard, 1876) is Nabozhenko (2001a: 628).

Odontocera Chen & Yuan, 1996: 183 [F]. Type species: *Odontocera qinlingensis* Chen & Yuan, 1996, by original designation. Status: senior synonym of *Odontocerostira* Merkl, 2007 in Lagriinae: Lagriini: Statirina. Note: junior homonym of *Odontocera* Audinet-Serville, 1834 [Coleoptera: Cerambycidae].

Odontocerostira Merkl, 2007: 269 [F]. Type species [automatic]: *Odontocera qinlingensis* Chen & Yuan, 1996, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: replacement name for *Odontocera* Chen & Yuan, 1996.

Odontocnemis Rye, 1878: 69 [F]. Type species [automatic]: *Odocnemis caudata* Allard, 1876 (= *Helops praelongus* Baudi di Selve, 1876), by subsequent designation (Nabozhenko 2001a: 662). Status: junior synonym of *Odocnemis* Allard, 1876 in Tenebrioninae: Helopini: Cylindrinotina. Note: unjustified emendation of *Odocnemis* Allard, 1876, not in prevailing usage.

Odontogria Borchmann, 1936: 16, 62 [F]. Type species: *Lagria blairi* Borchmann, 1925, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Odontomophlus Seidlitz, 1896: 240 [M]. Type species: *Omophlus ochraceipennis* Faldermann, 1837, by subsequent designation (Bousquet et al. 2015: 141). Status: valid subgenus of *Omophlus* Dejean, 1834 in Alleculinae: Cteniopodini. Note: as pointed out by Bousquet et al. (2015: 141) the type species of this genus was first designated by Novák and Pettersson (2008: 335) who selected *Cistela armillata* Brullé, 1832, a species originally included in *Odontomophlus* Seidlitz, 1896 but also the type species of the valid genus *Megischina* Reitter, 1906; Löbl and Smetana (2011: 34) "retracted" the act proposed earlier by Novák and Pettersson (2008: 335); in order to conserve nomenclatural stability Bousquet et al. (2015: 141) recommended usage of *Omophlus ochraceipennis* Faldermann, 1837 as the type species of this genus until an application be submitted to the Commission to rule on the Case.

Odontopezus Alluaud, 1889: xlv [M]. Type species [automatic]: *Odontopus costatus* Silbermann, 1833, by subsequent designation (Hope 1841: 126). Status: junior synonym of *Pezodontus* Dejean, 1834 in Lagriinae: Pycnocerini. Note: unnecessary replacement name for *Odontopus* Silbermann, 1833.

Odontopus Silbermann, 1833: no 3 [M]. Type species: *Odontopus costatus* Silbermann, 1833, by subsequent designation (Hope 1841: 126). Status: senior synonym of *Pezodontus* Dejean, 1834 in Lagriinae: Pycnocerini. Note: junior homonym of *Odontopus* Say, 1831 [Coleoptera: Curculionidae].

Odrotes La Rivers, 1947: 320 [M]. Type species: *Edrotes arens* La Rivers, 1947, by monotypy. Status: valid subgenus of *Edrotes* J.L. LeConte, 1851 in Pimeliinae: Edrotini.

Oeatus Champion, 1885: 111 [M]. Type species: *Oeatus chevrolati* Champion, 1885, by subsequent designation (Gebien 1941: 342). Status: valid genus in Stenochiinae: Cnodalonini.

Oectosis Pascoe, 1869: 149 [F]. Type species: *Upis cylindrica* Germar, 1848, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Oedemutes Pascoe, 1860a: 51 [M]. Type species: *Oedemutes tumidus* Pascoe, 1860, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Oedenocera Reiche, 1862: 372 [F]. Type species [automatic]: **fixed herein** (ICZN 1999, Article 70.3) as *Tenebrio buprestoides* Fabricius, 1781, misidentified as *Akis laevigata* Fabricius, 1801 in the original designation by monotypy in Eschscholtz (1831). Status: junior synonym of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Löbl et al. (2008b: 192). Note: replacement name for *Pachycera* Eschscholtz, 1831. Note: see additional information in the entry for *Pachycera* Eschscholtz, 1831.

Oenomia Pascoe, 1883: 441 [F]. Type species: *Oenomia femorata* Pascoe, 1883, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Oenopion Champion, 1885: 98 [M]. Type species: *Oenopion gibbosus* Champion, 1885, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Ogoueum Pic, 1923c: 27 [N]. Type species: *Ogoueum semirufum* Pic, 1923, by monotypy. Status: junior synonym of *Eccoptostoma* Gebien, 1913 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1962a: 64).

Ograbies Péringuey, 1899: 293 [M]. Type species: *Ograbies singularis* Péringuey, 1899 (= *Oncotus testaceus* Solier, 1848), by monotypy. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Ohyonthis Reitter, 1898: 347 [F]. Type species: *Ohyonthis microderoides* Reitter, 1898, by monotypy. Status: junior synonym of *Stegastopsis* Kraatz, 1865 in Pimeliinae: Tentyriini. Synonymy: Reitter (1900c: 89, 139).

Oligocara Solier, 1848: 153, 224 [N]. Type species: *Oligocara nitidum* Solier, 1848, by original designation. Status: valid genus in Tenebrioninae: Ulomini.

Oligorus Dejean, 1834: 206 [M]. Type species: *Tagenia indica* Wiedemann, 1823, by monotypy. Status: junior synonym of *Luprops* Hope, 1833 in Lagriinae: Lupropini. Synonymy: Lacordaire (1859a: 397, as "*Lyprops*").

Oliprosodes Reitter, 1909a: 118 [M]. Type species: *Prosodes trisulcata* Bates, 1879, by subsequent designation (G.S. Medvedev 1999a: 851). Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Olisthaena Erichson, 1842a: 177 [F]. Type species: *Olisthaena nitida* Erichson, 1842, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Olocrates Mulsant, 1854: 150, 383 [M]. Type species: *Opatrum gibbum* Fabricius, 1775, by subsequent designation (C.G. Thomson 1859: 115, as "*Omocrates*"). Status: junior synonym of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina. Synonymy: Seidlitz (1898a: 828). Note: the original spelling *Omocrates* (p. 150) was corrected to *Olocrates* in the "Errata" of the same work (p. 383), *Olocrates* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1); see Bouchard and Bousquet (2020a: 100).

Ologlyptus Lacordaire [in LeConte], 1858: 19 [M]. Type species [automatic]: *Stenosides graciliformis* Solier, 1836, by monotypy. Status: junior synonym of *Stenosides* Solier,

1836 in Pimeliinae: Asidini. Note: unnecessary replacement name for *Stenosides* Solier, 1836 (as *Stenorides*).

Omala Agassiz, 1846b: 184 [F]. Type species [automatic]: *Homala polita* Eschscholtz, 1831, by monotypy. Status: junior synonym of *Homala* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Homala* Eschscholtz, 1831, not in prevailing usage.

Omaleis Allard, 1876a: 4 [M]. Type species: *Helops congener* Reiche, 1861, by subsequent designation (Nabozhenko 2008: 38). Status: junior synonym of *Odocnemis* Allard, 1876 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: Nabozhenko (2001a: 628). Note: Allard's original spelling *Omalus*, which is a junior homonym of *Omalus* Panzer, 1801 [Hymenoptera], was corrected to "*Omaloïs*" [= *Omalois*] in the errata for volume 14 of *L'Abeille*, *Journal d'Entomologie* (at the end of page 36 of the section "Table alphabétique") and therefore *Omalois* should be considered the correct original spelling (ICZN 1999, Article 32.5.1.1); however, the incorrect subsequent spelling *Omaleis*, which was introduced by Allard (1877: 36), is in prevailing usage and attributed to the original author, it is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1).

Omandelostoma Purchart, 2017: 282 [N]. Type species: *Adelostoma muqalensis* Purchart, 2017, by original designation. Status: valid subgenus of *Adelostoma* Duponchel, 1827 in Pimeliinae: Adelostomini.

Omedes Broun, 1893b: 1169 [M]. Type species: *Omedes nitidus* Broun, 1893, by subsequent designation (R. Lucas 1920: 456). Status: valid genus in Alleculinae: Alleculini: incertae sedis.

Omegeleodes Triplehorn & Thomas, 2012: 253 [M]. Type species: *Eleodes debilis* J.L. LeConte, 1858, by original designation. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Ommatochara Borchmann, 1932a: 347 [F]. Type species: *Ommatochara tibialis* Borchmann, 1932, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Ommatophorus W.J. MacLeay, 1872: 304 [M]. Type species: *Ommatophorus mastersii* W.J. MacLeay, 1872, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Omocula Borchmann, 1937: 222 [F]. Type species: *Allecula collaris* Borchmann, 1930, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Omolepta Fåhraeus, 1870: 320 [F]. Type species: *Omolepta elegans* Fåhraeus, 1870, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Omolipus Pascoe, 1860b: 127 [M]. Type species: *Omolipus corvus* Pascoe, 1860, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Omopheres Casey, 1907: 519 [M]. Type species: *Omopheres farctus* Casey, 1907, by original designation. Status: valid genus and subgenus in Pimeliinae: Epitragini.

Omophlina Reitter, 1890a: 34 [F]. Type species: *Omophlus podontoides* Reitter, 1890, by subsequent designation (Novák and Pettersson 2008: 334). Status: valid genus in Alleculinae: Cteniopodini.

Omophlus Dejean, 1834: 213 [M]. Type species: *Cistela lepturoides* Fabricius, 1787, by subsequent designation (Solier 1835a: 246). Status: valid genus and subgenus in Alleculinae: Cteniopodini. Note: the earlier usage of the name *Omophlus* by Dahl (1823: 46) was suppressed for the purposes of zoological nomenclature by the ICZN (1964, Opinion 710).

Oncopterus Fairmaire, 1887a: 178 [M]. Type species: *Oncopterus acantholophus* Fairmaire, 1887, by monotypy. Status: senior synonym of *Oncopteryx* Gebien, 1943 in Blaptinae: Pedinini: Helopinina. Note: junior homonym of *Oncopterus* Steindachner, 1875 [Pisces].

Oncopteryx Gebien, 1943: 905 [F]. Type species [automatic]: *Oncopterus acantholophus* Fairmaire, 1887, by monotypy. Status: valid genus in Blaptinae: Pedinini: Helopinina. Note: replacement name for *Oncopterus* Fairmaire, 1887.

Oncosoma Westwood, 1843: 121 [N]. Type species: *Oncosoma granulare* Westwood, 1843 (= *Pimelia gemmata* Fabricius, 1801), by monotypy. Status: junior synonym of *Amatodes* Dejean, 1834 in Blaptinae: Pedinini: Helopinina. Synonymy: Erichson (1844: 282). Note: unjustified emendation of the original spelling *Ogcosoma*, introduced by Agassiz (1846b: 257, 259), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1), see Bouchard et al. (2005: 509); redescribed by Westwood (1844: 227) under the name *Ogcoosoma*; the original combination of the accepted name of the type species, *Pimelia gemmata* Fabricius, 1801, is a junior primary homonym of *Pimelia gemmata* Herbst, 1799.

Oncoosoma Gebien, 1911a: 563 [N]. Type species [automatic]: *Oncosoma granulare* Westwood, 1843 (= *Pimelia gemmata* Fabricius, 1801), by monotypy. Status: junior synonym of *Amatodes* Dejean, 1834 in Blaptinae: Pedinini: Helopinina. Note: unjustified emendation of *Oncosoma* Westwood, 1843 (as "*Ogcosoma*"), not in prevailing usage.

Oncotiphallops Koch, 1956a: 162 [M]. Type species: *Oncotiphallops barbosai* Koch, 1956, by original designation. Status: junior synonym of *Anchophthalmus* Gerstaecker, 1854 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan (2002a: 53).

Oncotopsis Koch, 1958: 152 [F]. Type species: *Nicandra bicolor* Kulzer, 1951, by original designation. Status: valid subgenus of *Nicandra* Fairmaire, 1888 in Blaptinae: Pedinini: Helopinina.

Oncotus Blanchard, 1845: 13, 24 [M]. Type species: *Oncotus farctus* Solier, 1848, by subsequent designation (Gebien 1938a: 72). Status: valid genus and subgenus in Blaptinae: Platynotini: Eurynotina. Note: originally proposed without included nominal species; Solier (1848: 216–222), by including five new species in association with the genus "*Oncotus* Dejean", was the first author to subsequently and expressly include nominal species in *Oncotus* (ICZN 1999, Article 67.2.2).

Onocera Borchmann, 1936: 139 [F]. Type species: *Ecnolagria securigera* Borchmann, 1916, by original designation. Status: valid subgenus of *Ecnolagria* Borchmann, 1916 in Lagriinae: Lagriini: Lagriina.

Onoglypta Carter, 1926: 144 [F]. Type species [automatic]: *Aglypta octocostata* Gebien, 1908, by monotypy. Status: junior synonym of *Aglypta* Gebien, 1908 in

Tenebrioninae: Heleini: Cyphaleina. Note: unnecessary replacement name for *Aglypta* Gebien, 1908.

Ononyctus Carter, 1914c: 382 [M]. Type species: *Ononyctus sulcatus* Carter, 1914, by monotypy. Status: junior synonym of *Nyctozoilus* Guérin-Méneville, 1831 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 473).

Onosterrhus Pascoe, 1866a: 451 [M]. Type species: *Onosterrhus laevis* Pascoe, 1866, by monotypy. Status: junior synonym of *Nyctozoilus* Guérin-Méneville, 1831 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 473).

Onotrichus Carter, 1911b: 138, 164 [M]. Type species: *Onotrichus lateralis* Carter, 1911, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Onychomira Campbell, 1984: 289 [F]. Type species: *Onychomira floridensis* Campbell, 1984, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Onychosis Deyrolle, 1867: 226 [F]. Type species: *Onychosis gracilipes* Deyrolle, 1867, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini. Note: the name *Anisosis*, also described in the same publication, was used in error for *Onychosis* in the "Tableau des genres" on p. 81 (see Dallas 1868: 265–266).

Onymacris Allard, 1885: 157 [F]. Type species: *Adesmia candidipennis* Brême, 1840, by subsequent designation (Gebien 1937a: 655). Status: valid genus in Pimeliinae: Adesmiini.

Oochila J.L. LeConte, 1862: 220 [F]. Type species: *Asbolus infaustus* J.L. LeConte, 1854, by original designation. Status: junior synonym of *Cryptoglossa* Solier, 1837 in Pimeliinae: Cryptoglossini. Synonymy: Horn (1870: 278, with *Centrioptera* Mannerheim, 1843, a junior synonym of *Cryptoglossa* Solier, 1837).

Oochrotus P.H. Lucas, 1852: xxix [M]. Type species: *Oochrotus unicolor* P.H. Lucas, 1852, by monotypy. Status: valid genus in Diaperinae: Crypticini.

Oocistela Borchmann, 1908: 356 [F]. Type species: *Oocistela convexa* Borchmann, 1908, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Ooconibius Casey, 1895: 618 [M]. Type species: *Notibius opacus* J.L. LeConte, 1866, by monotypy. Status: junior synonym of *Conibius* J.L. LeConte, 1851 in Blaptinae: Opatrini: Blapstinina. Synonymy: Aalbu in Bousquet et al. (2018: 202).

Oodeoscelis Agassiz, 1846b: 260 [F]. Type species [automatic]: *Blaps polita* Sturm, 1807, by subsequent designation (Kaszab 1940b: 937; see ICZN 1993b, Opinion 1729). Status: junior synonym of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini. Note: unjustified emendation of *Oodescelis* Motschulsky, 1845, not in prevailing usage.

Oodescelis Motschulsky, 1845a: 76 [F]. Type species: *Blaps polita* Sturm, 1807, by subsequent designation (Kaszab 1940b: 937; see ICZN 1993b, Opinion 1729). Status: valid genus and subgenus in Blaptinae: Platyscelidini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1993b, Opinion 1729).

Oogaster Faldermann, 1837: 30 [F]. Type species: *Oogaster menetriesii* Faldermann, 1837 (= *Tagenia picea* Ménétriés, 1832), by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Oogeton Kaszab, 1941b: 69 [M]. Type species: *Oogeton nigrocoeruleus* Kaszab, 1941 (= *Amarygmus makii* Miwa, 1939), by original designation. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Note: name first used by Miwa (1939: 412) without type species fixation (see Masumoto 1989a: 116; Löbl et al. 2008a: 44).

Oopiestus Chevrolat, 1833b: 30, pl. 2 [M]. Type species: *Oopiestus ovalis* Chevrolat, 1833 (= *Peltoides senegalensis* Laporte, 1833), by monotypy. Status: senior synonym of *Peltoides* Laporte, 1833 in Tenebrioninae: Alphitobiini. Synonymy: Audoin and Milne-Edward (1835: 188). Note: the alternative original spelling *Opiestus*, used by Chevrolat (1833b: 30), was rejected by Chevrolat (1847a: 118) who acted as the First Reviser (ICZN 1999, Article 24.2.4); bibliographic evidence indicates that *Oopiestus* Chevrolat, 1833 was published by 16 March 1833 before *Peltoides* Laporte, 1833, issued by 1 April 1833, and should be treated as the valid name instead; an application to the ICZN is necessary to conserve usage of *Peltoides* Laporte, 1833 as the valid name.

Opacoplonyx Bremer, 2014a: 35 [M]. Type species: *Plesiophthalmus davidis* Fairmaire, 1878, by original designation. Status: valid subgenus of *Plesiophthalmus* Motschulsky, 1857 in Tenebrioninae: Amarygmini.

Opatrasida Escalera, 1922b: 69 [F]. Type species: *Asida jurinei* Solier, 1836, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Polasida* Reitter, 1917 in Pimeliinae: Asidini. Synonymy: Gebien (1937a: 727).

Opatresthes Gebien, 1928: 192 [F]. Type species: *Opatresthes binodosa* Gebien, 1928, by subsequent designation (Gebien 1941: 817). Status: valid subgenus of *Goniadera* Perty, 1832 in Lagriinae: Goniaderini.

Opatrinus Dejean, 1821: 66 [M]. Type species: *Opatrum clathratum* Fabricius, 1787, by monotypy. Status: valid genus and subgenus in Blaptinae: Platynotini: Platynotina.

Opatroides Brullé, 1832: 219 [M]. Type species: *Opatroides punctulatus* Brullé, 1832, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Opatronesthes Reitter, 1904: 174 [F]. Type species: *Melanesthes punctipennis* Reitter, 1889, by subsequent designation (Iwan and Löbl 2007: 734). Status: valid subgenus of *Melanesthes* Dejean, 1834 in Blaptinae: Opatrini: Opatrina.

Opatropis Reitter, 1904: 134, 159 [F]. Type species: *Opatrum hispidum* Brullé, 1839 (= *Opatrum affine* Billberg, 1815), by monotypy. Status: valid subgenus of *Gonocephalum* Solier, 1834 in Blaptinae: Opatrini: Opatrina.

Opatrum Fabricius, 1775: 76 [N]. Type species: *Silpha sabulosa* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: valid genus and subgenus in Blaptinae: Opatrini: Opatrina.

Ophthalmosis Deyrolle, 1867: 81, 229 [F]. Type species: *Ophthalmosis longipes* Deyrolle, 1867, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini. Note: the original spelling *Ophtalmosis* (pp. 77, 229, 231) was corrected to *Ophthalmosis* in a footnote in the "Table des matières" of the same work (p. clxiv), *Ophthalmosis* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1).

Opigenia Pascoe, 1869: 288 [F]. Type species: *Opigenia iridescens* Pascoe, 1869 (= *Platyphanes vittatus* Westwood, 1849), by monotypy. Status: junior synonym of *Platyphanes* Westwood, 1849 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 454).

Opisthoblaps Kolbe, 1928: 201 [F]. Type species: *Blaps sulcifera* Seidlitz, 1893, by subsequent designation (Nabozhenko and Chigray 2020: 10). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Nabozhenko and Chigray (2020: 10).

Oplocephala Laporte & Brullé, 1831: 332, 338 [F]. Type species: *Ips haemorrhoidalis* Fabricius, 1787, by subsequent designation (Motschulsky 1845a: 80). Status: junior synonym of *Neomida* Latreille, 1829 in Diaperinae: Diaperini: Diaperina. Synonymy: Dejean (1834: 197).

Oplocheirus Klug, 1835: 40 [M]. Type species: *Helops carbonarius* Klug, 1835 (= *Acanthomerus striatus* Guérin-Méneville, 1834), by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Oploptera Chevrolat in Guérin-Méneville, 1844: 126 [F]. Type species: *Strongylium serraticorne* Guérin-Méneville, 1834, by monotypy. Status: valid genus and subgenus in Stenochiinae: Stenochiini.

Opostirus Kirsch, 1865: 45 [M]. Type species: *Opostirus exsectus* Kirsch, 1865, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina. Note: transferred from Zopheridae: Colydiinae by Ivie et al. (2016: 759).

Oppenheimeria Koch, 1952a: 110 [F]. Type species: *Oppenheimeria bombophthalma* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Evaniosomini.

Oracula Novák, 2019f: 54 [F]. Type species: *Oracula bicolor* Novák, 2019, by original designation. Status: valid genus and subgenus in Alleculinae: Alleculini: Alleculina.

Orarabion Leo & Liberto, 2011: 157 [N]. Type species: *Orarabion dominici* Leo & Liberto, 2011, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Orchesiolobopoda Pic, 1919: 6 [F]. Type species: *Orchesiolobopoda minutissima* Pic, 1919, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Orcopagia Pascoe, 1868: xii [F]. Type species: *Orcopagia monstrosa* Pascoe, 1868, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Oremasis Pascoe, 1866a: 470 [M]. Type species: *Adelium cupreum* Gray, 1831, by original designation. Status: junior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 490).

Oreogria Merkl, 1988b: 248 [F]. Type species: *Oreogria kaszabi* Merkl, 1988, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Oreomelasma Español, 1975: 238, 240 [N]. Type species: *Oreomelasma oromii* Español, 1975, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Orghidania Ardoin, 1977: 383 [F]. Type species: *Orghidania torrei* Ardoin, 1977, by monotypy. Status: senior synonym of *Spelaebiosis* Bousquet & Bouchard, 2018 in Tenebrioninae: Triboliini. Note: junior homonym of *Orghidania* Capuse, 1971 [Lepidoptera].

Orientocara Koch, 1952a: 176 [N]. Type species: *Stenocara arachnoides* Gerstaecker, 1854, by original designation. Status: valid genus in Pimeliinae: Adesmiini.

Orientochile Penrith & Endrödy-Younga, 1994: 82 [F]. Type species: *Cryptochile elegans* Gerstaecker, 1854, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Orobychus Pascoe, 1868: xii [M]. Type species: *Orobychus lacordairii* Pascoe, 1868 (= *Taphrosoma dohrnii* Kirsch, 1866), by monotypy. Status: junior synonym of *Taphrosoma* Kirsch, 1866 in Stenochiinae: Cnodalonini. Synonymy: Champion (1885: 108).

Orocina Reitter, 1897a: 303 [F]. Type species: *Orocina capnisiceps* Reitter, 1897, by subsequent designation (R. Lucas 1920: 463). Status: junior synonym of *Syachis* Bates, 1879 in Pimeliinae: Tentyriini. Synonymy: Bogdanov-Katjkov (1916: 68).

Orophylaxus Koch, 1948: 417 [M]. Type species: *Phylax incertus* Mulsant & Godart, 1866, by original designation. Status: valid subgenus of *Otinia* Antoine, 1942 in Blaptinae: Dendarini: Melambiina.

Oroptera Borchmann, 1916a: 48, 104 [F]. Type species: *Oroptera physoptera* Borchmann, 1916, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Orostegastopsis Koch, 1962c: 255 [F]. Type species: *Stegastopsis scorteccii* Koch, 1962, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Orphelops Gozis, 1910: 102 [M]. Type species: *Helops impressicollis* Faldermann, 1837 (= *Helops faldermanni* Faldermann, 1837), by original designation. Status: junior synonym of *Nalassus* Mulsant, 1854 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: **new synonym** [YB]. Note: this genus-group taxon has been forgotten in the literature; its type species is currently placed in the nominotypical subgenus of *Nalassus* Mulsant, 1854 and for that reason Gozis's name is regarded as a new junior synonym of *Nalassus*.

Ortheolus Casey, 1907: 380 [M]. Type species: *Schoenicus oculatus* Champion, 1884, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Orthogonoderes Solier, 1841a: 233 [M]. Type species: *Praocis subreticulatus* Solier, 1841, by subsequent designation (Flores and Pizarro-Araya 2014: 68). Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini.

Orthonychius Gebien, 1926: 83 [M]. Type species: *Orthonychius digitatus* Gebien, 1926, by monotypy. Status: junior synonym of *Trilobocara* Solier, 1851 in Pimeliinae: Trilobocarini. Synonymy: Doyen (1994: 501).

Orthostibia Blaisdell, 1923: 235 [F]. Type species: *Orthostibia frontalis* Blaisdell, 1923, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Osdara Walker, 1858: 284 [F]. Type species: *Osdara picipes* Walker, 1858, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Osdaroides Kaszab, 1980b: 324 [M]. Type species: *Osdaroides metallicus* Kaszab, 1980, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: *Osdaroides* was used earlier by Kaszab (1979a: 108) without a description, a definition or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1) and is therefore unavailable from that date.

Ospidus Pascoe, 1866a: 467 [M]. Type species: *Ospidus chrysomeloides* Pascoe, 1866, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Ossiporis Pascoe, 1866a: 451 [F]. Type species: *Ossiporis terrena* Pascoe, 1866, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Osternus Fairmaire, 1895b: 446 [M]. Type species: *Osternus opacicollis* Fairmaire, 1895, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Ostorius Fairmaire, 1889c: xxxiii [M]. Type species: *Ostorius multicostatus* Fairmaire, 1889, by monotypy. Status: junior synonym of *Adelonia* Laporte, 1840 in Blaptinae: Pedinini: Leichenina. Synonymy: Kamiński et al. (2019a: 92).

Oterophloeus Desbrochers des Loges, 1881: 52 [M]. Type species: *Oterophloeus picipes* Desbrochers des Loges, 1881 (= *Pachychila humerosus* Fairmaire, 1875), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Oteroscelis Solier, 1835b: 546 [F]. Type species: *Adesmia pulcherrima* Solier, 1835 (= *Adesmia audouini* Solier, 1835), by subsequent designation (Hope 1841: 118). Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini.

Oteroscelopsis Löbl & Merkl in Löbl et al., 2020: 1 [F]. Type species: *Pimelia dilatata* Klug, 1830, by original designation. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini. Note: name first proposed by Koch (1944b: 147) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl and Merkl (2003: 244) designated *Pimelia dilatata* Klug, 1830 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Othelecta Pascoe, 1866a: 488 [F]. Type species: *Othelecta torrida* Pascoe, 1866, by monotypy. Status: junior synonym of *Cylindrothorus* Solier, 1843 in Alleculinae: Alleculini: Mycetocharina. Synonymy: Haag-Rutenberg (1879c: 412).

Othryades Champion, 1889: 72 [M]. Type species: *Othryades fragilicornis* Champion, 1889, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Othryoneus Champion, 1886: 245 [M]. Type species: *Othryoneus erotyloides* Champion, 1886, by subsequent designation (Gebien 1942a: 315). Status: valid genus in Stenochiinae: Cnodalonini.

Otinia Antoine, 1942: 22, 44 [F]. Type species: *Otinia iblanensis* Antoine, 1942, by monotypy. Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina.

Otoceromorphus Pic, 1915d: 11 [M]. Type species: *Otoceromorphus gounellei* Pic, 1915, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Otocerus Mäklin, 1867: 484 [M]. Type species [automatic]: *Strongylium serraticorne* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Oploptera*

Chevrolat, 1844 in Stenochiinae: Stenochiini. Note: unnecessary replacement name for *Oploptera* Chevrolat, 1844 (as "*Hoploptera*").

Otrintus Pascoe, 1866a: 483 [M]. Type species: *Prosodes behrii* Germar, 1848, by original designation. Status: junior synonym of *Cardiothorax* Motschulsky, 1860 in Lagriinae: Adeliini. Synonymy: Bates (1879c: 30).

Otys Champion, 1895a: 221 [M]. Type species: *Otys harpalinus* Champion, 1895 (= *Scaletomerus proximus* Blackburn, 1891), by subsequent designation (R. Lucas 1920: 468). Status: junior synonym of *Scaletomerus* Blackburn, 1891 in Alleculinae: Alleculini: Alleculina. Synonymy: Carter (1915a: 78). Note: Matthews and Bouchard (2008: 333) selected *Otys armatus* Champion, 1895 as the type species of this genus (and treated *Otys* Champion, 1895 as valid) not knowing of the earlier valid designation by R. Lucas (1920: 468).

Oubanghinum Pic, 1933: 4 [N]. Type species: *Oubanghinum atrum* Pic, 1933, by monotypy. Status: junior synonym of *Heterotarsus* Latreille, 1829 in Blaptinae: Opatrini: Heterotarsina. Synonymy: Ardoin (1969b: 126).

Ovalobioramix Egorov, 2004: 603 [F]. Type species: *Platyscelis molesta* Bogatchev, 1947, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Ovaloodescelis Kaszab, 1940b: 940, 947 [F]. Type species: *Platyscelis affinis* Seidlitz, 1893, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Overlaetia Pic, 1937b: 304 [F]. Type species: *Overlaetia gracilitarsis* Pic, 1937, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: as pointed out by Bremer and Lillig (2014: 118) the older name *Overlaetia* Schouteden, 1932 [Hemiptera] is not nomenclaturally available and therefore *Overlaetia* Pic, 1937 is not a junior homonym.

Oxidates Champion, 1886: 263 [M]. Type species: *Oxidates planicollis* Champion, 1886, by subsequent designation (Gebien 1943: 402). Status: valid genus in Stenochiinae: Cnodalonini.

Oxinthas Champion, 1884: 72 [M]. Type species: *Oxinthas praocioides* Champion, 1884, by monotypy. Status: valid genus in Pimeliinae: Branchini.

Oxura W. Kirby, 1819a: 413 [F]. Type species: *Oxura setosa* W. Kirby, 1819, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Oxurina.

Oxycara Solier, 1835b: 253, 254 [N]. Type species: *Oxycara blapsoides* Solier, 1835, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Oxycarops Reitter, 1900c: 94 [M]. Type species: *Hegeter fuscipes* Brullé, 1839, by subsequent designation (Gebien 1937a: 640). Status: valid genus in Pimeliinae: Tentyriini.

Oxycerus Koch, 1955a: 46 [M]. Type species: *Trachynotus resolutus* Péringuey, 1904, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Oxyge Chatanay, 1914b: 7 [F]. Type species: *Oxyge rugosa* Chatanay, 1914, by original designation. Status: valid genus in Pimeliinae: Asidini.

Oxygonodera Casey, 1907: 433, 444 [F]. Type species: *Oxygonodera villosa* Casey, 1907, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Oxypistoma Löbl, Bouchard, Merkl & Bousquet, 2020: 5 [N]. Type species: *Prochoma bucculentum* Koch, 1940, by original designation. Status: valid subgenus of *Prochoma* Solier, 1835 in Pimeliinae: Tentyriini. Note: name first proposed with two alternative spellings, as *Oxypistoma* (Koch 1940a: 258, 259, 260, 262) and *Oxipistoma* (Koch 1940a: 259), without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl et al. (2008a: 40) designated *Prochoma bucculenta* Koch, 1940 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Oxythorax Fåhraeus, 1870: 288 [M]. Type species: *Oxythorax clathratus* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Anchophthalmus* Gerstaecker, 1854 in Blaptinae: Platynotini: Platynotina. Synonymy: Péringuey (1904: 238).

Oxyura Agassiz, 1846b: 267, 268 [F]. Type species [automatic]: *Oxura setosa* W. Kirby, 1819, by monotypy. Status: junior synonym of *Oxura* W. Kirby, 1819 in Pimeliinae: Sepidiini: Oxurina. Note: unjustified emendation of *Oxura* W. Kirby, 1819, not in prevailing usage; junior homonym of *Oxyura* Bonaparte, 1831 [Aves].

Oyanus Pic, 1921: 23 [M]. Type species: *Oyanus curticornis* Pic, 1921, by monotypy. Status: junior synonym of *Cleomis* Fairmaire, 1892 in Stenochiinae: Cnodalonini. Synonymy: Löbl et al. (2008b: 340).

Ozaenimorphus Fairmaire, 1882b: 127 [M]. Type species: *Ozaenimorphus costulipennis* Fairmaire, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Ozolais Pascoe, 1866a: 457 [F]. Type species: *Ozolais scruposa* Pascoe, 1866, by monotypy. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Ozotypoides Kaszab, 1982b: 222 [M]. Type species: *Ozotypoides granulatus* Kaszab, 1982, by original designation. Status: valid genus in Lagriinae: Adeliini.

Ozotypus Pascoe, 1862: 328 [M]. Type species: *Ozotypus setosus* Pascoe, 1862, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pachacamacius Flores & Giraldo-Mendoza in Giraldo-Mendoza and Flores, 2019: 84 [M]. Type species: *Pachacamacius aguilari* Giraldo-Mendoza & Flores, 2019, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Pachycera Eschscholtz, 1831: 5, 7 [F]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Tenebrio buprestoides* Fabricius, 1781, misidentified as *Akis laevigata* Fabricius, 1801 in the original designation by monotypy in Eschscholtz (1831). Status: junior synonym of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Löbl et al. (2008b: 192). Note: junior homonym of *Pachycera* Billberg, 1820 [Hemiptera]; the type species "*Akis laevigata* Fabricius" was first established by monotypy; Koch (1943: 530) noted that *Akis laevigata* Fabricius of Eschscholtz (1831) was misidentified and corresponded to the species *Tenebrio buprestoides* Fabricius, 1781; we follow currently accepted concepts (e.g., Löbl et al. 2008b: 192) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Akis laevigata* Fabricius, 1801 also belongs to the genus

Hyperops Eschscholtz, 1831; the original combination of the accepted name of the type species, *Tenebrio buprestoides* Fabricius, 1781, is a junior primary homonym of *Tenebrio buprestoides* Scopoli, 1763 and *Tenebrio buprestoides* Pallas, 1773.

Pachycerops Koch, 1943a: 524, 533 [M]. Type species: *Pachycera insidiosa* Fairmaire, 1896, by monotypy. Status: valid subgenus of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Pachycerus Montrouzier, 1860: 291 [M]. Type species: *Pachycerus domesticus* Montrouzier, 1860, by monotypy. Status: senior synonym of *Sciophagus* Sharp, 1885 in Diaperinae: Diaperini: Diaperina. Synonymy: Fauvel (1904: 185). Note: junior homonym of *Pachycerus* Schönherr, 1823 [Coleoptera: Curculionidae].

Pachychila Eschscholtz, 1831: 5 [F]. Type species: *Pimelia punctata* Fabricius, 1798, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini. Note: the original combination of the name of the type species, *Pimelia punctata* Fabricius, 1798, is a junior primary homonym of *Pimelia punctata* Thunberg, 1787.

Pachychile Lacordaire, 1859a: 46 [F]. Type species [automatic]: *Pimelia punctata* Fabricius, 1798, by monotypy. Status: junior synonym of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Pachychila* Eschscholtz, 1831, not in prevailing usage. Note: the original combination of the name of the type species, *Pimelia punctata* Fabricius, 1798, is a junior primary homonym of *Pimelia punctata* Thunberg, 1787.

Pachychilina Reitter, 1900c: 91, 145 [F]. Type species: *Tentyria dejeani* Besser, 1832, by subsequent designation (R. Lucas 1920: 473). Status: valid subgenus of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Pachycoelia Boisduval, 1835: 248 [F]. Type species: *Pachycoelia sulcicollis* Boisduval, 1835, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina. Note: name incorrectly listed as preoccupied in the literature (e.g., Matthews and Bouchard 2008: 296) but used as valid recently (Matthews and Lawrence 2019: 632).

Pachycossyphodes Andreae, 1961: 203, 214 [M]. Type species: *Cossyphodes machadoi* Basilewsky, 1952, by original designation. Status: junior synonym of *Cossyphodes* Westwood, 1851 in Pimeliinae: Cossyphodini: Cossyphodina. Synonymy: Schawaller (2013c: 362, implied by inclusion of *Cossyphodes machadoi* Basilewsky, 1952 in *Cossyphodes* Westwood, 1851 without use of a subgenus rank).

Pachycyrtosoma Marcuzzi, 1999: 81 [N]. Type species: *Cyrtosoma merkli* Marcuzzi, 1999, by original designation. Status: junior synonym of *Nesocyrtosoma* Marcuzzi, 1976 in Stenochiinae: Cnodalonini. Synonymy: Hopp and Ivie (2009: 13).

Pachylagria Borchmann, 1912a: 17 [F]. Type species: *Pachylagria ovata* Borchmann, 1912, by subsequent designation (Merkl 2008: 115). Status: junior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Synonymy: Borchmann (1916a: 163, with *Heterogria* Fairmaire, 1896, a junior synonym of *Xanthalia* Fairmaire, 1894).

Pachylesthus Fairmaire, 1897e: 219 [M]. Type species: *Pachylesthus validus* Fairmaire, 1897, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pachylocerus Hope, 1841: 186 [M]. Type species: *Pachylocerus westermanni* Hope, 1841, by monotypy. Status: senior synonym of *Pycnocerus* Westwood, 1841 in Lagriinae: Pycnocerini. Note: junior homonym of *Pachylocerus* Hope, 1834 [Coleoptera: Cerambycidae].

Pachylodera Quedenfeldt, 1890: 399 [F]. Type species: *Pachylodera brevicornis* Quedenfeldt, 1890, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Pachymastus Fairmaire, 1896b: 350 [M]. Type species: *Pachymastus asperulus* Fairmaire, 1896, by monotypy. Status: valid genus in Blaptinae: Opatrini: incertae sedis. Note: placed in Opatrini incertae sedis by Kamiński et al. (2021b: 151).

Pachynotelus Solier, 1841a: 210, 267 [367] [M]. Type species: *Pachynotelus albiventris* Solier, 1841, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Cryptochilina.

Pachyphaleria Gebien, 1920: 136 [F]. Type species: *Phaleria capensis* Laporte, 1840, by monotypy. Status: valid genus in Diaperinae: Phaleriini.

Pachypterocoma Skopin, 1974b: 157 [F]. Type species: *Pterocoma pallasi* Semenov-Tjan-Shansky, 1910, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Pachypterus P.H. Lucas, 1847: pl. 29 [M]. Type species: *Pachypterus mauritanicus* P.H. Lucas, 1847, by monotypy. Status: senior synonym of *Neopachypterus* Bouchard, Löbl & Merkl, 2007 in Blaptinae: Opatrini: Neopachypterina. Note: junior homonym of *Pachypterus* Swainson, 1839 [Pisces].

Pachyscelina Kwieton, 1978: 29, 30 [F]. Type species: *Pachyscelis micros* Kaszab, 1970, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Pachyscelis Solier, 1836: 9, 54 [F]. Type species [automatic]: *Pimelia musiva* Ménétriés, 1832, by subsequent designation (Bouchard et al. 2007: 388). Status: valid genus and subgenus in Pimeliinae: Pimeliini. Note: unnecessary replacement name for *Brachyscelis* Dejean, 1834. Note: nomen protectum (see Bouchard et al. 2007: 388).

Pachyscelodes Sénac, 1887: 189 [M]. Type species: *Pachyscelis henoni* Sénac, 1887, by subsequent designation (Gebien 1937a: 823). Status: junior synonym of *Scelace* Marseul, 1887 in Pimeliinae: Pimeliini. Synonymy: Reitter (1915: 2).

Pachysternoplax Skopin, 1973: 110, 154 [F]. Type species: *Trigonoscelis armeniaca* Faldermann, 1837, by original designation. Status: valid subgenus of *Sternoplax* Frivaldszky, 1890 in Pimeliinae: Pimeliini.

Pachystira Chen, 1997: 308 [F]. Type species: *Pachystira impressipennis* Chen, 1997, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Pachyurgus J.L. LeConte, 1862: 230 [M]. Type species: *Iphthinus aereus* Melsheimer, 1846, by original designation. Status: junior synonym of *Derosphaerus* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: J.L. LeConte (1873: 335, with *Encyalesthus* Motschulsky, 1860, a junior synonym of *Derosphaerus* J. Thomson, 1858). Note: the type locality for *Iphthinus aereus* Melsheimer, 1846 was incorrectly given as “Pennsylvania” originally (see Bousquet et al. 2018: 384).

Pactostoma J.L. LeConte, 1858b: 19 [N]. Type species: *Asida anastomosis* Say, 1824, by original designation. Status: junior synonym of *Stenosides* Solier, 1836 in Pimeliinae: Asidini. Synonymy: J.L. LeConte (1862: 222, with *Ologlyptus* Lacordaire, 1858, a junior synonym of *Stenosides* Solier, 1836).

Paita Fauvel, 1904: 173 [F]. Type species: *Paita setosella* Fauvel, 1904, by monotypy. Status: junior synonym of *Menimus* Sharp, 1876 in Diaperinae: Gnathidiini: Gnathidiina. Synonymy: Kaszab (1982b: 56).

Paivaea Wollaston, 1864: 449 [F]. Type species: *Tentyria hispida* Brullé, 1839, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Paivea Scudder, 1882: 213 [F]. Type species [automatic]: *Tentyria hispida* Brullé, 1839, by monotypy. Status: junior synonym of *Paivaea* Wollaston, 1864 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Paivaea* Wollaston, 1864, not in prevailing usage.

†*Palaeobasanus* Nabozhenko & Kirejtshuk, 2020: 25 [M]. Type species: *Palaeobasanus neli* Nabozhenko & Kirejtshuk, 2020, by original designation. Status: valid genus in Diaperinae: Scaphidemini. Note: described from Middle-Upper Paleocene deposits (France).

†*Palaeosclerum* Nabozhenko & Kirejtshuk, 2017: 308 [N]. Type species: *Palaeosclerum pohli* Nabozhenko & Kirejtshuk, 2017, by original designation. Status: valid genus in Blaptinae: Opatrini: Sclerina. Note: described from Middle-Upper Paleocene deposits (France).

Palembomimus Matthews & Lawrence, 2005: 539 [M]. Type species: *Platydema deplanata* Champion, 1894, by original designation. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Palembus Casey, 1891: 65 [M]. Type species: *Palembus ocularis* Casey, 1891, by monotypy. Status: junior synonym of *Ulomoides* Blackburn, 1888 in Diaperinae: Diaperini: Diaperina. Synonymy: Doyen et al. (1990: 237).

Palorinus Blair, 1930: 135 [M]. Type species: *Palorus humeralis* Gebien, 1914, by original designation. Status: valid genus in Tenebrioninae: Palorini.

Paloropsis Masumoto & Grimm, 2004: 127 [F]. Type species: *Paloropsis irei* Masumota & Grimm, 2004, by original designation. Status: valid genus in Tenebrioninae: Palorini.

Palorus Mulsant, 1854: 250 [M]. Type species: *Hypophlaeus depressus* Fabricius, 1790, by monotypy. Status: valid genus in Tenebrioninae: Palorini.

Palpafrina Koch, 1950b: 329 [F]. Type species: *Afrinus watsoni* Koch, 1950, by original designation. Status: valid subgenus of *Afrinus* Fairmaire, 1888 in Pimeliinae: Tentyriini.

Palpichara Borchmann, 1932a: 355 [F]. Type species: *Palpichara serricornis* Borchmann, 1932, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Palpicula Novák, 2018a: 168 [F]. Type species: *Allecula filiola* Borchmann, 1925, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Palpomodes Koch, 1952d: 223 [M]. Type species: *Psammodes physopterus* Gebien, 1920, by monotypy. Status: valid genus and subgenus in Pimeliinae: Sepidiini: Oxurina.

Pandarinus Mulsant & Rey, 1854: 50, 103 [M]. Type species: *Pandarinus tenellus* Mulsant & Rey, 1854, by subsequent designation (Chatzimanolis and Löbl 2003: 260). Status: valid subgenus of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina.

Pandarus Dejean, 1834: 191 [M]. Type species [automatic]: Type species: *Helops tristis* Rossi, 1790, by subsequent designation Blanchard (1844: pl. 48). Status: junior synonym of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina. Note: unjustified emendation of *Dendarus* Dejean, 1821, not in prevailing usage (see Bousquet and Bouchard 2013a: 48); junior homonym of *Pandarus* Leach, 1816 [Crustacea].

Paniasis Champion, 1886: 208 [M]. Type species: *Paniasis dilatipes* Champion, 1886, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Paoligena Pic, 1928c: 42 [F]. Type species: *Praogena inhumeralis* Pic, 1928, by monotypy. Status: valid genus in Tenebrioninae: Paoligenini. Note: originally described as a subgenus of *Praeugena* Laporte, 1840, elevated to the rank of genus by De Moor (1970: 15).

Papuamisolampus Kaszab, 1986: 288 [M]. Type species: *Papuamisolampus toxopeusi* Kaszab, 1986, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Parabantodemus Iwan, 2000: 345 [M]. Type species: *Trigonopus spinipes* Mulsant & Rey, 1853, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Parabigopsis Español, 1946: 111, 114 [F]. Type species: *Parabigopsis peyerimhoffi* Español, 1946, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Parablops Rottenberg, 1871: 254 [M]. Type species: *Parablops aetnensis* Rottenberg, 1871, by monotypy. Status: senior synonym of *Gerandryus* Rottenberg, 1873 in Alleculinae: Alleculini: Gonoderina. Note: junior homonym of *Parablops* Schönherr, 1839 [Coleoptera: Anthribidae].

Parabolitophagus Miyatake, 1964: 67, 70 [M]. Type species: *Bolitophagus felix* Lewis, 1894, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini.

Paracirta Schuster, 1930: 66 [F]. Type species: *Paracirta schatzmayri* Schuster, 1930, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Paracistela Borchmann, 1941a: 30 [F]. Type species: *Paracistela variabilis* Borchmann, 1941, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Paracossyphus Viñolas & Cartagena, 2005: 29, 55 [M]. Type species [automatic]: *Cossyphus minutissimus* Laporte, 1840, by original designation. Status: junior synonym of *Acontodactylus* Desbrochers des Loges, 1894 in Lagriinae: Cossyphini. Note: unnecessary replacement name for *Acontodactylus* Desbrochers des Loges, 1894 (as "*Acanthodactylus*").

Paradissonomus G.S. Medvedev, 1968a: 229 [M]. Type species: *Dissonomus longulus* Bogatchev & Kryzhanovsky, 1960, by original designation. Status: valid subgenus of *Dissonomus* Jacquelin du Val, 1861 in Tenebrioninae: Dissonomini.

Paradrus Jakobson, 1924: 242 [M]. Type species [automatic]: *Pseudhadrus seriatus* Kolbe, 1910, by subsequent designation (Gebien 1941: 332). Status: junior synonym of *Pseudhadrus* Kolbe, 1910 in Stenochiinae: Cnodalonini. Note: unnecessary replacement name for *Pseudhadrus* Kolbe, 1910.

Paragena Bouchard & Bousquet, **new subgenus** [F]. Type species: *Nesogena viridicuprea* Fairmaire, 1868, by **present designation**. Status: valid subgenus of *Nesogena* Mäklin, 1863 in Tenebrioninae: Praeugenini. Note: first proposed by Froussart (1961: 60) without type species designation; the subgenus *Paragena*, which is currently used as valid, is therefore unavailable (ICZN 1999, Articles 13.3, 16.1); we hereby make the name available by selecting *Nesogena viridicuprea* Fairmaire, 1868 as type species and referring to Froussart (1961: 60) for the character states that characterise and differentiate *Paragena*.

Paragonocnemis Kraatz, 1899: 118 [F]. Type species: *Paragonocnemis sculpticollis* Kraatz, 1899 (= *Gonocnemis foveicollis* Fairmaire, 1891), by subsequent designation (Gebien 1943: 918). Status: valid genus and subgenus in Tenebrioninae: Amarygmini.

Paraguania Marcuzzi, 1953: 31 [F]. Type species: *Paraguania relicta* Marcuzzi, 1953, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Parahymenorus Campbell, 1971: 100 [M]. Type species: *Parahymenorus metallicus* Campbell, 1971, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Parahyocis Kaszab, 1955b: 650 [M]. Type species: *Hyocis championi* Fauvel, 1904, by original designation. Status: valid genus in Diaperinae: Hyociini: Hyociina.

Paraisomira Dubrovina, 1982: 138 [F]. Type species: *Cistela oculata* Marseul, 1876, by original designation. Status: valid subgenus of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina.

†*Parakeleusticus* Haupt, 1950: 114, 126 [M]. Type species: *Parakeleusticus postumus* Haupt, 1950, by original designation. Status: valid genus in Stenochiinae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

Paraleptodes G.S. Medvedev, 1967: 354 [M]. Type species: *Leptodes lindbergi* Kaszab, 1959, by original designation. Status: valid subgenus of *Leptodes* Dejean, 1834 in Pimeliinae: Leptodini.

Paralitoborus Antoine, 1931: 190 [M]. Type species: *Litoborus sternalis* Fairmaire, 1884, by original designation. Status: valid subgenus of *Litoborus* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Paralorelopsis Marcuzzi, 1994: 117 [F]. Type species: *Paralorelopsis bordoni* Marcuzzi, 1994, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Paralyreus Grouvelle, 1918: 24 [M]. Type species: *Paralyreus scotti* Grouvelle, 1918, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Paramarygmus Quedenfeldt, 1885: 25 [M]. Type species: *Paramarygmus nigroaeneus* Quedenfeldt, 1885 (= *Hybonotus femoralis* Imhoff, 1843), by monotypy. Status: valid genus and subgenus in Tenebrioninae: Amarygmini.

Paramellon C.O. Waterhouse, 1882b: iv [N]. Type species: *Paramellon sociale* C.O. Waterhouse, 1882, by monotypy. Status: valid genus in Pimeliinae: Cossyphodini: Paramellonina.

Paramellops Andreae, 1961: 201 [M]. Type species: *Cossyphodes bewicki* Wollaston, 1861, by original designation. Status: valid genus in Pimeliinae: Cossyphodini: Cossyphodina.

Paramisolampidius Merkl & Masumoto in Löbl et al., 2020: 4 [M]. Type species: *Paramisolampidius kagoshimensis* Nakane, 1968, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: name first proposed by Nakane (1968: 82) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Merkl and Masumoto (2007: 1) designated *Paramisolampidius kagoshimensis* Nakane, 1968 as the type species of Nakane's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Paranemia Heyden, 1892: 103 [F]. Type species: *Paranemia schroederi* Heyden, 1892, by monotypy. Status: valid genus in Diaperinae: Phaleriini.

Paranephodes Antoine, 1955: 208 [M]. Type species: *Nephodes camusi* Antoine, 1955, by monotypy. Status: valid subgenus of *Nephodinus* Gebien, 1943 in Tenebrioninae: Helopini: Helopina.

Paranopidium Dajoz, 1974: 429, 434 [N]. Type species: *Paranopidium africanum* Dajoz, 1974, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Parapachynotela Koch, 1952c: 54 [F]. Type species: *Parapachynotela bushmanica* Koch, 1952, by original designation. Status: junior synonym of *Horatoma* Solier, 1841 in Pimeliinae: Cryptochilini: Cryptochilina. Synonymy: Penrith and Endrödy-Younga (1994: 10).

Parapachyscelis Kwieton, 1978: 29 [F]. Type species: *Pimelia villosa* Drapiez, 1820, by original designation. Status: valid subgenus of *Pachyscelis* Solier, 1836 in Pimeliinae: Pimeliini.

Paraphanes W.J. MacLeay, 1887: 308 [M]. Type species: *Paraphanes nitidus* W.J. MacLeay, 1887, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Paraphloeus Seidlitz, 1894: 553, 557 [M]. Type species: *Hypophlaeus longulus* Gyllenhal, 1827, by subsequent designation (G.S. Medvedev 1990: 231). Status: junior synonym of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini. Synonymy: Bremer (1995: 3).

Paraplatyope Löbl, Bouchard, Merkl & Bousquet, 2020: 4 [F]. Type species: *Leucolaephus arabicus* Blair, 1931, by original designation. Status: valid genus in Pimeliinae: Pimeliini. Note: name first proposed by Gridelli (1953: 45) without fixation of a type species in the original publication (ICZN 1999, Article 13.3).

Paraplatyscelis Kaszab, 1940b: 912, 936 [F]. Type species: *Platyscelis sinuata* Seidlitz, 1893, by original designation. Status: valid subgenus of *Platyscelis* Latreille, 1818 in Blaptinae: Platyscelidini.

Parapraocis Flores & Giraldo, 2020: 35 [M]. Type species: *Praocis vagecostatus* Fairmaire, 1902, by original designation. Status: valid genus in Pimeliinae: Praociini. Note: name originally proposed by Kulzer (1958a: 13, 58) as subgenus of *Praocis* Eschscholtz, 1829 without type species designation; Flores and Pizarro-Araya (2012: 4) designated *Praocis vagecostatus* Fairmaire, 1902 as type species, but did not explicitely propose the taxon as new (ICZN 1999, Article 16.1).

Paraprosodes Reitter, 1909a: 119 [M]. Type species: *Prosodes triangulipes* Reitter, 1909, by original designation. Status: junior synonym of *Prosodella* Reitter, 1909 in Blaptinae: Blaptini: Prosodina. Synonymy: G.S. Medvedev (1997: 597).

Parapterocoma Skopin, 1974b: 149 [F]. Type species: *Pterocoma vittata* Frivaldszky, 1890, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Paraselinus Kamiński, 2013: 705, 711 [M]. Type species: *Paraselinus iwani* Kamiński, 2013, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Parasida Casey, 1912: 76, 126 [F]. Type species: *Parasida laciniata* Casey, 1912, by original designation. Status: senior synonym of *Pleisiasida* Smith, 2013 in Pimeliinae: Asidini. Note: junior homonym of *Parasida* Daday, 1904 [Crustacea].

Parasternoplax Skopin, 1973: 110, 148 [F]. Type species: *Pimelia deplanata* Krynicki, 1832, by original designation. Status: valid subgenus of *Sternoplax* Frivaldszky, 1890 in Pimeliinae: Pimeliini.

Parastizopus Gebien, 1938b: 93 [M]. Type species: *Parastizopus diehli* Gebien, 1938, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Parastrongylium Kaszab, 1977b: 10, 24 [N]. Type species: *Strongylium lorentzi* Gebien, 1921, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Paratenetus Spinola, 1845: 116 [M]. Type species: *Paratenetus punctatus* Spinola, 1845, by subsequent designation (R. Lucas 1920: 483). Status: valid genus in Lagriinae: Goniaderini.

Paratoxicum Champion, 1894a: 380 [N]. Type species: *Paratoxicum iridescens* Champion, 1894, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Paravius Casey, 1907: 332 [M]. Type species: *Emmenastus marginatus* Casey, 1890, by monotypy. Status: valid subgenus of *Hylocrinus* Casey, 1907 in Pimeliinae: Edrotini.

Parecatus Fairmaire, 1900c: 245 [M]. Type species: *Parecatus plicatulus* Fairmaire, 1900, by subsequent designation (Gebien 1937a: 741). Status: junior synonym of *Scotinesthes* Fairmaire, 1895 in Pimeliinae: Asidini. Synonymy: Koch (1962a: 67).

Parepitragus Casey, 1907: 518 [M]. Type species: *Parepitragus solieri* Casey, 1907, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Pareupezus Kolbe, 1889: 129 [M]. Type species: *Pareupezus glaber* Kolbe, 1889, by monotypy. Status: junior synonym of *Paramarygmus* Quedenfeldt, 1885 in Tenebrioninae: Amarygmini. Synonymy: Gebien (1921b: 148).

Parimmedia Gebien, 1928: 220, 226 [F]. Type species: *Parimmedia epipleuralis* Gebien, 1928, by subsequent designation (Gebien 1943: 404). Status: valid genus in Stenochiinae: Cnodalonini.

Parmularia Koch, 1955a: 35 [F]. Type species: *Psammodes caffer* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Psammodes* W. Kirby, 1819 in Pimeliinae: Sepidiini: Molurina. Synonymy: Kamiński et al. (2019b: 31). Note: junior homonym of *Parmularia* MacGillivray, 1887 [Bryozoa].

Paroderus Mulsant & Rey, 1854: 111 [M]. Type species: *Pandarinus elongatus* Mulsant & Rey, 1854, by subsequent designation (Chatzimanolis and Löbl 2003: 260). Status: valid subgenus of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina.

Paroeatus Gebien, 1928: 169, 178 [M]. Type species: *Paroeatus opacus* Gebien, 1928, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Parogria Borchmann, 1936: 119 [F]. Type species: *Lagria atrata* Borchmann, 1912, by original designation. Status: valid subgenus of *Cerogria* Borchmann, 1911 in Lagriinae: Lagriini: Lagriina.

Paromophlus Iablokoff-Khnzorian, 1983: 134, 139 [M]. Type species: *Cistela picipes* Fabricius, 1792, by original designation. Status: junior synonym of *Phibalus* Gistel, 1856 in Alleculinae: Cteniopodini. Synonymy: Bousquet et al. (2015: 142). Note: the name *Paromophlus* was first introduced by Znojko in Ogloblin and Znojko (1950: 125) without designation of a type species and is therefore unavailable from that date.

†*Paropiophorus* Haupt, 1950: 114, 132 [M]. Type species: *Paropiophorus nitidus* Haupt, 1950, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: described from Middle Eocene deposits (Germany); this genus was previously considered to be "definitely not a tenebrionid" by Watt (1975: 389) but is included here following Nabozhenko (2019: 8).

Partystona Watt, 1992: 47 [F]. Type species: *Partystona metallica* Watt, 1992, by original designation. Status: valid genus in Tenebrioninae: Titaenini.

Passalocharis Koch, 1954b: 13 [F]. Type species: *Chirocharis intermedius* Gebien, 1911, by original designation. Status: valid genus in Lagriinae: Pycnocerini.

Patagonogenius Flores, 2000a: 371, 390 [M]. Type species: *Mitragenius quadricollis* Fairmaire, 1876, by original designation. Status: valid genus in Pimeliinae: Nycteliini.

Patagonopraocis Flores & Chani-Posse, 2005: 576 [M]. Type species: *Patagonopraocis magellanicus* Flores & Chani-Posse, 2005, by original designation. Status: valid genus in Pimeliinae: Praociini.

Paulianaria Bouchard & Bousquet, **new genus** [F]. Type species: *Paulianaria strongylioides* Ardoin, 1961, by **present designation**. Status: valid genus in Stenochiinae: Cnodalonini. Note: Ardoin (1961d: 97) introduced the new genus name *Paulianaria* for five nominal species, but unfortunately did not designate a type species; the genus *Paulianaria*, which has been treated as valid since 1961, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make

the name available by selecting *Paulianaria strongylioides* Ardoin, 1961 as type species and referring to Ardoin (1971: 362) for the character states that characterise and differentiate *Paulianaria*.

Paulianesthes Koch, 1962a: 39, 57 [F]. Type species: *Paulianesthes amplipennis* Koch, 1962, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Paurodontomophlus Muche, 1979: 171 [M]. Type species: *Omophlus wittmeri* Muche, 1979, by original designation. Status: valid subgenus of *Omophlus* Dejean, 1834 in Alleculinae: Cteniopodini.

Pechalius Casey, 1907: 379, 420 [M]. Type species: *Pechalius subvittatus* Casey, 1907, by original designation. Status: valid genus in Pimeliinae: Epitragini. Note: the First Reviser (*Pechalius* Casey, 1907 versus *Epitragoma* Casey, 1907) is Freude (1968: 61).

Pectinepitragus Pic, 1927a: 44 [M]. Type species: *Pectinepitragus pubescens* Pic, 1927, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Pectphegoneus Freude, 1968: 90, 98 [M]. Type species: *Schoenicus pectoralis* Champion, 1884, by monotypy. Status: valid subgenus of *Phegoneus* Casey, 1907 in Pimeliinae: Epitragini.

Pedarasida Reitter, 1917a: 11, 28 [F]. Type species: *Asida cariosicollis* Solier, 1836, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Glabrasida* Escalera, 1910 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Pedinopsis Gebien, 1910d: 157 [F]. Type species: *Pedinopsis pilipes* Gebien, 1910, by monotypy. Status: senior synonym of *Loensus* R. Lucas, 1920 in Blaptinae: Pedinini: Pedinina. Note: junior homonym of *Pedinopsis* Cotteau, 1863 [Echinoidea].

Pedinulus Seidlitz, 1893: 364, 373 [M]. Type species: *Pedinus ragusae* Baudi di Selve, 1875, by subsequent designation (Iwan and Löbl 2008: 288). Status: junior synonym of *Pedinus* Latreille, 1797 in Blaptinae: Pedinini: Pedinina. Synonymy: Kamiński and Iwan (2017: 599).

Pedinus Latreille, 1797: 20 [M]. Type species: *Tenebrio femoralis* Linnaeus, 1767, by subsequent designation (Stephens 1835: 159). Status: valid genus and subgenus in Blaptinae: Pedinini: Pedinina. Note: originally proposed without included nominal species; Latreille (1802: 175), by listing *Tenebrio femoralis* Linnaeus, 1767 and *Tenebrio dermestoides* Fabricius, 1787 in association with this genus name, was the first author to subsequently and expressly include nominal species in *Pedinus* (ICZN 1999, Article 67.2.2).

Pedionomus Haag-Rutenberg, 1875c: 42 [M]. Type species: *Metriopus favosus* Erichson, 1843, by subsequent designation (Gebien 1937a: 661). Status: senior synonym of *Alogenius* Gebien, 1910 in Pimeliinae: Adesmiini. Note: junior homonym of *Pedionomus* Gould, 1841 [Aves].

Pediris Motschulsky, 1872: 24 [F]. Type species: *Pediris longipes* Motschulsky, 1872, by original designation. Status: junior synonym of *Promethis* Pascoe, 1869 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1921a: 289, with *Setenis* Motschulsky, 1872, a junior synonym of *Promethis* Pascoe, 1869).

Pedoeces Agassiz, 1846b: 276 [M]. Type species [automatic]: *Pedonoeces galapagoensis* G.R. Waterhouse, 1845, by subsequent designation (Aalbu and Triplehorn 1991: 170). Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Note: unjustified emendation of *Pedonoeces* G.R. Waterhouse, 1845, not in prevailing usage.

Pedonoeces G.R. Waterhouse, 1845a: 32, 34 [M]. Type species: *Pedonoeces galapagoensis* G.R. Waterhouse, 1845, by subsequent designation (Aalbu and Triplehorn 1991: 170). Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Aalbu and Triplehorn (1991: 170).

Pedostrongylium Pic, 1916e: 11 [N]. Type species: *Strongylium luteonotatum* Pic, 1916 (= *Stenochia xanthozona* J. Thomson, 1858), by original designation. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Pelecypalpus Hinton, 1947: 91 [M]. Type species: *Pelecypalpus medon* Hinton, 1947, by original designation. Status: junior synonym of *Scotoderus* Perroud & Montrouzier, 1865 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1973c: 258).

Pelecyphorus Solier, 1836: 406, 467 [M]. Type species: *Pelecyphorus mexicanus* Solier, 1836, by subsequent designation (Hope 1841: 110). Status: valid genus and subgenus in Pimeliinae: Asidini.

Pelleas Bates, 1872a: 98 [M]. Type species: *Tenebrio crotchii* Wollaston, 1865, by original designation. Status: valid genus in Diaperinae: Diaperini: incertae sedis.

Pelops Gistel, 1834: 22 [M]. Type species: *Helops ater* Fabricius, 1775, by monotypy. Status: senior synonym of *Prionychus* Solier, 1835 in Alleculinae: Alleculini: Alleculina. Note: nomen oblitum (see Bousquet and Bouchard 2017: 132).

Pelorinus Vauloger de Beaupré, 1900: 675, 678 [M]. Type species: *Helops anthracinus* Germar, 1813, by subsequent designation (Cherney 2005: 382). Status: valid subgenus of *Euboeus* Boieldieu, 1865 in Tenebrioninae: Helopini: Helopina.

Pelorocnemis Solsky, 1876: 283 [F]. Type species: *Pimelia punctigera* Ménétriés, 1849, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Peltadesmia Kuntzen, 1916: 149 [F]. Type species: *Metriopus platynotus* Gerstaecker, 1854, by **present designation**. Status: junior synonym of *Coeladesmia* Reitter, 1916 in Pimeliinae: Adesmiini. Synonymy: Gebien (1937a: 656).

Peltarium Fischer von Waldheim, 1844: 106 [N]. Type species: *Peltarium marginatum* Fischer von Waldheim, 1844 (= *Blaps baerii* Fischer von Waldheim, 1842), by subsequent designation (G.S. Medvedev 1995b: 831). Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Peltasida Reitter, 1917a: 39, 41 [F]. Type species: *Asida favieri* Fairmaire, 1880, by monotypy. Status: valid subgenus of *Asida* Latreille, 1802 in Pimeliinae: Asidini.

Peltoides Laporte, 1833a: 401 [M]. Type species: *Peltoides senegalensis* Laporte, 1833, by subsequent designation (Lacordaire 1859a: 337). Status: valid genus and subgenus in Tenebrioninae: Alphitobiini. Note: bibliographic evidence indicates that *Oopiestus* Chevrolat, 1833 was published before *Peltoides* Laporte, 1833 and should be treated as the valid name for this genus and subgenus instead; an application to the ICZN is necessary to conserve usage of *Peltoides* Laporte, 1833.

Peltolobus Lacordaire, 1859a: 71 [M]. Type species [automatic]: *Megalophrys patagonica* G.R. Waterhouse, 1845, by monotypy. Status: valid genus in Pimeliinae: Trilobocarini. Note: replacement name for *Megalophrys* G.R. Waterhouse, 1845.

Pemanoa Buck, 1955: 269 [F]. Type species: *Pemanoa mixta* Buck, 1955, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Penadelium Matthews, 1998: 710, 754 [N]. Type species: *Penadelium araucanum* Matthews, 1998, by original designation. Status: valid genus in Lagriinae: Adeliini.

Penaus Freude, 1968: 130 [M]. Type species: *Penaus penai* Freude, 1968, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Peneta Lacordaire, 1859a: 319 [F]. Type species: *Peneta lebasii* Lacordaire, 1859, by subsequent designation (R. Lucas 1920: 492). Status: valid genus in Phrenapatinae: Penetini.

Pengalenganus Pic, 1917d: 10 [M]. Type species: *Pengalenganus inaequalis* Pic, 1917, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Penichrus Champion, 1885: 134 [M]. Type species: *Penichrus blapstinoides* Champion, 1885, by monotypy. Status: valid genus in Tenebrioninae: incertae sedis. Note: placed in Tenebrioninae incertae sedis by Johnston et al. (2020: 771).

Pentaphyllus Dejean, 1821: 68 [M]. Type species: *Mycetophagus testaceus* Hellwig, 1792, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Penthicinus Reitter, 1896b: 161 [M]. Type species: *Penthicinus koltzei* Reitter, 1896, by subsequent designation (Gebien 1939: 458). Status: valid genus in Blaptinae: Opatrini: Opatrina. Note: Reitter (1896b) used two different spellings for this genus, including *Penticinus* (Reitter 1896b: 171); subsequently, Reitter (1904: 135, 170) used *Penthicinus* as the valid name of the genus and so acted as First Reviser (ICZN 1999: Article 24.2.4).

Penthicoides Fairmaire, 1896a: 20 [M]. Type species: *Penthicoides seriatoporus* Fairmaire, 1896, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Penthicomelanesthes Bogatchev, 1972: 631 [F]. Type species: *Heliophilus gibbulus* Faldermann, 1835, by original designation. Status: junior synonym of *Myladion* Reitter, 1887 in Blaptinae: Opatrini: Opatrina. Synonymy: G.S. Medvedev (1990: 186).

Penthicus Faldermann, 1836: 384 [M]. Type species: *Penthicus pinguis* Faldermann, 1836, by subsequent designation (Hope 1841: 126). Status: valid genus and subgenus in Blaptinae: Opatrini: Opatrina.

Pentholasius Reitter, 1904: 178 [M]. Type species: *Halonomus variolatus* Allard, 1884, by monotypy. Status: junior synonym of *Mesomorphus* Miedel, 1880 in Blaptinae: Opatrini: Opatrina. Synonymy: Ferrer (2002: 376).

Penthomegus Reitter, 1904: 161 [M]. Type species: *Penthicus corpulentus* Reitter, 1896, by subsequent designation (Iwan and Löbl 2007: 734). Status: junior synonym of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina. Synonymy: Gebien (1939: 459, with *Lobodera* Mulsant & Rey, 1859, a junior synonym of *Penthicus* Faldermann, 1836).

Perdicus Fairmaire, 1899c: 386 [M]. Type species: *Perdicus antrophilus* Fairmaire, 1899, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Perdistretus Koch, 1953d: 65 [M]. Type species: *Distretus vilhenai* Koch, 1953, by original designation. Status: valid subgenus of *Distretus* Haag-Rutenberg, 1871 in Pimeliinae: Sepidiini: Molurina.

Periatrum Sharp, 1886: 407 [N]. Type species: *Periatrum helmsi* Sharp, 1886, by monotypy. Status: valid genus in Lagriinae: Adeliini.

Periblaps Bauer, 1921: 32 [F]. Type species: none designated. Status: undetermined taxon in Blaptinae: Blaptini: Blaptina. Note: this genus was described before 1931 (ICZN 1999, Article 12.1); however, we could not find any nominal species that were subsequently and expressly included in *Periblaps* and therefore no "originally included nominal species" could be used to fix the type species (ICZN 1999, Article 67.2.2).

Perichilus Quedenfeldt, 1885: 18 [M]. Type species: *Perichilus brevicornis* Quedenfeldt, 1885, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Periloma Gebien, 1938b: 100 [N]. Type species: *Periloma alfkeni* Gebien, 1938, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Peringueyia Koch, 1958: 44 [F]. Type species: *Echinotus dispar* Péringuey, 1899, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Periphanes Fairmaire, 1882a: 245 [M]. Type species: *Periphanes orichalceus* Fairmaire, 1882, by monotypy. Status: senior synonym of *Periphanodes* Gebien, 1943 in Stenochiinae: Cnodalonini. Note: junior homonym of *Periphanes* Hübner, 1821 [Lepidoptera].

Periphanodes Gebien, 1943: 902 [M]. Type species [automatic]: *Periphanes orichalceus* Fairmaire, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: replacement name for *Periphanes* Fairmaire, 1882; **new placement** [OM], previously included in Tenebrioninae: Helopini.

Peristeptus Haag-Rutenberg, 1875b: 3, 24 [M]. Type species: *Pogonobasis laevigata* Gerstaecker, 1854, by subsequent designation (R. Lucas 1920: 495). Status: junior synonym of *Pogonobasis* Solier, 1837 in Pimeliinae: Adelostomini. Synonymy: Koch (1952b: 17).

Perithrix Fairmaire, 1879a: 193 [F]. Type species: *Perithrix granidorsis* Fairmaire, 1879, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Pescennius Champion, 1884: 3 [M]. Type species: *Pescennius villosus* Champion, 1884, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Petria Semenov, 1894: 611 [F]. Type species: *Petria tachyptera* Semenov, 1894, by subsequent designation (R. Lucas 1920: 496). Status: valid genus in Alleculinae: Cteniopodini.

Petrostetha Novák, 2008a: 212 [F]. Type species: *Petrostetha tibialis* Novák, 2008, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Peyerimhoffius Koch, 1948: 420 [M]. Type species: *Phylax plicatus* P.H. Lucas, 1846, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Peyrierasia Dajoz, 1975b: 113, 114 [F]. Type species: *Peyrierasia sechellensis* Dajoz, 1975, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Pezodontus Dejean, 1834: 203 [M]. Type species [automatic]: *Odontopus costatus* Silbermann, 1833, by subsequent designation (Hope 1841: 126). Status: valid genus in Lagriinae: Pycnocerini. Note: replacement name for *Odontopus* Silbermann, 1833 (see Bousquet and Bouchard 2013a: 57).

Pezohelaeus Gebien, 1921a: 282 [M]. Type species: *Pterohelaeus hirtus* W.J. MacLeay, 1888, by monotypy. Status: junior synonym of *Pterohelaeus* Brême, 1842 in Tenebrioninae: Heleini: Heleina. Synonymy: Carter (1927: 230).

Pezomaia Kulzer, 1952: 752 [F]. Type species: *Pezomaia femoralis* Kulzer, 1952, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pezophenus Gebien, 1921a: 325, 339 [M]. Type species: *Pezophenus rutilans* Gebien, 1921 (= *Prophanes submetallicus* W.J. MacLeay, 1887), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Phaedeucyrtus Pic, 1916e: 14 [M]. Type species: *Phaedeucyrtus obscuripes* Pic, 1916, by monotypy. Status: junior synonym of *Phaedis* Pascoe, 1866 in Stenochiinae: Cnodalonini. Synonymy: Ando (2016: 70).

Phaedis Pascoe, 1866a: 474 [M]. Type species: *Phaedis elysius* Pascoe, 1866, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Phaedogria Borchmann, 1936: 16, 57 [F]. Type species: *Lagria ionoptera* Erichson, 1834, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Phaenogeton Bremer, 2016: 220 [M]. Type species: *Amarygmus varicolor* Gebien, 1921, by original designation. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Phaeostolus Fairmaire, 1884c: cxlvi [M]. Type species: *Phaeostolus grandicornis* Fairmaire, 1884, by monotypy. Status: valid genus in Tenebrioninae: Praeugenini. Note: redescribed as new by Fairmaire (1887b: 293).

Phaeotribon Kraatz, 1865: 81, 242 [M]. Type species: *Phaeotribon pulchellus* Kraatz, 1865, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Phaleria Latreille, 1802: 162 [F]. Type species: *Tenebrio cadaverinus* Fabricius, 1792, by plenary powers (ICZN 1975, Opinion 1039). Status: valid genus and subgenus in Diaperinae: Phaleriini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1975, Opinion 1039).

Phaleriderma Koch, 1954a: 25 [N]. Type species: *Oncotus obscuricollis* Solier, 1848, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Phalerisida Kulzer, 1959: 563 [F]. Type species: *Phalerisida maculata* Kulzer, 1959, by original designation. Status: junior synonym of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini. Synonymy: Triplehorn (1991: 258).

Phaleromela Reitter, 1916b: 4 [F]. Type species: *Phaleria subhumeralis* Marseul, 1876, by monotypy. Status: valid genus in Diaperinae: Phaleriini.

Phallocentrion Koch, 1956a: 166 [N]. Type species: *Selinus edentatus* Gebien, 1914, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Phanechloros Matthews & Bouchard, 2008: 300 [M]. Type species [automatic]: *Platyphanes punctipennis* Carter, 1911, by original designation. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina. Note: replacement name for *Chlorophanes* Matthews, 1992.

Phanerops Solier, 1851: 233 [M]. Type species: *Phanerops elongatus* Solier, 1851, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Phanerotoma Solier, 1843: 82, 126 [F]. Type species: *Phanerotoma elongata* Solier, 1843 (= *Pimelia laevigata* G.-A. Olivier, 1795), by original designation. Status: senior synonym of *Ocnodes* Fåhraeus, 1870 in Pimeliinae: Sepidiini: Molurina. Synonymy: Gebien (1937a: 759), Kamiński et al. (2019b: 55). Note: junior homonym of *Phanerotoma* Wesmael, 1838 [Hymenoptera].

Phanerotomea Koch, 1958: 58 [F]. Type species [automatic]: *Phanerotoma elongata* Solier, 1843 (= *Pimelia laevigata* G.-A. Olivier, 1795), by original designation. Status: junior synonym of *Ocnodes* Fåhraeus, 1870 in Pimeliinae: Sepidiini: Molurina. Note: replacement name for *Phanerotoma* Solier, 1843.

Phayllidius Gebien, 1922a: 451 [M]. Type species: *Phayllidius dispar* Gebien, 1922, by monotypy. Status: junior synonym of *Ulomoides* Blackburn, 1888 in Diaperinae: Diaperini: Diaperina. Synonymy: Grimm (2018: 103).

Phayllus Champion, 1886: 167 [M]. Type species: *Phayllus minutus* Champion, 1886, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Phediodes Campbell, 1976: 26 [M]. Type species: *Phediodes apterus* Campbell, 1976, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Phedius Champion, 1888: 447 [M]. Type species: *Phedius chevrolati* Champion, 1888, by subsequent designation (R. Lucas 1920: 500). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Phegoneus Casey, 1907: 380, 426 [M]. Type species: *Epitragodes julichi* Casey, 1891, by original designation. Status: valid genus and subgenus in Pimeliinae: Epitragini.

Phellidius J.L. LeConte, 1862: 236 [M]. Type species: *Bolitophagus cornutus* Fabricius, 1801, by original designation. Status: junior synonym of *Bolitotherus* Candèze, 1861 in Tenebrioninae: Bolitophagini. Synonymy: J.L. LeConte (1866a: 62). Note: the younger species name *Bolitophagus cornutus* Fabricius, 1801 was given priority over the older synonym *Opatrum bifurcum* Fabricius, 1798 by the ICZN (2019, Opinion 2438).

Pheloneis Pascoe, 1866a: 483 [M]. Type species: *Adelium harpaloides* White, 1846 (= *Adelium amaroides* Bates, 1874), by original designation. Status: valid genus in Lagriinae: Adeliini.

Phelopatrum Marseul, 1876: 100 [N]. Type species: *Hadrus scaphoides* Marseul, 1876, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Phenus Gebien, 1921a: 324, 325 [M]. Type species: *Phenus latitarsis* Gebien, 1921, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pheres Champion, 1886: 150 [M]. Type species: *Pheres batesi* Champion, 1886, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Pheugonius Fairmaire, 1899b: 313 [M]. Type species: *Pheugonius borneensis* Fairmaire, 1899, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Phibalus Gistel, 1856: 384 [M]. Type species: *Chrysomela pubescens* Linnaeus, 1767, by monotypy. Status: valid subgenus of *Omophlus* Dejean, 1834 in Alleculinae: Cteniopodini.

Philhamellus Kaszab, 1962b: 83, 84 [M]. Type species: *Philhammus myrmecophilus* Kaszab, 1960, by original designation. Status: valid subgenus of *Philhammus* Fairmaire, 1871 in Pimeliinae: Cnemeplatiini: Cnemeplatiina.

Philhammus Fairmaire, 1871a: 393 [M]. Type species: *Philhammus sericans* Fairmaire, 1871, by monotypy. Status: valid genus and subgenus in Pimeliinae: Cnemeplatiini: Cnemeplatiina.

Philolithus Lacordaire in J.L. LeConte, 1858b: 18 [M]. Type species: *Pelecyphorus carinatus* J.L. LeConte, 1851, by subsequent designation (Casey 1912: 79). Status: valid genus and subgenus in Pimeliinae: Asidini.

Philorea Erichson, 1834: 242 [F]. Type species: *Philorea picipes* Erichson, 1834, by monotypy. Status: valid genus in Pimeliinae: Physogasterini.

Phligra Laporte, 1840: 197 [F]. Type species: *Sepidium degeeri* Laporte, 1840 (= *Tenebrio cristatus* DeGeer, 1778), by monotypy. Status: junior synonym of *Cyrtoderes* Dejean, 1834 in Pimeliinae: Sepidiini: Trachynotina. Synonymy: Lacordaire (1859a: 202).

Phobelius Blanchard, 1842: pl. 14 [M]. Type species: *Phobelius crenatus* Blanchard, 1842, by monotypy. Status: valid genus in Lagriinae: Goniaderini. Note: see Bouchard and Bousquet (2020a: 99) for comments about the date of publication of this genus.

Phrenapates Gray in Griffith and Pidgeon, 1831: pl. 50 [M]. Type species: *Phrenapates bennettii* Gray, 1831, by monotypy. Status: valid genus in Phrenapatinae: Phrenapatini.

Phrynocarenum Gebien, 1928: 106 [N]. Type species: *Phrynocarenum bruchianum* Gebien, 1928 (= *Emmallodera strangulata* Fairmaire, 1905), by monotypy. Status: valid genus in Pimeliinae: Phrynocarenini.

Phrynocolopsis Koch, 1951: 93 [F]. Type species: *Phrynocolus frondosus* Gerstaecker, 1871, by original designation. Status: valid subgenus of *Phrynocolus* Lacordaire, 1859 in Pimeliinae: Sepidiini: Molurina.

Phrynocolus Lacordaire, 1859a: 201 [M]. Type species [automatic]: *Cryptogenius dentatus* Solier, 1843, by original designation. Status: valid genus and subgenus in Pimeliinae: Sepidiini: Molurina. Note: replacement name for *Cryptogenius* Solier, 1843.

Phrynophanes Koch, 1951: 92 [M]. Type species: *Moluris gredleri* Haag-Rutenberg, 1877, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Phthora Champion, 1893a: 531 [F]. Type species [automatic]: *Phtora crenata* Mulsant, 1854 (= *Clamoris insurgens* Gozis, 1886), by monotypy. Status: junior synonym of *Clamoris* Gozis, 1886 in Phrenapatinae: Penetini. Note: unjustified emendation of *Phtora* Mulsant, 1854, not in prevailing usage; junior homonym of *Phthora* Gemminger, 1870 [Coleoptera: Tenebrionidae: Diaperinae: Phaleriini].

Phthora Gemminger in Gemminger and Harold, 1870: 1959 [F]. Type species [automatic]: *Phtora crenata* Germar, 1836, by monotypy. Status: junior synonym of *Phtora* Germar, 1836 in Diaperinae: Phaleriini. Note: unjustified emendation of *Phtora* Germar, 1836, not in prevailing usage.

Phtora Germar, 1836: pl. 11 [F]. Type species: *Phtora crenata* Germar, 1836, by monotypy. Status: valid genus and subgenus in Diaperinae: Phaleriini. Note: the alternative original spelling *Phthora*, used by Germar (1836: explanation for pl. 11), was rejected by Neave (1940: 736) who acted as First Reviser.

Phtora Mulsant, 1854: 228 [F]. Type species: *Phtora crenata* Mulsant, 1854 (= *Clamoris insurgens* Gozis, 1886), by monotypy. Status: senior synonym of *Clamoris* Gozis, 1886 in Phrenapatinae: Penetini. Note: junior homonym of *Phtora* Germar, 1836 [Coleoptera: Tenebrionidae: Diaperinae: Phaleriini].

Phygoscotus Schulz, 1902: 134 [M]. Type species [automatic]: *Spheniscus erotyloides* W. Kirby, 1819, by monotypy. Status: junior synonym of *Cuphotes* Champion, 1887 in Stenochiinae: Stenochiini. Note: replacement name for *Spheniscus* W. Kirby, 1819.

Phylacastus Fairmaire, 1897f: 116 [M]. Type species: *Phylacastus striolatus* Fairmaire, 1897, by monotypy. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Phylacinus Fairmaire, 1896b: 349 [M]. Type species: *Phylacinus asperipennis* Fairmaire, 1896, by monotypy. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Phylan Sturm, 1826: 23 [M]. Type species: *Opatrum gibbum* Fabricius, 1775, by subsequent monotypy (Steven 1828: 99). Status: valid genus and subgenus in Blaptinae: Dendarini: Dendarina. Note: originally proposed without included nominal species; Steven (1828: 99), by including the species *Opatrum gibbum* Fabricius, 1775 in association with this name, was the first author to subsequently and expressly include nominal species in *Phylan* (ICZN 1999, Article 67.2.2).

Phylanmania Ferrer, 2013: 38 [F]. Type species: *Phylan ilerdensis* Español & Viñolas, 1981, by original designation. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Phylax Brullé, 1832: 209 [M]. Type species [automatic]: *Opatrum gibbum* Fabricius, 1775, by subsequent monotypy (Steven 1828: 99). Status: junior synonym of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina. Note: unnecessary replacement name of *Phylan* Sturm, 1826 (see Bouchard and Bousquet 2020a: 100).

Phylaximon Koch, 1948: 414 [M]. Type species: *Opatrum variolosum* G.-A. Olivier, 1812, by original designation. Status: valid subgenus of *Allophylax* Bedel, 1906 in Blaptinae: Dendarini: Melambiina.

Phyletes Redtenbacher, 1845: 128 [M]. Type species: *Phyletes populi* Chevrolat, 1847 (= *Diaperis bifasciata* Say, 1824), by subsequent monotypy (Chevrolat 1847b: 57). Status: junior synonym of *Alphitophagus* Stephens, 1832 in Diaperinae: Diaperini: Adelinina. Synonymy: Heyden et al. (1883: 133). Note: genus originally proposed without included nominal species; Chevrolat (1847b: 57) included the species "*Phylethus populi* Még." as a synonym of *Alphitophagus quadripustulatus* Stephens, 1832 in the genus "*Phylethus*" and Redtenbacher (1848: 589) used "*Phylethus populi*" as valid subsequently; therefore, the author of the type species dates back to its first publication as a synonym (ICZN 1999, Article 11.6.1).

Phyllechus Bouchard & Bousquet, **new genus** [M]. Type species: *Phyllechus boettcheri* Kulzer, 1966, by **present designation**. Status: valid genus in Stenochiinae: Stenochiini. Note: Kulzer (1966: 374) introduced the new genus name *Phyllechus* for two new species, but unfortunately did not designate a type species; the genus *Phyllechus*, which has been treated as valid since 1966, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Phyllechus boettcheri* Kulzer, 1966 as type species and referring to Kulzer (1966: 374) for the character states that characterise and differentiate *Phyllechus*.

Phyloradix Endrödy-Younga, 1996: 15, 16 [M]. Type species: *Caenocrypticus soror* Endrödy-Younga, 1996, by original designation. Status: valid subgenus of *Caenocrypticus* Gebien, 1920 in Pimeliinae: Caenocrypticini.

Phymaeus Pascoe, 1883: 439 [M]. Type species: *Phymaeus pustulosus* Pascoe, 1883, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Phymatestes Pascoe, 1866b: 142 [M]. Type species [automatic]: *Lagria tuberculata* Fabricius, 1787, by monotypy (see ICZN 1989, Opinion 1525). Status: valid genus in Lagriinae: Goniaderini. Note: replacement name for *Phymatodes* Dejean, 1834; placed on the Official List of Generic Names in Zoology by the ICZN (1989, Opinion 1525).

Phymatiotris Solier, 1836: 63 [F]. Type species: *Tentyria quadricollis* Brullé, 1832, by subsequent designation (Hope 1841: 118). Status: valid genus in Pimeliinae: Pimeliini.

Phymatium Billberg, 1820: 31 [N]. Type species: *Pimelia maculata* Fabricius, 1781, by **present designation**. Status: senior synonym of *Cryptochile* Latreille, 1828 in Pimeliinae: Cryptochilini: Calognathina. Synonymy: **new synonym** [PB]. Note: discovery of this forgotten name threatens the stability of the junior objective synonym *Cryptochile* Latreille, 1828; although *Phymatium* Billberg, 1820 has not been used as valid in the literature after 1899, we could not find usage of *Cryptochile* Latreille, 1828 in at least 25 works, published by at least ten authors in the immediately preceding 50 years and therefore reversal of precedence cannot be used to treat *Phymatium* Billberg, 1820 as a nomen oblitum; we recommend that an application be submitted to the International Commission on Zoological Nomenclature to conserve usage of *Cryptochile* Latreille, 1828, the type genus of the valid tribe Cryptochilini and the subtribe Cryptochilina.

Phymatodes Dejean, 1834: 203 [M]. Type species: *Lagria tuberculata* Fabricius, 1787, by monotypy. Status: senior synonym of *Phymatestes* Pascoe, 1866 in Lagriinae: Goniaderini. Note: name suppressed for the purposes of the Principle of Homonymy and the Principle of Priority by the ICZN (1989, Opinion 1525).

Phymatoplata Koch, 1956a: 269 [F]. Type species: *Selinus asperulus* Fairmaire, 1897, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Phymatosoma Laporte & Brullé, 1831: 332, 408 [N]. Type species: *Phymatosoma tuberculatum* Laporte & Brullé, 1831, by monotypy. Status: valid genus in Stenochiinae: Stenochiini. Note: unjustified emendation of the original spelling *Phymatisoma*, introduced by Agassiz (1846b: 290), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1).

Physadesmia Penrith, 1979: 7, 35 [F]. Type species: *Adesmia globosa* Haag-Rutenberg, 1875, by original designation. Status: valid genus in Pimeliinae: Adesmiini.

Physciolagria Pic, 1930c: 7 [F]. Type species: *Physciolagria liturata* Pic, 1930, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: we could not assign this genus to any particular group in Tenebrionidae based on the description.

Physignathus Gistel, 1834: 22 [M]. Type species: *Helops undatus* Fabricius, 1792 (= *Erotylus nebulosus* Fabricius, 1781), by monotypy. Status: junior synonym of *Cymatothes* Dejean, 1834 Tenebrioninae: Amarygmini. Synonymy: Bousquet and Bouchard (2017: 132). Note: junior homonym of *Physignathus* Cuvier, 1829 [Reptilia].

Physocoelus Haldeman, 1850: 347 [M]. Type species: *Psorodes inflata* Solier, 1848 (= *Helops contractus* Palisot de Beauvois, 1812), by monotypy. Status: junior synonym of *Meracantha* W. Kirby, 1837 in Tenebrioninae: Amarygmini. Synonymy: Schaum (1850: 181, through synonymy of the type species).

Physodera Solier, 1843: 78, 125 [F]. Type species: *Pimelia gibba* Fabricius, 1787, by original designation. Status: junior synonym of *Moluris* Latreille, 1802 in Pimeliinae: Sepidiini: Molurina. Synonymy: Lacordaire (1859a: 194). Note: junior homonym of *Physodera* Eschscholtz, 1829 [Coleoptera: Carabidae].

Physogaster Lacordaire, 1830a: 276 [F]. Type species: *Physogaster mendocina* Lacordaire, 1830, by monotypy. Status: valid genus in Pimeliinae: Physogasterini.

Physogasterinus Kaszab, 1981a: 79 [M]. Type species: *Physogasterinus lanuginosus* Kaszab, 1981, by original designation. Status: valid genus in Pimeliinae: Physogasterini.

Physogria Borchmann, 1916a: 48, 108 [F]. Type species: *Lagria gibbosa* Kolbe, 1901, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Physohelops Schuster, 1937: 50 [M]. Type species: *Physohelops freyi* Schuster, 1937, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Physolagria Fairmaire, 1891g: 114 [F]. Type species: *Physolagria molleri* Fairmaire, 1891, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Physophrynus Fairmaire, 1882c: l [M]. Type species: *Physophrynus burdoi* Fairmaire, 1882, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Physosterna Dejean, 1834: 179 [F]. Type species: *Pimelia ovata* G.-A. Olivier, 1795 (= *Tenebrio torulosus* Pallas, 1781), by monotypy. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini.

Phytolostoma Koch, 1952b: 34 [N]. Type species: *Phytolostoma limpopoana* Koch, 1952, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Phitophilus Guérin-Méneville, 1831a: pl. 4 [M]. Type species: *Phitophilus helopioides* Guérin-Méneville, 1831, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Piccula Bousquet & Bouchard in Bousquet et al., 2015: 137 [F]. Type species [automatic]: *Gerardia sublineata* Pic, 1954, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina. Note: replacement name for *Gerardia* Pic, 1954.

Piciella Borchmann, 1936: 237, 435 [F]. Type species: *Piciella helopioides* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Picnotagalus Kaszab, 1939a: 102 [M]. Type species: *Picnotagalus horni* Kaszab, 1939, by original designation. Status: junior synonym of *Scolytocaulus* Fairmaire, 1896 in Phrenapatinae: Penetini. Synonymy: Schawaller (1999b: 422).

Picocamaria Masumoto, 1993b: 226, 232 [F]. Type species: *Camaria geniculata* Pic, 1915, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Piesomera Solier, 1843: 77 [F]. Type species: *Pimelia scabra* Fabricius, 1775, by monotypy. Status: junior synonym of *Psammodes* W. Kirby, 1819 in Pimeliinae: Sepidiini: Molurina. Synonymy: Gebien (1937a: 759).

Piesterotarsa Sénac, 1884: 8 [F]. Type species [automatic]: *Pimelia gigantea* Fischer, 1820, by subsequent designation (Gebien 1937a: 840). Status: junior synonym of *Pisterotarsa* Motschulsky, 1860 in Pimeliinae: Pimeliini. Note: unjustified emendation of *Pisterotarsa* Motschulsky, 1860, not in prevailing usage.

Piestognathoides Kaszab, 1981b: 305 [M]. Type species: *Piestognathoides bahrainicus* Kaszab, 1981, by original designation. Status: valid genus in Pimeliinae: Erodiini.

Piestognathus P.H. Lucas, 1858: clxxxviii [M]. Type species: *Piestognathus douei* P.H. Lucas, 1858, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Pigeocaulinus Kaszab, 1984: 355, 388 [M]. Type species: *Pigeocaulinus sumatranus* Kaszab, 1984 (= *Leprocaulinus krikkeni* Kaszab, 1982), by original designation. Status: junior synonym of *Leprocaulinus* Kaszab, 1982 in Stenochiinae: Cnodalonini. Synonymy: Masumoto (2003: 60); see notes in the entry for *Leprocaulinus* Kaszab, 1982 regarding the validity of this older name.

Pigeostrongylium Kaszab, 1984: 355, 385 [N]. Type species: *Pigeostrongylium kedahense* Kaszab, 1984, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pigeus Gebien, 1919: 28, 153 [M]. Type species: *Camarimena nitidipes* Fairmaire, 1893, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pilioloba Erichson in Agassiz, 1846a: 144 [F]. Type species: *Salax lacordairii* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Salax* Guérin-Méneville, 1834 in Pimeliinae: Trilobocarini. Synonymy: Erichson in Agassiz (1846a: 144). Note: the name *Pilioloba* was listed as synonym of *Salax* Guérin-Méneville, 1834 by Erichson in Agassiz (1846a: 144), it was treated before 1961 as an available name and adopted as the name of a taxon (e.g., Cazurro Ruiz 1894b: 451), *Pilioloba* was therefore made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Pilobalia Burmeister, 1875: 487 [F]. Type species: *Nyctelia decorata* Erichson, 1834, by subsequent designation (Rye 1877: 338). Status: valid genus in Pimeliinae: Nycteliini.

Pilobaloderes Kulzer, 1958b: 192 [M]. Type species: *Pilobaloderes gebieni* Kulzer, 1958, by original designation. Status: valid genus in Pimeliinae: Praociini.

Pilosocasnonidea Pic, 1934a: 31 [F]. Type species: *Nemostira bipartita* Pic, 1911, by monotypy. Status: valid subgenus of *Casnonidea* Fairmaire, 1882 in Lagriinae: Lagriini: Statirina.

Pilosoplonyx Bremer, 2014a: 37 [M]. Type species: *Plesiophthalmus bremeri* Masumoto, 1999, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Piloxys Fairmaire, 1895a: 23 [M]. Type species: *Piloxys foveatus* Fairmaire, 1895, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pimalius Casey, 1907: 367 [M]. Type species: *Trimytis pulverea* Horn, 1870, by original designation. Status: junior synonym of *Trimytis* J.L. LeConte, 1851 in Pimeliinae: Edrotini. Synonymy: MacLachlan and Olson (1990: 79).

Pimelia Fabricius, 1775: 251 [F]. Type species: *Pimelia angulata* Fabricius, 1775, by subsequent designation (Hope 1841: 118). Status: valid genus and subgenus in Pimeliinae: Pimeliini.

Pimeliocnera Reitter, 1909b: 310 [F]. Type species: *Pimeliocnera gebieni* Reitter, 1909, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Pimelionotus Ardoin, 1963a: 86 [M]. Type species: *Psorodes lugens* Fåhraeus, 1870, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Pimeliopsis Champion, 1892: 477 [F]. Type species: *Pimeliopsis granulata* Champion, 1892, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Pimelipachys Skopin, 1962: 232 [M]. Type species: *Pachyscelis laevicollis* Reitter, 1893, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Pimelosomus Burmeister, 1875: 488, 489 [M]. Type species: *Pimelosomus sphaericus* Burmeister, 1875, by monotypy. Status: valid genus in Pimeliinae: Physogasterini.

Pimidia Rafinesque, 1815: 113 [F]. Type species [automatic]: *Pimelia angulata* Fabricius, 1775, by subsequent designation (Hope 1841: 118). Status: junior synonym of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini. Note: unjustified emendation of *Pimelia* Fabricius, 1775, not in prevailing usage.

Pimplema Pascoe, 1887: 16 [F]. Type species: *Pimplema ampliata* Pascoe, 1887 (= *Platydema hemisphaerica* Laporte & Brullé, 1831), by monotypy. Status: valid genus in Diaperinae: Leiochrinini.

Piscicula Robiche, 2004a: 736 [F]. Type species: *Piscicula sprecherae* Robiche, 2004, by monotypy. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Pisterotarsa Motschulsky, 1860c: 532 [F]. Type species: *Pimelia gigantea* Fischer, 1820, by subsequent designation (Gebien 1937a: 840). Status: valid genus in Pimeliinae: Pimeliini.

Pitholaus Champion, 1888: 446 [M]. Type species: *Pitholaus helopioides* Champion, 1888, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Pizura Novák, 2016b: 436 [F]. Type species: *Pizura barbucha* Novák, 2016, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Plamius Fairmaire, 1896a: 30 [M]. Type species: *Plamius tenuestriatus* Fairmaire, 1896, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Planasida Escalera, 1907: 337 [F]. Type species: *Asida paulinoi* Pérez Arcas, 1868, by subsequent designation (Viñolas and Cartagena 2005: 223). Status: junior synonym

of *Gracilasida* Escalera, 1905 in Pimeliinae: Asidini. Synonymy: F. Soldati (2008: 137). Note: *Planasida* Escalera, 1907 was used as valid in the literature recently (e.g., F. Soldati 2008: 137); however, the name *Gracilasida* Escalera, 1905 is older and should be used as valid (e.g., F. Soldati 2020: 152–153).

Planibates Kaszab, 1939b: 221 [M]. Type species: *Planibates papuanus* Kaszab, 1939, by monotypy. Status: junior synonym of *Bradymerus* Perroud & Montrouzier, 1865 in Stenochiinae: Cnodalonini. Synonymy: Schawaller (2013b: 163).

Planirostrosis Penrith, 1977: 18, 172 [F]. Type species: *Zophosis himba* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Planodes Mulsant & Rey, 1859c: 94, 117 [M]. Type species: *Planodes byrroides* Mulsant & Rey, 1859, by subsequent designation (R. Lucas 1920: 517). Status: senior synonym of *Planostibes* Gemminger, 1870 in Blaptinae: Opatrini: Stizopodina. Note: junior homonym of *Planodes* Newman, 1842 [Coleoptera: Cerambycidae].

Planoodescelis Egorov, 2004: 591 [F]. Type species: *Oodescelis kansouensis* Kaszab, 1940, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Planoplatyscelis Kaszab, 1940a: 157, 206 [F]. Type species: *Platyscelis margelanica* Kraatz, 1882 (= *Bioramix pamirensis* Bates, 1879), by plenary powers (ICZN 1993a, Opinion 1728). Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1993a, Opinion 1728); the First Reviser (*Planoplatyscelis* Kaszab, 1940 versus *Pleioplatyscelis* Kaszab, 1940) is Egorov (2004: 601).

Planoprosodes G.S. Medvedev, 2005b: 90 [M]. Type species: *Prosodes reitteri* Reitter, 1893, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Note: originally described as a section within a subgenus.

Planostibes Gemminger in Gemminger and Harold, 1870: 1926 [M]. Type species [automatic]: *Planodes byrroides* Mulsant & Rey, 1859, by subsequent designation (R. Lucas 1920: 517). Status: valid genus in Blaptinae: Opatrini: Stizopodina. Note: replacement name for *Planodes* Mulsant & Rey, 1859.

Plastica C.O. Waterhouse, 1903: 563 [F]. Type species: *Plastica polita* C.O. Waterhouse, 1903, by monotypy. Status: valid genus in Tenebrioninae: Apocryphini.

Platamodes Ménétriés, 1849: 233 [M]. Type species: *Platamodes dentipes* Ménétriés, 1849, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Platamodina.

Platasida Casey, 1912: 77, 182 [F]. Type species: *Asida embaphionides* Horn, 1894, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Plateia Laporte, 1840: 215 [F]. Type species: *Plateia orientalis* Laporte, 1840, by monotypy. Status: junior synonym of *Catapiestus* Perty, 1831 in Stenochiinae: Cnodalonini. Synonymy: Blanchard (1845: 16). Note: junior homonym of *Plateia* Hübner, 1820 [Lepidoptera].

Platesthes G.R Waterhouse, 1845b: 317 [F]. Type species: *Platesthes silphoides* G.R. Waterhouse, 1845, by monotypy. Status: valid genus in Pimeliinae: Praociini.

Platolenes Gebien, 1914b: 420 [M]. Type species: *Platolenes rufipes* Gebien, 1914, by monotypy. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Bremer (2001a: 69).

Platyallecula Blair, 1935b: 266 [F]. Type species: *Cistela brunnea* C.O. Waterhouse, 1876, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Platyblaps Motschulsky, 1860c: 531 [F]. Type species: *Blaps holconota* Fischer von Waldheim, 1844, by subsequent designation (Nabozhenko 2008: 36). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860)

Platybolium Blair, 1938: 222 [N]. Type species: *Platybolium alvearium* Blair, 1938, by original designation. Status: valid genus in Tenebrioninae: Triboliini.

Platyburak Iwan, 1990: 124 [M]. Type species: *Notocorax nervosus* Mulsant & Rey, 1853, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Platyburmanicus Iwan, 2003b: 715 [M]. Type species: *Platyburmanicus ignotus* Iwan, 2003, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Platycharlesus Iwan, 1998b: 307 [M]. Type species: *Trigonopus morosus* Mulsant & Rey, 1853, by original designation. Status: junior synonym of *Schelodontes* Koch, 1956 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan and Kamiński (2014: 171).

Platycilibe Carter, 1911a: 205 [F]. Type species: *Platycilibe brevis* Carter, 1911, by monotypy. Status: junior synonym of *Scolytocaulus* Fairmaire, 1896 in Phrenapatinae: Penetini. Synonymy: Kaszab (1978a: 168).

Platycolpotus Iwan, 1997: 255, 266 [M]. Type species: *Platydendarus dendaroides* Kaszab, 1975, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Platycotylus Olliff, 1883: 182 [M]. Type species: *Platycotylus inusitatus* Olliff, 1883 (= *Ipsaphes nitidulus* W.J. MacLaeay, 1873), by monotypy. Status: valid genus in Tenebrioninae: Palorini. Note: originally described in the family Cucujidae, transferred to Tenebrionidae by Crowson (1955: 103).

Platycrepis Lacordaire, 1859b: 418 [F]. Type species: *Platycrepis violacea* Lacordaire, 1859, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Platycrypticus Español, 1955: 9, 17 [M]. Type species: *Crypticus viaticus* Fairmaire, 1851, by original designation. Status: valid subgenus of *Crypticus* Latreille, 1816 in Diaperinae: Crypticini. Note: replacement name for *Ulomoides* Escalera, 1927. Note: Español (1952a: 117) introduced the replacement name *Platycrypticus* earlier; however, the name is unavailable from that date since the author did not fix a type species (ICZN 1999, Article 13.3.1).

†*Platycteniopus* Chang, Nabozhenko, Pu, Xu, Jia & Li, 2016: 291 [M]. Type species: *Platycteniopus diversoculatus* Chang, Nabozhenko, Pu, Xu, Jia & Li, 2016, by original designation. Status: valid genus in Alleculinae: Cteniopodini. Note: described from Upper Cretaceous deposits (China).

Platydema Laporte & Brullé, 1831: 332, 350 [F]. Type species: *Diaperis violacea* Fabricius, 1790, by subsequent designation (Westwood 1838: 32). Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: see Löbl and Smetana (2010: 34) for comments on the gender of this name.

Platydemoides Kaszab, 1980a: 161 [M]. Type species: *Platydemoides brincki* Kaszab, 1980, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina. Note: *Platydemoides* was used earlier by Kaszab (1979a: 77) without a description, a definition or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1) and is therefore unavailable from that date.

Platydendarus Kaszab, 1975b: 281, 312 [M]. Type species: *Opatrum javanum* Wiedemann, 1819, by original designation. Status: junior synonym of *Notocorax* Dejean, 1834 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan (1990: 123).

Platyesia Skopin, 1971: 335 [F]. Type species: *Diesia karelini* Fischer von Waldheim, 1844, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Platyesthus Mäklin, 1878: 92 [M]. Type species: *Platyesthus pallidipennis* Mäklin, 1878, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Platyholmus Dejean, 1834: 180 [M]. Type species: *Praocis dilaticollis* Lacordaire, 1830, by subsequent designation (Solier 1841a: 270 [370]). Status: valid genus in Pimeliinae: Praociini.

Platykochius Iwan, 2002a: 48, 88 [M]. Type species: *Selinus platessa* Fairmaire, 1887, by original designation. Status: junior synonym of *Anchophthalmops* Koch, 1956 in Blaptinae: Platynotini: Platynotina. Synonymy: Kamiński (2015a: 89).

Platylus Mulsant & Rey, 1859a: 70 [M]. Type species: *Blaps dilatata* Fabricius, 1798, by monotypy. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Platymedvedevia Iwan & Banaszkiewicz, 2007: 725 [F]. Type species: *Platymedvedevia demeyeri* Iwan & Banaszkiewicz, 2007, by monotypy. Status: junior synonym of *Angolositus* Koch, 1955 in Blaptinae: Platynotini: Platynotina. Synonymy: Kamiński (2015a: 90).

Platynoscelis Kraatz, 1882: 91 [F]. Type species: *Platynoscelis helopioides* Kraatz, 1882, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Platynosum Mulsant & Rey, 1859c: 73, 81, 150 [N]. Type species: *Platynosum paulinae* Mulsant & Rey, 1859, by monotypy. Status: valid genus in Blaptinae: Opatrini: Sclerina. Note: the spelling *Platysum* (pp. 73, 81) was corrected to *Platynosum* in the "Errata" of the same work (p. 150), *Platynosum* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1).

Platynotoides Kaszab, 1975b: 281, 296 [M]. Type species: *Platynotus bellii* Fairmaire, 1896, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Platynotus Fabricius, 1801a: 138 [M]. Type species: *Blaps excavata* Fabricius, 1775, by subsequent designation (Hope 1841: 110). Status: valid genus in Blaptinae: Platynotini: Platynotina.

Platyolmus Burmeister, 1875: 492 [M]. Type species [automatic]: *Praocis dilaticollis* Lacordaire, 1830, by subsequent designation (Solier 1841a: 270 [370]). Status: junior synonym of *Platyholmus* Dejean, 1834 in Pimeliinae: Praociini. Note: unjustified emendation of *Platyholmus* Dejean, 1834, not in prevailing usage.

Platyolus Mulsant & Rey, 1854: 153 [M]. Type species: *Micrositus longulus* Mulsant & Rey, 1854, by subsequent designation (Viñolas 1990: 65). Status: valid subgenus of *Phylan* Sturm, 1826 in Blaptinae: Dendarini: Dendarina.

Platyope Fischer, 1820: pl. 15 [F]. Type species: *Tenebrio leucographus* Pallas, 1781, by subsequent designation (Jacquelin du Val 1860: 261). Status: valid genus in Pimeliinae: Pimeliini. Note: Pallas (1773) used two different spellings for this type species, *Tenebrio leucographus* (p. 474) and *Tenebrio leucogrammus* (p. 719); subsequently, Pallas (1781: 54) used *T. leucographus* as the valid name of the species and so acted as First Reviser (ICZN 1999: Article 24.2.4).

Platyotus Gerstaecker, 1871: 62 [M]. Type species: *Platyotus glabratus* Gerstaecker, 1871, by monotypy. Status: junior synonym of *Palorus* Mulsant, 1854 in Tenebrioninae: Palorini. Synonymy: Halstead (1967a: 72). Note: name also described as new in Gerstaecker (1873: 185).

Platyphanes Westwood, 1849: 206 [M]. Type species: *Platyphanes gibbosus* Westwood, 1849, by subsequent designation (Lacordaire 1859b: 410). Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Platyphanus Koch, 1952b: 26 [M]. Type species: *Acestus similis* Haag-Rutenberg, 1878, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Platyprocnemis Español & Lindberg, 1963: 19, 21 [F]. Type species: *Trichosternum granulosum* Wollaston, 1868, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Platyprosodes Reitter, 1909a: 121 [M]. Type species: *Nyctipates rugulosus* Gebler, 1841, by original designation. Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: Skopin (1960a: 46).

Platypsorodes Ardoin, 1963b: 307, 310 [M]. Type species: *Acanthomerus helopioides* Guérin-Méneville, 1834, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Platyscelis Latreille, 1818: 23 [F]. Type species: *Tenebrio hypolithus* Pallas, 1781, by plenary powers (ICZN 1993b, Opinion 1729). Status: valid genus and subgenus in Blaptinae: Platyscelidini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1993b, Opinion 1729).

Platysemodes Strand, 1935b: 302 [M]. Type species [automatic]: *Platysemus benguelensis* Haag-Rutenberg, 1875, by monotypy. Status: valid genus in Pimeliinae: Adelostomini. Note: replacement name for *Platysemus* Haag-Rutenberg, 1875.

Platysemus Haag-Rutenberg, 1875b: 4, 55 [M]. Type species: *Platysemus benguelensis* Haag-Rutenberg, 1875, by monotypy. Status: senior synonym of *Platysemodes* Strand, 1935 in Pimeliinae: Adelostomini. Note: junior homonym of *Platysemus* Middendorff, 1848 [Mollusca].

Platystena Koch, 1940c: 95 [F]. Type species: *Mesostena blairi* Koch, 1940, by monotypy. Status: valid subgenus of *Mesostena* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: combined description of a new genus-group taxon and a single new species (ICZN 1999, Article 13.4).

Plegacerus Gebien, 1921b: 142 [M]. Type species: *Plegacerus sensitivus* Gebien, 1921, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Pleioplatyscelis Kaszab, 1940a: 153, 220 [F]. Type species: *Platynoscelis lederi* Seidlitz, 1893, by original designation. Status: junior synonym of *Planoplatyscelis* Kaszab, 1940 in Blaptinae: Platyscelidini. Synonymy: Egorov (2004: 601).

Pleiopleura Seidlitz, 1893: 342, 343 [F]. Type species: *Platyscelis striatus* Motschulsky, 1859, by monotypy. Status: valid subgenus of *Platyscelis* Latreille, 1818 in Blaptinae: Platyscelidini.

Pleisiasida Smith, 2013: 610 [F]. Type species [automatic]: *Parasida laciniata* Casey, 1912, by original designation. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini. Note: replacement name for *Parasida* Casey, 1912.

Plesia Klug, 1833: 25 [F]. Type species: *Plesia melanura* Klug, 1833, by subsequent designation (Bousquet et al. 2015: 137). Status: senior synonym of *Eubalia* Laporte, 1840 in Alleculinae: Alleculini: Gonoderina. Synonymy: Borchmann (1909a: 713). Note: junior homonym of *Plesia* Jurine, 1807 [Hymenoptera].

Plesiamarygmus Masumoto, 1989b: 314 [M]. Type species: *Dietysus ovoideus* Fairmaire, 1882, by original designation. Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Bremer (2005: 205).

Plesioderes Mulsant & Rey, 1859c: 126 [M]. Type species: *Caedius coriaceus* Mulsant & Rey, 1859, by subsequent designation (Gebien 1939: 466). Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Plesiognaptor Chigray, Nabozhenko & Keskin, 2015: 1277 [M]. Type species: *Gnaptor prolixus* Fairmaire, 1866, by original designation. Status: valid subgenus of *Gnaptor* Brullé, 1831 in Blaptinae: Blaptini: Gnaptorina.

Plesiophthalmus Motschulsky, 1857: 34 [M]. Type species: *Plesiophthalmus nigrocyaneus* Motschulsky, 1857, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Amarygmini.

Pleuromophlus Reitter, 1906b: 138, 146 [M]. Type species: *Omophlus baudueri* Baudi, 1877, by subsequent designation (Bousquet et al. 2015: 141). Status: junior synonym of *Odontomophlus* Seidlitz, 1896 in Alleculinae: Cteniopodini. Synonymy: Bousquet et al. (2015: 141).

Pleurophorus Solier, 1851: 162 [M]. Type species: *Pleurophorus quadricollis* Solier, 1851, by monotypy. Status: senior synonym of *Discopleurus* Lacordaire, 1859 in Pimeliinae: Stenosini: Dichillina. Note: junior homonym of *Pleurophorus* Mulsant, 1842 [Coleoptera: Scarabaeidae].

Pleurostira Borchmann, 1921: 217, 230 [F]. Type species: *Pleurostira epipleuralis* Borchmann, 1921, by original designation. Status: valid subgenus of *Statira* Lepeletier & Audinet-Serville, 1828 in Lagriinae: Lagriini: Statirina.

Pleuroxycara Koch, 1959: 582 [N]. Type species: *Oxycara problematicum* Koch, 1959, by original designation. Status: valid subgenus of *Oxycara* Solier, 1835 in Pimeliinae: Tentyriini.

Plicatocerus Pic, 1918a: 11 [M]. Type species: *Otocerus impressipennis* Champion, 1888, by monotypy. Status: valid subgenus of *Oploptera* Chevrolat, 1844 in Stenochiinae: Stenochiini.

Plinthochrous Fairmaire, 1891b: 263 [M]. Type species: *Plinthochrous gounellei* Fairmaire, 1891, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Pocadiopsis Fairmaire, 1896a: 17 [F]. Type species: *Pocadiopsis simulator* Fairmaire, 1896, by subsequent designation (Gebien 1939: 457). Status: valid genus in Blaptinae: Opatrini: incertae sedis. Note: placed in Opatrini incertae sedis by Kamiński et al. (2021b: 151).

Podacamptus Ardoin, 1964a: 849 [M]. Type species: *Podacamptus ruficolor* Ardoin, 1964, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Podamarygmus Carter, 1928: 287 [M]. Type species: *Podamarygmus alternatus* Carter, 1928 (= *Amarygmus viridipes* Gebien, 1927), by monotypy. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Podhomala Solier, 1836: 9, 72 [F]. Type species: *Podhomala suturalis* Solier, 1836, by monotypy. Status: valid genus and subgenus in Pimeliinae: Pimeliini.

Podoces Péringuey, 1886: 122 [F]. Type species: *Podoces granosula* Péringuey, 1886, by **present designation**. Status: senior synonym of *Carchares* Pascoe, 1887 in Tenebrioninae: Scaurini. Synonymy: Péringuey (1892b: [135]). Note: junior homonym of *Podoces* Fischer, 1821 [Aves].

Pododonta Agassiz, 1846b: 300 [F]. Type species [automatic]: *Cistela nigrita* Fabricius, 1794, by subsequent designation (R. Lucas 1920: 527). Status: junior synonym of *Podonta* Solier, 1835 in Alleculinae: Cteniopodini. Note: unjustified emendation of *Podonta* Solier, 1835, not in prevailing usage.

Podomala Agassiz, 1846b: 300 [F]. Type species [automatic]: *Podhomala suturalis* Solier, 1836, by monotypy. Status: junior synonym of *Podhomala* Solier, 1836 in Pimeliinae: Pimeliini. Note: unjustified emendation of *Podhomala* Solier, 1836, not in prevailing usage.

Podonta Solier, 1835a: 247 [F]. Type species: *Cistela nigrita* Fabricius, 1794, by subsequent designation (Cazurro Ruiz 1894b: 883). Status: valid genus in Alleculinae: Cteniopodini.

Podontinus Seidlitz, 1896: 197 [M]. Type species: *Cteniopus punctatissimus* Kiesenwetter, 1861, by subsequent designation (R. Lucas 1920: 527). Status: valid genus in Alleculinae: Cteniopodini.

Poecilesthostrongylium Pic, 1918a: 12 [N]. Type species: *Strongylium amazonicum* Pic, 1918, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Poecilesthus Dejean, 1834: 207 [M]. Type species: *Erotylus fasciatus* Fabricius, 1781, by subsequent designation (Hope 1841: 133). Status: valid genus in Stenochiinae: Stenochiini. Note: *Poecilesthus* is an incorrect subsequent spelling of the original spelling *Paecilesthus*, first used by Dejean (1836: 229), and in prevailing usage; *Poecilesthus* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1), see Bousquet and Bouchard (2013a: 60).

Poecilocrypticus Gebien, 1928: 121 [M]. Type species: *Poecilocrypticus formicophilus* Gebien, 1928, by monotypy. Status: valid genus in Diaperinae: Crypticini.

Poeciltoides Fairmaire, 1896b: 352 [M]. Type species: *Poeciltoides alternans* Fairmaire, 1896, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pogonobasis Solier, 1837b: 153, 161 [F]. Type species: *Pogonobasis opatroides* Solier, 1837 (= *Eurychora rugosula* Guérin-Méneville, 1831), by subsequent designation (Hope 1841: 121). Status: valid genus in Pimeliinae: Adelostomini.

Pogonocanta Koch, 1952b: 22 [F]. Type species: *Pogonobasis longipilis* Fairmaire, 1894, by original designation. Status: valid genus in Pimeliinae: Adelostomini. Note: the alternative original spelling *Pogonacanta*, used by Koch (1952b: 123), was rejected by Koch (1953c: 3) who acted as the First Reviser (ICZN 1999, Article 24.2.4).

Pogonophloeus Bremer, 1998: 9 [M]. Type species: *Hypophlaeus thoracicus* Melsheimer, 1846, by original designation. Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Pogonoxenus Wasmann, 1899b: 172 [M]. Type species: *Pogonoxenus kraatzi* Wasmann, 1899, by monotypy. Status: valid genus in Diaperinae: Hypophlaeini.

Pokryszkiella Iwan, 1996: 385, 414 [F]. Type species: *Pokryszkiella cornuta* Iwan, 1996, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Polasida Reitter, 1917a: 39, 41 [F]. Type species: *Opatrum sericeum* G.-A. Olivier, 1795, by subsequent designation (Viñolas and Cartagena 2005: 188). Status: valid subgenus of *Asida* Latreille, 1802 in Pimeliinae: Asidini.

Polemiotus Casey, 1907: 379, 381 [M]. Type species: *Epitragus submetallicus* J.L. LeConte, 1854, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Poliorcetes Champion, 1884: 70 [M]. Type species: *Poliorcetes platesthoides* Champion, 1884, by monotypy. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini.

Polopinus Casey, 1924: 326 [M]. Type species: *Polypleurus nitidus* J.L. LeConte, 1866, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Polpocara Solier, 1843: 46, 123 [N]. Type species: *Polpocara picipes* Solier, 1843, by original designation. Status: junior synonym of *Philorea* Erichson, 1834 in Pimeliinae: Physogasterini. Synonymy: Erichson (1847a: 116).

Polpogenia Solier, 1836: 9, 70 [F]. Type species: *Polpogenia asidioides* Solier, 1836, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Polposipus Solier, 1848: 154, 260 [M]. Type species: *Polposipus herculeanus* Solier, 1848, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Polycoelogastridion Reichardt, 1936: 85, 208 [N]. Type species: *Sclerum sexcostatum* Motschulsky, 1858, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Polyidus Champion, 1888: 441 [M]. Type species: *Polyidus meridionalis* Champion, 1888, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Polypleurus Eschscholtz, 1831: 10, 11 [M]. Type species: *Polypleurus geminatus* Eschscholtz, 1831, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Polyscopus Waltl, 1835: 73 [M]. Type species: *Polyscopus costatus* Waltl, 1835 (= *Adelostoma sulcatum* Duponchel, 1827), by monotypy. Status: junior synonym of *Adelostoma* Duponchel, 1827 in Pimeliinae: Adelostomini. Synonymy: Erichson in Agassiz (1846a: 133).

Polytropus Kirsch, 1866: 201 [M]. Type species: *Polytropus laenoides* Kirsch, 1866, by monotypy. Status: junior synonym of *Chaetyllus* Pascoe, 1860 in Lagriinae: Laenini. Synonymy: Kaszab (1983a: 138).

Ponapeida Kulzer, 1957: 242, 248 [F]. Type species: *Ponapeida rufitarsis* Kulzer, 1957, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pontianacus Fairmaire, 1898d: 397 [M]. Type species: *Pontianacus rubricrus* Fairmaire, 1898, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Poopterocoma Skopin, 1974b: 145 [F]. Type species: *Pterocoma zaidamica* Skopin, 1974, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Porphyrhyba Fairmaire, 1877a: 137 [F]. Type species: *Porphyrhyba violaceicolor* Fairmaire, 1877, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Porphyrohyba Rye, 1879: 62 [F]. Type species [automatic]: *Porphyrhyba violaceicolor* Fairmaire, 1877, by monotypy. Status: junior synonym of *Porphyrhyba* Fairmaire, 1877 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Porphyrhyba* Fairmaire, 1877, not in prevailing usage.

Porrolagria Kolbe, 1883: 26 [F]. Type species: *Porrolagria nuda* Kolbe, 1883, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Posides Champion, 1884: 6 [M]. Type species: *Posides dissidens* Champion, 1884, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Postandrosus Kulzer, 1951b: 490 [M]. Type species: *Postandrosus maculipennis* Kulzer, 1951, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Postpraocis Flores & Pizarro-Araya, 2014: 60 [M]. Type species: *Praocis pentachorda* Burmeister, 1875, by original designation. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini. Note: this name was first proposed by Kulzer (1958a: 12, 33) without type species designation.

Potocula Novák, 2012: 290 [F]. Type species: *Potocula kubani* Novák, 2012, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Praeugena Laporte, 1840: 241 [F]. Type species: *Helops marginatus* Fabricius, 1792, by subsequent designation (Hope 1841: 133). Status: valid genus in Tenebrioninae: Praeugenini. Note: nomen protectum (see Bouchard and Bousquet 2020b: 6).

†*Praezolodinus* Bao in Bao and Antunes-Carvalho, 2020: 2 [M]. Type species: *Praezolodinus pilosus* Bao, 2020, by original designation. Status: valid genus in Zolodininae. Note: described from Cretaceous Burmese amber (Myanmar).

Praocida Flores & Pizarro-Araya, 2014: 70 [F]. Type species: *Praocis zischkai* Kulzer, 1958, by original designation. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini. Note: this name was first proposed by Kulzer (1958a: 13, 88) without type species designation.

Praocidia Fairmaire, 1904b: 463 [F]. Type species: *Praocis nervosus* Fairmaire, 1902, by original designation. Status: valid genus in Pimeliinae: Praociini.

Praocis Eschscholtz, 1829: 6 [M]. Type species: *Praocis rufipes* Eschscholtz, 1829, by subsequent designation (Guérin-Méneville 1834: 8–9). Status: valid genus and subgenus in Pimeliinae: Praociini. Note: although Guérin-Méneville (1834: 8–9) did not specifically mention the scientific name of the species he considered the type of this genus, his comment "J'ai donné une nouvelle figure de l'espèce qui a servi de type à Eschscholtz, dans la pl. 4, fig. 1, du Voyage de la Coquille" [translated to "I gave a new figure of the species that served as the type by Eschscholtz, in pl. 4, fig. 1, of the Voyage de la Coquille"] leaves no ambiguity regarding the identity of the species, i.e., *Praocis rufipes* Eschscholtz, 1829, to which he was referring.

Praogena Agassiz, 1846b: 306 [F]. Type species [automatic]: *Helops marginatus* Fabricius, 1792, by subsequent designation (Hope 1841: 133). Status: junior synonym of *Praeugena* Laporte, 1840 in Tenebrioninae: Praeugenini. Note: unjustified emendation of *Praeugena* Laporte, 1840, not in prevailing usage.

Praonoda Flores & Pizarro-Araya, 2014: 68 [F]. Type species: *Praocis bicarinatus* Burmeister, 1875, by original designation. Status: valid subgenus of *Praocis* Eschscholtz, 1829 in Pimeliinae: Praociini. Note: this name was first proposed by Kulzer (1958a: 13, 66) without type species designation.

Praostetha Fairmaire, 1897f: 138 [F]. Type species: *Praostetha impressifrons* Fairmaire, 1897, by monotypy. Status: junior synonym of *Amenophis* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1921b: 64).

Prateus J.L. LeConte, 1862: 238 [M]. Type species: *Prateus fusculus* J.L. LeConte, 1862, by original designation. Status: valid genus in Lagriinae: Goniaderini.

Predactylosis Penrith, 1977: 19, 243 [F]. Type species: *Predactylosis holmi* Penrith, 1977, by original designation. Status: junior synonym of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini. Synonymy: Penrith (1981a: 22).

Priocamaria Gebien, 1919: 28, 143 [F]. Type species: *Priocamaria macilenta* Gebien, 1919, by subsequent designation (Gebien 1942a: 323). Status: valid genus in Stenochiinae: Cnodalonini.

Prionalia Novák, 2020c: 511 [F]. Type species: *Gonodera atronitens* Fairmaire, 1892, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Prionotheca Dejean, 1834: 179 [F]. Type species: *Pimelia coronata* G.-A. Olivier, 1795, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Prionotus Mulsant & Rey, 1859c: 88 [M]. Type species: *Opatrum denticolle* Blanchard, 1846, by monotypy. Status: junior synonym of *Isopteron* Hope, 1841 in Lagriinae: Adeliini. Synonymy: Gemminger in Gemminger and Harold (1870: 1929, with *Achora* Pascoe, 1869, a junior synonym of *Isopteron* Hope, 1841). Note: junior homonym of *Prionotus* Lacepède, 1802 [Pisces].

Prionychus Solier, 1835a: 231, 237 [M]. Type species: *Helops ater* Fabricius, 1775, by subsequent designation (R. Lucas 1920: 536). Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: nomen protectum (see Bousquet and Bouchard 2017: 132); see Löbl and Smetana (2011: 33) for comments on the gender of this genus-group name.

Prioproctus Kolbe, 1903: 165, 174 [M]. Type species: *Prioproctus oertzeni* Kolbe, 1903, by original designation. Status: valid genus in Lagriinae: Pycnocerini.

Prioscelida White, 1846: 11 [F]. Type species: *Prioscelida tenebrionoides* White, 1846, by monotypy. Status: junior synonym of *Uloma* Dejean, 1821 in Tenebrioninae: Ulomini. Synonymy: Broun (1880: 365).

Prioscelides Kolbe, 1889: 128 [M]. Type species: *Prioscelides rugosus* Kolbe, 1889, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Prioscelis Hope, 1841: 128 [F]. Type species: *Prioscelis fabricii* Hope, 1841, by original designation. Status: valid genus in Lagriinae: Pycnocerini. Note: the alternative original spelling *Priopus*, used by Hope (1841: 73), was rejected by Westwood (1844: 211) who acted as First Reviser.

Priothorax Gebien, 1910b: 318 [M]. Type species [automatic]: *Opatrum denticolle* Blanchard, 1846, by monotypy. Status: junior synonym of *Isopteron* Hope, 1841 in Lagriinae: Adeliini. Synonymy: Gebien (1910b: 318, as a valid synonym of *Achora* Pascoe, 1869), Blair (1919a: 529, as a synonym of *Achora* Pascoe, 1869, a junior synonym of *Isopteron* Hope, 1841). Note: replacement name for *Prionotus* Mulsant & Rey, 1859.

Pristophilus Kolbe, 1903: 165, 174 [M]. Type species: *Chiroscelis passaloides* Westwood, 1842, by original designation. Status: valid genus in Lagriinae: Pycnocerini.

Probaticus Seidlitz, 1895: 697, 704, 764 [M]. Type species: *Helops mori* Brullé, 1832, by subsequent designation (Gebien 1943: 419). Status: junior synonym of *Euboeus* Boieldieu, 1865 in Tenebrioninae: Helopini: Helopina. Synonymy: Nabozhenko et al. (2017: 496). Note: the alternative original spelling *Probatius* (pp. 697, 704, 765) was corrected to *Probaticus* in the "Amendments and corrections" of the same work (p. 849), *Probaticus* is considered to be the correct original spelling (ICZN 1999, Article 32.5.1.1).

Prochoma Solier, 1835b: 253, 393 [N]. Type species: *Prochoma audouini* Solier, 1835, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Proctenius Reitter, 1890b: 256 [M]. Type species: *Cistela granatensis* Rosenhauer, 1856, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Proderops Fairmaire, 1873: 393 [M]. Type species: *Proderops foraminosus* Fairmaire, 1873 (= *Rhinandrus elongatus* Horn, 1867), by monotypy. Status: junior synonym of *Rhinandrus* J.L. LeConte, 1866 in Tenebrioninae: Tenebrionini. Synonymy:

Kraatz (1880a: 132, with *Exerestus* Bates, 1870, a junior synonym of *Rhinandrus* J.L. LeConte, 1866).

Prodilamus Ardoin, 1969e: 258 [M]. Type species: *Dilamus brevicollis* Fairmaire, 1894, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Prohylithus Kaszab, 1964c: 382 [M]. Type species: *Prohylithus kulzeri* Kaszab, 1964, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Prolabrus Fairmaire, 1897a: 111 [M]. Type species: *Prolabrus parallelus* Fairmaire, 1897, by monotypy. Status: valid genus in Tenebrioninae: Palorini.

Prolaena Kaszab, 1980b: 322 [F]. Type species: *Laena ceylonica* Motschulsky, 1858, by original designation. Status: valid genus in Lagriinae: Laenini. Note: *Prolaena* was used earlier by Kaszab (1979a: 107) without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1) and is therefore not available from that date.

Proleptodes G.S. Medvedev, 1967: 354 [M]. Type species: *Leptodes sulcicollis* Reitter, 1889, by original designation. Status: valid subgenus of *Leptodes* Dejean, 1834 in Pimeliinae: Leptodini.

Promethis Pascoe, 1869: 148 [M]. Type species: *Upis angulata* Erichson, 1842, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Prometopion Casey, 1907: 366, 370 [N]. Type species: *Prometopion amplipenne* Casey, 1907 (= *Chilometopon helopioides* Horn, 1874), by original designation. Status: junior synonym of *Chilometopon* Horn, 1874 in Pimeliinae: Edrotini. Synonymy: MacLachlan and Olson (1990: 72).

Promorphostenophanes Kaszab, 1960b: 277 [M]. Type species: *Promorphostenophanes atavus* Kaszab, 1960, by original designation. Status: junior synonym of *Morphostenophanes* Pic, 1925 in Stenochiinae: Cnodalonini. Synonymy: Masumoto and Bečvář (2008: 206).

Promus J.L. LeConte, 1862: 226 [M]. Type species: *Blaps opaca* Say, 1824, by original designation. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Propemicrosis Penrith, 1981c: 127, 152 [F]. Type species: *Microsis transbechuana* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Prophanes Westwood, 1849: 203 [M]. Type species: *Prophanes aculeatus* Westwood, 1849, by subsequent designation (Lacordaire 1859b: 411). Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Propterocoma Skopin, 1974b: 144 [F]. Type species: *Pterocoma tibialis* Bates, 1879, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Prorhytinota Bouchard & Bousquet, **new subgenus** [F]. Type species: *Rhytinota oxyoma* Fairmaire, 1884, by **present designation**. Status: valid subgenus of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: Koch (1943b: 761, 795) introduced the new subgenus name *Prorhytinota* for several nominal species, but unfortunately did not designate a type species; the subgenus *Prorhytinota*, which

has been treated as valid since 1943, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Rhytinota oxyoma* Fairmaire, 1884 as type species and referring to Koch (1943b: 761, 795) for the character states that characterise and differentiate *Prorhytinota*.

Proscheimus Desbrochers des Loges, 1881: 127 [M]. Type species: *Proscheimus arabicus* Desbrochers des Loges, 1881, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Proscorus Fairmaire, 1901b: 188 [M]. Type species: *Proscorus cyaneostriatus* Fairmaire, 1901, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Proselytus Fåhraeus, 1870: 302 [M]. Type species: *Proselytus caffer* Fåhraeus, 1870 (= *Alphitobius diaperinus* Panzer, 1796), by monotypy. Status: junior synonym of *Alphitobius* Stephens, 1829 in Tenebrioninae: Alphitobiini. Synonymy: Ferrer (1999: 266; through synonymy of the type species).

Prosoblapsia Skopin & Kaszab, 1978: 208 [F]. Type species: *Leptocolena allardiana* Reitter, 1889, by original designation. Status: junior synonym of *Genoblaps* Bauer, 1921 in Blaptinae: Blaptini: Blaptina. Synonymy: **new synonym** [YB]. Note: *Genoblaps* Bauer, 1921 has been forgotten in the literature; its type species is currently included in the subgenus *Prosoblapsia* Skopin & Kaszab, 1978 and for that reason Skopin & Kaszab's name is considered a junior synonym of *Genoblaps*.

Prosodella Reitter, 1909a: 120 [F]. Type species: *Prosodes bactriana* Semenov, 1894, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Note: the First Reviser (*Prosodella* Reitter, 1909 versus *Paraprosodes* Reitter, 1909) is G.S. Medvedev (1997: 597).

Prosodes Eschscholtz, 1829: 9 [F]. Type species: *Blaps attenuata* Fischer, 1820 (= *Blaps obtusa* Fabricius, 1798), by subsequent designation (Gebien 1937a: 846). Status: valid genus and subgenus in Blaptinae: Blaptini: Prosodina. Note: the gender of *Prosodes* is feminine by indication of the author himself, who states: "von προσώδης, foetida", the latter word being Latin and explaining the Greek meaning (stinking); the word foetida is feminine and therefore *Prosodes* is feminine also; note, however, that all other genus-group names in this list with the ending –*prosodes* are masculine.

Prosodestes Reitter, 1909a: 114 [M]. Type species: *Prosodes grandicollis* Kraatz, 1883, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Prosodidius Fairmaire, 1903d: 69 [M]. Type species: *Prosodidius perrieri* Fairmaire, 1903, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Prosodila Reitter, 1909a: 121 [F]. Type species: *Prosodes strigiventris* Reitter, 1893, by original designation. Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: Löbl et al. (2008c: 219).

Prosodinia Reitter, 1909a: 115 [F]. Type species: *Prosodes calcarata* Reitter, 1893, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Prosodopria Reitter, 1909a: 116 [F]. Type species: *Blaps angustata* Zubkov, 1833, by monotypy. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Prosodoscelis Reitter, 1909a: 117 [F]. Type species: *Prosodes solskyi* Faust, 1875, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Prosodura Reitter, 1909a: 118 [F]. Type species: *Prosodes semenowi* Reitter, 1893, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Prosomenes Blanchard, 1845: 10 [M]. Type species: *Diceroderes mexicanus* Solier, 1841, by subsequent monotypy (Chevrolat 1847b: 562). Status: junior synonym of *Diceroderes* Solier, 1841 in Tenebrioninae: Toxicini: Dysantina. Synonym: Lacordaire (1859a: 356, as "*Prosomenes* Dejean"), Bousquet et al. (2018: 219). Note: the name *Prosomenes* was originally introduced as a synonym of "Dicérodères" by Blanchard (1845: 10); however, because the name was treated before 1961 as an available name and adopted as the name of a taxon (e.g., Chevrolat 1847b: 562) we treat it as available and dating from its first publication as a synonym (ICZN 1999, Article 11.6.1); originally proposed without included nominal species; Chevrolat (1847b: 562), by including the species "*Pros. mexicanus*" in association with this name, was the first author to subsequently and expressly include nominal species in *Prosomenes* (ICZN 1999, Article 67.2.2).

Prostenus Klug, 1829: 5 [M]. Type species: *Prostenus periscelis* Perty, 1830, by subsequent designation (Bousquet et al. 2015: 139, but see Note). Status: valid genus in Alleculinae: Alleculini: Xystropodina. Note: as pointed out by Bousquet et al. (2015: 139) this genus name had been attributed to other authors in the literature (e.g., Latreille, 1825: 377, Berthold, 1827: 369) but it was first made available by Klug (1829: 5) who described two new species in it, *Prostenus femoratus* and *Prostenus pilosus*, neither species being included in *Prostenus* in its currently accepted sense; Bousquet et al. (2015: 139) suggested using *Prostenus periscelis* Perty, 1830 as the type species of *Prostenus* to promote nomenclatural stability; however, an application to the Commission is needed to confirm the type species of *Prostenus*.

†*Proteleates* Wickham,1914a: 267 [M]. Type species: *Proteleates centralis* Wickham, 1914, by original designation. Status: valid genus in Tenebrioninae: Bolitophagini. Note: described from Upper Eocene deposits (USA).

Prothraustocola Kaszab, 1957: 293 [F]. Type species: *Ibnsaudia belutschistanica* Kaszab, 1957, by original designation. Status: valid subgenus of *Thraustocolus* Kraatz, 1866 in Pimeliinae: Tentyriini.

Protoblaps Bauer, 1921: 230, 231 [F]. Type species: none designated. Status: undetermined taxon in Blaptinae: Blaptini: Blaptina. Note: this genus was described before 1931 (ICZN 1999, Article 12.1); however, we could not find any nominal species that were subsequently and expressly included in *Protoblaps* and therefore no "originally included nominal species" could be used to fix the type species (ICZN 1999, Article 67.2.2).

Protoblaps G.S. Medvedev, 1998a: 200 [F]. Type species: *Protoblaps kashkarovi* G.S. Medvedev, 1998, by original designation. Status: senior synonym of *Medvedevoblaps* Bouchard & Bousquet, **nom. nov.** in Blaptinae: Blaptini: Blaptina. Note: junior homonym of *Protoblaps* Bauer, 1921 [Coleoptera: Tenebrionidae: Blaptinae: Blaptini: Blaptina].

Protocalosis Penrith, 1977: 21, 116 [F]. Type species: *Zophosis balti* Penrith, 1977, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Protodactylus Koch, 1952a: 83 [M]. Type species: *Protodactylus opticus* Koch, 1952, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Protomachlasida Escalera, 1928: 137 [F]. Type species: *Machlasida liouvillei* Escalera, 1925, by original designation. Status: junior synonym of *Machlasida* Escalera, 1907 in Pimeliinae: Asidini. Synonymy: Gebien (1937a: 717).

†*Protoplatycera* Wickham, 1914b: 484 [F]. Type species: *Protoplatycera laticornis* Wickham, 1914, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: described from Upper Eocene deposits (USA).

Prototyrtaeus Spiessberger & Ivie, 2020: 669 [M]. Type species: *Prototyrtaeus darlingtoni* Spiessberger & Ivie, 2020, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Prunaspila Koch, 1950a: 67 [F]. Type species [automatic]: *Aspila bicostata* Fåhraeus, 1870, by monotypy. Status: valid genus in Pimeliinae: Adelostomini. Note: replacement name for *Aspila* Fåhraeus, 1870.

Przewalskia Semenov, 1893: 262 [F]. Type species: *Platyope dilatata* Reitter, 1887, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Psammestus Reichardt, 1936: 194, 216 [M]. Type species: *Ammobius dilatatus* Reitter, 1893, by original designation. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Psammetichus Latreille, 1828: 578 [M]. Type species: *Psammetichus costatus* Guérin-Méneville, 1831, by subsequent monotypy (Guérin-Méneville 1831b: pl. 28bis). Status: valid genus in Pimeliinae: Elenophorini: Megelenophorina. Note: originally proposed without included nominal species; Guérin-Méneville (1831b: pl. 28bis), by including the new species "*Psammeticus costatus* Guérin-Méneville, 1831" in association with this name, was the first author to subsequently and expressly include nominal species in *Psammetichus* (ICZN 1999, Article 67.2.2).

Psammoardoinellus Leo, 1981: 34 [M]. Type species: *Isocerus sardiniensis* Ardoin, 1972, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Psammocryptus Kraatz, 1865: 81, 239 [M]. Type species: *Tentyria minuta* Tauscher, 1812, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Psammodes W. Kirby, 1819a: 412 [M]. Type species: *Psammodes longicornis* W. Kirby, 1819, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Psammodophysis Péringuey, 1899: 296 [F]. Type species: *Psammodophysis probes* Péringuey, 1899, by subsequent designation (Kamiński et al. 2019b: 31). Status: junior synonym of *Psammodes* W. Kirby, 1819 in Pimeliinae: Sepidiini: Molurina. Synonymy: Gebien (1910a: 154).

Psammoeca Agassiz, 1846b: 311 [F]. Type species [automatic]: *Microdera lucida* Solier, 1835, by subsequent designation (Gebien 1937a: 611). Status: junior synonym of *Psammoica* Solier, 1835 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Psammoica* Solier, 1835, not in prevailing usage.

Psammogaster Koch, 1953e: 237 [F]. Type species: *Psammogaster malani* Koch, 1953, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Psammoica Solier, 1835b: 307 [F]. Type species: *Microdera lucida* Solier, 1835, by subsequent designation (Gebien 1937a: 611). Status: valid genus in Pimeliinae: Tentyriini.

Psammolophus Koch, 1953f: 154 [M]. Type species: *Psammodes acuticosta* Fairmaire, 1884, by original designation. Status: valid subgenus of *Psammophanes* Lesne, 1922 in Pimeliinae: Sepidiini: Molurina.

Psammophanes Lesne, 1922: 690 [M]. Type species: *Moluris catenata* Reiche, 1850, by original designation. Status: valid genus and subgenus in Pimeliinae: Sepidiini: Molurina.

Psammophrynopsis Koch, 1953f: 157 [F]. Type species: *Phrynocolus frommi* Wilke, 1921, by original designation. Status: valid subgenus of *Psammophanes* Lesne, 1922 in Pimeliinae: Sepidiini: Molurina.

Psammophrynus Koch, 1953f: 146 [M]. Type species: *Psammophanes jokli* Koch, 1953, by original designation. Status: valid subgenus of *Psammophanes* Lesne, 1922 in Pimeliinae: Sepidiini: Molurina.

Psammoryssus Kolbe, 1886: 289 [M]. Type species: *Psammoryssus titanus* Kolbe, 1886, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Psammostretus Koch, 1953f: 145 [M]. Type species: *Psammodes bisbicostatus* Gebien, 1910, by original designation. Status: valid subgenus of *Psammophanes* Lesne, 1922 in Pimeliinae: Sepidiini: Molurina.

Psammotopulus Endrödy-Younga, 1996: 15, 29 [M]. Type species: *Caenocrypticus penrithae* Endrödy-Younga, 1996, by original designation. Status: valid subgenus of *Caenocrypticus* Gebien, 1920 in Pimeliinae: Caenocrypticini.

Psammotyria Koch, 1953f: 137 [F]. Type species: *Psammodes ertli* Kolbe, 1904, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Psammotyriopsis Koch, 1953f: 144 [F]. Type species: *Psammophanes bredoi* Koch, 1953, by original designation. Status: valid subgenus of *Psammophanes* Lesne, 1922 in Pimeliinae: Sepidiini: Molurina.

Psaryphis Erichson, 1843: 241 [F]. Type species: *Psaryphis nana* Erichson, 1843, by monotypy. Status: valid genus in Pimeliinae: Adelostomini.

Psaryphulum Koch, 1952b: 32 [N]. Type species: *Adelostoma abbreviatum* Haag-Rutenberg, 1875, by original designation. Status: valid subgenus of *Adelostoma* Duponchel, 1827 in Pimeliinae: Adelostomini.

Psectes Hesse, 1935: 572 [M]. Type species: *Psectes bechuanus* Hesse, 1935, by original designation. Status: valid genus in Blaptinae: Pedinini: Helopinina.

Psectrapus Solier, 1848: 153, 213 [M]. Type species: *Psectrapus bipartitus* Solier, 1848, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Psectrascelis Solier, 1836: 307, 311 [F]. Type species: *Nyctelia pilipes* Guérin-Méneville, 1834, by subsequent designation (Gebien 1937a: 750). Status: valid genus in Pimeliinae: Nycteliini. Note: the First Reviser (*Psectrascelis* Solier, 1836 versus *Cerostena* Solier, 1836) is Fairmaire (1876: 356).

Psectropus Gemminger in Gemminger and Harold, 1870: 1911 [M]. Type species [automatic]: *Psectrapus bibartitus* Solier, 1848, by original designation. Status: junior synonym of *Psectrapus* Solier, 1848 in Blaptinae: Platynotini: Eurynotina. Note: unjustified emendation of *Psectrapus* Solier, 1848, not in prevailing usage.

Pselaphidion Gebien, 1921b: 29, 229 [N]. Type species: *Platydema macularia* Gemminger, 1870, by subsequent designation (Gebien 1940: 405). Status: junior synonym of *Stomylus* Fåhraeus, 1870 in Diaperinae: Diaperini: Diaperina. Synonymy: Koch (1953g: 23). Note: the alternative original spelling *Pselaphidium*, used by Gebien (1921b: 28, 29), was rejected by Gebien (1940: 405) who acted as the First Reviser (ICZN 1999, Article 24.2.4).

Pseudabax Kraatz, 1880b: 107 [M]. Type species: *Pseudabax formosus* Kraatz, 1880, by subsequent designation (Gebien 1942a: 308). Status: valid genus in Stenochiinae: Cnodalonini.

Pseudadelium Kaszab, 1982b: 234 [N]. Type species: *Adelium pustulosum* Fauvel, 1904, by original designation. Status: junior synonym of *Neoadelium* Carter, 1908 in Lagriinae: Adeliini. Synonymy: Matthews (1998: 781).

Pseudadrus Fairmaire, 1897g: 39 [M]. Type species: *Hadrus scaphoides* Marseul, 1876, by monotypy. Status: junior synonym of *Phelopatrum* Marseul, 1876 in Blaptinae: Opatrini: Opatrina. Synonymy: Reichardt (1936: 90).

Pseudalymon Ardoin, 1969c: 543, 544 [M]. Type species: *Asthenochirus foveolatus* Péringuey, 1899, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Pseudamarsenes Ardoin, 1955: 142 [M]. Type species: *Amarsenes viridistriatus* Fairmaire, 1894, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudamarygmus Pic, 1915d: 9 [M]. Type species: *Pseudamarygmus testaceipes* Pic, 1915, by subsequent designation (Gebien 1948: 509). Status: junior synonym of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini. Synonymy: Bremer (2001a: 67).

Pseudamblyptera Pierre, 1985: 295 [F]. Type species: *Pimelia frigida* Escalera, 1925, by original designation. Status: valid subgenus of *Pimelia* Fabricius, 1775 in Pimeliinae: Pimeliini.

Pseudamenophis Pic, 1916: 13 [M]. Type species: *Pseudamenophis aeneus* Pic, 1916 (= *Amenophis epipleuralis* Gebien, 1904), by monotypy. Status: junior synonym of *Amenophis* J. Thomson, 1858 in Stenochiinae: Cnodalonini. Synonymy: Ardoin (1962a: 64).

Pseudanaedus Gebien, 1921b: 107, 111 [M]. Type species: *Pseudanaedus biangulatus* Gebien, 1921, by subsequent designation (Gebien 1941: 820). Status: valid genus in Lagriinae: Goniaderini.

Pseudandrosus Kulzer, 1951b: 486 [M]. Type species: *Chariotheca neomidina* Fairmaire, 1881, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudanemia Wollaston, 1864: 492 [F]. Type species: *Pseudanemia brevicollis* Wollaston, 1864, by monotypy. Status: valid subgenus of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini.

Pseudanopidium Dajoz, 1974: 431, 434 [N]. Type species: *Pseudanopidium punctatum* Dajoz, 1974, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Pseudapocrypha Champion, 1886: 260 [F]. Type species: *Pseudapocrypha lacordairii* Champion, 1886, by monotypy. Status: valid genus in Tenebrioninae: Apocryphini.

Pseudapsida Kulzer, 1961: 219 [F]. Type species: *Pseudapsida brasiliensis* Kulzer, 1961, by original designation. Status: junior synonym of *Paniasis* Champion, 1886 in Diaperinae: Diaperini: Diaperina. Synonymy: Ferrer and Ødegaard (2005: 637).

Pseudasida Fairmaire, 1895b: 444 [F]. Type species: *Pseudasida obesa* Fairmaire, 1895, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Pseudeba Blackburn, 1903: 119 [F]. Type species: *Pseudeba novica* Blackburn, 1903, by monotypy. Status: valid genus in Tenebrioninae: Palorini. Note: transferred from "Tenebrionoidea: Colydiidae" by Carter and Zeck (1937: 194).

Pseudeleodes Blaisdell, 1909: 146 [M]. Type species: *Eleodes granosa* J.L. LeConte, 1866, by monotypy. Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Pseudemmallus Koch, 1956a: 355 [M]. Type species: *Pseudemmallus aspericollis* Koch, 1956, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Pseudephalus Casey, 1924: 333 [M]. Type species: *Pseudephalus brevicornis* Casey, 1924, by original designation. Status: junior synonym of *Ephalus* J.L. LeConte, 1862 in Blaptinae: Opatrini: Opatrina. Synonymy: Lumen et al. (2020: 344).

Pseudesarcus Champion, 1913: 115 [M]. Type species: *Pseudesarcus villosus* Champion, 1913, by original designation. Status: valid genus in Lagriinae: incertae sedis. Note: originally described in Mycetophagidae, transferred to Tenebrionidae: Lagriinae by Lawrence and Newton (1995: 886).

Pseudethas Fairmaire, 1896a: 57 [M]. Type species: *Pseudethas quadraticeps* Fairmaire, 1896, by monotypy. Status: valid genus and subgenus in Pimeliinae: Stenosini: Dichillina.

Pseudethas Fairmaire, 1898c: 477 [M]. Type species: *Pseudethas longiceps* Fairmaire, 1898, by monotypy. Status: senior synonym of *Anethas* Jakobson, 1924 in Pimeliinae: Stenosini: Stenosina. Note: junior homonym of *Pseudethas* Fairmaire, 1896 [Coleoptera: Tenebrionidae: Pimeliinae: Stenosini: Dichillina].

Pseudeucyrtus Pic, 1916e: 14 [M]. Type species: *Pseudeucyrtus niasensis* Pic, 1916 (= *Cleomis violaceipes* Fairmaire, 1892), by subsequent designation (Gebien 1942a: 308). Status: junior synonym of *Cleomis* Fairmaire, 1892 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983b: 382). Note: we act as First Revisers and reject the alternative original spelling *Pseudocyrtus*, used by Pic (1916e: 14), in order to avoid homonymy with *Pseudocyrtus* Salmon, 1956 [Collembola].

Pseudeumolpus Kraatz, 1880b: 111 [M]. Type species: *Pseudeumolpus bicolor* Kraatz, 1880, by subsequent designation (Löbl et al. 2008b: 345). Status: junior synonym of *Phaedis* Pascoe, 1866 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1914d: 71).

Pseudeuthriptera Bogatchev & Kryzhanovsky, 1955: 240 [F]. Type species: *Trigonoscelis uzboica* Bogatchev & Kryzhanovsky, 1955, by monotypy. Status: junior synonym of *Sternoplax* Frivaldszky, 1890 in Pimeliinae: Pimeliini. Synonymy: Skopin (1964: 395).

Pseudeutrapela Pic, 1952e: 110 [F]. Type species: *Pseudeutrapela nigra* Pic, 1952, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Pseudhadrus Kolbe, 1910: 31 [M]. Type species: *Pseudhadrus seriatus* Kolbe, 1910, by subsequent designation (Gebien 1941: 332). Status: valid genus in Stenochiinae: Cnodalonini.

Pseudhelops Guérin-Méneville, 1841: 124 [M]. Type species: *Pseudhelops tuberculatus* Guérin-Méneville, 1841, by monotypy. Status: valid genus in Tenebrioninae: Heleini: incertae sedis. Note: transferred from Titaenini by Matthews and Lawrence (2019: 628).

Pseudimmedia Kulzer, 1958b: 213 [F]. Type species: *Pseudimmedia freyi* Kulzer, 1958, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudisopus Kulzer, 1957: 254 [M]. Type species: *Pseudisopus gressitti* Kulzer, 1957, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudobasides Pic, 1916c: 2 [M]. Type species: *Pseudobasides cornutus* Pic, 1916, by subsequent designation (Gebien 1940: 419). Status: valid genus in Diaperinae: Diaperini: Diaperina.

Pseudobates Fairmaire, 1882a: 231 [M]. Type species: *Nyctobates coracinus* Fairmaire, 1882 (= *Nyctobates subrobustus* Motschulsky, 1872), by monotypy. Status: junior synonym of *Promethis* Pascoe, 1869 in Stenochiinae: Cnodalonini. Synonymy: Kolbe (1900: 74, with *Setenis* Motschulsky, 1872, a junior synonym of *Promethis* Pascoe, 1869).

Pseudoblapida Pic, 1917: 18 [F]. Type species: *Blapida boliviensis* Pic, 1912, by monotypy. Status: valid genus and subgenus in Stenochiinae: Cnodalonini.

Pseudoblaps Guérin-Méneville, 1834: 28 [F]. Type species: *Pseudoblaps substriata* Guérin-Méneville, 1834, by subsequent designation (Hope 1841: 124). Status: valid genus in Blaptinae: Platynotini: Platynotina.

Pseudobolbophanes Kulzer, 1954a: 29 [M]. Type species: *Pseudobolbophanes malaisei* Kulzer, 1954, by original designation. Status: junior synonym of *Bolbophanes* Carter, 1913 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 490).

Pseudobradymerus Pic, 1926b: 16 [M]. Type species: *Bradymerus simplicithorax* Pic, 1926, by monotypy. Status: junior synonym of *Bradymerus* Perroud & Montrouzier, 1865 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1939: 751).

Pseudobyrsax Kaszab, 1982b: 214 [M]. Type species: *Pseudobyrsax curtus* Kaszab, 1982, by original designation. Status: valid genus in Lagriinae: Adeliini.

Pseudocaedius Blackburn, 1890a: 91 [M]. Type species: *Pseudocaedius squamosus* Blackburn, 1890 (= *Trigonotarsus australis* Hope, 1843), by monotypy. Status: junior synonym of *Sobas* Pascoe, 1863 in Blaptinae: Opatrini: Opatrina. Synonymy: Carter (1921: 307).

Pseudocaedius G.S. Medvedev, 1966: 98 [M]. Type species: *Pseudocaedius kiseritzkii* G.S. Medvedev, 1966, by original designation. Status: senior synonym of *Asiocaedius* G.S. Medvedev & Nepesova, 1985 in Blaptinae: Opatrini: Ammobiina. Note: junior homonym of *Pseudocaedius* Blackburn, 1890 [Coleoptera: Tenebrionidae: Blaptinae: Opatrini: Ammobiina].

Pseudocaelophus Pic, 1922d: 28 [M]. Type species: *Strongylium difforme* Pic, 1922, by monotypy. Status: junior synonym of *Leprocaulus* Fairmaire, 1896 in Stenochiinae: Cnodalonini. Synonymy: Bečvář and Purchart (2008: 39).

Pseudocamaria Bates, 1879a: 287 [F]. Type species: *Camaria alternata* Fairmaire, 1875, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudocamarimena Pic, 1923e: 21 [F]. Type species: *Pseudocamarimena striata* Pic, 1923, by monotypy. Status: junior synonym of *Pigeus* Gebien, 1919 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1984: 363).

Pseudocasnonidea Borchmann, 1936: 240, 489 [F]. Type species: *Pseudocasnonidea ceylanica* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Pseudochariotheca Pic, 1934c: 32 [F]. Type species: *Pseudochariotheca minutissima* Pic, 1934, by original designation. Status: junior synonym of *Steneucyrtus* Fairmaire, 1896 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983a: 136).

Pseudochillus Fouquè, 2015: 226, 240 [M]. Type species: *Indochillus bangaloreanus* Kaszab, 1981, by original designation. Status: valid genus and subgenus in Pimeliinae: Stenosini: Dichillina.

Pseudochrysomela Pic, 1925a: 7 [F]. Type species: *Pseudeumolpus seriatoporus* Fairmaire, 1888, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: the older name *Pseudochrysomela* Voet, 1806 [Coleoptera: Erotylidae] was published in a work that did not include consistent application of binominal nomenclature and is therefore unavailable (ICZN 1999, Article 11.4).

Pseudocilibe Kaszab, 1982b: 231 [F]. Type species: *Celibe asidaeformis* Fauvel, 1904, by original designation. Status: valid genus in Lagriinae: Adeliini. Note: we act as First Revisers and reject the alternative original spelling *Pseudocylibe*, used by Kaszab (1982b: 291).

Pseudocistela Blackburn, 1891: 316 [F]. Type species: *Pseudocistela ovalis* Blackburn, 1891, by monotypy. Status: senior synonym of *Neocistela* Borchmann, 1909 in Alleculinae: Alleculini: Alleculina. Note: junior homonym of *Pseudocistela* Crotch, 1874 [Coleoptera: Tenebrionidae: Alleculinae: Alleculini: Gonoderina].

Pseudocistela Crotch, 1874: 108 [F]. Type species: *Cistela brevis* Say, 1824, by subsequent designation (Novák and Pettersson 2008: 327). Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Pseudocistelopsis Novák, 2018b: 176 [M]. Type species: *Pseudocistelopsis jakli* Novák, 2018, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Pseudocoelus Casey, 1908: 152 [M]. Type species: *Coelus pacificus* Fall, 1897, by subsequent designation (Doyen 1976: 608). Status: junior synonym of *Coelus* Eschscholtz, 1829 in Pimeliinae: Coniontini. Synonymy: Blaisdell (1919: 322).

Pseudocolparthrum Borchmann, 1916b: 230, 236 [N]. Type species: *Colparthrum calcaratum* Champion, 1889, by subsequent designation (Borchmann 1936: 452). Status: valid subgenus of *Colparthrum* Kirsch, 1866 in Lagriinae: Lagriini: Statirina.

Pseudoderiles Gebien, 1928: 169, 181 [M]. Type species: *Pseudoderiles dentipennis* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudoderosphaerus Pic, 1922d: 24 [M]. Type species: *Leprocaulus rotundicollis* Pic, 1922, by monotypy. Status: junior synonym of *Leprocaulus* Fairmaire, 1896 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983c: 177).

Pseudodiaphanidus Bogatchev, 1950: 234 [M]. Type species: *Diaphanidus robustus* Bogatchev, 1950, by monotypy. Status: valid subgenus of *Diaphanidus* Reitter, 1900 in Pimeliinae: Erodiini.

Pseudoelongasida Escalera, 1922c: 173 [F]. Type species: *Asida silvestrei* Escalera, 1922, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Elongasida* Escalera, 1906 in Pimeliinae: Asidini. Synonymy: Pérez-Vera et al. (2017: 3).

Pseudoenanea Pic, 1924a: 25 [F]. Type species: *Pseudoenanea robusta* Pic, 1924, by monotypy. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Pseudogena Fairmaire, 1899e: 539 [F]. Type species: *Pseudogena polyzona* Fairmaire, 1899, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Pseudognaptorina Kaszab, 1977c: 250 [F]. Type species: *Pseudognaptorina nepalica* Kaszab, 1977, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

†*Pseudohelops* Haupt, 1950: 130 [M]. Type species: *Pseudohelops groenlandicus* Haupt, 1950, by monotypy. Status: valid genus in Stenochiinae: incertae sedis. Note: combined description of new genus-group taxon and new species (ICZN 1999, Article 13.4); described from Middle Paleocene deposits (Greenland).

Pseudohymenalia Novák, 2008b: 213 [F]. Type species: *Pseudohymenalia yunnanica* Novák, 2008, by original designation. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Pseudolagria Champion, 1917: 218 [F]. Type species: *Pseudolagria mutabilis* Champion, 1917, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Pseudolamus Fairmaire, 1874: 388 [M]. Type species: *Pseudolamus seriatoporus* Fairmaire, 1874, by monotypy. Status: valid genus in Blaptinae: Opatrini: Neopachypterina.

Pseudoleichenum Ardoin, 1972: 205 [N]. Type species: *Pseudoleichenum benoiti* Ardoin, 1972, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Pseudolyprops Fairmaire, 1882a: 236 [M]. Type species: *Pseudolyprops dilaticollis* Fairmaire, 1882, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Pseudomachla Wilke, 1922: 260 [F]. Type species [automatic]: *Opatrum villosum* G.-A. Olivier, 1795, by subsequent designation (R. Lucas 1920: 386). Status: junior synonym of *Machla* Herbst, 1799 in Pimeliinae: Asidini. Note: unnecessary replacement name for *Machla* Herbst, 1799.

Pseudomorocaulus Pic, 1915c: 6 [M]. Type species: *Pseudomorocaulus rufonotatus* Pic, 1915, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Pseudonautes Fairmaire, 1892c: 52 [M]. Type species: *Pseudonautes vagevittatus* Fairmaire, 1892, by subsequent designation (R. Lucas 1920: 551). Status: valid genus in Stenochiinae: Cnodalonini.

Pseudonomus Fairmaire, 1884a: 510 [M]. Type species: *Pseudonomus dermestiformis* Fairmaire, 1884, by monotypy. Status: junior synonym of *Ammodonus* Mulsant, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Gebien (1939: 470).

Pseudonotocorax Iwan, 1997: 255, 269 [M]. Type species: *Pseudonotocorax mroczkowskii* Iwan, 1997, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Pseudoogeton Masumoto, 1989b: 304 [M]. Type species: *Plesiophthalmus amplipennis* Fairmaire, 1897, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Pseudopachyscelis Skopin, 1968a: 99 [F]. Type species: *Trigonoscelis pygmaea* Ménétriés, 1849, by original designation. Status: valid genus in Pimeliinae: Pimeliini. Note: first proposed by Skopin (1962: 225) without a type species originally designated.

Pseudoparablops Heyden, 1908: 132 [M]. Type species: *Parablops sardiniensis* Allard, 1877, by monotypy. Status: junior synonym of *Allardius* Ragusa, 1898 in Tenebrioninae: Helopini: Helopina. Synonymy: Reitter (1922b: 167).

Pseudopatrum Sharp, 1886: 406 [N]. Type species: *Pseudopatrum sordidum* Sharp, 1886, by subsequent designation (Watt 1992: 30). Status: valid genus in Lagriinae: Adeliini.

Pseudopedinus Ardoin, 1969d: 178 [M]. Type species: *Pseudopedinus laosensis* Ardoin, 1969, by original designation. Status: valid subgenus of *Loensus* R. Lucas, 1920 in Blaptinae: Pedinini: Pedinina.

Pseudopenthicinus Bogatchev, 1972: 628 [M]. Type species: *Penthicus medvedevi* Bogatchev, 1972, by original designation. Status: valid subgenus of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina.

Pseudoperichilus Pic, 1921d: 21 [M]. Type species: *Pseudoperichilus olivaceus* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudophthora Kaszab, 1970a: 267 [F]. Type species: *Pseudophthora laeana* Kaszab, 1970, by original designation. Status: valid genus and subgenus in Phrenapatinae: Penetini.

Pseudopigeus Kaszab, 1984: 355, 359 [M]. Type species: *Pseudopigeus unidentatus* Kaszab, 1984, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudopimelia Gebler, 1859: 473 [F]. Type species: *Lasiostola variolaris* Gebler, 1841, by monotypy. Status: junior synonym of *Lasiostola* Dejean, 1834 in Pimeliinae: Pimeliini. Synonymy: **new synonym** [YB]. Note: *Pseudopimelia* Gebler, 1859 has been forgotten in the literature; its type species is currently included in the nominotypical subgenus of *Lasiostola* Dejean, 1834 and for that reason Gebler's name is considered a new junior synonym of *Lasiostola*.

Pseudopimelia Motschulsky, 1860c: 536 [F]. Type species: *Pterocoma tuberculata* Motschulsky, 1845, by subsequent designation (Skopin 1974b: 159). Status: senior synonym of *Subpterocoma* Bouchard & Bousquet, **nom. nov.** in Pimeliinae: Pimeliini. Note: junior homonym of *Pseudopimelia* Gebler, 1859 [Coleoptera: Tenebrionidae: Pimeliinae: Pimeliini].

Pseudoplanasida Escalera, 1921: 360 [F]. Type species: *Asida pygmaea* Rosenhauer, 1856, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Gracilasida* Escalera, 1905 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 192, with *Planasida* Escalera, 1907, a junior synonym of *Gracilasida* Escalera, 1905).

Pseudoplatyope Pierre, 1964: 867, 873 [F]. Type species: *Storthocnemis antoinei* Español, 1951, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Pseudopodhomala Schuster, 1938: 88 [F]. Type species: *Pseudopodhomala gabrieli* Schuster, 1938, by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Pseudopodhomalina Kaszab, 1960a: 22 [F]. Type species: *Diesia costifera* C.O. Waterhouse, 1889, by original designation. Status: junior synonym of *Pseudopodhomala* Schuster, 1938 in Pimeliinae: Pimeliini. Synonymy: Kwieton (1982: 35).

Pseudopraeugena De Moor, 1970: 8,40 [F]. Type species: *Pseudopraeugena rufa* De Moor, 1970, by original designation. Status: valid genus in Tenebrioninae: Praeugenini.

Pseudoprobaticus Nabozhenko, 2001b: 513 [M]. Type species: *Helops granipennis* Allard, 1876, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Pseudoprosodes Reitter, 1909a: 120 [M]. Type species: *Prosodes transfuga* Reitter, 1893, by original designation. Status: junior synonym of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Synonymy: Skopin (1960a: 46).

Pseudopterocoma Skopin, 1974b: 145 [F]. Type species: *Pterocoma trapezicollis* Skopin, 1974, by original designation. Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini.

Pseudorozonia Bouchard & Bousquet, **new subgenus** [F]. Type species: *Rozonia conophthalma* Koch, 1944, by **present designation**. Status: valid subgenus of *Rozonia* Fairmaire, 1888 in Pimeliinae: Tentyriini. Koch (1944a: 162) introduced the new subgenus name *Pseudorozonia* for three nominal species, but unfortunately did not designate a type species; the subgenus *Pseudorozonia*, which has been treated as valid since 1944, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Rozonia conophthalma* Koch, 1944 as type species and referring to Koch (1944a: 162) for the character states that characterise and differentiate *Anemiadena*.

Pseudortheolus Freude, 1968: 110 [M]. Type species: *Epitragus minutissimus* Fairmaire, 1892, by original designation. Status: valid genus in Pimeliinae: Epitragini.

Pseudoscaphidema Pic, 1926c: 2 [F]. Type species: *Pseudoscaphidema rufonotata* Pic, 1926, by monotypy. Status: valid genus in Diaperinae: Scaphidemini.

Pseudoscotobius Kulzer, 1955a: 384, 393 [M]. Type species: *Emmallodera strangulata* Fairmaire, 1905, by original designation. Status: junior synonym of *Phrynocarenum* Gebien, 1928 in Tenebrioninae: Phrynocarenini. Synonymy: Marcuzzi (1976: 117).

Pseudoselinus Iwan, 2002a: 48, 94 [M]. Type species: *Eurynotus punctatostriatus* Gerstaecker, 1854, by original designation. Status: valid subgenus of *Upembarus* Koch, 1956 in Blaptinae: Platynotini: Platynotina.

Pseudoseriscius Español, 1950: 125 [M]. Type species: *Pedinus pruinosus* Dufour, 1820, by original designation. Status: valid genus and subgenus in Diaperinae: Crypticini.

Pseudostene Wollaston, 1861: 247 [F]. Type species: *Pseudostene angusta* Wollaston, 1861, by subsequent designation (Löbl et al. 2008b: 317). Status: junior synonym of *Phtora* Germar, 1836 in Diaperinae: Phaleriini. Synonymy: Escalera (1914: 347).

Pseudosternoplax Skopin, 1973: 110, 141 [F]. Type species: *Trigonoscelis lacerta* Bates, 1879, by original designation. Status: valid subgenus of *Sternoplax* Frivaldszky, 1890 in Pimeliinae: Pimeliini.

Pseudostira Fairmaire, 1903c: 213 [F]. Type species: *Pseudostira laevipennis* Fairmaire, 1903, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Pseudostorthocnemis Gridelli, 1952: 83 [F]. Type species: *Storthocnemis patrizii* Gridelli, 1933, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Pseudostrongylium Kraatz, 1880b: 114 [N]. Type species: *Pseudostrongylium semperi* Kraatz, 1880, by subsequent designation (Kaszab 1977b: 11). Status: junior synonym of *Lophocnemis* Mäklin, 1867 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 543).

Pseudotalpophila Reitter, 1900c: 95 [F]. Type species: *Thalpophila plicifrons* Wollaston, 1864, by subsequent designation (Gebien 1937a: 641). Status: valid subgenus of *Hegeter* Latreille, 1802 in Pimeliinae: Tentyriini.

Pseudothinobatis Bouchard & Bousquet, **new genus** [F]. Type species: *Thinobatis ohausi* Kulzer, 1956, by **present designation**. Status: valid genus in Pimeliinae: Epitragini. Note: Freude (1960b: 32) introduced the new genus name *Pseudothinobatis* for two nominal species, but unfortunately did not designate a type species; the genus *Pseudothinobatis*, which has been treated as valid since 1960, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Thinobatis ohausi* Kulzer, 1956 as type species and referring to Freude (1960b: 32) for the character states that characterise and differentiate *Pseudothinobatis*.

Pseudothryoneus Pic, 1921b: 12 [M]. Type species: *Pseudothryoneus bicoloripes* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pseudotocerus Champion, 1888: 383 [M]. Type species: *Stenochia longipes* P.H. Lucas, 1859, by subsequent designation (Gebien 1948: 542). Status: valid genus in Stenochiinae: Stenochiini.

Pseudotrichoplatyscelis Kaszab, 1960a: 83, 111 [F]. Type species: *Platynoscelis badakschanica* Kaszab, 1960 (= *Bioramix lapidicola* Kaszab, 1940), by original designation. Status: junior synonym of *Trichoplatyscelis* Reinig, 1931 in Blaptinae: Platyscelidini. Synonymy: Egorov (1990: 402). Note: we act as First Revisers and reject the alternative original spellings *Pseudotrichoplatynoscelis* and *Pseudotrichoplatycelis*, used by Kaszab (1960a: 82, 83).

Pseuduloma Fairmaire, 1893b: 27 [N]. Type species: *Pseuduloma cribricolle* Fairmaire, 1893 (= *Ulomimus indicus* Bates, 1873), by monotypy. Status: junior synonym of *Ulomimus* Bates, 1873 in Tenebrioninae: Ulomini. Synonymy: Gebien (1940: 770).

Pseuduroplatopsis Pic, 1913a: 16 [F]. Type species: *Borchmannia javana* Pic, 1913, by **present designation**. Status: valid subgenus of *Borchmannia* Pic, 1912 in Lagriinae: Lagriini: Statirina.

Psilachnopus Reitter, 1901: 161 [M]. Type species: *Psilachnopus cribratellus* Reitter, 1901, by monotypy. Status: junior synonym of *Philhammus* Fairmaire, 1871 in Pimeliinae: Cnemeplatiini: Cnemeplatiina. Synonymy: Gebien (1938a: 420), Löbl and Smetana (2010: 30).

Psilocastus Ardoin, 1963a: 149 [M]. Type species: *Psilocastus letestui* Ardoin, 1963, by original designation. Status: valid genus in Tenebrioninae: Amarygmini. Note: *Psilocastus* was used earlier by Ardoin (1962b: 970) without designation of a type species and is therefore unavailable from that date.

Psilolaena Heller, 1923: 70 [F]. Type species: *Psilolaena schusteri* Heller, 1923, by monotypy. Status: junior synonym of *Laena* Dejean, 1821 in Lagriinae: Laenini. Synonymy: Schawaller (2001b: 34).

Psilomera Motschulsky, 1870: 400 [F]. Type species: *Pelecyphorus angulatus* J.L. LeConte, 1851, by monotypy. Status: junior synonym of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini. Synonymy: Bousquet in Bousquet et al. (2018: 74).

Psilonesogena Bates, 1879a: 305 [F]. Type species: *Psilonesogena hybrida* Bates, 1879, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Psis Novák, 2019d: 71 [M]. Type species: *Psis nanensis* Novák, 2019, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Psoroderes Ardoin, 1962b: 969, 1017 [M]. Type species: *Psorodes hottentottus* Péringuey, 1899, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Psorodes Dejean, 1834: 189 [M]. Type species [automatic]: *Pimelia dentipes* Fabricius, 1787, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: replacement name for *Acanthomera* Latreille, 1828.

Psorophodes Ardoin, 1963a: 83 [F]. Type species: *Pimelia armata* Herbst, 1799, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini. Note: *Psorophodes* was used earlier by Ardoin (1962b: 969) without designation of a type species and is therefore unavailable from that date.

Psydocamaria Pic, 1923d: 17 [F]. Type species: *Psydocamaria robusta* Pic, 1923, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Psydomorphus Pic, 1921d: 24 [M]. Type species: *Psydomorphus diversipes* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Psydus Pascoe, 1868: xii [M]. Type species: *Psydus plantaris* Pascoe, 1868, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Pteraulus Solier, 1848: 152, 200 [M]. Type species: *Pteraulus sulcatipennis* Solier, 1848, by **present designation**. Status: junior synonym of *Helopinus* Solier, 1848 in Blaptinae: Pedinini: Helopinina. Synonymy: Koch (1958: 149).

Pterelaeus Gemminger in Gemminger and Harold, 1870: 1968 [M]. Type species [automatic]: *Pterohelaeus walkerii* Brême, 1842, by subsequent designation (Gebien 1940: 1069). Status: junior synonym of *Pterohelaeus* Brême, 1842 in Tenebrioninae: Heleini: Heleina. Note: unjustified emendation of *Pterohelaeus* Brême, 1842, not in prevailing usage.

Pterna Reitter, 1884: 249 [F]. Type species: *Ernocharis auricoma* Reitter, 1884, by monotypy. Status: valid subgenus of *Mycetochara* Guérin-Méneville, 1827 in Alleculinae: Alleculini: Mycetocharina. Note: as mentioned by Bousquet et al. (2015: 138) this name was originally proposed as a synonym of *Mycetochares* Latreille, 1829 but was used as valid subsequently and adopted as the name of a taxon (e.g., Seidlitz 1896: 132, 137) before 1961; therefore, it is available and dates from its publication as a synonym (ICZN 1999, Article 11.6.1).

Pterocoma Dejean, 1834: 178 [F]. Type species: *Pimelia piligera* Gebler, 1830, by monotypy. Status: valid genus and subgenus in Pimeliinae: Pimeliini.

Pterocomodes Reitter, 1901: 159 [M]. Type species: *Pterocomodes acutus* Reitter, 1901, by monotypy. Status: junior synonym of *Podhomala* Solier, 1836 in Pimeliinae: Pimeliini. Synonymy: Skopin (1962: 247).

Pteroctenus Kirsch, 1866: 193 [M]. Type species: *Pteroctenus pexus* Kirsch, 1866, by monotypy. Status: valid genus in Pimeliinae: Falsomycterini.

Pterodes Ardoin, 1963a: 97 [M]. Type species: *Hoplonyx asper* Péringuey, 1899, by original designation. Status: valid genus in Tenebrioninae: Amarygmini. Note: *Pterodes* was used earlier by Ardoin (1962: 970) without a type species designation and is therefore unavailable from that date.

Pteroglymmius Gebien, 1928: 219, 223 [M]. Type species: *Pteroglymmius erotyloides* Gebien, 1928, by monotypy. Status: junior synonym of *Isaminas* Champion, 1887 in Stenochiinae: Cnodalonini. Synonymy: Doyen (1988: 301).

Pterohelaeus Brême, 1842b: 17, 27 [M]. Type species: *Pterohelaeus walkerii* Brême, 1842, by subsequent designation (Gebien 1940: 1069). Status: valid genus in Tenebrioninae: Heleini: Heleina.

Pterolasia Solier, 1836: 9, 66 [F]. Type species: *Pterolasia squalida* Solier, 1836, by subsequent designation (Hope 1841: 118). Status: valid genus in Pimeliinae: Pimeliini.

Pteroselinus Kamiński, 2015a: 92, 94 [M]. Type species: *Opatrinus insularis* Mulsant & Rey, 1853, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Pterostichula Koch, 1952d: 224 [F]. Type species: *Pterostichula calathoides* Koch, 1952, by original designation. Status: valid genus and subgenus in Pimeliinae: Sepidiini: Oxurina.

Ptilonix Allard, 1877: 62 [M]. Type species: *Helops clavicrus* Marseul, 1876, by subsequent designation (Löbl et al. 2008a: 42). Status: junior synonym of *Misolampidius* Solsky, 1876 in Stenochiinae: Cnodalonini. Synonymy: Lewis (1894: 476).

Pubamarygmus Pic, 1915d: 8 [M]. Type species: *Pubamarygmus viridipennis* Pic, 1915, by subsequent designation (Gebien 1948: 510). Status: valid genus in Tenebrioninae: Amarygmini.

Pubeirosoma Pic, 1954: 257 [N]. Type species: *Isomira discoglabrata* Pic, 1954, by monotypy. Status: valid subgenus of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina.

Pulposipes Gemminger in Gemminger and Harold, 1870: 1974 [M]. Type species [automatic]: *Polposipus herculeanus* Solier, 1848, by original designation. Status: junior synonym of *Polposipus* Solier, 1848 in Stenochiinae: Cnodalonini. Note: unjustified emendation of *Polposipus* Solier, 1848, not in prevailing usage.

Pumiliofossorum Silvestro & Giraldo-Mendoza in Silvestro et al., 2015: 462, 470 [N]. Type species: *Pumiliofossorum moche* Silvestro & Flores, 2015, by original designation. Status: valid genus in Tenebrioninae: Scotobiini.

Punctacula Campbell, 1971: 112 [F]. Type species: *Punctacula howdeni* Campbell, 1971, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Pushtunillus G.S. Medvedev, 1995a: 855, 865 [M]. Type species: *Dichillus skopini* G.S. Medvedev & Kabakov, 1995, by original designation. Status: valid subgenus of *Dichillus* Jacquelin du Val, 1860 in Pimeliinae: Stenosini: Dichillina.

Pyanirygmus Pic, 1915d: 9 [M]. Type species: *Pyanirygmus corinthius* Pic, 1915, by monotypy. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Pyanisia Laporte, 1840: 235 [F]. Type species: *Helops undatus* Fabricius, 1792 (= *Erotylus nebulosus* Fabricius, 1781), by subsequent designation (Lacordaire 1859b: 476). Status: junior synonym of *Cymatothes* Dejean, 1834 in Tenebrioninae: Amarygmini. Synonymy: Chevrolat (1847b: 643).

Pycna Fairmaire, 1894d: 68 [F]. Type species: *Pycna aphodina* Fairmaire, 1894, by monotypy. Status: senior synonym of *Madagassa* Koch, 1950 in Phrenapatinae: Penetini. Note: redescribed as new by Fairmaire (1894b: 141); junior homonym of *Pycna* Amyot & Audinet-Serville, 1843 [Hemiptera].

Pycnocerus Westwood, 1841b: 67 [M]. Type species [automatic]: *Pachylocerus westermanni* Hope, 1841, by monotypy. Status: valid genus and subgenus in Lagriinae: Pycnocerini. Note: replacement name for *Pachylocerus* Hope, 1841.

Pycnochilus C.O. Waterhouse, 1879b: 263 [M]. Type species: *Pycnochilus advenus* C.O. Waterhouse, 1879, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Pycnomorpha Motschulsky, 1870: 398 [F]. Type species: *Pycnomorpha californica* Motschulsky, 1870, by monotypy. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Pycnonotida Casey, 1912: 75, 89 [F]. Type species: *Microschatia inaequalis* J.L. LeConte, 1851, by original designation. Status: junior synonym of *Microschatia* Solier, 1836 in Pimeliinae: Asidini. Synonymy: K.W. Brown and Doyen (1992: 546).

Pycnuloma Fairmaire, 1896c: 99 [N]. Type species: *Pycnuloma raffrayi* Fairmaire, 1896, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Pygidiphorus Mulsant, 1856b: [1, supplement] [M]. Type species: *Pygidiphorus caroli* Mulsant, 1856, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: included in a list of "Tenebrionidae *nomina dubia*" by Iwan et al. (2020: 475).

Pygmaeodes Koch, 1952d: 223 [M]. Type species: *Namibomodes rudebecki* Koch, 1952, by monotypy. Status: valid subgenus of *Palpomodes* Koch, 1952 in Pimeliinae: Sepidiini: Oxurina.

Pyres Champion, 1885: 100 [M]. Type species: *Pyres metallicus* Champion, 1885 (= *Centronopus speciosus* Pascoe, 1883), by subsequent designation (Gebien 1941: 336). Status: junior synonym of *Menechides* Motschulsky, 1872 in Tenebrioninae: Centronopini. Synonymy: Spilman (1962b: 3).

†*Pyrochalcaspis* Haupt, 1950: 113, 115 [F]. Type species: *Pyrochalcaspis giseltalensis* Haupt, 1950, by original designation. Status: valid genus in Stenochiinae: incertae sedis. Note: described from Middle Eocene deposits (Germany).

Pystelops Gozis, 1910: 103 [M]. Type species: *Helops meridianus* Mulsant, 1854, by original designation. Status: valid subgenus of *Stenomax* Allard, 1876 in Tenebrioninae: Helopini: Cylindrinotina.

Pythiopus Koch, 1953e: 245 [M]. Type species: *Pythiopus cornutipectus* Koch, 1953, by original designation. Status: valid genus in Blaptinae: Dendarini: Dendarina.

Pythonissus Gistel, 1834: 21 [M]. Type species: *Helops morio* Fabricius, 1777 (= *Tenebrio atratus* Fabricius, 1775), by subsequent designation (Bousquet and Bouchard 2017: 132). Status: junior synonym of *Zophobas* Dejean, 1834 in Tenebrioninae: Tenebrionini. Synonymy: Bousquet and Bouchard (2017: 132).

Quadrideres Koch, 1956a: 189 [M]. Type species: *Anchophthalmus scutatus* Gerstaecker, 1871, by original designation. Status: junior synonym of *Glyptopteryx* Gebien, 1910 in Blaptinae: Platynotini: Platynotina. Synonymy: Kamiński (2015a: 91).

Quadroncotus Koch, 1954a: 40 [M]. Type species: *Oncotus irrepertus* Koch, 1954, by original designation. Status: valid subgenus of *Oncotus* Blanchard, 1845 in Blaptinae: Platynotini: Eurynotina.

Raiboscelis Allard, 1876a: 5 [F]. Type species: *Helops corvinus* Küster, 1850, by subsequent designation (Gebien 1943: 415). Status: valid genus in Tenebrioninae: Helopini: Helopina. Note: nomen protectum (see Nabozhenko and Löbl 2009: 194); *Raiboscelis* is an incorrect subsequent spelling of the original spelling *Raibosceles* and is in prevailing usage; *Raiboscelis* is deemed to be the correct original spelling (ICZN 1999, Article 33.3.1), see Nabozhenko and Löbl (2009: 189).

Raptor Gistel, 1848a: ix, xi [M]. Type species [automatic]: *Melaphorus reichii* Guérin-Méneville, 1834, by monotypy. Status: junior synonym of *Melaphorus* Guérin-Méneville, 1834 in Pimeliinae: Evaniosomini. Note: unnecessary replacement name for *Melaphorus* Guérin-Méneville, 1834.

Rasphytus Kulzer, 1956a: 639 [M]. Type species: *Rasphytus freyi* Kulzer, 1956, by original designation. Status: valid subgenus of *Apentanodes* Reitter, 1914 in Pimeliinae: Erodiini.

Raynalius Chatanay, 1912a: 297 [M]. Type species: *Raynalius hispidus* Chatanay, 1912, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Rehumius Fairmaire, 1893b: 32 [M]. Type species: *Rehumius amplithorax* Fairmaire, 1893, by subsequent designation (Gebien 1942a: 312). Status: valid genus in Stenochiinae: Cnodalonini.

Reichardtiella Kaszab, 1942: 18 [F]. Type species: *Reichardtiella armata* Kaszab, 1942, by original designation. Status: senior synonym of *Reichardtiellina* Kaszab, 1982 in Blaptinae: Opatrini: Opatrina. Note: junior homonym of *Reichardtiella* Filipjev, 1928 [Lepidoptera].

Reichardtiellina Kaszab, 1982c: 79 [F]. Type species [automatic]: *Reichardtiella armata* Kaszab, 1942, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina. Note: replacement name for *Reichardtiella* Kaszab, 1942 (as "*Reichardtia* Kaszab, 1940"; see Iwan and Löbl 2007: 735).

Reichenspergeria Wasmann, 1921: 18, 19 [F]. Type species: *Reichenspergeria aurocincta* Wasmann, 1921, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Reitterella Semenov, 1891: 362 [F]. Type species: *Reitterella fusiformis* Semenov, 1891, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Dichillina.

Reitterellus Escalera, 1944: 91 [M]. Type species: *Dendarus depressus* Reitter, 1915, by monotypy. Status: junior synonym of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina. Synonymy: Español (1961a: 44).

Reitterohelops Skopin, 1960b: 308, 309 [M]. Type species: *Zophohelops lazarus* Reitter, 1922, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Reminius Casey, 1924: 321 [M]. Type species: *Reminius ocularis* Casey, 1924 (= *Tenebrio terminatus* Say, 1824), by original designation. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Spilman (1959: 63).

Remipedella Semenov-Tjan-Shansky, 1907b: 257 [F]. Type species: *Remipedella deserti* Semenov-Tjan-Shansky, 1907, by monotypy. Status: valid genus in Blaptinae: Blaptini: Remipedellina.

Renatiella Koch, 1944b: 155 [F]. Type species: *Macropoda reticulata* Gerstaecker, 1854, by monotypy. Status: valid genus in Pimeliinae: Adesmiini. Note: the First Reviser (*Renatiella* Koch, 1944 versus *Spongesmima* Koch, 1944) is Penrith (1979: 27).

Renefouqueosis Aalbu, Smith, Kanda & Bouchard, 2017: 314 [F]. Type species: *Renefouqueosis peruviensis* Aalbu, Smith, Kanda & Bouchard, 2017, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Rhacius Champion, 1885: 120 [M]. Type species: *Rhacius sulcatulus* Champion, 1885, by subsequent designation (Gebien 1941: 805). Status: junior synonym of *Adelonia* Laporte, 1840 in Lagriinae: Belopini. Synonymy: Spilman (1961: 50).

Rhacolaena Kaszab, 1979b: 299 [F]. Type species: *Rhacolaena tarsalis* Kaszab, 1979, by original designation. Status: valid genus in Lagriinae: Laenini.

Rhaebosceles Rye, 1878: 69 [F]. Type species [automatic]: *Helops corvinus* Küster, 1850, by subsequent designation (Gebien 1943: 415). Status: junior synonym of *Raiboscelis* Allard, 1876 in Tenebrioninae: Helopini: Helopina. Note: unjustified emendation of *Raiboscelis* Allard, 1876, not in prevailing usage.

Rhagostira Borchmann, 1936: 238, 468 [F]. Type species: *Rhagostira collarti* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Rhaibodera Borchmann, 1921: 217, 219 [F]. Type species: *Rhaibodera pachycera* Borchmann, 1921 (= *Statira eurydera* Champion, 1917), by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Rhaibogria Borchmann, 1936: 17, 144 [F]. Type species: *Lagria ampla* Fairmaire, 1887, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Rhammatodes Haag-Rutenberg, 1876: 83 [M]. Type species: *Rhammatodes longicornis* Haag-Rutenberg, 1876, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini. Note: the First Reviser (*Rhammatodes* Haag-Rutenberg, 1876 versus *Euleantus* Haag-Rutenberg, 1876) is Koch (1952a: 133).

Rhicnodus Fairmaire, 1892f: 87 [M]. Type species: *Rhicnodus asper* Fairmaire, 1892, by subsequent designation (R. Lucas 1920: 568). Status: junior synonym of *Chaetyllus* Pascoe, 1860 in Lagriinae: Laenini. Synonymy: Ardoin (1969b: 126), Kaszab (1983a: 132).

Rhinandrus J.L. LeConte, 1866b: 119 [M]. Type species: *Rhinandrus gracilis* J.L. LeConte, 1866, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Rhinobarus Reitter, 1906b: 131 [M]. Type species: *Cistela sulphuripes* Germar, 1823, by subsequent designation (Iablokoff-Khnzorian 1983: 133). Status: valid subgenus of *Cteniopus* Solier, 1835 in Alleculinae: Cteniopodini.

†*Rhinohelaeites* Haupt, 1950: 115, 140 [M]. Type species: *Rhinohelaeites longipes* Haupt, 1950, by original designation. Status: valid genus in Tenebrionidae: incertae sedis. Note: described from Middle Eocene deposits (Germany); this genus was previously considered to be "definitely not a tenebrionid" by Watt (1975: 389) but is included here following Nabozhenko (2019: 8).

Rhipidandrus J.L. LeConte, 1862: 236 [M]. Type species: *Xylotinus flabellicornis* Sturm, 1826 (= *Melolontha paradoxa* Palisot de Beauvois, 1818), by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Rhipidonyx Reitter, 1876b: 304 [M]. Type species: *Rhipidonyx adustus* Reitter, 1876, by monotypy. Status: valid genus in Alleculinae: incertae sedis. Note: taxon originally described in Mycetophagidae, transferred to Tenebrionidae by Lawrence et al. (2014: 209).

Rhizalemus Reitter, 1904: 79 [M]. Type species: *Dendarus reitteri* Seidlitz, 1893, by subsequent designation (Chatzimanolis and Löbl 2003: 260). Status: valid subgenus of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina.

Rhizalus Gebien, 1938a: 303 [M]. Type species [automatic]: *Opatrum piceum* G.-A. Olivier, 1812, by monotypy. Status: junior synonym of *Rizalus* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Dendarina. Note: unjustified emendation of *Rizalus* Mulsant & Rey, 1854, not in prevailing usage.

Rhizoblaps Motschulsky, 1860c: 532 [F]. Type species: *Blaps pruinosa* Faldermann, 1833, by subsequent designation (Nabozhenko 2008: 36). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860)

Rhomaleus Chatanay, 1915b: 64 [M]. Type species: *Rhomaleus scauroides* Chatanay, 1915, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Rhopalobates Fairmaire, 1897c: 230 [M]. Type species: *Rhopalobates villardi* Fairmaire, 1897, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Rhophobas Motschulsky, 1872: 36 [M]. Type species: *Rhophobas asperatus* Motschulsky, 1872, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: we act as First Revisers and reject the alternative original spelling *Rophobas*, used by Motschulsky (1872: 26).

Rhosaces Champion, 1889: 73 [M]. Type species: *Rhosaces clavipes* Champion, 1889, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Rhostax Fischer von Waldheim, 1844: 67 [M]. Type species: *Rhostax menetriesii* Fischer von Waldheim, 1844 (= *Microdera gracilis* Eschscholtz, 1831), by subsequent designation (G.S. Medvedev 1990: 109). Status: junior synonym of *Microdera* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Kraatz (1865: 184).

Rhydimorpha Koch, 1943b: 768, 863 [F]. Type species: *Tentyria subfossulata* Solier, 1835, by monotypy. Status: valid subgenus of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: we act as First Revisers and reject the alternative original spelling *Rhytimorpha*, used by Koch (1943b: 888), since *Rhytimorpha* Szépligeti, 1901 is available in Hymenoptera.

Rhypasma Pascoe, 1862: 325 [N]. Type species: *Rhypasma pusillum* Pascoe, 1862, by monotypy. Status: valid genus in Lagriinae: Belopini.

Rhysodina Wasmann, 1921: 16 [F]. Type species [automatic]: *Rhyzodina mniszechii* Chevrolat, 1873, by monotypy. Status: junior synonym of *Rhyzodina* Chevrolat, 1873 in Tenebrioninae: Rhysopaussini. Note: unjustified emendation of *Rhyzodina* Chevrolat, 1873, not in prevailing usage.

Rhysopaussus Wasmann, 1896: 616 [M]. Type species: *Rhysopaussus dohertyi* Wasmann, 1896, by monotypy. Status: valid genus in Tenebrioninae: Rhysopaussini.

Rhytidonota Agassiz, 1846b: 327 [F]. Type species [automatic]: *Rhytinota scabriuscula* Eschscholtz, 1831, by subsequent designation (Chevrolat 1848: 279, as "*Rytinota*"). Status: junior synonym of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Rhytinota* Eschscholtz, 1831 (as "*Rytinota*"), not in prevailing usage.

Rhytinopsis Bouchard & Bousquet, **new subgenus** [F]. Type species: *Rhytinota fossulata* Kraatz, 1880, by **present designation**. Status: valid subgenus of *Thalpophilodes* Strand, 1942, in Pimeliinae: Tentyriini. Note: Koch (1943b: 774, 870)

introduced the new subgenus name *Rhytinopsis* for several nominal species, but unfortunately did not designate a type species; the subgenus *Rhytinopsis*, which has been treated as valid since 1943, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Rhytinota fossulata* Kraatz, 1880 as type species and referring to Koch (1943b: 774, 870) for the character states that characterise and differentiate *Rhytinopsis*.

Rhytinota Eschscholtz, 1831: 5, 7 [F]. Type species: *Rhytinota scabriuscula* Eschscholtz, 1831, by subsequent designation (Chevrolat 1848: 279). Status: valid genus and subgenus in Pimeliinae: Tentyriini. Note: this name is an unjustified emendation of the original spelling *Rytinota*, introduced by Chevrolat (1848: 279), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1).

Rhytistena Bouchard & Bousquet, **new subgenus** [F]. Type species: *Rhytistena gridelli* Koch, 1943, by **present designation**. Status: valid subgenus of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: Koch (1943b: 769) introduced the new subgenus name *Rhytistena* (also spelled *Rhytisten* on page 888 of the same work) for several nominal species, but unfortunately did not designate a type species; the subgenus *Rhytistena*, which has been treated as valid since 1943, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Rhytistena gridelli* Koch, 1943 as type species and referring to Koch (1943b: 769) for the character states that characterise and differentiate *Rhytistena*.

Rhyzodina Chevrolat, 1873: 208 [F]. Type species: *Rhyzodina mniszechii* Chevrolat, 1873, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Rhysopaussini.

Ripicolodes Koch, 1952d: 225, 230 [M]. Type species: *Pterostichula misanthropa* Koch, 1952, by original designation. Status: valid subgenus of *Pterostichula* Koch, 1952 in Pimeliinae: Sepidiini: Oxurina.

Rizalus Mulsant & Rey, 1854: 104 [M]. Type species: *Opatrum piceum* G.-A. Olivier, 1812, by monotypy. Status: valid subgenus of *Dendarus* Dejean, 1821 in Blaptinae: Dendarini: Dendarina.

Robustocamaria Pic, 1922b: 25 [F]. Type species: *Camaria fortipes* Pic, 1922, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Robustosora Pic, 1954: 232 [F]. Type species: *Robustosora freynei* Pic, 1954, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Rondoniella Kaszab, 1970c: 112 [F]. Type species: *Rondoniella costata* Kaszab, 1970, by original designation. Status: valid genus in Pimeliinae: Cnemeplatiini: Rondoniellina.

Rouyerus Pic, 1911b: 3 [M]. Type species: *Rouyerus bimaculatus* Pic, 1911, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Rozonia Fairmaire, 1888a: 184 [F]. Type species: *Rozonia strigicollis* Fairmaire, 1888, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Ruandania Pic, 1955: 182 [F]. Type species: *Ruandania rufescens* Pic, 1955, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Rues Casey, 1891: 66 [M]. Type species: *Helops ovipennis* Casey, 1890, by monotypy. Status: junior synonym of *Adelium* W. Kirby, 1819 in Lagriinae: Adeliini. Synonymy: Spilman (1959: 63). Note: as pointed out by Spilman (1959: 63) the type species, which was erroneously described from the United States of America, is in fact Australiana.

Rugasida Escalera, 1922b: 65 [F]. Type species: *Asida reticulata* Solier, 1836, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Asida* Latreille, 1802 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 291).

Rugoplatynotus Kaszab, 1975b: 281, 288 [M]. Type species: *Pseudoblaps andrewesii* Fairmaire, 1896, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Rugosiheliofugus Freude, 1960a: 125, 128 [M]. Type species: *Heliophygus sulcatulus* Gemminger, 1870, by original designation. Status: valid subgenus of *Heliofugus* Guérin-Méneville, 1831 in Stenochiinae: Cnodalonini.

Rhyssochiton Gray in Griffith and Pidgeon, 1831: pl. 50 [M]. Type species: *Rhyssochiton politus* Gray, 1831, by monotypy. Status: junior synonym of *Blapida* Perty, 1830 in Stenochiinae: Cnodalonini. Synonymy: Lacordaire (1859b: 425). Note: two spellings originally appeared in plates of the same work, *Ryssocheton* (Gray in Griffith and Pidgeon, 1831: pl. 50) and *Rhyssochiton* (Gray in Griffith and Pidgeon, 1831: pl. 69); the third spelling *Ryssochiton* was also used in the "Index for plates" of Volume 15 of the same work (Gray in Griffith and Pidgeon, 1832: 793); we act as First Revisers and select the alternative original spelling *Rhyssochiton*.

Sabularius Escalera, 1914: 353 [M]. Type species: *Helops fossor* Escalera, 1914, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Sabulophosis Penrith, 1977: 19, 227 [F]. Type species: *Zophosis gaerdesi* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Saccophorella Strand, 1935b: 303 [F]. Type species [automatic]: *Saccophorus crenulatus* Haag-Rutenberg, 1872, by monotypy. Status: junior synonym of *Horatoma* Solier, 1841 in Pimeliinae: Cryptochilini: Cryptochilina. Note: replacement name for *Saccophorus* Haag-Rutenberg, 1872.

Saccophorus Haag-Rutenberg, 1872: 274, 303 [M]. Type species: *Saccophorus crenulatus* Haag-Rutenberg, 1872, by monotypy. Status: junior synonym of *Horatoma* Solier, 1841 in Pimeliinae: Cryptochilini: Cryptochilina. Synonymy: Penrith and Endrödy-Younga (1994: 10). Note: junior homonym of *Saccophorus* Kuhl, 1820 [Mammalia].

Sadanaria Ando & Ichiyanagi, 2009: 80 [F]. Type species: *Sadanaria sakaii* Ando & Ichiyanagi, 2009, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Saeculum Kamiński, Kanda & Smith, 2021: 196 [N]. Type species: *Saeculum zoologicum* Kamiński, Kanda & Smith, 2021, by original designation. Status: valid genus in Pimeliinae: Asidini.

Saerangodes Sturm, 1843: 163 [M]. Type species: *Helops interpunctatus* Germar, 1823, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Blanchard (1845: 33, with *Stenochia* W. Kirby, 1819, a synonym of *Styrongylium* W. Kirby, 1819).

Saharoplarion Koch, 1948: 431 [N]. Type species: *Micrositus compactus* Fairmaire, 1880, by original designation. Status: valid subgenus of *Hoplarion* Mulsant & Rey, 1854 in Blaptinae: Dendarini: Melambiina.

Saitostrongylium Masumoto, 1996a: 34 [N]. Type species: *Saitostrongylium acco* Masumoto, 1996, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Sakaiomenimus Ando, 2003b: 135 [M]. Type species: *Sakaiomenimus todai* Ando, 2003, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Salax Guérin-Méneville, 1834: 11 [M]. Type species: *Salax lacordairii* Guérin-Méneville, 1834, by monotypy. Status: valid genus in Pimeliinae: Trilobocarini.

Saptine Champion, 1886: 180 [F]. Type species: *Saptine ovata* Champion, 1886, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Sarachus Gistel, 1848a: viii [M]. Type species [automatic]: *Adesmia longipes* Fischer, 1822 (= *Pimelia anomala* Fischer, 1820), by monotypy. Status: junior synonym of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini. Note: unnecessary replacement name for *Adesmia* Fischer, 1822.

Saragella Carter, 1937: 136 [F]. Type species: *Saragella palpalis* Carter, 1937, by monotypy. Status: junior synonym of *Dysarchus* Pascoe, 1866 in Tenebrioninae: Heleini: Heleina. Synonymy: Matthews (1993: 1059).

Saragodinus Bates, 1872b: 269 [M]. Type species: *Saragodinus duboulayi* Bates, 1872, by subsequent designation (R. Lucas 1920: 579). Status: junior synonym of *Dysarchus* Pascoe, 1866 in Tenebrioninae: Heleini: Heleina. Synonymy: Carter (1921: 307).

Saragus Erichson, 1842a: 171 [M]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Celibe costata* Solier, 1848, misidentified as *Silpha laevicollis* Fabricius, 1775 in the original designation by monotypy in Erichson (1842a). Status: valid genus in Tenebrioninae: Heleini: Heleina. Note: the type species "*Silpha laevicollis* Fabricius" was first established by monotypy; Schaum (1850: 183) first noted that *Silpha laevicollis* Fabricius of Erichson (1842a) was misidentified and corresponded to *Celibe costata* Solier, 1848 (as "*Cilibe costatus*"); we follow currently accepted concepts (e.g., Matthews and Bouchard 2008: 310) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Silpha laevicollis* Fabricius, 1775 is a valid species in the genus *Boreosaragus* Matthews, 1993 [Coleoptera: Tenebrionidae].

Sarandonyx Gozis, 1881: 151 [M]. Type species [automatic]: *Chrysomela sulphurea* Linnaeus, 1758, by subsequent designation (Westwood 1838: 32). Status: junior synonym of *Cteniopus* Solier, 1835 in Alleculinae: Cteniopodini. Note: unnecessary replacement name for *Cteniopus* Solier, 1835.

Sarothropus Kraatz, 1865: 268 [M]. Type species: *Akis depressa* Zoubkoff, 1837, by monotypy. Status: valid genus in Pimeliinae: Akidini.

Satanocalcar Pic, 1925b: 9 [N]. Type species: *Satanocalcar cornutum* Pic, 1925, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Saxistena Löbl & Merkl in Löbl et al., 2020: 3 [F]. Type species: *Mesostena longicornis* Kraatz, 1865, by original designation. Status: valid subgenus of *Mesostena* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Note: name first proposed by Koch (1940c: 65) without fixation of a type species in the original publication (ICZN 1999, Article 13.3); Löbl and Merkl (2003: 252) designated *Mesostena longicornis* Kraatz, 1865 as the type species of Koch's name but did not explicitly indicate the genus-group name as intentionally new (ICZN 1999, Article 16.1).

Saziches Champion, 1886: 261 [M]. Type species: *Saziches subcaudatus* Champion, 1886, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Scaletomerus Blackburn, 1891: 330 [M]. Type species: *Scaletomerus harpaloides* Blackburn, 1891 (= *Cistela politus* W.J. MacLeay, 1872), by subsequent designation (R. Lucas 1920: 580). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Scaphidema Redtenbacher, 1848: 591 [F]. Type species: *Scaphidium bicolor* Fabricius, 1798, by monotypy. Status: valid genus in Diaperinae: Scaphidemini. Note: see Kerzhner (2003: 322) and Löbl and Smetana (2010: 34) for comments on the gender of this name.

Scaphinion Matthews, 2012: 2 [M]. Type species: *Scaphinion clavatus* Matthews, 2012, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Scaptes Champion, 1886: 222 [M]. Type species: *Scaptes squamulatus* Champion, 1886 (= *Asida tropica* Kirsch, 1866), by subsequent designation (Bousquet et al. 2018: 194). Status: junior synonym of *Ammodonus* Mulsant, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Fall (1912: 48).

Scauris Rafinesque, 1815: 113 [F]. Type species [automatic]: *Scaurus atratus* Fabricius, 1775, by monotypy. Status: junior synonym of *Scaurus* Fabricius, 1775 in Tenebrioninae: Scaurini. Note: unjustified emendation of *Scaurus* Fabricius, 1775, not in prevailing usage.

Scaurus Fabricius, 1775: 253 [M]. Type species: *Scaurus atratus* Fabricius, 1775, by monotypy. Status: valid genus in Tenebrioninae: Scaurini.

Scelace Marseul, 1887: 325 [F]. Type species: *Pimelia tuberculifera* P.H. Lucas, 1858, by subsequent designation (Bouchard and Bousquet 2020b: 7). Status: valid genus in Pimeliinae: Pimeliini. Note: *Scelace* was published by Marseul on June 9, 1887 while its junior synonym *Pachyscelodes* was published by Sénac (1887: 189) on August 15 of the same year.

Sceleodis Gemminger in Gemminger and Harold, 1870: 1836 [M]. Type species [automatic]: *Cratopus castaneus* Eschscholtz, 1831, by monotypy. Status: junior synonym of *Scelosodis* Solier, 1835 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Scelosodis* Solier, 1835, not in prevailing usage.

Sceleoides Agassiz, 1846b: 333 [M]. Type species [automatic]: *Cratopus castaneus* Eschscholtz, 1831, by monotypy. Status: junior synonym of *Scelosodis* Solier, 1835 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Scelosodis* Solier, 1835, not in prevailing usage.

Scelidospecta Kulzer, 1954b: 204 [F]. Type species: *Entomoderes lobatus* Burmeister, 1875, by original designation. Status: valid genus in Pimeliinae: Nycteliini. Note: *Scelidospecta* is an incorrect subsequent spelling of the original name *Scelidopsecta* in prevailing usage and attributed to the publication of the original spelling; *Scelidospecta* is treated as the correct original spelling (ICZN 1999, Article 33.3.1).

Scelocolpis Reitter, 1900c: 105 [M]. Type species: *Colposcelis damone* Reitter, 1900, by subsequent designation (G.S. Medvedev 1990: 64). Status: valid subgenus of *Colposcelis* Dejean, 1834 in Pimeliinae: Tentyriini.

Scelosodis Solier, 1835b: 253, 283 [M]. Type species [automatic]: *Cratopus castaneus* Eschscholtz, 1831, by monotypy. Status: valid genus in Pimeliinae: Tentyriini. Note: replacement name for *Cratopus* Eschscholtz, 1831.

Schedarosus Reitter, 1876a: 42 [M]. Type species: *Schedarosus cucujiformis* Reitter, 1876 (= *Pytho pallidus* Say, 1823), by subsequent designation (Löbl et al. 2008a: 42). Status: junior synonym of *Adelina* Dejean, 1835 in Diaperinae: Diaperini: Adelinina. Synonymy: Champion (1886: 157, with *Doliema* Pascoe, 1860, a junior synonym of *Adelina* Dejean, 1835).

Schelodontes Koch, 1956a: 81 [M]. Type species: *Trigonopus immundus* Mulsant & Rey, 1853, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Schevodera Borchmann, 1936: 16, 59 [F]. Type species: *Lagria hirticollis* Borchmann, 1911, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Schevogria Borchmann, 1936: 20, 164 [F]. Type species: *Schevogria methneri* Borchmann, 1936, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Schizaraeus Kulzer, 1955b: 479 [M]. Type species: *Schizaraeus acuticosta* Kulzer, 1955, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Schizillus Horn, 1874: 33 [M]. Type species: *Schizillus laticeps* Horn, 1874, by monotypy. Status: valid genus in Pimeliinae: Cryptoglossini.

Schizillus Wasmann, 1899a: 166 [M]. Type species: *Schizillus rogersi* Wasmann, 1899, by monotypy. Status: junior synonym of *Pseudethas* Fairmaire, 1896 in Pimeliinae: Stenosini: Dichillina. Synonymy: Gebien (1937a: 679). Note: junior homonym of *Schizillus* Horn, 1874 [Coleoptera: Tenebrionidae: Pimeliinae: Cryptoglossini].

Schizomma Gebien, 1921a: 325, 392 [N]. Type species: *Schizomma cucumericola* Gebien, 1921, by original designation. Status: senior synonym of *Diachoriops* Ando, 2020 in Stenochiinae: Cnodalonini. Note: junior homonym of *Schizomma* Ehrenberg, 1861 [Protista].

Schizophthalmotribolium Kaszab, 1940c: 173 [N]. Type species: *Schizophthalmotribolium australiae* Kaszab, 1940, by original designation. Status: junior synonym of *Paratoxicum* Champion, 1894 in Tenebrioninae: Tenebrionini. Synonymy: Matthews (2004: 261).

Schlinkus R. Lucas, 1920: 584 [M]. Type species [automatic]: *Cyphonotus dromedarius* Guérin-Méneville, 1831, by monotypy. Status: junior synonym of *Homocyrtus* Dejean, 1834 in Tenebrionidae: incertae sedis. Synonymy: Gebien (1948: 514). Note: replacement name for *Cyphonotus* Guérin-Méneville, 1831.

Schoenicus J.L. LeConte, 1866b: 109 [M]. Type species: *Schoenicus puberulus* J.L. LeConte, 1866, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Schoeniphegoneus Freude, 1968: 99 [M]. Type species: *Epitragus semicastaneus* Curtis, 1845, by original designation. Status: valid subgenus of *Phegoneus* Casey, 1907 in Pimeliinae: Epitragini.

Schusteriella Koch, 1940b: 745, 746 [F]. Type species: *Stenosis ruficornis* Reitter, 1886, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Schweinfurthia Andres in Kneucker, 1922: 26 [F]. Type species: *Schweinfurthia sinaitica* Andres, 1922, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Schyzoschelus Koch, 1954a: 72 [M]. Type species: *Schyzoschelus kaszabi* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Sciaca Solier, 1835b: 408 [F]. Type species: *Hylithus disctinctus* Solier, 1835, by **present designation**. Status: junior synonym of *Hylithus* Guérin-Méneville, 1834 in Pimeliinae: Edrotini. Synonymy: Chevrolat (1848: 423). Note: the name *Sciaca* was originally listed as synonym of *Hylithus* Guérin-Méneville, 1834; it was treated before 1961 as an available name and adopted as the name of a taxon (e.g., Dejean 1836: 204), *Sciaca* was therefore made available from its first publication as a synonym (ICZN 1999, Article 11.6.1).

Sciophagus Sharp in Blackburn and Sharp, 1885: 167 [M]. Type species: *Uloma pandanicola* Boisduval, 1835, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Scleroides Fairmaire, 1883a: 32 [M]. Type species: *Scleroides pluricostatus* Fairmaire, 1883, by monotypy. Status: valid genus in Blaptinae: Opatrini: incertae sedis. Note: placed in Opatrini incertae sedis by Kamiński et al. (2021b: 151).

Scleron Hope, 1841: 111 [N]. Type species: *Opatrum orientale* Fabricius, 1775, by original designation. Status: junior synonym of *Sclerum* Dejean, 1834 in Blaptinae: Opatrini: Sclerina. Synonymy: Erichson (1842b: 237); Bouchard et al. (2005: 511).

Scleronimon Reitter, 1904: 127 [M]. Type species: *Eurycaulus granulatus* Reitter, 1904, by subsequent designation (Löbl and Merkl 2003: 249). Status: junior synonym of *Eurycaulus* Fairmaire, 1868 in Blaptinae: Opatrini: Sclerina. Synonymy: Grimm (2005: 9).

Scleronopsis Koch, 1935: 86, 87 [F]. Type species: *Scleron hirsutus* Miller, 1861, by monotypy. Status: junior synonym of *Eurycaulus* Fairmaire, 1868 in Blaptinae: Opatrini: Sclerina. Synonymy: Grimm (2005: 9).

Scleropatroides Löbl & Merkl, 2003: 250 [M]. Type species: *Opatrum hirtulum* Baudi di Selve, 1876, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Scleropatrum Reitter, 1887a: 388 [N]. Type species: *Scleropatrum tuberculatum* Reitter, 1887, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Sclerum Dejean, 1834: 193 [N]. Type species: *Opatrum orientale* Fabricius, 1775, by subsequent designation (Hope 1841: 110). Status: valid genus in Blaptinae: Opatrini: Sclerina.

Scolytocaulus Fairmaire, 1896c: 98 [M]. Type species: *Scolytocaulus bouchardi* Fairmaire, 1896, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Scopulophosis Penrith, 1977: 19, 215 [F]. Type species: *Zophosis cacozela* Koch, 1958, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Scotaeus Hope, 1834: 14 [M]. Type species: *Scotaeus corallipes* Hope, 1834, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Scotera Motschulsky, 1845b: 365 [F]. Type species: *Scotera gibbosa* Motschulsky, 1845, by monotypy. Status: junior synonym of *Cibdelis* Mannerheim, 1843 in Stenochiinae: Cnodalonini. Synonymy: Motschulsky (1845b: 365). Note: as pointed out by Bousquet et al. (2018: 296) the generic name *Scotera* and the specific name *gibbosa*, proposed as synonyms of *Cibdelis blaschkii* by Motschulsky (1845b: 365, 366), are available from Motschulsky's work (ICZN 1999, Article 11.6.1) because they were treated as valid names before 1961 (e.g., Chevrolat 1848: 454).

Scotinesthes Fairmaire, 1895a: 19 [F]. Type species: *Scotinesthes acuticosta* Fairmaire, 1895, by subsequent designation (Gebien 1937a: 741). Status: valid genus in Pimeliinae: Asidini.

Scotinus W. Kirby, 1819a: 415 [M]. Type species: *Scotinus crenicollis* W. Kirby, 1819, by monotypy. Status: valid genus in Pimeliinae: Asidini.

Scotobaenus J.L. LeConte, 1859: 87 [M]. Type species: *Scotobaenus parallelus* J.L. LeConte, 1859, by monotypy. Status: valid genus in Tenebrioninae: Centronopini.

Scotobates Rye, 1877: 341 [M]. Type species: *Helops calcaratus* Fabricius, 1798, by subsequent designation (R. Lucas 1920: 587). Status: junior synonym of *Menechides* Motschulsky, 1872 in Tenebrioninae: Centronopini. Synonymy: R. Lucas (1920: 587). Note: see Spilman (1962b: 2–3) regarding availability of this genus name; *Scotobates* was used earlier by Horn (1876a: 151) without a description, a definition, or an indication (ICZN 1999, Article 12.1) and is therefore unavailable from that date.

Scotobiopsis Brèthes, 1910: 207 [F]. Type species: *Scotobiopsis breyeri* Brèthes, 1910, by monotypy. Status: valid genus in Alleculinae: Alleculini: Xystropodina.

Scotobius Germar, 1823: 135 [M]. Type species: *Scotobius pilularius* Germar, 1823, by subsequent designation (Lacordaire 1830a: 282). Status: valid genus in Tenebrioninae: Scotobiini.

Scotochares Boheman, 1858: 95 [M]. Type species: *Scotochares insularis* Boheman, 1858, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Scotoderus Perroud & Montrouzier, 1865: 114 [M]. Type species: *Scotoderus cancellatus* Perroud & Montrouzier, 1865 (= *Tenebrio cancellatus* Montrouzier, 1860), by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Scutopiloxys Pic, 1924b: 13 [M]. Type species: *Scutopiloxys perroti* Pic, 1924, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Scymena Pascoe, 1866a: 455 [F]. Type species: *Scymena variabilis* Pascoe, 1866, by original designation. Status: valid genus in Blaptinae: Opatrini: Heterotarsina.

Scythis Schaum in Kraatz, 1865: 80, 102 [F]. Type species: *Tentyria macrocephala* Tauscher, 1812, by subsequent designation (Gebien 1937a: 622). Status: valid genus in Pimeliinae: Tentyriini.

Scythodonta Reitter, 1897a: 300 [F]. Type species: *Scythis humeridens* Reitter, 1887, by monotypy. Status: junior synonym of *Scytosoma* Reitter, 1895 in Pimeliinae: Tentyriini. Synonymy: Skopin (1979: 171).

Scytosoma Reitter, 1895: 281 [N]. Type species: *Scytosoma arcibasis* Reitter, 1895 (= *Tentyria pygmaea* Gebler, 1832), by subsequent designation (Gebien 1937a: 622). Status: valid genus in Pimeliinae: Tentyriini. Note: redescribed as new by Reitter (1897a: 299).

Sebastianus Iwan, 1996: 385, 416 [M]. Type species: *Melanocratus major* Fairmaire, 1899, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Sechuranus Flores & Giraldo-Mendoza in Giraldo-Mendoza and Flores, 2019: 93 [M]. Type species: *Prohylithus barbatus* Kaszab, 1964, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Seidlitzellus Reitter, 1920b: 221 [M]. Type species [automatic]: *Anisocerus tristis* Faldermann, 1837, by monotypy. Status: junior synonym of *Ceratanisus* Gemminger, 1870 in Pimeliinae: Ceratanisini. Note: unnecessary replacement name for *Anisocerus* Faldermann, 1837, a senior synonym of *Ceratanisus* Gemminger, 1870.

Seirotrana Pascoe, 1866a: 483 [F]. Type species: *Adelium catenulatum* Boisduval, 1835, by original designation. Status: valid genus in Lagriinae: Adeliini.

Selenomma Dejean, 1836: 203 [F]. Type species [automatic]: *Ammophorus peruvianus* Guérin-Méneville, 1831, by monotypy. Status: junior synonym of *Ammophorus* Guérin-Méneville, 1831 in Tenebrioninae: Scotobiini. Note: unnecessary replacement name for *Ammophorus* Guérin-Méneville, 1831.

Selenepistoma Dejean, 1834: 190 [N]. Type species: *Opatrum acutum* Wiedemann, 1823, by subsequent designation (Bousquet and Bouchard 2013a: 50). Status: valid genus in Blaptinae: Dendarini: Melambiina.

Selinopodus Koch, 1956a: 79 [M]. Type species: *Selinopodus giganteus* Koch, 1956, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Selinus Mulsant & Rey, 1853b: 70, 97 [M]. Type species: *Opatrum planum* Fabricius, 1792, by subsequent designation (Cazurro Ruiz 1896: 963). Status: valid genus in Blaptinae: Platynotini: Platynotina.

Sellio Mulsant & Rey, 1859a: 70, 105 [M]. Type species: *Blaps tibidens* Quensel, 1806, by subsequent designation (Gebien 1938a: 407). Status: junior synonym of *Diastolinus* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Blapstinina. Synonymy: Ivie and Hart (2016: 468).

Semenovonymus Bogatchev, 1946: 391 [M]. Type species: *Semenovonymus tenuis* Bogatchev, 1946, by monotypy. Status: junior synonym of *Scythis* Kraatz, 1865 in Pimeliinae: Tentyriini. Synonymy: G.S. Medvedev (1990: 101).

Semieutochia Kaszab, 1980a: 187 [F]. Type species: *Semieutochia ooidea* Kaszab, 1980, by original designation. Status: valid genus in Tenebrioninae: Ulomini. Note: *Semieutochia* was used earlier by Kaszab (1979a: 91) without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1) and is therefore unavailable from that date.

Seorsophloeus Bremer, 1998: 10, 12 [M]. Type species: *Corticeus birmanicus* Blair, 1921, by original designation. Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Seorsoplonyx Bremer, 2010: 144, 156 [M]. Type species: *Seorsoplonyx antennatus* Bremer, 2010, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Sepedonastes Gistel, 1856: 382 [M]. Type species: *Tenebrio bimaculatus* Herbst, 1799 (= *Dytiscus bimaculatus* Linnaeus, 1767), by subsequent designation (Bouchard et al. 2005: 501). Status: junior synonym of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini. Synonymy: Bouchard et al. (2005: 513).

Sepidiacis Fairmaire, 1884c: cxlvi [F]. Type species: *Sepidiacis compressa* Fairmaire, 1884, by subsequent designation (W.F. Kirby 1885b: 83). Status: junior synonym of *Sepidiostenus* Fairmaire, 1884 in Pimeliinae: Sepidiini: Sepidiina. Synonymy: Gestro (1892: 775). Note: redescribed as new by Fairmaire (1887a: 185).

Sepidiopsis Gestro, 1892: 771 [F]. Type species: *Sepidiopsis cornigera* Gestro, 1892, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Sepidiostenus Fairmaire, 1884b: lxxv [M]. Type species: *Sepidiostenus erinaceus* Fairmaire, 1884, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Sepidiina. Note: redescribed as new, under the spelling *Sepidostenus*, by Fairmaire (1887a: 184).

Sepidium Fabricius, 1775: 250 [N]. Type species: *Sepidium tricuspidatum* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Sepilokus Iwan & Raś, 2020: 776 [M]. Type species: *Sepilokus tenenbaumi* Iwan & Raś, 2020, by original designation. Status: valid genus in Phrenapatinae: Archaeoglenini.

Septentriophosis Penrith, 1982: 167 [F]. Type species: *Erodius planus* Fabricius, 1775, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Seriscius Motschulsky, 1845a: 77 [M]. Type species: *Seriscius pubescens* Motschulsky, 1845 (= *Crypticus rufipes* Gebler, 1830), by monotypy. Status: valid subgenus of *Crypticus* Latreille, 1816 in Diaperinae: Crypticini.

Serrania Garrido, 2003: 50 [F]. Type species: *Diaperis viridula* Zayas, 1988 (= *Platydema virens* Laporte & Brullé, 1831), by original designation. Status: junior synonym of *Nesocyrtosoma* Marcuzzi, 1976 in Stenochiinae: Cnodalonini. Synonymy: Hopp and Ivie (2009: 13).

Serrichora Koch, 1952b: 15 [F]. Type species: *Eurychora crenata* Solier, 1837, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Serridenos Koch, 1956a: 325 [M]. Type species: *Zadenos solenopistoma* Koch, 1956, by original designation. Status: valid subgenus of *Selenepistoma* Dejean, 1834 in Blaptinae: Dendarini: Melambiina.

Setenis Motschulsky, 1872: 24 [M]. Type species: *Tenebrio valgus* Wiedemann, 1823, by original designation. Status: junior synonym of *Promethis* Pascoe, 1869 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1988: 70).

Seydelicistela Pic, 1954: 260 [F]. Type species: *Seydelicistela rubrithorax* Pic, 1954, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Sicharbas Champion, 1884: 67 [M]. Type species: *Sicharbas lobatus* Champion, 1884, by monotypy. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini.

Sicinus Champion, 1886: 146 [M]. Type species: *Sicinus guatemalensis* Champion, 1886, by subsequent designation (Löbl et al. 2008a: 43). Status: junior synonym of *Gnatocerus* Thunberg, 1814 in Diaperinae: Diaperini: Adelinina. Synonymy: Leng (1920: 233).

Silvestriellum Koch, 1956a: 362 [N]. Type species: *Silvestriellum alatum* Koch, 1956, by original designation. Status: valid genus in Blaptinae: Dendarini: Melambiina.

Simalura Gebien, 1914d: 71 [F]. Type species: *Simalura jacobsoni* Gebien, 1914, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Simarus Borchmann, 1909a: 713 [M]. Type species [automatic]: *Ismarus godeffroyi* Haag-Rutenberg, 1878, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: replacement name for *Ismarus* Haag-Rutenberg, 1878.

Similepitragus Freude, 1967: 148, 167 [M]. Type species: *Epitragus similis* Steinheil, 1872, by original designation. Status: valid subgenus of *Epitragus* Latreille, 1802 in Pimeliinae: Epitragini.

Singapura Gebien, 1925f: 325 [F]. Type species: *Singapura quadrihamata* Gebien, 1925, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Sinocatomus Nabozhenko, 2006: 852 [M]. Type species: *Catomus solitarius* Nabozhenko, 2006, by original designation. Status: valid subgenus of *Catomus* Allard, 1876 in Tenebrioninae: Helopini: Helopina.

†*Sinocistela* Zhang, 1989: 145 [F]. Type species: *Sinocistela siphla* Zhang, 1989, by original designation. Status: valid genus in Alleculinae: Cteniopodini. Note: described from Lower Miocene deposits (China).

Sinoecia Chatanay, 1914a: 220 [F]. Type species: *Sinoecia puncticollis* Chatanay, 1914, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Sinomenimus G.S. Medvedev, 2007b: 675 [M]. Type species: *Menimus kabaki* G.S. Medvedev, 2007, by original designation. Status: valid subgenus of *Menimus* Sharp, 1876 in Diaperinae: Gnathidiini: Gnathidiina.

Sinopium Pascoe, 1866a: 487 [N]. Type species: *Strongylium variabile* Walker, 1858, by original designation. Status: junior synonym of *Camarimena* Motschulsky, 1863 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1919: 155).

Sinorus Mulsant & Revelière, 1861: 153 [M]. Type species: *Sinorus ciliaris* Mulsant & Revelière, 1861 (= *Opatrum colliardi* Fairmaire, 1860), by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Sintagona G.S. Medvedev, 1998b: 585 [F]. Type species: *Sintagona miranda* G.S. Medvedev, 1998, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Sipirocus Fairmaire, 1896c: 103 [M]. Type species: *Sipirocus ritsemae* Fairmaire, 1896, by monotypy. Status: junior synonym of *Aediatorix* Bates, 1868 in Lagriinae: Pycnocerini. Synonymy: Gebien (1905: 258).

Sipolisia Fairmaire, 1889c: xlix [F]. Type species: *Sipolisia serricornis* Fairmaire, 1889, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Sitophagus Mulsant, 1854: 264 [M]. Type species: *Sitophagus solieri* Mulsant, 1854 (= *Uloma hololeptoides* Laporte, 1840), by monotypy. Status: valid genus in Diaperinae: Diaperini: Adelinina.

Sloanea Carter, 1916: 209 [F]. Type species: *Sloanea costata* Carter, 1916, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Asphalina.

Smiliophanus Koch, 1950a: 66 [M]. Type species [automatic]: *Smiliotus steiroides* Haag-Rutenberg, 1875, by monotypy. Status: valid genus in Pimeliinae: Adelostomini. Note: replacement name for *Smiliotus* Haag-Rutenberg, 1875.

Smiliotus Haag-Rutenberg, 1875b: 4, 52 [M]. Type species: *Smiliotus steiroides* Haag-Rutenberg, 1875, by monotypy. Status: senior synonym of *Smiliophanus* Koch, 1950 in Pimeliinae: Adelostomini. Note: junior homonym of *Smiliotus* Loew, 1857 [Diptera].

Sobas Pascoe, 1863a: 45 [F]. Type species [automatic]: *Trigonotarsus australis* Hope, 1843, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina. Note: replacement name for *Trigonotarsus* Hope, 1843. Note: moved from the subtribe Ammobiina to Opatrina by Kamiński et al. (2021b: 151).

Socotralia Novák, 2007: 321 [F]. Type species: *Socotralia major* Novák, 2007, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Socotraphanes Nabozhenko in Nabozhenko and Purchart, 2019: 150 [M]. Type species: *Socotraphanes krali* Nabozhenko, 2019, by original designation. Status: valid genus in Tenebrioninae: Helopini: Helopina.

Socotropatrum Koch, 1970: 109 [N]. Type species: *Opatrum costiferum* C.O. Waterhouse, 1881, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Soemias Champion, 1884: 4 [F]. Type species: *Soemias minuta* Champion, 1884, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Solenomerus Fåhraeus, 1870: 306 [M]. Type species: *Solenomerus longipes* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Micrantereus* Solier, 1848 in Blaptinae: Pedinini: Helopinina. Synonymy: Fairmaire (1897f: 131).

Solskyia Solsky, 1881: 48 [F]. Type species: *Solskyia peregrina* Solsky, 1881, by monotypy. Status: valid genus in Pimeliinae: Akidini.

Somaladesmia Koch, 1944b: 147 [F]. Type species: *Adesmia consimilis* Gahan, 1896, by monotypy. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini.

Somalammodes Koch, 1943a: 500, 510 [M]. Type species: *Somalammodes delaruei* Koch, 1943, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Somalarabes Koch, 1953f: 155 [M]. Type species: *Psammodes gracilentus* Fairmaire, 1882, by original designation. Status: valid subgenus of *Psammophanes* Lesne, 1922 in Pimeliinae: Sepidiini: Molurina.

Somaticus Hope, 1841: 117 [M]. Type species: *Sepidium rugosum* Fabricius, 1781, by original designation. Status: valid genus and subgenus in Pimeliinae: Sepidiini: Trachynotina. Note: *Somaticus*, introduced by Lacordaire (1859a: 197), is an incorrect subsequent spelling of the original name *Somaticum* in prevailing usage and attributed to the publication of the original spelling; we follow Kamiński et al. (2019b: 86) and treat *Somaticus* as the correct original spelling (ICZN 1999, Article 33.3.1); the First Reviser (*Somaticus* Hope, 1841 versus *Tracheloeum* Hope, 1841) is Koch (1955a: 53).

Somocoelia Heyden & Kraatz, 1882: 331 [F]. Type species: *Somocoelia pinguis* Heyden & Kraatz, 1882, by monotypy. Status: valid genus in Blaptinae: Platyscelidini.

Somocoeloplatys Skopin, 1968a: 82 [M]. Type species: *Platynoscelis boroldaica* Skopin, 1965, by original designation. Status: valid genus in Blaptinae: Platyscelidini.

Sophrobates Fairmaire, 1889c: xxxvi [M]. Type species: *Sophrobates arcadii* Fairmaire, 1889, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Sora Walker, 1859: 259 [F]. Type species: *Sora marginata* Walker, 1859, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Soradeus Rafinesque, 1815: 114 [M]. Type species [automatic]: *Helea perforata* Latreille, 1816, by subsequent monotypy (Latreille 1816b: 261). Status: junior synonym of *Helea* Latreille, 1804 in Tenebrioninae: Heleini: Heleina. Note: unnecessary replacement name for *Helea* Latreille, 1804 (as "*Heleus* Latr.").

Spathulipezus Gebien, 1921a: 398, 458 [M]. Type species: *Spathulipezus miritaris* Gebien, 1921, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Spectrocnera Kwieton, 1981: 402 [F]. Type species: *Spectrocnera anguliceps* Kwieton, 1981, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Spelaebiosis Bousquet & Bouchard in Bousquet et al., 2018: 223 [F]. Type species [automatic]: *Orghidania torrei* Ardoin, 1977, by monotypy. Status: valid genus in Tenebrioninae: Triboliini. Note: replacement name for *Ardoinia* Özdikmen, 2005.

Sphaeriontis Casey, 1908: 56, 75 [F]. Type species: *Eusattus muricatus* J.L. LeConte, 1851, by original designation. Status: junior synonym of *Eusattus* J.L. LeConte, 1851 in Pimeliinae: Coniontini. Synonymy: La Rivers (1949: 180).

Sphaerocaulus Fairmaire, 1869b: 235 [M]. Type species: *Sphaerocaulus graniger* Fairmaire, 1869, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Sphaerognathium Dajoz, 1975a: 112 [N]. Type species: *Sphaerognathium globosum* Dajoz, 1975, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Sphaeromatris Fairmaire, 1899e: 535 [F]. Type species: *Sphaeromatris aurovittata* Fairmaire, 1899, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Sphaerostibes Koch, 1963: 64 [M]. Type species: *Sphaerostibes sabulicola* Koch, 1963, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina. Note: combined description of a new genus and a single new species (ICZN 1999, Article 13.4).

Sphaerotidius Kaszab, 1941a: 3, 38 [M]. Type species: *Sphaerotidius duplicatus* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: we act as First Revisers and reject the alternative original spelling *Spaerotidius*, used by Kaszab (1941a: 39, 40).

Sphaerotus W. Kirby, 1819a: 416 [M]. Type species: *Sphaerotus curvipes* W. Kirby, 1819, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Sphargeris Pascoe, 1860b: 122 [M]. Type species: *Sphargeris physodes* Pascoe, 1860, by monotypy. Status: valid genus in Lagriinae: Chaerodini.

Sphenaria Ménétriés, 1849: 240 [F]. Type species: *Sphenaria elongata* Ménétriés, 1849, by subsequent designation (Gebien 1937a: 576). Status: valid genus in Pimeliinae: Tentyriini.

Sphenariopsis Kraatz, 1865: 80, 175 [F]. Type species: *Sphenariopsis tristis* Kraatz, 1865, by monotypy. Status: valid subgenus of *Rhytinota* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Spheneuphloeus Kaszab, 1941a: 5, 35 [M]. Type species: *Osdara metallica* Pic, 1931, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Spheniscus W. Kirby, 1819a: 421 [M]. Type species: *Spheniscus erotyloides* W. Kirby, 1819, by monotypy. Status: senior synonym of *Cuphotes* Champion, 1887 in Stenochiinae: Stenochiini. Note: junior homonym of *Spheniscus* Moehring, 1758 [Aves].

Sphenogenius Solier, 1848: 154, 351 [M]. Type species: *Sphenogenius clathratus* Solier, 1848 (= *Nyctozoilus obesus* Guérin-Méneville, 1831), by original designation. Status: junior synonym of *Nyctozoilus* Guérin-Méneville, 1831 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Lacordaire (1859a: 350).

Sphenolampidius Kaszab, 1941a: 4, 40 [M]. Type species: *Sphenolampidius hemisphaericus* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Sphenosdara Kaszab, 1941a: 2, 28 [F]. Type species: *Sphenosdara sachtlebeni* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Sphenosoma Dejean, 1834: 212 [N]. Type species [automatic]: *Acropteron rufipes* Perty, 1832, by subsequent designation (Hope 1841: 133). Status: junior synonym of *Acropteryx* Gistel, 1831 in Tenebrioninae: Acropteronini. Note: unnecessary replacement name for *Acropteron* Perty, 1832.

Sphenothorax Gebien, 1906: 232 [M]. Type species: *Tenebrio nitidulus* Fabricius, 1801, by monotypy. Status: junior synonym of *Zophophilus* Fairmaire, 1881 in Stenochiinae: Cnodalonini. Synonymy: Carter (1930: 547).

Sphinctoderus Fairmaire, 1903e: 301 [M]. Type species: *Sphinctoderus strangulatus* Fairmaire, 1903, by monotypy. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Sphingocorse Gebien, 1921b: 110, 111 [F]. Type species: *Sphingocorse angulicollis* Gebien, 1921, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Sphragidophorus Champion, 1889: 61 [M]. Type species: *Statira cyanipennis* Mäklin, 1863, by subsequent designation (R. Lucas 1920: 603). Status: valid genus in Lagriinae: Lagriini: Statirina.

Spiloscapha Bates, 1873a: 202 [F]. Type species: *Spiloscapha crassicornis* Bates, 1873 (= *Platydema thallioides* Pascoe, 1869), by monotypy. Status: valid genus in Diaperinae: Scaphidemini.

Spinadaenus Pic, 1921d: 18 [M]. Type species: *Spinadaenus singularis* Pic, 1921, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Spinamarygmus Pic, 1915d: 7 [M]. Type species: *Spinamarygmus indicus* Pic, 1915, by monotypy. Status: valid subgenus of *Plesiophthalmus* Motschulsky, 1857 in Tenebrioninae: Amarygmini.

Spinanemia Löbl, Bouchard, Merkl & Bousquet, 2020: 2 [F]. Type species: *Anemia cornuta* Pic, 1898, by original designation. Status: valid subgenus of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini. Note: subgenus first proposed by Ardoin (1971: 362, 378) without type species originally designated.

Spinecula Novák, 2019c: 437 [F]. Type species: *Spinecula houaphanica* Novák, 2019, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Spinepicalla Pic, 1921d: 21 [F]. Type species: *Spinepicalla armata* Pic, 1921, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Spinoderosphaerus Pic, 1922d: 26 [M]. Type species: *Spinoderosphaerus brevicornis* Pic, 1922, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: the First Reviser (*Spinoderosphaerus* Pic, 1922 versus *Spinogauromaia* Pic, 1922) is Kaszab (1983a: 132).

Spinodietysus Pic, 1927b: 21 [M]. Type species: *Cyriogeton convexipennis* Pic, 1927, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Spinogauromaia Pic, 1922a: 23 [F]. Type species: *Spinogauromaia rufescens* Pic, 1922 (= *Spinoderosphaerus brevicornis* Pic, 1922), by monotypy. Status: junior synonym of *Spinoderosphaerus* Pic, 1922 in Stenochiinae: Cnodalonini. Synonymy: Kaszab (1983a: 132).

Spinolagriella Pic, 1955: 183 [F]. Type species: *Spinolagriella minutissima* Pic, 1955, by original designation. Status: valid genus in Lagriinae: Lupropini.

Spinolyprops Pic, 1917d: 12 [M]. Type species: *Spinolyprops rufithorax* Pic, 1917, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Spinoodescelis Kaszab, 1940b: 938, 966 [F]. Type species: *Platyscelis somocoeloides* Seidlitz, 1893, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Spinophrynus Koch, 1951: 90 [M]. Type species: *Phrynocolus spinipennis* Gebien, 1910, by original designation. Status: valid subgenus of *Phrynocolus* Lacordaire, 1859 in Pimeliinae: Sepidiini: Molurina.

Spinorhacus Kaszab, 1969a: 262 [M]. Type species: *Spinorhacus baloghi* Kaszab, 1969, by original designation. Status: junior synonym of *Spinolagriella* Pic, 1955 in Lagriinae: Lupropini. Synonymy: Kaszab (1976: 453).

Spinosdara Bouchard & Bousquet, **new subgenus** [F]. Type species: *Osdara biroi* Kaszab, 1939, by **present designation**. Status: valid subgenus of *Osdara* Walker, 1858 in Stenochiinae: Cnodalonini. Note: Kaszab (1941a: 33) introduced the new subgenus name *Spinosdara* for three nominal species, but unfortunately did not designate a type species; the subgenus *Spinosdara*, which has been treated as valid since 1941, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Osdara biroi* Kaszab, 1939 as type species and referring to Kaszab (1941a: 33) for the character states that characterise and differentiate *Spinosdara*.

Spinostatira Pic, 1918b: 22 [F]. Type species: *Statira spinipes* Pic, 1918, by subsequent designation (Borchmann 1936: 247). Status: valid subgenus of *Statira* Lepeletier & Audinet-Serville, 1828 in Lagriinae: Lagriini: Statirina.

Splenoodescelis Egorov, 2004: 593 [F]. Type species: *Platyscelis turkestanica* Seidlitz, 1893, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Splichalia Reitter, 1913: 664 [F]. Type species: *Splichalia tigrinella* Reitter, 1913, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Spongesmia Bouchard & Bousquet, **new subgenus** [F]. Type species: *Adesmia nassata* Erichson, 1843, by **present designation**. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini. Note: Koch (1944b: 149) introduced the new subgenus name *Spongesmia* for four nominal species, but unfortunately did not designate a type species; the subgenus *Spongesmia*, which has been treated as valid since 1944, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Adesmia nassata* Erichson, 1843 as type species and referring to Koch (1944b: 149) for the character states that characterise and differentiate *Spongesmia*.

Spongesmima Koch, 1944b: 157 [F]. Type species: *Adesmia scrobipennis* Haag-Rutenberg, 1875, by monotypy. Status: junior synonym of *Renatiella* Koch, 1944 in Pimeliinae: Adesmiini. Synonymy: Penrith (1979: 27).

Spyrathus Kraatz, 1865: 6, 9 [M]. Type species: *Spyrathus indicus* Kraatz, 1865, by monotypy. Status: valid genus in Pimeliinae: Erodiini.

Srilanka Kaszab, 1980b: 319 [F]. Type species: *Srilanka mirabilis* Kaszab, 1980, by original designation. Status: valid genus in Stenochiinae: Cnodalonini. Note: *Srilanka* was used earlier by Kaszab (1979a: 107) without a description, a definition, or a bibliographic reference to such a published statement (ICZN 1999, Article 13.1) and is therefore unavailable from that date.

Staius Fairmaire, 1896b: 359 [M]. Type species: *Staius miricornis* Fairmaire, 1896, by monotypy. Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Stalagmoptera Solsky, 1876: 286 [F]. Type species: *Stalagmoptera tuberculatocostata* Solsky, 1876, by subsequent designation (Gebien 1937a: 821). Status: valid genus in Pimeliinae: Pimeliini.

Statira Lepeletier & Audinet-Serville, 1828: 479 [F]. Type species: *Statira agroides* Lepeletier & Audinet-Serville, 1828, by subsequent designation (Blanchard 1844: pl. 53bis). Status: valid genus and subgenus in Lagriinae: Lagriini: Statirina.

Statiropsis Borchmann, 1912b: 389 [F]. Type species: *Statiropsis aenea* Borchmann, 1912, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Stegastopsis Kraatz, 1865: 80, 176 [F]. Type species: *Stegastopsis babylonica* Kraatz, 1865, by monotypy. Status: valid genus and subgenus in Pimeliinae: Tentyriini.

Steira Westwood, 1837: pl. 176 [F]. Type species: *Steira costata* Westwood, 1837, by monotypy. Status: senior synonym of *Stips* Koch, 1950 in Pimeliinae: Adelostomini. Note: junior homonym of *Steira* Eschscholtz, 1825 [Mollusca].

Stemmatoderus Agassiz, 1846b: 351 [M]. Type species [automatic]: *Stemmoderus singularis* Spinola, 1842, by monotypy. Status: junior synonym of *Stemmoderus* Spinola, 1842 in Tenebrioninae: Amarygmini. Note: unjustified emendation of *Stemmoderus* Spinola, 1842, not in prevailing usage.

Stemmoderus Spinola, 1842: pl. 91 (p. 1) [M]. Type species: *Stemmoderus singularis* Spinola, 1842, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Stenadelium Watt, 1992: 32 [N]. Type species: *Stenadelium striatum* Watt, 1992, by original designation. Status: valid genus in Lagriinae: Adeliini.

Stene Stephens, 1829: 19 [F]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Colydium castaneum* Herbst, 1797, misidentified as *Tenebrio ferrugineus* Fabricius, 1781 in the original designation by monotypy in Stephens (1829). Status: junior synonym of *Tribolium* W.S. MacLeay, 1825 in Tenebrioninae: Triboliini. Synonymy: Shuckard (1840: vii). Note: the type species "*Tenebrio ferrugineus* Fabricius" was first established by monotypy; as noted by C.O. Waterhouse (1896: 230) and Blair (1913: 223) the *Tenebrio ferrugineus* Fabricius of authors, including Stephens (1829: 19, as "*ferruginea*, Oliv."), was misidentified; Blair (1913: 223) noted that the species the authors referred to is in fact *Colydium castaneum* Herbst, 1797; we follow currently accepted concepts (e.g., Bousquet et al. 2018: 224) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Tenebrio ferrugineus* Fabricius, 1781 is a valid species in the genus *Tribolioides* Blair, 1913 [Coleoptera: Cucujidae].

Steneleodes Blaisdell, 1909: 409 [M]. Type species: *Eleodes longicollis* J.L. LeConte, 1851, by subsequent designation (Bousquet et al. 2018: 166). Status: valid subgenus in *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Stenerophlina Reitter, 1906b: 130 [F]. Type species: *Omophlina hauseri* Reitter, 1894, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Stenerula Fairmaire, 1875: 42 [F]. Type species: *Stenerula subopaca* Fairmaire, 1875, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Steneryx Reitter, 1890b: 256 [M]. Type species: *Cistela dejeanii* Faldermann, 1836, by monotypy. Status: valid genus in Alleculinae: Cteniopodini.

Stenethmus Gebien, 1937b: 41 [M]. Type species: *Psammodes tentyriniformis* Hesse, 1935, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Oxurina.

Steneucyrtus Fairmaire, 1896a: 31 [M]. Type species: *Steneucyrtus pexicollis* Fairmaire, 1896, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Stenholma Solier, 1835b: 253, 412 [F]. Type species: *Stenholma tentyrioides* Solier, 1835, by monotypy. Status: junior synonym of *Melaphorus* Guérin-Méneville, 1834 in Pimeliinae: Evaniosomini. Synonymy: Solier (1835b: 412).

Stenillus Blair, 1927: 245 [M]. Type species: *Stenillus monticola* Blair, 1927, by monotypy. Status: valid subgenus of *Pseudethas* Fairmaire, 1896 in Pimeliinae: Stenosini: Dichillina.

Stenocara Solier, 1835b: 512, 553 [N]. Type species: *Pimelia longipes* Fabricius, 1775, by subsequent designation (Desmarest 1860: 141). Status: valid genus and subgenus in Pimeliinae: Adesmiini.

Stenocephalus Agassiz, 1846b: 71, 351 [M]. Type species [automatic]: *Cephalostenus dejeanii* Solier, 1838 (= *Scaurus elegans* Brullé, 1832), by subsequent designation (Hope 1841: 115). Status: junior synonym of *Cephalostenus* Solier, 1838 in Tenebrioninae: Scaurini. Note: unjustified emendation of *Cephalostenus* Solier, 1838; junior homonym of *Stenocephalus* Tschudi, 1838 [Amphibia].

Stenocera Agassiz, 1846b: 74, 351 [F]. Type species [automatic]: *Cerostena deplanata* Solier, 1836, by **present designation**. Status: junior synonym of *Psectrascelis* Solier, 1836 in Pimeliinae: Nycteliini. Note: unjustified emendation of *Cerostena* Solier, 1836, not in prevailing usage; junior homonym of *Stenocera* Brullé, 1834 [Coleoptera: Carabidae].

Stenochia W. Kirby, 1819a: 423 [F]. Type species: *Stenochia rufipes* W. Kirby, 1819, by subsequent designation (Hope 1841: 133). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Latreille (1829b: 683).

Stenochidus J.L. LeConte, 1862: 244 [M]. Type species: *Stenochia gracilis* J.L. LeConte, 1851, by subsequent designation (R. Lucas 1920: 608). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Stenochinus Motschulsky, 1860a: 102 [M]. Type species: *Stenochinus reticulatus* Motschulsky, 1860, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Stenodesia Reitter, 1916a: 4 [F]. Type species: *Stenocara globulum* Haag-Rutenberg, 1875, by monotypy. Status: valid genus in Pimeliinae: Adesmiini.

Stenogena Fairmaire, 1895a: 33 [F]. Type species: *Stenogena madecassa* Fairmaire, 1895, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: placed in the subfamily Alleculinae by Chatanay (1915a: 526).

Stenogenomorpha Pic, 1919b: 5 [F]. Type species: *Stenogenomorpha impressa* Pic, 1919, by monotypy. Status: valid genus in Alleculinae: incertae sedis.

Stenogonopus Gebien, 1938b: 91 [M]. Type species: *Tenebrio plumosus* Thunberg, 1787, by original designation. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Stenohelops Reitter, 1922a: 22 [M]. Type species: *Isopedus plicatulus* Kraatz, 1880, by subsequent designation (Gebien 1943: 423). Status: valid genus and subgenus in Tenebrioninae: Helopini: Helopina. Note: the First Revisers (*Stenohelops* Reitter, 1922 versus *Gunarellus* Reitter, 1922) are Nabozhenko et al. (2020b: 297).

Stenolagria Merkl, 1987: 124, 157 [F]. Type species: *Stenolagria matthewsi* Merkl, 1987, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Stenolamus Gebien, 1920: 107 [M]. Type species: *Stenolamus sulciceps* Gebien, 1920, by subsequent designation (Gebien 1938a: 397). Status: valid genus in Blaptinae: incertae sedis. Note: this taxon is placed in "Blaptinae incertae sedis" based on comments in Kamiński et al. (2021b: 150).

†*Stenolassus* Nabozhenko, Chigray & Bukejs, 2020a: 519 [M]. Type species: *Nalassus klebsi* Nabozhenko, Perkovsky & Chernei, 2016, by original designation. Status: valid subgenus of *Stenohelops* Reitter, 1922 in Tenebrioninae: Helopini: Helopina. Note: described from Eocene Baltic amber.

Stenomacidius Seidlitz, 1895: 791 [M]. Type species: *Hedyphanes acutangulus* Seidlitz, 1895, by subsequent designation (G.S. Medvedev 1990: 242). Status: junior synonym of *Cylindrinotus* Faldermann, 1837 in Tenebrioninae: Helopini: Cylindrinotina. Synonymy: Nabozhenko (2006: 799).

Stenomaleis Español, 1957b: 21, 34 [M]. Type species: *Stenohelops ardoini* Español, 1957 (= *Helops protensulus* Seidlitz, 1896), by original designation. Status: junior synonym of *Helopelius* Reitter, 1922 in Tenebrioninae: Helopini: Helopina. Synonymy: Nabozhenko et al. (2020b: 293).

Stenomax Allard, 1876a: 4 [M]. Type species: *Tenebrio lanipes* Linnaeus, 1771 (= *Tenebrio aeneus* Scopoli, 1763), by subsequent designation (Español and Comas 1989: 166, 170). Status: valid genus and subgenus in Tenebrioninae: Helopini: Cylindrinotina.

Stenomorpha Solier, 1836: 407, 487 [F]. Type species: *Stenomorpha blapsoides* Solier, 1836, by subsequent designation (Desmarest 1860: 150). Status: valid genus and subgenus in Pimeliinae: Asidini.

Stenopalorus Blair, 1930: 135 [M]. Type species: *Palorus hypophloeoides* Blair, 1930, by monotypy. Status: junior synonym of *Palorus* Mulsant, 1854 in Tenebrioninae: Palorini. Synonymy: Halstead (1967a: 114, 115).

Stenophanes Solsky, 1876: 294 [M]. Type species: *Hedyphanes mesostenus* Solsky, 1871, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Stenophloeus Blair, 1921: 1 [M]. Type species: *Hypophlaeus filum* Fairmaire, 1893, by subsequent designation (Löbl et al. 2008b: 312). Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Stenopsis Rafinesque, 1815: 113 [F]. Type species [automatic]: *Pimelia reflexa* Fabricius, 1775, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Akis* Herbst, 1799 in Pimeliinae: Akidini. Note: unnecessary replacement name for *Akis* Herbst, 1799.

Stenoscapha Bates, 1873b: 237 [F]. Type species: *Stenoscapha tibialis* Bates, 1873, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Stenoscapha Fairmaire, 1885b: 234 [F]. Type species: *Stenoscapha spissicornis* Fairmaire, 1885, by monotypy. Status: senior synonym of *Brachypophlaeus* Fairmaire, 1897 in Tenebrioninae: Ulomini. Note: junior homonym of *Stenoscapha* Bates, 1873 [Coleoptera: Tenebrionidae: Diaperinae: Diaperini: Diaperina].

Stenosethas Kaszab, 1975a: 11 [M]. Type species: *Stenosethas carinipennis* Kaszab, 1975, by original designation. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Stenosida Solier, 1835b: 253, 281 [F]. Type species: *Stenosida tenuicollis* Solier, 1835 (= *Tagenia striatopunctata* Wiedemann, 1821), by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Stenosides Solier, 1836: 406, 484 [M]. Type species: *Stenosides graciliformis* Solier, 1836, by monotypy. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini.

Stenosidops Koch, 1940b: 733 [M]. Type species: *Tagenia sabulosa* Guérin-Méneville, 1849, by monotypy. Status: valid subgenus of *Stenosis* Herbst, 1799 in Pimeliinae: Stenosini: Stenosina.

Stenosis Herbst, 1799: 160 [F]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Tagenia intermedia* Solier, 1838, misidentified as *Pimelia angustata* Fabricius, 1775 in the subsequent designation in Lacordaire (1859a). Status: valid genus and subgenus in Pimeliinae: Stenosini: Stenosina. Note: the type species "*Pimelia angustata* Fabricius" (as *angustata* Herbst) was selected by Lacordaire (1859a: 102) as the type species; Baudi de Selve (1875: 67) first noted that *Pimelia angustata* Fabricius of Herbst (1799) was misidentified and corresponded to *Tagenia intermedia* Solier, 1838; we follow currently accepted concepts (e.g., Löbl et al. 2008b: 179) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Pimelia angustata* Fabricius, 1775 is a valid species in the genus *Mesostena* Eschscholtz, 1831 [Coleoptera: Tenebrionidae].

Stenothesilea Kulzer, 1951a: 131, 134 [F]. Type species: *Stenothesilea cylindriformis* Kulzer, 1951, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Stenotrichus J.L. LeConte, 1862: 239 [M]. Type species: *Amphidora rufipes* J.L. LeConte, 1851, by original designation. Status: junior synonym of *Helops* Fabricius, 1775 in Tenebrioninae: Helopini: Helopina. Synonymy: Aalbu et al. (2002: 496).

Steptochora Koch, 1952b: 10 [F]. Type species: *Eurychora setosula* Fairmaire, 1887, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Sterces Champion, 1891: 640 [M]. Type species: *Sterces violaceipennis* Champion, 1891, by **present designation**. Status: junior synonym of *Alcyonotus* Pascoe, 1882 in Stenochiinae: Cnodalonini. Synonymy: Champion (1894b: lxiii).

Steriphanides Casey, 1907: 515 [M]. Type species: *Emmenastus stolidus* Champion, 1892, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Steriphanus Casey, 1907: 289 [M]. Type species: *Emmenastus conicicollis* Casey, 1890, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Sternocnera Skopin, 1964: 394 [F]. Type species: *Sternocnera lindti* Skopin, 1964, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Sternodes Fischer von Waldheim, 1837: 10 [M]. Type species: *Sternodes karelini* Fischer von Waldheim, 1837 (= *Tenebrio caspicus* Pallas, 1781), by monotypy. Status: valid genus in Pimeliinae: Pimeliini.

Sternomaia Kulzer, 1952: 731 [F]. Type species: *Sternomaia coeruleovirens* Kulzer, 1952, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Sternoplax Frivaldszky, 1890: 207 [F]. Type species: *Trigonoscelis szechenyii* Frivaldszky, 1890, by monotypy. Status: valid genus and subgenus in Pimeliinae: Pimeliini.

Sternotrigon Skopin, 1973: 109, 110 [M]. Type species: *Trigonoscelis setosa* Bates, 1879, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Stethasida Casey, 1912: 78, 203 [F]. Type species: *Pelecyphorus muricatulus* J.L. LeConte, 1851, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Stethotrypes Gebien, 1914c: 26 [M]. Type species: *Stethotrypes bicornutus* Gebien, 1914, by subsequent designation (Gebien 1940: 431). Status: valid genus in Diaperinae: Leiochrinini.

Sthenoboea Champion, 1885: 112 [F]. Type species: *Sthenoboea apicalis* Champion, 1885, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Stibia Horn, 1870: 258, 260 [F]. Type species: *Stibia puncticollis* Horn, 1870, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Stictodera Casey, 1907: 289, 352 [F]. Type species: *Emmenastus pinguis* J.L. LeConte, 1866, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Stictodere Gebien, 1928: 101 [F]. Type species: *Stictodere subseriata* Gebien, 1928, by subsequent designation (Gebien 1937a: 571). Status: valid genus in Pimeliinae: Epitragini.

Stictoderia Gebien, 1937a: 571 [F]. Type species [automatic]: *Stictodere subseriata* Gebien, 1928, by subsequent designation (Gebien 1937a: 571). Status: junior synonym of *Stictodere* Gebien, 1928 in Pimeliinae: Epitragini. Note: unnecessary replacement name for *Stictodere* Gebien, 1928, which is not a homonym of *Stictodera* Casey, 1907 [Coleoptera: Tenebrionidae: Pimeliinae: Edrotini].

Stierlinius Forel, 1893: 167 [M]. Type species [automatic]: *Dolichoderus acuminatus* Klug, 1833, by monotypy. Status: junior synonym of *Macellocerus* Solier, 1848 in Tenebrioninae: Toxicini: Nycteropina. Note: replacement name for *Dolichoderus* Klug, 1833.

Stigmatoma J.L. LeConte, 1862: 244 [F]. Type species: *Cistela fraterna* Say, 1824, by monotypy. Status: junior synonym of *Ernocharis* C.G. Thomson, 1859 in Alleculinae: Alleculini: Mycetocharina. Synonymy: Seidlitz (1896: 147).

Stilbocistela Borchmann, 1932a: 319 [F]. Type species: *Stilbocistela luzonica* Borchmann, 1932, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: genus described as new again by Borchmann (1932b: 125).

Stips Koch, 1950a: 66 [F]. Type species [automatic]: *Steira costata* Westwood, 1837, by monotypy. Status: valid genus in Pimeliinae: Adelostomini. Note: replacement name for *Steira* Westwood, 1837.

Stipsostoma Koch, 1952b: 34, 105 [N]. Type species: *Steira sculpta* Gebien, 1920, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Stira Agassiz, 1846b: 350, 353 [F]. Type species [automatic]: *Steira costata* Westwood, 1837, by monotypy. Status: senior synonym of *Stips* Koch, 1950 in Pimeliinae: Adelostomini. Note: unjustified emendation of *Steira* Westwood, 1837 (and *Steira* Eschscholtz, 1825 in Mollusca), not in prevailing usage; we act as First

Revisers and treat *Stira* Agassiz, 1846 [Coleoptera] as a junior homonym of *Stira* Agassiz, 1846 [Mollusca].

Stizopus Erichson, 1843: 245 [M]. Type species: *Stizopus laticollis* Erichson, 1843, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Stomion G.R. Waterhouse, 1845a: 27 [N]. Type species: *Stomion galapagoense* G.R. Waterhouse, 1845, by subsequent designation (Gebien 1937a: 590). Status: valid genus in Pimeliinae: Edrotini.

Stomium Agassiz, 1846b: 354 [N]. Type species [automatic]: *Stomion galapagoense* G.R. Waterhouse, 1845, by subsequent designation (Gebien 1937a: 590). Status: junior synonym of *Stomion* G.R. Waterhouse, 1845 in Pimeliinae: Edrotini. Note: unjustified emendation of *Stomion* G.R. Waterhouse, 1845, not in prevailing usage.

Stomylus Fåhraeus, 1870: 300 [M]. Type species: *Stomylus bicolor* Fåhraeus, 1870, by subsequent designation (R. Lucas 1920: 616). Status: valid genus in Diaperinae: Diaperini: Diaperina.

Stonavus Reitter, 1904: 161 [M]. Type species: *Penthicus alaiensis* Reitter, 1896, by subsequent designation (Iwan and Löbl 2007: 734). Status: junior synonym of *Penthicus* Faldermann, 1836 in Blaptinae: Opatrini: Opatrina. Synonymy: Iwan and Löbl (2007: 734).

Storthephora Mäklin, 1875: 658 [F]. Type species: *Storthephora denticollis* Mäklin, 1875, by subsequent designation (Bousquet and Bouchard 2014: 26). Status: junior synonym of *Paratenetus* Spinola, 1845 in Lagriinae: Goniaderini. Synonymy: Champion (1893b: 47).

Storthocnemis Karsch, 1881: 47 [F]. Type species: *Storthocnemis steckeri* Karsch, 1881, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Stratodemus Gebien, 1921b: 98 [M]. Type species: *Stratodemus heraldicus* Gebien, 1921, by monotypy. Status: valid genus in Lagriinae: Pycnocerini.

Strepsius Fairmaire, 1896b: 351 [M]. Type species: *Strepsius spretulus* Fairmaire, 1896, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Stridigula Koch, 1954a: 60 [F]. Type species: *Stridigula arguta* Koch, 1954, by original designation. Status: valid genus in Blaptinae: Platynotini: Eurynotina.

Stridulomus Koch, 1955a: 37 [M]. Type species: *Psammodes sulcicollis* Péringuey, 1885, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Strongyallecula Pic, 1955: 186 [F]. Type species: *Strongyallecula basilewskyi* Pic, 1955, by original designation. Status: valid genus in Alleculinae: incertae sedis.

Strongylacanthus Brèthes, 1925: 13 [M]. Type species: *Strongylacanthus peruvianus* Brèthes, 1925, by monotypy. Status: valid genus in Stenochiinae: Stenochiini.

Strongylagria Pic, 1915b: 4 [F]. Type species: *Strongylagria metallica* Pic, 1915, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Strongyliastrum Fairmaire, 1894a: 39 [N]. Type species: *Strongyliastrum braetii* Fairmaire, 1894 (= *Strongylium rufipenne* Kollar & Redtenbacher, 1844), by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Strongylium W. Kirby, 1819a: 417 [N]. Type species: *Strongylium chalconatum* W. Kirby, 1819, by monotypy. Status: valid genus and subgenus in Stenochiinae: Stenochiini. Note: nomen protectum (see Bouchard et al. 2005: 501); the First Reviser (*Strongylium* W. Kirby, 1819 versus *Stenochia* W. Kirby, 1819) is Latreille (1829b: 683); we recognize two valid subgenera in the diverse genus *Strongylium* W. Kirby, 1819, i.e., the recently described *Afrostrongylium* Robiche, 2019 and the nominotypical subgenus; however, much taxonomic research is needed to evaluate the possible validity of the many synonyms of the subgenus *Strongylium* W. Kirby, 1819.

Strophia Robiche, 2004b: 130 [F]. Type species: *Oncosoma ertli* Gebien, 1910, by original designation. Status: senior synonym of *Strophiamixa* Robiche, 2005 in Blaptinae: Pedinini: Helopinina. Note: junior homonym of *Strophia* Meigen, 1832 [Lepidoptera] and *Strophia* Albers, 1850 [Mollusca].

Strophiamixa Robiche, 2005: 358 [F]. Type species [automatic]: *Oncosoma ertli* Gebien, 1910, by original designation. Status: valid subgenus of *Amatodes* Dejean, 1834 in Blaptinae: Pedinini: Helopinina. Note: replacement name for *Strophia* Robiche, 2004.

Stygohelops Leo & Liberto, 2003: 299 [M]. Type species: *Probaticus kalavriticus* Schawaller, 2001, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Styphacus Fairmaire, 1901a: 71 [M]. Type species: *Styphacus decorsii* Fairmaire, 1901, by subsequent designation (R. Lucas 1920: 619). Status: valid genus in Blaptinae: Platynotini: Platynotina.

Styphloeus Kaszab, 1941a: 4, 36 [M]. Type species: *Styphloeus indicus* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Styrax Westwood, 1875: 227 [M]. Type species: *Styrax tricondyloides* Westwood, 1875, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Styrus Bates, 1873e: 348 [M]. Type species: *Styrus elongatulus* Bates, 1873, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Cyphaleina.

Suarezius Fairmaire, 1895a: 22 [M]. Type species: *Suarezius gibbosulus* Fairmaire, 1895, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Subalphasida Escalera, 1928: 136 [F]. Type species: *Asida luctuosa* Boisduval, 1835, by original designation. Status: junior synonym of *Betasida* Reitter, 1917 in Pimeliinae: Asidini. Synonymy: Viñolas and Cartagena (2005: 282).

Subpterocoma Bouchard & Bousquet, **new replacement name** [F]. Type species [automatic]: *Pterocoma tuberculata* Motschulsky, 1845, by subsequent designation (Skopin 1974b: 159). Status: valid subgenus of *Pterocoma* Dejean, 1834 in Pimeliinae: Pimeliini. Note: replacement name for *Pseudopimelia* Motschulsky, 1860.

Sulcipectus Louw, 1979: 99, 109 [N]. Type species: *Sulcipectus leve* Louw, 1979, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Sulcolagria Pic, 1955: 181 [F]. Type species: *Sulcolagria semiopaca* Pic, 1955, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Sulcosis Penrith, 1977: 19, 220 [F]. Type species: *Zophosis angolensis* Erichson, 1843, by original designation. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Sulpius Fairmaire, 1906: 273 [M]. Type species: *Sulpius punctostriatus* Fairmaire, 1906, by monotypy. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Sulpiusoma Ferrer, 2006c: 81 [N]. Type species: *Sulpiusoma medquisti* Ferrer, 2006, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: we act as First Revisers and reject the alternative original spelling *Sulpiosoma*, used by Ferrer (2006c: 79).

Sumbawia Gebien, 1925b: 441 [F]. Type species: *Sumbawia tetrops* Gebien, 1925, by monotypy. Status: valid genus in Tenebrioninae: Bolitophagini.

Sundon Pic, 1923d: 18 [N]. Type species: *Sundon atricorne* Pic, 1923, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Syachis Bates, 1879b: 467 [M]. Type species: *Syachis himalaicus* Bates, 1879, by subsequent designation (Gebien 1937a: 594). Status: valid genus in Pimeliinae: Tentyriini. Note: redescribed as new by Bates (1890: 55).

Sycophantes Kirsch, 1866: 198 [M]. Type species: *Sycophantes dentipes* Kirsch, 1866, by subsequent designation (Gebien 1928: 203). Status: valid genus in Stenochiinae: Cnodalonini.

Sycophantomorphus Pic, 1924b: 13 [M]. Type species: *Sycophantomorphus ater* Pic, 1924, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Syggona Fåhraeus, 1870: 330 [F]. Type species: *Syggona concinna* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Luprops* Hope, 1833 in Lagriinae: Lupropini. Synonymy: Ferrer (1995b: 62).

Sylvanoplonyx Bremer, 2010: 156, 157 [M]. Type species: *Sylvanoplonyx femoralis* Bremer, 2010, by original designation. Status: valid genus in Tenebrioninae: Amarygmini.

Sympetes Pascoe, 1866a: 464 [M]. Type species: *Sympetes macleayi* Pascoe, 1866 (= *Emcephalus tricostellus* White, 1841), by subsequent designation (Gebien 1940: 1075). Status: valid genus in Tenebrioninae: Heleini: Heleina.

Symphochora Koch, 1952b: 12 [F]. Type species: *Eurychora humerifera* Gebien, 1937, by original designation. Status: valid genus in Pimeliinae: Adelostomini.

Symphoxycara Koch, 1943a: 577 [N]. Type species: *Oxycara breviusculum* Fairmaire, 1892, by monotypy. Status: valid subgenus of *Oxycara* Solier, 1835 in Pimeliinae: Tentyriini.

Sympiezocnemis Solsky, 1876: 290 [F]. Type species: *Sympiezocnemis kessleri* Solsky, 1876, by subsequent designation (Löbl et al. 2008b: 164). Status: junior synonym of *Pisterotarsa* Motschulsky, 1860 in Pimeliinae: Pimeliini. Synonymy: Heyden (1882: 140).

Synallecula Kolbe, 1883: 25 [F]. Type species: *Allecula livida* Sahlberg, 1823, by subsequent designation (R. Lucas 1920: 621). Status: valid genus in Alleculinae: Alleculini: Alleculina. Note: raised from a subgenus of *Alogista* Fåhraeus, 1870 to valid genus by Novák (2017b: 130).

Synatractus W.J. MacLeay, 1887: 312 [M]. Type species: *Synatractus variabilis* W.J. MacLeay, 1887, by monotypy. Status: junior synonym of *Casnonidea* Fairmaire, 1882 in Lagriinae: Lagriini: Statirina. Synonymy: Carter (1920b: 199), Merkl (1986: 188).

Syncolydium Kolbe, 1897a: 110 [N]. Type species: *Syncolydium glabratum* Kolbe, 1897, by monotypy. Status: junior synonym of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini. Synonymy: Bremer (1995: 3). Note: genus originally described in Tenebrionoidea: Colydiidae.

Syngona Rye, 1873: 293 [F]. Type species [automatic]: *Syggona concinna* Fåhraeus, 1870, by monotypy. Status: junior synonym of *Luprops* Hope, 1833 in Lagriinae: Lupropini. Note: unjustified emendation of *Syggona* Fåhraeus, 1870, not in prevailing usage.

Synhimba Koch, 1952d: 216 [N]. Type species: *Psammodes cordiformis* Haag-Rutenberg, 1871, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Oxurina.

Synquadrideres Iwan, 2003a: 182 [M]. Type species: *Synquadrideres naivashaensis* Iwan, 2003, by original designation. Status: junior synonym of *Glyptopteryx* Gebien, 1910 in Blaptinae: Platynotini: Platynotina. Synonymy: Kamiński (2015a: 91).

Syntyphlus Koch, 1953e: 243 [M]. Type species: *Syntyphlus subterraneus* Koch, 1953, by original designation. Status: valid genus in Blaptinae: Opatrini: Stizopodina.

Szentivanya Kaszab, 1958: 1 [F]. Type species: *Szentivanya metasternalis* Kaszab, 1958, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Tabarus Gebien, 1921a: 317 [M]. Type species: *Tabarus infernalis* Gebien, 1921, by subsequent designation (Gebien 1940: 1089). Status: valid genus in Stenochiinae: Cnodalonini.

Taclamacanius Ferrer & Yvinec, 2005: 121 [M]. Type species [automatic]: *Taklamakania lepetzi* Ferrer & Yvinec, 2004, by monotypy. Status: junior synonym of *Paranemia* Heyden, 1892 in Diaperinae: Phaleriini. Synonymy: G.S. Medvedev (2006: 557). Note: replacement name for *Taklamakania* Ferrer & Yvinec, 2004.

Tactoderus Fairmaire, 1892a: 112 [M]. Type species: *Tactoderus subopacus* Fairmaire, 1892 (= *Praogena gagatina* Mäklin, 1863), by monotypy. Status: junior synonym of *Praeugena* Laporte, 1840 in Tenebrioninae: Praeugenini. Synonymy: Gebien (1948: 544).

Tadzhikistania Bogatchev, 1960b: 35 [F]. Type species: *Tadzhikistania mystacea* Bogatchev, 1960, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Taenobates Motschulsky, 1872: 25 [M]. Type species: *Tenebrio saperdoides* G.-A. Olivier, 1795, by original designation. Status: junior synonym of *Xylopinus* J.L. LeConte, 1862 in Stenochiinae: Cnodalonini. Synonymy: C.O. Waterhouse (1876: 288). Note: we act as First Revisers and reject the alternative original spelling *Taeniobates*, used by Motschulsky (1872: 32).

Tagalinus Kaszab, 1977a: 301, 333 [M]. Type species: *Uloma lifuanum* Montrouzier, 1860, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Tagalopsis Kaszab, 1955a: 471, 475 [F]. Type species: *Tagalopsis szekessyi* Kaszab, 1955, by original designation. Status: valid genus in Phrenapatinae: Penetini.

Tagalus Gebien, 1914b: 388 [M]. Type species: *Tagalus impressicollis* Gebien, 1914, by subsequent designation (Gebien 1940: 756). Status: junior synonym of *Dioedus* J.L. LeConte, 1862 in Phrenapatinae: Penetini. Synonymy: Kaszab (1977a: 314).

Tagenesthes Koch, 1941: 276, 282 [F]. Type species: *Asphaltesthes afrogermanica* Koch, 1941, by monotypy. Status: valid subgenus of *Asphaltesthes* Kraatz, 1865 in Pimeliinae: Tentyriini.

Tagenia Latreille, 1802: 170 [F]. Type species: *Tenebrio filiformis* Fabricius, 1792, by monotypy. Status: junior synonym of *Stenosis* Herbst, 1799 in Pimeliinae: Stenosini: Stenosina. Synonymy: G.-A. Olivier (1803: 355, through synonymy of the type species).

Tagenodes Haag-Rutenberg, 1876: 87 [M]. Type species: *Tagenodes moufleti* Haag-Rutenberg, 1876, by monotypy. Status: junior synonym of *Rhammatodes* Haag-Rutenberg, 1876 in Pimeliinae: Tentyriini. Synonymy: Koch (1952a: 133).

† *Tagenopsis* Heer, 1864: 377 [F]. Type species: *Tagenopsis brevicornis* Heer, 1864, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: combined description of a new genus and a single new species (ICZN 1999, Article 12.2.6); described from Middle Miocene deposits (Germany).

Tagenostola Reitter, 1916d: 138, 151 [F]. Type species: *Stenosis turkestanica* Reitter, 1886, by subsequent designation (Gebien 1937a: 684). Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Tagona Fischer, 1820: pl. 16 [F]. Type species: *Tagona acuminata* Fischer, 1820, by subsequent designation (Hope 1841: 124). Status: valid genus in Blaptinae: Blaptini: Prosodina.

Tagonoides Fairmaire, 1886d: 343 [F]. Type species: *Tagonoides delavayi* Fairmaire, 1886, by subsequent designation (Blair 1923a: 283). Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Taichius Ando, 1996: 196, 197 [M]. Type species: *Platycrepis hemiceroides* Blair, 1929, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Taiwanocryphaeus Masumoto, 1996b: 67 [M]. Type species: *Taiwanocryphaeus rhinoceros* Masumoto, 1996, by original designation. Status: valid genus in Tenebrioninae: Toxicini: Toxicina.

Taiwanolagria Masumoto, 1988b: 41 [F]. Type species: *Taiwanolagria merkli* Masumoto, 1988, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Taiwanomenephilus Masumoto, 1986b: 61 [M]. Type species: *Taiwanomenephilus chui* Masumoto, 1986, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Taiwanomenimus Masumoto, Akita & Lee, 2019: 161 [M]. Type species: *Taiwanomenimus nakasatoi* Masumoto, Akita & Lee, 2019, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Gnathidiina.

Taiwanotagalus Masumoto, 1982b: 143 [M]. Type species: *Taiwanotagalus klapperichi* Masumoto, 1982, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Taiwanotrachyscelis Masumoto, Akita & Lee, 2012: 29 [F]. Type species: *Taiwanotrachyscelis chengi* Masumoto, Akita & Lee, 2012, by original designation. Status: valid genus in Diaperinae: Trachyscelini.

Taklamakania Ferrer & Yvinec, 2004: 42 [F]. Type species: *Taklamakania lepetzi* Ferrer & Yvinec, 2004, by monotypy. Status: junior synonym of *Paranemia* Heyden, 1892 in Diaperinae: Phaleriini. Synonymy: G.S. Medvedev (2006: 557). Note: junior homonym of *Taklamakania* Zhang, 1979 [Trilobita].

Talanus Jacquelin du Val, 1857: 156 [M]. Type species: *Talanus cribrarius* Jacquelin du Val, 1857, by monotypy. Status: valid genus in Stenochiinae: Talanini.

Tamatasida Koch, 1962a: 90, 145 [F]. Type species: *Scotinesthes tuberculosa* Fairmaire, 1895, by original designation. Status: valid genus in Pimeliinae: Asidini.

Tamdaous Pic, 1923b: 11 [M]. Type species: *Tamdaous impressus* Pic, 1923, by monotypy. Status: valid subgenus of *Oedemutes* Pascoe, 1860 in Stenochiinae: Cnodalonini.

Tamena Reitter, 1900c: 90, 143 [F]. Type species: *Psammocryptus rugiceps* Reitter, 1897, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Tanchirus Fairmaire, 1897e: 224 [M]. Type species: *Tanchirus compactus* Fairmaire, 1897, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tangiprosodes G.S. Medvedev, 2005b: 84 [M]. Type species: *Prosodes pygmaea* Kraatz, 1882, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina. Note: originally described as a section within a subgenus.

Tanychilus Newman, 1838: 487 [M]. Type species: *Tanychilus striatus* Newman, 1838, by subsequent designation (Cazurro Ruiz 1897a: 213). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Tanylypa Pascoe, 1869: 152 [F]. Type species: *Tanylypa morio* Pascoe, 1869, by monotypy. Status: valid genus in Zolodininae.

Tapenopsis Solier, 1843: 5 [F]. Type species: *Tapenopsis costata* Solier, 1843, by original designation. Status: valid genus in Pimeliinae: Leptodini.

Taphrosoma Kirsch, 1866: 195 [N]. Type species: *Taphrosoma dohrnii* Kirsch, 1866, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tapinocomus Gebien, 1928: 102 [M]. Type species: *Tapinocomus subnudus* Gebien, 1928, by monotypy. Status: valid genus in Pimeliinae: Epitragini.

Tapinopsis Agassiz, 1846b: 361 [F]. Type species [automatic]: *Tapenopsis costata* Solier, 1843, by original designation. Status: junior synonym of *Tapenopsis* Solier, 1843 in Pimeliinae: Leptodini. Note: unjustified emendation of *Tapenopsis* Solier, 1843, not in prevailing usage.

Taraxides C.O. Waterhouse, 1876: 289 [M]. Type species: *Helops sinuatus* Fabricius, 1801 (= *Tenebrio laevigatus* Fabricius, 1781), by subsequent designation (Gebien 1941: 340). Status: valid genus in Stenochiinae: Cnodalonini. Note: the original combination of the accepted name of the type species, *Tenebrio laevigatus* Fabricius, 1781, is a junior primary homonym of *Tenebrio laevigatus* Linnaeus, 1767.

Tarpela Bates, 1870: 272 [F]. Type species: *Tarpela brownii* Bates, 1870, by subsequent designation (Gebien 1943: 407). Status: valid genus in Tenebrioninae: Helopini: Helopina.

Tarphiophasis Wollaston, 1877: 227 [F]. Type species: *Tarphiophasis tuberculata* Wollaston, 1877, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Tarsocnodes Gebien, 1920: 82 [M]. Type species: *Psammodes molossus* Haag-Rutenberg, 1871, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Tarsosis Gebien, 1920: 33, 34 [F]. Type species: *Stenocara damarense* Péringuey, 1886, by monotypy. Status: valid subgenus of *Zophosis* Latreille, 1802 in Pimeliinae: Zophosini.

Tauroceras Hope, 1841: 130 [N]. Type species: *Tenebrio cornutus* Fabricius, 1775, by original designation. Status: valid genus in Tenebrioninae: Centronopini.

Tauroceropedus Pic, 1913b: 4 [M]. Type species: *Tauroceropedus difformipes* Pic, 1913, by subsequent designation (Gebien 1941: 344). Status: junior synonym of *Tauroceras* Hope, 1841 in Stenochiinae: Cnodalonini. Synonymy: Ferrer et al. (2005: 272).

Taurohelops Keskin & Nabozhenko, 2015: 84 [M]. Type species: *Stenomax incultus* Allard, 1877, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Taxes Champion, 1895a: 226 [M]. Type species: *Taxes depressus* Champion, 1895, by subsequent designation (R. Lucas 1920: 628). Status: valid genus in Alleculinae: Alleculini: Alleculina.

Tearchus Kraatz, 1880b: 110 [M]. Type species: *Tearchus annulipes* Kraatz, 1880, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tedinus Casey, 1891: 153 [M]. Type species: *Tedinus angustus* Casey, 1891, by monotypy. Status: junior synonym of *Isomira* Mulsant, 1856 in Alleculinae: Alleculini: Gonoderina. Synonymy: Bousquet and Campbell (1991: 259).

Telabis Casey, 1890b: 331 [M]. Type species: *Eurymetopon longipenne* Casey, 1890, by subsequent designation (Casey 1907: 288). Status: valid genus in Pimeliinae: Edrotini. Note: see Alonso-Zarazaga in Bousquet et al.(2018: 116) for comments on the gender of this genus-group name.

Telacis Poey, 1854: 322 [M]. Type species [automatic]: *Chrysomela sulphurea* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Cteniopus* Solier, 1835 in Alleculinae: Cteniopodini. Note: replacement name for *Cistela* Fabricius, 1775, a senior synonym of *Cteniopus* Solier, 1835.

Telaponium Blaisdell, 1923: 209 [N]. Type species: *Telaponium castaneum* Blaisdell, 1923, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Telchis Champion, 1886: 142 [M]. Type species: *Telchis clavicornis* Champion, 1886, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Teles Mulsant & Godart, 1876: 163 [M]. Type species: *Teles eutymi* Mulsant & Godart, 1876, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: the alternative original spelling *Tales*, used by Mulsant and Godart (1876: 164), was rejected by Rye (1879: 62) who acted as the First Reviser.

Telesicles Champion, 1888: 450 [M]. Type species: *Telesicles cordatus* Champion, 1888, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Telethrus Pascoe, 1882: 29 [M]. Type species: *Telethrus ebeninus* Pascoe, 1882, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Telleus Fairmaire, 1904b: 465 [M]. Type species: *Telleus crenatus* Fairmaire, 1904, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Temnes Champion, 1888: 410 [M]. Type species: *Temnes caeruleus* Champion, 1888, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Temnoaphelus Ferrer, 1988: 377 [M]. Type species: *Temnoaphelus hispidus* Ferrer, 1988, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Temnophthalmus Gebien, 1921b: 62, 75 [M]. Type species: *Temnophthalmus scalaris* Gebien, 1921, by subsequent designation (Gebien 1941: 341). Status: valid genus in Stenochiinae: Cnodalonini.

Teneatopus Reitter, 1920a: 23 [M]. Type species: *Tenebrio atronitens* Fairmaire, 1891, by monotypy. Status: junior synonym of *Ariarathus* Fairmaire, 1891 in Tenebrioninae: Tenebrionini. Synonymy: Ardoin (1969b: 126).

Tenebrio Linnaeus, 1758: 417 [M]. Type species: *Tenebrio molitor* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: valid genus and subgenus in Tenebrioninae: Tenebrionini.

Tenebriocamaria Pic, 1919b: 3 [F]. Type species: *Tenebriocamaria atra* Pic, 1919, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tenebriocephalon Pic, 1925b: 10 [N]. Type species: *Tenebriocephalon piceum* Pic, 1925, by monotypy. Status: valid genus in Pimeliinae: Ceratanisini.

Tenebrioloma Gebien, 1910c: 386 [N]. Type species: *Tenebrioloma semicostatum* Gebien, 1910, by monotypy. Status: junior synonym of *Tribolium* W.S. MacLeay, 1825 in Tenebrioninae: Triboliini. Synonymy: Halstead (1967b: 270).

Tenebriomimus Kolbe, 1901: 342 [M]. Type species: *Tenebriomimus adansoniarum* Kolbe, 1901 (= *Palembus ocularis* Casey, 1891), by monotypy. Status: junior synonym of *Ulomoides* Blackburn, 1888 in Diaperinae: Diaperini: Diaperina. Synonymy: Gebien (1922b: 268, with *Martianus* Fairmaire, 1893, a junior synonym of *Ulomoides* Blackburn, 1888).

Tenebrionellus Crotch, 1874: 105 [M]. Type species [automatic]: *Tenebrio molitor* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Tenebrio* Linnaeus, 1758 in Tenebrioninae: Tenebrionini. Note: unnecessary replacement name for *Tenebrio* Linnaeus, 1758.

† *Tenebrionites* Cockerell, 1920: 67 [M]. Type species: *Tenebrionites anglicus* Cockerell, 1920, by monotypy. Status: valid genus in Tenebrionidae: incertae sedis. Note: combined description of a new genus and a single new species (ICZN 1999, Article 12.2.6); described from Middle Eocene deposits (United Kingdom).

Tenebriopsis Gebien, 1928: 170, 186 [F]. Type species: *Tenebriopsis subtilicostis* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tenesis Duvivier, 1892: 163 [M]. Type species: *Tenesis femoratus* Duvivier, 1892, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tentyria Latreille, 1802: 170 [F]. Type species: *Tentyria ligurica* Solier, 1835, by plenary powers (ICZN 2010a, Opinion 2244). Status: valid genus in Pimeliinae: Tentyriini. Note: name placed on the Official List of Generic Names in Zoology (ICZN 2010a, Opinion 2244).

Tentyriina Peyerimhoff, 1907: 31 [F]. Type species [automatic]: *Pimelia orbiculata* Fabricius, 1775, by subsequent designation (Gebien 1937a: 624; see ICZN 2010a, Opinion 2244). Status: junior synonym of *Tentyrina* Reitter, 1900 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Tentyrina* Reitter, 1900, not in prevailing usage.

Tentyrina Reitter, 1900c: 92, 166 [F]. Type species: *Pimelia orbiculata* Fabricius, 1775, by subsequent designation (Gebien 1937a: 624; see ICZN 2010a, Opinion 2244). Status: valid genus in Pimeliinae: Tentyriini. Note: name placed on the Official List of Generic Names in Zoology (ICZN 2010a, Opinion 2244).

Tentyriomorpha Peyerimhoff, 1927: 52 [F]. Type species [automatic]: *Tentyromorpha telueti* Escalera, 1913, by monotypy. Status: junior synonym of *Tentyromorpha* Escalera, 1913 in Pimeliinae: Tentyriini. Note: unjustified emendation of *Tentyromorpha* Escalera, 1913, not in prevailing usage.

Tentyriopsis Gebien, 1928: 168, 174 [F]. Type species: **fixed herein** (ICZN 1999, Article 70.3) as *Tentyriopsis pertyi* Gebien, 1940, misidentified as *Tentyria striipuncta* Perty, 1830 in the original designation by monotypy in Gebien (1928). Status: valid genus in Stenochiinae: Cnodalonini. Note: the type species *Tentyria striipuncta* Perty was first established by monotypy; Gebien (1940: 1091) reported that *Tentyria striipuncta* Perty of Gebien (1928) was misidentified and proposed the name *Tentyriopsis pertyi* for it; we follow currently accepted concepts (e.g., Blackwelder 1945: 533) and fix the type species according to the requirements of Article 70.3.2 (ICZN 1999); the nominal species *Tentyria striipuncta* Perty, 1830 is also a valid species in the genus *Tentyriopsis* Gebien, 1928.

Tentyrodera Koch, 1943a: 572 [F]. Type species: *Microdera marginata* Baudi di Selve, 1874, by monotypy. Status: valid subgenus of *Microdera* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Tentyromorpha Escalera, 1913: 38 [F]. Type species: *Tentyromorpha telueti* Escalera, 1913, by monotypy. Status: valid subgenus of *Pachychila* Eschscholtz, 1831 in Pimeliinae: Tentyriini.

Tentyronota Reitter, 1900c: 93, 188 [F]. Type species: *Micipsa rotundicollis* Kraatz, 1865, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Terametus Motschulsky, 1869: 193 [M]. Type species: *Terametus capicola* Motschulsky, 1869, by monotypy. Status: valid genus in Lagriinae: Lupropini.

Teremenes Carter, 1914b: 54 [M]. Type species: *Tenebrio longipennis* Hope, 1843, by **present designation**. Status: junior synonym of *Zophophilus* Fairmaire, 1881 in Stenochiinae: Cnodalonini. Synonymy: Carter (1930: 547).

Termitonebria Wasmann in Wasmann and Brauns, 1925: 105 [F]. Type species: *Termitonebria braunsi* Wasmann, 1925 (= *Asyleptus fumosus* Péringuey, 1896), by monotypy. Status: junior synonym of *Asyleptus* Péringuey, 1896 in Tenebrioninae: Amarygmini. Synonymy: Schawaller and Bremer (2013: 81).

Tessaromma Boheman, 1858: 91 [N]. Type species: *Tessaromma lugubre* Boheman, 1858, by subsequent designation (Aalbu and Triplehorn 1991: 170). Status: junior synonym of *Blapstinus* Dejean, 1821 in Blaptinae: Opatrini: Blapstinina. Synonymy: Gemminger in Gemminger and Harold (1870: 1923, with *Pedonoeces* G.R. Waterhouse, 1845, a junior synonym of *Blapstinus* Dejean, 1821), Aalbu and Triplehorn (1991: 170). Note: junior homonym of *Tessaromma* Newman, 1840 [Coleoptera: Cerambycidae].

Tetragonomecus Rye, 1880: 87 [M]. Type species [automatic]: *Tetragonomenes semiviridis* Chevrolat, 1878, by monotypy. Status: junior synonym of *Tetragonomenes* Chevrolat, 1878 in Stenochiinae: Cnodalonini. Note: unjustified emendation for *Tetragonomenes* Chevrolat, 1878, not in prevailing usage.

Tetragonomenes Chevrolat, 1878b: clii [M]. Type species: *Tetragonomenes semiviridis* Chevrolat, 1878, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Tetranillus Wasmann, 1899a: 167 [M]. Type species: *Tetranillus costatus* Wasmann, 1899, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Tetranosis G.S. Medvedev, 1995a: 858 [F]. Type species: *Tetranosis clypeoloba* Koch, 1940, by original designation. Status: valid subgenus of *Microtelopsis* Koch, 1940 in Pimeliinae: Stenosini: Stenosina. Note: as pointed out by Aalbu et al. (2017: 326) this name was first introduced by Koch (1940b: 740); however, Koch did not designate a type species and therefore his name is unavailable; Löbl and Merkl (2003: 251) designated a type species for this genus but did not describe the genus-group taxon as new (ICZN 1999, Article 16.1); G.S. Medvedev (1995a: 858) was the first to provide a description of *Tetranosis* as well as fixing a type species for the genus, thereby making the name nomenclaturally available for the first time; we hereby act as First Revisers and select *Microtelopsis* Koch, 1940 as the valid name of the genus based on the Principle of Priority (ICZN 1999, Article 23.3.5).

Tetraphyllus Laporte & Brullé, 1831: 332, 404 [M]. Type species: *Tetraphyllus latreillei* Laporte & Brullé, 1831, by subsequent designation (Gebien 1935: 64). Status: valid genus in Stenochiinae: Cnodalonini. Note: nomenclatural stability in this genus is threatened by the discovery of an older type species designation (*Tetraphyllus formosus* Laporte & Brullé, 1831, by subsequent designation by Bates (1879a: 293), which is the type species of *Damatris* Laporte, 1840); we recommend that an application be submitted to the International Commission on Zoological Nomenclature to maintain the type species designation proposed by Gebien (1935: 64).

Tetrethas Koch, 1962a: 23, 145 [M]. Type species: *Anethas xylophilus* Koch, 1962, by original designation. Status: valid subgenus of *Anethas* Jakobson, 1924 in Pimeliinae: Stenosini: Stenosina.

Tetromma Dejean, 1834: 183 [N]. Type species: *Upis unicolor* Herbst, 1797, by subsequent designation (Löbl et al. 2008a: 43). Status: junior synonym of *Hyperops* Eschscholtz, 1831 in Pimeliinae: Tentyriini. Synonymy: Dejean (1836: 203).

Texaponium Thomas, 1984: 658 [N]. Type species: *Cryptadius triplehorni* Berry, 1974, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Thaioblaps Masumoto, 1989: 187 [F]. Type species: *Thaioblaps punneeae* Masumoto, 1989, by original designation. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Thalpobia Fairmaire, 1871a: 385 [F]. Type species: *Thalpobia laevipennis* Fairmaire, 1871, by monotypy. Status: valid genus in Pimeliinae: Tentyriini.

Thalpophila Solier, 1835b: 253, 370 [F]. Type species: *Akis abbreviata* Fabricius, 1801, by subsequent designation (Chevrolat 1849: 544). Status: senior synonym of *Thalpophilodes* Strand, 1942 in Pimeliinae: Tentyriini. Note: junior homonym of *Thalpophila* Hübner, 1820 [Lepidoptera].

Thalpophilodes Strand, 1942: 391 [M]. Type species [automatic]: *Akis abbreviata* Fabricius, 1801, by subsequent designation (Chevrolat 1849: 544). Status: valid genus in Pimeliinae: Tentyriini. Note: replacement name for *Thalpophila* Solier, 1835.

Tharsus J.L. LeConte, 1862: 233 [M]. Type species: *Tharsus seditiosus* J.L. LeConte, 1862, by monotypy. Status: junior synonym of *Metaclisa* Jacquelin du Val, 1861 in Tenebrioninae: Metaclisini. Synonymy: Steiner (2016: 538).

Thaumatoblaps Kaszab & G.S. Medvedev, 1984: 79 [F]. Type species: *Thaumatoblaps marikovskiji* Kaszab & G.S. Medvedev, 1984, by original designation. Status: valid genus in Blaptinae: Blaptini: Blaptina.

Theatetes Champion, 1888: 420 [M]. Type species: *Theatetes basicornis* Champion, 1888, by monotypy. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Thecacerus Lacordaire, 1859b: 420 [M]. Type species: *Cnodalon nodosum* Gray, 1831, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Theresea Pic, 1917d: 12 [F]. Type species: *Theresea diversipennis* Pic, 1917, by monotypy. Status: valid genus in Stenochiinae: Stenochiini. Note: Masumoto (1999b: 130) transferred this genus from Cnodalonini.

Thesilea Haag-Rutenberg, 1878: 103 [F]. Type species: *Thesilea versicolor* Haag-Rutenberg, 1878, by subsequent designation (R. Lucas 1920: 638). Status: valid genus in Stenochiinae: Cnodalonini.

Thettea Bates, 1879a: 290 [F]. Type species: *Thettea tenuitarsis* Bates, 1879, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Thinobatis Eschscholtz, 1831: 5, 8 [F]. Type species: *Thinobatis ferruginea* Eschscholtz, 1831, by monotypy. Status: valid genus in Pimeliinae: Thinobatini.

Thoracon Gistel, 1848a: xi [N]. Type species [automatic]: *Silpha sabulosa* Linnaeus, 1758, by subsequent designation (Latreille 1810: 429). Status: junior synonym of *Opatrum* Fabricius, 1775 in Blaptinae: Opatrini: Opatrina. Note: unnecessary replacement name for *Opatrum* Fabricius, 1775.

Thoracophorus Hope, 1841: 188 [M]. Type species: *Thoracophorus walckenaerii* Hope, 1841, by original designation. Status: senior synonym of *Cardiothorax* Motschulsky, 1860 in Lagriinae: Adeliini. Synonymy: Motschulsky (1860a: 67). Note: junior homonym of *Thoracophorus* Motschulsky, 1837 [Coleoptera: Staphylinidae].

Thoracostira Borchmann, 1936: 240, 508 [F]. Type species: *Statira sculpta* Kirsch, 1873, by original designation. Status: valid genus in Lagriinae: Lagriini: Statirina.

Thorictophasis Koch, 1950c: 80 [F]. Type species: *Caenocrypticus deserticus* Koch, 1950, by original designation. Status: junior synonym of *Caenocrypticus* Gebien, 1920 in Pimeliinae: Caenocrypticini. Synonymy: Endrödy-Younga (1996: 13).

Thorictosoma Lea, 1919: 257 [N]. Type species: *Thorictosoma ectatommae* Lea, 1919, by original designation. Status: valid genus in Pimeliinae: Cnemeplatiini: Thorictosomatina.

Thornella Novák, 2019e: 83 [F]. Type species: *Allecula holomelaena* Fairmaire, 1894, by original designation. Status: valid subgenus of *Upinella* Mulsant, 1856 in Alleculinae: Alleculini: Alleculina.

Thoseus Pic, 1925b: 9 [M]. Type species: *Thoseus rufus* Pic, 1925, by monotypy. Status: valid genus in Lagriinae: Belopini.

Thraustocolus Kraatz, 1866: 414 [M]. Type species [automatic]: *Calobamon leptoderus* Kraatz, 1865, by monotypy. Status: valid genus & subgenus in Pimeliinae: Tentyriini. Note: replacement name for *Calobamon* Kraatz, 1865.

Threnus Motschulsky, 1870: 404 [M]. Type species: *Threnus niger* Motschulsky, 1870, by original designation. Status: senior synonym of *Argoporis* Horn, 1870 in Tenebrioninae: Cerenopini. Synonymy: Aalbu et al. (1995: 483). Note: see the entry for *Argoporis* Horn, 1870 regarding the priority of these two names.

Thriptera Solier, 1836: 9, 48 [F]. Type species: *Thriptera maillei* Solier, 1836 (= *Pimelia crinita* Klug, 1830), by subsequent designation (Hope 1841: 118). Status: valid genus in Pimeliinae: Pimeliini.

Thurea Ferrer, 1998b: 151 [F]. Type species: *Thurea palmi* Ferrer, 1998, by original designation. Status: junior synonym of *Platycotylus* Olliff, 1883 in Tenebrioninae: Palorini. Synonymy: Schawaller (2014: 51).

Thydemorphus Pic, 1918b: 19 [M]. Type species: *Thydemorphus pilitarsis* Pic, 1918, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Thydemus Lewis, 1894: 475 [M]. Type species: *Scotaeus purpurivittatus* Marseul, 1876, by original designation. Status: junior synonym of *Pseudonautes* Fairmaire, 1892 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1914a: 58).

Thylacoderes Solier, 1843: 44, 123 [M]. Type species: *Thylacoderes eumolpoides* Solier, 1843, by original designation. Status: valid genus in Pimeliinae: Praociini.

Tibinella Novák, 2019e: 91 [F]. Type species: *Upinella pahangica* Novák, 2019, by original designation. Status: valid subgenus of *Upinella* Mulsant, 1856 in Alleculinae: Alleculini: Alleculina.

Tibiocnodes Gearner & Kamiński in Gearner et al., 2021: 8 [M]. Type species: *Psammodes lucidus* Fåhraeus, 1870, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Tidiguinia Español, 1959: 249 [F]. Type species: *Tidiguinia bolivari* Español, 1959, by original designation. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Timeneca Carter, 1914b: 78 [F]. Type species [automatic]: *Ctimene breweri* Bates, 1873, by monotypy. Status: junior synonym of *Mitrothorax* Carter, 1914 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 456). Note: replacement name for *Ctimene* Bates, 1873, a senior synonym of *Mitrothorax* Carter, 1914.

Timogebienus Ardoin, 1963b: 308, 331 [M]. Type species: *Hoplonyx collaris* Gebien, 1910, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Timosmithus Ardoin, 1974b: 457 [M]. Type species: *Timosmithus basilewskyi* Ardoin, 1974, by monotypy. Status: valid genus in Pimeliinae: Stenosini: Stenosina.

Tinophyllus Fairmaire, 1869b: 234 [M]. Type species: *Tinophyllus gracilicornis* Fairmaire, 1869, by monotypy. Status: junior synonym of *Camariodes* Fairmaire, 1869 in Stenochiinae: Cnodalonini. Synonymy: Fairmaire (1886c: 75).

Tisamenes Champion, 1884: 64 [M]. Type species: *Tisamenes truquii* Champion, 1884, by monotypy. Status: valid subgenus of *Philolithus* Lacordaire, 1858 in Pimeliinae: Asidini.

Titaena Erichson, 1842a: 178 [F]. Type species: *Titaena columbina* Erichson, 1842, by subsequent designation (Chevrolat 1849: 594). Status: valid genus in Tenebrioninae: Titaenini.

Tithassa Pascoe, 1860b: 125 [F]. Type species: *Tithassa corynomelas* Pascoe, 1860, by monotypy. Status: valid genus in Lagriinae: Goniaderini.

Tjikoraia Pic, 1921d: 18 [F]. Type species: *Tjikoraia javana* Pic, 1921, by subsequent designation (Riley 1923: 130). Status: junior synonym of *Menimus* Sharp, 1876 in Diaperinae: Gnathidiini: Gnathidiina. Synonymy: Kaszab (1979a: 81).

Tlascalinus Casey, 1907: 370 [M]. Type species: *Trimytis flohri* Champion, 1892, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Toktokkus Kamiński & Gearner in Kamiński et al., 2020: 10 [M]. Type species: *Toktokkus tschinkeli* Kamiński & Gearner, 2020, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Tomogria Merkl, 1988a: 135 [F]. Type species: *Tomogria perlata* Merkl, 1988, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Tonibiastes Casey, 1895: 617 [M]. Type species: *Notibius costipennis* Horn, 1894, by original designation. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Tonibius Casey, 1895: 617 [M]. Type species: *Notibius sulcatus* J.L. LeConte, 1851, by subsequent designation (R. Lucas 1920: 644). Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Tonkinius Fairmaire, 1903a: 13 [M]. Type species: *Tonkinius sculptilis* Fairmaire, 1903, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Toreuma Carter, 1913a: 84 [N]. Type species: *Toreuma cupreum* Carter, 1913, by monotypy. Status: senior synonym of *Atoreuma* Gebien, 1941 in Tenebrioninae: Heleini: Cyphaleina. Note: junior homonym of *Toreuma* Haeckel, 1880 [Cnidaria].

Toxicum Latreille, 1802: 174 [N]. Type species: *Toxicum richesianum* Latreille, 1802, by monotypy. Status: valid genus and subgenus in Tenebrioninae: Toxicini: Toxicina. Note: combined description of a new genus and a single new species (ICZN 1999, Article 12.2.6).

Toxocnema Fåhraeus, 1870: 304 [F]. Type species: *Toxocnema rufitarsis* Fåhraeus, 1870, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini. Note: transferred from Tenebrioninae: Ulomini by Schawaller (2009b: 363).

Trachasida Reitter, 1917a: 41, 62 [F]. Type species: *Asida ruficornis* Solier, 1836, by subsequent designation (F. Soldati 2008: 33). Status: junior synonym of *Gracilasida* Escalera, 1905 in Pimeliinae: Asidini. Synonymy: Wilke (1922: 259, with *Planasida* Escalera, 1907, a junior synonym of *Gracilasida* Escalera, 1905).

Tracheloeum Hope, 1841: 116 [N]. Type species: *Tracheloeum laticolle* Hope, 1841, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina. Note: combined description of a new genus and a single new species (ICZN 1999, Article 12.2.6).

Trachelostenus Solier, 1851: 255 [M]. Type species: *Trachelostenus inaequalis* Solier, 1851, by monotypy. Status: valid genus in Tenebrioninae: Trachelostenini. Note: the family-group name based on this genus was downgraded from the family Trachelostenidae (within the superfamily Tenebrionoidea) to the tribe Trachelostenini (within the tenebrionid subfamily Tenebrioninae) by Matthews and Lawrence (2015: 290).

Trachyderes Koch, 1955a: 112 [M]. Type species: *Trachynotus bipunctatus* Haag-Rutenberg, 1873, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Trachyderma Latreille, 1828: 576 [N]. Type species: *Pimelia hispida* Fabricius, 1775 (= *Tenebrio hispidus* Forskål, 1775), by subsequent designation (P.H. Lucas 1839: 50). Status: valid genus and subgenus in Pimeliinae: Pimeliini. Note: gender of genus corrected from feminine to neuter by Löbl and Smetana (2011: 33).

Trachydermum Gistel, 1848a: xi [N]. Type species [automatic]: *Pimelia hispida* Fabricius, 1775 (= *Tenebrio hispidus* Forskål, 1775), by subsequent designation (P.H. Lucas 1839: 50). Status: junior synonym of *Trachyderma* Latreille, 1828 in Pimeliinae: Pimeliini. Note: unnecessary replacement name for *Trachyderma* Latreille, 1828.

Trachymetus Reitter, 1904: 51, 76 [M]. Type species: *Pachypterus elongatus* Mulsant & Rey, 1859, by monotypy. Status: junior synonym of *Amblysphagus* Fairmaire, 1896 in Blaptinae: Opatrini: Neopachypterina. Synonymy: Kaszab (1975a: 27).

Trachynotidus Péringuey, 1899: 296 [M]. Type species: *Psammodes thoreyi* Haag-Rutenberg, 1871, by subsequent designation (Kamiński et al. 2019b: 18). Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Trachynotus Latreille, 1828: 579 [M]. Type species: *Sepidium vittatum* Fabricius, 1781, by subsequent designation (Kamiński et al. 2019b: 93). Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Trachyscelis Latreille, 1809: 379 [F]. Type species: *Trachyscelis aphodioides* Latreille, 1809, by monotypy. Status: valid genus in Diaperinae: Trachyscelini.

Tragardhus Koch, 1956a: 369 [M]. Type species: *Tragardhus grandipleurum* Koch, 1956, by original designation. Status: valid genus and subgenus in Blaptinae: Dendarini: Melambiina.

Trestonia Rafinesque, 1815: 113 [F]. Type species [automatic]: *Toxicum richesianum* Latreille, 1802, by monotypy. Status: junior synonym of *Toxicum* Latreille, 1802 in Tenebrioninae: Toxicini: Toxicina. Note: unnecessary replacement name for *Toxicum* Latreille, 1802.

Triangulipenna Louw, 1979: 100, 114 [F]. Type species: *Triangulipenna lacuna* Louw, 1979, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Tribolium W.S. MacLeay, 1825: 47 [N]. Type species: *Colydium castaneum* Herbst, 1797, by monotypy (see ICZN 1988, Opinion 1495). Status: valid genus and subgenus in Tenebrioninae: Triboliini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1988, Opinion 1495).

Trichamarygmus Carter, 1913b: 46 [M]. Type species: *Trichamarygmus pilosus* Carter, 1913, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Trichanemia Ardoin, 1971: 361, 406 [F]. Type species: *Anemia schmitzi* Ardoin, 1971, by monotypy. Status: valid subgenus of *Cheirodes* Gené, 1839 in Tenebrioninae: Melanimonini.

Tricheleodes Blaisdell, 1909: 138 [M]. Type species: *Eleodes hirsuta* J.L. LeConte, 1861, by subsequent designation (Johnston 2016: 666). Status: valid subgenus of *Eleodes* Eschscholtz, 1829 in Blaptinae: Amphidorini.

Trichethmus Gebien, 1937b: 45 [M]. Type species: *Trichethmus lobicollis* Gebien, 1937, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Trachynotina.

Trichiasida Casey, 1912: 77, 172 [F]. Type species: *Pelecyphorus hirsutus* J.L. LeConte, 1851, by original designation. Status: valid subgenus of *Stenomorpha* Solier, 1836 in Pimeliinae: Asidini.

Trichiotes Casey, 1907: 432, 443 [M]. Type species: *Trichiotes seriatus* Casey, 1907, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Trichochianalus Kaszab, 1940a: 149, 201 [M]. Type species: *Platynoscelis monticola* Kaszab, 1940, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini. Note: the spellings *Trichochianalis* (p. 201 – also used in the directory of new taxa published in volume 30 of the journal *Mitteilungen der Münchner Entomologischen Gesellschaft* (p. xi)) and *Trichochianalus* (pp 125, 149, 201) were used in the original publication; Kaszab (1940b: 989) used the spelling *Trichochianalus* only and therefore acted as the First Reviser (ICZN 1999, Article 24.2.4).

Trichodamatris Chatanay, 1915a: 506, 524 [M]. Type species: *Porphyrhyba raffrayi* Fairmaire, 1884, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Trichoderulus Blaisdell, 1923: 281 [M]. Type species: *Trichoderulus longipilosus* Blaisdell, 1923 (= *Eleodes tribulus* Thomas, 2005), by original designation. Status: junior synonym of *Pseudeleodes* Blaisdell, 1909 in Blaptinae: Amphidorini. Synonymy: Johnston (2016: 672).

Tricholeipopleura Kaszab, 1940a: 152, 223 [F]. Type species: *Platynoscelis lucidicollis* Kraatz, 1882, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini. Note: the spellings *Tricholeipopleura* (pp 131, 223, 225–228, also used in the directory of new taxa published in volume 30 of the journal *Mitteilungen der Münchner Entomologischen Gesellschaft* (p. xii)) and *Tricholeipoleura* (pp. 152) were used in the original publication; Kaszab (1940b: 989) used the spelling *Tricholeipopleura* only and therefore acted as the First Reviser (ICZN 1999, Article 24.2.4).

Trichomyatis Schuster in Reinig, 1931: 893 [F]. Type species: *Trichomyatis conradti* Schuster, 1931, by original designation. Status: valid genus in Blaptinae: Platyscelidini.

Trichoodescelis Kaszab, 1940b: 940, 954 [F]. Type species: *Platyscelis acutangula* Kraatz, 1884, by original designation. Status: junior synonym of *Longuloodescelis* Kaszab, 1940 in Blaptinae: Platyscelidini. Synonymy: Egorov (2004: 595).

Trichoplatynoscelis Kaszab, 1940b: 896 [F]. Type species: *Trichoplatynoscelis pamirensis* Kaszab, 1940, by original designation. Status: junior synonym of *Trichomyatis* Schuster, 1931 in Blaptinae: Platyscelidini. Synonymy: Egorov (2004: 603). Note: this name was also used in several instances by Kaszab (1940a: 126, 132, 142, 143, 146); however, it is not available from that publication since there is no type species designated.

Trichoplatyscelis Reinig, 1931: 895 [F]. Type species: *Trichoplatyscelis pamirensis* Reinig, 1931, by original designation. Status: valid subgenus of *Bioramix* Bates, 1879 in Blaptinae: Platyscelidini.

Trichopodus Mulsant & Rey, 1859c: 58, 59 [M]. Type species: *Trichopodus validus* Mulsant & Rey, 1859, by monotypy. Status: senior synonym of *Trichosternum* Wollaston, 1861 in Blaptinae: Opatrini: Opatrina. Synonymy: Bates (1872a: 98). Note: junior homonym of *Trichopodus* Lacepède, 1802 [Pisces].

Trichosaragus Blackburn, 1890: 1269 [M]. Type species: *Trichosaragus pilosellus* Blackburn, 1890, by monotypy. Status: valid genus in Tenebrioninae: Heleini: Heleina.

Trichosphaena Reitter, 1916c: 140, 145 [F]. Type species: *Sphenaria olgae* Semenov, 1889, by subsequent designation (Gebien 1937a: 577). Status: valid genus in Pimeliinae: Tentyriini.

Trichosternum Wollaston, 1861: 205 [N]. Type species: *Trichosternum striatum* Wollaston, 1861, by monotypy. Status: valid genus in Blaptinae: Opatrini: Opatrina.

Trichostethe Koch, 1950b: 285 [F]. Type species: *Cyphostethe pilosa* Koch, 1950, by original designation. Status: valid subgenus of *Cyphostethe* Marseul, 1866 in Pimeliinae: Tentyriini.

Trichotenebrio Ardoin, 1962a: 64 [M]. Type species: *Trichotenebrio atronitidus* Ardoin, 1962, by monotypy. Status: valid genus in Tenebrioninae: Tenebrionini.

Trichotoides Marcuzzi, 1954: 23 [M]. Type species: *Scaptes hintoni* Kaszab, 1949, by monotypy. Status: junior synonym of *Ammodonus* Mulsant, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Ferrer and Moraguès (2001: 499).

Trichoton Hope, 1841: 111 [N]. Type species: *Trichoton cayennense* Hope, 1841, by original designation. Status: valid genus in Blaptinae: Opatrini: Blapstinina. Note: combined description of a new genus and a single new species (ICZN 1999, Article 12.2.6).

Trichotrachys Koch, 1955a: 201 [M]. Type species: *Trachynotus sordidus* Gerstaecker, 1854, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Trichotrichus Koch, 1955a: 108 [M]. Type species: *Trachynotus crinitus* Haag-Rutenberg, 1873, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Trichotum Agassiz, 1846b: 376 [N]. Type species [automatic]: *Trichoton cayennense* Hope, 1841, by original designation. Status: junior synonym of *Trichoton* Hope, 1841 in Blaptinae: Opatrini: Blapstinina. Note: unjustified emendation of *Trichoton* Hope, 1841, not in prevailing usage.

Trichulodes Carter, 1914a: 223 [M]. Type species: *Trichulodes punctatus* Carter, 1914, by monotypy. Status: junior synonym of *Pseudolyprops* Fairmaire, 1882 in Lagriinae: Goniaderini. Synonymy: Doyen et al. (1990: 231).

Trientoma Solier, 1835b: 253, 256 [F]. Type species: *Trientoma varvasi* Solier, 1835, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Trigonocnera Reitter, 1893: 202, 213 [F]. Type species: *Trigonoscelis pseudopimelia* Reitter, 1889, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Trigonopachys Skopin, 1968b: 300 [M]. Type species: *Trigonopachys michailovi* Skopin, 1968, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Trigonopilus Fairmaire, 1893b: 22 [M]. Type species: *Trigonopilus laticeps* Fairmaire, 1893, by monotypy. Status: valid genus in Blaptinae: Opatrini: incertae sedis. Note: placed in Opatrini incertae sedis by Kamiński et al. (2021b: 151).

Trigonopoda Gebien, 1914a: 2 [F]. Type species: *Trigonopoda crassipes* Gebien, 1914, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Trigonopus Mulsant & Rey, 1853b: 105 [M]. Type species: *Trigonopus capicola* Mulsant & Rey, 1853, by subsequent designation (Cazurro Ruiz 1897b: 539). Status: valid genus in Blaptinae: Platynotini: Platynotina.

Trigonoscelis Dejean, 1834: 179 [F]. Type species: *Pimelia nodosa* Fischer, 1820, by subsequent designation (Hope 1841: 118). Status: valid genus and subgenus in Pimeliinae: Pimeliini.

Trigonotarsus Hope, 1843: 357 [M]. Type species: *Trigonotarsus australis* Hope, 1843, by original designation. Status: senior synonym of *Sobas* Pascoe, 1863 in Blaptinae: Opatrini: Opatrina. Note: junior homonym of *Trigonotarsus* Guérin-Méneville, 1838 [Coleoptera: Curculionidae].

Trilobocara Solier, 1851: 129 [N]. Type species: *Trilobocara ciliatum* Solier, 1851, by original designation. Status: valid genus in Pimeliinae: Trilobocarini.

Trimytantron Ardoin, 1977: 381 [N]. Type species: *Trimytantron decui* Ardoin, 1977, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Trimytis J.L. LeConte, 1851: 141 [F]. Type species: *Trimytis pruinosa* J.L. LeConte, 1851, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Triorophus J.L. LeConte, 1851: 141 [M]. Type species: *Triorophus laevis* J.L. LeConte, 1851, by subsequent designation (Casey 1907: 432). Status: valid genus in Pimeliinae: Edrotini.

Triphalopsis Blaisdell, 1923: 232 [F]. Type species: *Triphalopsis partida* Blaisdell, 1923, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Triphalopsoides Doyen, 1990: 222 [M]. Type species: *Triphalopsoides lasiodorsa* Doyen, 1990, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Triphalus J.L. LeConte, 1866b: 104 [M]. Type species: *Triphalus perforatus* J.L. LeConte, 1866, by monotypy. Status: valid genus in Pimeliinae: Edrotini.

Triplehornia Matthews & Lawrence, 2005: 543 [F]. Type species: *Triplehornia metallica* Matthews & Lawrence, 2005, by original designation. Status: valid genus in Diaperinae: incertae sedis. Note: Matthews and Lawrence (2019: 651) mentioned that this genus belongs to an unnamed tribe within the subfamily Diaperinae.

Tripolicryptus Strand, 1929: 24 [M]. Type species [automatic]: *Brachycryptus tripolitanus* Quedenfeldt, 1891, by monotypy. Status: valid genus in Alleculinae: Cteniopodini. Note: replacement name for *Brachycryptus* Quedenfeldt, 1891.

Trisilus Haag-Rutenberg, 1878: 101 [M]. Type species: *Trisilus femoralis* Haag-Rutenberg, 1878, by monotypy. Status: junior synonym of *Cyphaleus* Westwood, 1841 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Matthews (1992: 490).

Trogloderus J.L. LeConte, 1879: 2 [M]. Type species: *Trogloderus costatus* J.L. LeConte, 1879, by monotypy. Status: valid genus in Blaptinae: Amphidorini.

Troglogeneion Aalbu, 1985: 541 [N]. Type species: *Troglogeneion zapoteca* Aalbu, 1985, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Tromosternus Harold, 1876: 130 [M]. Type species: *Tromosternus haagi* Harold, 1876 (= *Gnesis helopioides* Pascoe, 1866), by monotypy. Status: junior synonym of *Gnesis* Pascoe, 1866 in Stenochiinae: Cnodalonini. Synonymy: Lewis (1894: 476).

Tropidopterus Cazurro Ruiz, 1897b: 637 [M]. Type species: *Tropidopterus carinatus* Cazurro Ruiz, 1897, by original designation. Status: junior synonym of *Adelium* W. Kirby, 1819 in Lagriinae: Adeliini. Synonymy: Doyen et al. (1990: 230). Note: Tropidoptère was first used by Blanchard (1845: 35) but it was not formed as a scientific name and is therefore unavailable (ICZN 1999, Article 1.1); the latinized form of this name, *Tropidopterus*, was used subsequently (e.g., Lacordaire, 1859b: 438) but was not made available to our knowledge until Cazurro Ruiz (1897b: 637) published a combined description of a new genus and single new species (ICZN 1999, Article 12.2.6); since we believe that the combined description by Cazurro Ruiz (1897b : 637) was based on the same concept as the unavailable name "Tropidoptère Blanchard" we follow the intentions of authors in recent literature (e.g., Doyen et al. 1990: 230; Matthews 1998: 777; Matthews and Lawrence 2019: 615) and treat *Tropidopterus* Cazurro Ruiz, 1897 as a junior synonym of *Adelium* W. Kirby, 1819.

Tropitrachys Koch, 1955a: 229 [M]. Type species: *Trachynotus peregrinator* Koch, 1953, by original designation. Status: valid subgenus of *Somaticus* Hope, 1841 in Pimeliinae: Sepidiini: Trachynotina.

Truncatocamaria Pic, 1922b: 27 [F]. Type species: *Camaria spinipes* Pic, 1917 (as "*Camaria spinifer*"), by monotypy. Status: junior synonym of *Camaria* Lepeletier & Audinet-Serville, 1828 in Stenochiinae: Cnodalonini. Synonymy: Gebien (1942a: 320), Masumoto (1993a: 147).

Truncatoodescelis Kaszab, 1940b: 942, 962 [F]. Type species: *Platyscelis longicollis* Kraatz, 1884, by original designation. Status: valid subgenus of *Oodescelis* Motschulsky, 1845 in Blaptinae: Platyscelidini.

Tuberocnodes Gearner & Kamiński in Gearner et al., 2021: 8 [M]. Type species: *Psammodes humeralis* Haag-Rutenberg, 1871, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Molurina.

Tucumana Gebien, 1911b: 604 [F]. Type species [automatic]: *Eustenia tenuimembris* Fairmaire, 1905, by monotypy. Status: valid genus in Alleculinae: Alleculini: Xystropodina. Note: replacement name for *Eustenia* Fairmaire, 1905; placed in Alleculinae by Chatanay (1915a: 526).

Turcmenicola Bogatchev, 1952: 44 [M]. Type species: *Turcmenicola jachontovi* Bogatchev, 1952, by monotypy. Status: valid subgenus of *Colposcelis* Dejean, 1834 in Pimeliinae: Tentyriini.

Turkmenohelops G.S. Medvedev, 1987: 98, 102 [M]. Type species: *Zophohelops balchanicus* G.S. Medvedev & Nepesova, 1985, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Turkonalassus Keskin, Nabozhenko & Alpagut-Keskin, 2017: 727 [M]. Type species: *Helops adimonius* Allard, 1876, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Tydeolus Champion, 1884: 37 [M]. Type species: *Tydeolus atratus* Champion, 1884, by subsequent designation (W.F. Kirby 1885b: 80). Status: valid genus in Pimeliinae: Epitragini.

Tylophloeus Bremer, 1998: 10, 13 [M]. Type species: *Hypophlaeus flavipennis* Motschulsky, 1860, by original designation. Status: valid subgenus of *Corticeus* Piller & Mitterpacher, 1783 in Diaperinae: Hypophlaeini.

Tyndarisus Pascoe, 1869: 294 [M]. Type species: *Tyndarisus longitarsus* Pascoe, 1869 (= *Lepispilus stygianus* Pascoe, 1869), by monotypy. Status: junior synonym of *Pachycoelia* Boisduval, 1835 in Tenebrioninae: Heleini: Cyphaleina. Synonymy: Carter (1926: 119, with *Lepispilus* Westwood, 1841, a junior synonym of *Pachycoelia* Boisduval, 1835).

Tynteria Reitter, 1897a: 301 [F]. Type species: *Pachychila humerosa* Fairmaire, 1875, by monotypy. Status: junior synonym of *Oterophloeus* Desbrochers des Loges, 1881 in Pimeliinae: Tentyriini. Synonymy: Reitter (1900c: 89, 143).

Tynthlobia Fairmaire, 1888d: 261 [F]. Type species: *Tynthlobia quadricostata* Fairmaire, 1888, by monotypy. Status: junior synonym of *Ethmus* Haag-Rutenberg, 1873 in Pimeliinae: Sepidiini: Trachynotina. Synonymy: Fairmaire (1891b: 250).

Typhlophloeus Jeannel & Paulian, 1945: 51 [M]. Type species: *Typhlophloeus chappuisi* Jeannel & Paulian, 1945, by original designation. Status: valid genus in Diaperinae: Hypophlaeini.

Typhluloma Lea, 1912: 475 [N]. Type species: *Typhluloma inops* Lea, 1912, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Typhlusechus Linell, 1897: 154 [M]. Type species: *Typhlusechus singularis* Linell, 1897, by original designation. Status: valid genus in Pimeliinae: Stenosini: Typhlusechina.

Typhobia Pascoe, 1869: 279 [F]. Type species: *Typhobia fuliginea* Pascoe, 1869, by monotypy. Status: junior synonym of *Platydema* Laporte & Brullé, 1831 in Diaperinae: Diaperini: Diaperina. Synonymy: Champion (1886: 181).

Tyrtaeus Champion, 1913: 76 [M]. Type species: *Tyrtaeus rufus* Champion, 1913, by original designation. Status: valid genus in Diaperinae: Gnathidiini: Anopidiina.

Ubangia Gebien, 1914e: 54 [F]. Type species: *Ubangia latifrons* Gebien, 1914, by monotypy. Status: junior synonym of *Crypsinous* Fairmaire, 1891 in Tenebrioninae: Amarygmini. Synonymy: Ardoin (1964a: 839).

Ucalegon Champion, 1884: 65 [M]. Type species: *Ucalegon pulchellus* Champion, 1884, by monotypy. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini.

Udebra Reitter, 1896a: 236 [F]. Type species: *Udebra hauseri* Reitter, 1896 (= *Erodius fimbriatus* Ménétriés, 1849), by monotypy. Status: junior synonym of *Adavius* Mulsant & Rey, 1859 in Blaptinae: Opatrini: Ammobiina. Synonymy: Kaszab (1942: 28).

Uenomisolampidius Masumoto, 1996a: 36 [M]. Type species: *Ueonomisolampidius shunichii* Masumoto, 1996, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Uenostrongylium Masumoto, 1999a: 123 [N]. Type species: *Cryptobates laosensis* Pic, 1928, by original designation. Status: valid genus in Stenochiinae: Stenochiini.

Uleda Laporte, 1840: 220 [F]. Type species: *Uloma diaperoides* Laporte, 1840, by monotypy. Status: valid genus in Tenebrioninae: Ulomini.

Uloma Dejean, 1821: 67 [N]. Type species: *Tenebrio culinaris* Linnaeus, 1758, by plenary powers (ICZN 1975, Opinion 1039). Status: valid genus and subgenus in Tenebrioninae: Ulomini. Note: placed on the Official List of Generic Names in Zoology (ICZN 1975, Opinion 1039). Note: the name *Uloma* is a Greek noun οὔλωμα (meaning cicatrisation) and the gender is neuter instead of the previously accepted feminine gender (e.g., ICZN 1975, Opinion 1039; see ICZN 2021, Official Correction 134).

Ulomimus Bates, 1873a: 201 [M]. Type species: *Ulomimus indicus* Bates, 1873, by monotypy. Status: valid genus in Tenebrioninae: Ulomini. Note: unjustified emendation of the original spelling *Ulomimimus*, introduced by Rye (1875: 288), in prevailing usage and treated as a justified emendation (ICZN 1999, Article 33.2.3.1).

Ulomina Baudi di Selve, 1876a: 112 [F]. Type species: *Ulomina carinata* Baudi di Selve, 1876, by monotypy. Status: valid genus in Tenebrioninae: Palorini. Note: redescribed as new by Baudi di Selve (1876b: 235).

Ulomoides Blackburn, 1888: 274 [M]. Type species: *Ulomoides humeralis* Blackburn, 1888, by monotypy. Status: valid genus in Diaperinae: Diaperini: Diaperina.

Ulomoides Escalera, 1927: 501 [M]. Type species [automatic]: *Crypticus viaticus* Fairmaire, 1851, by original designation. Status: senior synonym of *Platycrypticus* Español, 1952 in Diaperinae: Crypticini. Note: junior homonym of *Ulomoides* Blackburn, 1888 [Coleoptera: Tenebrionidae: Diaperinae: Diaperini: Diaperina].

Ulomotypus Broun, 1886: 841 [M]. Type species: *Ulomotypus laevigatus* Broun, 1886, by monotypy. Status: valid genus in Tenebrioninae: Palorini.

Ulosonia Laporte, 1840: 220 [F]. Type species: *Uloma tricorne* Laporte, 1840 (= *Phaleria tricornis* Dalman, 1823), by subsequent designation (Gebien 1940: 786). Status: junior synonym of *Hypogena* Dejean, 1834 in Tenebrioninae: Triboliini. Synonymy: Jacquelin du Val (1857: 148).

Ulus Horn, 1870: 349, 358 [M]. Type species: *Blapstinus crassus* J.L. LeConte, 1851, by subsequent designation (R. Lucas 1920: 665). Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Umslatus Péringuey, 1899: 312 [M]. Type species: *Umslatus agilis* Péringuey, 1899, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Uniungulum Koch, 1962b: 113 [N]. Type species: *Uniungulum hoeschi* Koch, 1962, by original designation. Status: valid genus in Pimeliinae: Sepidiini: Hypomelina.

Upembarus Koch, 1956a: 220 [M]. Type species: *Upembarus saegeri* Koch, 1956, by original designation. Status: valid genus and subgenus in Blaptinae: Platynotini: Platynotina.

Upinella Mulsant, 1857: 17 [F]. Type species: *Allecula aterrima* Rosenhauer, 1847, by monotypy. Status: valid genus and subgenus in Alleculinae: Alleculini: Alleculina.

Upis Fabricius, 1792: 515 [F]. Type species: *Attelabus ceramboides* Linnaeus, 1758, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Uptona G.S. Medvedev & Lawrence, 1986: 582 [F]. Type species: *Uptona pallida* G.S. Medvedev & Lawrence, 1986, by original designation. Status: valid genus in Diaperinae: Hyociini: Uptonina.

Uria Gistel, 1848a: x [F]. Type species [automatic]: *Tenebrio cadaverinus* Fabricius, 1792, by subsequent designation (Westwood 1838: 32). Status: junior synonym of *Phaleria* Latreille, 1802 in Diaperinae: Phaleriini. Note: unnecessary replacement name for *Phaleria* Latreille, 1802.

Uriela Reitter, 1887b: 518 [F]. Type species: *Podhomala fausti* Kraatz, 1881, by monotypy. Status: junior synonym of *Podhomala* Solier, 1836 in Pimeliinae: Pimeliini. Synonymy: Sénac (1888: lv).

Urielina Reitter, 1888: 331 [F]. Type species: *Podhomala nitida* Baudi di Selve, 1876, by monotypy. Status: valid subgenus of *Podhomala* Solier, 1836 in Pimeliinae: Pimeliini.

Uroblaps Motschulsky, 1860c: 530 [F]. Type species: *Blaps producta* Brullé, 1832 (= *Blaps lusitanica* Herbst, 1799), by subsequent designation (Nabozhenko 2008: 36). Status: junior synonym of *Blaps* Fabricius, 1775 in Blaptinae: Blaptini: Blaptina. Synonymy: Gemminger in Gemminger and Harold (1870: 1860)

Uroplatopsis Champion, 1889: 53 [F]. Type species: *Uroplatopsis imitator* Champion, 1889, by subsequent designation (R. Lucas 1920: 666). Status: valid genus in Lagriinae: Lagriini: Statirina.

Uroprosodes Reitter, 1909a: 119 [M]. Type species: *Prosodes costifera* Kraatz, 1886, by original designation. Status: valid subgenus of *Prosodes* Eschscholtz, 1829 in Blaptinae: Blaptini: Prosodina.

Uyttenboogaartia Koch, 1943a: 592, 595 [F]. Type species: *Hegeter cribricollis* Brullé, 1839, by original designation. Status: valid genus in Pimeliinae: Tentyriini.

Uzagaria Ancey, 1881: 509 [F]. Type species: *Uzagaria pubens* Ancey, 1881, by monotypy. Status: junior synonym of *Emmalus* Erichson, 1843 in Blaptinae: Opatrini: Ammobiina. Synonymy: Gebien (1910b: 306, as *Emmallus*).

†*Vabole* Alekseev & Nabozhenko, 2015: 128 [F]. Type species: *Vabole triplehorni* Alekseev & Nabozhenko, 2015, by original designation. Status: valid genus in Tenebrioninae: Palorini. Note: described from Eocene Baltic amber.

Vacronus Casey, 1907: 501, 508 [M]. Type species: *Vacronus tenuicornis* Casey, 1907, by original designation. Status: junior synonym of *Alaephus* Horn, 1870 in Pimeliinae: Vacronini. Synonymy: Doyen and Lawrence (1979: 350).

Vadalus Mulsant & Rey, 1853b: 150 [M]. Type species: *Pedinus punctulatus* Mulsant & Rey, 1853, by monotypy. Status: junior synonym of *Pedinus* Latreille, 1797 in Blaptinae: Pedinini: Pedinina. Synonymy: Gemminger in Gemminger and Harold (1870: 1918), Kamiński and Iwan (2017: 599).

Valdivium Matthews, 1998: 709, 721 [N]. Type species: *Adelium sulcatulum* Fairmaire & Germain, 1860, by original designation. Status: valid genus in Lagriinae: Adeliini.

Vaniosus Kulzer, 1956b: 896 [M]. Type species: *Vaniosus paradoxus* Kulzer, 1956, by original designation. Status: valid genus in Pimeliinae: Evaniosomini.

Vansonium Koch, 1950b: 354 [N]. Type species: *Vansonium bushmanicum* Koch, 1950, by original designation. Status: valid genus in Pimeliinae: Cryptochilini: Vansoniina.

Varogeton Bremer, 2014a: 37, 80 [M]. Type species: *Dietysus subannulipes* Pic, 1923, by original designation. Status: valid subgenus of *Amarygmus* Dalman, 1823 in Tenebrioninae: Amarygmini.

Vernayella Koch, 1958: 129 [F]. Type species: *Vernayella noctivaga* Koch, 1958, by original designation. Status: valid subgenus of *Caenocrypticus* Gebien, 1920 in Pimeliinae: Caenocrypticini.

Vieta Laporte, 1840: 196 [F]. Type species: *Sepidium vestitum* Guérin-Méneville, 1831, by subsequent designation (Hope 1841: 116). Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Vietnalia Novák, 2021: 440 [F]. Type species: *Vietnalia catcatica* Novák, 2021, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Vietomorpha Fairmaire, 1887a: 186 [F]. Type species: *Vietomorpha foveipennis* Fairmaire, 1887, by monotypy. Status: valid genus in Pimeliinae: Sepidiini: Sepidiina.

Viettagona G.S. Medvedev & Merkl, 2003: 317, 328 [F]. Type species: *Viettagona vietnamensis* G.S. Medvedev & Merkl, 2003, by original designation. Status: valid genus in Blaptinae: Blaptini: Gnaptorinina.

Villiersia Gridelli, 1951: 219, 227 [F]. Type species: *Tenebrio clypealis* Gebien, 1920, by original designation. Status: senior synonym of *Gridellia* Kammerer, 2006 in Tenebrioninae: Tenebrionini. Note: junior homonym of *Villiersia* d'Orbigny, 1837 [Mollusca].

Viriathus Fairmaire, 1902b: 339 [M]. Type species: *Viriathus strigipennis* Fairmaire, 1902, by monotypy. Status: valid genus in Alleculinae: Alleculini: Gonoderina.

Vizcainyx Aalbu & Smith, 2020: 198 [M]. Type species: *Vizcainyx andrewsi* Aalbu & Smith, 2020, by original designation. Status: valid genus in Pimeliinae: Edrotini.

Vutsimus Péringuey, 1899: 308 [M]. Type species: *Vutsimus praetorius* Péringuey, 1899, by subsequent designation (Gebien 1943: 922). Status: valid genus in Tenebrioninae: Amarygmini.

Wahlbergylium Ferrer, 2011: 141 [N]. Type species: *Wahlbergylium viklundi* Ferrer, 2011, by original designation. Status: junior synonym of *Argutiolana* Robiche, 2001 in Stenochiinae: Cnodalonini. Synonymy: Robiche (2019a: 97).

Wallardilagria Pic, 1910: 74 [F]. Type species: *Heterogria pallidicolor* Pic, 1910, by monotypy. Status: junior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Synonymy: Merkl (2004: 285).

Warchalowskiellus Iwan, 1998a: 60 [M]. Type species: *Trigonopus longulus* Mulsant & Rey, 1853, by original designation. Status: junior synonym of *Schelodontes* Koch, 1956 in Blaptinae: Platynotini: Platynotina. Synonymy: Iwan and Kamiński (2014: 171).

Waterhousia Skopin, 1973: 109, 110 [F]. Type species: *Trigonoscelis longipes* C.O. Waterhouse, 1889, by original designation. Status: valid genus in Pimeliinae: Pimeliini.

Wattadelium Emberson, 2000: 24 [N]. Type species [automatic]: *Edalus opacus* Broun, 1893, by subsequent designation (R. Lucas 1920: 255). Status: valid genus in Lagriinae: Adeliini. Note: replacement name for *Edalus* Broun, 1893.

Wattiana Matthews & Lawrence, 2005: 537 [F]. Type species: *Wattiana greensladei* Matthews & Lawrence, 2005, by original designation. Status: valid genus in Pimeliinae: Cnemeplatiini: Thorictosomatina.

Wattius Kaszab, 1982b: 50 [M]. Type species: *Calymmus cucullatus* Pascoe, 1871, by original designation. Status: valid genus in Tenebrioninae: Toxicini: Dysantina.

Weisea Semenov, 1891: 370 [F]. Type species: *Weisea sabulicola* Semenov, 1891, by monotypy. Status: valid genus in Blaptinae: Opatrini: Ammobiina.

Wolladrus Iwan & Kamiński, 2016: 483 [M]. Type species [automatic]: *Hadrus alpinus* Wollaston, 1854, by subsequent designation (R. Lucas 1920: 313). Status: valid genus in Blaptinae: Opatrini: Opatrina. Note: replacement name for *Hadrus* Wollaston, 1854.

Xanthalia Fairmaire, 1894f: 395 [F]. Type species [automatic]: *Xanthia curticollis* Fairmaire, 1893, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina. Note: replacement name for *Xanthia* Fairmaire, 1893; **new placement** [OM], previously included in Lagriinae: Lagriini: Lagriina.

Xanthia Fairmaire, 1893b: 31 [F]. Type species: *Xanthia curticollis* Fairmaire, 1893, by monotypy. Status: senior synonym of *Xanthalia* Fairmaire, 1894 in Lagriinae: Lagriini: Statirina. Note: junior homonym of *Xanthia* Hübner, 1813 [Lepidoptera].

Xanthicles Champion, 1886: 231 [M]. Type species: *Xanthicles caraboides* Champion, 1886, by subsequent designation (Gebien 1941: 815). Status: valid genus in Lagriinae: Goniaderini.

Xanthobates Gebien, 1928: 170, 185 [M]. Type species: *Xanthobates flavus* Gebien, 1928, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Xanthohelops Nabozhenko, 2006: 822 [M]. Type species: *Xanthohelops karakumicus* Nabozhenko & G.S. Medvedev, 2006, by original designation. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Xanthomus Mulsant, 1854: 302 [M]. Type species: *Helops pallidus* Curtis, 1830, by monotypy. Status: valid genus in Tenebrioninae: Helopini: Cylindrinotina.

Xanthothopeia Mäklin, 1867: 223 [F]. Type species: *Xanthothopeia rufipennis* Mäklin, 1867, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1948: 519).

Xanthothopia Gemminger in Gemminger and Harold, 1870: 2001 [F]. Type species [automatic]: *Xanthothopeia rufipennis* Mäklin, 1867, by monotypy. Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Note: unjustified emendation of *Xanthothopeia* Mäklin, 1867, not in prevailing usage.

Xantusiella Kaszab, 1941a: 4, 18 [F]. Type species: *Xantusiella crenulata* Kaszab, 1941, by original designation. Status: valid genus in Stenochiinae: Cnodalonini.

Xenius Champion, 1886: 224 [M]. Type species: *Xenius scabripennis* Champion, 1886, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Xenocera Borchmann, 1936: 18, 116 [F]. Type species: *Lagriocera feai* (as "*feae*") Borchmann, 1911, by original designation. Status: senior synonym of *Xenocerogria* Merkl, 2007 in Lagriinae: Lagriini: Lagriina. Note: junior homonym of *Xenocera* Broun, 1881 [Coleoptera: Ptinidae].

Xenocerogria Merkl, 2007: 269 [F]. Type species [automatic]: *Lagriocera feai* (as "*feae*") Borchmann, 1911, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina. Note: replacement name for *Xenocera* Borchmann, 1936.

Xenogena Borchmann, 1936: 22, 211 [F]. Type species: *Adynata crinita* Borchmann, 1915, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Xenogloeus Wollaston, 1861: 251 [M]. Type species: *Xenogloeus politus* Wollaston, 1861, by monotypy. Status: valid genus in Tenebrioninae: Triboliini.

Xenolagria Merkl, 1987: 124, 126 [F]. Type species: *Lagria tincta* Blackburn, 1889, by original designation. Status: valid genus in Lagriinae: Lagriini: Lagriina.

Xenostethus Bates, 1868: 321 [M]. Type species: *Xenostethus lacordairii* Bates, 1868, by monotypy. Status: valid genus in Lagriinae: Lagriini: Statirina.

Xenostira Borchmann, 1921: 217, 221 [F]. Type species: *Xenostira giraffa* Borchmann, 1921, by original designation. Status: valid subgenus of *Statira* Lepeletier & Audinet-Serville, 1828 in Lagriinae: Lagriini: Statirina.

Xenotermes Wasmann, 1896: 616 [M]. Type species: *Xenotermes feai* (as "*feae*") Wasmann, 1896, by monotypy. Status: valid genus in Tenebrioninae: Rhysopaussini.

Xenus Péringuey, 1899: 255 [M]. Type species: *Xenus tricorniger* Péringuey, 1899, by monotypy. Status: senior synonym of *Aphrotus* Péringuey, 1904 in Pimeliinae: Epitragini. Note: junior homonym of *Xenus* Kaup, 1829 [Aves].

Xerolinus Ivie & Hart, 2016: 470 [M]. Type species: *Diastolinus sallei* Mulsant & Rey, 1859, by original designation. Status: valid genus in Blaptinae: Opatrini: Blapstinina.

Xyloborus Motschulsky, 1858a: 64 [M]. Type species: *Xyloborus crenipennis* Motschulsky, 1858, by monotypy. Status: senior synonym of *Rhipidandrus* J.L. LeConte, 1862 in Tenebrioninae: Bolitophagini. Synonymy: Merkl and Kompantzeva (1996: 91). Note: although Schwarz and Barber (1914: 175) pointed out that the name *Xyloborus* was made available for the first time by Motschulsky (1858: 64) there are few occurrences of this name in the literature; reversal of precedence cannot be used to conserve usage of the broadly used name *Rhipidandrus* J.L. LeConte, 1862 since *Xyloborus* was used as valid after 1899 (e.g., Swezey 1942: 167); an application to the ICZN is necessary to conserve usage *Rhipidandrus* J.L. LeConte, 1862; the older names *Xyloborus* Kirby & Spence, 1828 and *Xyloborus* Dejean, 1834 [Coleoptera] are unavailable because they were published before 1931 without a description, a definition or an indication (ICZN 1999, Article 12.1).

Xylochus Broun, 1880: 396 [M]. Type species: *Xylochus tibialis* Broun, 1880, by subsequent designation (Watt 1992: 24). Status: valid genus in Alleculinae: Alleculini: incertae sedis.

Xylopinus J.L. LeConte, 1862: 230 [M]. Type species: *Tenebrio anthracinus* Knoch, 1801 (= *Tenebrio saperdoides* G.-A. Olivier, 1795), by subsequent designation (Gebien 1941: 336). Status: valid genus in Stenochiinae: Cnodalonini.

Xysta Eschscholtz, 1829: 9 [F]. Type species: *Eleodes gravida* Eschscholtz, 1829, by subsequent designation (Hope 1841: 124). Status: senior synonym of *Steneleodes* Blaisdell, 1909 in Blaptinae: Amphidorini. Synonymy: Smith and Johnston in Bousquet et al. (2018: 166). Note: junior homonym of *Xysta* Meigen, 1824 [Diptera].

Xystronia Solier, 1835a: 238 [F]. Type species: *Xystronia coerulea* Solier, 1835, by monotypy. Status: valid subgenus of *Lystronychus* Latreille, 1829 in Alleculinae: Alleculini: Xystropodina.

Xystropus Solier, 1835a: 241 [M]. Type species: *Xystropus pilosus* Solier, 1835, by monotypy. Status: valid genus in Alleculinae: Alleculini: Xystropodina. Note: see Bousquet et al. (2015: 139) for comments regarding the species originally included in this genus.

Yamatotakeru Ando, 2015: 385 [M]. Type species: *Ischnodactylus loripes* Lewis, 1894, by original designation. Status: valid genus in Diaperinae: Diaperini: Diaperina.

† *Yantaroxenos* Nabozhenko, Kirejtshuk & Merkl, 2016c: 564 [M]. Type species: *Yantaroxenos colydioides* Nabozhenko, Kirejtshuk & Merkl, 2016, by original designation. Status: valid genus in Lagriinae: Belopini. Note: described from Eocene Baltic amber.

Yarranum Matthews, 1998: 708, 734 [N]. Type species: *Seirotrana crenicollis* Pascoe, 1869, by original designation. Status: valid genus in Lagriinae: Adeliini.

Zabroideus Fairmaire, 1894c: 219 [M]. Type species: *Zabroideus pinguis* Fairmaire, 1894, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Zadenos Laporte, 1840: 210 [M]. Type species: *Opatrum longipalpe* Wiedemann, 1823, by monotypy. Status: valid subgenus of *Selenepistoma* Dejean, 1834 in Blaptinae: Dendarini: Melambiina. Note: this name was recently treated as a valid genus (Kamiński 2015: 531); however, the older available genus name *Selenepistoma* Dejean, 1834 has priority and therefore *Zadenos* is downgraded to a valid subgenus of Dejean's name; **new status**.

Zaleucus Champion, 1892: 491 [M]. Type species [automatic]: *Zamolxis dilatatus* Champion, 1884, by monotypy. Status: valid subgenus of *Pelecyphorus* Solier, 1836 in Pimeliinae: Asidini. Note: replacement name for *Zamolxis* Champion, 1884.

Zambesmia Bouchard & Bousquet, **new subgenus** [F]. Type species: *Macropoda chiyakensis* Kuntzen, 1916, by **present designation**. Status: valid subgenus of *Adesmia* Fischer, 1822 in Pimeliinae: Adesmiini. Note: Koch (1944b: 149) introduced the new subgenus name *Zambesmia* for three nominal species, but unfortunately did not designate a type species; the subgenus *Zambesmia*, which has been treated as valid since 1944, is therefore unavailable (ICZN 1999, Article 13.3); we hereby make the name available by selecting *Macropoda chiyakensis* Kuntzen, 1916 as type species and referring to Koch (1944b: 149) for the character states that characterise and differentiate *Zambesmia*.

Zamolxis Champion, 1884: 70 [M]. Type species: *Zamolxis dilatatus* Champion, 1884, by monotypy. Status: senior synonym of *Zaleucus* Champion, 1892 in Pimeliinae: Asidini. Note: junior homonym of *Zamolxis* Stål, 1865 [Hemiptera].

Zarudnionymus Semenov-Tjan-Shansky & Bogatchev, 1947: 175 [M]. Type species: *Zarudnionymus persis* Semenov-Tjan-Shansky & Bogatchev, 1947 (= *Adelostoma grande* Haag-Rutenberg, 1879), by monotypy. Status: valid subgenus of *Adelostoma* Duponchel, 1827 in Pimeliinae: Adelostomini.

Zeadelium Watt, 1992: 32 [N]. Type species: *Adelium lentum* Broun, 1880, by original designation. Status: valid genus in Lagriinae: Adeliini.

Ziaelas Fairmaire, 1892e: cx [M]. Type species: *Ziaelas insolitus* Fairmaire, 1892, by monotypy. Status: valid genus in Tenebrioninae: Amarygmini.

Zidalus Mulsant & Rey, 1853b: 71 [M]. Type species: *Opatrinus corvinus* Mulsant & Rey, 1853, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Zizu Novák, 2019b: 186 [M]. Type species: *Zizu kejvali* Novák, 2019, by original designation. Status: valid genus in Alleculinae: Alleculini: Alleculina.

Zodinus Mulsant & Rey, 1853b: 90 [M]. Type species: *Opatrinus servus* Mulsant & Rey, 1853, by subsequent designation (Koch 1956a: 93). Status: junior synonym of *Zidalus* Mulsant & Rey, 1853 in Blaptinae: Platynotini: Platynotina. Synonymy and First Reviser action (*Zodinus* Mulsant & Rey, 1853 versus *Zidalus* Mulsant & Rey, 1853) is Iwan (1995b: 362).

Zolodinus Blanchard, 1853: 159 [M]. Type species: *Zolodinus zelandicus* Blanchard, 1853, by monotypy. Status: valid genus in Zolodininae.

Zomedes Watt, 1992: 25 [M]. Type species: *Zomedes borealis* Watt, 1992, by original designation. Status: valid genus in Alleculinae: Alleculini: incertae sedis.

Zophius Dejean, 1834: 189 [M]. Type species: *Helops rufopictus* Wiedemann, 1823, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Zophobas Dejean, 1834: 204 [M]. Type species: *Helops morio* Fabricius, 1777 (= *Tenebrio atratus* Fabricius, 1775), by subsequent designation (Motschulsky 1872: 26). Status: valid genus and subgenus in Tenebrioninae: Tenebrionini. Note: according to Matthews and Lawrence (2019: 628) more research is needed to establish the correct placement of this genus within the subfamily Tenebrioninae.

Zophodes Fåhraeus, 1870: 298 [M]. Type species: *Zophodes tristis* Fåhraeus, 1870, by monotypy. Status: valid genus in Blaptinae: Platynotini: Platynotina.

Zophohelops Reitter, 1902a: 221 [M]. Type species [automatic]: *Euryhelops tiro* Reitter, 1902, by subsequent designation (Gebien 1943: 424). Status: valid genus and subgenus in Tenebrioninae: Helopini: Cylindrinotina. Note: replacement name for *Euryhelops* Reitter, 1902.

Zophondrus Nabozhenko, 2014: 240 [M]. Type species: *Zophohelops iranensis* Nabozhenko, 2014, by original designation. Status: valid subgenus of *Zophohelops* Reitter, 1902 in Tenebrioninae: Helopini: Cylindrinotina.

Zophophilus Fairmaire, 1881b: 359 [M]. Type species: *Zophophilus curticornis* Fairmaire, 1881, by monotypy. Status: valid genus in Stenochiinae: Cnodalonini.

Zophoserodius Reitter, 1914a: 58, 60 [M]. Type species: *Erodius zophosoides* Allard, 1865, by subsequent designation (Löbl et al. 2008a: 43). Status: valid subgenus of *Erodius* Fabricius, 1775 in Pimeliinae: Erodiini.

Zophosis Latreille, 1802: 167 [F]. Type species: *Erodius testudinarius* Fabricius, 1781, by monotypy. Status: valid genus and subgenus in Pimeliinae: Zophosini.

Zophosodactylus Koch, 1962b: 146 [M]. Type species: *Protodactylus sanctaemariae* Koch, 1962, by original designation. Status: junior synonym of *Protodactylus* Koch, 1952 in Pimeliinae: Zophosini. Synonymy: Penrith (1981c: 129).

Zoutpansbergia Koch, 1956a: 388 [F]. Type species: *Zoutpansbergia serricostata* Koch, 1956, by monotypy. Status: valid genus in Blaptinae: Dendarini: Melambiina. Note: combined description of new genus-group taxon and new species (ICZN 1999, Article 13.4).

Zuercheria Reitter, 1908: 134 [F]. Type species: *Zuercheria matthiesseni* Reitter, 1908, by subsequent designation (Löbl et al. 2008a: 43). Status: junior synonym of *Strongylium* W. Kirby, 1819 in Stenochiinae: Stenochiini. Synonymy: Gebien (1911b: 590).

Zygas Pascoe, 1866a: 487 [M]. Type species: *Eurychora cimicoides* Quensel, 1806, by original designation. Status: junior synonym of *Lycanthropa* J. Thomson, 1860 in Pimeliinae: Adelostomini. Synonymy: Haag-Rutenberg (1875b: 61–64).

Zypoetes Champion, 1893a: 532 [M]. Type species: *Zypoetes epieroides* Champion, 1893, by monotypy. Status: valid genus in Phrenapatinae: Penetini.

Acknowledgements

We thank the following colleagues for their important nomenclatural and bibliographical input: I. Chigray (Russia), E. Dickinson (United Kingdom), N. Evenhuis (USA), S. Fattorini (Italy), J. Fernández-Triana (Canada), G.E. Flores (Argentina), J.-S. Girard (Canada), V. Grebennikov (Canada), S. Gregory (United Kingdom), M. Ivie (USA), D. Iwan (Poland), M. Kamiński (Poland), K. Kanda (USA), G. Kergoat (France), J. Kits (Canada), L. Li (Australia), J. Liebherr (USA), M. Lillig (Germany), N. Mal (Belgium), E. Matthews (Australia), M. Nabozhenko (Russia), A. Newton (USA), T. Pape

(Denmark), D. Polhemus (USA), L. Purchart (Czech Republic), T. Rees (Australia), C. Reid (Australia), G.-D. Ren (China), G. Robiche (France), E. Ruzzier (Italy), A.D. Smith (USA), F. Soldati (France), L. Soldati (France), and F. Welter-Schultes (Germany). Bibliographic searches and data entry in an earlier version of the dataset were performed by K. Verhufen (Ottawa, Canada). Staff at the Canadian Agriculture Library (Ottawa, Canada) assisted in obtaining essential literature. We thank the following reviewers for their important contribution to this publication: M. Nabozhenko, D. Iwan, M. Kamiński, M. Lillig, and G. Flores.

References

Aalbu RL (1985) New genus and species of Triorophini, including immatures, reproductive structures, and notes on biology and phylogeny (Coleoptera: Tenebrionidae). Annals of the Entomological Society of America 78: 541–553. [DP: 1.VII.1985 (journal website)] https://doi.org/10.1093/aesa/78.4.541

Aalbu RL (2005) The pimeliine tribe Cryptoglossini: classification, biology and inferred phylogeny (Coleoptera: Tenebrionidae). Annales Zoologici (Warsawa) 55: 677–756. [DP: 31.XII.2005 (inside wrapper)]

Aalbu RL, Caterino MS, Smith AD (2018) Studies in the Cnemeplatiini I: a new subtribe and revision of the genus *Alaudes* Horn (Coleoptera: Tenebrionidae: Pimeliinae: Cnemeplatiini), with descriptions of new species from the southwestern USA and Mexico, including notes on distribution and biology. The Coleopterists Bulletin 72: 249–268. [DP: 20.VI.2018 (journal website)] https://doi.org/10.1649/0010-065X-72.2.249

Aalbu RL, Smith AD (2020) A new genus with six new species of Edrotini (Coleoptera Tenebrionidae: Pimeliinae) from the Baja California Peninsula, Mexico. Pan-Pacific Entomologist 96: 197–209. [DP: 30.IX.2020 (journal website)] https://doi.org/10.3956/2020-96.3.197

Aalbu RL, Smith AD, Kanda K, Bouchard P (2017) *Renefouqueosis peruviensis*, a new genus and species of Stenosini (Coleoptera: Tenebrionidae) from Peru with a key to the Stenosini of the world and notes on the genera *Anchomma* and *Fitzsimonsium*. Acta Entomologica Musei Nationalis Pragae 57: 313–330. [DP: 31.XII.2017 (article header)] https://doi.org/10.1515/aemnp-2017-0078

Aalbu RL, Spilman TJ, Brown KW (1995) The systematic status of *Amblycyphrus asperatus*, *Threnus niger*, *Pycnomorpha californica*, *Emmenastus rugosus*, and *Biomorphus tuberculatus* Motschulsky (Coleoptera: Tenebrionidae). Proceedings of the Entomological Society of Washington 97: 481–488. [DP: 19.IX.1995 (inside wrapper)]

Aalbu RL, Triplehorn CA (1991) *Pedonoeces* G. R. Waterhouse = *Blapstinus* Sturm, relevant name changes for California and Galapagos Island species and new insular species from Mexico (Coleoptera: Tenebrionidae). The Coleopterists Bulletin 45: 169–175. [DP: 19.VI.1991 (inside wrapper)]

Aalbu RL, Triplehorn CA, Campbell JM, Brown KW, Somerby RE, Thomas DB (2002) 106. Tenebrionidae Latreille 1802. In: Arnett RH, Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea.

CRC Press, Boca Raton, 463–509. [DP: 19.VI.2002 (publisher website)] https://doi.org/10.1201/9781420041231.ch7

Agassiz L (1846a) Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium, secundum ordinem alphabeticum disposita, adjectis auctoribus, libris in quibus reperiuntur, anno editionis, etymologia et familiis, ad quas pertinent, in variis classibus. Fasciculus XI. Continens Coleoptera. Jent et Gassmann, Soloduri [= Solothurn]. xi + [1] + 170 pp. [DP: by 9.X.1846 (Bousquet 2016a: 41)] https://doi.org/10.5962/bhl.title.15763

Agassiz L (1846b) Nomenclatoris zoologici. Index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis plantarum, nec non variis adnotationibus et emendationibus. Jent and Gassmann, Soloduri [= Solothurn, Switzerland], viii, 393 pp. [DP: by 29.XII.1846 (Evenhuis 1997a)]

Alekseev VI, Nabozhenko M (2015) A new fossil tenebrionid beetle of the tribe Palorini (Coleoptera: Tenebrionidae) from Eocene Baltic Amber. The Coleopterists Society Monograph 14: 127–130. [DP: 18.XII.2015 (p. 130)] https://doi.org/10.1649/0010-065X-69.mo4.127

Alfieri A (1921) Contributions à la faune entomologique du nord-est du Sinaï. Bulletin de la Société Entomologique d'Égypte 6 [1919–1921] (1920) 13: 40–53. [DP: 1921 (wrapper)]

Allard E (1870) [new species]. Petites Nouvelles Entomologiques 1 [1869–1875]: 49–50. [DP: 1.I.1870 issue]

Allard E (1876a) Révision des hélopides vrais de Lacordaire. L'Abeille, Journal d'Entomologie 14 [5, separate pagination]: 1–12 [DP: 15.XI.1876], 13–44 [8.XII.1876], 45–80. [28.XII.1876 (wrappers)]

Allard E (1876b) [Note synonymique]. L'Abeille, Journal d'Entomologie 14: cii–civ. [DP: 29.X.76 (wrapper)]

Allard E (1877) Révision des hélopides vrais. Mittheilungen der Schweizerischen Entomologischen Gesellschaft 5 (1–2): 13–128. [DP: by 25.VII.1877 (*Soc Ent Fr*)]

Allard E (1880) Beschreibungen neuer *Pedinus*-Arten. Entomologische Monatsblätter 2: 65–74. [DP: V.1880 issue] https://doi.org/10.1002/mmnd.4800240323

Allard E (1884) Mélanges Entomologiques. Annales de la Société Entomologique de Belgique 27: 5–49. [DP: by 27.II.1884 (*Soc Ent Fr*)]

Allard E (1885) Classification des Adesmides et des Mégagénides (Lacord.). Annales de la Société Entomologique de France (Série 6) 5: 155–192. [DP: 14.X.1885 (wrapper)]

Alluaud CA (1889) [Remarques sur les Pycnocérides]. Bulletin des Séances de la Société Entomologique de France 1889: xlv–xlvi. [DP: circa 7.IV.1888 (Evenhuis 2002)]

Alluaud CA (1899) Contributions à la faune entomologique de la région malgache. 6e note. Bulletin de la Société Entomologique de France 1899: 341–344. [DP after 22.XI.1899 (Séance)] https://doi.org/10.5962/bhl.part.8616

Alluaud CA (1902) Histoire physique, naturelle et politique de Madagascar publié par Alfred Grandidier. Volume XXI. Histoire naturelle des Coléoptères. Tome I – Texte – 1re partie. Liste des insectes coléoptères de la région Malgache. Imprimerie Nationale, Paris, viii, 509 pp. [DP: by 6.IX.1902 (Bousquet 2016a: 43)]

Alonso-Zarazaga MA, Lyal CHC (2009) A catalogue of family and genus group names in Scolytinae and Platypodinae with nomenclatural remarks (Coleoptera: Curculionidae). Zootaxa 2258: 1–134. [DP: 8.X.2009 (title page footer)] https://doi.org/10.11646/zootaxa.2258.1.1

Ancey C-F (1881) Description de coléoptères nouveaux. Le Naturaliste, Journal des Échanges et des Nouvelles 1 [1879–81]: 509. [DP: 15.XI.1881 (p. 505 header)]

Ando K (1991) Studies on the Tenebrionidae of Shibata collection mainly from S.E. Asia, III. (Coleoptera). On the genus *Tetraphyllus* Laporte de Castelnau et Brullé (I). Entomological Review of Japan 46: 63–85, pls 6–7. [DP: VI.1991 (p. 1 header)]

Ando K (1993) Studies on the Tenebrionidae of Shibata Collection mainly from S.E. Asia, VI. Entomological Review of Japan 48: 107–116. [DP: XII.1993 (p. 87 header)]

Ando K (1996) Two new genera of the tribe Cnodalonini from southeast Asia (Coleoptera, Tenebrionidae). Japanese Journal of Systematic Entomology 2: 189–200. [DP: 15.IX.1996 (journal website)]

Ando K (2003a) A new tenebrionid genus from Borneo, with description of a new species (Coleoptera: Tenebrionidae). Entomological Review of Japan 58: 107–112. [DP: 30.X.2003 (wrapper)]

Ando K (2003b) A new genus of Tenebrionidae (Coleoptera) from Japan, with description of a new species. Japanese Journal of Systematic Entomology 9: 135–141. [DP: 15.VI.2003 (journal website)]

Ando K (2007) Five new species and a new subspecies of the genus *Phaedis* (Coleoptera, Tenebrionidae) from Sulawesi, with a key to the Sulawesian species. Elytra 35: 163–176. [DP: 30.V.2007 (p. 163 header)]

Ando K (2008) New nomenclatural and taxonomic acts, and comments. Tenebrionidae. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 39. [DP: 15.IV.2008 (verso of title page)]

Ando K (2010) Fungivorous Tenebrionidae (Coleoptera) collected in Lambir Hills National Park, Sarawak, Malaysia by Dr. Yamashita. Entomological Review of Japan 65: 151–182. [DP: 30.VI.2010 (p. 151 header)]

Ando K (2015) A proposition of new genus for *Ischnodactylus loripes* Lewis (Coleoptera, Tenebrionidae, Diaperini). Elytra (New Series) 5: 385–389. [DP: 25.XI.2015 (wrapper)]

Ando K (2016) A revision of the *Phaedeucyrtus* group of the genus *Phaedis* Pascoe (Coleoptera, Tenebrionidae, Cnodalonini). Elytra (New Series) 6: 69–96. [DP: 25.V.2016 (wrapper)]

Ando K (2020) New nomenclatural and taxonomic acts, and comments. Tenebrionidae. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 8. [DP: 17.IX.2020 (verso of title page)]

Ando K, Ichiyanagi T (2009) A new genus and three new species of Cnodalonini from the Philippines (Coleoptera, Tenebrionidae). Japanese Journal of Systematic Entomology 15: 79–88. [DP: 30.VI.2009 (journal website)]

Ando K, Itioka T, Kishimoto-Yamada K (2017) Record of phototactic Tenebrionidae (Coleoptera) from Lambir Hills, Borneo, with description of a new genus and twelve new species. Contributions from the Biological Laboratory Kyoto University 30: 127–171. [DP: 20.II.2017 (journal website)]

Ando K, Merkl O, Jeng M-L, Chan M-L, Hayashi Y (2016) Catalogue of Formosan Tenebrionidae (Insecta: Coleoptera). Japanese Journal of Systematic Entomology, Supplementary Series 1: 6–112. [DP: 3.III.2016 (ZooBank)]

Andreae H (1961) Chapter II. Coleoptera: Cossyphodidae. In: Hanström B, Brinck P, Rudebeck G (Eds) South African animal life Results of the Lund University Expedition in 1950–1951. Vol. VIII. Almqvist & Wiksell, Stockholm, 198–216. [DP: 1961 (copyright)]

Anonymous (1931) Insecta. In: Sclater WL (Ed.) The Zoological Record volume the sixty-seventh; being the record of zoological literature relating chiefly to the year 1930. Zoological Society, London, 435 pp.

Antoine M (1931) Étude des espèces appartenant au genre *Litoborus* Mulsant et Rey (Col. Tenebrionidae). Bulletin de la Société des Sciences Naturelles du Maroc 10 [1930]: 175–209. [DP: printed 25.VI.1931 (p. 252)]

Antoine M (1942) Notes d'entomologie marocaine. XXXII. Les Litoborinae du Maroc (Col. Teneb.). Bulletin de la Société des Sciences Naturelles du Maroc 21 [1941]: 19–52. [DP: printed 21.VIII.1942 (p. 152)]

Antoine M (1945) Notes d'entomologie marocaine. XXXVIII. – Les *Crypticus* du Maroc (Col. Tenebr.). Eos 20 [1944] (3–4): 257–276. [DP: 20.II.1945 (vol. last page)]

Antoine M (1946) Notes d'entomologie marocaine. XLI. Sur les *Arthrodeis* du Maroc (col. Tenebr.). –XLII Les *Thalpobia* Fairm. (Col. Tenebr.). Bulletin de la Société des Sciences Naturelles du Maroc 24 [1944]: 25–39. [DP: printed 15.VII.1946 (p. 156)]

Antoine M (1949) Notes d'entomologie marocaine. XLIV. Matériaux pour l'étude des Helopinae du Maroc (Col. Tenebrionides). Bulletin de la Société des Sciences Naturelles du Maroc 25–27 [1945–47]: 123–162. [DP: 1949 (volume title page)]

Antoine M (1951) Notes d'entomologie marocaine. LIV. – Captures et observations nouvelles (Coléoptères). Bulletin de la Société des Sciences Naturelles du Maroc 30 [1950]: 87–101.

Antoine M (1955) Notes d'entomologie marocaine. LX. Sur quelques captures intéressantes (Coléopt. Carab. et Ténébr.). Bulletin de la Société des Sciences Naturelles et Physiques du Maroc 34 [1954]: 199–209.

Antoine M (1957) Notes d'entomologie marocaine. LXIII. – Sur la systématique des Litoborini et révision des Melambiina marocains. Bulletin de la Société des Sciences Naturelles et Physiques du Maroc 36 [1956]: 341–366.

Antoine M (1963) Notes d'entomologie marocaine LXIX. – Coléoptères nouveaux, en particulier du Rif et du Maroc oriental. Bulletin de la Société des Sciences Naturelles et Physiques du Maroc 42 [1962]: 47–56.

Ardoin P (1955) Diagnoses sommaires de Ténébrionides malgaches (Col.). Bulletin de la Société Entomologique de France 60: 129–144. [DP: 15.XII.1955 (p. 184)]

Ardoin P (1956a) Diagnoses sommaires de Ténébrionides malgaches (Col.) (suite). Bulletin de la Société Entomologique de France 60[1955](9): 149–162. [DP: 10.II.1956 (p. 184)]

Ardoin P (1956b) Contribution à l'étude des Ténébrionides malgaches. Note synonymique. Bulletin de la Société Entomologique de France 61: 89–91. [DP: 9.VII.1956 (p. 248)]

Ardoin P (1957) Contribution à l'étude des Ténébrionides malgaches (2e note). Le Naturaliste Malgache 9: 61–69. [DP: 3e trimestre 1957 (dépôt légal)]

Ardoin P (1959a) Contribution à l'étude des ténébrionides malgaches. Le genre *Enicmosoma* Gebien. Bulletin de l'Académie Malgache (Nouvelle Série) 35 [1957]: 59–77. [DP: 1959 (reprint cover)]

Ardoin P (1959b) Nouvelles formes africaines de Tenebrionidae [Col.]. Bulletin de la Société Entomologique de France 63 [1958]: 196–204. [DP: 26.I.1959 (p. 236)]

Ardoin P (1961a) Nouveaux Ténébrionides de l'Ile Maurice (Col.). The Mauritius Institute Bulletin 5 [1957–1961] (6): 205–212. [DP: V.1961 issue]

Ardoin P (1961b) Un nouveau genre africain de Ténébrionides (Col.). Bulletin de la Société Entomologique de France 66: 30–32. [DP: 24.VI.1961 (p. 250)]

Ardoin P (1961c) Contribution à l'étude des ténébrionides malgaches. Deux nouveaux genres d'Adeliini malgaches. Bulletin de l'Académie Malgache (Nouvelle Série) 37 [1959]: 31–38. [DP: 1961 (Zoo. Rec.)]

Ardoin P (1961d) Contribution à l'étude des ténébrionides malgaches. Le genre *Paulianaria* nov. Le Naturaliste Malgache 12 [1960]: 97–106. [DP: V.1961 (dépôt légal p. 212)]

Ardoin P (1962a) Ténébrionides africains et malgaches nouveaux et notes synonymiques (Col.). Bulletin de la Société Entomologique de France 67: 58–79, pls 1–2. [DP: 28.VII.1962 (p. 230)]

Ardoin P (1962b) Essai de révision des Amarygmini africains (première partie). Bulletin de l'Institut Français d'Afrique Noire (Sér. A, Sciences Naturelles) 24: 955–1021. [DP: X.1962 (article header)]

Ardoin P (1963a) Essai de révision des Amarygmini africains (deuxième partie). Bulletin de l'Institut Français d'Afrique Noire (Sér. A, Sciences Naturelles) 25: 77–162, incl. pls 9–18. [DP: printed II.1963 (p. 300); 1e trimestre (dépot légal)]

Ardoin P (1963b) Essai de révision des Amarygmini africains (troisième partie). Bulletin de l'Institut Français d'Afrique Noire (Sér. A, Sciences Naturelles) 25: 307–371, incl. pls 19–25. [DP: printed V.1963 (p. 68); 2e trimestre (dépot légal)]

Ardoin P (1963c) Essai de révision des Amarygmini africains (quatrième partie). Bulletin de l'Institut Français d'Afrique Noire (Sér. A, Sciences Naturelles) 25: 710–806, incl. pls 26–32. [DP: VI.1963 (p. [1002])]

Ardoin P (1963d) La réserve naturelle intégrale du Mont Nimba. VII. Coleoptera Tenebrionidae (Troisième note). Mémoires de l'Institut Français d'Afrique Noire 66: 221–267.

Ardoin P (1964a) Essai de révision des Amarygmini africains (huitième partie). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 26: 794–864, incl. pls 55–60. [DP: printed IX.1964; 4ième trimestre 1964 (dépôt légal)]

Ardoin P (1964b) Contribution à l'étude du genre *Enicmosoma* Geb. (Col. Tenebrionidae). Entomologische Arbeiten aus dem Museum G. Frey 15: 686–690. [DP: 1.XII.1964 (verso of cover)]

Ardoin P (1965a) Essai de revision des Amarygmini Africains (neuvième partie). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences naturelles) 27: 632–714, pls 61–69. [DP: printed V.1965; 2ième trimestre 1965 (dépôt légal)]

Ardoin P (1965b) Note préliminaire sur les ténébrionides récoltés aux monts Loma (Sierra–Leone). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 27: 1315–1320. [DP: X.1965 issue]

Ardoin P (1965c) Un nouveau genre africain de Strongyliini (Col. Tenebrionidae). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 27: 1326–1328. [DP: X.1965 issue]

Ardoin P (1966) Essai de révision des Amarygmini africains (dixième partie). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 28: 156–206, incl. pls 70–74. [DP: printed II.1966; 1er trimestre 1966 (dépôt légal)]

Ardoin P (1969a) Contributions à la connaissance de la faune entomologique de la Côte-d'Ivoire (J. Decelle, 1961–1964). Deuxième partie. XXXVII. Coleoptera Tenebrionidae. Annales du Musée Royal de l'Afrique Central – Tervuren, Sciences Zoologiques 175: 137–310. [DP: printed XII.1969 (verso of title page)]

Ardoin P (1969b) Note synonymique (Col. Tenebrionidae). Bulletin de la Société Entomologique de France 74: 124–127. [DP: 14.XI.1969 (p. 260)]

Ardoin P (1969c) Essai de révision des Amarygmini africains (treizième partie et fin). Bulletin de l'Institut Fondamental d'Afrique Noire (Série A, Sciences Naturelles) 31: 524–580. [DP: printed VII.1969; 3e trimestre (dépôt légal)]

Ardoin P (1969d) Nouvelles espèces de Ténébrionides du Laos (2e note) [Col.]. Bulletin de la Société Entomologique de France 73 [1968]: 177–179. [DP: 22.I.1969 (p. 240)]

Ardoin P (1969e) Le Parc national du Niokolo-Koba (Sénégal). Fascicule III. XII. Coleoptera Tenebrionidae (note récapitulative). Mémoires de l'Institut Français d'Afrique Noire 84: 247–261.

Ardoin P (1971) Contribution à l'étude des espèces africaines et malgaches du genre *Anemia* Laporte (Col. Tenebrionidae). Annales de la Société Entomologique de France (Nouvelle Série) 7: 357–422. [DP: 31.V.1971 (*Soc Ent Fr*)]

Ardoin P (1972) La faune terrestre de l'île de Sainte-Hélène. Deuxième partie. Insectes. 9. Coleoptera. 28. Fam. Tenebrionidae. Annales du Musée Royal de l'Afrique Centrale – Tervuren 192: 188–212, pls 1–4. [DP: printed III.1972 (verso of title page)]

Ardoin P (1973) Coléoptères Tenebrionidae récoltés par M. Claude Girard à la Station d'Écologie Tropicale de Lamto (Côte d'Ivoire). Bulletin de l'Institut Fondamental d'Afrique Noire (Sér. A, Sciences Naturelles) 34 [1972]: 879–915, incl. pls 1–3. [DP: 28.II.1973 (p. 1024); printed III.1973; 2e trimestre 1973 (dépôt légal)]

Ardoin P (1974a) Les Tenebrionidae du massif de l'Andringitra Madagascar centre. Col. Annales de la Société Entomologique de France (Nouvelle Série) 10: 161–205. [DP: I–III.1974 issue; by 16.IV.1974 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Ardoin P (1974b) Un nouveau genre et une nouvelle espèce de Tenebrionidae (Coleoptera) d'Afrique du Sud. Revue de Zoologie Africaine 88: 457–460. [DP: 27.IX.1976 (article header)]

Ardoin P (1976) Nouvelles espèces africaines de Tenebrionidae [Col.]. Bulletin de la Société Entomologique de France 81: 148–152. [DP: 16.XII.1976 (p. 312)]

Ardoin P (1977) Tenebrionidae (Coleoptera) récoltés en 1969 dans les grottes de Cuba par l'Expédition biospéologique cubano-roumaine. In: Orghidan T, Núñez Jiménez A, Decou V, Negrea S, Viña Bayés N (Eds) Résultats des expéditions biospéologiques cubano-roumaines à Cuba. Academiei Republicii Socialiste România, Bucuresti, 381–385. [DP: 1977 (title page)]

Ardoin P (1980) Tenebrionidae (Coleoptera) récoltés en Côte d'Ivoire par Monsieur I. Löbl pendant son expédition, en mars 1977. Revue Suisse de Zoologie 87: 81–90. [DP: IV.1980 (wrapper)] https://doi.org/10.5962/bhl.part.85508

Arrow GJ (1904) On the Coleopterous group "Heptaphyllini" of de Borre. The Annals and Magazine of Natural History (Seventh Series) 14: 30–33. [DP: 1.VII.1904 (Evenhuis 2003)] https://doi.org/10.1080/03745480409442963

Arrow GJ (1909) Systematic notes on Coleoptera of the Clavicorn families. The Annals and Magazine of Natural History (Eighth Series) 4: 190–196. [DP: 1.IX.1909 (Evenhuis 2003)] https://doi.org/10.1080/00222930908692660

Audoin J-V, Milne-Edwards H (1835) Bibliographie. Publications nouvelles. Annales des Sciences Naturelles (Seconde Série) 3: 185–192.

Austin EP (1880) Supplement to the check list of the Coleoptera of America, north of Mexico. S.E. Cassino, Boston, 67 pp. [DP: 12.XI.1880 (*Amer Ent Soc*)]

Bai X-L, Li X-M, Ren G-D (2020) Description of a new subgenus and four new species of *Gnaptorina* Reitter, 1887 (Coleoptera: Tenebrionidae: Blaptini) from China. Zootaxa 4809: 165–176. [DP: 6.VII.2020 (title page footer)] https://doi.org/10.11646/zootaxa.4809.1.10

Baker DB (1996) The dates of publication of Westwood's *Arcana Entomologica* and the 'missing' topical articles. Archives of Natural History 23: 437–443. https://doi.org/10.3366/anh.1996.23.3.437

Bao T, Antunes-Carvalho C (2020) Two new polyphagan beetles (Tenebrionidae, Leiodidae) from lower Cenomanian amber of Myanmar. Cretaceous Research 116: 1–9. [DP: XII.2020 (journal website)] https://doi.org/10.1016/j.cretres.2020.104599

Barber HS (1914) Notes on Rhipidandri (Coleoptera). Proceedings of the Entomological Society of Washington 15[1913]: 188–193. [DP: 22.I.1914 (p. 198)]

Bates F (1868) Descriptions of new genera and species of Heteromera. The Transactions of the Entomological Society of London 1868: 259–274, pl. 12 [DP: 28.IX.1868 (Wheeler 1912)], 309–326, pl. 15. [DP: 22.XII.1868 (Wheeler 1912)]

Bates F (1870) Descriptions of new genera and species of Heteromera. The Entomologist's Monthly Magazine 6 [1869–70]: 268. [DP: IV.1870 issue]

Bates F (1872a) Notes on Heteromera, and descriptions of new genera and species (No. 1). The Entomologist's Monthly Magazine 9 [1872–73]: 97–99. [DP: by 5.X.1872 (*Soc Ent Belg*)] https://doi.org/10.5962/bhl.part.4726

Bates F (1872b) Descriptions of new genera and species of Tenebrionidae. The Transactions of the Entomological Society of London 1872: 265–280. [DP: 30.XII.1872 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1872.tb01892.x

Bates F (1872c) Notes on Heteromera, and descriptions of new genera and species (No. 3). The Entomologist's Monthly Magazine 9[1872–73]: 149–152. [DP: by 2.XII.1872 (*Ent Soc Lond*)] https://doi.org/10.5962/bhl.part.4726

Bates F (1873a) Notes on Heteromera, and descriptions of new genera and species (No. 5). The Entomologist's Monthly Magazine 9[1872–73]: 201–204. [DP: by 3.II.1872 (*Ent Soc Lond*)] https://doi.org/10.5962/bhl.part.4729

Bates F (1873b) Notes on Heteromera, and descriptions of new genera and species (No. 6). The Entomologist's Monthly Magazine 9[1872–73]: 233–238. [DP: by 3.III.1873 (*Ent Soc Lond*)] https://doi.org/10.5962/bhl.part.4726

Bates F (1873c) Notes on Heteromera, and descriptions of new genera and species (No. 7). The Entomologist's Monthly Magazine 9[1872–73]: 259–262. [DP: by 7.IV.1873 (*Ent Soc Lond*)]

Bates F (1873d) Notes on Heteromera, and descriptions of new genera and species. (No. 9). The Entomologist's Monthly Magazine 10[1873–74]: 45–52. [DP: by 7.VII.1873 (*Ent Soc Lond*)]

Bates F (1873e) Descriptions of new genera and species of Tenebrionidae from Australia, New Caledonia and Norfolk Island. The Transactions of the Entomological Society of London 1873: 347–380. [DP: 5.VIII.1873 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1873.tb02312.x

Bates F (1873f) Descriptions of new genera and species of Heteromera, chiefly from New Zealand and New Caledonia, together with a revision of the genus *Hypaulax* and a description of an allied new genus from Colombia. The Annals and Magazine of Natural History (Fourth Series) 12: 472–485. [DP: 1.XII.1873 (Evenhuis 2003)] https://doi.org/10.1080/00222937308680805

Bates F (1874) Descriptions of new genera and species of Heteromera, chiefly from New Zealand and New Caledonia, together with a revision of the genus *Hypaulax* and a description of an allied new genus from Colombia. The Annals and Magazine of Natural History (Fourth Series) 13: 16–24 [DP: 1.I.1874 (Evenhuis 2003)], 102–114. [DP: 1.II.1874 (Evenhuis 2003)] https://doi.org/10.1080/00222937408680820

Bates F (1879a) Descriptions of new genera and species of Tenebrionidae from the Island of Madagascar. The Transactions of the Entomological Society of London 1879: 277–307. [DP: 27.XII.1879 (Wheeler 1912)]

Bates F (1879b) Characters of the new genera and species of Heteromera collected by Dr. Stoliczka during the Forsyth expedition to Kashgar in 1873–4. Cistula Entomologica 2 [1875–82]: 467–484. [DP: 15.II.1879 (p. 389 footer)]

Bates F (1879c) Notes on the Adeliinae, with descriptions of new species. The Entomologist's Monthly Magazine 16[1879–80]: 30–33. [DP: by 9.VII.1879 (*Soc Ent Fr*)]

Bates F (1890) Coleoptera Heteromera. In: Ball V (Ed.) Scientific results of the second Yarkand Mission; based upon the collections and notes of the late Ferdinand Stoliczka, Ph.D. [Part 9 Insects] Coleoptera. Office of superintendent of Government Printing, Calcutta, 55–79, pl. 2. [DP: 1890 (Introduction p. vii; wrapper)]

Baudi di Selve F (1876a) Coleotteri Tenebrioniti delle collezioni Italiane. Bollettino della Società Entomologica Italiana 8: 98–119. [DP: by 9.VIII.1876 (*Soc Ent Fr*)]

Baudi di Selve F (1876b) Europaeae et circummediterraneae Faunae Tenebrionidum specierum, quae Comes Dejean in suo Catalogo, editio 3ª, consignavit, ex ejusdem collectione in R. Taurinensi Musaeo asservata, cum auctorum hodierne recepta determinatione collatio. Pars tertia. Deutsche Entomologische Zeitschrift 20: 225–267. [DP: X.1876 (Inhalt, p. iii)]

Bauer A (1921) Die geographische Verbreitung der Tenebrioniden Europas. Archiv für Naturgeschichte (Abteilung A) 87(3): 207–247. [DP: VIII.1921 (wrapper)]

Bečvář S, Purchart L (2008) Revision of the genus *Hexarhopalus* Fairmaire, 1891 (Coleoptera: Tenebrionidae: Cnodaloninae), with description of *Malaysphena* gen. nov. Annales Zoologici (Warszawa) 58: 35–70. [DP: 1.III.2008 (journal website)] https://doi.org/10.3161/000345408783897806

Bedel L (1887) Recherches sur les coléoptères du nord de l'Afrique. Recherches synonymiques. Annales de la Société Entomologique de France (Série 6) 7: 195–202. [DP: 15.VIII.1887 (wrapper)]

Bedel L (1894) Recherches sur la synonymie des coléoptères de l'Ancien Monde. L'Abeille, Journal d'Entomologie 28: 150–156. [DP: by VI.1894 (received at Museum of Natural History, UK)]

Bedel L (1897) Recherches synonymiques et rectificatives. L'Abeille, Journal d'Entomologie 29: 35–36.

Bedel L (1906a) Synonymies de coléoptères paléarctiques. Bulletin de la Société Entomologique de France 1906: 91–93.

Bedel L (1906b) Changement d'un nom de genre de coléoptères. Bulletin de la Société Entomologique de France 1906: 177–178.

Berry RL (1975) A revision of the genus *Cerenopus* (Coleoptera: Tenebrionidae). Annals of the Entomological Society of America 68(6): 925–934. [DP: 17.XI.1975 (article header)] https://doi.org/10.1093/aesa/68.6.925

Berthold AA (1827) Latreille's Natürliche Familien des Tierreichs. Aus dem Französischen. Mit Anmerkungen und Zusätzen. Landes-Industrie-Comptoirs, Weimar, x, 606 pp. [DP: by 22.IX.1827 (Bousquet 2016a: 73)] https://doi.org/10.5962/bhl.title.11652

Bertkau P (1876) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während der Jahre 1871 und 1872. Deutsche Entomologische Zeitschrift 20(5): 1–192.

Bertkau P (1879) Bericht über die wissenschaftlichen Leistungen im Gebiete der Arthropoden während der Jahre 1877–78. Archiv für Naturgeschichte 44(2): 219–562.

Bertkau P (1890) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während der Jahres 1889. Archiv für Naturgeschichte 56(2, 2): 1–318. [DP: VIII.1890 (wrapper)]

Bessudnova ZA (2012) Grigory (Gotthelf) Fischer Von Waldheim (1771–1853): author of the first scientific works on Russian geology and palæontology. Earth Sciences History 32: 102–120. https://doi.org/10.17704/eshi.32.1.n68416x30q1l4916

Billberg GJ (1820) Enumeratio insectorum in museo Gust. Joh. Billberg. Gadelianis, Holmia [= Stockholm], [2], 138 pp. [DP: 1820 (title page)] https://doi.org/10.5962/bhl.title.49763

Blackburn T (1888) Further notes on Australian Coleoptera, with descriptions of new species. Transactions and Proceedings and Report of the Royal Society of South Australia 10[1886–87]: 177–287. [DP: 1888 (wrapper)]

Blackburn T (1890a) Further notes on Australian Coleoptera, with descriptions of new genera species. VII. Transactions and Proceedings and Report of the Royal Society of South Australia 13[1889–90]: 82–93. [DP: VI.1890 (Contents, p. iii)]

Blackburn T (1890b) Notes on Australian Coleoptera, with descriptions of new species. Part V. The Proceedings of the Linnean Society of New South Wales (Second Series) 4[1889]: 1247–1276. [DP: 15.IV.1890 (wrapper)] https://doi.org/10.5962/bhl.part.15084

Blackburn T (1891) Further notes on Australian Coleoptera, with descriptions of new genera and species. X. Transactions and Proceedings and Report of the Royal Society of South Australia 14[1890–91]: 292–345. [DP: XII.1891 (title page and p. iii)]

Blackburn T (1893a) Revision of the Australian Amarygmides. Part II. The Proceedings of the Linnean Society of New South Wales (Second Series) 8[1893–94]: 53–106. [DP: 28.VII.1893 (Contents p. iii)]

Blackburn T (1893b) Further notes on Australian Coleoptera, with descriptions of new genera and species. Part XIII. Transactions of the Royal Society of South Australia 17[1892–93]: 130–140. [DP: VI.1893 (volume Contents)]

Blackburn T (1896) Coleoptera (exclusive of the Carabidae). In: Spencer B (Ed.) Report on the work of the Horn Scientific Expedition to Central Australia. Part II. – Zoology. Dulau and Co., London, 254–308. [DP: II.1896 (title page)]

Blackburn T (1897a) Further notes on Australian Coleoptera, with descriptions of new genera and species. Part XXI. Transactions and Proceedings and Report of the Royal Society of South Australia 21 [1896–97]: 28–39. [DP: VII.1897 (volume Contents)]

Blackburn T (1897b) Further notes on Australian Coleoptera, with descriptions of new genera and species. XXII. Transactions and Proceedings and Report of the Royal Society of South Australia 21[1896–97]: 88–98. [DP: VII.1897 (volume Contents)]

Blackburn T (1903) Further notes on Australian Coleoptera, with descriptions of new genera and species. XXXII. Transactions and Proceedings and Report of the Royal Society of South Australia 27: 91–182. [DP: VII.1903 (volume Contents)]

Blackburn T (1907) Further notes on Australian Coleoptera, with descriptions of new genera and species. XXXVII. Transactions and Proceedings and Report of the Royal Society of South Australia 31: 231–299. [DP: XII.1907 (title page)]

Blackburn T, Sharp D (1885) Memoirs on the Coleoptera of the Hawaiian Islands. The Scientific Transactions of the Royal Dublin Society (Series 2) 3[1883–87]: 119–196. [DP: II.1885 (Contents, p. iii)]

Blackwelder RE (1945) Checklist of the coleopterous insects of Mexico, Central America, the West Indies, and South America. Part 3. Bulletin of the United States National Museum 185[1942–1947]: iv + 343–550. [DP: 21.V.1945 (verso of title page, 1982 ed.)] https://doi.org/10.5479/si.03629236.185.3

Blair KG (1913) *Tribolium castaneum*, Herbst = *ferrugineum*, Auct. (*nec*. Fab.). The Entomologist's Monthly Magazine 49: 222–224. [DP: X.1913 issue; by 10.XI.1913 (received at Smithsonian Institution, USA)] https://doi.org/10.5962/bhl.part.28914

Blair KG (1914) On the Fabrician types of Tenebrionidae (Coleoptera) in the Banks collection. The Annals and Magazine of Natural History (Eighth Series) 13: 482–490. [DP: 1.V.1914 (Evenhuis 2003)] https://doi.org/10.1080/00222931408693515

Blair KG (1918) A remarkable new genus of Tenebrionidae (Coleoptera) from tropical Africa. The Entomologist's Monthly Magazine 54: 149–152. [DP: VII.1918 issue; by 22.VII.1918 (received at Smithsonian Institution, USA)]

Blair KG (1919a) Notes on the Australian genus *Cestrinus* Er. (Fam. Tenebrionidae) and some allied genera. The Proceedings of the Linnean Society of New South Wales 44: 529–532. [DP: 17.XII.1919 (wrapper)]

Blair KG (1919b) Coleoptera Heteromera collected in Korinchi, West Sumatra, by Messrs. H.C. Robinson and C. Boden Kloss. Journal of the Federated Malay States Museums 8: 73–80.

Blair KG (1919c) A synonymic note. The Entomologist's Monthly Magazine 55: 101–103. [DP: V.1919 issue; by 27.V.1919 (received at Smithsonian Institution, USA)]

Blair KG (1921) Notes on the Indian species of *Hypophloeus*, Fabr. with descriptions of new species. The Entomologist's Monthly Magazine 57: 1–7. [DP: I.1921 issue; by 20.I.1921 (received at Smithsonian Institution, USA)]

Blair KG (1922) Coleoptera of the Mt. Everest Expedition, 1921. The Annals and Magazine of Natural History (Ninth Series) 9: 558–562. [DP: 1.V.1922 (Evenhuis 2003)] https://doi.org/10.1080/00222932208632708

Blair KG (1923a) Coleoptera of the Second Mt. Everest Expedition, 1922. Part II. Heteromera. The Annals and Magazine of Natural History (Ninth Series) 11: 278–285. [DP: 1.III.1923 (Evenhuis 2003)] https://doi.org/10.1080/00222932308632857

Blair KG (1923b) New species of heteromerous Coleoptera from Mesopotamia. The Entomologist's Monthly Magazine 59: 118–126. [DP: V.1923 issue; by 14.V.1923 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Blair KG (1927) Heteromera of the third Mt. Everest Expedition, 1924. The Annals and Magazine of Natural History (Ninth Series) 19: 241–255. [DP: 1.II.1927 (Evenhuis 2003)] https://doi.org/10.1080/00222932708633592

Blair KG (1928) Heteromera, Bostrychoidea, Malacodermata and Buprestidae. In: Insects of Samoa and other Samoan terrestrial Arthropoda. Part IV. Coleoptera Fasc. 2. The Trustees of the British Museum, London, 67–109. [DP: 25.II.1928 (wrapper)]

Blair KG (1929a) Some new species of myrmecophilous Tenebrionidae (Col.). Zoologischer Anzeiger 82: 238–247. [DP: by 29.VIII.1929 (Official Record of the USDA (United States Department of Agriculture) 8 (32): 7)]

Blair KG (1929b) III. Fauna of the Batu Caves, Selangor. XVII. Coleoptera. Journal of the Federated Malay States Museums 14: 381–387.

Blair KG (1930) The Indian species of *Palorus* Muls. (Coleoptera: Tenebrionidae) and some associated beetles. Indian Forest Records (Entomological Series) 14: 133–152. [DP: 1930 (title page)]

Blair KG (1935a) Some synonymic notes in the family Tenebrionidae (Col.). The Entomologist's Monthly Magazine 71: 102–104. [DP: V.1935 issue; by 11.V.1935 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Blair KG (1935b) Heteromera, Ptinidae, Dasytidae, and Bruchidae collected by Mr. H.P. Thomasset and the late H.J. Snell in Rodriguez, Aug.–Nov. 1918. The Annals and Magazine of Natural History (Tenth Series) 16: 264–273. [DP: 1.VIII.1935 (Evenhuis 2003)] https://doi.org/10.1080/00222933508655045

Blair KG (1938) A new genus and species of tenebrionid beetle in bee-hives in India. The Entomologist's Monthly Magazine 74: 222–223. [DP: X.1938 issue; by 11.X (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Blair KG (1940) Coleoptera from the Caroline Islands. Occasional Papers of Bernice P. Bishop Museum 16: 131–157. [DP: 10.XII.1940 (article header)]

Blaisdell FE (1906) New Californian Coleoptera. Entomological News 17: 71–80, pl. 2. [DP: III.1906 issue]

Blaisdell FE (1909) A monographic revision of the Coleoptera belonging to the tenebrionide tribe Eleodiini inhabiting the United States, lower California, and adjacent islands. Bulletin

of the United States National Museum 63, iii–xi, 1–524, pls 1–13. [DP: 24.VI.1909 (p. [ii])] https://doi.org/10.5479/si.03629236.63.1

Blaisdell FE (1919) Synopsis and review of the species of *Coelus* (Coleoptera; Tenebrionidae). Transactions of the American Entomological Society 45: 315–334. [DP: 24.XI.1919 (List of papers, p. [i])]

Blaisdell FE (1923) Expedition of the California Academy of Sciences to the Gulf of California in 1921. The Tenebrionidae. Proceedings of the California Academy of Sciences (Series 4) 12[1922]: 201–288. [DP: 10.VII.1923 (p. 201)]

Blaisdell FE (1925) Studies in the Tenebrionidae, No. 2 (Coleoptera). Proceedings of the California Academy of Sciences (Series 4) 14[1924]: 369–390. [DP: 18.IX.1925 (p. 369)]

Blaisdell FE (1927) Miscellaneous studies in the Coleoptera No. 2. The Pan-Pacific Entomologist 3[1926–27]: 163–168. [DP: 9.VI.1927 (p. 200)]

Blaisdell FE (1932) Studies in the tenebrionid tribe Scaurini: a monographic revision of the Eulabes (Coleoptera). Transactions of the American Entomological Society 58: 35–101, pls 1–6. [DP: 13.IV.1932 (List of papers for volume)]

Blaisdell FE (1933) Studies in the Tenebrionidae, No. III (Coleoptera). Transactions of the American Entomological Society 59: 191–210. [DP: 21.IX.1933 (List of papers for volume)]

Blaisdell FE (1935) A new triorophid from Death Valley, California (Coleoptera: Tenebrionidae). The Pan-Pacific Entomologist 11: 125–129. [DP: 8.X.1935 (p. 192)]

Blaisdell FE (1937) Miscellaneous studies in the Coleoptera, No. 5 (Tenebrionidae and Melyridae). Transactions of the American Entomological Society 63: 127–145. [DP: 29.VI.1937 (List of papers for volume)]

Blaisdell FE (1939) Studies in the relationships of the subfamilies and tribes of the Tenebrionidae based on the primary genital characters, also descriptions of new species (Coleoptera). Transactions of the American Entomological Society 65: 43–60, pls 4–5. [DP: 14.IV.1939 (List of papers for volume)]

Blaisdell FE (1947) A new genus and species of the coleopterous family Tenebrionidae. The Pan-Pacific Entomologist 23: 59–62. [DP: 31.VII.1947 (p. iv)]

Blanchard E (1841) Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux, et d'introduction à l'anatomie comparée, par Georges Cuvier. Edition accompagnée de planches gravées, représentant les types de tous les genres, les caractères distinctifs des divers groupes et les modifications de structure sur lesquelles repose cette classification; par une réunion de disciples de Cuvier. Les insectes. Avec un atlas. Myriapodes, thysanoures, parasites, suceurs et coléoptères. Atlas. Fortin, Masson et Cie, Paris, pl. 47. [DP: VII.1841 (Bousquet 2016a: 52)]

Blanchard E (1842) Insectes de l'Amérique méridionale. Recueillis par Alcide d'Orbigny et décrits par Emile Blanchard et Auguste Brullé. In: Voyage dans l'Amérique méridionale (le Brésil, la République orientale de l'Uruguay, la République Argentine, la Patagonie, la République du Chili, la République de Bolivie, la République du Pérou), exécuté pendant les années 1826, 1827, 1828, 1829, 1830, 1831, 1832 et 1833 par Alcide d'Orbigny. Ouvrage dédié au Roi, et publié sous les auspices de M. le Ministre de l'Instruction publique (commencé sous le ministère de M. Guizot). Tome sixième. 2.e Partie: Insectes. [Livraisons

59–60]. P. Bertrand, Paris [and] V. Levrault, Strasbourg, pls 13–15. [DP: pls 13–14 in 1842, pl. 15 probably 1842 (Bousquet 2016a: 77)]

Blanchard E (1844) Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux, et d'introduction à l'anatomie comparée, par Georges Cuvier. Edition accompagnée de planches gravées, représentant les types de tous les genres, les caractères distinctifs des divers groupes et les modifications de structure sur lesquelles repose cette classification; par une réunion de disciples de Cuvier. Les insectes. Avec un atlas. Myriapodes, thysanoures, parasites, suceurs et coléoptères. Atlas. Fortin, Masson et Cie, Paris, pls 48 [DP: I.1844 (Bousquet 2016a: 52)], 53bis. [DP: IX.1844 (Bousquet 2016a: 52)]

Blanchard E (1845) Histoire des insectes, traitant de leurs mœurs et de leurs métamorphoses en général et comprenant une nouvelle classification fondée sur leurs rapports naturels. Coléoptères, Orthoptères, Thysanoptères, Névroptères, Lépidoptères, Hémiptères, Aphaniptères, Strepsiptères, Diptères, Anoplures et Thysanures. Firmin Didot Frères, Paris, 524 pp., pls 11–20. [DP: by 11.VI.1845 (Bousquet 2016a: 79)] https://doi.org/10.5962/bhl.title.35820

Blanchard E (1847) Voyage au Pôle Sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée; exécuté par ordre du Roi pendant les années 1837–1838–1839–1840, sous le commandement de M. J. Dumont-d'Urville, Capitaine de vaisseau; publié par ordre du gouvernement, sous la direction supérieure de M. Jacquinot, Capitaine de vaisseau, commandant de la Zélée. Zoologie Atlas. Impr. De Boucard, Paris, pl. 11. [DP: 6.IV.1847 (Bousquet 2016a: 78)]

Blanchard E (1853) Voyage au Pôle Sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée; exécuté par ordre du Roi pendant les années 1837–1838–1839–1840, sous le commandement de M. J. Dumont-d'Urville, Capitaine de vaisseau; publié par ordre du gouvernement, sous la direction supérieure de M. Jacquinot, Capitaine de vaisseau, commandant de la Zélée. Zoologie par MM. Hombron et Jacquinot. Tome quatrième. Gide et J. Baudry, Paris, [5] + 422 pp., 19 pls. [DP: 1853 (title page)]

Blessig C (1861) Beitrag zur Kenntniss der Heteromeren von Australia felix. Horae Societatis Entomologicae Rossicae 1: 87–115. [DP: circa 16.IX.1861 (Kerzhner 1984)]

Bogatchev AV (1946) New Palaearctic darkling beetles (Tenebrionidae) [in Russian]. Doklady Akademii Nauk Azerbaydzhanskoi SSR2 (9): 391–394.

Bogatchev AV (1947) On the systematics of the tribe Blaptini (Tenebrionidae, Col.) [in Russian]. Doklady Akademii Nauk Azerbaydzhanskoi SSR 3(11): 513–515.

Bogatchev AV (1949) New species of Tenebrionidae from Azerbaijan and other regions of the Palaearctic [in Russian]. Doklady Akademii Nauk Azerbaydzhanskoi SSR 5(1): 38–41.

Bogatchev AV (1950) New or little known species of the tribe Erodiini (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 31[1950–51]: 231–236. [DP: after 26.X.1950 (censor date)]

Bogatchev AV (1952) A new genus and species of darkling beetles from northern Kara-Kum [in Russian]. Doklady Akademii Nauk Uzbekskoi SSR 1952(7): 44–45.

Bogatchev AV (1960a) A new genus of darkling beetles from Tajikistan, *Allotadzhikistania*, gen. nov. (Tenebrionidae, Pimeliini) [in Russian]. Doklady Akademii Nauk Tadzhikskoi SSR 3(1): 43–46.

Bogatchev AV (1960b) A new kind of darkling beetles from Tajikistan – *Tadzhikistania*, gen. nov. (Coleoptera, Tenebrionidae) [in Russian]. Doklady Akademii Nauk Tadzhikskoi SSR 3(3): 35–36.

Bogatchev AV (1961) New species of darkling beetles (Tenebrionidae) from Tajik SSR, other republics of Middle Asia and neighboring countries [in Russian]. Trudy Instituta Zoologii i Parazitoloigii imeni akad. Ye. N. Pavlovskogo Akademii Nauk Tadzhikskoy SSR 20: 107–121.

Bogatchev AV (1963) A new genus of darkling beetle from Kyzylkum desert (Col., Tenebrionidae, Tentyriini) [in Russian]. Doklady Akademii Nauk Uzbekskoi SSR 20 1963(6): 57–59. [DP: 1963 (title page)]

Bogatchev AV (1967) New species and genera of Tenebrionidae on Apsherusk peninsula [in Russian]. Trudy Instituta Zoologii Academii Nauk Azerbaidzhanskoy SSR 26: 157–163. [DP: 1967 (title page)]

Bogatchev AV (1972) New species of tenebrionid beetles of the tribe Opatrini (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 51: 625–632. [DP: after 8.IX.1972 (censor date)] [(English translation in Entomological Review 51: 376–380)]

Bogatchev AV (1976) A new genus and species of darkling beetle (Coleoptera, Tenebrionidae) from Tadzhikistan [in Russian]. Entomologicheskoe Obozrenie 55: 98–100. [DP: after 19.II.1976 (censor date)]

Bogatchev AV, Kryzhanovskii OL (1955) A new species of Coleoptera, Tenebrionidae from western Turkmenistan [in Russian]. Entomologischeskoe Obozrenie 34: 240–241. [DP: after 2.XI.1955 (censor date)]

Bogdanov-Katjkov NN (1915) De speciebus novis vel parum cognitis Tentyriinorum (Coleoptera, Tenebrionidae). Revue Russe d'Entomologie 15: 1–7. [DP: 31.III.1915 (p. xxviii)]

Bogdanov-Katjkov NN (1916) Matériaux pour servir à l'étude des *Gnathosia* (Coleoptera, Tenebrionidae). Revue Russe d'Entomologie 16: 68–71. [DP: 28.X.1916 (wrapper)]

Boheman CH (1858) Coleoptera. Species novas descripsit. In: Kongliga Svenska fregatten Eugenies resa omkring jorden under befäl af C.A. Virgin, Åren 1851–1853. Vetenskapliga Iakttagelser på H.M. Konung oscar den förstes befallning utgifna af K. Svenska Vetenskaps Akademien. Andra delen. Zoologi. 1. Insecta. P. A. Norstedt and Söner, Stockholm, 1–112. [DP: 1858 (unnumbered after title page)]

Boieldieu AA (1865) Quelques Coléoptères nouveaux des îles d'Eubée et Baléares. Annales de la Société Entomologique de France (Série 4) 5: 1–12. [DP: 23.VIII.1865 (wrapper)]

Boisduval JBA (1835) Voyage de découvertes de L'Astrolabe exécuté par ordre du Roi, pendant les années 1826–1827–1828–1829, sous le commandement de M. J. Dumont d'Urville. Faune entomologique de l'océan Pacifique, avec l'illustration des insectes nouveaux receuillis pendant le voyage. Deuxième partie. Coléoptères et autres ordres. J. Tatsu, Paris, vii, 716 pp., 12 pls. [DP: by 27.III.1835 (Bousquet 2016a: 84)]

Bonadona P (1959) Anthicides récoltés par J. Cantaloube au Cameroun (Coleoptera). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 21: 1033–1046. [DP: printed VII.1959; by 17.VIII.1959 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Bonadona P (1984) Anthicides nouveaux ou peu connus d'Afrique Noire (Coleoptera, Anthicidae). Revue de Zoologie Africaine (Série A) 98: 469–504. [DP: 29.IX.1984 (wrapper)]

Borchmann F (1908) Alleculidae. In: Michaelsen W, Hartmeyer R (Eds) Die Fauna Südwest-Australiens. Ergebnisse der Hamburger südwest-australischen Forschungsreise 1905. Band I. Gustav Fischer, Jena, 349–358, pl. 3. [DP: by VII.1908 (*Nat Nov*)]

Borchmann F (1909a) Systematische und synonymische Notizen über Lagriiden und Alleculiden. (Col.). Deutsche Entomologische Zeitschrift 1909: 712–714. [DP: 1.XI.1909 (cover)] https://doi.org/10.1002/mmnd.48019090603

Borchmann F (1909b) Pars 3: Alleculidae. In: Schenkling S (Ed.) Coleopterorum Catalogus. Volumen XVII. W. Junk, Berlin, 80 pp. [DP: 1910 (wrapper); by 24.IX.1909 (*Soc Ent Fr*)]

Borchmann F (1911) Neue asiatische und australische Lagriiden hauptsächlich aus dem Museum in Genua. Bollettino della Società Entomologica Italiana 41[1909]: 201–234. [DP: 28.II.1911 (volume title page)]

Borchmann F (1912a) Neue afrikanische Lagriiden. (Material zur Monographie der afrikanischen Lagriiden). Coleopterologische Rundschau 1: 1–5. [DP: I.1912 issue], 17–21 [DP: II.1912 issue]

Borchmann F (1912b) Neue Heteromeren aus Argentinien (Col.). Deutsche Entomologische Zeitschrift 1912: 386–390. [DP: 31.VII.1912 (cover)]

Borchmann F (1915) Eine neue Gattung der Statirinae (Col.). Entomologische Mitteilungen 4: 296–299. [DP: 27.XII.1915 (wrapper)]

Borchmann F (1916a) Die Lagriinae (Unterfamilie der Lagriidae). Archiv für Naturgeschichte (Abteilung A) 81[1915](6): 46–186. [DP: I.1916 (wrapper)]

Borchmann F (1916b) Die Gattung *Colparthrum* Kirsch (Col.). Entomologische Mitteilungen 5: 228–237. [DP: 11.XI.1916 (wrapper)]

Borchmann F (1921) Die amerikanischen Gattungen und Arten der Statirinae (Unterfamilie der Lagriidae). Archiv für Naturgeschichte (Abteilung A) 87(1): 216–357. [DP: XII.1921 (wrapper)]

Borchmann F (1925) Neue Heteromeren aus dem malayischen Gebiete. Treubia 6: 329–354. [DP: XII.1925 (wrapper)]

Borchmann F (1929a) Ueber die von Herrn J.B. Corporaal in Ost-Sumatra gesammelten Lagriiden, Alleculiden, Meloiden und Othniiden. Tijdschrift voor Entomologie 72: 1–39. [DP: 15.IV.1929 (verso of volume title page)]

Borchmann F (1929b) Die Gattung *Eutrapelodes* (Coleoptera, Alleculidae). Koleopterologische Rundschau 15[1929–30]: 132–140. [DP: 30.IX.1929 (wrapper)]

Borchmann F (1930a) Die Lagriiden-Fauna der Philippinen. The Philippine Journal of Science 41: 403–533, pl. 1. [DP: 25.III.1930 (Contents, p. v)]

Borchmann F (1930b) Die Gattung *Cteniopinus* Seidlitz. Koleopterologische Rundschau 16[1930–31]: 143–164. [DP: 15.VIII.1930 (wrapper)]

Borchmann F (1932a) Die Alleculiden-Fauna der Philippinen. The Philippine Journal of Science 48: 305–381. [DP: VII.1932 issue]

Borchmann F (1932b) Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique. Vol. 4. Invertébrés: hexapodes. Coleoptera. Lagriidae und Alleculidae. Mémoires du Musée Royal d'Histoire Naturelle de Belgique (Hors série) 4: 123–127. [DP: 30.IX.1932 (title page)]

Borchmann F (1936) Fascicule CCIV. Coleoptera Heteromera. Fam. Lagriidae. In: Wytsman PA (Ed.) Genera Insectorum. Vol. XXXV. Louis Desmet-Verteneuil, Bruxelles, 561 pp., 9 pls. [DP: 1936 (wrapper); 16.XI.1936 (Evenhuis 1994: 60); 1937 (title page)]

Borchmann F (1937) Neue Alleculiden aus dem Deutschen Entomologischen Institut, Berlin-Dahlem. (Coleoptera). Arbeiten über morphologische und taxonomische Entomologie 4: 210–231. [DP: 13.IX.1937 (volume title page + wrapper)]

Borchmann F (1938) Koleopterologische Ergebnisse (I–III) einer Kamerunreise, ausgeführt von Dr. F. Zumpt. Entomologische Blätter 34: 119–127. [DP: 14.VII.1938 (p. iv)]

Borchmann F (1941a) Entomological results from the Swedish Expedition 1934 to Burma and British India. Coleoptera: Lagriidae und Alleculidae gesammelt von René Malaise. Arkiv för Zoologi 33A(9): 1–32. [DP: printed 22.IX.1941 (p. 32); issued 20.XII.1941 (verso of volume title page)]

Borchmann F (1941b) Über die von Herrn J. Klapperich in China gesammelten Heteromeren. Entomologische Blätter 37: 22–29. [DP: 28.II.1941 (wrapper)]

Borchmann F (1942) Lagriidae und Alleculidae (Coleoptera Heteromera). In: Exploration du Parc National Albert Mission G. F. de Witte (1933–1935). Fascicule 40. Institut des Parcs Nationaux du Congo Belge, Bruxelles, 53 pp. [DP: 1942 (wrapper)]

Borchmann F (1943) Lagriiden und Alleculiden aus dem Musée du Congo belge. Revue de Zoologie et de Botanique Africaines 37: 30–63. [DP: 31.VIII.1943 (article header)]

Borchmann F, Pic M (1912) Nouveau sous-genre et formes nouvelles du groupe des «Statirinae». L'Échange, Revue Linnéenne 28 (329): 35–36. [DP: V.1912 (cover)]

Bouchard P (2000) *Cuemus*, a new genus of Tenebrionidae (Coleoptera) from the northern Queensland wet tropics. Memoirs of the Queensland Museum 46: 95–100. [DP: 31.XII.2000 (*Zool Rec*)]

Bouchard P (2002) Phylogenetic revision of the flightless Australian genus *Apterotheca* Gebien (Coleoptera: Tenebrionidae: Coelometopinae). Invertebrate Systematics 16: 449–554. [DP: 12.VII.2002 (journal website)] https://doi.org/10.1071/IT01029

Bouchard P, Bousquet Y (2020a) Additions and corrections to "Family-group names in Coleoptera (Insecta)". ZooKeys 922: 65–139. [DP: 25.III.2020 (journal website)] https://doi.org/10.3897/zookeys.922.46367

Bouchard P, Bousquet Y (2020b) New nomenclatural and taxonomic acts, and comments. Tenebrionidae. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 6–8. [DP: 17.IX.2020 (verso of title page)]

Bouchard P, Bousquet Y, Davies AE, Alonso-Zarazaga MA, Lawrence JF, Lyal CHC, Newton AF, Reid CAM, Schmitt M, Ślipiński SA, Smith ABT (2011) Family-group names in Coleoptera (Insecta). ZooKeys 88: 1–972. [DP: 4.IV.2011 (journal website)] https://doi.org/10.3897/zookeys.88.807

Bouchard P, Lawrence JF, Davies AE, Newton AF (2005) Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. Annales Zoologici (Warszawa) 55: 499–530. [DP: 1.XII.2005 (journal website)]

Bouchard P, Löbl I (2008) New nomenclatural and taxonomic acts, and comments. Tenebrionidae: Opatrini. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 39. [DP: 15.IV.2008 (verso of title page)]

Bouchard P, Löbl I, Merkl O (2007) Nomenclatural notes on tenebrionid beetles of the Palaearctic region (Insecta: Coleoptera). Annales Zoologici (Warszawa) 57: 385–394. [DP: 1.IX.2007 (journal website)]

Bousquet Y (2016a) Litteratura Coleopterologica (1758–1900): a guide to selected books related to the taxonomy of Coleoptera with publication dates and notes. ZooKeys 583: 1–776. [DP: 25.IV.2016 (journal website)] https://doi.org/10.3897/zookeys.583.7084

Bousquet Y (2016b) Was Mäklin's "Monographie der Gattung *Strongylium*" published in 1864 or 1867? Sherbornia 3(1): 1–4. [DP: 15.IX.2016 (journal website)]

Bousquet Y (2017) Book catalogues issued for the Leipzig trade fairs and the dating of taxonomic works. Zoological Bibliography 4(5): 93–126. [DP: 29.XII.2017 (title page)]

Bousquet Y, Bouchard P (2013a) The genera in the second catalogue (1833–1836) of Dejean's Coleoptera collection. ZooKeys 282: 1–219. [DP: 2.IV.2013 (title page)] https://doi.org/10.3897/zookeys.282.4401

Bousquet Y, Bouchard P (2013b) The genera in the third catalogue (1836–1837) of Dejean's Coleoptera collection. ZooKeys. 282: 221–239. [DP: 2.IV.2013 (title page)] https://doi.org/10.3897/zookeys.282.4402

Bousquet Y, Bouchard P (2014) Review of the species of *Paratenetus* Spinola inhabiting America, north of Mexico (Coleoptera, Tenebrionidae). ZooKeys 415: 23–51. [DP: 12.VI.2014 (title page)] https://doi.org/10.3897/zookeys.415.6524

Bousquet Y, Bouchard P (2017) Status of the new genera in Gistel's "Die Insecten-Doubletten aus der Sammlung der Herrn Grafen Rudolph von Jenison Walworth" issued in 1834. ZooKeys. 698: 113–145. [DP: 18.IX.2017 (title page)] https://doi.org/10.3897/zookeys.698.14913

Bousquet Y, Bouchard P (2019) Case 3784 – *Cnodalon* Latreille, 1797 (Coleoptera, Tenebrionidae, Stenochiinae, Cnodalonini): proposed conservation of usage by designation of *Cnodalon viride* Latreille, 1804 as the type species. Bulletin of Zoological Nomenclature 76: 114–118. [DP: 30.VIII.2019 (title page)] https://doi.org/10.21805/bzn.v76.a033

Bousquet Y, Bouchard P, Campbell JM (2015) Catalogue of genus-group names in Alleculinae (Coleoptera: Tenebrionidae). The Coleopterists Society Monograph 14: 131–151. [DP: 18.XII.2015 (verso of cover)] https://doi.org/10.1649/0010-065X-69.mo4.131

Bousquet Y, Campbell JM (1991) Family Tenebrionidae – darkling beetles. In: Bousquet Y (Ed.) Checklist of beetles of Canada and Alaska. Publication 1861/E, Research Branch, Agriculture Canada, Ottawa, 253–261. [DP: 1991 (p. ii)]

Bousquet Y, Thomas DB, Bouchard P, Smith AD, Aalbu RL, Johnston MA, Steiner Jr WE (2018) Catalogue of Tenebrionidae (Coleoptera) of North America. ZooKeys 728: 1–455. [DP: 15.I.2018 (p. 1)] https://doi.org/10.3897/zookeys.728.20602

Bouyon H (2011) *Heliotaurus* (*Atlasotaurus*) *casseti*, nouveau sous-genre et nouvelle espèce du Maroc (Coleoptera, Tenebrionidae, Alleculinae). Bulletin de la Société Entomologique de France 116: 463–467. [DP: 29.XII.2011 (p. 524)]

Brauns H (1901) *Cossyphodites* Brauns nov. gen. Cossyphodidarum Wasm. Annalen des K.K. Naturhistorischen Hofmuseums 16: 91–94. [DP: 1901 (wrapper)]

Brême F de (1842a) Monographie des *Sphoerotus* et de quelques autres genres appartenant au premier groupe de la tribu des blapsides (famille des coléoptères hétéromères). Revue Zoologique 5(1842): 106–114. [DP: IV.1842 issue; by 9.V.1842 (*Acad Sci Fr*)]

Brême F de (1842b) Essai monographique et iconographique de la tribu des Cossyphides. Lachèze, Paris, 72 pp., 7 pls. [DP: by 22.X.1842 (Bousquet 2016a: 92)] https://doi.org/10.5962/bhl.title.9868

Bremer HJ (1992) Eine neue Gattung, neue Arten, eine neue Synonymie und ein neuer Status von Arten der Ulomini (Coleoptera, Tenebrionidae, Ulomini *sensu* Gebien). Acta Coleopterologica 8: 109–119. [DP: 1.X.1992 (article header)]

Bremer HJ (1995) Revision der Hypophloeini der aethiopischen Region. Pars III: die Arten des Genus *Corticeus* Piller et Mitterpacher, 1783, der subsaharischen Region sowie Beschreibung einer neuen *Corticeus*-Art aus Madagascar (Coleoptera: Tenebrionidae). Entomofauna (Supplement) 7: 1–285. [DP: 30.XII.1994 (article header)]

Bremer HJ (1998) Revision der orientalischen *Corticeus*-Arten (Col., Tenebrionidae, Hypophloeini). I. Teil. Acta Coleopterologica 14: 3–32. [DP: 15.IX.1998 (article header)]

Bremer HJ (2001a) Revision der Gattung *Amarygmus* Dalman, 1823 und verwandter Gattungen. I. Allgemeine Bemerkungen, Status einiger Gattungen affine *Amarygmus* Dalman, 1823; neue Kombinationen von Arten der Gattung *Amarygmus* Dalman (Coleoptera: Tenebrionidae: Alleculinae: Amarygmini). Coleoptera – Schwanfelder Coleopterologische Mitteilungen 5: 57–80. [DP: IV.2001 (cover)]

Bremer HJ (2001b) Revision der Gattung *Amarygmus* Dalman, 1823 und verwandter Gattungen. II. Neue Gattungen affine *Amarygmus* Dalman, 1823 mit neuen Arten, sowie neue Arten und Synonyme von *Amarygmus* Dalman (Coleoptera: Tenebrionidae: Amarygmini). Coleoptera – Schwanfelder Coleopterologische Mitteilungen 5: 81–106. [DP: IV.2001 (cover)]

Bremer HJ (2005) Revision der Gattung *Amarygmus* Dalman, 1823 sowie verwandter Gattungen. XXXIV. Anmerkungen zu den Genera *Amarygmus* Dalman, *Becvaramarygmus* Masumoto, *Eumolpamarygmus* Pic, *Lobatopezus* Pic, *Oogeton* Kaszab, and *Pyanirygmus* Pic (Insecta, Coleoptera, Tenebrionidae, Amarygmini, Chrysomelidae, Eumolpinae). Spixiana 28: 199–221. [DP: 1.XI.2005 (article header)]

Bremer HJ (2006) Revision der Gattung *Amarygmus* Dalman, 1823 und verwandter Gattungen. XXXIX. Eine neue Gattung der Amarygmini: Anmerkungen zu den Gattung *Amarygmus* Dalman, *Hoplobrachium* Fairmaire, *Eupezoplonyz* Pic und *Eumolparamarygmus* Bremer (Col.; Tenebrionidae; Amarygmini). Acta Coleopterologica (Munich) 22: 5–13. [DP: 1.IV.2006 (article header)]

Bremer HJ (2007) Revision der Gattung *Amarygmus* Dalman sowie verwandter Gattungen (Coleoptera: Tenebrionidae: Amarygmini). XLV. Neu- und Nachbeschreibungen von *Amarygmus*-Arten der orientalischen Region. Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 707: 1–48. [DP: 9.VII.2007 (article header)]

Bremer HJ (2009) Revision der Gattung *Amarygmus* Dalman sowie verwandter Gattungen (Coleoptera: Tenebrionidae: Amarygmini). LI. Die Amarygmini der Philippinen. Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 2: 241–346. [DP: 30.IV.2009 (article header)]

Bremer HJ (2010) Revision of the genus *Amarygmus* Dalman and related genera. LVI. The Amarygmini of Borneo (Coleoptera: Tenebrionidae), part I. Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 3: 139–256. [DP: 30.IV.2010 (article header)]

Bremer HJ (2013a) Annotations on the tribe Rhysopaussini and on some genera assigned to this tribe (Coleoptera: Tenebrionidae; Rhysopaussini: Amarygmini). Mitteilungen der Münchner Entomologischen Gesellschaft 103: 71–79. [DP: 15.X.2013 (article header)]

Bremer HJ (2013b) Revision of the genus *Amarygmus* Dalman and related genera. LXV. The Amarygmini of the Philippines (Coleoptera: Tenebrionidae), part II. Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 6: 127–136. [DP: 30.IV.2013 (article header)]

Bremer HJ (2014a) Revision of the genus *Amarygmus* Dalman, 1823 and related genera. Part LXXII. The Amarygmini of Borneo (Coleoptera: Tenebrionidae), part IV. Species of the genus *Plesiophthalmus* and related genera (including species of Sumatra, Java and – partially – Peninsular Malaysia. Mitteilungen der Münchner Entomologischen Gesellschaft 104: 31–83. [DP: 15.X.2014 (article header)]

Bremer HJ (2014b) Revision of *Azarelius* Fairmaire, *Ziaelas* Fairmaire and related Oriental termitophilous genera, with descriptions of two new genera and remarks on tribal placement (Coleoptera: Tenebrionidae: Amarygmini). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 7: 163–182. [DP: 30.IV.2014 (article header)]

Bremer HJ (2016) Revision of the genus *Amarygmus* Dalman, 1823 and of related genera. Part LXXII. Amarygmini of the Papuan faunal region: new subgenera of *Amarygmus*, new species of *Amarygmus*, a new synonym (Coleoptera, Tenebrionidae, Amarygmini). Spixiana 39: 219–246. [DP: XII.2016 (article header)]

Bremer HJ (2018) The Hypophlaeini of the Neotropis (Coleoptera, Tenebrionidae). Mitteilungen der Münchner Entomologischen Gesellschaft 108: 43–89. [DP: 1.XI.2018 (article header)]

Bremer HJ (2019) A new genus and species of Oriental termitophilous Amarygmini (Coleoptera, Tenebrionidae). Mitteilungen der Münchner Entomologischen Gesellschaft 109: 59–63. [DP: 11.XI.2019 (article header)]

Bremer HJ, Lillig M (2014) World Catalogue of Amarygmini, Rhysopaussini and Falsocossyphini (Coleoptera; Tenebrionidae). Mitteilungen der Münchner Entomologischen Gesellschaft 104(Supplement): 3–176. [DP: 15.X.2014 (article header)]

Bremer HJ, Lillig M (2017a) Remarks on the genera of Hypophlaeini and the subgenera of *Corticeus* Piller & Mitterpacher, 1783, with descriptions of new species of *Corticeus* of the Oriental Region (Coleoptera: Tenebrionidae, Hypophlaeini). Entomologische Zeitschrift 127: 67–75. [DP: 15.VI.2017 (p. 65)]

Bremer HJ, Lillig M (2017b) Species of *Corticeus* Piller & Mitterpacher, 1783 of the Madagascan faunal area – Part II. Distribution of species and determination key (Coleoptera: Tenebrionidae, Hypophlaeini). Entomologische Zeitschrift 127: 195–203. [DP: 15.XII.2017 (p. 193)]

Brèthes J (1910) Coleópteros Argentinos y Bolivianos. Anales de la Sociedad Científica Argentina 69: 205–227. [DP: V.1910 (wrapper)]

Brèthes J (1925) Nouveaux coléoptères sudaméricains. Nunquam Otiosus (Buenos Aires) 4: 11–16. [after 20.IX.1925 (manuscript date p. 16)]

Broun T (1880) Manual of New Zealand Coleoptera [Part I]. Colonial Museum and Geological Survey Department, Wellington, xix, 651 pp. [DP: by 12.VIII.1880 (Bousquet 2016a: 93)] https://doi.org/10.5962/t.173101

Broun T (1886) Manual of the New Zealand Coleoptera. Parts III and IV. Colonial Museum and Geological Survey Department, Wellington, i–xvii, pp. 745–973. [DP: after IV.1886 (Preface date); by 7.I.1887 (*Roy Soc Queensl*)]

Broun T (1893a) Descriptions of new Coleoptera from New Zealand. The Annals and Magazine of Natural History (Sixth Series) 12: 161–195. [DP: 1.IX.1893 (Evenhuis 2003)] https://doi.org/10.1080/00222939308677600

Broun T (1893b) Manual of the New Zealand Coleoptera. Parts V., VI., VII. New Zealand Institute, Wellington, i–xvii, 975–1504. [DP: by 28.IX.1893 (Bousquet 2016a: 93)]

Broun T (1895) Descriptions of new Coleoptera from New Zealand. The Annals and Magazine of Natural History (Sixth Series) 15: 234–245. [DP: 1.III.1895 (Evenhuis 2003)] https://doi.org/10.1080/00222939508677876

Brown FM (1964) The dates of publication of the first ten volumes of the Transactions of the American Entomological Society. Transactions of the American Entomological Society 90: 313–321. [DP: 15.IX.1964 (back wrapper)]

Brown KW, Doyen JT (1992) Review of the genus *Microschatia* (Solier) (Tenebrionidae: Coleoptera). Journal of the New York Entomological Society 99[1991](4): 539–582. [DP: 7.I.1992 (inside wrapper)]

Brown KW, Triplehorn CA (2002) *Epitragosoma arenaria*, a new genus and species from Texas (Coleoptera: Tenebrionidae). The Coleopterists Bulletin 55[2001]: 515–521. [DP: 2.I.2002 (inside wrapper)] https://doi.org/10.1649/0010-065X(2001)055[0515:EAANGA]2.0.CO;2

Brullé GA (1831) Coup d'oeil sur l'entomologie de la Morée. Annales des Sciences Naturelles 23: 244–267. [DP: VII.1831 issue (p. 225 footer)]

Brullé GA (1832) IVe classe. Insectes. In: Expédition scientifque de Morée. Section des sciences physiques. Tome III. – 1.re partie. Zoologie. Deuxième section. – Des animaux articulés. Par M. Brullé; les crustacés par M. Guérin. [Livraisons 5–6]. F.G. Levrault, Paris [and] Strasbourg, 193–288. [DP: 1832 (title page)]

Buck FD (1955) A new genus of Cistelidae (Col.) from Australia. The Entomologist's Monthly Magazine 91: 269–272. [DP: 8.XI.1955 (1954/55 Contents, p. ii)]

Buck FD (1960) A genus and species of Tenebrionidae (Col.) from Australia new to science. The Entomologist's Monthly Magazine 95[1959]: 224–225, pl. xix. [DP: 19.IV.1960 (1958/59 Contents, p. ii)]

Burmeister H (1875) Melanosoma Argentina. Entomologische Zeitung 36: 457–500. [DP: by 1.XI.1875 (*Pet Nouv Ent*)]

Campbell JM (1966) A revision of the genus *Lobopoda* (Coleoptera: Alleculidae) in North America and the West Indies. Illinois Biological Monographs 37: [1], 1 pl., 1–203. [DP: XII.1966 (verso of title page)] https://doi.org/10.5962/bhl.title.50292

Campbell JM (1971) A revision of the Alleculidae (Coleoptera) of the West Indies. Memoirs of the Entomological Society of Canada No. 81: 3–140. [DP: 30.XI.1971 (*The Canadian Entomologist* 128: 1246)] https://doi.org/10.4039/entm10381fv

Campbell JM (1976) A revision of the Alleculidae (Coleoptera) of Chile. Revista Chilena de Entomología 9 [1975]: 13–39. [DP: printed V.1976 (p. 172)]

Campell JM (1978) *Hymenochara*, a new genus of Alleculidae (Coleoptera) based on *Mycetochara rufipes* and a new species form Arizona. The Canadian Entomologist 110: 435–441. [DP: 22.III.1978 (p. [560])] https://doi.org/10.4039/Ent110435-4

Campell JM (1980) Insects of Saudi Arabia. Coleoptera: fam. Alleculidae. Fauna of Saudi Arabia 2: 133–136. [DP: 15.VIII.1980 (Contents)]

Campbell JM (1984) *Onychomira floridensis*, a new genus and species from Florida, with a revised key to the genera of North American Alleculidae (Coleoptera). The Coleopterists Bulletin 38: 288–300. [DP: 9.XI.1984 (back wrapper)]

Campbell JM (2014) New species and records of *Charisius* Champion from Mexico and Central America (Coleoptera, Tenebrionidae, Alleculinae). ZooKeys 415: 269–293. [DP: 12.VI.2014 (article header)] https://doi.org/10.3897/zookeys.415.6794

Canzoneri S (1959) Contributo ad una migliore conoscenza del genere *Stenomax* Allard (Col. Tenebrionidae). Bollettino della Società Entomologica Italiana 89: 148–149. [DP: 30.XII.1959 (p. 129 header)]

Carl M (1991) Die Gattungen *Adelostomoides* gen. n. und *Adelostoma* Dup. aus Mesopotamien (Coleoptera: Tenebrionidae). Nachrichtenblatt der Bayerischen Entomologen 40: 23–27. [DP: 1.IV.1991 (wrapper)]

Carl M (2000) Beschreibung von *Heinrichesia schaeferi* gen. nov. et sp. nov. aus Sistan (Iran) (Coleoptera, Tenebrionidae). Entomofauna, Zeitschrift für Entomologie 21: 257–261. [DP: 30.IX.2000 (article header)]

Carter HJ (1906) Notes on the genus *Cardiothorax*: with descriptions of new species of Australian Coleoptera. Part II. The Proceedings of the Linnean Society of New South Wales 31: 236–260, pl. 20. [DP: 3.X.1906 (Contents, p. vii)]

Carter HJ (1908a) Revision of the Australian species of *Adelium*. The Proceedings of the Linnean Society of New South Wales 33: 257–285, pl. 3. [DP: 14.VIII.1908 (Contents, p. vii)]

Carter HJ (1908b) Revision of the genus *Seirotrana*, together with descriptions of new species of other Australian Coleoptera. The Proceedings of the Linnean Society of New South Wales 33: 392–422. [DP: 14.VIII.1908 (Contents, p. vii)]

Carter HJ (1911a) Revision of *Pterohelaeus* (continued) and of *Saragus*; with descriptions of new species of Australian Tenebrionidae. The Proceedings of the Linnean Society of New South Wales 36: 179–223, pl. 8. [DP: 17.VIII.1911 (Contents, p. iii)]

Carter HJ (1911b) Revision of the Nyctozoilides – genera and species (Fam. Tenebrionidae). Annals of the Queensland Museum 10: 136–166. [DP: 1.XI.1911 (title page)]

Carter HJ (1913a) Revision of Australian species of the subfamilies Cyphaleinae and Cnodaloninae (Fam. Tenebrionidae). The Proceedings of the Linnean Society of New South Wales 38: 61–105, pls 6–7. [DP: 17.IX.1913 (Contents, p. iii)] https://doi.org/10.5962/bhl.part.13554

Carter HJ (1913b) Notes and tabulation of the Australian Amarygminae (family Tenebrionidae), with descriptions of new species. Transactions and Proceedings of the Royal Society of South Australia 37: 6–47. [DP: XII.1913 (title page)]

Carter HJ (1914a) Notes on Tenebrionidae in the South Australian Museum, collected by Mr. A. M. Lea, 1911–12, with descriptions of new species. Transactions and Proceedings of the Royal Society of South Australia 38: 219–238. [DP: XII.1914 (title page)]

Carter HJ (1914b) Revision of the subfamily Tenebrioninae, family Tenebrionidae. (Australian species: with descriptions of new species of Tenebrioninae and Cyphaleinae). The Proceedings of the Linnean Society of New South Wales 39: 44–86. [DP: 17.VII.1914 (Contents, p. iii)] https://doi.org/10.5962/bhl.part.2275

Carter HJ (1914c) Notes on Australian Tenebrionidae, with descriptions of new species. Transactions and Proceedings of the Royal Society of South Australia 38: 369–406. [DP: XII.1914 (title page)]

Carter HJ (1915a) Revision of the Australian Cistelidae. Order Coleoptera. Proceedings of the Royal Society of Victoria (New Series) 28: 52–104, pl. 6. [DP: XI.1915 (wrapper)]

Carter HJ (1915b) The Australian Strongyliinae and other Tenebrionidae, with descriptions of new genera and species. (Family Tenebrionidae). The Proceedings of the Linnean Society of New South Wales 40: 522–539. [DP: 10.XII.1915 (Contents, p. v)] https://doi.org/10.5962/bhl.part.18883

Carter HJ (1916) Descriptions of a new genus and three new species of Australian Tenebrioindae from Barrington Tops, New South Wales. The Proceedings of the Linnean Society of New South Wales 41: 209–214. [DP: 13.IX.1916 (Contents, p. v)] https://doi.org/10.5962/bhl.part.15313

Carter HJ (1918) Some new Heteromera, and one *Stigmodera*, from tropical Australia. The Proceedings of the Linnean Society of New South Wales 42[1917]: 701–719. [DP: 3.IV.1918 (Contents, p. vi)] https://doi.org/10.5962/bhl.part.4868

Carter HJ (1919) Notes on Australian Coleoptera, with descriptions of new species. The Proceedings of the Linnean Society of New South Wales 44: 137–173, pls 4–5. [DP: 27.VI.1919 (Contents, p. ii)]

Carter HJ (1920a) Notes on some Australian Tenebrionidae, with descriptions of new species; – also of a new genus and species of Buprestidae. The Proceedings of the Linnean Society of New South Wales 45: 222–249. [DP: 16.VIII.1920 (Contents, p. iv)] https://doi.org/10.5962/bhl.part.19543

Carter HJ (1920b) Revisional notes on the family Cistelidae (Order Coleoptera). Transactions and Proceedings of the Royal Society of South Australia 44: 198–217. [DP: 24.XII.1920 (wrapper)]

Carter HJ (1921) Australian Coleoptera: notes and new species. The Proceedings of the Linnean Society of New South Wales 46: 301–323. [DP: 2.XI.1921 (wrapper)] https://doi.org/10.5962/bhl.part.14020

Carter HJ (1924a) Australian Coleoptera – notes and new species No. iii. The Proceedings of the Linnean Society of New South Wales 49: 19–45. [DP: 2.VII.1924 (Contents, p. iii)]

Carter HJ (1924b) Australian Coleoptera: notes and new species. No. iv. The Proceedings of the Linnean Society of New South Wales 49: 521–544. [DP: 29.XII.1924 (Contents, p. iv)]

Carter HJ (1926) A check list of the Australian Tenebrionidae. The Australian Zoologist 4[1925–27]: 117–163, pls 16–17. [DP: 22.II.1926 (wrapper)]

Carter HJ (1927) Australian Coleoptera: notes and new species. No. v. The Proceedings of the Linnean Society of New South Wales 52: 222–234. [DP: 25.X.1927 (wrapper)]

Carter HJ (1928) Revision of the Australian species of the genera *Curis*, *Neocuris* and *Trachys*, together with notes and descriptions of new species of other Coleoptera. The Proceedings of the Linnean Society of New South Wales 53: 270–290. [DP: 16.VII.1928 (Contents, p. iii)]

Carter HJ (1930) New Guinea and Australian Coleoptera. Notes and new species. The Proceedings of the Linnean Society of New South Wales 55: 532–549. [DP: 15.XII.1930 (Contents, p. v)]

Carter HJ (1937) Some new Tenebrionidae in the South Australian Museum; together with notes and descriptions of other Australian Coleoptera. Transactions and Proceedings of the Royal Society of South Australia 61: 121–144, pls 5–7. [DP: 24.XII.1937 (title page)]

Carter HJ, Zeck EH (1937) A monograph of the Australian Colydiidae. The Proceedings of the Linnean Society of New South Wales 62: 181–208, pls 8–9. [DP: 15.IX.1937 (wrapper)]

Casey TL (1886) Descriptive notes of North American Coleoptera. I. Bulletin of the California Academy of Sciences 2[1886–87]: 157–264. [DP: 27.XI.1886 (p. 157 footer)]

Casey TL (1890a) Coleopterological notices. I. Annals of the New York Academy of Sciences 5 [1889–91]: 39–198. [DP: XII.1889 (wrapper) but nos. 1–3 of volume V published in 1890 (Transactions of the New York Academy of Sciences 9: 108)] https://doi.org/10.1111/j.1749-6632.1890.tb57003.x

Casey TL (1890b) Coleopterological notices. II. Annals of the New York Academy of Sciences 5[1889–91]: 307–504, pl. 4. [DP: XI.1890 (wrapper)] https://doi.org/10.1111/j.1749-6632.1890.tb57008.x

Casey TL (1891) Coleopterological notices. III. Annals of the New York Academy of Sciences 6[1891–92]: 9–214. [DP: XII.1891 (wrapper)] https://doi.org/10.1111/j.1749-6632.1892.tb55403.x

Casey TL (1892) Coleopterological notices. IV. Annals of the New York Academy of Sciences 6[1891–92]: 359–712. [DP: XII.1892 (wrapper)] https://doi.org/10.1111/j.1749-6632.1892.tb55408.x

Casey TL (1895) Coleopterological notices. VI. Annals of the New York Academy of Sciences 8[1893–95]: 435–838. [DP: XI.1895 (wrapper)] https://doi.org/10.1111/j.1749-6632.1894.tb55429.x

Casey TL (1907) A revision of the American components of the tenebrionid subfamily Tentyriinae. Proceedings of the Washington Academy of Sciences 9: 275–522. [DP: 18.X.1907 (p. 275)] https://doi.org/10.5962/bhl.part.1929

Casey TL (1908) A revision of the tenebrionid subfamily Coniontinae. Proceedings of the Washington Academy of Sciences 10: 51–166. [DP: 25.IV.1908 (p. 51)] https://doi.org/10.5962/bhl.title.8935

Casey TL (1912) Memoirs on the Coleoptera III. The New Era Printing Company, Lancaster (PA), 386 pp. [DP: 20.III.1912 (p. 386)]

Casey TL (1924) Memoirs on the Coleoptera XI. Lancaster Press, Lancaster (PA), 347 pp. [DP: 20.V.1924 (p. 347)] https://doi.org/10.5962/bhl.title.48776

Cazurro Ruiz M (1894a) Ocroto [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo décimocuarto. Montaner Simón, Barcelona, 63. [DP: 1894 (title page)]

Cazurro Ruiz M (1894b) Pilioloba; Podonta [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes

especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo décimoquinto. Montaner Simón, Barcelona, 451, 883. [DP: 1894 (title page)]

Cazurro Ruiz M (1895) Psarifio; Pseudohelopsio; Querodeo [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo décimosexto. Montaner Simón, Barcelona, 498, 506, 730. [DP: 1895 (title page)]

Cazurro Ruiz M (1896) Selino [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo décimooctavo. Montaner Simón, Barcelona, 963. [DP: 1896 (title page)]

Cazurro Ruiz M (1897a) Taniquilo; Trigonopo [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo vigésimo. Montaner Simón, Barcelona, 213. [DP: 1897 (title page)]

Cazurro Ruiz M (1897b) Trelosodio; Trigonopo; Tropidóptero [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo vigésimo primero. Montaner Simón, Barcelona, 427, 539. [DP: 1897 (title page)]

Cazurro Ruiz M (1897c) Valeron [Zoología]. In: Diccionario enciclopédico Hispano-Americano de literatura, ciencias y artes. Edicion profusamente ilustrada con miles de pequeños grabados intercalados en el texto y tirados aparte, que reproducen las diferentes especies de los reinos animal, vegetal y mineral; los instrumentos y aparatos aplicados recientemente à las ciencias, agricultura, artes é industrias; planos de ciudades; mapas geográficos; monedas y medallas de todos los tiempos, etc., etc., etc. Tomo vigésimo segundo. Montaner Simón, Barcelona, 97. [DP: 1897 (title page)]

Champion GC (1884) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 1–24 [DP: VI.1884], 25–56, pl. 1 [DP: VIII.1884], 57–72, pl. 2 [DP: X.1884], 73–88, pl. 3. [DP: XII.1884 (footer of first page of each sheet)]

Champion GC (1885) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 89–96, pl. 4 [DP: I.1885], 97–120, pls. 5–6 [DP: VII.1885], 121–136. [DP: X.1885 (footer of first page of each sheet)]

Champion GC (1886) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 137–152 [DP: IV.1886], 153–168, pl. 7 [DP: V.1886], 169–184 [DP: VI.1886], 185–208 [DP: VII.1886], 209–216, pls. 8–9 [DP: VIII.1886], 217–224 [DP: X.1886], 225–240 [DP: XI.1886], 241–264. [DP: XII.1886 (footer of first page of each sheet)]

Champion GC (1887) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 265–272, pl. 11 [DP: I.1887], 273–296 [DP: VI.1887], 297–320 [DP: VIII.1887], pl. 13 [DP: IX.1887], 321–328 [DP: X.1887], 329–352, pl. 14. [DP: XII.1887 (footer of first page of each sheet)]

Champion GC (1888) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 353–368, pl. 15 [DP: I.1888], 369–384 [DP: II.1888], pl. 16 [DP: IV.1888], 385–408, pl. 17 [DP: VIII.1888], 409–424, pl. 18 [DP: X.1888], 425–464, pl. 19 [DP: XI.1888], 465–476, pl. 20. [DP: XII.1888 (footer of first page of each sheet)]

Champion GC (1889) Fam. Lagriidae. In: Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 2. Heteromera (part). Taylor and Francis, London, 1–32 [DP: IV.1889], 33–72, pls. 1–3 [DP: V.1889], 73–74, pl. 4. [DP: VII.1889 (footer of first page of each sheet)]

Champion GC (1891) On the Heteromerus Coleoptera collected by Mr. W. Bonny in the Aruwimi Valley. Proceedings of the Zoological Society of London 1890(4): 637–646, pl. 56. [DP: 1.IV.1891 (wrapper)]

Champion GC (1892) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 477–524. [DP: XI.1892 (page 477 footer)]

Champion GC (1893a) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. IV. Part 1. Heteromera (part). Tenebrionidae. Taylor and Francis, London, 525–564, pl. 22 [DP: I.1893], 565–572, pl. 23. [DP: III.1893 (footer of first page of each sheet)]

Champion GC (1893b) Note on the genus *Storthephora*, Mäklin. The Entomologist's Monthly Magazine 29: 47. [DP: II.1893 issue; by 22.II.1893 (*Soc Ent Fr*)]

Champion GC (1894a) On the Tenebrionidae collected in Australia and Tasmania by Mr. James J. Walker, R.N., F.L.S., during the voyage of H.M.S. "Penguin", with descriptions of new genera and species. The Transactions of the Entomological Society of London 1894: 351–408, pl. 8. [DP: 29.V.1894 (Wheeler 1912)]

Champion GC (1894b) [Deux nouvelles synonymies de coléoptères hétéromères]. Annales de la Société Entomologique de France 63: lxiii. [DP: 10.IV.1894 (wrapper)]

Champion GC (1895a) On the heteromerous Coleoptera collected in Australia and Tasmania by Mr. James J. Walker, R.N., F.L.S., during the voyage of H.M.S. "Penguin," with descriptions of new genera and species. Part II. The Transactions of the Entomological Society of London 1895: 213–275, pl. 6. [DP: 28.V.1895 (Wheeler 1912)]

Champion GC (1895b) A list of Tenebrionidae supplementary to the « Munich » catalogue. Mémoires de la Société Entomologique de Belgique 3: 5–264. [DP: 1895 (wrapper); by 14.X.1896 (*Soc Ent Fr*)]

Champion GC (1896) On the heteromerous Coleoptera of St. Vincent, Grenada, and the Grenadines. The Transactions of the Entomological Society of London 1896: 1–54 + pl. 1. [DP: 30.III.1896 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1896.tb00955.x

Champion GC (1897) A list of the Aegialitidae and Cistelidae supplementary to the « Munich » Catalogue. Mémoires de la Société Entomologique de Belgique 6: 147–179. [DP: 1897 (wrapper); by 11.V.1898 (*Soc Ent Fr*)]

Champion GC (1913) Notes on various Central American Coleoptera, with descriptions of new genera and species. The Transactions of the Entomological Society of London 1913: 58–169. [DP: 13.VI.1913 (verso of title page)] https://doi.org/10.1111/j.1365-2311.1913.tb02781.x

Champion GC (1917) Notes on tropical American Lagriidae, with descriptions of new species. The Entomologist's Monthly Magazine 53: 218–223. [DP: X.1917 issue; by 24.X.1917 (*Soc Ent Fr*)]

Chang HL, Nabozhenko M, Pu HY, Xu L, Jia SH, Li TR (2016) First record of fossil comb-clawed beetles of the tribe Cteniopodini (Insecta: Coleoptera: Tenebrionidae) from the Jehol Biota (Yixian formation of China), Lower Cretaceous. Cretaceous Research 57: 289–293. [DP: I.2016 (journal website)] https://doi.org/10.1016/j.cretres.2015.09.001

Chatanay J (1912) Description d'un genre nouveau du groupe des Caediaires (Col. Tenebrionidae [Opatrini]). Bulletin de la Société Entomologique de France 1912: 297–300. [DP: 28.IX.1912 (p. 441)]

Chatanay J (1913a) Nouveaux asidides de Madagascar (Col. Tenebrionidae). Bulletin de la Société Entomologique de France 1912: 404–408. [DP: 8.I.1913 (p. 441)]

Chatanay J (1913b) Ténébrionides d'Afrique équatoriale (1re note) (Col.). Bulletin de la Société Entomologique de France 1913: 311–316. [DP: 23.VII.1913 (p. 530)]

Chatanay J (1914a) Description de deux Tentyriinae nouveaux (Col. Tenebrionidae). Annales de la Société Entomologique de France 83: 215–224. [DP: 24.VI.1914 (*Soc Ent Fr*)]

Chatanay J (1914b) Nouveaux asidides de Madagascar (Col. Tenebrionidae). Insecta, Revue illustré d'Entomologie 4: 1–13. [DP: I.1914 issue]

Chatanay J (1915a) Ténébrionides de Mahatsinjo (Madagascar) (Coleopt. Tenebrionidae). Annales de la Société Entomologique de France 83 [1914]: 458–554. [DP: 14.IV.1915 (*Soc Ent Fr*)]

Chatanay J (1915b) Description d'un genre nouveau d'Épitragides de Madagascar (Coléoptères, Tenebrionidae). Bulletin du Muséum d'Histoire Naturelle de Paris 1915: 64–67. [DP: by 27.X.1915 (*Soc Ent Fr*)]

Chatanay J (1917) Matériaux pour servir à l'étude de la faune entomologique de l'Indo-Chine française réunis par M. Vitalis de Salvaza. Coléoptères. Tenebrionidae. Bulletin du Muséum national d'Histoire Naturelle 23: 229–255. [DP: after 26.IV.1917 (p. 215)]

Chatzimanolis S, Löbl I (2003) Subgeneric type designations in the genus *Dendarus* Latreille (Coleoptera: Tenebrionidae). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 76: 259–261. [DP: XII.2003 (back wrapper)]

Chen B (1997) Two new genera and two new species of Lagriidae (Coleoptera) from China. Entomologia Sinica 4: 306–311. [DP: after 19.IV.1997 (manuscript accepted)] https://doi.org/10.1111/j.1744-7917.1997.tb00104.x

Chen B, Chou I (1996) A new subgenus and two new species of the genus *Cerogria* Borchmann (Coleoptera: Lagriidae) from China. Entomotaxonomia 18: 265–269. [DP: IX.1996 issue (wrapper)]

Chen B, Yuan F (1996) A new genus and two new species of Statirinae (Coleoptera: Lagriidae) from China. Entomotaxonomia 18: 183–187. [IX.1996 issue]

Chevrolat LAA (1833a) Gen. *Leptonychus*. – Leptonyque. Revue Entomologique 1(2) [No 1]: 25–30, pl. 1. [DP: by 16.III.1833 (Nagel and Schmidlin, 2014: 98)]

Chevrolat LAA (1833b) Gen. *Opiestus*. – Opieste, Chevrolat. Revue Entomologique 1(2) [No 2]: 30–32, pl. 2. [DP: by 16.III.1833 (Nagel and Schmidlin, 2014: 98)]

Chevrolat LAA (1835) Mémoire sur un coléoptère tétramère de la famille des xylophages, et observations sur plusieurs espèces de cet ordre, rencontrées dans diverses fourmillières. Revue Entomologique 3: 263–269. [DP: by 5.VIII.1835 (*Soc Ent Fr*)]

Chevrolat LAA (1845a) *Eusarca*. In: D'Orbigny C (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; et enrichi d'un magnifique atlas de planches gravées sur acier. Tome cinquième. MM. Renard, Martinet et Cie., Paris, 526. [DP: by 6.I.1845 (Evenhuis 2019a: 7)]

Chevrolat LAA (1845b) *Iphthinus*. In: D'Orbigny C (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; et enrichi d'un magnifique atlas de planches gravées sur acier. Tome septième. MM. Renard, Martinet et Cie., Paris, 106. [DP: by 29.XII.1845 (Evenhuis 2019a: 7)]

Chevrolat LAA (1847a) *Oopiestus*, *Pachycera*. In: D'Orbigny C (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; et enrichi d'un magnifique atlas de planches gravées sur acier. Tome neuvième. MM. Renard, Martinet et Cie., Paris, 118. [DP: by II.1847 (Evenhuis 2019a: 7)], 382 [DP: by 5.V.1847 (Evenhuis 2019a: 7)]

Chevrolat LAA (1847b) *Phylethus*; *Praeugena*; *Prosomenes*; *Pyanisia*. In: D'Orbigny C (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; et enrichi d'un magnifique

atlas de planches gravées sur acier. Tome dixième. MM. Renard, Martinet et Cie., Paris, 57 [DP: 26.VII.1847 (Evenhuis 2019a: 8)], 458 [DP: by 25.X.1847 (Evenhuis 2019a: 8)], 562 [DP: by XI.1847 (Evenhuis 2019a: 8)], 642–643. [DP: by 27.XII.1847 (Evenhuis 2019a: 8)]

Chevrolat LAA (1848) *Rytinota*; *Sciaca*; *Scotodera*. In: D'Orbigny C (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; et enrichi d'un magnifique atlas de planches gravées sur acier. Tome onzième. MM. Renard, Martinet et Cie., Paris, 279 [DP: 28.II.–9.IX.1848 (Evenhuis 2019a: 8)], 423, 454. [DP: by 9.IX.1848 (Evenhuis 2019a: 8)]

Chevrolat LAA (1849) *Thalpophila*; *Titaena*, Trachyderme. In: D'Orbigny C (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; et enrichi d'un magnifique atlas de planches gravées sur acier. Tome douzième. MM. Renard, Martinet et Cie., Paris, 544, 594, 628. [DP: 26.III–7.VII.1849 (Evenhuis 2019a: 8)]

Chevrolat LAA (1873) Descriptions de Rhysodides nouveaux et énumération des espèces décrites. Annales de la Société Entomologique de France (Série 5) 3: 206–218. [DP: 20.X.1873 (Lefèvre 1885)]

Chevrolat LAA (1877) Diagnoses de diapérides. Petites Nouvelles Entomologiques 2[1876–79]: 173. [DP: 15.X.1877 (p. 173)]

Chevrolat LAA (1878a) Diagnoses de diapérides (Suite). Petites Nouvelles Entomologiques 2[1876–79]: 221–222. [DP: 15.IV.1878 (p. 221)]

Chevrolat LAA (1878b) Diagnoses diapérides nouveaux (Suite.). Annales de la Société Entomologique de Belgique 21 [Comptes-Rendus des Séances]: cxlvii–clii. [DP: 29.X.1878 (wrapper)]

Chigray IA (2019) A new genus and species of darkling beetles of the tribe Blaptini (Coleoptera: Tenebrionidae) from Afghanistan and taxonomic changes in the tribe. Entomological Review 99: 914–923. [DP: 7.I.2020 (journal website)] https://doi.org/10.1134/S0013873819070054

Chigray IA, Nabozhenko MV, Abdurakhmanov G, Keskin B (2019) A systematic review of the genus *Dila* Fischer von Waldheim, 1844 (= *Caenoblaps* König, 1906, syn. n.) (Coleoptera: Tenebrionidae) from the Caucasus, Turkey and boundary territories of Iran. Insect Systematics and Evolution 1–30. [DP: 1.IX.2019 (online version registered in ZooBank)] https://doi.org/10.1163/1876312X-00001006

Chigray IA, Nabozhenko MV, Keskin B (2015) A review of the genus *Gnaptor* Brullé, 1832 (Coleoptera, Tenebrionidae) with description of a new species from Turkey [in Rus-

sian]. Zoologicheskii Zhurnal 94: 1276–1281. [DP: printed 23.XI.2015 (p. 1242)] [English translation in Entomological Review 95: 1131–1136] https://doi.org/10.1134/S0013873815080205

Cockerell TDA (1906) Preoccupied generic names of Coleoptera. Entomological News 17: 240–244. [DP: IX.1906 issue]

Cockerell TDA (1920) Fossil Arthropods in the British Museum. –III. The Annals and Magazine of Natural History (Ninth Series) 6: 65–72. [DP: 1.VII.1920 (Evenhuis 2003)] https://doi.org/10.1080/00222932008632410

Commonwealth Institute of Entomology (1960) Sect. 13. Insecta. In: Stratton GB (Ed.) The zoological record. Volume the ninety-fifth being the records of zoological literature relating chiefly to the year 1958. Zoological Society, London, 1–660. [DP: VII.1960 (cover)]

Costa A (1847) Descrizione di alcuni Coleotteri del regno di Napoli. Annali dell'Accademia degli Aspiranti Naturalisti [Napoli] (2) 1: 134–162. [DP: 1847 (wrapper)]

Crotch GR (1870a) The genera of Coleoptera studied chronologically (1735–1801). The Transactions of the Entomological Society of London 1870: 41–52. [DP: 14.III.1870 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1870.tb01864.x

Crotch GR (1870b) The genera of Coleoptera studied chronologically (1802–21). The Transactions of the Entomological Society of London 1870: 213–241. [DP: 29.VIII.1870 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1870.tb01875.x

Crotch GR (1874) Check list of the Coleoptera of America, north of Mexico. Naturalists' Agency, Salem, MA, 136 pp. [DP: by V.1874 (Bousquet 2016a: 126)] https://doi.org/10.5962/bhl.title.38811

Crotch GR (1876) Revision of the coleopterous family Erotylidae. Cistula Entomologica 1(13): 377–572. [DP: II.1876 (wrapper)]

Crowson RA (1955) The natural classification of the families of Coleoptera. Nathaniel Lloyd, London, [2] + 187 pp. [DP: 1955 (title page)]

Curtis J (1832) British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland: containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. Vol. IX. London, pls 430–433 + text. [DP: 1832 (Bousquet 2016a: 127)]

Curtis J (1836) British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland: containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. Vol. XIII. London, pls 586–589 + text. [DP: 1836 (Bousquet 2016a: 127)]

Curtis J (1844) Descriptions of the insects collected by Capt. P. P. King, R.N., F.R.S., F.L.S. &c., in the survey of the Straits of Magellan. The Annals and Magazine of Natural History 14: 218–222. [DP: 1.IX.1844 (Evenhuis 2003)] https://doi.org/10.1080/037454809496383

Dajoz R (1972) Nouveux Coléoptères Tenebrionidae endogés. Revue d'Écologie et de Biologie du Sol 9: 273–280.

Dajoz R (1974) Nouveaux coléoptères Colydiidae endogés de la tribu Anopidiini. Revue d'Écologie et de Biologie du Sol 10: 429–434.

Dajoz R (1975a) Coléoptères Colydiidae et Tenebrionidae anophthalmes nouveaux de la région néotropicale. Novos Coleópteros Colydiidae e Tenebrionidae anoftalmos da região Neotropical. Acta Biológica Paranaense 4: 91–124. [DP: 1975 (wrapper)]

Dajoz R (1975b) Coléoptères Colydiidae et Cerylonidae nouveaux des Sechelles. Bulletin de la Société Entomologique de France 79[1974]: 113–118. [DP: 28.I.1975 (p. 280)]

Dajoz R (1977) Deux nouveaux genres de Colydiidae Anopidiini du Cameroun et de l'île Maurice (Insectes, Coléoptères). Bulletin Mensuel de la Société Linnéenne de Lyon 46: 240–245. [DP: IX.1977 issue]

Dajoz R (1980) Insectes coléoptères: Colydiidae et Cerylonidae. Faune de Madagascar 54. Éditions du C.N.R.S., Paris, 256 pp. [DP: printed 28.XI.1980; 4e trimestre 1980 (dépôt légal)]

Dajoz R (2001) Les coléoptères d'une dune du Big Bend National Park (Texas). Description de deux espèces nouvelles des genres *Neohelops* (Tenebrionidae) et *Cardiophorus* (Elateridae) (Coleoptera). Nouvelle Revue d'Entomologie (Nouvelle Série) 17[2000](4): 355–363. [DP: 15.V.2001 (journal website)]

Dallas WS (1865) Insecta. Coleoptera. In: Günther ACLG (Ed.) The Record of Zoological Literature. 1864. Volume First. John Van Voost, London, 336–456. [DP: VIII.1865 (Preface, p. vii); 25.IX.1865 (p. 635)]

Dallas WS (1866) Insecta. Coleoptera. In: Günther ACLG (Ed.) The Record of Zoological Literature. 1865. Volume Second. John Van Voost, London, 381–530. [DP: after VIII.1866 (Preface, p. v)]

Dallas WS (1868) Insecta. Coleoptera. In: Günther ACLG (Ed.) The Record of Zoological Literature. 1867. Volume 4. John Van Voost, London, 206–302. [DP: XI.1868 (p. iv)]

Dalman JW (1823) Analecta entomologica. J. P. Lindh, Holmia [Stockholm], vii, 104 [4 (index)] pp. [DP: by 7.IX.1823 (Evenhuis 1997a)] https://doi.org/10.5962/bhl.title.66069

Danilevsky ML, Lin M-Y (2020) [Cerambycinae taxa]. In: Danilevsky ML (Ed.) Catalogue of Palaearctic Coleoptera. Chrysomeloidea: I (Vesperidae, Disteniidae, Cerambycidae). Revised and updated edition. Volume 6. Brill, Leiden and Boston, 211. https://doi.org/10.1163/9789004440333

De Moor PP (1970) Monograph of the Praeugenina (Coleoptera: Tenebrionidae, Strongyliini). Transvaal Museum Memoir No. 17, vii, 203 pp., 8 pls, 8 maps. [DP: 31.VII.1970 (p. i)]

Dejean PFMA (1821) Catalogue de la collection de coléoptères de M. le Baron Dejean. Crevot, Paris, viii, 138 [2] pp. [DP: by 12.V.1821 (Bousquet 2016a: 135)] https://doi.org/10.5962/bhl.title.11259

Dejean PFMA (1834) Catalogue des coléoptères de la collection de M. le comte Dejean. Deuxième édition. [Livraison 3]. Méquignon-Marvis Père et Fils, Paris, 177–256. [DP: by 30.VI.1834 (Bousquet 2016a: 137)]

Dejean PFMA (1835) Catalogue des coléoptères de la collection de M. le comte Dejean. Deuxième édition. [Livraison 4]. Méquignon-Marvis Père et Fils, Paris, 257–360. [DP: by 22.VIII.1835 (Bousquet 2016a: 137)]

Dejean PFMA (1836) Catalogue des coléoptères de la collection de M. le comte Dejean. Troisième édition, revue, corrigée et augmentée. [Livraisons 1–4]. Méquignon-Marvis Père et Fils, Paris, 1–384. [DP: by 30.VII.1836 (Bousquet 2016a: 138)]

Desbrochers des Loges J (1881) Insectes coléoptères du nord de l'Afrique nouveaux ou peu connus. 1er mémoire. Ténébrionides. Bulletin de l'Académie d'Hippone 16: 51–168.

Desbrochers des Loges J (1894) Révision monographique des Ténébrionides appartenant à la tribu des Cossyphides d'Europe et des contrées méditerranéennes en Afrique et en Asie.

Le Frelon 4 [1894–95]: 2–16 [DP: after 1.VIII.1894 (p. 1); by 10.X.1894 (*Soc Ent Fr*)], 17–21. [DP: by 24.X.1894 (*Soc Ent Fr*)]

Deyrolle A (1867) Monographie de la tribu des zophosites. Annales de la Société Entomologique de France (Série 4) 7: 73–248. [DP: 15.X.1867 (Lefèvre 1885)]

Doyen JT (1972) Familial and subfamilial classification of the Tenebrionoidea (Coleoptera) and a revised generic classification of the Coniontini (Tentyriidae). Quaestiones Entomologicae 8: 357–376. [DP: 1.X.1972 (p. 351 header)]

Doyen JT (1976) Biology and systematics of the genus *Coelus* (Coleoptera: Tentyriidae). Journal of the Kansas Entomological Society 49: 595–624. [DP: 23.XI.1976 (inside wrapper)]

Doyen JT (1987) Review of the tenebrionid tribe Anepsiini (Coleoptera). Proceedings of the California Academy of Sciences 44: 343–371. [DP: 17.VIII.1987 (p. 343)]

Doyen JT (1988) New and little known Tenebrionidae from Central America and Mexico, with remarks on their classification (Coleoptera). The Pan-Pacific Entomologist 63[1987]: 301–318. [DP: 27.I.1988 (wrapper)]

Doyen JT (1990) Tenebrionidae and Zopheridae of the Chamela Biological Station and vicinity, Jalisco, Mexico (Coleoptera). Folia Entomologica Mexicana 77[1988]: 211–276. [DP: 30.IV.1990 (p. 4)]

Doyen JT (1993) Three new species of *Lorelus* from Puerto Rico (Coleoptera: Tenebrionidae). The Pan-Pacific Entomologist 69: 295–298. [DP: 27.XII.1993 (back cover)]

Doyen JT (1994) Cladistic relationships among Pimeliine Tenebrionidae (Coleoptera). Journal of the New York Entomological Society 101 [1993]: 443–514. [DP: 22.II.1994 (back cover)]

Doyen JT (1995) A new genus and four new species of Coelometopini from Mesoamerica (Coleoptera: Tenebrionidae). The Coleopterists Bulletin 49: 8–14. [DP: 30.III.1995 (inside wrapper)]

Doyen JT, Lawrence JF (1979) Relationships and higher classification of some Tenebrionidae and Zopheridae (Coleoptera). Systematic Entomology 4: 333–377. [DP: 1.X.1979 (journal website)] https://doi.org/10.1111/j.1365-3113.1979.tb00619.x

Doyen JT, Matthews EG, Lawrence JF (1990) Classification and annotated checklist of the Australian genera of Tenebrionidae (Coleoptera). Invertebrate Taxonomy 3[1989]: 229–260. [DP: 5.II.1990 (4(1) title page verso)] https://doi.org/10.1071/IT9890229

Doyen JT, Poinar GO (1994) Tenebrionidae from Dominican amber (Coleoptera). Entomologica Scandinavica 25: 27–51. [DP: III.1994 (article header)] https://doi.org/10.1163/187631294X00027

Dubrovina MI (1973) A new subgenus and new species of pollen beetles of the genus *Isomira* Muls. (Coleoptera, Alleculidae) from Central Asia [in Russian]. Entomologicheskoe Obozrenie 52: 367–376. [DP: after 7.VI.1973 (censor date)] [English translation in Entomological Review 52: 253–260]

Dubrovina MI (1975) A new subgenus and new species of pollen beetles of the genus *Hymenalia* Muls. (Coleoptera, Alleculidae) from Mongolia and from adjacent regions of China [in Russian]. Nasekomye Mongolii 3: 165–172. [DP: after 20.X.1975 (censor date); issued 25.XII.1975 (note pasted on title page)]

Dubrovina MI (1982) A review of pollen-beetles of the genus *Isomira* Muls. (Coleoptera, Alleculidae) of the USSR [in Russian]. Entomologicheskoe Obozrenie 61: 131–144. [DP: after 4.III.1982 (censor date)] [English translation in Entomological Review 61: 123–136]

Duncan FM (1937) On the dates of publication of the Society's 'Proceedings', 1859–1926. Proceedings of the Zoological Society of London 107: 71–77. https://doi.org/10.1111/j.1469-7998.1937.tb08500.x

Duponchel PAJ (1827) Description d'un nouveau genre d'insectes de l'ordre des coléoptères (section des hétéromères), trouvé dans l'île de Léon en 1824, et liste des insectes du même ordre recueillis dans cette île. Annales de la Société Linnéenne de Paris 6: 338–346, pl. 12. [DP: VII.1827 (wrapper)]

Duponchel PAJ (1840) *Allecula*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome premier. C. Renard, Paris, 283. [DP: by 15.VI.1840 (Evenhuis 2019a: 6)]

Duponchel PAJ (1842a) *Blacodes*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome second. C. Renard, Paris, 590. [DP: by 16.V.1842 (Evenhuis 2019a: 6)]

Duponchel PAJ (1842b) *Callyntra*; *Cerandria*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome troisième. C. Renard, Paris, 63 [DP: 22.VIII.1842 (Evenhuis 2019a: 6)], 285. [DP: XI.1842 (Evenhuis 2019a: 6)]

Duponchel PAJ (1844a) *Cyphaleus*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome quatrième. C. Renard, Paris, 547. [DP: by 4.III.1844 (Evenhuis 2019a: 6)]

Duponchel PAJ (1844b) *Dicyrtus*; *Endustomus*; *Epilampus*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des

noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome cinquième. C. Renard, Paris, 5 [DP: by 24.VI.1844 (Evenhuis 2019a: 7)], 315 [DP: by 23.IX.1844 (Evenhuis 2019a: 7)], 359. [DP: by 14.X.1844 (Evenhuis 2019a: 7)]

Duponchel PAJ (1845a) *Eutrapela*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome cinquième. C. Renard, Paris, 533. [DP: by 6.I.1845 (Evenhuis 2019a: 7)]

Duponchel PAJ (1845b) *Gyriosomus*; *Hegemona*; *Heliophilus*; *Hemicera*; *Heterophaga*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome sixième. C. Renard, Paris, 449, 498, 517, 528. 601. [DP: by 3.XI.1845 (Evenhuis 2019a: 7)]

Duponchel PAJ, Chevrolat LAA (1841) *Arrhenoplita*; *Aspisoma*; *Atractus*. In: d'Orbigny CVD (Ed.) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, et les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc. Tome second. C. Renard, Paris, 157 [DP: by 6.IX.1841 (Evenhuis 2019a: 6)], 240 [DP: by 8.XI.1841 (Evenhuis 2019a: 6)], 312. [DP: by XI.1841 (Evenhuis 2019a: 6)]

Duvivier A (1892) Mélanges entomologiques. x and xi. Diagnoses de Coléoptères nouveaux du Congo. Annales de la Société Entomologique de Belgique 36: 56–60. [DP: by 9.III.1892 (*Soc Ent Fr*)], 163–167 [DP: by 11.V.1892 (*Soc Ent Fr*)]

Edwards MA, Vevers HG (1975) Nomenclator Zoologicus. Volume VII. Zoological Society of London, London, 374 pp.

Egorov LV (1990) On systematics of tenebrionid beetles of the tribe Platyscelidini (Coleoptera, Tenebrionidae) [In Russian]. Entomologicheskoe Obozrenie 69: 401–412. [DP: after 18.VI.1990 (censor date)] [English translation in Entomological Review 69: 1137–1150]

Egorov LV (2004) The classification of tenebrionid beetles of the tribe Platyscelidini (Coleoptera, Tenebrionidae) of the world fauna [in Russian]. Entomologicheskoe Obozrenie 83: 581–613. [English translation in Entomological Review 84: 641–666]

Egorov LV (2020) Tribe Platyscelidini Lacordaire, 1859. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 375–384. [DP: 17.IX.2020 (verso of title page)]

Emberson RM (2000) The many names of the colydiine beetle *Rytinotus squamulosus* Broun (Coleoptera: Zopheridae), and a replacement name for *Edalus* Broun, 1893 (Coleoptera: Tenebrionidae). New Zealand Entomologist 23: 23–25. [DP: XII.2000 (p. 23)] https://doi.org/10.1080/00779962.2000.9722061

Endrödy-Younga S (1986) The *Cardiosis* evolutionary lineages of the genus *Zophosis* Latreille (Coleoptera, Tenebrionidae, Zophosini). Cimbebasia (Series A) 7: 209–233. [DP: 30.XI.1986 (article header)]

Endrödy-Younga S (1988) Revision of the genus *Anomalipus* Latreille, 1846 (Coleoptera: Tenebrionidae: Platynotini). Transvaal Museum Monograph No. 6: 1–129. [DP: III.1988 (p. III)]

Endrödy-Younga S (1989) Restructuring of the tribe Cryptochilini (Coleoptera: Tenebrionidae: Tentyriinae). Annals of the Transvaal Museum 35[1989–92]: 109–145. [DP: XII.1989 (title page footer)]

Endrödy-Younga S (1996) Revision of the tribe Caenocrypticini (Coleoptera: Tenebrionidae: Tentyriinae). Transvaal Museum Monograph No. 11, [2], 74 pp. [DP: X.1996 (p. III)]

Endrödy-Younga S (2000) Revision of the subtribe Gonopina (Coleoptera: Tenebrionidae, Opatrinae, Platynotini). Annals of the Transvaal Museum 37: 1–54. [DP: 2000 (copyright); 1.I.2000 (journal website)]

Endrödy-Younga S, Schawaller W (2002) First record of Laenini (Coleoptera: Tenebrionidae) from South Africa, with descriptions of two new genera and several new species. Annals of the Transvaal Museum 39: 9–21. [DP: 1.I.2002 (journal website)]

Erichson WF (1834) Coleoptera. In: Verhandlungen der Kaiserlichen Leopoldinisch-Carolinischen Akademie der Naturforscher. Achten Bandes Supplement, enthaltend F.J.F. Meyen's Beiträge zur Zoologie, gesammelt auf einer Reise um die Erde, und W. Erichson's und H. Burmeister's Beschreibungen und Abbildungen der von Herrn Meyen auf dieser Reise gesammelten Insecten. Mit 41 Theils Kupfer- Theils Steindrucktafeln. Eduard Weber, Breslau und Bonn, 219–276, pls 37–39. [DP: 1834 (title page); 22.I.1834 (*Soc Ent Fr*)]

Erichson WF (1842a) Beitrag zur Insecten-Fauna von Vandiemensland, mit besonderer Berücksichtigung der geographischen Verbreitung der Insecten. Archiv für Naturgeschichte 8(1): 83–128 [DP: by 6.V.1842 (*Allg Bibl Deutsch* 6: 185), 129–287, pls 4–5. [DP: by 28.IX.42 (*Lit Ztg* 9: 905)] [English translation in *Papers and Proceedings of the Royal Society of Tasmania* 1859, 3: 289–338] https://doi.org/10.5962/bhl.part.21657

Erichson WF (1842b) Bericht über die Leistungen in der Naturgeschichte der Insecten, Arachniden, Crustaceen und Entomostraceen während des Jahres 1841. Archiv für Naturgeschichte 8(2): 189–330.

Erichson WF (1843) Beitrag zur Insecten-Fauna von Angola, in besonderer Beziehung zur geographischen Verbreitung der Insecten in Afrika. Archiv für Naturgeschichte 9(1): 199–267. [DP: after 3.VIII.1843 (p. 292)]

Erichson WF (1844) Bericht über die wissenschaftlichen Leistungen in der Naturgeschichte der Insecten, Arachniden, Crustaceen u. Entomostraceen während des Jahres 1843. Archiv für Naturgeschichte 10(2): 249–346.

Erichson WF (1845a) Bericht über die wissenschaftlichen Leistungen in der Naturgeschichte der Insecten, Arachniden, Crustaceen und Entomostraceen während des Jahres 1844. Archiv für Naturgeschichte 11(2): 67–181. [DP: after XI.1845 (p. 138)]

Erichson WF (1845b) Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Dritter Band. Zweite Lieferung. Nicolaische Buchhandlung, Berlin, 161–320. [DP: by 15.X.1845 (Bousquet 2016a: 163)]

Erichson WF (1847a) Conspectus insectorum coleopterorum, quae in Republica Peruana observata sunt. Archiv für Naturgeschichte 13(1): 67–112 [DP: by 4.III.1847 (Entomologische Zeitung 8: 98, as "XIII, 1, 1847" but this referred to the Hefts of Band 1, not Band 1 itself)], 113–185. [by 2.IX.1847 (Entomologische Zeitung 8: 289); a separate was published by Erichson in 1847 (by 3.II.1848, Entomologische Zeitung 9: 33)]

Erichson WF (1847b) Bericht über die wissenschaftlichen Leistungen in der Naturgeschichte der Insecten, Arachniden, Crustaceen und Entomostraceen während des Jahres 1846. Archiv für Naturgeschichte 13(2): 65–208.

Escalera MM de la (1905a) Sistema de las especies ibéricas del gén. «*Asida*» Latr. Boletín de la Real Sociedad Española de Historia Natural 5: 377–402. [DP: X.1905 (footer on some pages)]

Escalera MM de la (1905b) Sistema de las especies españolas del gén. «*Asida*» Latr. II. S. gén. *Globasida*. Boletín de la Real Sociedad Española de Historia Natural 5: 430–450. [DP: XI.1905 (footer on some pages)]

Escalera MM de la (1905c) Una nueva especie de «*Eulipus*» Woll. (Tentyrini) de Río de Oro. Boletín de la Real Sociedad Española de Historia Natural 5: 467–468. [DP: XI.1905 (p. 461 footer)]

Escalera MM de la (1906) Sistema de las especies ibéricas del gén. «*Asida*» Latr. III. Subgén. *Elongasida*. Boletín de la Real Sociedad Española de Historia Natural 6: 306–316. [DP: VI.1906 (p. 305 footer)]

Escalera MM de la (1907) Especies nuevas de Marruecos. Boletín de la Real Sociedad Española de Historia Natural 7: 336–339. [DP: XI.1907 (see p. 446)]

Escalera MM de la (1909) Especies nuevas de Marruecos. Boletín de la Real Sociedad Española de Historia Natural 9: 135–136. [DP: III.1909 (p. 121 footer)]

Escalera MM de la (1910) Especies nuevas de Marruecos. Boletín de la Real Sociedad Española de Historia Natural 10: 408–416. [DP: XI.1910 (p. 405 footer)]

Escalera MM de la (1913) Coléopteros nuevos del Sus (Marruecos). In: Escalera FM. Una campaña entomológica en el Sus. Trabajos del Museo Nacional de Ciencias Naturales (Serie Zoológica) 8: 29–56. [DP: 30.IV.1913 (title page)]

Escalera MM de la (1914) Los Coleópteros de Marruecos. Trabajos del Museo Nacional de Ciencias Naturales (Serie Zoológica) 11: 1–553. [DP: 10.XI.1914 (title page)]

Escalera MM de la (1921) Especies nuevas de *Asida* de la Península Ibérica. Boletín de la Real Sociedad Española de Historia Natural 21: 350–363. [DP: fasc. 9: 31.XII.1921 (p. 503)]

Escalera MM de la (1922a) Especies nuevas de *Asida* de la Península Ibérica. Boletín de la Real Sociedad Española de Historia Natural 21[1921]: 427–437. [DP: fasc. 10: 28.I.1922 (p. 503)]

Escalera MM de la (1922b) Especies ibéricas del género *Asida* (Col. Tenebriónidos). Boletín de la Real Sociedad Española de Historia Natural 22: 64–71. [DP: 27.II.1922 (wrapper)]

Escalera MM de la (1922c) Especies nuevas de *Asida* de Marruecos (Col. Tenebriónidos). Boletín de la Real Sociedad Española de Historia Natural 22: 170–175. [DP: 31.III.1922 (wrapper)]

Escalera MM de la (1927) Una nueva especie española de *Crypticus* Latr. (Col. Tenebrionidae). Eos, Revista Española de Entomología 3: 501–504. [DP: 31.XII.1927 (wrapper)]

Escalera MM de la (1928) Las *Machlasida* Esc. (Col. Tenebrionidae) de Marruecos. Bulletin de la Société des Sciences Naturelles du Maroc 7[1927]: 135–149. [DP: 30.VI.1927 (fasc. header); printed 31.I.1928 (p. 159)]

Escalera MM de la (1944) De la disparidad específica de *Dendarus zariquieyi* Esp. (Col. Tenebrionidae) de sus similares ibéricos y africanos. Eos, Revista Española de Entomología 20: 83–92. [DP: 10.VII.1944 (wrapper)]

Eschscholtz F (1829) Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823–1826. Drittes Heft. G. Reimer, Berlin, 18 pp., pls 11–15. [DP: 1829 (title page)] https://doi.org/10.5962/bhl.title.152182

Eschscholtz F (1831) Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823–1826. Viertes Heft. G. Reimer, Berlin, 19 pp., pls 16–20. [DP: by IV.1831 (Bousquet 2016a: 165)] https://doi.org/10.5962/bhl.title.38058

Español F (1943) Misión científica E. Morales Agacino, Ch. Rungs y B. Zolotarevsky a Ifni y Sáhara español. Tenebrionidae (Col.) I.ª parte. Eos, Revista Española de Entomología 19: 119–148. [DP: 30.X.1943 (wrapper)]

Español F (1944) Nuevos datos para el conocimiento de los tenebriónidos (Col.) del Sáhara español. Eos, Revista Española de Entomología 20: 7–30. [DP: 10.VII.1944 (wrapper)]

Español F (1945) Revisión de los *Phylan* ibéricos (Col. Tenebrionidae). Eos, Revista Española de Entomología 21: 297–357, pl. 13. [DP: 30.XII.1945 (wrapper)]

Español F (1946) Tenebriónidos (Col.) nuevos o interesantes recogidos por D. Eugenio Morales y D. Joaquín Matéu en el Sáhara español. Eos, Revista Española de Entomología 22: 107–122, pls 8–10. [DP: VIII.1946 (wrapper)]

Español F (1947) Revisión del género *Micrositus* (Col. Tenebrionidae). Trabajos del Museo de Ciencias Naturales de Barcelona (Nueva Serie Zoológica) 1: 5–60.

Español F (1950) Contribucion al estudio de los *Crypticus* palearticos (Col. Tenebrionidae). Eighth International Congress of Entomology, Proceedings: 124–129. [DP: VII–XII.1950 (reprint cover)]

Español F (1951) Tenebriónidos de Las Pitiusas (Baleares occidentales). Eos, Revista Española de Entomología 27: 4–41. [DP: on wrappers; 1951 (title page)]

Español F (1952a) Note sur les *Crypticus* appartenant au groupe de *C. viaticus* Fairm. (Col. Tenebrionidae). Transactions of the IXth International Congress of Entomology 1: 117–120. [DP: XII.1952 (title page)]

Español F (1952b) Misiones saharianas de l'Institut Scientifique Chérifien (1950–1951) Col. Tenebrionidae. Bulletin de la Société des Sciences Naturelles du Maroc 31[1951]: 287–312. [DP: 1952 (*Bulletin Signalétique* 14(2): 2818)]

Español F (1954a) Datos para el conocimiento de los tenebrionidos del Mediterraneo occidental. Eos, Revista Española de Entomología 30: 161–162. [DP: 1954 (title page)]

Español F (1954b) Los *Opatrum* Andaluces del subgenero *Colpophorus* (Col. Tenebrionidae). Eos, Revista Española de Entomologia 30: 315–330. [DP: 1954 (title page)]

Español F (1955) Los Crypticini paleárticos (Col. Tenebrionidae). Eos, Revista Española de Entomología 31: 7–38. [DP: 1955 (title page)]

Español F (1957a) Contribución al conocimiento de los Tentyriini de las Canarias orientales: sobre el pretendido gén. *Pseudotalpophila* Reitt. (Col. Tenebrionidae). Eos, Revista Española de Entomología 33: 157–176. [DP: 1957 (title page)]

Español F (1957b) Contribución al estudio de los *Stenohelops* ibéricos (Col. Tenebrionidae). Eos, Revista Española de Entomología 33: 19–38. [DP: 1957 (title page)]

Español F (1959) Opatrinae del Rif, Marruecos (Col. Tenebrionidae). Eos, Revista Española de Entomología 35: 243–255. [DP: 30.IX.1959 (wrapper)]

Español F (1960) Un nuevo tipo de tenebriónido sabulícola de las costas del Perú. Publicaciones del Instituto de Biología Aplicada, Barcelona 31: 113–117. [DP: XI.1960 (Indice for 1960)]

Español F (1961a) Revisión de los *Dendarus* s.str. (Col. Tenebrionidae). Eos, Revista Española de Entomología 37: 41–70. [DP: 31.III.1961 (wrapper)]

Español F (1961b) Los *Nesotes* de España (Col. Tenebrionidae). Eos, Revista Española de Entomología 37: 289–308. [DP: 30.IX.1961 (wrapper)]

Español F (1963a) Nuevos Tenebriónidos africanos. Miscelánea Zoológica 1(5): 73–79. [DP: XI.1963]

Español F (1963b) Datos para el conocimiento de los tenebriónidos del Mediterráneo occidental (Coleoptera). Eos, Revista Española de Entomología 39: 185–209.

Español F (1975) Un nuevo Litoborini de las Islas Canarias (Col. Tenebrionidae, Opatrinae). Vieraea 4[1974]: 237–244.

Español F, Comas J (1989) Les espècies del gènere *Gunarus* Gozis, de la col·lecció del Museu de Zoologia de Barcelona (Col., Tenebrionidae, Helopinae). Miscel·lània Zoològica 11: 165–171. [DP: 1989 (*Zool Rec*)]

Español F, Lindberg H (1963) Coleópteros tenebriónidos de las Islas de Cabo Verde. Societas Scientiarum Fennica Commentationes Biologicae 25(3): 3–51. [DP: 1963 (verso of reprint cover)]

Evenhuis NL (1997a) Litteratura taxonomica dipterorum (1758–1930); being a selected list of the books and prints of Diptera taxonomy from the beginning of Linnaean zoological nomenclature to the end of the year 1930; containing information on the biographies, bibliographies, types, collections, and patronymic genera of the authors listed in this work; including detailed information on publication dates, original and subsequent editions, and other ancillary data concerning the publications listed herein. Volume I: A–K. Backhuys Publishers, Leiden, vii + 426 pp.

Evenhuis NL (1997b) Litteratura taxonomica dipterorum (1758–1930); being a selected list of the books and prints of Diptera taxonomy from the beginning of Linnaean zoological nomenclature to the end of the year 1930; containing information on the biographies, bibliographies, types, collections, and patronymic genera of the authors listed in this work; including detailed information on publication dates, original and subsequent editions, and other ancillary data concerning the publications listed herein. Volume II: L–Z. Backhuys Publishers, Leiden, pp. 427–871.

Evenhuis NL (2002) Publication and dating of the two "Bulletins" of the Société Entomologique de France (1873–1894). Zootaxa 70: 1–32. [DP: 23.IX.2002 (title page footer)] https://doi.org/10.11646/zootaxa.70.1.1

Evenhuis NL (2003) Publication and dating of the journals forming the *Annals and Magazine of Natural History* and the *Journal of Natural History*. Zootaxa 385: 1–68. [DP: 16.XII.2003 (title page footer)] https://doi.org/10.11646/zootaxa.385.1.1

Evenhuis NL (2012) Publication and dating of the Exploration Scientifique de l'Algérie: *Histoire Naturelle des Animaux Articulés* (1846–1849) by Pierre Hippolyte Lucas. Zootaxa 3448: 1–61. [DP: 31.VIII.2012 (title page footer)] https://doi.org/10.11646/zootaxa.3448.1.1

Evenhuis NL (2015) Publication and dating of the "Zoology of the voyage of the H.M.S. Erebus and Terror". Sherbornia 2(2): 9–20. [DP: 24.XII.2015 (article header)]

Evenhuis NL (2019a) Charles D.V. d'Orbigny's "*Dictionnaire Universel d'Histoire Naturelle*": proposed dates for *livraisons*, with itemized contents of each. Bishop Museum Occasional Papers No. 130, 8 pp. [DP: 5.X.2019 (title page)]

Evenhuis NL (2019b) Edward Griffith's "Animal Kingdom" (1824–1835): revised dates of publication and analysis of volumes, with special reference to the Mammalia and Aves based on wrapper contents. Sherbornia 5(3): 167–202. [DP: 17.XII.2019 (journal website)]

Fabricius JC (1775) Systema entomologiae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus. Kortii, Flensbvrgi et Lipsiae [= Flensburg and Leipzig]. [32], 832 pp. [DP: 17.IV.1775 (ICZN 1958, Opinion 516)] https://doi.org/10.5962/bhl.title.36510

Fabricius JC (1790) Nova insectorum genera. Skrivter af Naturhistorie-Selskabet 1: 213–228. [DP: 1790 (title page)]

Fabricius JC (1792) Entomologia systematica emendata et aucta. Secundum classes, ordines, genera, species adjectis synomimis, locis, observationibus, descriptionibus. Tom. I. Pars II. C. G. Proft, Hafnia [= Copenhagen], xx, 538 pp. [DP: by 30.IX.1792 (Bousquet 2017)] https://doi.org/10.5962/bhl.title.125869

Fabricius JC (1801a) Systema eleutheratorum secundum ordines, genera, species adiectis, synonimis, locis, observationibus, descriptonibus. Tomus I. Bibliopolii Academici Novi, Kilia [=Kiel], xxiv, 506 pp. [DP: by 26.IV.1801 (Bousquet 2017)]

Fabricius JC (1801b) Systema eleutheratorum secundum ordines, genera, species adiectis, synonimis, locis, observationibus, descriptonibus. Tomus II. Bibliopolii Academici Novi, Kilia [=Kiel], 687 pp.

Fåhraeus OI (1870) Coleoptera Caffrariae, annis 1838–1845 a J. A. Wahlberg collecta. Heteromera descripsit. Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar 27: 243–358. [DP: 1870 (volume title page indicates 1871 but No. 4, pp. 241–424 printed in 1870)]

Fairmaire L (1849) Essai sur les coléoptères de la Polynésie (Suite). Revue et Magasin de Zoologie Pure et Appliquée (Série 2) 1: 445–460. [DP: IX.1849 issue; by 24.X.1849 (*Soc Ent Fr*)]

Fairmaire L (1868) Essai sur les Coléoptères de Barbarie. Sixième partie. Annales de la Société Entomologique de France (Série 4) 8: 471–502. [DP: 23.XII.1868 (Lefèvre 1885)]

Fairmaire L (1869a) Notes sur les Coléoptères recueillis par Charles Coquerel à Madagascar et sur les côtes d'Afrique. 1re partie. Annales de la Société Entomologique de France (Série 4) 8[1868]: 753–820. [DP: 14.IV.1869 (Lefèvre 1885)]

Fairmaire L (1869b) Notes sur les Coléoptères recueillis par Charles Coquerel à Madagascar et sur les côtes d'Afrique. 2e partie. Annales de la Société Entomologique de France (Série 4) 9: 179–260. [DP: 22.IX.1869 (Lefèvre 1885)]

Fairmaire L (1871a) Essai sur les coléoptères de Barbarie. Septième partie. Annales de la Société Entomologique de France (Série 4) 10[1870]: 369–404. [DP: 28.VI.1871 (Lefèvre 1885)]

Fairmaire L (1871b) Notes sur les Coléoptères recueillis par Charles Coquerel à Madagascar et sur les côtes d'Afrique. 3e partie. Annales de la Société Entomologique de France (Série 5) 1: 29–78. [DP: 8.XI.1871 (Lefèvre 1885)]

Fairmaire L (1873) Description d'un nouveau genre de la famille des Ténébrionides. Annales de la Société Entomologique de France (Série 5) 3: 393–394. [DP: 24.XII.1873 (Lefèvre 1885)]

Fairmaire L (1874) Diagnoses de coléoptères nouveaux du nord de l'Afrique. Petites Nouvelles Entomologiques 1[1869–75]: 388–389. [DP: 1.IV.1874 (p. 387)]

Fairmaire L (1875) [Diagnoses d'hétéromères de Madagascar]. Bulletin Bimensuel des Séances de la Société Entomologique de France 46: 42–43. [DP: 4.III.1875 (Evenhuis 2002)]

Fairmaire L (1876) Révision des coléoptéres du Chili. Famille des Tenebrionidae, Tribu des Nyctélites. 2e partie. Annales de la Société Entomologique de France (Série 5) 6: 341–352. [DP: 11.X.1876 (*Soc Ent Fr*)], 353–383 [DP: 27.XII.1876 (*Soc Ent Fr*)]

Fairmaire L (1877a) Diagnoses de Coléoptères nouveaux de Madagascar. Petites Nouvelles Entomologiques 2[1876–79]: 137. [DP: 1.VI.1877 (p. 137)]

Fairmaire L (1877b) Diagnoses de Coléoptères australiens et mélanésiens. Petites Nouvelles Entomologiques 2[1876–79]: 166–167. [DP: 15.IX.1877 (p. 165)]

Fairmaire L (1879a) Coléoptères du nord l'Afrique. Revue et Magasin de Zoologie Pure et Appliquée (Série 3) 7: 178–218. [DP: by 4.XI.1880 (*Naturaliste* 10: 244)]

Fairmaire L (1879b) Diagnoses de coléoptères australiens et polynésiens. Le Naturaliste, Journal des Échanges et des Nouvelles 1[1879–81]: 70. [DP: 1.VIII.1879 (p. 65 header)]

Fairmaire L (1881a) Diagnoses de coléoptères de la Mélanésie. Le Naturaliste, Journal des Échanges et des Nouvelles 1[1879–81]: 348–349. [DP: 15.I.1881 (p. 345 header)]

Fairmaire L (1881b) Diagnoses de coléoptères de la Micronésie et de la Polynésie. Le Naturaliste, Journal des Échanges et des Nouvelles 1[1879–81]: 359. [DP: 1.II.1881 (p. 353 header)]

Fairmaire L (1881c) Essai sur les coléoptères des îles Viti (Fidgi). Annales de la Société Entomologique de France (Série 6) 1: 243–272 [DP: 12.X.1881], 273–318. [DP: 28.XII.1881 (Lefèvre 1895)]

Fairmaire L (1882a) Coléoptères Hétéromères de Sumatra. Notes from the Leyden Museum 4: 219–265. [DP: X.1882 (wrapper)]

Fairmaire L (1882b) Diagnose d'un nouveau genre de ténébrionide. Le Naturaliste, Journal des Échanges et des Nouvelles 2[1882–84]: 127. [DP: 15.VIII.1882 (p. 121 header)]

Fairmaire L (1882c) [Insectes récoltés par M. Burdo]. Comptes-Rendus des Séances de la Société Entomologique de Belgique 1882: xliii–lx. [DP: by 25.IV.1882 (*Rev Coleopt*)]

Fairmaire L (1883a) Descriptions de coléoptères hétéromères de l'île de Saleyer. Notes from the Leyden Museum 5: 31–40. [DP: I.1883 (wrapper)]

Fairmaire L (1883b) Descriptions de coléoptères nouveaux ou peu connus récoltés par M. Raffray en Abyssinie. Annales de la Société Entomologique de France (Série 6) 3: 88–112. [DP: 8.VIII.1883 (Lefèvre 1895)]

Fairmaire L (1884a) Description de quelques coléoptères de la Patagonie et de la République Argentine. Annales de la Société Entomologique de France (Série 6) 3 [1883]: 507–516. [DP: 28.V.1884 (Lefèvre 1895)]

Fairmaire L (1884b) Diagnoses de coléoptères de l'Afrique orientale. Comptes Rendus des Séances de la Société Entomologique de Belgique 1884: lxx–lxxviii. [DP: by 27.II.1884 (*Soc Ent Fr*)]

Fairmaire L (1884c) Diagnoses de coléoptères de l'Afrique orientale (Suite). Comptes Rendus des Séances de la Société Entomologique de Belgique 1884: cxlii–cxlix. [DP: by IV.1884 (*Bibl Belg*)]

Fairmaire L (1884d) Description d'espèces nouvelles d'hétéromères de Madagascar. In: Oberthür R (Ed.) Coleopterorum novitates. Recueil spécialement consacré à l'étude des coléoptères. Tome Ier. René Oberthür, Rennes, 67–80. [DP: I.1844 (Bousquet 2016a: 388)]

Fairmaire L (1885a) Diagnoses de coléoptères de l'Afrique Orientale. Comptes-Rendus des Séances de la Société Entomologique de Belgique 1885: vii–ix. [DP: by 1.V.1885 (*Bibl Belg*)]

Fairmaire L (1885b) Note sur les Coléoptères recueillis par M. Ach. Raffray à Madagascar, et descriptions des espèces nouvelles. 1re partie. Annales de la Société Entomologique de France (Série 6) 4[1884]: 225–242. [DP: 13.V.1885 (Lefèvre 1895)]

Fairmaire L (1885c) Malacodermes, lymexylonide et hétéromères nouveaux recueillis par M. Deby à Sumatra et à Borneo. Comptes-Rendus des Séances de la Société Entomologique de Belgique 1885: cv–cxii. [DP: by 1.XII.1885 (*Bibl Belg*)]

Fairmaire L (1886a) Note sur les coléoptères recueillis par M. Laligant à Obock. Annales de la Société Entomologique de France (Série 6) 5[1885]: 435–462. [DP: 28.IV.1886 (Lefèvre 1895)]

Fairmaire L (1886b) [Note sur divers ténébrionides]. Annales de la Société Entomologique de France (Série 6) 5[1885]: ccv–ccvi. [DP: 28.IV.1886 (Lefèvre 1895)]

Fairmaire L (1886c) Notes sur les coléoptères receuillis par M. Raffray, à Madagascar et descriptions des espèces nouvelles. 2e partie. Annales de la Société Entomologique de France (Série 6) 6: 31–96. [DP: 15.VII.1886 (Lefèvre 1895)]

Fairmaire L (1886d) Descriptions de Coléoptères de l'intérieur de la Chine. Annales de la Société Entomologique de France (Série 6) 6: 303–304 [DP: 15.X.1886], 305–356. [DP: 30.XII.1886 (Lefèvre 1895)]

Fairmaire L (1887a) Coléoptères des voyages de M. G. Révoil chez les Somâlis et dans l'intérieur du Zanguebar. Annales de la Société Entomologique de France (Série 6) 7: 69–112 [DP: 25.V.1887], 113–186. [DP: 15.VIII.1887 (Lefèvre 1895)]

Fairmaire L (1887b) Coléoptères des voyages de M. G. Révoil chez les Somâlis et dans l'intérieur du Zanguebar. Annales de la Société Entomologique de France (Série 6) 7: 277–320. [DP: 28.XII.1887 (Lefèvre 1895)]

Fairmaire L (1887c) Diagnoses de coléoptères nouveaux de Madagascar. Le Naturaliste, Revue Illustrée des Sciences Naturelles (2e série) 1: 70–72. [DP: 1.VI.1887 (p. 65 header)]

Fairmaire L (1888a) Énumération des Coléoptères recueillis par M. le Dr. Hans Schinz dans le sud de l'Afrique. Annales de la Société Entomologique de France (Série 6) 8: 173–202. [DP: 10.X.1888 (Lefèvre 1895)]

Fairmaire L (1888b) Diagnoses de coléoptères nouveaux de Madagascar. Le Naturaliste, Revue Illustrée des Sciences Naturelles (2e série) 2: 11–12. [DP: 1.I.1888 (title page)]

Fairmaire L (1888c) Description of new species of South African Tenebrionidae. Transactions of the South African Philosophical Society 4[1884–88]: 197–199. [DP: after 31.VII.1888 (Vol. 5 (2): xxiii)] https://doi.org/10.1080/21560382.1884.9526207

Fairmaire L (1888d) Coléoptères nouveaux de l'Afrique du Musée de Leyde. Notes from the Leyden Museum 10: 255–271. [DP: X.1888 (wrapper)]

Fairmaire L (1889a) Descriptions de Coléoptères de l'Indo-Chine. Annales de la Société Entomologique de France (Série 6) 8[1888]: 333–378. [DP: 10.VI.1889 (Lefèvre 1895)]

Fairmaire L (1889b) Coléoptères de l'intérieur de la Chine (Suite). Annales de la Société Entomologique de Belgique 32[1888]: 7–46. [DP: by 24.VII.1889 (*Soc Ent Fr*)]

Fairmaire L (1889c) Quelques Hétéromères de Minas-Geraes (Brésil). Comptes-Rendus des Séances de la Société Entomologique de Belgique 1889: xxxii–l. [DP: by 27.III.1889 (*Soc Ent Fr*)]

Fairmaire L (1891a) [Descriptions de deux coléoptères nouveaux de la Cafrerie]. Bulletin des Séances de la Société Entomologique de France 1891: lxxxix–xc. [DP: circa 20.VI.1891 (Evenhuis 2002)]

Fairmaire L (1891b) Notes sur quelques Coléoptères de l'Afrique intertropicale et descriptions d'espèces nouvelles. Annales de la Société Entomologique de France 60: 231–240 [DP: 22.IX.1891], 241–274 [DP: 23.XII.1891 (wrappers)], pl. 5.

Fairmaire L (1891c) Coléoptères de l'intérieur de la Chine (Suite, 6e partie). Comptes-Rendus des Séances de la Société Entomologique de Belgique 1891: vi–xxiv. [DP: by 11.II.1891 (*Soc Ent Fr*)]

Fairmaire L (1891d) Descriptions de Coléoptères des montagnes de Kashmir. Comptes-Rendus des Séances de la Société Entomologique de Belgique 1891: lxxxviii–ciii [DP: by 11.III.1891 (*Soc Ent Fr*)], cxxi–cxxxiv. [DP: by 8.IV.1891 (*Soc Ent Fr*)]

Fairmaire L (1891e) Coléoptères de l'intérieur de la Chine (Suite: 7e partie). Comptes-Rendus des Séances de la Société Entomologique de Belgique 1891: clxxxvii–ccxix. [DP: by 13.V.1891 (*Soc Ent Fr*)]

Fairmaire L (1891f) Coléoptères de l'Afrique orientale. Comptes-Rendus des Séances de la Société Entomologique de Belgique 1891: cclxxix–cccvii. [DP: after 6.VI.1891 (Séance date)]

Fairmaire L (1891g) Contributions à l'étude de la faune entomologique de S. Thomé. O Instituto: Revista Scientifica e Litteraria 39: 112–116. [DP: VIII.1891 (p. 113 footer)]

Fairmaire L (1892a) Coléoptères d'Obock. Troisième partie. Revue d'Entomologie 11: 77–92 [DP: III.1892 (p. 77 footer)], 93–124 [DP: IV.1892 (p. 93 footer)], 125–127. [DP: V.1892 (p. 125 footer)]

Fairmaire L (1892b) Descriptions de quelques coléoptères Argentins. Annales de la Société Entomologique de Belgique 36: 242–253. [DP: by 22.VI.1892 (*Soc Ent Fr*)]

Fairmaire L (1892c) Coléoptères nouveaux des Indes Orientales, de la famille des Scarabaeidae, Rhipidoceridae, Tenebrionidae et Oedemeridae. Notes from the Leyden Museum 15 [1893]: 17–64. [DP: X.1892 (p. viii)]

Fairmaire L (1892d) [Description d'un nouveau genre de coléoptère hétéromère]. Bulletin des Séances de la Société Entomologique de France 1892: vii–viii. [DP: circa 23.I.1892 (Evenhuis 2002)]

Fairmaire L (1892e) [Descriptions de deux coléoptères nouveaux]. Bulletin des Séances de la Société Entomologique de France 1892: cix–cxi. [DP: circa 7.V.1892 (Evenhuis 2002)]

Fairmaire L (1892f) Voyage de M. E. Simon au Venezuela (Décembre 1887–Avril 1888). 18e mémoire. Coléoptères Hétéromères. Annales de la Société Entomologique de France 61: 77–98. [DP: 20.VII.1892 (wrapper)]

Fairmaire L (1893a) [Descriptions de quelques coléoptères de l'Afrique septentrionale]. Bulletin des Séances de la Société Entomologique de France 1893: cxlvi–cxlix. [DP: circa 18.III.1893 (Evenhuis 2002)]

Fairmaire L (1893b) Contribution à la faune indo-chinoise. 11e mémoire. Coléoptères hétéromères. Annales de la Société Entomologique de France 62: 19–38. [DP: 31.VII.1893 (wrapper)]

Fairmaire L (1893c) Note sur quelques coléoptères des environs de Lang-Song. Annales de la Société Entomologique de Belgique 37: 287–302. [DP: by 12.VII.1893 (*Soc Ent Fr*)]

Fairmaire L (1893d) Coléoptères des Îles Comores. Annales de la Société Entomologique de Belgique 37: 521–555. [DP: by 8.XI.1893 (*Soc Ent Fr*)]

Fairmaire L (1894a) Hétéromères du Bengale. Annales de la Société Entomologique de Belgique 38: 16–43. [DP: by 14.III.1894 (*Soc Ent Fr*)]

Fairmaire L (1894b) Coléoptères de Madagascar. Annales de la Société Entomologique de Belgique 38: 139–160. [DP: by 9.V.1894 (*Soc Ent Fr*)]

Fairmaire L (1894c) Quelques Coléoptères du Thibet. Annales de la Société Entomologique de Belgique 38: 216–225. [DP: by 13.VI.1894 (*Soc Ent Fr*)]

Fairmaire L (1894d) Descriptions de coléoptères d'Algérie. Annales de la Société Entomologique de Belgique 38: 310–313. [DP: by 14.XI.1894 (*Soc Ent Fr*)]

Fairmaire L (1894e) Coléoptères de l'Afrique intertropicale et australe. Deuxième note. Annales de la Société Entomologique de Belgique 38: 314–335. [DP: by 10.X.1894 (*Soc Ent Fr*)]

Fairmaire L (1894f) Coléoptères du Kilimandjaro et des environs. Annales de la Société Entomologique de Belgique 38: 386–395. [DP: by 10.X.1894 (*Soc Ent Fr*)]

Fairmaire L (1894g) Coléoptères de l'Afrique intertropicale et australe. Troisième note. Annales de la Société Entomologique de Belgique 38: 651–679. [DP: in Assemblée of 1.XII.1894]

Fairmaire L (1895a) Descriptions de quelques coléoptères de Madagascar. Annales de la Société Entomologique de Belgique 39: 8–40. [DP: 31.I.1895 (wrapper)] https://doi.org/10.5962/bhl.part.2025

Fairmaire L (1895b) Description de coléoptères de Madagascar et îles voisines. Annales de la Société Entomologique de Belgique 39: 443–454. [DP: 24.X.1895 (wrapper)]

Fairmaire L (1896a) Hétéromères de l'Inde receuillis par M. Andrewes. Annales de la Société Entomologique de Belgique 40: 6–62. [DP: 8.II.1896 (wrapper)] https://doi.org/10.5962/bhl.part.2025

Fairmaire L (1896b) Matériaux pour la faune coléoptérique de la région Malgache. Annales de la Société Entomologique de Belgique 40: 336–398. [DP: 24.VIII.1896 (wrapper)] https://doi.org/10.5962/bhl.part.2025

Fairmaire L (1896c) Coléoptères de l'Inde boréale, Chine et Malaisie. Notes from the Leyden Museum 18[1896–97]: 81–129. [DP: 24.XII.1896 (wrapper)]

Fairmaire L (1897a) Matériaux pour la faune coléoptérique de la région Malgache. 3e note. Annales de la Société Entomologique de Belgique 41: 92–119 [DP: 5.V.1897 (wrapper)], 164–204. [DP: 10.VII.1897 (wrapper)]

Fairmaire L (1897b) Matériaux pour la faune coléoptérique de la région Malgache. 4e note. Annales de la Société Entomologique de Belgique 41: 363–406. [DP: 2.XII.1897 (wrapper)] https://doi.org/10.5962/bhl.part.29501

Fairmaire L (1897c) Coléoptères de l'Inde et de la Malaisie. Notes from the Leyden Museum 18[1896–97]: 225–240. [DP: 29.III.1897 (wrapper)] https://doi.org/10.5962/bhl.part.29501

Fairmaire L (1897d) Coléoptères du Szé-Tchouen et de Koui-Tchéou (Chine). Notes from the Leyden Museum 18[1896–97]: 241–255. [DP: 29.III.1897 (wrapper)] https://doi.org/10.5962/bhl.part.29501

Fairmaire L (1897e) Description de coléoptères nouveaux de la Malaisie, de l'Inde et de la Chine. Notes from the Leyden Museum 19: 209–233. [DP: 30.XII.1897 (wrapper)] https://doi.org/10.5962/bhl.part.29501

Fairmaire L (1897f) Coléoptères nouveaux de l'Afrique intertropicale et australe. 4e note. Annales de la Société Entomologique de France 66: 109–152. [DP: 31.XII.1897 (wrapper)] https://doi.org/10.5962/bhl.part.29501

Fairmaire L (1897g) *Pseudadrus*, nouveau genre d'opatrides. Revue d'Entomologie 16: 39. [DP: II.1897 (p. 29 footer)]

Fairmaire L (1898a) Matériaux pour la faune coléoptérique de la région Malgache. 5e note. Annales de la Société Entomologique de Belgique 42: 222–260. [DP: 25.VI.1898 (wrapper)]

Fairmaire L (1898b) Matériaux pour la faune coléoptérique de la région Malgache. 6e note. Annales de la Société Entomologique de Belgique 42: 390–439. [DP: 29.X.1898 (wrapper)]

Fairmaire L (1898c) Matériaux pour la faune coléoptérique de la région Malgache. 7e note. Annales de la Société Entomologique de Belgique 42: 463–499. [DP: 26.XI.1898 (wrapper)]

Fairmaire L (1898d) Descriptions de coléoptères d'Asie et de Malaisie. Annales de la Société Entomologique de France 67: 382–400. [DP: 28.XII.1898 (wrapper)]

Fairmaire L (1899a) Description d'un nouveau genre de Coléoptère hétéromère du groupe des Rhysopaussides. Bulletin de la Société Entomologique de France 1899: 78–80. [DP: séance of 22.II.1899]

Fairmaire L (1899b) Description d'un nouveau genre de ténébrionide de Bornéo (Col.). Bulletin de la Société Entomologique de France 1899: 313–314. [DP: séance of 25.X.1899]

Fairmaire L (1899c) Descriptions de quelques coléoptères nouveaux de Madagascar. Bulletin de la Société Entomologique de France 1899: 384–388. [DP: séance of 13.XII.1899]

Fairmaire L (1899d) Quelques coléoptères de l'Afrique occidentale française. Notes from the Leyden Museum 20[1898–99]: 211–223. [DP: II.1899 (wrapper)]

Fairmaire L (1899e) Matériaux pour la faune coléoptérique de la région Malgache. 8e note. Annales de la Société Entomologique de Belgique 43: 511–558. [DP: 6.XI.1899 (wrapper)] https://doi.org/10.5962/bhl.part.8623

Fairmaire L (1900a) [Descriptions de deux espèces nouvelles de la collection de M. Alluaud]. Bulletin de la Société Entomologique de France 1900: 21–22. [DP: séance of 24.I.1900]

Fairmaire L (1900b) Description d'un nouveau genre de Coléoptères du groupe des Rhysopaussides. Bulletin de la Société Entomologique de France 1900: 45. [DP: séance of 14.II.1900]

Fairmaire L (1900c) Descriptions de coléoptères Malgaches. Annales de la Société Entomologique de Belgique 44: 241–247. [DP: 29.VI.1900 (wrapper)]

Fairmaire L (1900d) Matériaux pour la faune Coléoptérique de la région Malgache. 9e note. Annales de la Société Entomologique de France 68[1899]: 466–507. [DP: 28.II.1900 (*Soc Ent Fr*)]

Fairmaire L (1901a) Descriptions de quelques Coléoptères recueillis par M. le Dr Decorse dans le sud de Madagascar, plateau de l'Androy. Notes from the Leyden Museum 23[1901–03]: 65–84. [DP: XII.1901 (wrapper)]

Fairmaire L (1901b) Matériaux pour la faune coléoptérique de la région Malgache (11e note). Revue d'Entomologie 20: 101–124 [DP: VI.1901 (p. 93 footer)], 125–156 [DP: VII.1901 (p. 125 footer)], 157–188 [DP: VIII.1901 (p. 157 footer)], 189–220 [DP: IX.1901 (p. 189 footer)], 221–236 [DP: X.1901 (p. 221 footer)], 237–248. [DP: XI.1901 (p. 237 footer)]

Fairmaire L (1901c) Descriptions de coléoptères des montagnes de Sikkim. Bulletin de la Société Entomologique de France 1901: 255–268.

Fairmaire L (1902a) Coléoptères nouveaux de San-Thomé et du Benguéla. Bulletin de la Société Entomologique de France 1902: 134–136. [DP: 23.IV.1902 (p. 387)]

Fairmaire L (1902b) Matériaux pour la faune Coléoptérique de la région Malgache. 12e note. Annales de la Société Entomologique de France 71[1902–03]: 325–388. [DP: 22.X.1902 (*Soc Ent Fr*)]

Fairmaire L (1903a) Descriptions de quelques hétéromères recueillis par M. Fruhstorfer dans le Haut-Tonkin. Annales de la Société Entomologique de Belgique 47: 13–20. [DP: 3.II.1903 (p. 13 footer)]

Fairmaire L (1903b) Matériaux pour la faune coléoptérique de la région Malgache. 17e note. Annales de la Société Entomologique de Belgique 47: 358–380. [DP: 2.XII.1903 (p. 357 footer)]

Fairmaire L (1903c) Matériaux pour la faune coléoptérique de la région Malgache. 16e note. Annales de la Société Entomologique de France 72[1902–03]: 181–259. [DP: by 11.X.1903 (*Soc Ent Fr*)]

Fairmaire L (1903d) Descriptions de quelques coléoptères de la faune malgache. Bulletin de la Société Entomologique de France 1903: 67–70. [DP: 6.III.1903 (p. 403)]

Fairmaire L (1903e) Descriptions de quelques espèces nouvelles de Lagriides de Bornéo [Col.]. Bulletin de la Société Entomologique de France 1903: 300–301. [DP: 19.XII.1903 (p. 403)]

Fairmaire L (1904a) Descriptions de coléoptères de la République-Argentine. Bulletin de la Société Entomologique de France 1904: 61–64. [DP: 21.IV.1904 (p. 355)]

Fairmaire L (1904b) Coléoptères hétéromères receuillis par M. Baer dans le haut-Pérou et le Tucuman. Annales de la Société Entomologique de France 72[1903–04]: 461–468. [DP: by 27.I.1904 (*Soc Ent Fr*)]

Fairmaire L (1905) Description de Coléoptères hétéromères de la République Argentine. Annales de la Société Entomologique de France 74: 289–303. [DP: by 31.X.1905 (*Soc Ent Fr*)]

Fairmaire L (1906) Coléoptères nouveaux de Madagascar faisant partie des collections du Muséum. Bulletin du Muséum National d'Histoire Naturelle 12: 273–283. [DP: by 19.XII.1906 (received at Missouri Botanical Garden)]

Fairmaire L, Coquerel C (1866) Essai sur les Coléoptères de Barbarie. Quatrième partie. Annales de la Société Entomologique de France (Série 4) 6: 17–74. [DP: 22.VIII.1866 (Lefèvre 1885)]

Fairmaire L, Germain P (1861) Coleoptera chilensia. II. Félix Malteste et Ce, Paris, 8 pp. [DP: 1.VI.1861 (last page)]

Fairmaire L, Lansberg J von, Bourgeois J (1882) Coléoptères receuillis par M. G. Révoil chez les Çomalis. In: Révoil G (Ed.) Faune et flore des Pays Çomalis (Afrique orientale). Challamel Ainé, Paris, 104 pp., pl. 1. [DP: by 30.VI.1882 (*Soc Ent Fr*)]

Faldermann F (1835) Coleopterorum ab illustrissimo Bungio in China boreali, Montgolia, et montibus Altaicis collectorum, nec non ab ill. Turczaninoffio et Stchukino e provincia Irkutzk missorum illustrationes. Mémoires présentés à l'Académie Impériale des Sciences de Saint-Pétersbourg 2(4–5): 337–464, pls i-v. [DP: III.1835 (verso of cover)]

Faldermann F (1836) Bereicherung zur Käfer-Kunde des russischen Reiches. Bulletin de la Société Impérial des Naturalistes de Moscou 9: 351–398, pls 6–8. [DP: by 31.VIII.1836 (*Acad Sci St. Peters*)]

Faldermann F (1837) Fauna entomologica trans-Caucasica. Pars II. Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou 5: 1–412, 15 pls. [DP: 1837 (first title page)]

Fall HC (1912) New Coleoptera chiefly from the southwest.–V. The Canadian Entomologist 44: 40–48. [DP: 12.II.1912 (p. 64)] https://doi.org/10.4039/Ent4440-2

Fall HC (1931) An interesting new genus and species of Cistelidae (Coleoptera). Journal of the Kansas Entomological Society 4: 15–16. [DP: 3.I.1931 (p. 24 footer)]

Faúndez EI, Rider DA, Carvajal MA (2014) *Cochabambia* Piran, 1959 (Hemiptera: Heteroptera: Acanthosomatidae), a senior homonym of *Cochabambia* Marcuzzi, 1985 (Coleoptera: Tenebrionidae), with notes on the placement of *Cochabambia* Piran. Zootaxa 3793: 595–596. [DP: 2.V.2014 (title page footer)] https://doi.org/10.11646/zootaxa.3793.5.7

Fauvel A (1860) Catalogue des insectes recueillis à la Guyane Française, par M. E. Déplanche, chirurgien auxiliaire de la marine impériale, pendant la campagne de l'aviso à vapeur le *Rapide*, années 1854–55–56. Bulletin de la Société Linnéenne de Normandie 5[1859–60]: 299–327. [DP: 1860 (vol. title page); separate with same title published in 1861 by A. Hardel, Caen]

Fauvel A (1862) Coléoptères de la Nouvelle Calédonie, recueillis par M. E. Déplanche, chirurgien de la marine impériale (1858–59–60). Bulletin de la Société Linnéenne de Normandie 7[1861–62]: 120–185. [DP: 1862 (title page); separate with same title published in 1862 by A. Hardel, Caen]

Fauvel A (1897) Catalogue des Coléoptères des îles Madère, Porto-Santo et Desertas 1897. Revue d'Entomologie 16: 45–60 [DP: II.1897 (pp. 45, 53 footers)], 61–73. [DP: III.1897 (p. 61 footer)]

Fauvel A (1903) Faune analytique des coléoptères de la Nouvelle-Calédonie. 1^ière^ partie, Cicindelidae - Scarabaeidae. Revue d'Entomologie 22: 203–256 [DP: VII.1903 (p. 193 footer)], 257–320 [DP: IX.1903 (p. 257 footer)], 321–352 [DP: XI.1903 (p. 321 footer)], 353–378. [DP: XII.1903 (p. 353 footer)]

Fauvel A (1904) Faune analytique des coléoptères de la Nouvelle-Calédonie. 2e partie. Revue d'Entomologie 23: 113–128 [DP: V.1904 (p. 113 footer)], 129–160 [DP: VI.1904 (p. 129 footer)], 161–192 [DP: VII.1904 (p. 161 footer)], 193–208. [DP: VIII.1904 (p. 193 footer)]

Fauvel A (1905) Faune analytique des coléoptères de la Nouvelle-Calédonie. 3e partie. Revue d'Entomologie 24: 209–224 [DP: X.1905 (p. 209 footer)], 225–244. [DP: XI.1905 (p. 225 footer)]

Ferreira MC (1967) Catálogo dos Coleópteros de Angola. Revista de Entomologia de Moçambique 8[1965]: 417–1317. [DP: printed XI.1967 (back wrapper)]

Ferrer J (1988) Dos especies nuevas de Tenebrionidi africanos (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 4[1987]: 377–380. [DP: 5.II.1988 (back wrapper)]

Ferrer J (1992) Dos nuevas especies de Tenebrionidae (Coleoptera). Nouvelle Revue d'Entomologie (Nouvelle Série) 9: 83–89. [DP: 31.VIII.1992 (back wrapper)]

Ferrer J (1993) Description of a new genus and species of Opatrini from the Canary Islands (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 10: 121–125. [DP: 30.IX.1993 (back wrapper)]

Ferrer J (1995a) Essai de révision des espèces africaines et européennes appartenant au genre *Gonocephalum* Solier (Coleoptera, Tenebrionidae). Deuxième partie. Atti del Museo Civico di Storia Naturale di Trieste 46: 1–75. [DP: 15.III.1995 (article header)]

Ferrer J (1995b) New and forgotten species of Tenebrionidae collected by J.A. Wahlberg (1810–1856) preserved in the Swedish Museum of Natural History, Stockholm (Coleoptera, Tenebrionidae). Entomologisk Tidskrift 116: 59–64.

Ferrer J (1996) Réhabilitation du gen. *Cyptus* Gerstaecker 1871 (nomen conserv.) = *Neocaedius* Pierre (1972) syn. nov. (Coleoptera, Tenebrionidae, Opatrini). Nouvelle Revue d'Entomologie (Nouvelle Série) 12[1995]: 254. [DP: 12.III.1996 (back wrapper)]

Ferrer J (1998a) Contribution à la connaissance des Tenebrionidae de Madagascar (Insecta, Coleoptera). Entomofauna, Zeitschrift für Entomologie 19: 353–404. [DP: 30.IX.1998 (article header)]

Ferrer J (1998b) *Thurea palmi* gen. & spec. nov. a new representative of the tribe Lagriini in Africa (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 15: 151–154. [DP: 15.IX.1998 (back wrapper)]

Ferrer J (1999) Synonymie de *Proselytus caffer* Fåhraeus (1870) (= *Alphitobius diaperinus*) Panzeer [sic] (1797) syn. nov. (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie 15 [1998]: 266. [DP: 12.I.1999 (back wrapper)]

Ferrer J (2001) A new genus and species of Strongyliini (Coleoptera: Tenebrionidae, Coelometopinae) from the Brandberg Massif, Namibia. Cimbebasia 17: 187–190. [DP: after X.2001 (manuscript accepted)]

Ferrer J (2002) Contribution à l'étude des Opatrini africains: description d'une nouvelle espèce du genre *Clitobius* Mulsant & Rey 1859 d'Afrique du Sud (Coleoptera, Tenebrionidae, Opatrini). Nouvelle Revue d'Entomologie (Nouvelle Série) 18[2001]: 375–380. [DP: 5.VI.2002 (journal website)]

Ferrer J (2003) Les *Caedius* Mulsant et *Cyptus* Gerstaecker de la region afrotropicale (Coleoptera, Tenebrionidae, Opatrini). Nouvelle Revue d'Entomologie (Nouvelle Série) 19[2002]: 295–349. [DP: 20.VI.2003 (back wrapper)]

Ferrer J (2004a) Tenebrionidae (Coleoptera) de Namibia, avec descriptions de 12 espèces nouvelles. Mitteilungen aus dem Museum für Naturkunde in Berlin (Zoologische Reihe) 80: 181–250. [DP: 05.IX.2004 (article header)] https://doi.org/10.1002/mmnz.20040800204

Ferrer J (2004b) Description d'un nouveau genre de Stenosini du Vietnam (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 20[2003]: 367–371. [DP: 25.IV.2004 (back wrapper)]

Ferrer J (2005) Descripción de una nueva especie de *Enicmosoma* Gebien de Angola y de un nuevo género y especie de Transvaal (Coleoptera, Tenebrionidae, Lagrinae [sic]). Nouvelle Revue d'Entomologie (Nouvelle Série) 21[2004]: 199–203. [DP: 11.II.2005 (back wrapper)]

Ferrer J (2006a) Constitution du groupe indo-africain des Falsocossyphini, tribus nova, et description d'un nouveau genre hypogée du Vietnam. Coleoptera, Tenebrionidae. Cahiers Scientifiques – Centre de Conservation et d'Étude des Collections Muséum d'Histoire Naturelle de Lyon 10: 75–83.

Ferrer J (2006b) Description d'un genre nouveau et notes synonymiques et systématiques sur les genres *Alobates* Motschoulsky, 1872 et *Acanthobas* Gebien, 1928 (Coleoptera, Tenebrionidae, Tenebrionini). Entomofauna, Zeitschrift für Entomologie 27: 229–240. [DP: 30.IV.2006 (article header)]

Ferrer J (2006c) Description d'un nouveau genre et d'une nouvelle espèce de *Sulpius* de Madagascar avec des commentaires sur la systématique des Praeugenini (Coleoptera, Tenebrionidae, Coelometopinae). Nouvelle Revue d'Entomologie (Nouvelle Série) 23: 79–83. [DP: 13.X.2006 (back wrapper)]

Ferrer J (2011) Un genre nouveau et une nouvelle espèce de Stenochiini du Transvaal et notes systématiques sur les genres à antennes pectinées de la tribu (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 27[2010–11]: 139–146. [DP: 19.IX.2011 (back wrapper)]

Ferrer J (2013) Análisis cladístico de la tribu Pedinini (Coleoptera, Tenebrionidae) de la Península Ibérica, descripción de un nuevo género y comentarios sobre el género *Psammoardoinellus* Leo, 1981. Boletín de la Sociedad Entomológica Aragonesa 53: 31–55. [DP: 31.XII.2013 (article header)]

Ferrer J, Delatour T (2007) Révision des genres *Goniadera* Perty, 1830 et *Microgoniadera* Pic, 1913 (Coleoptera: Tenebrionidae: Lagriinae: Goniaderini. Annales Zoologici (Warszawa) 57: 275–306. [DP: 1.VI.2007 (journal website)]

Ferrer J, Moraguès G (2001) Contribution à l'étude des représentants américains du genre *Trichoton* Hope, 1840, avec description de quatre nouvelles espèces (Coleoptera, Tenebrionidae). Bulletin de la Société Entomologique de France 106: 497–518. [DP: 28.XII.2001 (p. 531)]

Ferrer J, Ødegaard F (2005) New species of darkling beetles from Central America with systematic notes (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 55: 633–661. [DP: 1.XII.2005 (journal website)]

Ferrer J, Sakalian V, Georgiev G (2016) Darkling and ironclade beetles (Coleoptera: Tenebrionoidea: Tenebrionidae and Zopheridae) from Kenya, with descriptions of two new species. Acta Zoologica Bulgarica 68: 159–170.

Ferrer J, Siliansky (2008) Contribution à l'étude des genres *Mylaris* Pallas, 1781 et *Taphrosoma* Kirsch, 1866 (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 24[2007]: 185–191. [DP: 10.III.2008 (back wrapper)]

Ferrer J, Soldati L (1999) Contribution à l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). Entomofauna, Zeitschrift für Entomologie 20: 53–89. [DP: 30.IV.1999 (article header)]

Ferrer J, Soldati L, Delatour T (2005) Révision du genre *Tauroceras* Hope, 1840 (Coleoptera: Tenebrionidae: Centronopini). Annales Zoologici 55: 271–293. [DP: 1.IV.2005 (journal website)]

Ferrer J, Yvinec JH (2004) Révision de la tribu des Lachnogyini Reitter, 1904 sensu nov. et description d'un nouveau genre et d'une espèce nouvelle du désert de Taklamakan, Chine (Coleoptera: Tenebrionidae, Pimeliinae). Annales de la Société Entomologique de France (Nouvelle Série) 40: 41–49. [DP: 18.V.2004 (back wrapper)] https://doi.org/10.1080/00379271.2004.10697404

Ferrer J, Yvinec JH (2005) Changement du nom homonymique d'un genre de coléoptère Tenebrionidae du Désert froid de Taklamakan, Chine (Coleoptera). Nouvelle Revue d'Entomologie (Nouvelle Série) 22: 121–122. [DP: 30.IX.2005 (back wrapper)]

Fery H (2013) David Sharp (1840–1922): a bibliography and a catalogue of his insect names. Skörnöpparn, Umeå Supplement 4: 1–114. [DP: printed on 24.I.2013 (p. 114)]

Fischer G (1820) Entomographia imperii Russici. Auctoritate societatis Caesareae Mosquensis naturae scrutatorum collecta et in lucem edita. Volumen I. Cum xxvi tabulis aeneis. Augusti Semen, Mosquae [= Moscow], 25 pls. [DP: 1820 (Bousquet 2016a: 185)]

Fischer G (1821) Lettre adressée au nom de la Société impériale des Naturalistes de Moscou, à l'un de ses membres M. le docteur Chrétien-Henri Pander, par Gotthelf Fischer de Waldheim, directeur de la Société; contenant une notice sur un nouveau genre d'oiseau et sur plusieurs nouveaux insectes. Auguste Semen, Moscou, 15 pp. [DP: dated 29.XII.1821 (Gregorian calendar)]

Fischer G (1822) Entomographia imperii Russici. Auctoritate societatis Caesareae Mosquensis naturae scrutatorum collecta et in lucem edita. Volumen I. Cum xxvi tabulis aeneis. Augusti Semen, Mosquae [= Moscow], viii, 210 pp. [DP: after May 1822 (in part; Bousquet 2016a: 185)]

Fischer von Waldheim G (1837) Notice sur les Mélasomes. Bulletin de la Société Impériale des Naturalistes de Moscou 10(4): 3–18, pls 1–2. [DP: by 31.VIII.1837 (*Acad Sci St Peters*)]

Fischer von Waldheim G (1844) Spicilegium Entomographiae Rossicae. Bulletin de la Société Impériale des Naturalistes de Moscou 17(1): 3–144. [DP: by 28.III.1844 (Gregorian calendar, *Soc Imp Nat Mosc*)] https://doi.org/10.5962/bhl.title.9529

Fleischer A (1900) Uebersichtstabelle der Arten der Coleopteren-Gattung *Palorus* Duv. Wiener Entomologische Zeitung 19: 236–237. [DP: 5.XI.1900 (wrapper)] https://doi.org/10.5962/bhl.part.3457

Flores GE (2000a) Systematic revision and cladistic analysis of the Neotropical genera *Mitragenius* Solier, *Auladera* Solier and *Patagonogenius* gen. n. (Coleoptera: Tenebrionidae). Entomologica Scandinavica 30: 361–396. [DP: I.2000 (article header)] https://doi.org/10.1163/187631200X00516

Flores GE (2000b) Systematics of the Andean genera *Falsopraocis* Kulzer and *Antofagapraocis* new genus (Coleoptera: Tenebrionidae), with descriptions of two new species. Journal of the New York Entomological Society 108: 52–75. [DP: 28.XII.2000 (wrapper)] https://doi.org/10.1664/0028-7199(2000)108[0052:SOTAGF]2.0.CO;2

Flores GE, Aballay FH (2015) Two Evaniosomini species (Coleoptera: Tenebrionidae) associated with decaying carcasses in Argentina, with remarks on the tribal assignment of *Achanius* Erichson. The Coleopterists Society Monograph 14: 167–179. [DP: 18.XII.2015 (journal website)] https://doi.org/10.1649/0010-065X-69.mo4.167

Flores GE, Chani-Posse M (2005) *Patagonopraocis*, a new genus of Praocini from Patagonia (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 55: 575–581. [DP: 1.XII.2005 (journal website)]

Flores GE, Giraldo-Mendoza AE (2020) Taxonomic status of *Parapraocis*, a new genus of Praociini (Coleoptera: Tenebrionidae: Pimeliinae) from Peru. Revista de la Sociedad Entomológica Argentina 79: 34–40. [DP: 28-IX-2020 (p. 34)] https://doi.org/10.25085/rsea.790305

Flores GE, Pizarro-Araya J (2012) Systematic revision of the South American genus *Praocis* Eschscholtz, 1829 (Coleoptera: Tenebrionidae). Part 1: Introduction and subgenus *Praocis* s. str. Zootaxa 3336: 1–35. [DP: 6.VI.2012 (title page footer)] https://doi.org/10.11646/zootaxa.3336.1.1

Flores GE, Pizarro-Araya J (2014) Towards a revision of the South American genus *Praocis* Eschscholtz (Coleoptera, Tenebrionidae), with estimation of the diversity of each subgenus. ZooKeys 415: 53–80. [DP: 12.VI.2014 (title page)] https://doi.org/10.3897/zookeys.415.6656

Flores GE, Triplehorn CA (2002) *Entomobalia*, new genus, the first member of Nycteliini (Coleoptera: Tenebrionidae) from Brazil. Proceedings of the Entomological Society of Washington 104: 602–613. [DP: 26.VI.2002 (cover)]

Flores GE, Vidal P (2009) Systematic position and cladistic analysis of *Gyrasida* Koch, a remarkable genus of Praocini (Coleoptera: Tenebrionidae) from Chile. Zootaxa 1978: 48–62. [DP: 14.I.2009 (title page footer)] https://doi.org/10.11646/zootaxa.1978.1.2

Foley IA, Ivie MA (2008a) A revision of the genus *Phellopsis* LeConte (Coleoptera: Zopheridae). Zootaxa 1689: 1–28. [DP: 25.I.2008 (title page footer)] https://doi.org/10.11646/zootaxa.1689.1.1

Foley IA, Ivie MA (2008b) A phylogenetic analysis of the tribe Zopherini with a review of the species and generic classification (Coleoptera: Zopheridae). Zootaxa 1928: 1–72. [DP: 10.XI.2008 (title page footer)] https://doi.org/10.11646/zootaxa.1928.1.1

Forel A (1893) Sur la classification de la famille des formicides, avec remarques synonymiques. Annales de la Société Entomologique de Belgique 37: 161–167. [DP: by 10.V.1893 (*Soc Ent Fr*)]

Fouquè R (2013) Revision of the genus *Herbertfranziella* Kaszab and description of the new genus *Nepalofranziella* of Himalayan Dichillina (Coleoptera: Tenebrionidae: Stenosini). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 6: 183–197. [DP: 30.IV.2013 (article header)]

Fouquè R (2015) A review of the genera *Indostola*, *Tagenostola*, *Indochillus*, *Pseudethas*, and *Pseudochillus* gen. nov in South East Asia (Coleoptera: Tenebrionidae: Stenosini). Acta Entomologica Musei Nationalis Pragae 55: 217–242. [DP: 1.VI.2015 (article header)]

Freude H (1960a) Revision der chilenischen Misolampini: Gattungen *Heliofugus* Guérin und *Myrmecodema* Gebien (=*Myrmecosoma* Germain) (Coleoptera: Tenebrionidae). Proceedings of the California Academy of Sciences (Series 4) 31[1960–65]: 121–168. [DP: 6.IX.1960 (p. 121)]

Freude H (1960b) Revision der Thinobatini (Col. Tenebrionidae). Mitteilungen der Münchner Entomologischen Gesellschaft (e. V.) 50: 24–34. [DP: 1.XII.1960 (cover)]

Freude H (1967) Revision der Epitragini (Coleoptera, Tenebrionidae). I. Teil. Entomologische Arbeiten aus dem Museum G. Frey 18: 137–307. [DP: 1.VII.1967 (cover)]

Freude H (1968) Revision der Epitragini (Coleoptera, Tenebrionidae) II. Teil (Schluß). Entomologische Arbeiten aus dem Museum G. Frey 19: 32–143. [DP: 1.VI.1968 (Inhalt)]

Freude H (1974) Ueber eine kleine Monommidenausbeute von Süd-West-Madagascar [Col.]. Bulletin de la Société Entomologique de France 79: 258.

Freude H (1993) Neue Monommidae und Epitragini (Tenebrionidae) des British Museum und eine Tabelle der amerikanischen Monommidae (Coleoptera, Monommidae, Tenebrionidae). Spixiana 16: 213–225. [DP: 1.XI.1993 (wrapper)]

Friedenreich CW (1883) Pilzbewohnende Käfer in der Provinz Santa Catharina (Südbrasilien). Entomologische Zeitung (Stettin) 44: 375–380. [DP: IV.1883 (wrapper)]

Frivaldszky J (1890) Coleoptera in Expeditione D. Comitis Belae Széchenyi in China, praecipue boreali, a Dominis Gustavo Kreitner et Ludovico Lóczy Anno 1879. collecta. Természetrajzi Füzetek 12[1889]: 197–210. [DP: 25.III. 1890 (wrapper)]

Froussart P (1961) Le genre *Nesogena* Mäcklin. Mémoires de l'Institut Scientifique de Madagascar (Série E, Entomologie) 12: 53–125. [DP: 3e trimestre 1961 (dépôt légal)]

Fujioka M (2011) Brief biography of Dr. Kimio Masumoto. Masumushi, Special Publication of the Japanese Society of Scarabaeoidology No. 1: 1–41. [DP: 25.IV.2011 (title page)]

Gahan CJ (1895) On the Coleoptera obtained by Dr. Anderson's collector during Mr. T. Bent's expedition to the Hadramaut, South Arabia. The Journal of the Linnean Society (Zoology) 25[1894–96]: 285–291. [DP: 31.VII.1895 (verso of title page)] https://doi.org/10.1111/j.1096-3642.1895.tb03418.x

Gahan CJ (1900) The expedition to Sokotra. XI. Descriptions of the new genera and species of Coleoptera. Bulletin of the Liverpool Museums 3: 8–13. [DP: 15.VIII.1890 (wrapper)]

Garrido OH (2003) *Diaperis viridula* (Coleoptera: Tenebrionidae: Diaperini) es un táxon válido que representa un género nuevo para Cuba. Solenodon 3: 49–52. [DP: XII.2003 (journal website)]

Gaubil J (1849) Catalogue synonymique des coléoptères d'Europe et d'Algérie. Paris: Maison, 296 pp. [DP: by VIII.1849 (Bousquet 2016a)] https://doi.org/10.5962/bhl.title.53812

Gearner OM, Kamiński M, Kanda K, Swichtenberg K, Smith AD (2021) Discovery of new genera challenges the subtribal classification of tok-tok beetles (Coleoptera: Tenebrionidae: Sepidiini). Insect Systematics and Diversity 5(2): 4; 1–10. [DP: 19.III.2021 (title page footer, ZooBank website)] https://doi.org/10.1093/isd/ixab006

Gebien H (1904a) Revision der Pycnocerini Lacord. (Coleoptera Heteromera). Deutsche Entomologische Zeitschrift 1904: 101–176 (incl. pl. 1) [DP: I. 1904 (Inhalt, p. 3)], 305–356. [DP: VII.1904 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48019040119

Gebien H (1904b) Verzeichnis der von Professor Dr. Yngve Sjöstedt in Kamerun gesammelten Tenebrioniden. Arkiv för Zoologi 2 [1904–05] (5): 1–31, pls 1–2. [DP: 13.XII.1904 (verso of title page)]

Gebien H (1905) Notizen zu dem Tenebrionidenkatalog von Gemminger und Harold, Band VII und Champions Nachtrag zu demselben. Wiener Entomologische Zeitung 24: 252–260. [DP: 15.VIII.1905 (cover)]

Gebien H (1906) Ueber die von Fabricius beschriebenen Typen von Tenebrioniden in den Museen von Kopenhagen und Kiel. Deutsche Entomologische Zeitschrift 1906: 209–237. [DP: II.1906 (cover)]

Gebien H (1908a) Lieferung 8. Tenebrionidae. In: Michaelsen W, Hartmeyer R (Eds) Die Fauna Südwest-Australiens. Ergebnisse der Hamburger südwest-australischen Forschungsreise 1905. Band I. Gustav Fisher, Jena, 325–348, pl. 3 (2). [DP: by VII.1908 (*Nat Nov*)]

Gebien H (1908b) [New synonymy]. Deutsche Entomologische Zeitzschrift 1908: 286–287. [DP: 1.III.1908 (wrapper)]

Gebien H (1910a) Pars 15: Tenebrionidae I. In: Schenkling S (Ed.) Coleopterorum Catalogus. Volumen XVIII. W. Junk, Berlin, 1–166. [DP: 25.V.1910 (wrapper)] https://doi.org/10.1007/978-94-011-9697-0_1

Gebien H (1910b) Pars 22: Tenebrionidae II. In: Schenkling S (Ed.) Coleopterorum Catalogus. Volumen XVIII. W. Junk, Berlin, 167–354. [DP: 1.XI.1910 (wrapper)]

Gebien H (1910c) 19. Tenebrionidae. In: Sjöstedt Y (Ed.) Wissenschaftliche Ergebnisse der schwedischen zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massaisteppen, Deutsch-Ostafrikas 1905–1906. 1. Band. Abteilung 7. Coleoptera. Königliche Schwedischen Akademie der Wissenschaften, Stockholm, 363–397. [DP: printed 1910 (title page); XI.1910 or later (Vorwort p. 4)]

Gebien H (1910d) Diagnosen der von Dr. Sheffield Neave im südlichen Kongo-Gebiet gesammelten Tenebrioniden nebst Beschreibungen neuer Arten aus Deutsch-Ostafrika. Annales de la Société Entomologique de Belgique 54: 144–182. [DP: 23.V.1910 (footer p. 149)]

Gebien H (1911a) Pars 28: Tenebrionidae III. In: Schenkling S (Ed.) Coleopterorum Catalogus. Volumen XVIII. W. Junk, Berlin, 355–585. [DP: 24.III.1911 (wrapper)]

Gebien H (1911b) Pars 37: Tenebrionidae IV. Trictenotomidae. In: Schenkling S (Ed.) Coleopterorum Catalogus. Volumen XVIII. W. Junk, Berlin, 587–740. [DP: 18.XI.1911 (wrapper)]

Gebien H (1913) Coleoptera, Tenebrionidae. In: Schubotz H (Ed.) Wissenschaftliche Ergebnisse der Deutschen Zentral-Afrika-Expedition 1907–1908 unter Führung Adolf Friedrichs, Herzogs zu Mecklenburg. Band IV. Zoologie II. [Lieferung 5]. Klinkhardt and Biermann, Leipzig, 57–79. [DP: by III.1913 (*Nat Nov*)]

Gebien H (1914a) H. Sauter's Formosa-Ausbeute. Tenebrionidae (Coleopt.). Archiv für Naturgeschichte (A) 79[1913](9): 1–58, pl. 1. [DP: by III.1914 (*Nat Nov*)]

Gebien H (1914b) Die Tenebrioniden der Philippinen. The Philippine Journal of Science (Section D) 8[1913](5, 6): 373–400 [DP: 25.II.1914 (verso of title page)], 401–433. [DP: 15.V.1914 (verso of title page)]

Gebien H (1914c) Die Tenebrionidenfauna Borneos. Erster Teil. The Sarawak Museum Journal 2(5): 1–58, pl. 1. [DP: VI.1914 (wrapper)]

Gebien H (1914d) Fauna Simalurensis. Coleoptera, Fam. Tenebrionidae. Notes from the Leyden Museum 36: 61–80. [DP: 31.III.1914 (wrapper)]

Gebien H (1914e) Tenebrionidae. In: Schubotz H (Ed.) Ergebnisse der zweiten Deutschen Zentral-Afrika-Expedition 1910–1911 unter Führung Adolf Friedrichs, Herzogs zu Mecklenburg. Band I. Zoologie. [Lieferung 3]. Klinkhardt and Biermann, Leipzig, 41–62, pl. 7. [DP: 4.VI.1914 (wrapper)]

Gebien H (1919) Monographie der südamerikanischen Camarien (Coleopt. Heterom.) nebst einer Übersicht über die indischen Gattungen der Camariinen. Archiv für Naturgeschichte (A) 83[1917](3): 25–167, pls 1–2. [DP: VII.1919 (wrapper)]

Gebien H (1920) Käfer aus der Familie Tenebrionidae gesammelt auf der "Hamburger deutsch-südwestafrikanischen Studienreise 1911". Abhandlungen aus dem Gebiet der Auslandskunde, Hamburgische Universität (5, C Naturwissenschaften) 2: i–viii, 1–168. [DP: 1920 (wrapper, pp. ii–iii]

Gebien H (1921a) Coleoptera Tenebrionidae. In: Nova Guinea. Résultats de l'expédition scientifique Néerlandaise à la Nouvelle-Guinée en 1912 et 1913 sous les auspices de A. Franssen Herderschee. Vol. XIII Zoologie [1915–1922] [Livraison III]. E.J. Brill, Leiden, pp. 213–500, pls 9–11. [DP: 21.VI.1921 (verso of title page)]

Gebien H (1921b) Die Tenebrioniden Westafrikas. Archiv für Naturgeschichte (A) 86[1920] (6): 1–256. [DP: I.1921 (wrapper)]

Gebien H (1922a) Philippine Tenebrionidae, II. The Philippine Journal of Science 19[1921]: 439–515, pls 1–2. [DP: 16.I.1922 (Contents, p. iv)] https://doi.org/10.5962/bhl.part.1233

Gebien H (1922b) No. V.–Coleoptera, Heteromera: Tenebrionidae. In: The Percy Sladen Trust Expedition to the Indian Ocean in 1905, under the leadership of Mr. J. Stanley Gardiner, M. A. Vol. VII. The Transactions of the Linnean Society of London (Second Series – Zoology) 18: 261–324, pl. 23. [DP: IV.1922 issue] https://doi.org/10.1111/j.1096-3642.1922.tb00551.x

Gebien, H. (1925a) Die Tenebrioniden (Coleoptera) des Indo-Malayischen Gebietes, unter Beruecksichtigung der benachbarten Faunen. I. Einleitung sowie die Gattung *Byrsax* Pascoe. The Philippine Journal of Science 26: 67–94, pl. 1. [DP: 21.I.1925 (Contents, p. iii)]

Gebien H (1925b) Die Tenebrioniden (Coleoptera) des Indo-Malayischen Gebietes, unter Beruecksichtigung der benachbarten Faunen. II. Die Gattungen *Atasthalus*, *Bolitoxenus*, *Bolitonaeus*, und *Sumbawia*. The Philippine Journal of Science 26: 423–445, 2 pls. [DP: 30.III.1925 (Contents, p. iii)]

Gebien H (1925c) Die Tenebrioniden (Coleoptera) des indomalayischen Gebietes, unter Beruecksichtigung der benachbarten Faunen. III. Die Gattungen *Bradymerus*, *Chaetopsia*, *Danodema* und *Dicraeosis*. The Philippine Journal of Science 26: 535–577, pl. 1. [DP: 30.IV.1925 (Contents, p. iv)]

Gebien H (1925d) Die Tenebrioniden (Coleoptera) des Indomalayischen Gebietes, unter Beruecksichtigung der benachbarten Faunen. VII. Die Gattung *Platydema* Castelnau et Brulle. The Philippine Journal of Science 27: 539–595, pl. 1. [DP: 4.IX.1925 (Contents, p. iv)]

Gebien H (1925e) Die Tenebrioniden (Coleoptera) des Indo-Malayischen Gebietes, unter Beruecksichtigung der benachbarten Faunen. VIII. Die Gattungen *Anisocara*, *Spiloscapha*, *Menimus*, *Labidocera*, und *Pentaphyllus*. The Philippine Journal of Science 28: 101–129, 1 pl. [DP: 21.IX.1925 (Contents, p. iii)]

Gebien H (1925f) Drei neue Rhysopaussinen (Col. Tenebr.). Entomologische Mitteilungen (Berlin-Dahlem) 14: 322–327.

Gebien H (1926) Zwei neue Gattungen von Tenebrioniden (Col. Heter.) aus Argentinien. Entomologische Blätter 22: 82–86, pl. 2. [DP: 30.VI.1926 (wrapper)]

Gebien H (1928) Über einige Gruppen amerikanischer Tenebrioniden (Col. Heter.). 2. Teil. Stettiner Entomologische Zeitung 89: 97–164 [DP: III.1928], 167–234. [DP: XI.1928 (Inhalt)]

Gebien H (1935) Tenebrionidae. In: Straelen V, van (Ed.) Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Bel-

gique. Coleoptera III. Mémoires du Musée Royal d'Histoire Naturelle de Belgique (Hors Série) 4 (11): 53–77, 1 pl. [DP: 30.VI.1935 (wrapper)]

Gebien H (1937a) Katalog der Tenebrioniden (Col. Heteromera). Teil I. Publicazioni del Museo Entomologico "Pietro Rossi" Duino 2: 505–883. [DP: 1.V.1937 (wrapper)]

Gebien H (1937b) Ueber neue Tenebrioniden Ostafrikas aus den Sammlungen des Museo Civico di Storia Naturale di Trieste. Atti del Museo Civico di Storia Naturale di Trieste 14: 21–56.

Gebien H (1938a) Katalog der Tenebrioniden. Teil II. Mitteilungen der Münchener Entomologischen Gesellschaft 28: 49–80 (Kat. 370–401) [DP: 25.VI.1938], 283–314 (Kat. 402–433) [DP: 20.VIII.1938], 397–428 (Kat. 434–465). [DP: 1.XII.1938 (wrappers)]

Gebien H (1938b) Die Tenebrioniden (Coleoptera Heteromera) der Namibwüste in Südwestafrika. Abhandlungen herausgegeben vom Naturwissenschaftlichen Verein zu Bremen (B) 30 [1937–38]: 20–107. [DP: 1938 (title page)]

Gebien H (1939) Katalog der Tenebrioniden. Teil II. Mitteilungen der Münchener Entomologischen Gesellschaft 29: 443–474 (Kat. 466–497) [DP: 1.VII.1939], 739–770 (Kat. 498–529). [DP: 15.XI.1939 (wrappers)]

Gebien H (1940) Katalog der Tenebrioniden. Teil II. Mitteilungen der Münchener Entomologischen Gesellschaft 30: 405–436 (Kat. 530–561) [DP: 1.III.1940], 755–786 (Kat. 562–593) [DP: 15.VI.1940], 1061–1092 (Kat. 594–625). [DP: 15.IX.1940 (wrappers)]

Gebien H (1941) Katalog der Tenebrioniden. Teil II. Mitteilungen der Münchener Entomologischen Gesellschaft 31: 331–362 (Kat. 626–657) [DP: 15.I.1941], 803–834 (Kat. 658–689) [DP: 15.VII.1941], 1131–1146 (Kat. 690–705). [DP: 15.XII.1941 (wrappers)]

Gebien H (1942a) Katalog der Tenebrioniden. Teil III. Mitteilungen der Münchener Entomologischen Gesellschaft 32: 308–346 (Kat. 706–745) [DP: 15.IV.1942], 729–760 (Kat. 746–777). [DP: 1.IX.1942 (wrappers)]

Gebien H (1942b) Die Tenebrioniden der Guinea-Inseln. 20. Beitrag zu den wissenschaftlichen Ergebnissen der Forschungsreise H. Eidmann nach Spanisch-Guinea 1939 bis 1940. Zoologischer Anzeiger 138: 106–126. [DP: after 7.III.1942 (manuscript accepted)]

Gebien H (1943) Katalog der Tenebrioniden. Teil III. Mitteilungen der Münchener Entomologischen Gesellschaft 33: 399–430 (Kat. 778–809) [DP: 1.IV.1943], 895–926 (Kat. 810–841). [DP: 15.XII.1943 (wrappers)]

Gebien H (1948) Katalog der Tenebrioniden. Teil III. Mitteilungen der Münchener Entomologischen Gesellschaft 34 [1944]: 497–555 (Kat. 842–899). [DP: 1.XII.1948 (wrapper)]

Gebler FA von (1841) Characteristik mehrerer neuen Sibirischen Coleopteren. Bulletin Scientifique de l'Académie Impériale des Sciences de Saint-Pétersbourg 8: cols. 369–376. [DP: 30.IV.1841 (col. 384 footer)]

Gebler FA von (1859) Verzeichniss der von Herrn Dr. Schrenk in den Kreisen Ajagus und Kakaraly in der östlichen Kirgisensteppe und in der Songarey in den Jahren 1840 bis 1843 gefundenen Kaeferarten. Bulletin de la Société Impériale des Naturalistes de Moscou 32 (2): 426–519. [DP: by 27.X.1859 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Gemminger M (1870) Nachstehende Art- oder Gattungsnamen ändere ich, wie folgt, ab. Coleopterologische Hefte 6: 119–124. [DP: by 6.VI.1870 (*Soc Ent Lond*)]

Gemminger M, Harold E von (1870) Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. VII. Tenebrionidae, Nilionidae, Pythidae, Melandryidae,

Lagriidae, Pedilidae, Anthicidae, Pyrochroidae, Mordellidae, Rhipidophoridae, Cantharidae, Oedemeridae. E. H. Gummi, Monachium [= München], 1801–2179. [DP: by 15.V.1870 (Bousquet 2016a: 205)]

Gené CG (1839) De quibusdam insectis Sardiniae novis aut minus cognitis. Fasciculus II. Memorie della Reale Accademia delle Scienze di Torino (Serie Seconda) 1 (Classe delle Scienze Fisiche e Matematiche): 43–84, pls 1–2. [DP: 1839 (wrapper); after 16.VI.1839 (presentation date, p. iv)] [a separate with the same title was published in 1839, Torino, R. Typographeo, 44 pp., 2 pls]

Geoffroy EL (1762) Histoire abregée des insectes qui se trouvent aux environs de Paris; dans laquelle ces animaux sont rangés suivant un ordre méthodique. Tome premier. Durand, Paris, xxviii, 523 pp., 22 pls. [DP: 1762 (title page)] https://doi.org/10.5962/bhl.title.154767

Germain P (1855) Descripcion de coleópteros de diversas especies que no se hallan en la obra del señor Gay. Anales de la Universidad de Chile 1855: 386–407. [DP: 8.VI.1855 (p. 271)]

Germar EF (1823) Insectorum species novae aut minus cognitae, descriptionibus illustratae. Volumen primum. Coleoptera. J. C. Hendel et filii, Hala [= Halle], xxiv, 624 pp., 2 pls. [1824] [DP: by X.1823 (Bousquet 2016a: 211)] https://doi.org/10.5962/bhl.title.130964

Germar EF (1836) Fauna insectorum Europae. Fasc. decimus octavus, 25 pls. [DP: by 24.IV.1836 (Bousquet 2017)]

Germar EF (1842) *Eucamptus* In: Allgemeine Encyclopädie der Wissenschaften und Künste in alphabetischer Folge vongenannten Schriftstellern bearbeitet und herausgegeben von J.S. Ersch und J.G. Gruber. Mit Kupfern und Charten. Erste Section. A – G. Herausgegeben von J.G. Gruber. Siebenunddreißigster Theil. Erhaben – Erz- und Erbtruchsesse. F.A. Brockhaus, Leipzig, 444. [DP: 1842 (title page); by 23.XII.1842 (Bousquet 2016a: 582)]

Gerstaecker CEA (1854) [Diagnosen der von Peters in Mossambique gesammelten Melasomen u. Vesicantia]. Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin 1854: 530–534 [DP: after 16.X.1854 (Sitzung)], 694–695. [after 7.XII.1854 (Sitzung)]

Gerstaecker CEA (1866) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während der Jahre 1865–66. Archiv für Naturgeschichte 32(2): 281–468. [DP: by 4.VI.1867 (*Soc Imp Nat Mosc*)]

Gerstaecker CEA (1871) Beitrag zur Insektenfauna von Zanzibar. III. Coleoptera. Archiv für Naturgeschichte 37 (1): 42–86, 345–363. [DP: by 18.XI.1871 (*Soc Imp Nat Mosc*)]

Gerstaecker CEA (1873) Baron Carl Claus von der Decken's Reisen in Ost-Afrika. Dritter Band: Wissenschaftliche Ergebnisse. Zweite Abtheilung: Gliederthiere (Insekten, Arachniden, Myriopoden und Isopoden). Mit 18 colorirten Kupfertafeln. C.F. Winter, Leipzig und Heidelberg. xvi + 542 + [1 (Verbesserungen)] pp. + 18 pls. [DP: by 30.VI.1873 (Bousquet 2016a: 212)]

Gestro R (1892) Di alcuni Coleotteri raccolti nel paese dei Somali dall'Ing. L. Bricchetti Robecchi. Annali del Museo Civico di Storia Naturale di Genova 32: 747–752 [DP: 24.VIII.1892 (p. 737 footer)], 753–784 [DP: 1.IX.1892 (p. 753 footer)], 785–790. [DP: 2.IX.1892 (p. 785 footer)]

Gestro R (1901) Materiali per la conoscenza della fauna Eritrea raccolti dal Dott. Paolo Magretti. Un nuovo genere di Rhysopaussidae. Annali del Museo Civico di Storia Naturale di Genova 40 [1899–1901]: 743–748. [DP: 9.II.1901 (p. 753 footer)]

Gimmel LM, Johnston MA, Merkl O (2018) *Enneboeus marmoratus* Champion new to the USA, with a world catalog of the family Archeocrypticidae (Coleoptera: Tenebrionoidea). [DP: 20.VI.2018 (journal website)] https://doi.org/10.1649/0010-065X-72.2.269

Giraldo-Mendoza AE, Flores GE (2019) A revision of the Peruvian Edrotini (Coleoptera: Tenebrionidae: Pimeliinae). Annales Zoologici (Warszawa) 69: 83–98. [DP: 31.III.2019 (journal website)] https://doi.org/10.3161/00034541ANZ2019.69.1.004

Gistel J (1829) *Antimachus*, novum Coleopterorum genus, e familia Tenebrionidum. Isis von Oken 22: cols 1055–1058, pl. 3A. [DP: circa X.1829 (cols 1017–1018, as "Heft X"]

Gistel J (1831) Entomologische Fragmente. Isis von Oken 1831: cols 301–310. [DP: circa III.1831 (cols 225–226 as "Heft III")]

Gistel J (1832) Entomologische Notizen. Faunus: Zeitschrift für Zoologie und Vergleichende Anatomie 1: 128–151. [DP: 1832 (title page)]

Gistel J (1834) Die Insecten-Doubletten aus der Sammlung des Herrn Grafen Rudolph von Jenison Walworth zu Regensburg, welche sowohl im Kauf als im Tausche abgegeben werden. Nro. I. Käfer. G. Jaquet, München, 35, [1] pp. [DP: by 23.IX.1834 (Kielmeyer and Jäger 1835)]

Gistel J (1848a) Naturgeschichte des Thierreichs. Für höhere Schulen. Mit einem Atlas von 32 Tafeln (darstellend 617 illuminirte figuren) und mehreren dem Texte eingedruckten Xylographien. R. Hoffmann, Stuttgart, xvi, 216, [4] pp., 32 pls. [DP: by VI.1848 (Bousquet 2016a: 217)]

Gistel J (1848b) Neuestes und vollständigstes Handbuch der Naturgeschichte für Lehrer und Lernende, für Schule und Haus. Abtheilung I. Thierreich. R. Hoffmann, Stuttgart, 640 pp. + 32 pls. [DP: by 21.III.1848 (Bousquet 2016a: 217)]

Gistel J (1850) [Thierreich]. In: Gistel J and Bromme T: Handbuch der Naturgeschichte aller drei Reiche, für Lehrer und Lernende, für Schule und Haus. Hoffmann, Stuttgart, 1037 pp., 48 pls. [DP: 1850 (title page)] https://doi.org/10.5962/bhl.title.37040

Gistel J (1856) Die Mysterien der europäischen Insectenwelt. Ein geheimer Schlüssel für Sammler aller Insecten-Ordnungen und Stände, behufs des Fangs, des Aufenthalts-Orts, der Wohnung, Tag- und Jahreszeit u.s.w., oder autoptische Darstellung des Insectenstaats in seinem Zusammenhange zum Bestehen des Naturhaushaltes überhaupt und insbesondere in seinem Einflusse auf der phanerogamische und cryptogamische Pflanzenbevölkerung Europa's. T. Dannheimer, Kempten, xii, 530, [2] pp. [DP: by 18.II.1856 (Evenhuis 1997a)] https://doi.org/10.5962/bhl.title.65996

Gistel J (1857) Vacuna oder die Geheimnisse aus der organischen und leblosen Welt. Ungedruckte Originalien-Sammlung von grösstentheils noch lebenden und verstorbenen Gelehrten aus dem Gebiete sämmtlicher Naturwissenschaften, der Medizin, Literaturgeschichte, des Forst- und Jagdwesens, der Oekonomie, Geschichte, Biographie, und der freien schönen Künste. Zweiter Band. Schorner, Straubing, 1031 pp. [DP: by X.1857 (Evenhuis 1997a)]

Gozis MP des (1881) Quelques rectifications synonymiques touchant différents genres et espèces de coléoptères français (1re partie). Bulletin Bimensuel des Séances de la Société Entomologique de France 17: 150–151. [DP: 24.IX.1881 (Evenhuis 2002)]

Gozis MP des (1886) Recherche de l'espèce typique de quelques anciens genres. Rectifications synonymiques et notes diverses. Herbin, Montluçon, 36 pp. [DP: by 10.III.1886 (Bousquet 2016a: 226)]

Gozis MP des (1910) Tableaux analytiques pour déterminer les coléoptères de France. Helopidae. Revue Scientifique du Bourbonnais et du Centre de la France 23: 82–118.

Gridelli E (1937) Coleotteri raccolti dal Prof. G. Scortecci nel Fezzan (Missione R. Società geografica 1934). Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano 76: 17–54. [DP: III.1937 (wrapper)]

Gridelli E (1939) Coleotteri dell'Africa orientale italiana. 6° Contributo. Note riguardanti i generi *Miltoprepes* Gerst. e *Anephyctus* Fairm. (Tenebrionidae). Bollettino della Società Entomologica Italiana 71: 75–79. [DP: 5.V.1939 (fascicle header)]

Gridelli E (1951) Coléoptères de l'Afrique tropicale (XVIIIeme contribution). Note sur quelques Ténébrionides appartenant aux collections de l'Institut français d'Afrique Noire. Trabalhos 2a Conferência Internacional dos Africanistas Ocidentais Bissau 1947, Lisbon Vol. III (2a. Secção): 211–231.

Gridelli E (1952) Contribution à l'étude du peuplement de la Mauritanie. Coléoptères Ténébrionides. Bulletin de l'Institut français d'Afrique Noire 14: 60–96. [DP: printed III.1952 (p. 388); 1er trimestre 1952 (dépôt légal)]

Gridelli E (1953) Catalogo ragionato delle specie di Coleotteri Tenebrionidi dell'Arabia. Atti del Museo Civico di Storia Naturale di Trieste 19: 1–70. [DP: 31.I.1953 (p. 1 footer)]

Griffith E, Pidgeon E (1831) The Class Insecta arranged by the Baron Cuvier, with supplementary additions to each order. Insecta. Volume the second. In: Griffith E (Ed.) The Animal kingdom arranged in conformity with its organization, by the Baron Cuvier, with supplementary additions to each order. Volume the fifteenth. Whittaker, Treacher and Co., London, pls 50, 69. [DP: 1831, year indicated on the plates]

Griffith E, Pidgeon E (1832) The Class Insecta arranged by the Baron Cuvier, with supplementary additions to each order. Insecta. Volume the second. In: Griffith E (Ed.) The Animal kingdom arranged in conformity with its organization, by the Baron Cuvier, with supplementary additions to each order. Volume the fifteenth. Whittaker, Treacher and Co., London, viii, 796 pp., 87 pls. [DP: by 1.II.1832 (pp. 1–192); by 22.VI.1832 (pp. 193–576); 17.XI.1832 (pp. 577–796) (Evenhuis 2019b)]

Grimm R (2001) Zur Taxonomie von *Eurycaulus* Fairmaire, 1868, Subgenus *Ammotrypes* Fairmaire, 1879, stat. n. (*Scleronimon* Reitter, 1904, syn. n.) (Coleoptera, Tenebrionidae). Nachrichtenblatt der Bayerischen Entomologen 50: 88–90. [DP: 15.IX.2001 (wrapper)]

Grimm R (2005) Taxonomic and faunistic notes on the genus *Eurycaulus*, with descriptions of two new species from the Arabian Peninsula (Coleoptera: Tenebrionidae). Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 672: 1–11. [DP: 5.IV.2005 (article header)]

Grimm R (2008) *Guanobius borneensis* n. gen., n. sp. from Borneo (Coleoptera: Tenebrionidae: Alphitobiini). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 1: 375–379. [DP: 30.IV.2008 (article header)]

Grimm R (2014) New and little known species of Tenebrionidae (Coleoptera) from Borneo (4). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 7: 183–197. [DP: 30.IV.2014 (article header)]

Grimm R (2015) New and little known species of Tenebrionidae (Coleoptera) from Borneo (5). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 8: 215–225. [DP: 30.IV.2015 (article header)]

Grimm R (2018) New synonyms of *Ulomoides* (*Phayllidius* syn. nov.) *dispar* (Gebien, 1921) (*Martianus platypterus* Gebien, 1927; syn. nov.) (Coleoptera: Tenebrionidae, Diaperini). Entomologische Zeitschrift mit Insekten-Börse128: 103–104. [DP: 15.VI.2018 (p. 5 header)]

Grimm R, Lillig M (2020) *Arabammobius* gen. n. *buettikeri* sp. n. from Oman (Insecta: Coleoptera: Tenebrionidae: Opatrini). Vernate 39: 307–312.

Grouvelle A (1918) Coleoptera of the families Ostomidae, Monotomidae, Colydiidae and Notiophygidae from the Seychelles and Aldabra Islands. The Transactions of the Entomological Society of London 1918: 1–57. [DP: 31.XII.1918 (verso of title page)]

Guérin-Méneville FE (1827a) Mycétochare. *Mycetochara*. In: Bory de Saint-Vincent JBG (Ed.) Dictionnaire classique d'histoire naturelle, par Messieurs Audouin, Isid. Bordon, Ad. Brongniart, De Candolle, Dandebard de Férussac, A. Desmoulins, Drapiez, Edwards, Flourens, Geoffroy de Saint-Hilaire, A. De Jussieu, Kunth, G. de Lafosse, Lamouroux, Latreille, Lucas fils, Presle-Duplessis, C. Prévost, A. Richard, Thiébaut de Berneaud, et Bory de Saint-Vincent. Ouvrage dirigé par ce dernier collaborateur, et dans lequel on a ajouté, pour le porter au niveau de la science, un grand nombre de mots qui n'avaient pu faire partie de la plupart des dictionnaires antérieurs. Tome onzième. MO–NSO. Ray et Gravier [and] Baudouin Frères, Paris, 346. [DP: I.1827 (title page); by 10.II.1827 (Bousquet 2016a: 599)]

Guérin-Méneville FE (1827b) Nyctélie. *Nyctelius*. In: Bory de Saint-Vincent JBGM (Ed.) Dictionnaire classique d'histoire naturelle, par Messieurs Audoin, Isid. Bordon, Ad. Brongniart, De Candolle, d'Audebard de Férussac, Deshayes, E. Deslongchamps, A. Desmoulins, Drapiez, Dumas, Edwards, A. Fée, Flourens, Geoffroy Saint-Hilaire, Isid. Geoffroy Saint-Hilaire, Guérin, Guillemin, A. de Jussieu, Kunth, G. Delafosse, Lamouroux, Latreille, C. Prévost, A. Richard, et Bory de Saint-Vincent. Tome douxième. NUA–PAM. Rey et Gravier [et] Beaudoin Frères, Paris, 21. [DP: VIII.1827 (title page); by 18.VIII.1827 (Bousquet 2016a: 599)]

Guérin-Méneville FE (1831a) Voyage autour du monde, exécuté par ordre du Roi, sur la corvette de Sa Majesté, *La Coquille*, pendant les années 1822, 1823, 1824 et 1825, sous le ministère et conformément aux instructions de S. E. M. le Marquis de Clermont-Tonnerre, ministre de la marine; et publié sous les auspices de son Excellence Mgr. Le Cte De Chabrol, Ministre de la Marine et des Colonies, par M.L.I. Duperrey. Zoologie, par M. Lesson. Tome second. – 2e Partie. A. Bertrand, Paris, pl. 4 [DP: 25.VII.1831 (Guérin-Méneville 1838: 271)], pl. 5. [DP: 15.VI.1831 (Guérin-Méneville 1838: 271)]

Guérin-Méneville FE (1831b) Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie. Insectes. J.B. Baillière, Paris, pls 28bis, 29, 30. [DP: by III.1831 (Bousquet 2016a: 234)]

Guérin-Méneville FE (1834) Matériaux pour une classification des Mélasomes (extraits d'une monographie de cette famille). Magasin de Zoologie 4 (Classe IX): pls 101–118 (pp. 1–39). [DP: VI.1834 or later (article header)]

Guérin-Méneville FE (1836) Calognathe. *Caloganthus*. Guérin. Magasin de Zoologie 7 (Classe IX): pl. 172 (pp. 1–4). [DP: VII.1836 or later (p. 4)]

Guérin-Méneville FE (1838) Voyage autour du monde, exécuté par ordre du Roi, sur la corvette de Sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825, sous le ministère et conformément aux instructions de S. E. M. Le Marquis de Clermont-Tonnerre, ministre de la marine; et publié sous les auspices de son Excellence Mgr. Le Cte De Chabrol, Ministre de la Marine et des Colonies, par M.L.I. Duperrey. Zoologie, par M. Lesson. Tome second. – 2e partie. Arthus Bertrand, Paris, xii + 9–319. [DP: 1830 (title page); 1838 (Bousquet 2016: 237)]

Guérin-Méneville FE (1841) Description de quelques coléoptères nouveaux provenant de la Tasmanie, du port Otago (Nouvelle Zélande), d'Esington-Bay (Australie septentrionale), de Triton-Bay (Nouvelle-Guinée), et des îles Vavao, Salomon, Ternate, Borneo, Aukland, etc. Revue Zoologique 4: 120–128. [DP: IV.1841 issue; by 10.V.1841 (*Acad Sci Fr*)]

Guérin-Méneville FE (1844) Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie. Insectes. [Texte.] J. B. Baillière, Paris, 576 pp. [DP: by 26.VIII.1844 (Bousquet 2016a: 239)]

Guérin-Méneville FE (1846) [Note sur le genre *Margus*]. Annales de la Société Entomologique de France (Deuxième Série) 3 [1845], Bulletin Entomologique: cxvii. [DP: by 25.III.1846 (*Soc Ent Fr*)]

Guérin-Méneville FE (1857) Matériaux pour une monographie des coléoptères du groupe des Eumorphides et plus spécialement du genre *Eumorphus*. In: Thomson J (Ed.) Archives Entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome premier. Paris, 237–280. [DP: circa 10.XI.1857 (Guérin-Méneville 1858: 571)]

Guérin-Méneville FE (1858) Matériaux pour une monographie des coléoptères du groupe des Eumorphides, et plus spécialement du genre *Eumorphus*. Revue et Magasin de Zoologie Pure et Appliquée (2e Série) 9: 565–581. [DP: XII.1857 issue; 1er trimestre 1858 (*Soc Ent Fr*; fasc. 12 includes Séance of 28.XII (p. 587))]

Guérin-Méneville FE (1860) [Descriptions de quelques espèces de Coléoptères provenant de l'Algérie et surtout de l'oasis d'Ouargla]. Annales de la Société Entomologique de France (Série 3) 7[1859]: clxxxvi–cxciii. [DP: 1.III.1860 (wrapper)]

Guérin-Méneville FE (1862) Description d'une nouvelle espèce de coléoptère du genre *Melancrus* et rectification relative à une note publiée dans le *Bulletin entomologique* de 1859. Annales de la Société Entomologique de France (4e Série) 1: 375–376. [DP: 22.I.1862 (Lefèvre 1885)]

Guerrero M, Vidal P, Moore T (2007) Revisión del género *Oligocara* Solier, 1851, con descripción de un género y tres especies nuevas (Coleoptera: Tenebrionidae). In: Vidal P, Guerrero M (Eds) Los Tenebriónidos de Chile. Ediciones Universidad Católica de Chile, Santiago, 391–408. [DP: VI.2007 (verso of title page)]

Gyllenhal L (1810) Insecta Svecica. Classis I. Coleoptera sive Eleuterata. Tom. I. Pars II. Leverentz, Scaris, xix, 660 pp. [DP: 1810 (title page)]

Gyllenhal L (1827) Insecta Svecica. Classis I. Coleoptera sive Eleuterata. Tom. I. Pars IV. Cum appendice ad partes priores. F. Fleischer, Lipsiae, viii, 761 pp. [DP: by 6.V.1827 (Bousquet 2016a: 241)]

Haag-Rutenberg JG (1871) Revision der Familie der Moluriden. Coleopterologische Hefte 7: 24–111. [DP: 1871 (title page); citation of works published VIII.1871 (pp. 127, 128)]

Haag-Rutenberg JG (1872) Monographie der Cryptochiliden. Berliner Entomologische Zeitschrift 16: 273–313. [DP: 30.XI.1872 (wrapper)] https://doi.org/10.1002/mmnd.18720160216

Haag-Rutenberg JG (1873) Beiträge zur Familie der Tenebrioniden. (4. Stück, Schluss). Coleopterologische Hefte 11: 1–48. [DP: by 2.VIII.1873 (*Soc Ent Belg*)]

Haag-Rutenberg JG (1875a) *Hidrosis*, eine neue Adelostomiden-Gattung. Deutsche Entomologische Zeitschrift 19(1–2): 120. [DP: I.1875 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018750104

Haag-Rutenberg JG (1875b) Monographie der Eurychoriden (Adelostomides Lacord.). Deutsche Entomologische Zeitschrift 19(5, hors série): 1–70. [DP: V.1875 (wrapper); also in Archiv für Naturgeschichte 38 [1872] Heft 6: 359–428, published by VII.1875 (*Lit Centrbl*)]

Haag-Rutenberg JG (1875c) Beiträge zur näheren Kenntniss einiger Gruppen aus der Familie der Tenebrioniden. Deutsche Entomologische Zeitschrift 19(7, hors série): 1–56. [DP: 1875 (wrapper)]

Haag-Rutenberg JG (1876) Beiträge zur Familie der Tenebrioniden. (5. Stück.). Coleopterologische Hefte 14: 67–92. [DP: by III.1876 (*Nederl Ent Ver*)]

Haag-Rutenberg JG (1877) *Edrotopus* nov. gen. Physogasteridum. Entomologische Zeitung (Stettin) 38: 129–130. [DP: III.1877 (wrapper)]

Haag-Rutenberg JG (1878) Diagnosen neuer Heteromeren aus dem Museum Godeffroy. Verhandlungen des Vereins für Naturwissenschaftliche Unterhaltung zu Hamburg 3[1876]: 97–105. [DP: 1878 (volume title page)]

Haag-Rutenberg JG (1879a) *Leptodopsis*, eine neue Heteromeren-Gattung. Deutsche Entomologische Zeitschrift 23: 408–410. [DP: XI.1879 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018790233

Haag-Rutenberg JG (1879b) Zur Synonymie der Heteromeren. Deutsche Entomologische Zeitschrift 23: 411–412. [DP: XI.1879 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018790234

Haag-Rutenberg G (1879c) Neue Heteromeren aus dem Museum Godeffroy. Journal des Museum Godeffroy 14: 115–137. [DP: II.1879 (back wrapper)] https://doi.org/10.1002/mmnd.48018790233

Haldeman SS (1850) On the larva of *Physocoelus inflatus*. Proceedings of the American Association for the Advancement of Science 2: 347. [DP: by 4.V.1850 (*Littell's Living Age* 25 (No 311): 239)]

Halstead DGH (1967a) A revision of the genus *Palorus* (sens. lat.) (Coleoptera: Tenebrionidae). Bulletin of the British Museum (Natural History), Entomology 19: 59–148. [DP: 28.II.1967 (verso of title page)] https://doi.org/10.5962/bhl.part.28299

Halstead DGH (1967b) Notes on the systematics and distribution of some *Tribolium* species (Coleoptera: Tenebrionidae). Journal of Stored Products Research 3: 269–272. [DP: X.1967 issue] https://doi.org/10.1016/0022-474X(67)90056-2

Halstead DGH (1975) *Palembus* Casey a senior synonym of *Martianus* Fairmaire (Col., Tenebrionidae). The Entomologist's Monthly Magazine 110[1974]: 241–243. [DP: 22.XII.1975 (wrapper)]

Harold E von (1876) Bericht über eine Sendung Coleopteren aus Hiogo. Abhandlungen herausgegeben vom Naturwissenschaftlichen Vereine zu Bremen 5[1876–78]: 115–135. [DP: IV.1876 (Inhaltsverzeichniss)]

Harold E von (1879) Bericht über die von den H. H. v. Homeyer und Pogge in Angola und im Lunda-Reiche gesammelten Coleopteren. Coleopterologische Hefte 16: 1–224, pls 1–2. [DP: by 31.VIII.1879 (*Nederl Ent Ver*)]

Harold E von (1882) Coleoptera. In: Mayer P (Ed.) Zoologischer Jahresbericht für 1881. Herausgegeben von der Zoologischen Station zu Neapel. II. Abtheilung: Arthropoda. Wilhelm Engelmann, Leipzig, 163–206. [DP: by I.1882 (*Nat Nov*)]

Haupt H (1950) Die Käfer (Coleoptera) aus der eozänen Braunkohle des Geiseltales. Geologica (Berlin) 6: 1–168. [DP: 1950 (title page)]

Hayek CMF von (1989) A short biography of the entomologist James Thomson and the dates of publication of the Archives Entomologiques, Arcana Naturae, Monographie des Cicindélides, Musée Scientifique and Physis. Archives of Natural History 16: 81–99. [DP: II.1989 (wrapper)] https://doi.org/10.3366/anh.1989.16.1.81

Heer O (1864) Die Urwelt der Schweiz. Mit sieben landschaftlichen Bildern, elf Tafeln, einer geologischen Uebersichtskarte der Schweiz und zahlreichen in den Text eingedruckten Abbildungen. [Lieferungen 2–11]. Friedrich Schultheß, Zürich, 49–96, pls. 4–6 [DP: by 24.III.1864 (Bousquet 2016a: 252)], 97–192, pl. 7 [DP: by 30.III.1864 (Evenhuis 1997a)], 193–496, pls. 8–10. [DP: by 18.VIII.1864 (Evenhuis 1997a)]

Heinroth O (1931) Beobachtungen bei der Aufzucht eines Knopfschnable Hokko's (*Crax globicera*) und eine Mitu's (*Mitua mitu*). Journal für Ornithologie 79: 278–283. https://doi.org/10.1007/BF01955548

Heller KM (1918) Eine neue aberrante Eustrophinen-Gattung (Coleoptera: Melandryidae). Tijdschrift voor Entomologie 60[1917]: 376–381. [DP: 15.I.1918 (verso of title page)]

Heller KM (1923) Die Coleopterenausbeute der Stötsnerschen Sze-Tschwan-Expedition (1913–1915). Entomologische Blätter 19: 61–79.

Herbst JFW (1799) Natursystem aller bekannten in- und ausländischen Insekten, als eine Fortsetzung der von Büffonschen Naturgeschichte. Der Käfer. Achter Theil. J. Pauli, Berlin, xvi, 420 pp., pls 117–137. [DP: by 14.IV.1799 (Bousquet 2017: 111)]

Herwaarden HCM van (1998) A guide to the genera of stick- and leaf-insects (Insecta: Phasmida) of New Guinea and the surrounding islands. Science in New Guinea 24: 55–117.

Hesse AJ (1935) Scientific results of the Vernay-Lang Kalahari expedition, March to September, 1930. Tenebrionidae (Coleoptera). Annals of the Transvaal Museum 16: 525–579.

Heyden L von (1882) Catalog der Coleopteren von Sibirien mit Einschluss derjenigen der Turanischen Länder, Turkestans und der chinesischen Grenzgebiete. Mit specieller Angabe der einzelnen Fundorte in Sibirien und genauer Citirung der darauf bezüglichen einzelnen Arbeiten nach eigenem Vergleich, sowie mit besonderer Rücksicht auf die geographische Verbreitung der einzelnen Arten über die Grenzländer, namentlich Europa

und Deutschland. Herausgegeben von der Deutschen Entomologischen Gesellschaft als besonderes Heft der Deutschen Entomologischen Zeitschrift. [Lieferung 3]. A.W. Schade, Berlin, 113–224. [DP: by III.1882 (Bousquet 2016a: 259)]

Heyden L von (1892) Beitrag zur Coleopteren-Fauna von Turkestan. Unter Mitwirkung der Herren J. Faust, A. Kuwert und J. Weise. Deutsche Entomologische Zeitschrift 1892: 99–104. [DP: VIII.1892 (Inhalt, p. 3)]

Heyden L von (1895) Catalog der Coleopteren von Sibirien, mit Einschluss derjenigen des östlichen Caspi-Gebietes, von Turcmenien, Turkestan, Nord-Thibet und des Amur-Gebietes. Mit specieller Angabe der einzelnen Fundorte und genauer Citirung der darauf bezüglichen Literatur. Herausgegeben von der Deutschen Entomologischen Gesellschaft. Nachtrag I. A.W. Schade, Berlin, 97–144. [DP: by 27.III.1895 (Bousquet 2016a: 260)]

Heyden L von (1908) Über die Coleopteren-Gattungen *Parablops*. Deutsche Entomologische Zeitschrift 1908: 132. [DP: 3.I.1908 (wrapper)]

Heyden L von, Kraatz G (1882) Käfer um Samarkand, gesammelt von Haberhauer. Deutsche Entomologische Zeitschrift 26: 297–338. [DP: VIII.1882 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018820128

Heyden L von, Reitter E, Weise J (1883) Catalogus coleopterorum Europae et Caucasi. Editio tertia. Edw. Janson, Londini, [2] + 228 pp. [DP: by VII.1883 (*Nat Nov*)] https://doi.org/10.1002/mmnd.48018830225

Hinton HE (1947) On some new and little known Indo-Australian Diaperini (Coleoptera, Tenebrionidae). The Annals and Magazine of Natural History (Eleventh Series) 14: 81–98. [DP: 10.XII.1947 (Evenhuis 2003)] https://doi.org/10.1080/00222934708654614

Hinton HE (1948) A synopsis of the genus *Tribolium* Macleay, with some remarks on the evolution of its species groups (Coleoptera, Tenebrionidae). Bulletin of Entomological Research 39: 13–55. [DP: 28.V.1948 volume Contents)] https://doi.org/10.1017/S0007485300024287

Hölzel E (1958) Die mitteleuropaischen Arten der Gattung *Isomira* Muls. (Col., Alleculidae) mit Beschreibung der Untergattung *Heteromira* subgen. nov. und Art *moroi* spec. nov. aus den Kärntner Karawanken. Nachrichtenblatt der Bayerischen Entomologen 7: 17–25. [DP: 15.III.1958 (article header)]

Hope FW (1833) On the characters of several new genera and species of coleopterous insects. Proceedings of the Zoological Society of London (Part I) 1833: 61–64. [DP: 5.VII.1833 (F.H. Waterhouse 1937)]

Hope FW (1834) Descriptions of some hitherto uncharacterized exotic Coleoptera, chiefly from New Holland. The Transactions of the Entomological Society of London 1 [1834–36]: 11–20, pls 1–2. [DP: 7.XI.1834 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1837.tb03170.x

Hope FW (1841) The coleopterist's manual, part the third, containing various families, genera, and species, of beetles, recorded by Linneus and Fabricius. Also, descriptions of newly discovered and unpublished insects. J. C. Bridgewater, and Bowdery and Kerby, London, [5], 191 pp., 3 pls. [1840] [DP: IV.1841 (Bousquet 2016a: 265)]

Hope FW (1843) Continuation of a memoir containing descriptions of new species of Coleoptera from Port Essington, in New Holland. The Annals and Magazine of Natural History 12: 357–361. [DP: 1.XI.1843 (Evenhuis 2003)]

Hope FW (1848) Descriptions of several new species of Heleidae from Australia. The Transactions of the Entomological Society of London 5[1847–49]: 52–56, pls 6–7. [DP: 12.I.1848 (Wheeler 1912)]

Hopp KJ, Ivie MA (2009) A revision of the West Indian genus *Nesocyrtosoma* Marcuzzi (Coleoptera: Tenebrionidae). The Coleopterists Society Monograph 8, 138 pp. [DP: 20.XII.2009 (journal website)] https://doi.org/10.1649/0010-065X-63.sp8.1

Hopp KJ, Ivie MA, Bouchard P, Steiner Jr WE, Aalbu RL (2014) Case 3477 – *Nesocyrtosoma* Marcuzzi, 1976 (Insecta, Coleoptera, Tenebrionidae): proposed establishment of availability and designation of *Cyrtosoma inflatum* Marcuzzi, 1976 as the type species. Bulletin of Zoological Nomenclature 71(4): 230–233. [DP: 1.XII.2014 (journal website)] https://doi.org/10.21805/bzn.v71i4.a12

Horn GH (1867) Descriptions of some new genera and species of Central American Coleoptera. Proceedings of the Academy of Natural Sciences of Philadelphia 1866(5): 397–401. [DP: after 1.I.1867 (back wrapper); by 20.VII.1867 (received by Smithsonian Institution, USA)]

Horn GH (1870) Revision of the Tenebrionidae of America, north of Mexico. Transactions of the American Philosophical Society (New Series) 14: 253–404, pls 14–15. [DP: 1870 (wrapper)] https://doi.org/10.2307/1005214

Horn GH (1874) Descriptions of new species of United States Coleoptera. Transactions of the American Entomological Society 5[1874–76]: 20–43. [DP: by XII.1874 (Brown 1964: 316)] https://doi.org/10.2307/25076286

Horn GH (1876a) Synonymical notes and description of new species of North American Coleoptera. Transactions of the American Entomological Society 5[1874–76]: 126–156. [DP: IX.1875 (page footers); issued between 18.I.1876 and 1.II.1876 (Brown 1964: 316)]

Horn GH (1876b) Notes on the coleopterous fauna of Guadelupe Island. Transactions of the American Entomological Society 5[1874–76]: 198–201. [DP: by 20.III.1877 (Brown 1964: 316)] https://doi.org/10.2307/25076305

Horn GH (1885) Contributions to the coleopterology of the United States. (No 4). Transactions of the American Entomological Society 12[1884–85]: 128–160 [DP: III.1885 (footer of some pages)], 161–162, pls. 4–5. [DP: IV.1885 (p. 161 footer)] https://doi.org/10.2307/25076454

Horn GH (1894) The Coleoptera of Baja California. Proceedings of the California Academy of Sciences (Series 2) 4 [1893–94]: 302–449, pls 7–8. [DP: 3.VIII.1894 (p. 302 footer)]

Iablokoff-Khnzorian SM (1957) New species of Coleoptera from Armenian SSR and Nakhichevan ASSR [in Russian]. Zoologicheskiy Sbornik Akademii Nauk Armyanskoy SSR 3: 153–183.

Iablokoff-Khnzorian SM (1964) Bemerkungen über einige Reitter'sche Typen aus dem Ungarischen Naturwissenschaftlichen Museum (Coleoptera). Folia Entomologica Hungarica (Series Nova) 17: 293–315. [DP: 1964 (volume title page)]

Iablokoff-Khnzorian SM (1983) Fauna Armenia. Vol. 5. Coleoptera, Meloidae and Alleculidae [in Russian]. Akademia Nauk Armyanskoy SSR, Erevan, 155 pp. [DP: 1983 (title page)]

ICZN [International Commission on Zoological Nomenclature] (1957) Direction 63. Completion and in certain cases correction of entries relating to the names of genera belonging to the class Insecta made in the "Official list of generic names in zoology" in the period up to the end of 1936. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 1(E): 21–60.

ICZN [International Commission on Zoological Nomenclature] (1958) Opinion 516. Determination under the Plenary Powers of the relative precedence to be assigned to certain works on the Order Lepidoptera (Class Insecta) published in 1775 by Pieter Cramer, Michael Denis & Ignaz Schiffermüller, Johann Christian Fabricius, Johann Casper Fuessley, and S.A. von Rottemburg respectively. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 19: 1–44.

ICZN [International Commission on Zoological Nomenclature] (1963) Opinion 678. The suppression under the plenary powers of the pamphlet published by Meigen, 1800. Bulletin of Zoological Nomenclature 20: 339–342. [DP: 21.X.1963 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1964) Opinion 710. *Enhydrus* Laporte, 1834 (Insecta, Coleoptera): validated under the plenary powers. Bulletin of Zoological Nomenclature 21: 242–245. [DP: 16.X.1964 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1975) Opinion 1039. *Uloma* Dejean, 1821 and *Phaleria* Latreille, 1802 (Insecta, Coleoptera): designation of type-species under the Plenary Powers. Bulletin of Zoological Nomenclature 32: 136–138. [DP: 22.IX.1975 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1988) Opinion 1495. *Colydium castaneum* Herbst, 1797 (currently *Tribolium castaneum*; Insecta, Coleoptera): specific name conserved. The Bulletin of Zoological Nomenclature 45(2): 171–172 [DP: 24.VI.1988 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1989) Opinion 1525. *Phymatodes* Mulsant, 1839 and *Phymatestes* Pascoe, 1867 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 46: 65–66. [DP: 29.III.1989 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1993a) Opinion 1728. *Planoplatyscelis* Kaszab, 1940 (Insecta, Coleoptera): *Platyscelis margelanica* Kraatz, 1882 designated as the type species. Bulletin of Zoological Nomenclature 50: 176. [DP: 30.VI.1993 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1993b) Opinion 1729. *Platyscelis* Latreille, 1818 (Insecta, Coleoptera): *Tenebrio hypolithus* Pallas, 1781 designated as the type species, so conserving *Oodescelis* Motschulsky, 1845. Bulletin of Zoological Nomenclature 50: 177–178. [DP: 30.VI.1993 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1994a) Opinion 1754. *Histoire abrégée des insectes qui se trouvent aux environs de Paris* (Geoffroy, 1762): some generic names conserved (Crustacea, Insecta). Bulletin of Zoological Nomenclature 51: 58–70. [DP: 30.III.1994 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1994b) Opinion 1763. *Megophrys montana* Kuhl & van Hasselt, 1822 (Amphibia, Anura): generic and specific names placed on Official Lists, and *Leptobrachium parvum* Boulenger, 1893 (currently *Megophrys parva*): specific name conserved. Bulletin of Zoological Nomenclature 51: 84–85. [DP: 30.III.1994 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1995) Opinion 1820. A.A.H. Lichtenstein's (1796, 1797) *Catalogus musei zoologici... Sectio Tertia. Continens Insecta* and D.H. Schneider's (1800) *Verzeichniss einer Parthei Insekten...*: suppressed, with conserva-

tion of some Lichtenstein (1796) names (Insecta and Arachnida). Bulletin of Zoological Nomenclature 52: 283–285. [DP: 28.IX.1995 (wrapper)]

ICZN [International Commission on Zoological Nomenclature] (1999) International Code of Zoological Nomenclature. Fourth edition, adopted by the International Union of Biological Sciences. International Trust for Zoological Nomenclature, London, xxix, 306 pp.

ICZN [International Commission on Zoological Nomenclature] (2009) Opinion 2237 (Case 3422). *Helops* Fabricius, 1775 (Insecta, Coleoptera, Tenebrionidae): usage conserved by designation of *Tenebrio caeruleus* Linnaeus, 1758 as the type species. Bulletin of Zoological Nomenclature 66: 369–370. [DP: 1.XII.2009 (journal website)] https://doi.org/10.21805/bzn.v66i4.a16

ICZN [International Commission on Zoological Nomenclature] (2010a) Opinion 2244 (Case 3443). *Tentyria* Latreille, 1802 (Coleoptera, Tenebrionidae): usage conserved. Bulletin of Zoological Nomenclature 67: 104–105. [DP: 1.III.2010 (journal website)] https://doi.org/10.21805/bzn.v67i1.a13

ICZN [International Commission on Zoological Nomenclature] (2010b) Opinion 2250 (Case 3401). *Delognatha* Lacordaire, 1859 (Insecta, Coleoptera): name conserved. Bulletin of Zoological Nomenclature 67: 190–191. [DP: 1.VI.2010 (journal website)] https://doi.org/10.21805/bzn.v67i2.a14

ICZN [International Commission on Zoological Nomenclature] (2017) Opinion 2398 (Case 3477). *Nesocyrtosoma* Marcuzzi, 1976 (Insecta, Coleoptera, Tenebrionidae): establishment of availability and designation of *Cyrtosoma inflatum* Marcuzzi, 1976 as the type species. Bulletin of Zoological Nomenclature 74: 115–116. [DP: 1.VIII.2017 (journal website)] https://doi.org/10.21805/bzn.v74.a028

ICZN [International Commission on Zoological Nomenclature] (2019) Opinion 2438 (Case 3723). *Bolitophagus cornutus* Fabricius, 1801 (currently *Bolitotherus cornutus*; Insecta, Coleoptera, Tenebrionidae): precedence granted over *Opatrum bifurcum* Fabricius, 1798. Bulletin of Zoological Nomenclature 76: 151–152. [DP: 30.VIII.2019 (journal website)] https://doi.org/10.21805/bzn.v76.a045

ICZN [International Commission on Zoological Nomenclature] (2021) Official Correction 134 (Opinion 1039) – Entry on Official List of Generic Names in Zoology amended. Bulletin of Zoological Nomenclature 78: 59. [DP: 30.IV.2021(p. 59)] https://doi.org/10.21805/bzn.v78.a019

Illiger JKW (1798) Verzeichniss der Käfer Preussens. Entworfen von Johann Gottleib Kugelann Apotheker in Osterode. Mit einer Vorrede des Professors und Pagenhofmeisters Hellwig in Braunschweig, und dem angehängten Versuche einer natürlichen Ordnungs- und Gattungs- Folge der Insekten. J. J. Gebauer, Halle, xlii, 510 pp. [DP: by 19.IX.1798 (Bousquet 2016a: 271)]

Illiger JKW (1804) Familien, Gattungen und Horden der Käfer, Coleoptera, von P.A. Latreille. Magazin für Insektenkunde 3: 1–145. [DP: 1804 (title page)]

Imhoff L (1856) Versuch einer Einführung in das Studium der Koleoptern. Schweighauser, Basel. xxxi + [2] + 114 + [2] + 272 + 25 pls. [DP: by 25.XII.1856 (Bousquet 2016a: 272)]

Ivie MA, Hart CJ (2016) Redefinition of *Diastolinus* Mulsant and Rey, with a review of West Indian blapstinoid genera (Coleoptera: Tenebrionidae: Opatrini). The Coleopterists Bul-

letin 70: 447–481. [DP: 21.IX.2016 (journal website)] https://doi.org/10.1649/0010-065X-70.3.447

Ivie MA, Lord NP, Foley IA, Ślipiński SA (2016) Colydiine genera (Coleoptera: Zopheridae: Colydiinae) of the New World: A key and nomenclatural acts 30 years in the making. The Coleopterists Bulletin 70: 755–788. [DP: 18.XII.2016 (journal website)] https://doi.org/10.1649/0010-065X-70.4.755

Ivie MA, Ślipiński SA (1990) Catalog of the genera of world Colydiidae (Coleoptera). Annales Zoologici (Warszawa) 43(Suppl. 1): 1–32. [DP: 15.XI.1990 (article header)]

Iwan D (1990) New species of *Platyburak* nom. n. (Coleoptera, Tenebrionidae: Platynotini) with an illustrated key to all species in the genus. Annales Historico-Naturales Musei Nationalis Hungarici 82: 123–135. [DP: 31.XII.1990 (Merkl et al. 2008: 225)]

Iwan D (1995a) Revision of the genus *Opatrinus* Dejean, 1821 (Coleoptera, Tenebrionidae: Platynotini). Genus , International Journal of Invertebrate Taxonomy 6: 1–90.

Iwan D (1995b) A revision of the genus *Zidalus* Mulsant et Rey, 1853 (Coleoptera, Tenebrionidae, Platynotini). Genus , International Journal of Invertebrate Taxonomy 6: 359–400. [DP: 15.XII.1995 (article header)]

Iwan D (1995c) A Madagascan genus *Lechius* gen. nov. (Coleoptera: Tenebrionidae: Platynotini). Genus 6: 401–414. [DP: 15.XII.1995 (article header)]

Iwan D (1996) Revision of the genera of the newly-established group of Madagascan melanocratoid Platynotina (Coleoptera: Tenebrionidae: Platynotini). Genus 7: 379–449. [DP: 30.X.1996 (article header)]

Iwan D (1997) Revision of the Asian genera of the tribe Platynotini (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 47: 243–272. [DP: 20.IX.1997 (inside wrapper)]

Iwan D (1998a) Revision of the generic group of the trigonopoid Platynotina (Coleoptera: Tenebrionidae: Platynotini) from South Africa. Part II. Genera *Eviropodus* Koch, *Warchalowskiellus* gen. nov., *Schelodontes* Koch and *Zophodes* Fåhraeus. Annales Zoologici (Warszawa) 48: 55–84. [DP: 30.VIII.1998 (inside wrapper)]

Iwan D (1998b) Revision of the generic group of the trigonopoid Platynotina (Coleoptera: Tenebrionidae: Platynotini) from South Africa. Part III. Genera *Lawrenceus* gen. nov. and *Platycharlesus* gen. nov. Annales Zoologici (Warszawa) 48: 305–311. [DP: 28.XII.1998 (inside wrapper)]

Iwan D (1999a) Revision of the trigonopoid Platynotina (Coleoptera: Tenebrionidae: Platynotini) from South Africa. Part V. Genera *Crypticanus* Fairmaire, 1897 and *Atrocrypticanus* gen. nov. Annales Zoologici (Warszawa) 49[1999–2000]: 55–76. [DP: 30.VI.1999 (inside wrapper)]

Iwan D (1999b) Revision of the trigonopoid Platynotina from South Africa. Part VI. Genus *Claudegirardius* gen. nov. (Coleoptera: Tenebrionidae: Platynotini). Genus 10: 371–379. [DP: 31.X.1999 (article header)]

Iwan D (2000) Revision of the trigonopoid Platynotina from South Africa. Part VII. Genera *Bantodemus* Koch, 1955 and *Parabantodemus* gen. nov. (Coleoptera: Tenebrionidae: Platynotini). Genus 11: 235–350. [DP: 30.VI.2000 (article header)]

Iwan D (2001) Systematics of the Madagascan genera *Clastopus* Fairmaire, 1898 and *Lechius* Iwan, 1995 (Coleoptera: Tenebrionidae: Platynotini). Annales Zoologici (Warszawa) 51: 497–504. [DP: 22.XII.2001 (inside wrapper)]

Iwan D (2002a) Generic classification of the tribe Platynotini (Coleoptera: Tenebrionidae), with notes on phylogeny. Annales Zoologici (Warszawa) 52: 1–149. [DP: 29.III.2002 (inside wrapper)]

Iwan D (2002b) *Aberlencus*, new genus of Platynotini from Angola (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 52: 559–563. [DP: 9.XII.2002 (inside wrapper)]

Iwan D (2002c) Catalogue of the World Platynotini (Coleoptera: Tenebrionidae). Genus 13: 219–323. [DP: 30.VI.2002 (article header)]

Iwan D (2003a) *Synquadrideres*, new genus of Platynotini from Kenya (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 53: 181–187. [DP: 1.V.2003 (inside wrapper)]

Iwan D (2003b) *Platyburmanicus*, new genus of Platynotini from Burma (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 53: 715–717. [DP: 10.XII.2003 (inside wrapper)]

Iwan D, Banaszkiewicz M (2007) *Platymedvedevia*, a new genus of *Ectyateus* group from tropical Africa (Coleoptera: Tenebrionidae: Platynotina). Annales Zoologici (Warszawa) 57: 725–731. [DP: 30.XII.2007 (inside wrapper)] https://doi.org/10.3161/000345408X396666

Iwan D, Kamiński MJ (2014) Taxonomy of the genus *Schelodontes* Koch, 1956 with a key to species (Coleoptera: Tenebrionidae: Platynotina). Insect Systematics and Evolution 45: 159–179. [DP: 25.IV.2014 (p. 159)] https://doi.org/10.1163/1876312X-00002092

Iwan D, Kamiński MJ (2016) Toward a natural classification of opatrine darkling beetles: comparative study of female terminalia. Zoomorphology (Berlin) 135: 453–485. [DP: 5.X.2016 (journal website)] https://doi.org/10.1007/s00435-016-0328-5

Iwan D, Kamiński MJ, Aalbu R (2011) A new genus *Microphylacinus* and revision of the closely related *Phylacinus* Fairmaire, 1896 (Coleoptera: Tenebrionidae: Pedinini) from Madagascar. Zootaxa 2913: 1–15. [DP: 10.VI.2011 (title page footer)] https://doi.org/10.11646/zootaxa.2913.1.1

Iwan D, Löbl I (2007) Nomenclatural notes on tenebrionid beetles of the Palaearctic region (Insecta: Coleoptera). Annales Zoologici (Warsawa) 57: 733–739. [DP: 1.XII.2007 (journal website)]

Iwan D, Löbl I (2008) Family Tenebrionidae Latreille, 1802: tribe Melanimini Seidlitz, 1894; tribe Opatrini Brullé, 1832; tribe Pedinini Eschscholtz, 1829. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 257–258, 258–276, 277–291. [DP: 15.IV.2008 (verso of title page)]

Iwan D, Löbl I (2020) Family Tenebrionidae Latreille, 1802: tribe Dendarini Mulsant & Rey, 1854; tribe Melanimonini Seidlitz, 1894 (1854); tribe Opatrini Brullé, 1832; tribe Pedinini Eschscholtz, 1829. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 299–312, 339–341, 341–366, 368–374. [DP: 17.IX.2020 (verso of title page)]

Iwan D, Löbl I, Bouchard P, Bousquet Y, Kamiński MJ, Merkl O, Ando K, Schawaller W (2020) Family Tenebrionidae Latreille, 1802. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 104–117, 126–138, 155–268, 297–299, 312–313, 341 (Metaclisini), 366–368, 374–375, 384–417, 453–475. [DP: 17.IX.2020 (verso of title page)]

Iwan D, Raś M (2020) Description of new Archaeoglenini Watt, 1974 taxa (Tenebrionidae: Phrenapatinae) with application of non-destructive micro-CT techniques. Annales Zoo-

logici (Warszawa) 70: 775–762. [DP: 30.XII.2020 (journal website)] https://doi.org/10.3161/00034541ANZ2020.70.4.018

Iwan D, Schimrosczyk D (2017) Species groups in the genus *Parastizopus* Gebien, 1938 (Coleoptera, Tenebrionidae). Annales Zoologici (Warszawa) 67: 383–404. [DP: 1.VI.2017 (journal website)] https://doi.org/10.3161/00034541ANZ2017.67.2.014

Jacquelin du Val C (1857) Ordre des Coléoptères, Lin. In: Histoire physique, politique et naturelle de l'Ile de Cuba par Ramon de la Sagra. Seconde partie: histoire naturelle. Tome septième. Arthus Bertrand, Paris, 1–328. [DP: 1857 (title page); by 24.X.1857 (Bousquet 2016a: 278)]

Jacquelin du Val C (1860) Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 241–272. [DP: dates based on wrappers; but see Bousquet (2016a: 276) for notices]

Jacquelin du Val C (1861) Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 273–352. [DP: as above]

Jacquelin du Val C (1863) Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de charactères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 353–423. [DP: as above]

Jakobson GG (1914) Revue critico-bibliographique. 85: Coleopterorum Catalogus, auspiciis et auxilio W. Junk editus a S. Schenkling. Berlin, 8°, 1911–1913. Revue Russe d'Entomologie 13[1913]: 523–534. [DP: 28.III.1914 (Gregorian calendar, wrapper)]

Jakobson GG (1924) Annotationes synonymicae et systematicae de Coleopteris. Russkoe Entomologischeskoe Obozrenie 18[1922–24]: 237–243. [DP: 1924 (wrapper)] https://doi.org/10.25291/VR/1924-VLR-237

Jeannel R, Paulian R (1945) Mission scientifique de l'Omo. VI. 57. Faune des terriers des Rats-Taupes. IV. Coléoptères. Mémoires du Muséum d'Histoire Naturelle de Paris 19: 51–147. [DP: VI.1945 (wrapper); 4ième trim. 1945 (dépôt légal)]

Jedlička A (1965) Neue Carabiden aus Nepal (Coleoptera). Khumbu Himal, Ergebnisse des Forschungsunternehmens Nepal Himalaya 2: 98–107. [DP: 1.IV.1965 (wrapper)] https://doi.org/10.1007/978-3-642-92901-4_8

Johnston MA (2015) A checklist and new species of *Eleodes* Eschscholtz (Coleoptera: Tenebrionidae) pertaining to the subgenus *Promus* LeConte, with a key to the United States species. The Coleopterists Bulletin 69: 11–19. [DP: 18.III.2015 (p. 19)] https://doi.org/10.1649/0010-065X-69.1.11

Johnston MA (2016) Redefinition of the *Eleodes* Eschscholtz subgenera *Tricheleodes* Blaisdell and *Pseudeleodes* Blaisdell, with the description of a new species (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 66: 665–679. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.018

Johnston MA, Smith AD, Matsumoto K, Kamiński MJ (2020) On the taxonomic placement of *Penichrus* Champion, 1885 and a synopsis of North American Opatrini (Coleoptera: Tenebrionidae: Blaptinae). Annales Zoologici 70: 765–774. [DP: 30.XII.2020 (journal website)] https://doi.org/10.3161/00034541ANZ2020.70.4.017

Jolivet P (1951) Contribution à l'étude des Coléoptères Chrysomeloidea de la région Indo-australienne (1re note). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique 27(52): 1–7. [DP: VIII.1951 (article header)]

Kamiński MJ (2013) A new genus and species of the Afrotropical Platynotina from Tanzania (Coleoptera: Tenebrionidae: Pedinini). Acta Entomologica Musei Nationalis Pragae 53: 703–714. [DP: 15.XI.2013 (article header)]

Kamiński MJ (2014) A cladistically based reinterpretation of the taxonomy of two Afrotropical tenebrionid genera *Ectateus* Koch, 1956 and *Selinus* Mulsant and Rey, 1853 (Coleoptera, Tenebrionidae, Platynotina). ZooKeys 415: 81–132. [DP: 12.VI.2014 (title page)] https://doi.org/10.3897/zookeys.415.6406

Kamiński MJ (2015a) Phylogenetic reassessment and biogeography of the *Ectateus* generic group (Coleoptera: Tenebrionidae: Platynotina). Zoological Journal of the Linnean Society 175: 73–106. [DP: 18.VIII.2015 (journal website)] https://doi.org/10.1111/zoj.12263

Kamiński MJ (2015b) Notes on species diversity patterns in Stizopina (Coleoptera: Tenebrionidae), with description of a new genus from Nama Karoo. Annales Zoologici (Warszawa) 65: 131–148. [DP: 1.V.2015 (journal website)] https://doi.org/10.3161/00034541ANZ2015.65.2.002

Kamiński MJ, Gearner OM, Kanda K, Swichtenberg K, Purchart L, Smith AD (2020) First insights into the phylogeny of tok-tokkie beetles (Tenebrionidae: Molurina, Phanerotomeina) and examination of the status of the *Psammodes vialis* species-group. Zoological Journal of the Linnean Society, 1–19. [DP: 6.VI.2020 (journal website, electronic version)] https://doi.org/10.1093/zoolinnean/zlaa052

Kamiński MJ, Iwan D (2017) Revision of the Subtribe Pedinina (Tenebrionidae: Pedinini). Annales Zoologici (Warszawa) 67: 585–607. [DP: 1.IX.2017 (journal website)] https://doi.org/10.3161/00034541ANZ2017.67.3.006

Kamiński MJ, Kanda K, Lumen R, Smith AD, Iwan D (2019a) Molecular phylogeny of Pedinini (Coleoptera, Tenebrionidae) and its implications for higher-level classification. Zoological Journal of the Linnean Society 185: 77–97. [DP: I.2019 (journal website)] https://doi.org/10.1093/zoolinnean/zly033

Kamiński MJ, Kanda K, Lumen R, Ulmer JM, Wirth CC, Bouchard P, Aalbu R, Mal N, Smith AD (2019b) A catalogue of the tribe Sepidiini Eschscholtz, 1829 (Tenebrionidae, Pimeliinae) of the world. ZooKeys 844: 1–121. [DP: 13.V.2019 (p. 1)] https://doi.org/10.3897/zookeys.844.34241

Kamiński MJ, Kanda K, Smith AD (2021a) A new genus of the tribe Asidini (Coleoptera: Tenebrionidae) from South Africa, with description of two new species. Annales Zoologici

71: 195–200. [DP: printed 30.IV.2021 (p. 195)] https://doi.org/10.3161/00034541ANZ2021.71.1.009

Kamiński M, Lumen R, Kanda K, Iwan D, Johnston MA, Kergoat G, Bouchard P, Bai X, Li X, Ren G-D, Smith AD (2021b) Reevaluation of Blapimorpha and Opatrinae: addressing a major phylogeny-classification gap in darkling beetles (Coleoptera: Tenebrionidae). Systematcic Entomology 46: 140–156. [DP: 9.I.2021 (journal website)] https://doi.org/10.1111/syen.12453

Kamiński MJ, Lumen R, Kubicz M, Kanda K, Iwan D (2019c) Immature stages of beetles representing the 'Opatrinoid' clade (Coleoptera: Tenebrionidae): an overview of current knowledge of the larval morphology. Zoomorphology 138: 349–370. [DP: 16.IV.2019 (journal website)] https://doi.org/10.1007/s00435-019-00443-7

Kamiński MJ, Ras M (2011) New status of the genus *Ectateus* Koch, 1956 with taxonomic notes on the *Ectateus* generic group (Coleoptera: Tenebrionidae: Platynotina). Annales Zoologici (Warszawa) 61: 647–655. [DP: 1.XII.2011 (journal website)] https://doi.org/10.3161/000345411X622507

Kamiński MJ, Schawaller W (2019) The taxonomic identity of some enigmatic darkling beetle genera: *Archinamaqua* Schawaller, 2012 and *Menederopsis* Koch, 1954 (Coleoptera: Tenebrionidae) from Namaqualand, South Africa. Zootaxa 4543: 291–294. [DP: 7.I.2019 (title page footer)] https://doi.org/10.11646/zootaxa.4543.2.8

Kammerer CF (2006) Notes on some preoccupied names in Arthropoda. Acta Zootaxonomica Sinica 31: 269–271. [DP: IV.2006 (article header)]

Kanda K (2013) *Madreallecula mcclevei* Kanda (Coleoptera: Tenebrionidae: Alleculinae: Alleculini), new genus and new species of comb-clawed beetle from Arizona, USA. The Coleopterists Bulletin 67: 587–590. [DP: 23.XII.2013 (inside wrapper)] https://doi.org/10.1649/0010-065X-67.4.587

Kanda K (2016) *Grabulax* gen. nov. *darlingtoni* sp. nov. (Tenebrionidae: Lagriinae: Laenini) from Colombia, with reevaluation of New World Laenini. Annales Zoologici (Warszawa) 66: 557–562. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.007

Karsch F (1881) Die Käfer der Rohlfs'schen Afrikanischen Expedition 1878–79. Berliner Entomologische Zeitschrift 25: 41–50, pl. 2 (figs. 2–9). [DP: by 13.IV.1881 (*Soc Ent Fr*)] https://doi.org/10.1002/mmnd.18810250108

Kaszab Z (1938) Die Arten der Gattungen *Cnemeplatia* Costa und *Psilachnopus* Reitter (Col. Tenebr. Opatrinae). Entomologisk Tidskrift 59: 77–83. [DP: printed 10.V.1938, distributed 24.V.1938 (back wrapper)]

Kaszab Z (1939a) Neue indomalayische Tenebrioniden. (Coleoptera.). Arbeiten über Morphologische und Taxonomische Entomologie aus Berlin-Dahlem 6: 95–111. [DP: 20.V.1939 (wrapper)]

Kaszab Z (1939b) Tenebrioniden aus Neu-Guinea. Nova Guinea (New Series) 3: 185–267. [DP: 1939 (wrapper)]

Kaszab Z (1940a) Revision der Tenebrioniden-Tribus Platyscelini. (Col. Teneb.). Mitteilungen der Münchner Entomologischen Gesellschaft 30: 119–235. [DP: 1.III.1940 (wrapper)]

Kaszab Z (1940b) Revision der Tenebrioniden-Tribus Platyscelini (Col. Teneb.). Mitteilungen der Münchner Entomologischen Gesellschaft 30: 896–1003. [DP: 15.IX.1940 (wrapper)]

Kaszab Z (1940c) Neue exotische Tenebrioniden (Coleopt.). Annales Historico-Naturales Musei Nationalis Hungarici (pars Zoologica) 33: 172–174. [DP: 1.VII.1940 (Merkl et al. 2008: 133)]

Kaszab Z (1941a) Die indomalayischen Misolampinen (Coleopt., Tenebr.). Annales Historico-Naturales Musei Nationalis Hungarici (pars Zoologica) 34: 1–44, pl. 1. [DP: 1.VII.1941 (Merkl et al. 2008: 135)]

Kaszab Z (1941b) Tenebrioniden aus Formosa (Col.). Stettiner Entomologische Zeitung 102: 51–72. [DP: VII.1941 (Inhalt)]

Kaszab Z (1941c) Eine neue Unterfamilie und eine neue Tribus aus der Familie der Tenebrionidae. Entomologische Blätter 37: 29–38. [DP: 28.II.1941 (wrapper)]

Kaszab Z (1942) Beiträge zur Kenntnis der orientalischen Opatrinen (Col., Teneb.). Mitteilungen der Münchner Entomologischen Gesellschaft 32: 1–43. [DP: 15.IV.1942 (wrapper)]

Kaszab Z (1946a) Monographie der Leiochrinen. Ungarisches Naturwissenschaftliches Museum, Budapest, 221, [2] pp., 1 pl. [DP: 1946 (title page)]

Kaszab Z (1946b) Eine neue Gattung der Gnathidiinen (Coleopt., Tenebr.). Folia Entomologica Hungarica (Series Nova) 1: 19–21. [DP: 1946 (wrapper)]

Kaszab Z (1954) Über die von Herrn J. Klapperich in der chinesischen Provinz Fukien gesammelten Tenebrioniden (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici (Series Nova) 5[46]: 247–264. [DP: 31.XII.1954 (Merkl et al. 2008: 151)]

Kaszab Z (1955a) Tenebrioniden der Fiji-Inseln. Proceedings of the Hawaiian Entomological Society 15[1954]: 423–563. [DP: VI.1955 (p. 373 header)]

Kaszab Z (1955b) Der Tenebrioniden der Samoa-Inseln (Coleoptera). Proceedings of the Hawaiian Entomological Society 15: 639–671. [DP: VI.1955 (p. 373 header)]

Kaszab Z (1956a) Neue Tenebrioniden (Coleoptera) aus der papuanischen und aus der indomalayischen Region. Annales Historico-Naturales Musei Nationalis Hungarici (Series Nova) 7[48]: 93–108. [DP: 31.XII.1956 (Merkl et al. 2008: 157)]

Kaszab Z (1956b) Neue Tenebrioniden-Arten aus Belgisch Kongo (Coleoptera). Revue de Zoologie et de Botanique Africaines 54: 97–114, pl. 4. [DP: 20.X.1956 (article header)]

Kaszab Z (1957) Zehn neue Tenebrioniden aus Asien (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici (Series Nova) 8[49]: 289–299. [DP: 31.XII.1957 (Merkl et al. 2008: 160)]

Kaszab Z (1958) Einige neue Tenebrioniden aus den Papuanischen Inseln (Coleoptera). Idea 11: 1–13. [DP: 31.I.1958 (Bibliography of Agriculture 22(8): 121]

Kaszab Z (1959a) Die Tenebrioniden Afghanistans, auf Grund der Ergenbnisse der Sammelreise des Herrn J. Klapperich in den Jahren 1952/53 (Col.). Entomologischen Arbeiten aus dem Museum G. Frey 10: 321–404. [DP: 1.XI.1959 (verso of cover)]

Kaszab Z (1959b) Neue *Leptodes*-Arten aus Asien, nebst einer Revision der Leptodini (Coleoptera, Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 4: 349–368. [DP: 9.II.1959 (page 4 of cover of issue 3–4)]

Kaszab Z (1960a) Die Tenebrioniden Afghanistans auf Grund der Ergebnisse des Sammelreise des Herrn J. Klapperich in den Jahren 1952/53 (Col.) 1. Fortsetzung und Schluß. Entomologische Arbeiten aus dem Museum G. Frey 11: 1–179. [DP: 1.IV.1960 (verso of cover)]

Kaszab Z (1960b) Neue orientalische Misolampinen (Coleoptera, Tenebrionidae). Annales Historico-Naturales Musei Nationalis Hungarici 52: 265–294. [DP: 31.XII.1960 (Merkl et al. 2008: 167)]

Kaszab Z (1961a) Beiträge zur Kenntnis der Tenebrioniden-Tribus Leiochrini (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici 53: 357–380. [DP: 31.XII.1961 (Merkl et al. 2008: 169)]

Kaszab Z (1961b) Neue Tenebrioiniden (Coleoptera) aus der Zoologischen Staatssammlung in München. Mitteilungen der Münchner Entomologischen Gesellschaft 51: 213–230. [DP: 1.XII.1961 (wrapper)]

Kaszab Z (1962a) Beiträge zur Kenntnis einiger asiatischen Tenebrioniden-Gattungen und Arten (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici 54: 299–317. [DP: 31.XII.1962 (Merkl et al. 2008: 172)]

Kaszab Z (1962b) Beiträge zur Kenntnis der chinesischen Tenebrioniden-Fauna (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 8: 75–86. [DP: 26.II.1962 (page 4 of cover of issue 1–2)]

Kaszab Z (1964a) Tenebrioniden (Coleoptera) der Insel Amboina, gesammelt von A.M.R. Wegner. Tijdschrift voor Entomologie 107: 283–296. [DP: 6.VII.1964 (wrapper)]

Kaszab Z (1964b) Eine neue Tenebrioniden-Gattung aus Neu-Guinea. Entomologische Berichten 24: 104–106. [DP: 1.VI.1964 (article header)]

Kaszab Z (1964c) The zoological results of Gy. Topál's collectings in South Argentina. 13. Coleoptera – Tenebrionidae. Annales Historico-Naturales Musei Nationalis Hungarici 56: 353–387. [DP: 31.XII.1964 (Merkl et al. 2008: 177)]

Kaszab Z (1965) Wissenschaftliche Ergebnisse der von Dr. F. Schmid in Indien gesammelten Tenebrioniden (Coleoptera). Miscelánea Zoológica 2(1): 107–130. [DP: XI.1965 (wrapper)]

Kaszab Z (1966) Revision der Tenebrioniden-Gattung *Microdera* Eschsch. (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 12: 279–305. [DP: 6.VIII.1966 (page 4 of cover of issue 3–4)]

Kaszab Z (1967) Coleoptera: Tenebrionidae der Mongolisch-Deutschen biologischen expedition 1964. Ergebnisse der Mongolisch-Deutschen Biologischen Expeditionen seit 1962, Nr 19. Mitteilungen aus dem Zoologischen Museum in Berlin 43: 3–33. [DP: 12.V.1967 (reprint wrapper)] https://doi.org/10.1002/mmnz.4830430102

Kaszab Z (1968) Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. 168. Tenebrionidae (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 14: 339–397. [DP: 29.VI.1968 (page 4 of cover of issue 3–4)]

Kaszab Z (1969a) The scientific results of the Hungarian soil zoological expeditions to the Brazzaville-Congo. 37. Coleoptera: Tenebrionidae. Annales Historico-Naturales Musei Nationalis Hungarici 61: 225–265. [DP: 31.XII.1969 (Merkl et al. 2008: 188)]

Kaszab Z (1969b) The scientific results of the Hungarian soil zoological expeditions to South America. 17. Tenebrioniden aus Chile (Coleoptera). Opuscula Zoologica (Budapest) 9: 291–337. [DP: 1969 (p. 127)]

Kaszab Z (1970a) The scientific results of the Hungarian soil zoological expedition to New Guinea. Tenebrionidae (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici 62: 257–280. [DP: 31.XII.1970 (Merkl et al. 2008: 190)]

Kaszab Z (1970b) Coleoptera Tenebrionidae. In: Mission zoologique belge aux îles Galapagos et en Ecuador (N. et J. Leleup, 1964–1965). Résultats scientifiques. Deuxième partie. Institut Royal des Sciences Naturelles de Belgique, Bruxelles, 181–210. [DP: XII.1970 (p. [6])]

Kaszab Z (1970c) Fünf neue Tenebrioniden aus Asien (Coleoptera). Entomologische Arbeiten aus dem Museum G. Frey 21: 112–122. [DP: 1.XI.1970 (verso of cover)]

Kaszab Z (1970d) Beiträge zur Kenntnis der Tenebrioniden-Fauna von Nepal (Coleoptera). Khumbu Himal 3: 422–434.

Kaszab Z (1973a) Tenebrioniden (Coleoptera) aus Nepal. Acta Zoologica Academiae Scientiarum Hungaricae 19: 23–74, 5 pls. [DP: 15.V.1973 (page 4 of cover of issue 1–2)]

Kaszab Z (1973b) Zwei neue Myrmecophile Tenebrioniden-Arten (Coleoptera) aus Brasilien. Studia Entomologica (Nova Série) 16: 315–320. [DP: 31.X.1973 (p. 540)]

Kaszab Z (1973c) Revision der Arten der Tenebrioniden-Gattung *Scotoderus* Perroud & Montrouzier (Coleoptera). Folia Entomologica Hungarica (Series Nova) 26(2): 257–285. [DP: 31.X.1973 (verso of title page)]

Kaszab Z (1975a) Tenebrioniden aus Indien (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 21: 1–38. [DP: 31.I.1975 (page 4 of cover of issue 1–2)]

Kaszab Z (1975b) Revision der asiatischen Platynotinen (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 21: 277–367. [DP: 15.VIII.1975 (page 4 of cover of issue 3–4)]

Kaszab Z (1975c) Die Arten der Tenebrioniden-Gattung *Microcrypticus* Gebien 1920 (Coleoptera). Folia Entomologica Hungarica (Series Nova) 28(1): 99–104. [DP: 31.X.1975 (verso of title page)]

Kaszab Z (1976) Die Arten der Gattung *Spinolagriella* Pic, 1955. (Coleoptera, Tenebrionidae). Revue de Zoologie Africaine 90: 452–462. [DP: 30.VI.1976 (article header)]

Kaszab Z (1977a) Die Phrenapatinen des Papuanisch-Pazifischen Gebietes (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 23: 299–339. [DP: 14.X.1977 (page 4 of cover of issue 3–4)]

Kaszab Z (1977b) Die Tenebrioniden des papuanischen Gebietes. I. Strongyliini (Coleoptera: Tenebrionidae). Pacific Insects Monograph 33: 1–219. [DP: XI.1977 (article header)] https://doi.org/10.1093/jmedent/15.1.42

Kaszab Z (1977c) Tenebrionidae der Nepal-Expeditionen von Dr. J. Martens (1969–1974) (Insecta: Coleoptera). Senckenbergiana Biologica 57: 241–283. [DP: 29.IV.1977 (article header)]

Kaszab Z (1978a) Australische und südpazifische Tenebrioniden der Tribus Phrenapatini und Gnathidiini (Coleoptera) sowie synonymische Bemerkungen. Annales Historico-Naturales Musei Nationalis Hungarici 70: 163–177. [DP: 31.XII.1978 (Merkl et al. 2008: 206)]

Kaszab Z (1978b) Die Eurymetopini (Coleoptera: Tenebrionidae) aus Chile. Folia Entomologica Hungarica (Series Nova) 31(1): 51–58. [DP: 30.VI.1978 (verso of title page)]

Kaszab Z (1979a) Revision der asiatischen *Arthrodosis*-Artigen Erodiini (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 25: 69–119. [DP: 3.I.1979 (page 4 of cover of issue 1–2)]

Kaszab Z (1979b) Tenebrioniden aus Südindien (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 25: 259–310. [DP: 15.IX.1979 (page 4 of cover of issue 3–4)]

Kaszab Z (1979c) Insects of Saudi Arabia. Coleoptera: Fam. Tenebrionidae. Fauna of Saudi Arabia 1: 257–288. [DP: 5.III.1979 (Contents)]

Kaszab Z (1980a) Neue Tenebrioniden (Coleoptera) aus Sri Lanka. I. Acta Zoologica Academiae Scientarum Hungaricae 26: 123–196. [DP: 16.III.1980 (page 4 of cover of issue 1–3)]

Kaszab Z (1980b) Neue Tenebrioniden (Coleoptera) aus Sri Lanka. II. Acta Zoologica Academiae Scientiarum Hungaricae 26: 285–375. [DP: 25.VII.1980 (page 4 of cover of issue 4)]

Kaszab Z (1980c) Angaben zur Kenntnis der Tenebrioniden Nordvietnams (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici 72: 169–221. [DP: 31.XII.1980 (Merkl et al. 2008: 210)]

Kaszab Z (1981a) Neue südamerikanische Tenebrioniden (Coleoptera). Folia Entomologica Hungarica (Series Nova) 34(2): 77–84. [DP: 21.XI.1981 (verso of title page)]

Kaszab Z (1981b) Insects of Saudi Arabia. Coleoptera: fam. Tenebrionidae (part 2). Fauna of Saudi Arabia 3: 276–401. [DP: 1.XII.1981 (Contents)]

Kaszab Z (1982a) Die Gattung *Iscanus* Fauvel (Coleoptera, Tenebrionidae) aus dem Pazifik. Folia Entomologica Hungarica 43(1): 59–62. [DP: 30.VI.1982 (verso of title page)]

Kaszab Z (1982b) Die Tenebrioniden Neukaledoniens und der Loyauté-Inseln (Coleoptera). Folia Entomologica Hungarica 43(2): 1–294, 23 pls. [DP: 1.XII.1982 (verso of title page)]

Kaszab Z (1982c) Neue Orientalische Tenebrioniden (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 28: 57–80. [DP: 25.I.1982 (page 4 of cover of issue 1–2)]

Kaszab Z (1982d) Revision der Australischen *Uloma*-Arten (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 28: 233–291. [DP: 20.IX.1982 (page 4 of cover of issue 3–4)]

Kaszab Z (1983a) Synonymie Indoaustralischer und Neotropischer Tenebrioniden (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 29: 129–138. [DP: 20.IV.1983 (page 4 of cover of issue 1–3)]

Kaszab Z (1983b) Über die mit *Psydus* verwandten Gattungen der Cnodaloninen (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 29: 375–387.

Kaszab Z (1983c) Über die Gattung *Leprocaulus* Fairmaire, 1896 (Coleoptera, Tenebrionidae). Annales Historico-Naturales Musei Nationalis Hungarici 75: 177–183. [DP: 31.XII.1983 (Merkl et al. 2008: 215)]

Kaszab Z (1983d) Die Tenebrionidengattung *Rehumius* Fairmaire, 1893 (Coleoptera). Folia Entomologica Hungarica 44(1): 83–87. [DP: 30.VI.1983 (verso of title page)]

Kaszab Z (1984) Über die mit *Pigeus* Gebien, 1917 und *Hoploedipus* Fairmaire, 1898 verwandten Camariinen aus der Orientalischen Region (Coleoptera: Tenebrionidae). Acta Zoologica Hungarica 30: 353–391. [DP: XI.1984 (p. [551])]

Kaszab Z (1985) Beiträge zur Kenntnis der pazifischen Tenebrioniden (Coleoptera). Folia Entomologica Hungarica 46(1): 23–63. [DP: 30.VI.1985 (verso of title page)]

Kaszab Z (1986) Die Misolampinen aus Neuguinea (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 32: 285–301.

Kaszab Z (1987) Die Papuanish-Australischen Arten der Gattung *Derosphaerus* Thompson, 1858 (Coleoptera: Tenebrionidae). Acta Zoologica Hungarica 33: 41–85. [DP: by 4.XI.1987 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Kaszab Z (1988) Katalog und Bestimmungstabelle der Gattung *Promethis* Pascoe, 1869 (Coleoptera, Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 34: 67–170. [DP: by 27.V.1988 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Kaszab Z, Medvedev GS (1984) Drei neue asiatische Tenebrioniden (Coleteopra [sic]). Acta Zoologica Academiae Scientiarum Hungaricae 30: 79–85. [DP: IV.1984 (p. 248)]

Kaszab Z, Schawaller W (1984) Eine neue Schwarzkäfer-Gattung und -Art aus Dominikanischem Bernstein (Coleoptera, Tenebrionidae). Stuttgarter Beiträge zur Naturkunde Serie B (Geologie und Paläontologie) 109: 1–6. [DP: 31.XII.1984 (article header)]

Keleinikova SI (1963) A new genus and species of the tribe Tentyriini (Coleoptera, Tenebrionidae) from Kyrgyzstan [in Russian]. Zoologicheskiy Zhurnal 42: 622–623. [DP: after 2.IV.1963 (censor date); by 17.V.1963 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Keleinikova SI (1977) New darkling beetles (Coleoptera, Tenebrionidae) from Turkmenia [in Russian]. Entomologicheskoe Obozrenie 56: 653–655. [DP: after 21.IX.1977 (censor date); by 5.XII.1977 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Kergoat GJ, Bouchard P, Clamens A-L, Abbate JL, Jourdan H, Jabbour-Zahab R, Genson G, Soldati L, Condamine FL (2014a) Cretaceous environmental changes led to high extinction rates in a hyperdiverse beetle family. BMC Evolutionary Biology 14: 220, pp. 1–13. [DP: 21.X.2014 (journal website)] https://doi.org/10.1186/s12862-014-0220-1

Kergoat GJ, Soldati L, Clamens A-L, Jourdan H, Jabbour-Zahab R, Genson G, Bouchard P, Condamine FL (2014b) Higher-level molecular phylogeny of darkling beetles (Coleoptera, Tenebrionidae). Systematic Entomology 39: 486–499. [DP: 20.VI.2014 (journal website)] https://doi.org/10.1111/syen.12065

Kerzhner IM (1984) Dates of publication of «Trudy Russkogo Entomologicheskogo Obshchestva» and «Horae Societatis Entomologicae Rossicae», 1861–1932 [in Russian]. Entomologicheskoe Obozrenie 63: 849–857. [DP: after 17.XII.1984 (censor date)]

Kerzhner IM (2003) On the gender of heteropteran generic names ending in *-dema*. Zoosystematica Rossica 11[2002]: 321–322.

Keskin B, Nabozhenko MV (2012) *Idahelops alpagutae* (Coleoptera: Tenebrionidae: Helopini): a new genus and species from the Aegean region of Turkey. Zootaxa 3207: 63–67. [DP: 27.II.2012 (title page footer)] https://doi.org/10.11646/zootaxa.3207.1.5

Keskin B, Nabozhenko MV (2015) The new genus *Taurohelops* Keskin and Nabozhenko (Coleoptera: Tenebrionidae) from Anatolia, Turkey. The Coleopterists Society Monograph 14: 83–92. [DP: 18.XII.2015 (journal website)] https://doi.org/10.1649/0010-065X-69.mo4.83

Keskin B, Nabozhenko MV, Alpagut-Keskin (2017) Taxonomic review of the genera *Nalassus* Mulsant, 1854 and *Turkonalassus* gen. nov. of Turkey (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 67(4): 725–747. [DP: 30.XII.2017 (cover)] https://doi.org/10.3161/00034541ANZ2017.67.4.009

Kielmeyer C von, Jäger G (1835) Amtlicher Bericht über die Versammlung deutscher Naturforscher und Ärzte zu Stuttgart im September 1834. J.B. Metzler, Stuttgart, iv, 133, [1] pp. [DP: 1835 (title page); after 20.VI.1835 (date of Vorwort)]

Kirby W (1819a) A century of insects, including several new genera described from his cabinet. The Transactions of the Linnean Society of London 12[1818]: 375–453, pls 21–22. [DP: 2.VII.1819 (Raphael 1970)] https://doi.org/10.1111/j.1095-8339.1817.tb00239.x

Kirby W (1819b) A description of several new species of insects collected in New Holland by Robert Brown, Esq. F.R.S. Lib. Linn. Soc. Transactions of the Linnean Society of London 12[1818]: 454–478, 482, pl. 23. [DP: 2.VII.1819 (Raphael 1970)] https://doi.org/10.1111/j.1095-8339.1817.tb00240.x

Kirby W (1828) A description of some coleopterous insects in the collection of the Rev. F.W. Hope, F.L.S. The Zoological Journal 3[1827–28]: 520–525. [DP: IV.1828 (p. 481)]

Kirby W (1837) Fauna Boreali-Americana; or the zoology of the northern parts of British America: containing descriptions of the objects of natural history collected on the late Northern Land Expeditions, under command of captain Sir John Franklin, R.N. by John Richardson, assisted by William Swainson, and the Reverend William Kirby. Illustrated by several coloured engravings. Published under the authority of the Right Honourable the Secretary of State for colonial affairs. Josiah Fletcher, Norwich, xxxix, 329 pp., 8 pls. [DP: by 14.X.1837 (Bousquet 2016a: 290)]

Kirby WF (1885a) Coleoptera. In: Rye EC (Ed.) The Zoological Record for 1883; being the volume twentieth of the record of zoological literature [l884]. John Van Voorst, London, 16–123. [DP: at least I.1885 (date of Preface)]

Kirby WF (1885b) Coleoptera. In: Bell FJ (Ed.) The Zoological Record for 1884; being volume the twenty-first ofthe record of zoological literature. John Van Voorst, London, 14–125. [DP: at least I7.XII.1885 (date of Preface)]

Kirejtshuk AG, Nabozhenko MV, Nel A (2010) New genus and species of the tribe Opatrini (Coleoptera, Tenebrionidae, Tenebrioninae) from the lowermost Eocene amber of Paris basin. Proceedings of the Zoological Institute RAS 314: 191–196. [DP: 25.VI.2010 (journal website)]

Kirejtshuk AG, Nabozhenko MV, Nel A (2011) First Mesozoic representative of the subfamily Tenebrioninae (Coleoptera, Tenebrionidae) from the lower cretaceous of Yixian (China, Liaoning Province) [in Russian]. Entomologicheskoe Obozrenie 90: 548–552. [DP: after 6.IX.2011 (censor date)] [English translation in Entomological Review 92: 97–100] https://doi.org/10.1134/S0013873812010101

Kirejtshuk AG, Nel A, Kirejtshuk PA (2016) Taxonomy of the reticulate beetles of the subfamily Cupedinae (Coleoptera: Archostemata), with a review of the historical development. Invertebrate Zoology 13: 61–190. [DP: 13.X.2016 (jopurnal website)] https://doi.org/10.15298/invertzool.13.2.01

Kirsch T (1865) Beiträge zur Käferfauna von Bogotà. Berliner Entomologische Zeitschrift 9: 40–104. [DP: IV.1865 (p. vi)]

Kirsch T (1866) Beiträge zur Käferfauna von Bogotà (Zweites Stück.). Berliner Entomologische Zeitschrift 10: 173–216. [DP: 31.VII.1866 (wrapper)] https://doi.org/10.1002/mmnd.18660100113

Kirsch T (1874) Beiträge zur Kenntniss der Peruanischen Käferfauna auf Dr. Abendroth's Sammlungen basirt (Zweites Stück). Berliner Entomologische Zeitschrift 17[1873](3–4): 339–418. [DP: 28.II.1874 (wrapper)] https://doi.org/10.1002/mmnd.47918740324

Klug JCF (1829) Preis-Verzeichniss vorräthiger Insectendoubletten des Königl. zoologischen Museums der Universität. Berlin, 18 pp. [DP: 1829 (title page)]

Klug JCF (1833) Bericht über eine auf Madagascar veranstaltete Sammlung von Insecten aus der Ordnung Coleoptera. Eine in der Königl. Akademie der Wissenschaften am 29. März

1832 gelesene Abhandlung. Mit fünf illuminirten Tafeln. Königlichen Akademie der Wissenschaften, Berlin, 135 pp, 5 pls. [DP: 1833 (title page); after 13.XI.1833 (date on p. 132)]

Klug JCF (1835) Insekten. In: Reise um die Erde durch Nord-Asien und die beiden Oceane, in den Jahren 1828, 1829 und 1830 ausgeführt von Adolph Erman. Naturhistorischer Atlas. G. Reimer, Berlin, 27–52, pls XV–XVI. [DP: by 30.XII.1835 (Bousquet 2016a: 295)]

Kneucker A (1922) Zoologische Ergebnisse zweier in den Jahren 1902 und 1904 durch die Sinaihalbinsel unternommener botanischer Studienreisen. II. Theil. Entomologische Blätter 18: 20–28. [DP: by IX.1922 (*Nat Nov*)]

Koch C (1934) Beitrag zur Kenntnis der Tenebrioniden vom Gebel Elba und Mersa Halaib (Coleoptera). Bulletin de la Société Royale Entomologique d'Égypte 18: 92–103. [DP: after 24.II.1934 (Séance date)]

Koch C (1935) Wissenschaftliche Ergebnisse der entomologischen Expedition seiner Durchlaucht des Fuersten A. Della Torre e Tasso nach Aegypten und auf die Halbinsel Sinai. VII. Tenebrionidae (Coleoptera). Bulletin de la Société Royale Entomologique d'Égypte 19: 2–111. [DP: 27.XII.1935 (verso of volume title page)]

Koch C (1937) Wissenschaftliche Ergebnisse über die während der Expeditionen seiner Durchlaucht des Fürsten Alessandro C. della Torre e Tasso in Lybien aufgefundenen Tenebrioniden. Pubblicazioni del Museo Entomologico "Pietro Rossi" Duino 2: 285–500. [DP: 1.V.1937 (wrapper)]

Koch C (1939) Die Käfer der libyschen Ausbeute des Herrn Georg Frey. Mitteilungen der Münchner Entomologischen Gesellschaft 29: 216–293. [DP: 1.VII.1939 (Inhalt)]

Koch C (1940a) Phylogenetische, biogeographische und systematische Studien über ungeflügelte Tenebrioniden (Col. Tenebr.). Mitteilungen der Münchner Entomologischen Gesellschaft 30: 254–337. [DP: 1.III.1940 (Inhalt, p. ii)]

Koch C (1940b) Phylogenetische, biogeographische und systematische Studien über ungeflügelte Tenebrioniden (Col. Tenebr.) II. Mitteilungen der Münchner Entomologischen Gesellschaft 30: 683–750, pls 18–20. [DP: 15.VI.1940 (Inhalt, p. ii)]

Koch C (1940c) Der Saharo-sindische Verbreitungs-Typus bei der ungefluegelten Tenebrioniden–Gattung *Mesostena* unter Berücksichtigung ähnlicher biogeographischer Verhältnisse der *Tentyria*-Stamm-Gruppe *Tentyrina* (Col. Tenebr.). Rivista di Biologia Coloniale 3: 1–137. [DP: IV.1940 (fascicle title page)]

Koch C (1941) Phylogenetische biogeographishe und systematische Studien über ungflügelte Tenebrioniden (Col. Tenebr.) III. Mitteilungen der Münchner Entomologischen Gesellschaft 31: 252–314, 2 pls. [DP: 15.I.1941 (Inhalt, p. ii)]

Koch C (1943a) Phylogenetische biogeographishe und systematische Studien über ungflügelte Tenebrioniden (Col. Tenebr.) IV. Mitteilungen der Münchner Entomologischen Gesellschaft 33: 479–597. [DP: 15.XII.1943 (Inhalt, p. ii)]

Koch C (1943b) Revision der Tenebrionidengattungen *Thalpophila* und *Rhytinota* (Col. Tenebr.). Mitteilungen der Münchner Entomologischen Gesellschaft 33: 759–889. [DP: 15.XII.1943 (Inhalt, p. ii)]

Koch C (1944a) Uebersicht über die mit der Gattung *Gnophota* verwandten südafrikanischen Tentyriini. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 19[1943–46]: 157–168. [DP: 15.III.1944 (article header)]

Koch C (1944b) Die Adesmiini der tropischen und subtropischen Savannen Afrikas. Revue de Zoologie et de Botanique Africaines 38: 139–191, pls 14–17. [DP: 15.VII.1944 (article header)]

Koch C (1948) Beitrag zur Kenntnis der Tribus Litoborini der Tenebrioniden-Unterfamilie der Opatrinae (Col. Ten.). Eos, Revista Española de Entomologia 24: 403–433. [DP: 31.X.1948 (wrapper)]

Koch C (1950a) Proposed change of African generic names in the family Tenebrionidae (Col.). The Entomologist 83: 66–68. [DP: 16.III.1950 (p. iv)]

Koch C (1950b) The Tenebrionidae of southern Africa. I. First account of the Tenebrionidae collected on the University of California – Transvaal Museum Expedition, 1948. Annals of the Transvaal Museum 21[1948–51]: 273–367, pls 4–22. [DP: 1950 (*Zool Rec*)]

Koch C (1950c) The Tenebrionidae (Col.) of southern Africa. V. Contribution to the knowledge of the *Caedius*-group of Opatrini and the Crypticini from south of the Sahara. Memórias do Museu Dr. Alvaro de Castro 1: 35–90, pls 1–7. [DP: 1950 (title page)]

Koch C (1951) Die Tenebrioniden des südlichen Afrikas. VII. *Arturium* nov. gen. Molurinorum ex aff. *Phrynocolus* Lac. Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano 90: 81–96, pl. 4. [DP: IX.1951 (fascicle title page)]

Koch C (1952a) The Tenebrionidae of southern Africa. XII. Supplementary notes to preliminary articles nos. I, III, V and VIII. Annals of the Transvaal Museum 22[1952–56]: 79–196, pls 6–16.

Koch C (1952b) The Tenebrionidae of southern Africa. VIII. Materials for a monographic study on Eurychorini (Coleoptera). Bulletin de la Société Fouad Ier d'Entomologie 36: 1–125, pls 1–13. [DP: 15.III.1952 (verso of title page)]

Koch C (1952c) The Tenebrionidae of southern Africa. VI. The Angolan Cryptochilini. Publicações Culturais da Companhia de Diamantes de Angola 15: 39–89. [DP: separate 6.XII.1952 (p. [37])]

Koch C (1952d) Die Tenebrioniden des südlichen Afrikas. XIII. Vorstudien zu einer Monographie der Molurini, 3. Entomologische Arbeiten aus dem Museum G. Frey 3: 214–349, 5 pls. [DP: 31.VIII.1952 (Inhalt)]

Koch C (1953a) The Tenebrionidae of southern Africa. XXVI. New Port. East African species collected by Dr. A. J. Barbosa. Revista da Faculdade de Ciéncias, Universidade de Lisboa (2: Serie C, Ciencias Naturais) 3: 239–310, pl. 1.

Koch C (1953b) The Tenebrionidae of Southern Africa. XI: New Epitragini and Cryptochilini from the British Museum. Proceedings of the Royal Entomological Society of London (B) 22: 155–163. [DP: 1.X.1953 (journal website)] https://doi.org/10.1111/j.1365-3113.1953.tb00078.x

Koch C (1953c) Vorläufige Beschreibung neuer Tenebrioniden des südlichen Afrikas aus der Sammlung der Universität Lund. 1. Lunds Universität Årsskrift (Ny Följd., Andra Avdelningen) 49(9): 1–24. [DP: printed 15.IX.1953 (p. 24)]

Koch C (1953d) The Tenebrionidae of southern Africa XVII. Contribution to the fauna of Angola. Publicações Culturais da Companhia de Diamantes de Angola 16: 61–96. [DP: separate 31.VII.1953 (p. [61])]

Koch C (1953e) The Tenebrionidae of Southern Africa. XXI. On some new endemic Opatrinae from the Namib Desert. Annals of the Transvaal Museum 22: 231–252.

Koch C (1953f) Die Tenebrioniden des südlichen Afrikas XIV. Über einige neue Molurini aus dem Ungarischen Naturwissenschaftlichen Museum zu Budapest (Vorarbeiten zu einer Monographie der Molurini, 4.). Annales Historico-Naturales Musei Nationalis Hungarici (Series Nova) 3[44] [1952]: 137–181, pls 5–6. [DP: 31.XII.1953 (Merkl et al. 2008: 149)]

Koch C (1953g) The Tenebrionidae of Southern Africa. III. Tenebrionidae from a nest of *Tatera*. Revue de Zoologie et de Botanique Africaines 47: 1–30. [DP: 15.IV.1953 (article header)]

Koch C (1954a) Die Tenebrioniden des südlichen Afrikas XV. Revision der Oncotini nov. trib. Opatrinae (= Psectropini Kaszab p.p.). Arkiv för Zoologi (Andra Serien) 7: 1–96, pls 1–5. [DP: printed 15.VI (p. 96), issued 2.IX.1954 (verso volume title page)]

Koch C (1954b) Tenebrionidae (Pycnocerini). (Coleoptera Polyphaga). Exploration du Parc National de l'Upemba Mission G. F. de Witte 24: 1–80, pls 1–10. [DP: 1954 (title page)]

Koch C (1954c) The Tenebrionidae of Southern Africa. XXVI. New Port. East African species collected by Dr. A. J. Barbosa. Revista da Faculdade de Ciências de Lisboa, 2.a série C 8(1): 239–310.

Koch C (1955a) Monograph of the Tenebrionidae of southern Africa. Vol. I. (Tentyriinae, Molurini. Trachynotina: *Somaticus* Hope). Transvaal Museum Memoir No. 7: xiv, 242 pp., 24 pls, 2 folding maps. [DP: 1955 (pre-title page)]

Koch C (1955b) The Tenebrionidae of Southern Africa. XVIII. A new genus of Crypticini from Namaqualand. Annals of the Transvaal Museum 22[1952–56]: 415–418.

Koch C (1955c) The Tenebrionidae of southern Africa XXV. New, forgotten or Palaearctic genera and species of Opatrinae. Annals of the Transvaal Museum 22[1952–56]: 419–476, pls 25–27.

Koch C (1956a) II. Tenebrionidae (Coleoptera, Polyphaga). Opatrinae. First Part: Platynotini, Litoborini and Loensini. Exploration du Parc National de l'Upemba Mission G. F. de Witte 40: 1–472, pls 1–5. [DP: 1956 (wrapper)]

Koch C (1956b) Recherches sur la faune endogée de Madagascar IV. Les Tenebrionidae de l'Afrique du Sud. XXVII. Nouveaux Gnathidiini anophtalmes de Madagascar (Coleoptera). Le Naturaliste Malgache 8: 81–103. [DP: 3e trimestre 1956 (back wrapper)]

Koch C (1958) Tenebrionidae of Angola. Publicações Culturais da Companhia de Diamantes de Angola 39: [1], 13–231, pls 1–43, maps 1–3. [DP: VI.1958 (manuscript date p. 231); 1958 (wrapper)]

Koch C (1959) Erster taxonomischer Beitrag zur Kenntnis der Tenebrioniden Somalis. Entomologischen Arbeiten aus dem Museum G. Frey 10: 568–596. [DP: 1.XI.1959 (verso of cover)]

Koch C (1960) Zweiter taxonomischer Beitrag zur Kenntnis der Tenebrioniden Somalis. Entomologischen Arbeiten aus dem Museum G. Frey 11: 325–415. [DP: 15.XI.1960 (verso of cover)]

Koch C (1962a) Analysis of the Madagascan components of the subfamily Tentyriinae (Tenebrionidae, Coleoptera) with revisions of the generic systematics of the Asidini from Africa south of the Sahara and the African, Asiatic and Palaearctic Epitragina of Tentyriini. Mémoires de l'Institut Scientifique de Madagascar (Série E, Entomologie) 13: 1–145, pls 1–3, 1 map. [DP: 3e trimestre 1962 (dépôt légal)]

Koch C (1962b) The Tenebrionidae of Southern Africa. XXXII. New psammophilous species from the Namib Desert. Annals of the Transvaal Museum 24[1960–63]: 107–159, pls 16–26.

Koch C (1962c) Vierter taxonomischer Beitrag zur Kenntnis der Tenebrioniden Somalias: über die von Prof. G. Scortecci 1953 und 1957 in der Migiurtinia-Provinz gesammelten Arten. 1. Teil. Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale de Milano 101: 237–270, pl. 23. [DP: after 25.V.1962 (manuscript submitted)]

Koch C (1963) The Tenebrionidae of southern Africa XXIX. *Luebbertia plana* gen. et spec. nov., with a dichotomic analysis of Stizopina (Opatrini). Scientific Papers of the Namib Desert Research Station No. 18: 1–87. [DP: X.1963 (title page)]

Koch C (1965) Sur les types de Fairmaire des tribus Blaptini et Platyscelini conservés au Muséum de Paris (Col. Tenebrionidae). Annales de la Société Entomologique de France (Nouvelle Série) 1: 125–135. [DP: printed 18.II.1965 (*Soc Ent Fr*); 1er trim. 1965 (dépôt légal)]

Koch C (1970) Die Tenebrioniden (Coleoptera) des Archipels von Socotra. Monitore Zoologico Italiano (Nuova Serie, Supplement III) 4: 69–132. [DP: 1.III.1970 (p. 69)] https://doi.org/10.1080/03749444.1970.10736761

Kolbe H (1883) Neue Coleoptera von Westafrika. Berliner Entomologische Zeitschrift 27: 15–36. [DP: 31.V.1883 (wrapper)] https://doi.org/10.1002/mmnd.47918830105

Kolbe H (1884) *Nyctobates mechowi*, eine neue Species aus Westafrika. Berliner Entomologische Zeitschrift 28: 189–190, pl. 1 (fig. 4). [DP: by 25.VI.1884 (*Soc Ent Fr*)]

Kolbe H (1886) Neue afrikanische Coleoptera des Berliner zoologischen Museums. Entomologische Nachrichten 12: 289–301. [DP: X.1886 issue]

Kolbe H (1889) Bericht über die von Herrn Dr. R. Büttner im Gebiete des unteren Quango und Kongo gesammelten Coleopteren. Stettiner Entomologische Zeitung 50: 113–133. [DP: VIII.1889 (wrapper)]

Kolbe H (1895) Coleopteren aus Africa. II. Stettiner Entomologische Zeitung 55 [1894] (10–12): 361–397. [DP: after IV.1895 (p. 402); by 10.VII.1895 (*Soc Ent Fr*)]

Kolbe H (1896) Coleopteren aus Africa. III. Stettiner Entomologische Zeitung 56[1895]: 345–366. [DP: by 22.VII.1896 (*Soc Ent Fr*)]

Kolbe H (1897a) Coleopteren. Die Käfer Deutsch-Ost-Afrikas. Dietrich Reimer, Berlin, 367 pp., 4 pls. [DP: IV.1897 (pp. 1–160); VI.1897 (pp. 161–320); XII.1897 (pp. 321–368) (Bousquet 2016a: 298)] https://doi.org/10.5962/bhl.title.53492

Kolbe H (1897b) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1894. Coleoptera. Archiv für Naturgeschichte 61[1895](2): 453–678 [DP: IV.1897 (Inhalt)]

Kolbe H (1898) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1895. Coleoptera. Archiv für Naturgeschichte 62[1896](2): 427–654. [DP: XII.1898 (Inhalt)]

Kolbe H (1900) Ein vergessener *Nyctobates*. Entomologische Nachrichten (Berlin) 26: 72–74. [DP: III.1900 (article header)] https://doi.org/10.1002/mmnd.48019000107

Kolbe H (1901) Ein Schädling des Affenbrotbaumes, *Adansonius fructuum* n. sp., aus der Familie der Curculioniden. Allgemeine Zeitschrift für Entomologie 6: 321–323. [DP: by 13.XI.1901 (*Soc Ent Fr*)], 341–343 [DP: by 22.XI.1901 (*Soc Ent Fr*)]

Kolbe H (1902a) Koleopteren der Aldabra-Inseln. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 26 [1899–1902]: 567–586. [DP: by 21.VI.1902 (received at Harvard University, USA)]

Kolbe H (1902b) Neue Lagriiden aus Afrika. Berliner Entomologische Zeitschrift 46[1901](4): 539–554. [DP: II.1902 (wrapper); by 12.III.1902 (*Soc Ent Fr*)]

Kolbe H (1903) Einige Mittheilungen zur Morphologie und Systematik der Chiroscelinen. Archiv für Naturgeschichte 69(1): 161–180. [DP: 1903 (title page)]

Kolbe H (1910) Die Coleopterenfauna der Seychellen. Nebst Betrachtungen über die Tiergeographie dieser Inselgruppe. Mitteilungen aus dem Zoologischen Museum in Berlin 5[1910–11]: 1–49. [DP: VIII.1910 (cover)]

Kolbe H (1915) Eine neue isolierte Tenebrionidengattung von den Philippineninseln. Deutsche Entomologische Zeitschrift 1915: 261–264. [DP: 1.VII.1915 (Inhalt)] https://doi.org/10.1002/mmnd.48019150309

Kolbe H (1928) 2. Tiergeographie und Morphologie, neue Untersuchungen zur Entwicklungsgeschichte der Tiergattungen. Zoologischer Anzeiger 77: 195–209. [DP: after 22.IV.1928 (manuscript accepted)]

König E (1906) Dritter Beitrag zur Coleopteren-Fauna des Kaukasus. Wiener Entomologische Zeitung 25: 23–27. [DP: 20.I.1906 (cover)] https://doi.org/10.5962/bhl.part.5395

Kraatz G (1859) Ueber die Gattungen *Micropeplus*, *Thorictus*, *Antidipnis*, *Cnemaplatia* und *Foucartia*. Berliner Entomologische Zeitschrift 3: 65–78. [DP: by 23.III.1859 (*Soc Ent Fr*)] https://doi.org/10.1002/mmnd.47918590302

Kraatz G (1865) Revision der Tenebrioniden der alten Welt aus Lacordaire's Gruppen der Erodiides, Tentyriides, Akisides, Piméliides und der europäischen *Zophosis*-Arten. Nicolai, Berlin, vi, 393 pp. [DP: by 16.III.1865 (Bousquet 2016a: 302)] https://doi.org/10.5962/bhl.title.118624

Kraatz G (1866) Synonymische Bemerkungen. Berliner Entomologische Zeitschrift 9[1865]: 414. [DP: I.1866 (wrapper)] https://doi.org/10.1002/mmnd.47918660403

Kraatz G (1880a) Die Arten der Tenebrioniden-Gattung *Zophobas* in Dr. Haag's Sammlung. Deutsche Entomologische Zeitschrift 24: 121–135. [DP: V.1880 (Inhalt, p. iii)]

Kraatz G (1880b) Beitrag zur Kenntniss der asiatischen Cnodaloniden (Tenebrioniden Coh. II. Trib. XL. Lacord.). Deutsche Entomologische Zeitschrift 24: 97–120. [DP: V.1880 (Inhalt, p. iii)]

Kraatz G (1882) Beiträge zur Käferfauna von Turkestan. II. Neue Tenebrionidae von Margelan. Deutsche Entomologische Zeitschrift 26: 81–95. [DP: IV.1882 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018820211

Kraatz G (1899) Revision der africanischen Tenebrioniden-Gatttung *Gonocnemis* Thoms. Deutsche Entomologische Zeitschrift 1899: 113–119. [DP: VIII.1899 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018990118

Kulzer H (1951a) Vierter Beitrag zur Kenntnis der Tenebrioniden. Entomologische Arbeiten aus dem Museum G. Frey 2: 116–171. [DP: 15.VII.1951 (Inhalt)]

Kulzer H (1951b) Fünfter Beitrag zur Kenntnis der Tenebrioniden. Entomologische Arbeiten aus dem Museum G. Frey 2: 461–573. [DP: 31.XII.1951 (Inhalt)]

Kulzer H (1952) Siebenter Beiträge zur Kenntnis der Tenebrioniden (Col.). Einige neue Gattungen und Arten der Tribus Cnodalonini aus dem Nachlaß von H. Gebien in coll. G. Frey. Entomologische Arbeiten aus dem Museum G. Frey 3: 719–764, pls 1–2. [DP: 31.XII.1952 (Inhalt)]

Kulzer H (1954a) Achter Beitrag zur Kenntnis der Tenebrioniden (Col.). Sammelergebnis der Indien-Reise von Herrn Konsul G. Frey und neue Tenebrioniden aus dem orientalischen und australischen Faunengebiet. Entomologische Arbeiten aus dem Museum G. Frey 5: 20–73, pls 5–7. [DP: 10.IV.1954 (Inhalt)]

Kulzer H (1954b) Neunter Beitrag zur Kenntnis der Tenebrioniden (Col.). Eine Studie über die Tribus Nycteliini. Entomologische Arbeiten aus dem Museum G. Frey 5: 145–267, pls 9–14. [DP: 10.IV.1954 (Inhalt)]

Kulzer H (1955a) Mongraphie der Scotobiini. Zehnter Beitrag zur Kenntnis der Tenebrioniden. Entomologischen Arbeiten aus dem Museum G. Frey 6: 383–478, pls 19–24. [DP: 1.XII.1955 (Inhalt)]

Kulzer H (1955b) Neue Tenebrioniden aus Südamerika. Elfter Beitrag zur Kenntnis der Tenebrioniden. Entomologischen Arbeiten aus dem Museum G. Frey 6: 479–485, pls 19, 24. [DP: 1.XII.1955 (Inhalt)]

Kulzer H (1956a) Bemerkenswerte Tenebrioiniden aus der Thar-Wüste. 14. Beitrag zur Kenntnis der Tenebrioniden (Col.). Entomologische Arbeiten aus dem Museum G. Frey 7: 635–653. [DP: 1.XI.1956 (inside wrapper)]

Kulzer H (1956b) Neue Tenebrioniden aus Südamerika. (15. Beitrag zur Kenntnis der Tenebrioniden). Entomologischen Arbeiten aus dem Museum G. Frey 7: 895–964. [DP: 1.XI.1956 (inside wrapper)]

Kulzer H (1957) Insects of Micronesia. Coleoptera: Tenebrionidae. Insects of Micronesia 17: 185–256, map. [DP: 15.VIII.1957 (verso of title page)]

Kulzer H (1958a) Monographie der südamerikanischen Tribus Praocini (Col.) (16 Beitrag zur Kenntnis der Tenebrioniden). Entomologische Arbeiten aus dem Museum G. Frey 9: 1–105. [DP: 15.II.1958 (inside wrapper)]

Kulzer H (1958b) Neue Tenebrioiniden aus Südamerika. 17. Beitrag zur Kenntnis der Tenebrionoden. Entomologische Arbeiten aus dem Museum G. Frey 9: 184–219. [DP: 15.II.1958 (inside wrapper)]

Kulzer H (1959) Neue Tenebrioiniden aus Südamerika (Col.) 18. Beitrag zur Kenntnis der Tenebrioniden. Entomologische Arbeiten aus dem Museum G. Frey 10: 523–567, pls 11–12. [DP: 1.XI.1959 (inside wrapper)]

Kulzer H (1961) Neue Tenebrioniden aus Südamerika (Col.) 21. Beitrag zur Kenntnis der Tenebrioniden. Entomologische Arbeiten aus dem Museum G. Frey 12: 205–235. [DP: 1.IV.1961 (inside wrapper)]

Kulzer H (1962) Neue Tenebrioniden aus Sud-amerika (Col.). 23. Beitrag zur Kenntnis der Tenebrioniden. Entomologische Arbeiten aus dem Museum G. Frey 13: 79–100.

Kulzer H (1963) Die Helopinen des antarktischen Gebiets (Col. Tenebr.) (26. Beitrag zur Kenntnis der Tenebrioniden). Entomologische Arbeiten aus dem Museum G. Frey 14: 600–629.

Kulzer H (1964) Über neue Tenebrionidenarten (Col.) (27. Beitrag zur Kenntnis der Tenebrioniden). Entomologische Arbeiten aus dem Museum G. Frey 15: 221–276. [DP: 1.V.1964 (inside wrapper)]

Kulzer H (1966) Australische und papuanische Strongyliini. 29. Beitrag zur Kenntnis der Tenebrioniden. Entomologische Arbeiten aus dem Museum G. Frey 17: 338–396. [DP: 1.VII.1966 (inside wrapper)]

Kuntzen H (1916) Kritische Bemerkungen und Beiträge zur Kenntnis der Adesmiinen des tropischen und südlichen Afrika. (Col. Tenebrionidae). Archiv für Naturgeschichte (Abteilung A) 81[1915](7): 129–155. [DP: III.1916 (wrapper)]

Kwieton E (1978) Sur la division de l'ancien genre *Pachyscelis* Sol. (Col., Tenebrionidae). Bulletin de la Société Entomologique de Mulhouse 34: 28–34. [DP: 20.XI.1978 (journal website)]

Kwieton E (1980) Contribution à la connaissance des genres *Erodius* Fab. et *Morica* Sol. (Col. Tenebrionidae). Bulletin de la Société Entomologique de Mulhouse 36: 25–28. [DP: 3.VI.1980 (journal website)]

Kwieton E (1981) Insects of Saudi Arabia. Coleoptera: Fam. Tenebrionidae, Tribe Pimeliini. Fauna of Saudi Arabia 3: 402–407. [DP: 1.XII.1981 (*Contents*)]

Kwieton E (1982) Contributions ultérieures à la connaissance du genre *Pimelia* F. (Col., Tenebrionidae). Annotationes Zoologicae et Botanicae (Supplement) 145: 1–38. [DP: 21.I.1982 (article header)]

La Rivers I (1947) A synopsis of the genus *Edrotes* (Coleoptera: Tenebrionidae). Annals of the Entomological Society of America 40: 318–328. [DP: 20.VIII.1947 (p. 720)] https://doi.org/10.1093/aesa/40.2.318

La Rivers I (1949) *Eusattus* vs. *Sphaeriontis*. Entomological News 60: 179–180. [DP: 24.X.1949 (verso of volume title page)]

Lacordaire T (1830a) Mémoire sur les habitudes des insectes coléoptères de l'Amérique méridionale. Annales des Sciences Naturelles 20: 185–240 [DP: VI.1830 (p. 113 footer)], 241–291. [DP: VII.1830 (p. 241 footer)]

Lacordaire JT (1830b) Mémoire sur les habitudes des insectes coléoptères de l'Amérique méridionale (Suite et fin). Annales des Sciences Naturelles 21: 149–194. [DP: X.1830 (signature footer p. 113)]

Lacordaire T (1859a) Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome cinquième première partie. Contenant les familles des Ténébrionides, Cistélides, Nilionides, Pythides, Mélandryides, Lagriides, Pédilides, Anthicides, Pyrocroïdes, Mordellides, Rhipiphorides, Stylopides, Meloïdes et Oedémérides. Roret, Paris, 400 pp. [DP: by 27.VI.1859 (Bousquet 2016a: 314)]

Lacordaire T (1859b) Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome cinquième seconde partie. Contenant les familles des Ténébrionides, Cistélides, Nilionides, Pythides, Mélandryides, Lagriides, Pédilides, Anthicides, Pyrochroïdes, Mordellides, Rhipiphorides, Stylopides, Meloïdes et Oedémérides. Roret, Paris, 401–750. [DP: by 27.VI.1859 (Bousquet 2016a: 314)]

Lacordaire T (1865) Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposées jusqu'ici dans cet ordre d'insectes. Tome septième contenant les familles des curculionides (suite), scolytides, brenthides, anthribides et bruchides. Roret, Paris, 620 pp. [1866] [DP: by 12.XII.1865 (Bousquet 2016a: 314)]

Lamarck JBPA, Monet de (1804) Sur deux nouveaux genres d'insectes de la Nouvelle–Hollande. Annales du Muséum National d'Histoire Naturelle 3: 260–265, pl. 22 (fig. 2). [DP: 1804 (title page)]

Laporte [= Castelnau] FLNC de (1832) Essai d'une classification systématique de l'ordre des Hémiptères (Hémiptères Hetéroptères, Latr.). Magasin de Zoologie 2 (Classe IX): 1–16, 76–88 (Supplément) + pls 51–55.

Laporte [= Castelnau] FLNC, de (1833a) Mémoire sur cinquante espèces nouvelles ou peu connues d'insectes. Annales de la Société Entomologique de France 1 [1832]: 386–415. [DP: by 1.IV.1833 (*Acad Sci Fr*)]

Laporte [= Castelnau] FLNC de (1833b) Coléoptères et hémiptères nouveaux. Revue Entomologique 1(2): 32–36. [DP: by 5.VI.1833 (Nagel and Schmidlin 2014: 98)]

Laporte [= Castelnau] FLNC de (1840) Histoire naturelle des insectes coléoptères; avec une introduction renfermant l'anatomie et la physiologie des animaux articulés, par M. Brullé; ouvrage accompagné de 155 planches gravées sur acier représentant plus de 800 sujets. Tome deuxième. P. Duménil, Paris, 563 pp., 38 pls. [DP: by 26.XII.1840 (Bousquet 2016a: 321)]

Laporte [= Castelnau] FLNC de, Brullé A (1831) Monographie du genre *Diaperis*. Annales des Sciences Naturelles 23: 325–336 [DP: VII.1831 (p. 225 footer), 337–410 [DP: VIII.1831 (p. 337 footer)], pl. 10. https://doi.org/10.5962/bhl.part.7284

Latreille PA (1797) Précis des caractères génériques des insectes, disposés dans un ordre naturel. F. Bourdeaux, Brive and Prévôt, Paris, xiv, 201 pp. [DP: by 30.I.1797 (Bousquet 2016a: 322)] https://doi.org/10.5962/bhl.title.58411

Latreille PA (1802) Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C. S. Sonnini, membre de plusieurs sociétés savantes. Familles naturelles des genres. Tome troisième. F. Dufart, Paris, i–xii, 13–467. [DP: by 6.XI.1802 (Bousquet 2016a: 322)] https://doi.org/10.5962/bhl.title.15764

Latreille PA (1804) Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C. S. Sonnini, membre de plusieurs sociétés savantes. Tome dixième. F. Dufart, Paris, 445 pp., pls 81–90. [DP: by 17.IX.1804 (Bousquet 2016a: 323)]

Latreille PA (1806) Genera crustaceorum et insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. Tomus secundus. Amand Koenig, Parisiis et Argentorati, 280 pp. [DP: by 31.XII.1806 (Bousquet 2016a: 323)] https://doi.org/10.5962/bhl.title.5093

Latreille PA (1809) Genera crustaceorum et insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. Tomus quartus et ultimus. A. Koenig, Paris et Argentoratum [Strasbourg], 399 pp. [DP: by 25.II.1809 (Bousquet 2016a: 324)]

Latreille PA (1810) Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides, et des insectes; avec un tableau méthodique de leurs genres, disposés en familles. F. Schoell, Paris, 444 pp. [DP: by 23.V.1810 (Evenhuis 1997b)] https://doi.org/10.5962/bhl.title.39620

Latreille PA (1816) Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Par M. le Ch^er^. Cuvier. Avec figures, dessinées d'après nature. Tome III, contenant les crustacés, les arachnides et les insectes. Déterville, Paris, xxix, 653 pp. [DP: by 2.XII.1816 (Bousquet 2016a: 325)]

Latreille PA (1817) Hélée, *Heleus*. In: Nouveau dictionnaire d'histoire naturelle, appliquée aux arts, à l'agriculture, à l'économie rurale et domestique, à la médecine, etc. Nouvelle édition presque entièrement refondue et considérablement augmentée, avec des figures tirées des trois règnes de la nature. Tome XIV. GUE–HOM. Déterville, Paris, 261. [DP: by 13.IX.1817 (Bousquet 2016a: 616)]

Latreille PA (1818) Platyscelé, *Platyscelis* [p. 23]. In: Nouveau dictionnaire d'histoire naturelle, appliquée aux arts, à l'agriculture, à l'économie rurale et domestique, à la médecine, etc. Nouvelle édition presque entièrement refondue et considérablement augmentée, avec des figures tirées des trois règnes de la nature. Tome XXVII. PLA–POR. Déterville, Paris, 586 pp., 4 pls. [DP: by 26.XII.1818 (Bousquet 2016a: 617)]

Latreille PA (1825) Familles naturelles du règne animal, exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres. J. B. Baillière, Paris, 570 pp. [DP: by 16.V.1825 (Bousquet 2016a: 328)] https://doi.org/10.5962/bhl.title.16094

Latreille PA (1828) Piméliaires, Pimeliariae. In: Bory de Saint-Vincent JBGM (Ed.) Dictionnaire classique d'histoire naturelle, par Messieurs Audoin, Isid. Bordon, Ad. Brongniart, De Candolle, Daudebard de Férussac, A. Desmoulins, Drapiez, Edwards, Flourens, Geoffroy de Saint-Hilaire, A. de Jussieu, Kunth, G. de Lafosse, Lamouroux, Latreille, Lucas fils, Presle-Duplessis, C. Prévost, A. Richard, Thiébaut de Berneaud, et Bory de Saint-Vincent. Ouvrage dirigé par ce dernier collaborateur, et dans lequel on a ajouté, pour le porter au niveau de la science, un grand nombre de mots qui n'avaient pu faire partie de la plupart des dictionnaires antérieurs. Tome treizième. PAN-PIV. Ray et Gravier [et] Beaudoin Frères, Paris, 573–583. [DP: I.1828 (title page)]

Latreille PA (1829a) Le règne animal distribué d'après son organisation. Les crustacés, les arachnides et les insectes, distribués en familles naturelles, ouvrage formant les tomes 4 et 5 de celui de M. le baron Cuvier sur le rège animal (deuxième édition). Tome second. Déterville, Paris, xxiv, 556 pp., 5 pls. [DP: by 11.IV.1829 (Bousquet 2016a: 328)] https://doi.org/10.5962/bhl.title.11575

Latreille PA (1829b) Strongylie. Strongylium. In: Dictionnaire classique d'histoire naturelle, par Messieurs Audouin, Isid. Bordon, Ad. Brongniart, De Candolle, Dandebard de Férussac, A. Desmoulins, Drapiez, Edwards, Flourens, Geoffroy de Saint-Hilaire, A. De Jussieu, Kunth, G. de Lafosse, Lamouroux, Latreille, Lucas fils, Presle-Duplessis, C. Prévost, A. Richard, Thiébaut de Berneaud, et Bory de Saint-Vincent. Ouvrage dirigé par ce dernier collaborateur, et dans lequel on a ajouté, pour le porter au niveau de la science, un grand nombre de mots qui n'avaient pu faire partie de la plupart des dictionnaires antérieurs. Tome quinzième. RUA–S. Ray et Gravier [&] Baudouin Frères, Paris, 683. [DP: V.1829 (title page); by 27.VI.1829 (*Bibl Fr*)]

Lawrence JF, Escalona HE, Leschen RAB, Ślipiński SA (2014) Review of the genera of Mycetophagidae (Coleoptera: Tenebrionoidea) with descriptions of new genera and a world generic key. Zootaxa 3826: 195–229. [DP: 27.VI.2014 (title page footer)] https://doi.org/10.11646/zootaxa.3826.1.6

Lawrence JF, Leschen RAB (2010) 11.12. Chalcodryidae Watt, 1974. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV - Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin, 567–571.

Lawrence JF, Leschen RAB, Zaitsev A (2020) *Onysius* Broun: the first New Zealand genus of Promecheilidae (Coleoptera: Tenebrionoidea). The Coleopterists Bulletin 74: 27–35. [DP: 25.III.2020 (journal website)] https://doi.org/10.1649/0010-065X-74.1.27

Lawrence JF, Pollock DA (1994) Relationships of the Australian genus *Synercticus* Newman (Coleoptera: Boridae). Journal of the Australian Entomological Society 33: 35–42. https://doi.org/10.1111/j.1440-6055.1994.tb00914.x

Lawrence JF, Ślipiński SA (2010) 11.13. Trachelostenidae Lacordaire, 1859. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV – Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin, 571–574. https://doi.org/10.1515/9783110911213.571

Lawrence JF, Ślipiński SA (2013) Australian beetles. Volume 1: morphology, classification and keys. CSIRO Publishing, Collingwood, viii, 561 pp. https://doi.org/10.1071/9780643097292

Lawrence JF, Ślipiński SA, Elgueta M (2010a) 11.11. Promecheilidae Lacordaire, 1859. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV – Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin, 563–567. https://doi.org/10.1515/9783110911213.563

Lawrence JF, Ślipiński SA, Pollock DA, Escalona HE (2010b) 11.25. Salpingidae Leach, 1815. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV - Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin, 722–729. https://doi.org/10.1515/9783110911213.722

Lea AM (1905) On *Nepharis* and other ants' nest beetles taken by Mr. J.C. Goudie at Birchip. Proceedings of the Royal Society of Victoria (New Series) 17[1904–05]: 371–385. [DP: II.1905 (wrapper)]

Lea AM (1912) Descriptions of new species of Australian Coleoptera. Part ix. The Proceedings of the Linnean Society of New South Wales 36[1911]: 426–478, pl. 17. [DP: 8.II.1912 (Contents, p. v)] https://doi.org/10.5962/bhl.part.21906

Lea AM (1914) Notes on some miscellaneous Coleoptera, with descriptions of new species. Transactions and Proceedings of the Royal Society of South Australia 38: 249–344, pl. 16. [DP: XII.1914 (title page)]

Lea AM (1916) Notes on some miscellaneous Coleoptera, with descriptions of new species. – Part II. Transactions and Proceedings of the Royal Society of South Australia 40: 272–436, pls 32–39. [DP: 23.XII.1916 (title page)]

Lea AM (1919) Notes on some miscellaneous Coleoptera, with descriptions of new species. – Part V. Transactions and Proceedings of the Royal Society of South Australia 43: 166–261, pls 25–27. [DP: 24.XII.1919 (title page)]

Lea AM (1929) Notes on some miscellaneous Coleoptera, with descriptions on new species. Part VII. Transactions and Proceedings of the Royal Society of South Australia 53: 203–244. [DP: 24.XII.1929 (title page)]

Lebedev AG (1932) *Caediexis arenicola* gen. et sp. n. (Tenebrionidae). Entomologische Blätter 28: 125–126. [DP: 30.IX.1932 (wrapper)]

LeConte JL (1850) General remarks upon the Coleoptera of Lake Superior. In: Agassiz JLR. Lake Superior, its physical character, vegetation, and animals, compared with those of other and similar regions (With narrative of the tours by J Elliot Cabot). Gould, Kendall and Lincoln, Boston, 201–242. [DP: by 9.III.1850 (Bousquet 2016a: 332)]

LeConte JL (1851) Descriptions of new species of Coleoptera, from California. Annals of the Lyceum of Natural History of New York 5[1851–52]: 125–184. [DP: by 19.IX.1851 (*Amer Phil Soc*)] https://doi.org/10.1111/j.1749-6632.1852.tb00123.x

LeConte JL (1858a) Description of new species of Coleoptera, chiefly collected by the United States and Mexican Boundary Commission, under Major W. H. Emory, U.S.A. Proceedings of the Academy of Natural Sciences of Philadelphia [10]: 59–88 [DP: by 19.IV.1858 (*Amer Ant Soc*)], 89. [by 30.VI.1858 (*Bost Soc Nat Hist*)]

LeConte JL (1858b) Catalogue of Coleoptera of the regions adjacent to the boundary line between the United States and Mexico. Journal of the Academy of Natural Sciences of Philadelphia (Second Series) 4[1858–60]: 9–42. [DP: by 28.XII.1858 (*Acad Nat Sci Phil*)]

LeConte JL (1859) Catalogue of the Coleoptera of Fort Tejon, California. Proceedings of the Academy of Natural Sciences of Philadelphia [11]: 69–84 [DP: by 31.III.1859 (*Bost Soc Nat Hist*)], 85–90. [DP: by 6.V.1859 (*Amer Phil Soc*)]

LeConte JL (1862) Classification of the Coleoptera of North America Part I. Smithsonian Miscellaneous Collections 3 (No. 136) [1861–62]: 209–286. [DP: III.1862 (p. 286)]

LeConte JL (1866a) List of the Coleoptera of North America. Prepared for the Smithsonian Institution. Part I. Smithsonian Miscellaneous Collections 6 (No. 140): 50–70. [DP: IV.1866 (Advertisement verso of title page)]

LeConte JL (1866b) New species of North American Coleoptera. Prepared for the Smithsonian Institution. Part I. Smithsonian Miscellaneous Collections 6 (No. 167): 87–168, 169–177 (Index). [DP: IV.1866 (Advertisement verso of title page)]]

LeConte JL (1873) Synonymical remarks upon North American Coleoptera. Proceedings of the Academy of Natural Sciences of Philadelphia [25]: 321–336. [DP: by 1.XII.1873 (received at Essex Institute, USA)]

LeConte JL (1878) Additional descriptions of new species. In: Schwarz EA. The Coleoptera of Florida. Proceedings of the American Philosophical Society 17[1877–78]: 373–434. [DP: 1.II.1878 (header of pages)]

LeConte JL (1879) New North American Coleoptera. The North American Entomologist 1 [1879–80]: 1–4, pl. 1. [DP: VII.1879 issue]

LeConte JL, Horn GH (1883) Classification of the Coleoptera of North America. Prepared for the Smithsonian Institution. Smithsonian Miscellaneous Collections 26 (No. 507), xxxviii + 567 pp. [DP: by III.1883 (Bousquet 2016a: 335)] https://doi.org/10.5962/bhl.title.41105

Lefèvre E (1885) Annales de la Société Entomologique de France: Tables générales de 1861 à 1880 inclusivement. Imprimerie Pouillard, Charleville, 300 pp. [DP: 1885 (wrapper); by 7.II.1885 (*Bibl Fr*)]

Lefèvre E (1895) Annales de la Société Entomologique de France: Tables générales de 1881 à 1890 inclusivement. Société Entomologique de France, Paris, 240 pp. [DP: 1895 (wrapper); by 24.VIII.1895 (*Bibl Fr*)]

Leo P (1981) *Psammoardoinellus*, nuovo genere di Opatrinae della Sardegna (Coleoptera Tenebrionidae). Memorie della Società Entomologica Italiana 59 [1980]: 34–36. [DP: 20.VII.1981 (wrapper)]

Leo P (1994) Annotazioni sui Litoborini Antoine della Sardegna (Coleoptera: Tenebrionidae, Opatrinae). Bolletí de la Societat d'Història Natural de les Balears 37: 133–142. [DP: after 6.X.1994 (p. 133); XII.1994 (wrapper)]

Leo P (2018) *Cyclocnera azarovi*, un nuevo género y especie de Pimeliini de Omán (Coleoptera, Tenebrionidae, Pimeliinae). Revista Gaditana de Entomología 9(1): 49–57. [DP: 13.II.2018 (p.57)]

Leo P, Liberto A (2003) Un nuovo genere di Helopini della Grecia (Coleoptera, Tenebrionidae). Fragmenta Entomologica 34[2002]: 299–309. [DP: 30.VII.2003 (page after *Indice*)]

Leo P, Liberto A (2011) Un nuovo genere e una nuova specie di Melambiina dell'Oman (Coleoptera, Tenebrionidae). Fragmenta Entomologica 43: 157–166. [DP: 31.X.2011 (journal website)] https://doi.org/10.4081/fe.2011.43

Lepeletier ALM, Audinet-Serville JG (1828) Camarie, *Camaria*; Campsie, *Campsia. Cnodalon.* Dalm.; Statire, *Statira*. Lat. (Fam. nat.). In: Latreille PA, Lepeletier ALM, Audinet-Serville JG, Guérin-Méneville FE. Encyclopédie méthodique. Histoire naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes. Tome dixième. Agasse, Paris, 454–456, 479–480. [DP: by 13.XII.1828 (Bousquet 2016a: 327)]

Lepesme P (1943) Un *Tribolium* inédit de Sénégal (Col. Tenebrionidae). Revue Française d'Entomologie 10: 45–46. [DP: 31.X.1943 (p. 178)]

Leschen RAB, Escalona HE, Elgueta M (2016) Phylogeny of the Gondwanan beetle family Ulodidae (Tenebrionoidea). Zootaxa 4138: 441–473. [DP: 18.VII.2016 (title page footer)] https://doi.org/10.11646/zootaxa.4138.3.2

Leschen RAB, Węgrzynowicz P (1998) Generic catalogue and taxonomic status of Languriidae (Cucujoidea). Annales Zoologici (Warszawa) 48: 221–243. [DP: 28.XII.1998 (inside wrapper)]

Lesne P (1915) Les Érodiens de l'Afrique orientale (Coléoptères Ténébrionides). Bulletin du Muséum National d'Histoire Naturelle 21: 225–240. [DP: 1915 (wrapper)]

Lesne P (1922) Bostrychides, Clérides, Sphindides, et Ténébrionides. In: Rothschild M de Baron (Ed.) Voyage de M. le Baron Maurice de Rothschild en Éthiopie et en Afrique orientale anglaise (1904–1905). Résultats scientifiques. Animaux articulés. Deuxième partie. Imprimerie Nationale, Paris, 649–704. [DP: 1.XII.1922 (last page)]

Lewis G (1891) On two new species of Heteromera from Japan. The Entomologist's Monthly Magazine 27: 70–71. [DP: III.1891 issue; by 11.III.1891 (received at Smithsonian Institution, USA)]

Lewis G (1894) On the Tenebrionidae of Japan. The Annals and Magazine of Natural History (Sixth Series) 13: 377–400 [DP: 1.V.1894 (Evenhuis 2003)], 465–484. [DP: 1.VI.1894 (Evenhuis 2003)] https://doi.org/10.1080/00222939408677720

Lewis G (1895) On the Cistelidae and other Heteromerous species of Japan. The Annals and Magazine of Natural History (Sixth Series) 15: 422–448, pl. 8. [DP: 1.V.1895 (Evenhuis 2003)] https://doi.org/10.1080/00222939508677908

Li X-M, Bai X-L, Kergoat GJ, Pan Z, Ren G-D (2021) Phylogenetics, historical biogeography and molecular species delimitation of *Gnaptorina* Reitter (Coleoptera: Tenebrionidae:

Blaptini). Systematic Entomology 46: 239–251. [DP: 9.I.2021 (journal website)] https://doi.org/10.1111/syen.12459

Lillig M, Bremer HJ (2021) World catalogue of Hypophlaeini Billberg, 1820 (Coleoptera: Tenebrionidae: Diaperinae). Annales Zoologici 71: 27–81. [DP: 30.III.2021 (journal website)] https://doi.org/10.3161/00034541ANZ2021.71.1.004

Lillig M, Pavlíček T (2002) *Astorthocnemis becvarorum*, a new genus and a new species from the Middle East (Coleoptera: Tenebrionidae: Pimeliinae: Platyopini). Mitteilungen des Internationalen Entomologischen Vereins 27: 97–104. [DP: 28.XII.2002 (wrapper)]

Lillig M, Pavlíček T (2003) The Darkling Beetles of the Sinai Peninsula. Zoology in the Middle East, Supplementum: 1–87.

Linell ML (1896) List of Coleoptera collected on the Tana River, and on the Jombene Range, east Africa, by Mr. William Astor Chanler and Lieutenant Ludwig von Höhnel, with descriptions of new genera and species. Proceedings of the United States National Museum 18[1895]: 687–716. [DP: 12.VIII.1896 (p. ix)] https://doi.org/10.5479/si.00963801.1094.687

Linell ML (1897) A new, nearly blind genus of Tenebrionidae. Entomological News 8: 154–156. [DP: 29.V.1897 (p. 184 footer)]

Linnaeus C (1758) Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Editio decima, reformata. Tomus I. Laurentii Salvii, Holmia [Stockholm], [4], 823 pp. [DP: 1.I.1758 (ICZN 1999: 4)] https://doi.org/10.5962/bhl.title.542

Löbl I, Bouchard P, Merkl O, Bousquet Y (2020) New nomenclatural and taxonomic acts, and comments. Tenebrionidae. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 1–5. [DP: 17.IX.2020 (verso of title page)]

Löbl I, Bouchard P, Merkl O, Iwan D (2008a) New nomenclatural and taxonomic acts, and comments. Tenebrionidae. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 40–45. [DP: 15.IV.2008 (verso of title page)]

Löbl I, Merkl O (2003) On the type species of several tenebrionid genera and subgenera (Coleoptera, Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 49: 243–253. [DP: 30.IX.2003 (p. 253)]

Löbl I, Merkl O, Ando K, Bouchard P, Lillig M, Masumoto, Schawaller W (2008b) Family Tenebrionidae Latreille, 1802. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 105–113 (not Lagriini), 119–127, 139–219 (not Blaptini), 238–241 (not Helopini), 257 (Helopinini), 276–277, 297–319, 339–352. [DP: 15.IV.2008 (verso of title page)]

Löbl I, Nabozhenko M, Merkl O (2008c) Tribe Blaptini Leach, 1815. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 219–238. [DP: 15.IV.2008 (verso of title page)]

Löbl I, Smetana A (2010) Errata for Volume 5. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 29–36. [DP: 22.II.2010 (p. 4)] https://doi.org/10.1163/9789004260917

Löbl I, Smetana A (2011) Errata for Volume 5. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 7. Curculionoidea I. Apollo Books, Stenstrup, 32–34. [DP: 1.II.2011 (p. 4)] https://doi.org/10.1163/9789004260931

Löbl I, Smetana A (2013) Errata for Volume 5. In: Löbl I and Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 8. Curculionoidea II. Brill, Leiden and Boston, 36–40. [DP: 1.II.2011 (p. 4)] https://doi.org/10.1163/9789004259164

Louw S (1979) A partial revision of the subtribes Oxurina and Hypomelina (Coleoptera: Tenebrionidae: Molurini). Cimbebasia (Series A, Natuurwetenskappe) 5: 95–177. [DP: 16.XI.1979 (wrapper)]

Lucas PH (1839) Piméliaires. In: Guérin-Méneville FE (Ed.) Dictionnaire pittoresque d'histoire naturelle et des phénomènes de la nature, contenant l'histoire des animaux, des végétaux, des minéraux, des météores, des principaux phénomènes physiques et des curiosités naturelles, avec des détails sur l'emploi des productions des trois règnes dans les usages de la vie, les arts et métiers et les manufactures. Rédigé par une société de naturalistes, sous la direction de M. F.-E. Guérin. Tome huitième. Bureau de Souscription, Paris, 48–54. [DP: by 8.IV.1839 (Evenhuis 1997a : 335)]

Lucas PH (1846) Exploration scientifique de l'Algérie pendant les années 1840, 1841, 1842 publiée par ordre du Gouvernement et avec le concours d'une Commission Académique. Sciences Physiques. Zoologie. II. Histoire naturelle des animaux articulés. Deuxième partie. Insectes. [Livraison 8]. A. Bertrand, Paris, pl. 30. [DP: by XI.1846 (Evenhuis 2012)]

Lucas PH (1847) Exploration scientifique de l'Algérie pendant les années 1840, 1841, 1842 publiée par ordre du Gouvernement et avec le concours d'une Commission Académique. Sciences Physiques. Zoologie. II. Histoire naturelle des animaux articulés. Deuxième partie. Insectes. [Livraison 14]. A. Bertrand, Paris, pl. 29. [DP: by 15.V.1847 (Evenhuis 2012)]

Lucas PH (1852) [Deux genres nouveaux de l'ordre des coléoptères]. Annales de la Société Entomologique de France (Série 2) 10: xxviii–xxix. [DP: 11.VIII.1852 (wrapper)]

Lucas PH (1855) [Un genre nouveau de la famille des Mélanosomes]. Annales de la Société Entomologique de France (Série 3) 3: xxxiv. [DP: by 22.VIII.1855 (issue cited p. lxxi)]

Lucas PH (1857) [Coléoptères du Sahara Algérien–]. Bulletin Trimestriel de la Société Entomologique de France (Série 3) 5: lv–lvii. [DP: 9.IX.1857 (wrapper)]

Lucas PH (1858) [Une nouvelle espèce de Coléoptères: *Piestognathus douei*]. Bulletin Trimestriel de la Société Entomologique de France (Série 3) 6: clxxxvii–clxxxviii. [DP: 24.XI.1858 (wrapper)]

Lucas PH (1859) [Nouvelles espèces de *Leucoloephus*]. Annales de la Société Entomologique de France (Série 3) 7: xxii–xxiv. [DP: 25.V.1859 (wrapper)]

Lucas R (1920) Catalogus alphabeticus generum et subgenerum Coleopterorum orbis terrarum totius (famil., trib., subtr., sect. incl.). Pars I. R. Stricker, Berlin, xxxi, 696 pp. [DP: by VII.1920 (*Nat Nov*)]

Luederwaldt H (1929) Resultados de uma excursão scientifica á Ilha de São Sebastião no littoral do Estado de São Paulo e em 1925. Revista do Museu Paulista 16: 1–79, 3 pls.

Lumen R, Kanda K, Iwan D, Smith AD, Kamiński MJ (2020) Molecular insights into the phylogeny of Blapstinina (Coleoptera: Tenebrionidae: Opatrini). Systematic Entomology 45: 337–348. [DP: 2.III.2020 (journal website)] https://doi.org/10.1111/syen.12398

MacLeay WJ (1872) Notes on a collection of insects from Gayndah. Second paper. The Transactions of the Entomological Society of New South Wales 2[1867–73]: 239–318. [DP: by 4.XI.1872 (*Ent Soc Lond*)]

MacLeay WJ (1887) The Insects of the Cairns District, Northern Queensland. Part II. The Proceedings of the Linnean Society of New South Wales (Series 2) 2: 307–328. [DP: 31.VIII.1887 (Contents, p. iv)] https://doi.org/10.5962/bhl.part.29181

MacLeay WS (1825) Number I. of Annulosa Javanica, or an attempt to illustrate the natural affinities and analogies of the insects collected in Java by Thomas Horsfield, M. D., F. L. and G. S. and deposited by him in the museum of the honourable East India Company. Kingsbury, Parbury and Allen, London, xii, 50 pp. [DP: by 1.VI.1825 (Bousquet 2016a: 353)] https://doi.org/10.5962/bhl.title.65151

Macquart P-J-M (1850) Catalogue du Musée d'Histoire Naturelle de la Ville de Lille. Tome second. Animaux invertébrés. L. Danel, Lille, 639 pp. [DP: after 22.XI.1850 (p. i)]

Mader L (1936) Bestimmungstabelle der Coleopterenfamilie Nilionidae. Entomologisches Nachrichtenblatt (Troppau) 10: 73–102. [DP: VII.1936 (page footers)]

Mäklin FW (1863a) Bemerkungen über einige von Fabricius beschriebene *Helops*-Arten. Acta Societatis Scientiarum Fennicae 7: 547–554.

Mäklin FW (1863b) Die Gattung *Praogena* und deren repräsentanten. Acta Societatis Scientiarum Fennicae 7: 555–583. [DP: 1863 (title page); after 9.II.1863 (read at Society)]

Mäklin FW (1867) Monographie der Gattung *Strongylium* Kirby, Lacordaire und der damit zunächst verwandten Formen. Acta Societatis Scientiarum Fennicae 8: 215–518, pls 1–4. [DP: 1867 (volume title page); by 12.X.1867 (Bousquet 2016b)]

Mäklin FW (1875) Neue *Statira*-Arten und einige mit der genannten Gattung verwandte formen. Acta Societatis Scientiarum Fennicae 10: 633–660. [DP: after 15.II.1875 (read at Society)]

Mäklin FW (1878) Nya arter af slägtet *Poecilesthus* Blanchard. Öfversigt af Finska Vetenskaps-Societetens Förhandlingar 20[1877–1878]: 64–94. [DP: 1878 (wrapper)]

Mannerheim CG (1843) Beitrag zur Kaefer-fauna der Aleutischen Inseln, der Insel Sitkha und Neu-Californiens. Bulletin de la Société Impériale des Naturalistes de Moscou 16(2): 175–314. [DP: by 31.VII.1843 (Gregorian calendar, *Acad Sci St Peters*)] https://doi.org/10.5962/bhl.title.37833

Marcuzzi G (1953) Un nuovo genere di Tenebrionidae (Col. Heter.) del Venezuela. Memorie della Museo Civico di Storia Naturale di Verona 3: 31–34.

Marcuzzi G (1954) Tenebrionid beetles of Curaçao, Aruba, Bonaire, and the Venezuelan Islands. Studies on the fauna of Curaçao and other Caribbean Islands Vol. 5, No. 22: 1–36, pls 1–7. [DP: X.1954 (inside vol. 6 wrapper)]

Marcuzzi G (1976) New species of Neotropical Tenebrionidae (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici 68: 117–140. [DP: 31.XII.1976 (Merkl et al. 2008: 202)]

Marcuzzi G (1985) New taxa of Neotropical Tenebrionidae (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici 77: 179–186. [DP: 31.XII.1985 (Merkl et al. 2008: 218)]

Marcuzzi G (1986) Descrizione di nuovi taxa di Tenebrionidi Neotropicali (Coleoptera, Tenebrionidae). Annales Historico-Naturales Musei Nationalis Hungarici 78: 177–185. [DP: 31.XII.1986 (Merkl et al. 2008: 220)]

Marcuzzi G (1994) New species of tenebrionid beetles (Coleoptera Heteromera) from South America. Tropical Zoology 7: 109–120. [DP: V.1994 (wrapper)] https://doi.org/10.1080/03946975.1994.10539245

Marcuzzi G (1998) Supplement to the catalogue of Tenebrionidae (Coleoptera) of the West Indies. Annales Historico-Naturales Musei Nationalis Hungarici 90: 151–162. [DP: 31.XII.1998 (Merkl et al. 2008: 234)]

Marcuzzi G (1999) Five new species and a new subgenus of *Cyrtosoma* Perty from the West Indies (Coleoptera, Tenebrionidae). Annales Historico-Naturales Musei Nationalis Hungarici 91: 81–86. [DP: 31.XII.1999 (Merkl et al. 2008: 235)]

Märkel JCF (1844) Beiträge zur Kenntniss der unter Ameisen lebenden Insekten. Zweites Stück. Zeitschrift für die Entomologie 5: 193–271. [DP: by 20.VIII.1844 (*Ent Ver Stettin*)]

Marquet C (1897) Catalogue des Coléoptères du Languedoc. Espèces observées dans quelques régions de cette province, notamment a Toulouse, Béziers, Cette, etc. Bulletin de la Société d'Histoire Naturelle de Toulouse 31: 5–240.

Marseul SA de (1857) Catalogue des coléoptères d'Europe. Paris, xvi + 200 pp. [DP: by 26.IX.1857 (Bousquet 2016a: 358)] https://doi.org/10.5962/bhl.title.66031

Marseul SA de (1863) Catalogue des coléoptères d'Europe et du bassin de la Méditerranée en Afrique & en Asie. 1863. Deuxième édition. Ach. Deyrolle, Paris, [1] + 300 pp. [DP: XI.1863 (Bousquet 2016a: 358)]

Marseul SA de (1866) Descriptions d'espèces nouvelles. L'Abeille, Mémoires d'Entomologie 4: xxxiii–xl. [DP: 1866 (Avertissement after volume title page)]

Marseul SA de (1876) Coléoptères du Japon recueillis par M. Georges Lewis. 2e mémoire. Annales de la Société Entomologique de France (Série 5) 6: 93–142 [DP: 24.VII.1876], 315–340. [DP: 11.X.1876 (Lefèvre 1885)]

Marseul SA de (1887) Catalogue des coléoptères de l'Ancien Monde. L'Abeille, Journal d'Entomologie 24 [1886–87] (No. 315, 318): 289–312 [DP: 30.III.1887 (wrapper)], 313–336. [DP: 9.VI.1887 (wrapper)]

Martin SK (2010) Early Jurassic coleopterans from the Mintaja insect locality. Western Australia Acta Geologica Sinica 84: 925–953. [DP: 23.VIII.2010 (journal website)] https://doi.org/10.1111/j.1755-6724.2010.00276.x

Martins UR, Pereira FS (1966) Revisão dos Languriinae neotropicais (Coleoptera, Languriidae). Arquivos de Zoologia do Estado de São Paulo 13[1965]: 139–300. [DP: 25.X.1965 (top page 139); 1.III.1966 (stamp on title page)]

Mas-Peinado P, Buckley D, Ruiz JL, García-París M (2018) Recurrent diversification patterns and taxonomic complexity in morphologically conservative ancient lineages of *Pimelia* (Coleoptera: Tenebrionidae). Systematic Entomology 43: 522–548. [DP: 5.VI.2018 (journal website)] https://doi.org/10.1111/syen.12291

Masters G (1872) Catalogue of the described Coleoptera of Australia. Part III. Buprestidae, Trixagidae, Eucnemidae, Elateridae, Cebrionidae, Rhipidoceridae, Dascillidae, Malacodermidae, Cleridae, Limexylonidae, Ptinidae, Bostrychidae, Tenebrionidae. F. White, Sydney, 129–192. [DP: 1872 (title page)]

Masters G (1887) Catalogue of the described Coleoptera of Australia. Part IV. The Proceedings of the Linnean Society of New South Wales (Second Series) 1: 259–380. https://doi.org/10.5962/bhl.part.29155

Masumoto K (1981) New or little-known Tenebrionidae from Formosa (I). The Entomological Review of Japan 36: 15–26. [DP: 30.IX.1981 (inside wrapper)]

Masumoto K (1982a) Tenebrionidae of Formosa (4). Elytra 10: 17–32. [DP: 15.VI.1982 (Fujioka 2011: 9)]

Masumoto K (1982b) New or little-known Tenebrionidae from Formosa (II). The Entomological Review of Japan 36: 143–152. [DP: 30.I.1982 (inside wrapper)]

Masumoto K (1986a) Tenebrionidae of east Asia (II). A new relative of the genus *Plamius* with descriptions of three new species. Elytra 14: 17–23. [DP: 10.VIII.1986 (Fujioka 2011: 10)]

Masumoto K (1986b) Tenebrionidae of east Asia (III). A new genus and three new species from Taiwan. Elytra 14: 61–68. [DP: 5.XI.1986 (Fujioka 2011: 10)]

Masumoto K (1988a) Tenebrionidae of East Asia. (IV). A new genus related to *Trichamarygmus* (Amarygmini) and two new species from northwest Thailand. Elytra 16: 127–132. [DP: 15.XI.1988 (Fujioka 2011: 11)]

Masumoto K (1988b) A study of the Taiwanese Lagriidae. The Entomological Review of Japan 43: 33–52. [DP: 30.VI.1988 (inside wrapper)]

Masumoto K (1989a) *Plesiophthalmus* and its allied genera (Coleoptera, Tenebrionidae, Amarygmini) (Part 3). Japanese Journal of Entomology 57: 96–121. [DP: 25.III.1989 (volume title page)]

Masumoto K (1989b) *Plesiophthalmus* and its allied genera (Coleoptera, Tenebrionidae, Amarygmini) (Part 4). Japanese Journal of Entomology 57: 295–317. [DP: 25.VI.1989 (volume title page)]

Masumoto K (1989c) Tenebrionidae of East Asia. (V). A new genus related to *Blaps* (Blaptini) and a new species from northwest Thailand. Elytra 17: 187–191. [DP: 15.XI.1989 (Fujioka 2011: 12)]

Masumoto K (1993a) Larger flattened species of camariine genera from Asia (Coleoptera, Tenebrionidae, Cnodalonini). (Part 1). Japanese Journal of Entomology 61: 137–148. [DP: 25.III.1993 (wrapper)]

Masumoto K (1993b) Larger flattened species of camariine genera from Asia (Coleoptera, Tenebrionidae, Cnodalonini). (Part 2). Japanese Journal of Entomology 61: 217–234. [DP: 25.VI.1993 (wrapper)]

Masumoto K (1993c) A study of the genus *Augolesthus* Motschulsky, 1872 (Coleoptera, Tenebrionidae, Cnodalonini). The Entomological Review of Japan 48: 37–43. [DP: 30.VI.1993 (inside wrapper)]

Masumoto K (1996a) New tenebrionid beetles of the tribes Strongyliini, Misolampini and Adeliini (Coleoptera) from northern Vietnam. Bulletin of the National Science Museum (Series A, Zoology) 22: 33–43. [DP: 22.III.1996 (article header)]

Masumoto K (1996b) A new toxicine genus and species from Taiwan (Tenebrionidae, Coleoptera). The Entomological Review of Japan 51: 67–69. [DP: 15.VI.1996 (article header)]

Masumoto K (1998) *Becvarius* (Tenebrionidae, Coelometopinae), a new genus with four new species from northern Thailand. Japanese Journal of Systematic Entomology 4: 207–213. [DP: 15.XI.1998 (journal website)]

Masumoto K (1999a) Study of Asian Strongyliini (Coleoptera, Tenebrionidae). VII. Brachypterous strongyliines. Elytra 27: 113–125. [DP: 15.V.1999 (Fujioka 2011: 15)]

Masumoto K (1999b) Systematic position of *Theresea diversipennis* (Coleoptera, Tenebrionidae). Elytra 27: 130. [DP: 15.V.1999 (Fujioka 2011: 15)]

Masumoto K (1999c) Additions to *Plesiophthalmus* and its allied genera (Coleoptera, Tenebrionidae, Amarygmini) from East Asia. Elytra 27: 353–370. [DP: 13.XI.1999 (wrapper)]

Masumoto K (2001) A new genus and species of the tribe Adeliini (Coleoptera, Tenebrionidae) from the Upper Hypogean zone of southwest China. Journal of the Speleological Society of Japan 26: 44–49. [DP: 30.XII.2001 (journal website)]

Masumoto K (2003) A new synonym of *Leprocaulinus* (Coleoptera, Tenebrionidae), with proposal of a new combination, *L. sumatranus*. Elytra 31: 60. [DP: 30.VI.2003 (wrapper)]

Masumoto K, Akita K, Lee C-F (2012) New tenebrionid beetles (Coleoptera) from Taiwan. (5) Descriptions of a species belonging to a new genus and three new species of three different tribes, and records of six species in new occurrence. Elytra (New Series) 2: 25–37. [DP: 15.VII.2012 (journal website)]

Masumoto K, Akita K, Lee C-F (2019) Three new Taiwanese taxa from the darkling beetle subtribe Gnathidiina (Coleoptera: Tenebrionidae: Diaperinae). Annales Zoologici (Warszawa) 69: 159–164. [DP: 30.III.2019 (cover)] https://doi.org/10.3161/00034541ANZ2019.69.1.011

Masumoto K, Ando K, Akita K (2006) New or little-known tenebrionid species from Japan (Part 5). A new species belonging to a new genus (Coleoptera: Tenebrioninae: Helopini). The Entomological Review of Japan 61: 33–38. [DP: 30.VI.2006 (article header)]

Masumoto K, Bečvář S (2005) Two new tenebrionid species of a new genus (Coleoptera, Tenebrionidae, Strongyliini) from the Oriental Region. Elytra 33: 417–423. [DP: 19.XI.2005 (wrapper)]

Masumoto K, Bečvář S (2008) A study of genera *Morphostenophanes* Pic and *Promorphostenophanes* Kaszab (Coleoptera: Tenebrionidae). The Entomological Review of Japan 62: 205–211. [DP: 30.I.2008 (journal website)]

Masumoto K, Grimm R (2004) A new genus and a species of the Palorinae (Coleoptera: Tenebrionidae) from Japan. The Entomological Review of Japan 59: 127–130. [DP: 30.IV.2004 (wrapper)]

Matthews EG (1992) Classification, relationships and distribution of the genera of Cyphaleini (Coleoptera: Tenebrionidae). Invertebrate Taxonomy 6: 437–522. [DP: 12.V.1992 (volume 7 (1) Contents)] https://doi.org/10.1071/IT9920437

Matthews EG (1993) Classification, relationships and distribution of the genera of Heleini (Coleoptera: Tenebrionidae). Invertebrate Taxonomy 7: 1025–1095. [DP: 17.XI.1993 (volume 8 (1) Contents)] https://doi.org/10.1071/IT9931025

Matthews EG (1998) Classification, phylogeny and biogeography of the genera of Adeliini (Coleoptera: Tenebrionidae). Invertebrate Taxonomy 12: 685–824. [DP: 6.XI.1998 (volume 13 (1) Contents)] https://doi.org/10.1071/IT97008

Matthews EG (2003a) *Aoupinia*, a remarkable new genus of Adeliini from New Caledonia (Coleoptera: Tenebrionidae). Memoirs of the Queensland Museum 49: 441–445. [DP: 30.VI.2003 (wrapper)]

Matthews EG (2003b) *Ulomotypus* Broun a member of the new subfamily Palorinae, with remarks on *Aphtora* Bates and *Demtrius* Broun (Coleoptera, Tenebrionidae). New Zealand Entomologist 26: 7–14. [DP: 6.II.2012 (journal website)] https://doi.org/10.1080/00779962.2003.9722104

Matthews EG (2004) New synonymy and new names in Australian Tenebrionidae (Coleoptera). Transactions of the Royal Society of South Australia 128: 261. [DP: 30.XI.2004 (volume Contents)]

Matthews EG (2012) Australian Alleculinae: new genera, new combinations, and a lectotype designation (Coleoptera: Tenebrionidae). Psyche 2012: 1–5. [DP: 5.III.2012 (journal website)] https://doi.org/10.1155/2012/814865

Matthews EG, Bouchard P (2008) Tenebrionid beetles of Australia: descriptions of tribes, keys to genera, catalogue of species. Australian Biological Resources Study, Canberra, viii, 398 pp. [DP: I.2008 (publisher website)]

Matthews EG, Doyen JT (1989) A reassessment of the Australian species of *Menephilus* Mulsant (Coleoptera: Tenebrionidae) with descriptions of two new genera and a larva and pupa. Records of the South Australian Museum 23: 39–50. [DP: V.1989 issue; 5.VI.1989 (volume Contents)]

Matthews EG, Lawrence JF (1992) A new genus and species of Heleini from Tasmania (Coleoptera: Tenebrionidae). Journal of the Australian Entomological Society 31: 311–316. [DP: 1.XI.1992 (journal website)] https://doi.org/10.1111/j.1440-6055.1992.tb00513.x

Matthews EG, Lawrence JF (2005) New taxa, new synonymy and new generic records for Australian Tenebrionidae (Coleoptera). Annales Zoologici (Warszawa) 55(4): 531–547. [DP: 1.XII.2005 (journal website)]

Matthews EG, Lawrence JF (2015) Trachelostenini sensu novo: redescriptions of *Trachelostenus* Solier, *Myrmecodema* Gebien and *Leaus* Matthews & Lawrence, based on adults and larvae, and descriptions of three new species of *Leaus* (Coleoptera: Tenebrionidae). Zootaxa 4020: 289–312. [DP: 22.IX.2015 (title page footer)] https://doi.org/10.11646/zootaxa.4020.2.4

Matthews EG, Lawrence JF (2019) 36. Tenebrionidae Latreille, 1802. In: Ślipiński SA, Lawrence JF (Eds) Australian beetles. Volume 2. Archostemata, Myxophaga, Adephaga, Polyphaga (part). CSIRO Publishing, Clayton South, 582–662. [DP: 1.XI.2019 (publisher website)]

Matthews EG, Merkl O (2015) *Hangaya enigmatica*, a new genus and species of Tenebrionidae from central Australia (Coleoptera). Annales Zoologici (Warszawa) 65: 479–482. [DP: 1.IX.2015 (jurnal website)] https://doi.org/10.3161/00034541ANZ2015.65.3.004

Medvedev GS (1962) New subfamily of Tenebrionid-beetles (Coleoptera, Tenebrionidae) from Turkmenia [in Russian]. Zoologicheskiy Zhurnal 41: 1184–1189. [DP: after 30.VII.1962 (censor date)]

Medvedev GS (1966) A new genus and species of darkling beetles (Coleoptera, Tenebrionidae) from Turkmenia [in Russian]. Trudy Zoologicheskogo Instituta Akademiya Nauk SSSR 37: 98–99.

Medvedev GS (1967) A review of darkling beetles of the tribe Leptodini (Coleoptera: Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 46: 353–360. [DP: after 27.V.1967 (censor date)] [English translation in Entomological Review 46: 211–214]

Medvedev GS (1968a) Coleoptera Volume 19. Part 2, Tenebrionidae-subfamily Opatrinae. The tribes Platynotini, Dendarini, Pedinini, Dissonomini, Pachypterini, Opatrini (part) and Heterotarsini [in Russian]. Fauna SSSR (N.S.) 97: 1–285. [English translation 1977, United States Department of Agriculture, USA, 386 pp.]

Medvedev GS (1968b) New darkling beetles of the tribe Akidini (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 47: 892–898. [DP: after 16.XII.1968 (censor date)] [English translation in Entomological Review 47: 544–548]

Medvedev GS (1973) Position of the genera *Leichenum* Dej. and *Idisia* Pasc. (Coleoptera, Tenebrionidae) in the system and a description of a new genus from northern Karakums [in Russian]. Entomologicheskoe Obozrenie 52: 644–650. [DP: after 18.IX.1973 (censor date)] [English translation in Entomological Review 52: 428–433]

Medvedev GS (1975) Obzor zhukov-chernotelok roda *Dichillus* Jacquelin du Val (Coleoptera, Tenebrionidae) fauny SSSR [in Russian]. Entomologicheskoe Obozrenie 54: 591–605, 2 pls. [DP: after 26.VIII.1975 (censor date)] [English translation in Entomological Review 54: 75–86]

Medvedev GS (1978) New species of the darkling beetles of the genus *Dilamus* Jacquelin du Val (Coleoptera, Tenebrionidae) from Central Asia [in Russian]. Trudy Zoologicheskogo Instituta Akademiya Nauk SSSR 61[1977]: 147–152.

Medvedev GS (1987) Species of the genus *Zophohelops* Rtt. and allied genera (Coleoptera, Tenebrionidae) of the Middle Asia and Kazakhstan [in Russian]. Trudy Zoologicheskogo Instituta Akademiya Nauk SSSR 164: 95–129.

Medvedev G S (1989) Obzor zhukov-chernotelok roda *Alcinoeta* Strand (Coleoptera, Tenebrionidae). [Review of darkling beetles of the genus *Alcinoeta* Strand (Coleoptera, Tenebrionidae)] [in Russian]. Entomologicheskoe Obozrenie 67[1988](4): 798–802. [English translation in Entomological Review 69: 15–19]

Medvedev GS (1990) Opredelitel' zhukov-chernotelok Mongolii [in Russian]. Trudy Zoologicheskogo Instituta Akademiya Nauk SSSR 220: 1–254. [DP: after 20.VI.1990 (censor date)]

Medvedev GS (1991) New tenebrionid beetles of the tribes Stenosini and Cnemeplatiini (Coleoptera, Tenebrionidae) of the world fauna [in Russian]. Entomologicheskoe Obozrenie 70: 557–570. [DP: after 2.XII.1991 (censor date)] [English translation in Entomological Review 71: 133–147]

Medvedev GS (1992) Tenebrionidae – chernotelki. In: Ler PA (Ed.) Opredelitel' nasekomykh Dalnego Vostoka SSSR. Tom III zhestokrylye, ili zhuki. Chast' 2 [in Russian]. Nauka, Sankt-Peterburgskoe Otdelenie, 621–659. [DP: after 28.I.1992 (censor date)]

Medvedev GS (1993) To the knowledge of tenebrionid beetles of the genus *Lasiostola* Sol. (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 72: 106–118. [English translation in Entomological Review 72: 64–76]

Medvedev GS (1995a) New data on systematics of tenebrionid beetles of the tribe Stenosini (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 73[1994]: 844–867. [English translation in Entomological Review 75: 101–124]

Medvedev GS (1995b) New darkling beetles of the genus *Prosodes* Eschsch. (Coleoptera, Tenebrionidae) from Middle Asia. 1. Subgenera *Prosodes* s. str., *Mesoprosodes* subgen. n., *Peltarium* F.-W. and *Uroprosodes* Rtt. [in Russian]. Entomologicheskoe Obozrenie 74: 811–854. [English translation in Entomological Review 75: 167–215]

Medvedev GS (1996) New darkling beetles of the genus *Prosodes* Eschsch. (Coleoptera, Tenebrionidae) from Middle Asia. II. Subgenera *Meropersina* Rtt., *Dilopersina* Rtt., *Iranosodes* subgen. n., *Prosodura* Rtt., *Megaprosodes* Rtt., and *Prosodella* Rtt. [in Russian]. Entomologicheskoe Obozrenie 75(3): 596–636. [English translation in Entomological Review 76: 627–664]

Medvedev GS (1997) New darkling beetles of the genus *Prosodes* Eschsch. (Coleoptera, Tenebrionidae) from Middle Asia. III. Subgenera *Prosodinia* Rtt., *Diprosodes* Rtt. and *Ferganoprosodes* subgen. n. [in Russian]. Entomologicheskoe Obozrenie 76(3): 563–605. [English translation in Entomological Review 77: 923–959]

Medvedev GS (1998a) To the knowledge of the tenebrionid beetles of the tribe Blaptini (Coleoptera, Tenebrionidae) of eastern part of the Tibetan plateau [in Russian]. Entomologicheskoe Obozrenie 77: 171–208. [English translation in Entomological Review 78: 79–111]

Medvedev GS (1998b) New species of tenebrionid beetles of the tribe Blaptini (Coleoptera, Tenebrionidae) from Hissaro-Darvaz Mountains and Tibet plateau [in Russian]. Entomologicheskoe Obozrenie 77: 555–586, 732. [English translation in Entomological Review 78: 571–597]

Medvedev GS (1999a) Classification of the tenebrionid genus *Prosodes* Eschsch. (Coleoptera, Tenebrionidae). I. The genera *Oliprosodes* Rtt. And *Prosodinia* Rtt. [in Russian]. Entomologicheskoe Obozrenie 77: 849–886. [English translation in Entomological Review 79: 613–624]

Medvedev GS (1999b) Taxonomic significance of the structure of genital tubes in tenebrionid beetles of the tribe Blaptini (Coleoptera, Tenebrionidae) and description of a new subgenus and a new species [in Russian]. Entomologicheskoe Obozrenie 78: 391–405. [English translation in Entomological Review 79: 613–624]

Medvedev GS (2001) Evolution and system of darkling beetles of the tribe Blaptini (Coleoptera, Tenebrionidae) [in Russian]. Chteniya Pamyati Nikolaya Aleksandrovicha Kholodkovskogo 53: 1–332.

Medvedev GS (2003) Classification of the tenebrionid genus *Prosodes* Eschsch. (Coleoptera, Tenebrionidae). III. The subgenus *Indoprosodes* subgen. n. [in Russian]. Entomologicheskoe Obozrenie 82: 690–697. [English translation in Entomological Review 83: 576–581]

Medvedev GS (2005a) On connections of the sand desert faunas of Tenebrionidae (Coleoptera) of Middle Asia, Iran, and Afghanistan. In: Konstantinov A, Tishechkin A, Penev L (Eds) Contributions to systematics and biology of beetles. Papers celebrating the 80th birthday of Igor Konstantinovich Lopatin. Pensoft Publishers, Sofia / Moscow, 299–314. [DP: 6.XI.2005]

Medvedev GS (2005b) Classification of the tenebrionid genus *Prosodes* Eschsch. (Coleoptera, Tenebrionidae). IV. The subgenera *Prosodestes* Rtt. and *Gebleria* Motsch. [in Russian]. Entomologicheskoe Obozrenie 84: 62–107. [English translation in Entomological Review 85: 53–90]

Medvedev GS (2006) K sistematike i nomenklature zhukov-chernotelok trib Phaleriini, Lachnogyini, Klewariini I Blaptini (Coleoptera, Tenebrionidae) [To the systematics and nomenclature of tenebrionid beetles of the tribes Phaleriini, Lachnogyini, Klewariini, and Blaptini (Coleoptera, Tenebrionidae)] [in Russian]. Entomologicheskoe Obozrenie 85 (3): 555–579. [English translation in Entomological Review 86: 820–839] https://doi.org/10.1134/S0013873806070062

Medvedev GS (2007a) On the systematics and morphology of the tenebrionid tribe Blaptini (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 86: 132–170. [English translation in Entomological Review 87: 181–214] https://doi.org/10.1134/S0013873807020078

Medvedev GS (2007b) New species of the tenebrionid genus *Menimus* Sharp, 1876 (Coleoptera, Tenebrionidae) from southern Palaearctic [in Russian]. Entomologicheskoe Obozrenie 86: 665–682. [English translation in Entomological Review 87: 865–879] https://doi.org/10.1134/S0013873807070093

Medvedev GS (2009) Composition of the genera *Gnaptorina* Reitter and *Pseudognaptorina* Kaszab of the tenebrionid tribe Blaptini (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 88: 416–429. [DP: after 6.VI.2009 (censor date)] [English translation in Entomological Review 89: 451–461] https://doi.org/10.1134/S0013873809040095

Medvedev GS, Iljina EV (2007) A new subgenus and a new species of the tenebrionid genus *Leptodes* Dejean, 1834 (Coleoptera, Tenebrionidae) [in Russian]. Entomologicheskoe Obozrenie 86: 880–882. [English translation in Entomological Review 87: 1035–1037] https://doi.org/10.1134/S0013873807080076

Medvedev GS, Iwan D (2006) Notes on the taxonomy of tenebrionid beetles (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 56(4): 613–621. [DP: 30.XII.2006 (inside wrapper)]

Medvedev GS, Lawrence JF (1983) Tenebrionid beetles of the tribe Hyocini (Coleoptera, Tenebrionidae) of Australia. 1. Subgenera *Nannohyocis* subgen nov. and *Neohyocis* subgen. nov. [in Russian]. Entomologicheskoe Obozrenie 62: 569–583. [DP: after 4.VIII.1983 (censor date)] [English translation in Entomological Review 62: 117–130]

Medvedev GS, Lawrence JF (1984) Tenebrionid beetles of the tribe Hyocini (Coleoptera, Tenebrionidae) of Australia. 2. Genera *Parahyocis* Kasz. and *Csiro* gen. n. [in Russian]. Entomologicheskoe Obozrenie 63: 561–581. [DP: after 26.IX.1984 (censor date)] [English translation in Entomological Review 63: 129–148]

Medvedev GS, Lawrence JF (1986) Tenebrionid beetles of the tribe Hyocini (Coleoptera, Tenebrionidae) of Australia. III. Subtribes Brittonina subtrib. n. and Uptonina subtrib. n. [in Russian]. Entomologicheskoe Obozrenie 65: 574–591. [DP: after 26.VIII.1986 (censor date)] [English translation in Entomological Review 66: 161–179]

Medvedev GS, Merkl O (2003) *Viettagona vietnamensis* gen. et sp. n. from Vietnam (Coleoptera, Tenebrionidae: Blaptini). Acta Zoologica Academiae Scientiarum Hungaricae 48[2002]: 317–332. [DP: 28.II.2003 (p. 332)]

Medvedev GS, Nepesova MG (1985) Key to the identification of the darkling beetles of Turkmenistan [in Russian]. Ylym, Ashkhabad, 178 pp.

Medvedev LN (1969) New Mesozoic Coleoptera (Cucujoidea) of Asia [in Russian]. Paleontologicheskii Zhurnal 1969: 119–125. [English translation in Paleontological Journal 1969: 108–113]

Melsheimer FE (1853) Catalogue of the described Coleoptera of the United States. Revised by S.S. Haldeman and J.L. LeConte. Smithsonian Institution, Washington DC, xvi + 174 pp. [DP: VII.1853 (title page)] https://doi.org/10.5962/bhl.title.1562

Ménétriés E (1849) Catalogue des insectes recueillis par feu M. Lehmann avec les descriptions des nouvelles espèces. (Seconde et dernière partie). Mémoires de l'Académie Impériale des Sciences de Saint-Pétersbourg (Sixième Série: Sciences Mathématiques, Physiques et Naturelles) 8: 217–308, pls 3–6. [DP: X.1849 (verso of title page)]

Ménétriés E (1854) Coléoptères receuillis dans la Mongolie Chinoise et aux environs de Pékin. Études Entomologiques 3: 26–41. [DP: by 18.XI.1854 (Bousquet 2016a: 372)]

Merkl O (1986) A review of the Australian species of the subtribe Statirina (Coleoptera, Tenebrionidae: Lagriini). Annales Historico Naturales Musei Nationalis Hungarici 78: 187–199. [DP: 31.XII.1986 (Merkl et al. 2008: 220)]

Merkl O (1987) A review of the Australian species of the subtribe Lagriina (Coleoptera, Tenebrionidae: Lagriini). Annales Historico-Naturales Musei Nationalis Hungarici 79: 121–166. [DP: 31.XII.1987 (Merkl et al. 2008: 222)]

Merkl O (1988a) The scientific results of Hungarian soil zoological expeditions in New Guinea. Coleoptera, Tenebrionidae: Lagriini. Folia Entomologica Hungarica 49: 123–151. [DP: 30.VII.1988 (verso of title page)]

Merkl O (1988b) *Oreogria* gen. n. from New Guinea (Coleoptera, Tenebrionidae: Lagriini). Acta Zoologica Academiae Scientiarum Hungaricae 34: 247–271. [by 27.V.1988 (received at Canadian National Collection of Insects, Canada)]

Merkl O (1991) Lagriini of the Nepal-Himalayas (Coleoptera: Tenebrionidae). Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 470: 1–18. [DP: 31.XII.1991 (article header)]

Merkl O (2004) On taxonomy, nomenclature, and distribution of some Palaearctic Lagriini, with description of a new species from Taiwan (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 50: 283–305. [DP: 29.XII.2004 (p. 305)]

Merkl O (2006) Redescription of *Lagria* (*Apteronympha*) *tenenbaumi* Pic, 1929, with a checklist of the Western Palaearctic species of the genus *Lagria* F. (Coleoptera: Tenebrionidae: Lagriini). Proceedings of the Russian Entomological Society 77: 219–225.

Merkl O (2007) Notes on Asian Lagriini, with description of *Cerogria gozmanyi* sp. n. (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 53(Supplement 1): 255–272. [DP: 30.VII.2007 (p. 272)]

Merkl O (2008) Family Tenebrionidae Latreille, 1802: tribe Lagriini Latreille, 1825. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 113–118. [DP: 15.IV.2008 (verso of title page)]

Merkl O, Grabant A, Makra S, Peregovits L, Soltész Z (2008) Complete list of papers published in the *Annales Historico-Naturales Musei Nationalis Hungarici* between 1903 and 2007. Annales Historico-Naturales Musei Nationalis Hungarici 100: 95–244. [DP: 30.XI.2008 (p. 2 of volume 100)]

Merkl O, Kompantzeva TV (1996) Old World *Rhipidandrus* Leconte: synonymies, faunistics, identification key and description of two new species from Australia (Coleoptera: Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 42: 89–109. [DP: after 20.XII.1996 (articles accepted)]

Merkl O, Masumoto K (2007) A review of Taiwanese *Paramisolampidius* (Coleoptera, Tenebrionidae: Cnodalonini). Acta Zoologica Academiae Scientiarum Hungaricae 54: 1–11. [DP: 14.XII.2007 (p. 11)]

Meyer J (1844) Das grosse Conservations-Lexicon für die gebildeten Stände. In Verbindung mit Staatsmännern, Gelehrten, Künstlern und Technikern. Siebenter Band. Erste Abtheilung. C.-Charpentier. Bibliographischen Instituts, Berlin, 1147 pp. [DP: 1844 (title page)]

Miedel J (1880) Observations sur les *Opatrum*. Deutsche Entomologische Zeitschrift 24: 136–140. [DP: V.1880 (wrapper)]

Miller L (1858) Zwei neue Erodiinen-Genera. Wiener Entomologische Monatschrift 2: 115–124. [DP: IV.1858 issue]

Miller L (1861) Neue Käfer aus Kindermann's Vorräthen. Wiener Entomologische Monatschrift 5: 169–182, pls 4–5. [DP: VI.1861 issue]

Miwa Y (1939) Descriptions of four new species belonging to the family Tenebrionidae from Formosa. Zoological Magazine (Tokyo) 51: 412–415.

Miyatake M (1964) Notes on the tribe Bolitophagini of Japan, with the description of four new genera and two new species (Coleoptera: Tenebrionidae). Transactions of the Shikoku Entomological Society 8[1963–65]: 59–84, pls 5–6. [DP: 30.VI.1964 (verso volume title page)]

Montrouzier X (1855) Essai sur la faune de l'Ile de Woodlark ou Moiou, 1851–1852. Annales des Sciences Physiques et Naturelles, d'Agriculture et Industrie (Lyon) (Deuxième Série) 7: 1–77. [DP: by 21.VI.1856 (*Bibl France*)]

Montrouzier X (1860) Essai sur la faune entomologique de la Nouvelle-Calédonie (Balade) et des îles des Pins, Art, Lifu, etc. Annales de la Société Entomologique de France (Série 3) 8: 229–260 [DP: 13.VI.1860], 261–308. [DP: 12.IX.1860 (wrappers)]

Morawitz A (1865) Ueber die in Russland und den angränzenden Ländern vorkommenden *Akis*-Arten. Horae Societatis Entomologicae Rossicae 3[1865–66]: 3–42. [DP: circa 30.XI.1865 (Kerzhner 1984)]

Motschulsky V de (1839) Insectes du Caucase et des provinces Transcaucasiennes recueillis et décrits par T. Victor. Bulletin de la Société Impériale des Naturalistes de Moscou 12: 44–67, pls 1–2. [DP: after 8.VI.1839 (Gregorian calendar, censor date)

Motschulsky V de (1845a) Remarques sur la collection de coléoptères Russes de Victor de Motschulsky, 1er Article. Bulletin de la Société Impériale des Naturalistes de Moscou 18(1): 3–127. [DP: by 8.V.1845 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1845b) Observations sur le Musée entomologique de l´Université Impériale de Moscou. Bulletin de la Société des Naturalistes de Moscou 18(4): 332–388. [DP: by 25.XII.1845 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1846) Remarques sur la collection de coléoptères Russes de Victor de Motschulsky, 3me Article. Bulletin de la Société Impériale des Naturalistes de Moscou 19(2): 372–418. [DP: by 30.IV.1846 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1857) Entomologie spéciale. Insectes du Japon. Études Entomologiques 6: 25–41. [DP: by 26.XI.1857 (Gregorian calendar, Bousquet 2016a: 372)]

Motschulsky V de (1858a) Entomologie spéciale. Insectes des Indes orientales. 1:ière Série. Études Entomologiques 7: 20–122, 2 pls. [DP: by 30.XII.1858 (Gregorian calendar, Bousquet 2016a: 372)]

Motschulsky V de (1858b) Nouveautés. Études Entomologiques 7: 187–190. [DP: by 30.XII.1858 (Gregorian calendar, Bousquet 2016a: 372)]

Motschulsky V de (1860a) Entomologie spéciale. Insectes des Indes orientales, et de contrées analogues. Études Entomologiques 8[1859]: 25–118. [DP: by 3.V.1860 (Gregorian calendar, Bousquet 2016a: 372)]

Motschulsky V de (1860b) Insectes nouveaux ou peu connus des bassins de la Méditerranée et de la mer Noire jusqu'à la mer Caspienne. Études Entomologiques 8[1859]: 119–144. [DP: by 3.V.1860 (Gregorian calendar, Bousquet 2016a: 372)]

Motschulsky V de (1860c) Coléoptères rapportés en 1859 par M. Sévertsef des Steppes méridionales des Kirghises, et énumérés par V. de Motschulsky. Bulletin de l'Académie Impériale des Sciences de Saint-Pétersbourg (Série 3) 2: cols 513–544. [DP: 20.XII.1860 (col. 576 footer)]

Motschulsky V de (1860d) Coléoptères rapportés de la Sibérie orientale et notamment des pays situées sur les bords du fleuve Amour par Mm. Schrenck, Maack, Ditmar, Voznessenski etc. In: Schrenck L (Ed.) Reisen und Forschungen im Amur-Lande in den Jahren 1854–1856 im Auftrage der Kaiserl. Akademie der Wissenschaften zu St Petersburg ausgeführt und in Verbindung mit mehreren Gelehrten herausgegeben. Band II. Zweite Lieferung. Coleopteren. Eggers and Comp., St Petersburg, 79–257, pls 7–11, map. [DP: XII.1860 (verso of cover]

Motschulsky V de (1863) Essai d'un catalogue des insectes de l'île Ceylan (Suite). Bulletin de la Société Impériale des Naturalistes de Moscou 36(2): 421–532. [DP: by 29.X.1863 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1869) Énumération des nouvelles espèces de coléoptères rapportés de ses voyages. 6-ième article. Bulletin de la Société Impériale des Naturalistes de Moscou 41[1868](3): 170–201, pl. 8. [DP: by 22.IV.1869 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1870) Énumération des nouvelles espèces de coléoptères rapportés de ses voyages. 10-ième article. Bulletin de la Société Impériale des Naturalistes de Moscou 43(2): 379–407, pls 3–4. [DP: by 1.XII.1870 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1872) Énumération des nouvelles espèces de coléoptères rapportés de ses voyages. 11-ième article. Bulletin de la Société Impériale des Naturalistes de Moscou 45(3): 23–55. [DP: by 26.XII.1872 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Motschulsky V de (1873) Énumération des nouvelles espèces de coléoptères rapportés de ses voyages. 12-ième article. Bulletin de la Société Impériale des Naturalistes de Moscou 46(2): 466–482. [DP: by 2.X.1873 (Gregorian calendar, *Soc Imp Nat Mosc*)]

Muche WH (1979) Zwei neue *Omophlus*-Arten aus dem Naturhistorischen Museum Basel (Coleoptera, Alleculidae). Reichenbachia 17[1978–79]: 171–174. [DP: 6.XII.1979 (article header)]

Muche WH (1981) Eine neue *Isomira*-Art (Untergattung *Asiomira*) aus China (Coleoptera, Alleculidae). Reichenbachia 19: 157–158. [DP: 15.XII.1981 (article header)]

Mulsant E (1852) Description d'un genre et d'un coléoptère nouveaux dans la famille des Cistéliens. Opuscules entomologiques 1: 68–71. [DP: by 22.VII.1852 (Bousquet 2016a: 378)]

Mulsant E (1854) Histoire naturelle des Coléoptères de France. Latigènes. Maison, Paris, x, 396 pp. [DP: after 2.X.1854 (dedication date)] https://doi.org/10.5962/bhl.title.51567

Mulsant E (1856a) Histoire naturelle des Coléoptères de France. Pectinipèdes. Maison, Paris, [4] + 96 pp. [3 (latigènes. – supplément)], [4 (longicornes, – supplément)], [2 (palpicornes. – supplément)], [2 (lamellicornes. – supplément)] pp. [DP: by 4.X.1856 (Bousquet 2016a: 376)]

Mulsant E (1856b) Histoire naturelle des Coléoptères de France. Latipennes. Maison, Paris, [4] + 44 + [1] + [3 (latigènes – supplément – ulomiens)] pp. [DP: 1856 (title page); by 5.IX.1857 (Bousquet 2016a: 376)]

Mulsant E (1857) Notes relatives à quelques insectes Coléoptères de la tribu des Pectinipèdes. Opuscules Entomologiques 7[1856]: 17–59. [DP: by 30.V.1857 (*Bibl Fr*)]

Mulsant E, Godart A (1876) Description d'une espèce nouvelle de coléoptères latigènes servant à former un genre nouveau. Opuscules Entomologiques 16: 163–165. [DP: by 1.V.1876 (*Pet Nouv Ent*)]

Mulsant E, Revelière E (1861) Description d'un coléoptère nouveau constituant un nouveau genre dans la tribu des Opatates [sic]. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 7[1860]: 153–157. [DP: II.1861 (title page)] https://doi.org/10.3406/linly.1861.3928

Mulsant E, Rey C (1853a) Description d'un coléoptère constituant un genre nouveau parmi les taxicornes. Opuscules Entomologiques 2: 185–188. [DP: after 2.V.1853 (dedication date)]

Mulsant E, Rey C (1853b) Essai d'une division des derniers Mélasomes. Opuscules Entomologiques 4: 1–242, pls 1–4. [DP: after 1.VIII.1853 (dedication date)]

Mulsant E, Rey C (1854) Essai d'une division des derniers mélasomes (suite). Opuscules Entomologiques 5: 9–255. [DP: after 25.X.1854 (dedication date)]

Mulsant E, Rey C (1855) Description d'une nouvelle espèce de *Pandarinus* (coléoptère de la tribu des Pandarites). Opuscules Entomologiques 6: 94–96. [DP: after 16.XII.1855 (dedication date)]

Mulsant E, Rey C (1859a) Essai d'une division des derniers Mélasomes. Opuscules Entomologiques 9: 65–157. [DP: by 19.XI.1859 (Bousquet 2016a: 379)]

Mulsant E, Rey C (1859b) Description de quelques coléoptères nouveaux. Opuscules Entomologiques 9: 158–176. [DP: by 19.XI.1859 (Bousquet 2016a: 379)]

Mulsant E, Rey C (1859c) Essai d'une division des derniers mélasomes. Famille des parvilabres. Quatrième tribu. Opatrites. Opuscules Entomologiques 10: 1–160. [DP: after 20.VI.1859 (dedication date)]

Murray A (1867) List of Coleoptera received from Old Calabar, on the west coast of Africa. The Annals and Magazine of Natural History (Third Series) 20: 20–23. [DP: 1.VII.1867 (Evenhuis 2003)] https://doi.org/10.1080/00222936708562711

Nabozhenko MV (2000) New species of tenebrionid beetles of the genus *Cylindronotus* Fald. (Coleoptera, Tenebrionidae) from the north Caucasus [in Russian]. Entomologicheskoe Obozrenie 79: 107–111. [English translation in Entomological Review 80: 50–53]

Nabozhenko MV (2001a) On the classification of the tenebrionid tribe Helopini, with a review of the genera *Nalassus* Mulsant and *Odocnemis* Allard (Coleoptera, Tenebrionidae) of the European part of CIS and the Caucasus [in Russian]. Entomologicheskoe Obozrenie 80: 627–668. [English translation in Entomological Review 81: 909–942]

Nabozhenko MV (2001b) Taxonomic notes on the genus *Zophohelops* Reitter, 1901 with description of a new species from Tadzhikistan and a new genus *Pseudoprobaticus* gen. nov. (Coleoptera: Tenebrionidae: Helopini). Annales Zoologici (Warszawa) 51: 511–515. [DP: 22.XII.2001 (inside wrapper)]

Nabozhenko MV (2002a) New genus of darkling beetles of the tribe Helopini (Coleoptera, Tenebrionidae) [in Russian]. Vestnik Zoologii 36: 41–46.

Nabozhenko MV (2002b) Tenebrionid beetles of the genera *Hedyphanes* Fischer and *Entomogonus* Solier (Coleoptera, Tenebrionidae) in the Caucasus [in Russian]. Entomologicheskoe Obozrenie 81: 684–692. [English translation in Entomological Review 82: 1003–1009]

Nabozhenko MV (2005) New synonymy and new species of the genus *Hedyphanes* Fischer de Walheim, 1922 (Coleoptera, Tenebrionidae). Acta Zoologica Academiae Scientiarum Hungaricae 51: 349–355. [DP: 28.XII.2005 (p. 355)]

Nabozhenko MV (2006) A revision of the genus *Catomus* Allard, 1876 and allied genera (Coleoptera, Tenebrionidae) from the Caucasus, Middle Asia and China [in Russian]. Entomologicheskoe Obozrenie 85: 798–857. [English translation in Entomological Review 86: 1024–1072] https://doi.org/10.1134/S0013873806090065

Nabozhenko MV (2008) New nomenclatural and taxonomic acts, and comments: Tenebrionidae: Blaptini; Helopini. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera.

Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 35–36, 36–38. [DP: 15.IV.2008 (verso of title page)]

Nabozhenko MV (2013) Taxonomic notes on the genera *Hedyphanes* Fischer von Waldheim, 1820 and *Entomogonus* Solier, 1848 (Coleoptera: Tenebrionidae) of Turkey. Journal of Insect Biodiversity 1(8): 1–9. [DP: 9.IX.2013 (p. 9)] https://doi.org/10.12976/jib/2013.1.8

Nabozhenko MV (2014) New darkling beetles of the tribe Helopini (Coleoptera: Tenebrionidae) from Iran. Caucasian Entomological Bulletin 10: 237–241. [DP: 12.XII.2014 (journal website)] https://doi.org/10.23885/1814-3326-2014-10-2-237-241

Nabozhenko MV (2018) On the question of classification and phylogeny of the tribe Helopini Latreille, 1802 and resurrection of the subtribe Enoplopina Solier, 1848 (Coleoptera: Tenebrionidae) [in Russian, with English Abstract]. Caucasian Entomological Bulletin 14: 181–186. [DP: 26.XII.2018 (journal website)] https://doi.org/10.23885/181433262018142-181186

Nabozhenko MV (2019) The fossil record of darkling beetles (Insecta: Coleoptera: Tenebrionidae). Geosciences 9: 1–20. [DP: 13.XII.2019 (journal website)] https://doi.org/10.3390/geosciences9120514

Nabozhenko MV, Ando K (2018) Subtribal, generic and subgeneric composition of darkling beetles of the tribe Helopini (Coleoptera: Tenebrionidae) in the eastern Palaearctic Region. Acta Zoologica Academiae Scientiarum Hungaricae 64: 277–327. [DP: 12.X.2018 (p. 327)] https://doi.org/10.17109/AZH.64.4.277.2018

Nabozhenko MV, Bukejs A (2021) A new species and a key to *Isomira* Mulsant, 1856 (Coleoptera: Tenebrionidae: Alleculinae) from Eocene Baltic amber. Caucasian Entomological Bulletin 17: 51–56. [DP: 12.III.2021 (ZooBank)] https://doi.org/10.23885/181433262021171-5156

Nabozhenko MV, Bukejs A, Telnov D (2019) Gonialaenini, a new tribe of Lagriinae (Coleoptera: Tenebrionidae) from Eocene Baltic Amber. Zootaxa 4565: 253–260. [DP: 8.III.2019 (title page footer)] https://doi.org/10.11646/zootaxa.4565.2.9

Nabozhenko MV, Chang H, Xu L, Pu H, Jia S (2016a) A new species and a new genus of comb-clawed beetles (Coleoptera: Tenebrionidae: Alleculinae) from Lower Cretaceous of Yixian (China, Laoning). Paleontological Journal 49: 1420–1423. [DP: 6.I.2016 (journal website)] https://doi.org/10.1134/S0031030115130079

Nabozhenko MV, Chigray IA (2020) New nomenclatural and taxonomic acts, and comments. Tenebrionidae: Blaptini. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 10–12. [DP: 17.IX.2020 (verso of title page)]

Nabozhenko M, Chigray I, Bukejs A (2020a) Taxonomic notes on the Eocene Helopini, and a review of the genus *Isomira* Mulsant, 1856 from Baltic amber (Coleoptera: Tenebrionidae). Insect Systematics and Evolution 51: 517–531. [DP: 22.V.2020 (journal website)] https://doi.org/10.1163/1876312X-00002302

Nabozhenko MV, Egorov LV (2020) Notes on a synonymy in the tribe Platyscelidini (Coleoptera: Tenebrionidae). Caucasian Entomological Bulletin 16: 265–266. [DP: 2.XI.2020 (p. 266)] https://doi.org/10.23885/181433262020162-265266

Nabozhenko MV, Ferrer J, Kalashian M, Abdurakhmanov G (2016b) Contribution to the knowledge of darkling beetles of the tribe Ceratanisini (Coleoptera: Tenebrionidae) from

the Caucasus and Anatolia. Annales Zoologici (Warszawa) 66: 607–620. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.013

Nabozhenko MV, Ivanov SN (2018) A new species and subgenus of the genus *Toxicum* Latreille, 1802 (Coleoptera, Tenebrionidae, Toxicini) from the Russian Far East [in Russian]. Zoologicheskii Zhurnal 97(5): 545–551. [DP: V.2018 issue] [English translation in Entomological Review 98: 892–898] https://doi.org/10.1134/S0013873818070102

Nabozhenko MV, Keskin B (2010) A new genus and species of darkling beetles of the tribe Helopini (Coleoptera, Tenebrionidae) from Turkey. Entomologicheskoe Obozrenie 89: 840–844. [DP: after 30.XI.2010 (censor date)] [English translation in Entomological Review 90: 1215–1218] https://doi.org/10.1134/S0013873810090071

Nabozhenko MV, Keskin B (2017) Taxonomic review of the genus *Helops* Fabricius, 1775 (Coleoptera: Tenebrionidae) of Turkey. Caucasian Entomological Bulletin 13: 41–49. [DP: 17.VII.2017 (journal website)] [DP: 17.VII.2017 (journal website)] https://doi.org/10.23885/1814-3326-2017-13-1-41-49

Nabozhenko MV, Kirejtshuk AG (2014) *Cryptohelops menaticus* – a new genus and species of the tribe Helopini (Coleoptera: Tenebrionidae) from the Palaeocene of Menat (France). Comptes Rendus Palevol 13: 65–71. [DP: II.2014 issue] https://doi.org/10.1016/j.crpv.2013.09.005

Nabozhenko MV, Kirejtshuk AG (2017) The oldest opatrine terrestrial darkling beetle (Coleoptera: Tenebrionidae: Tenebrioninae) from the Paleocene of Menat (France). Paläontologische Zeitschrift 91: 307–313. [DP: 7.VII.2017 (journal website)] https://doi.org/10.1007/s12542-017-0368-2

Nabozhenko MV, Kirejtshuk AG (2020) The oldest Tenebrionidae (Coleoptera) of the subfamily Diaperinae and the tribe Scaphidemini from the Paleocene of Menat (France). Acta Zoologica Academiae Scientiarum Hungaricae 66: 23–33. [DP: 6.III.2020 (p. 33)] https://doi.org/10.17109/AZH.66.1.23.2020

Nabozhenko MV, Kirejtshuk AG, Merkl O (2016c) *Yantaroxenos colydioides* gen. et sp. nov. (Tenebrionidae: Lagriinae) from Baltic amber. Annales Zoologici (Warszawa) 66: 563–566. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.008

Nabozhenko MV, Kirejtshuk AG, Merkl O, Varela C, Aalbu R, Smith A (2016d) *Caribanosis* gen. nov. from Hispaniola (Pimeliinae: Stenosiini) with taxonomic notes on the tribes Belopini and Stenosini (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 66: 567–570. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.009

Nabozhenko MV, Lillig M (2013) A new subgenus and species of the genus *Hedyphanes* Fischer von Waldheim, 1820 (Coleoptera: Tenebrionidae: Helopini) from Israel and Egypt. Zootaxa 3641: 188–192. [DP: 23.IV.2013 (title page footer)] https://doi.org/10.11646/zootaxa.3641.2.6

Nabozhenko MV, Löbl I (2008) Tribe Helopini Latreille, 1802. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 241–257. [DP: 15.IV.2008 (verso of title page)]

Nabozhenko MV, Löbl I (2009) The genus *Raiboscelis* Allard, 1876 (Coleoptera: Tenebrionidae): taxonomic history, nomenclature, morphology. Caucasian Entomological Bulletin 5: 189–194. [DP: 26.XII.2009 (journal website)] https://doi.org/10.23885/1814-3326-2009-5-2-189-194

Nabozhenko MV, Mpamnaras A, Kalaentzis K (2020b) Contribution to the knowledge of Mediterranean lichen-feeding darkling beetles of the genus *Stenohelops* Reitter, 1922 (Coleoptera: Tenebrionidae). Zootaxa 4896: 292–300. [DP: 21.XII.2020 (title page footer)] https://doi.org/10.11646/zootaxa.4896.2.10

Nabozhenko MV, Nikitsky NB, Keskin B (2017) Taxonomic review of the genus *Euboeus* s. str. Boieldieu, 1865 (= *Probaticus* s. str. Seidlitz, 1896, syn. n.) (Coleoptera, Tenebrionidae). Zootaxa 4358: 494–506. [DP: 30.XI.2017 (title page footer)] https://doi.org/10.11646/zootaxa.4358.3.6

Nabozhenko MV, Purchart L (2019) *Socotraphanes* – a new endemic genus of darkling beetles (Coleoptera: Tenebrionidae) from Socotra Island. Annales Zoologici (Warszawa) 69: 149–157. [DP: 31.III.2019 (journal website)] https://doi.org/10.3161/00034541ANZ2019.69.1.010

Nabozhenko MV, Sadeghi S (2017) *Foranotum perforatum* gen. et sp. nov.—a new troglobitic darkling beetle (Coleoptera: Tenebrionidae: Kuhitangiinae: Foranotini trib. nov.) from a cave in Southern Zagros, Iran. Zootaxa 4338: 163–172. [DP: 24.X.2017 (title page footer)] https://doi.org/10.11646/zootaxa.4338.1.9

Nagel P, Schmidlin L (2014) Silbermann's "Revue entomologique": publication dates for nomenclatural purposes and bibliographic notes (Insecta, mainly Coleoptera). Zootaxa 3794: 87–107. [DP: 5.V.2014 (p. 87 footer)] https://doi.org/10.11646/zootaxa.3794.1.3

Nakane T (1963) New or little known Coleoptera from Japan and its adjacent regions. XIX. Fragmenta Coleopterologica (Nakane) 6–7: 26 [DP: V.1963 issue], 27–30. [DP: VI.1963 issue]

Nakane T (1968) New or little-known Coleoptera from Japan and its adjacent regions. XXVII. Fragmenta Coleopterologica (Nakane) 20: 76–82. [DP: 2 issues in I.1968]

Neave SA (1939) Nomenclator Zoologicus. A list of the names of genera and subgenera in zoology from the tenth edition of Linnaeus 1758 to the end of 1935. Vol. I. A–C. The Zoological Society, London, v-xiv, 957 pp. [DP: 1939 (title page); VI.1939 or later (Preface date)]

Neave SA (1940) Nomenclator Zoologicus. A list of the names of genera and subgenera in zoology from the tenth edition of Linnaeus 1758 to the end of 1935. Vol. III. M–P. The Zoological Society, London, 1065 pp. [DP: 1940 (title page)] https://doi.org/10.2307/1439031

Neave SA (1950) Nomenclator Zoologicus. Vol. V. 1936–1945. The Zoological Society, London, [2] + 308 pp. [DP: 1950 (title page); after II.1950 (Preface date)]

Neervoort van de Poll JRH (1886) A new species of the Heteromerous genus *Leiochrinus*, Westwood. Notes from the Leyden Museum 8: 34. [DP: I.1886 (p. [viii])]

Newman E (1838) Entomological notes. The Entomological Magazine 5: 483–500. [DP: X.1838 issue]

Nikitsky NB (2020) Family Tetratomidae Billberg, 1820. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 43–47. [DP: 17.IX.2020 (verso of title page)]

Novák V (2007) A new genus and three new species of Alleculinae (Coleoptera: Tenebrionidae) from Socotra Island, Yemen. Fauna of Arabia 23: 319–334. [DP: 15.VII.2007 (article header)]

Novák V (2008a) Two new genera of Alleculinae (Coleoptera: Tenebrionidae) from Malaysia. Studies and reports of District Museum Prague-East, Taxonomical Series 4: 207–216. [DP: 1.IX.2008 (inside wrapper)]

Novák V (2008b) New Alleculinae from China (Coleoptera: Tenebrionidae). Vernate 27: 207–220.

Novák V (2009) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Oriental region. Part I – *Borbochara* gen. n. Studies and reports of District Museum Prague-East, Taxonomical Series 5: 257–274. [DP: 1.VIII.2009 (inside wrapper)]

Novák V (2010) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Oriental region. Part II - *Jaklia* gen. nov. Studies and Reports, Taxonomical Series 6: 179–190. [DP: 1.IX.2010 (inside wrapper)]

Novák V (2011) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Oriental region. Part III - *Microsthes* gen. nov. Studies and Reports, Taxonomical Series 7: 321–336. [DP: 1.IX.2011 (inside wrapper)]

Novák V (2012) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae) from Palaearctic and Oriental Regions. Studies and Reports, Taxonomical Series 8: 269–293. [DP: 20.IX.2012 (inside wrapper)]

Novák V (2013) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Gonoderina) from Palaearctic and Oriental Regions. Part II – *Kralia* gen. nov. Studies and Reports, Taxonomical Series 9: 499–508. [DP: 5.X.2013 (inside wrapper)]

Novák V (2014) New genera of Alleculinae (Coleoptera: Tenebrionidae) from the Palaearctic Region. Part I – *Borbonalia* gen. nov. Studies and Reports, Taxonomical Series 10: 135–159. [DP: 31.III.2014 (inside wrapper)]

Novák V (2015a) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions. Part III - *Bobina* gen. nov. Studies and Reports, Taxonomical Series 11: 123–141. [DP: 31.III.2015 (inside wrapper)]

Novák V (2015b) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions. Part IV – *Gerdacula* gen. nov. Studies and Reports, Taxonomical Series 11: 143–158. [DP: 31.III.2015 (inside wrapper)]

Novák V (2015c) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae) from Palaearctic and Oriental Regions. Part V – *Mycetocula* gen. nov. Folia Heyrovskyana (Series A) 23(1): 77–89. [DP: 9.X.2015 (journal website)]

Novák V (2015d) New genera of Alleculinae (Coleoptera: Tenebrionidae) from the Palaearctic Region. Part II – *Chitwania* gen. nov. Folia Heyrovskyana (Series A) 23(1): 90–95. [DP: 9.X.2015 (journal website)]

Novák V (2016a) Review of the genus *Asiomira* (Dubrovina, 1973) stat. nov. (Coleoptera: Tenebrionidae: Alleculinae: Gonoderini). Studies and Reports, Taxonomical Series 12: 177–191. [DP: 31.III.2016 (inside wrapper)]

Novák V (2016b) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part IV – *Pizura* gen. nov. Studies and Reports, Taxonomical Series 12: 435–448. [DP: 5.X.2016 (inside wrapper)]

Novák V (2016c) New genera of Alleculinae (Coleoptera: Tenebrionidae) from the Oriental Region V – *Indricula* gen. nov. Folia Heyrovskyana (Series A) 24(1): 46–85. [DP: 31.VIII.2016 (p. 85)]

Novák V (2016d) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions VI – *Loricula* gen. nov. Folia Heyrovskyana (Series A) 24(2): 44–56. [DP: 29.XII.2016 (p. 56)]

Novák V (2017a) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Oriental Region VI - *Ksukolcula* gen. nov. Studies and Reports, Taxonomical Series 13: 167–180. [DP: 31.III.2017 (inside wrapper)]

Novák V (2017b) *Alogista kadleci* sp. nov. and genus *Synallecula* Kolbe, 1883 stat. nov., with *S. borchmanni* sp. nov. from the Palaearctic Region (Coleoptera: Tenebrionidae: Alleculinae: Alleculini). Folia Heyrovskyana (Series A) 25(2): 123–134. [DP: 27.XII.2017 (p. 134)]

Novák V (2018a) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part VII – *Palpicula* gen. nov. Studies and Reports, Taxonomical Series 14: 167–174. [DP: 31.III.2018 (inside wrapper)]

Novák V (2018b) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part VIII – *Pseudocistelopsis* gen. nov. Studies and Reports, Taxonomical Series 14: 175–183. [DP: 31.III.2018 (inside wrapper)]

Novák V (2018c) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part IX – *Dorota* gen. nov. Studies and Reports, Taxonomical Series 14: 451–467. [DP: 5.X.2018 (inside wrapper)]

Novák V (2018d) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions VII – *Fifina* gen. nov. Studies and Reports, Taxonomical Series 14: 469–477. [DP: 5.X.2018 (inside wrapper)]

Novák V (2019a) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part X – *Bobisthes* gen. nov. Studies and Reports, Taxonomical Series 15: 177–183. [DP: 31.III.2019 (inside wrapper)]

Novák V (2019b) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from Palaearctic and Oriental Regions VIII – *Zizu* gen. nov. Studies and Reports, Taxonomical Series 15: 185–203. [DP: 31.III.2019 (inside wrapper)]

Novák V (2019c) New genera of Alleculinae (Coleoptera: Tenebrionidae) from the Palaearctic and Oriental Regions. Part X – *Spinecula* gen. nov. Studies and Reports, Taxonomical Series 15: 435–457. [DP: 5.X.2019 (inside wrapper)]

Novák V (2019d) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions IX – *Psis* gen. nov. Folia Heyrovskyana (Series A) 27(1): 70–80. [DP: 28.VI.2019 (p. 80)]

Novák V (2019e) Contribution to the knowledge of the genus *Upinella* Mulsant (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) with description of a new species and a *Thornella* subgen. nov. and *Tibinella* subgen. nov. Folia Heyrovskyana (Series A) 27(1): 81–104. [DP: 28.VI.2019 (p. 104)]

Novák V (2019f) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions XI – *Oracula* gen. nov. Folia Heyrovskyana (Series A) 27(2): 52–86. [DP: 8.X.2019 (p. 86)]

Novák V (2020a) New genera of Alleculinae (Coleoptera: Tenebrionidae) from Palaearctic and Oriental Regions XII – *Borborella* gen. nov. Studies and Reports, Taxonomical Series 16: 195–209. [DP: 31.III.2020 (inside wrapper)]

Novák V (2020b) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from Laos (*Barbora* gen. nov. and *Houaphanica* gen. nov.). Studies and Reports, Taxonomical Series 16: 461–476. [DP: 5.X.2020 (inside wrapper)]

Novák V (2020c) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) based on morphological differences in the genus *Hymenalia* Mulsant, with descriptions of two new species. Studies and Reports, Taxonomical Series 16: 477–515. [DP: 5.X.2020 (inside wrapper)]

Novák V (2020d) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part XIII – *Erzika* gen. nov. Folia Heyrovskyana (Series A) 28(1): 52–59. [DP: 14.V.2020 (p. 59)]

Novák V (2020e) A contribution to knowledge of the genus *Mycetochara* Guérin-Méneville (Coleoptera: Tenebrionidae: Alleculinae: Mycetocharina) with descriptions of a new species and *Oculochara* subgen. nov. from the Palaearctic Region. Folia Heyrovskyana (Series A) 28(1): 60–90. [DP: 14.V.2020 (p. 90)]

Novák V (2020f) A contribution to knowledge of the genus *Cteisodes* Borchmann, 1932 (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) with descriptions of a new species and *Cteisodella* gen. nov. Folia Heyrovskyana (Series A) 28(2): 40–54. [DP: 30.XI.2020 (p. 54)]

Novák V (2020g) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Gonoderini) from the Oriental Region XIV – *Malaymira* gen. nov.; with a redescription of the genus *Micrisomira* Pic, 1930. Folia Heyrovskyana (Series A) 28(2): 55–62. [DP: 30.XI.2020 (p. 62)]

Novák V (2020h) A contribution to knowledge of Alleculinae (Coleoptera: Tenebrionidae) fauna of Myanmar, with description of a new species and *Fifinoides chinensis* gen. and sp. nov. Folia Heyrovskyana (Series A) 28(2): 63–99. [DP: 30.XI.2020 (p. 99)]

Novák V (2020i) New nomenclatural and taxonomic acts, and comments: Tenebrionidae: Alleculinae; Family Tenebrionidae Latreille, 1802: subfamily Alleculinae Laporte, 1840. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 9, 417–453. [DP: 17.IX.2020 (verso of title page)]

Novák V (2021) New genera of Alleculinae (Coleoptera: Tenebrionidae: Alleculinae: Alleculini) from the Oriental Region. Part XI – *Vietnalia* gen. nov. Zootaxa 4920: 439–444. [DP: 29.I.2021 (title page footer)] https://doi.org/10.11646/zootaxa.4920.3.9

Novák V, Pettersson R (2008) Subfamily Alleculinae Laporte, 1840. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea Apollo Books, Stenstrup, Denmark, 319–339. [DP: 15.IV.2008 (verso of title page)].

Ogloblin DA, Znojko DV (1950) Fauna SSSR. Coleoptera, volume XVIII, no. 8. Pollen-eaters (Fam. Alleculidae), pt. 2, subfam. Omophlinae [in Russian]. Akademiya Nauk SSSR, Moskva, 133, [1] pp. [DP: after 5.X.1950 (censor date)]

Olivier E, Pic M (1909) Lampyride et alleculide nouveaux recueillis en 1908 pendant la croisière du « Nirvana ». L'Échange, Revue Linnéenne 25(294): 139–140. [DP: VI.1909 (cover)]

Olivier G-A (1791) Encyclopédie méthodique, ou par ordre de matières. Histoire Naturelle. Insectes. Tome sixième. CIR–ÉLE. [Livraison 47]. Panckoucke, Paris, 1–368. [DP: by 21.XI.1791 (Bousquet 2016a: 395)]

Olivier G-A (1795) Entomologie, ou histoire naturelle des insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. Tome troisième. Lanneau, Paris, 1–30 [No 59. Pimelie, *Pimelia*]. [DP: 1795 (title page)]

Olivier G-A (1803) Tagénie, *Tagenia*. In: Nouveau dictionnaire d'histoire naturelle, appliquée aux arts, principalement à l'agriculture et à l'économie rurale et domestique: par une société de naturalistes et d'agriculteurs: avec des figures tirées des trois règnes de la nature. Tome XXI [SOL–THE]. Déterville, Paris, 571 pp. [DP: by 22.XII.1803 (Bousquet 2016a: 615)]

Olliff AS (1883) Remarks on a small collection of Clavicorn Coleoptera from Borneo, with descriptions of new species. The Transactions of the Entomological Society of London 1883: 173–186. [DP: 31.V.1883 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1883.tb02944.x

Olson DM, Dinerstein E, Wikramanayake ED, Burgess ND, Powell GVN, Underwood EC, D'amico JA, Itoua I, Strand HE, Morrison JC, Loucks CJ, Allnutt TF, Ricketts TH, Kura Y, Lamoreux JF, Wettengel WW, Hedao P, Kassem KR (2001) Terrestrial ecoregions of the World: a new map of life on Earth. Bioscience 51: 933–938. [DP: 1.XI.2001 (journal website)] https://doi.org/10.1641/0006-3568(2001)051[0933:TEOTWA]2.0.CO;2

Oshanin VF (1910) Tables générales des publications de la Société entomologique de Russie ainsi que des articles, des synopsis et des formes nouvelles y continues 1859–1908. Horae Societatis Entomologicae Rossicae 38 (Supplement): 1–282. [DP: 1910 (wrapper)] https://doi.org/10.5962/bhl.title.3541

Oustalet E (1898) Coléoptères nouveaux de l'Afrique intertropicale et australe (4e note), par M.L. Fairmaire. (Annales de la Soc. Entomologique de France, 1897, t. LXVI, 1er et 2e trimestres, p. 109 et suiv.). Revue des Travaux Scientifiques 18: 971–973.

Özdikmen H (2005) *Ardoinia* nom. nov., a replacement name for the genus *Orghidania* Ardoin, 1977 (Coleoptera: Tenebrionidae) non Capuse, 1971. The Great Lakes Entomologist 37 [2004]: 202. [DP: 2005 (copyright); by 12.X.2005 (received at Canadian National Collection of Insects, Arachnids and Nematodes, Canada)]

Pallas PS (1773) Reise durch verschiedene Provinzen des russischen Reichs. Zweyter Theil. Zweytes Buch vom Jahr 1771. Kayserliche Akademie der Wissenschaften, St. Petersburg, 371–744. [DP: 1773 (title page)]

Pallas PS (1781) Icones insectorvm praesertim Rossiae Sibiriaeqve pecvliarivm qvae collegit et descriptionibvs illvstravit. Wolfgang Walther, Erlangae, 56 pp., pls A–C. [DP: by 29.XI.1781 (Evenhuis 1997b)] https://doi.org/10.5962/t.173868

Panzer GWF (1795) Deutschlands Insectenfaune oder entomologisches Taschenbuch für das Iahr 1795. Felsecker, Nürnberg, iv + 372 pp., 12 pls. [DP: by 14.II.1795 (Bousquet 2016a)] https://doi.org/10.5962/bhl.title.11756

Papp CS (1961) Checklist of Tenebrionidae of America, north of the Panama canal (Notes on North American Coleoptera, no. 14). Opuscula Entomologica (Lund) 26: 97–140. [DP: 16.III.1961 (volume Index)]

Pascoe FP (1860a) Notices of new or little-known genera and species of Coleoptera. Part I. The Journal of Entomology 1[1860–62]: 36–64, pls 2–3. [DP: IV.1860 (title page of issue I)]

Pascoe FP (1860b) Notices of new of little-known genera and species of Coleoptera. Part II. The Journal of Entomology 1[1860–62]: 98–132, pls 5–8. [DP: X.1860 (title page of issue II)]

Pascoe FP (1862) Notices of new or little-known genera and species of Coleoptera. Part III. The Journal of Entomology 1[1860–62]: 319–370, pls 16–17. [DP: IV.1862 (title page of issue V)]

Pascoe FP (1863a) Notices of new or little-known genera and species of Coleoptera. Part IV. The Journal of Entomology 2[1863–66]: 26–56, pls 2–3. [DP: I.1863 (title page of issue VII)]

Pascoe FP (1863b) List of the Colydiidae collected in the Indian islands by Alfred. R. Wallace, Esq., and descriptions of new species. The Journal of Entomology 2[1863–66]: 121–143, pl. 8. [DP: XI.1863 (title page of issue IX)]

Pascoe FP (1866a) Notices of new or little-known genera and species of Coleoptera. Part V. The Journal of Entomology 2[1863–66]: 443–493, pls 18–19. [DP: VI.1866 (title page of issue XIV)]

Pascoe FP (1866b) On the Longicornia of Australia, with a list of all the described species, &c. The Journal of the Linnean Society of London 9[1867–68]: 80–142. [DP: 11.X.1866 (wrapper)] https://doi.org/10.1111/j.1096-3642.1866.tb00190.x

Pascoe FP (1866c) List of described species of Australian Heteromera. The Journal of Entomology 2[1863–66]: 493–499. [DP: VI.1866 (title page of issue XIV)]

Pascoe FP (1868) Contributions to a knowledge of the Coleoptera, Part I. The Proceedings of the Entomological Society of London 1868: xi–xiii. [DP: 29.IV.1868 (Wheeler 1912)]

Pascoe FP (1869) Descriptions of new genera and species of Tenebrionidae from Australia and Tasmania. The Annals and Magazine of Natural History (Fourth Series) 3: 29–45 [DP: 1.I.1869], 132–153 [DP: 1.II.1869], 277–296 [DP: 1.IV.1869], 344–351. [DP: 1.V.1869 (Evenhuis 2003)]

Pascoe FP (1870) Additions to the Tenebrionidae of Australia &c. The Annals and Magazine of Natural History (Fourth Series) 5: 94–107. [DP: 1.II.1870 (Evenhuis 2003)] https://doi.org/10.1080/00222937008696117

Pascoe FP (1871) Notes on Coleoptera, with descriptions of new genera and species. Part I. The Annals and Magazine of Natural History (Fourth Series) 8: 345–361. [DP: 1.XI.1871 (Evenhuis 2003)] https://doi.org/10.1080/00222937108696503

Pascoe FP (1875) Descriptions of new genera and species of New-Zealand Coleoptera. Part I. The Annals and Magazine of Natural History (Fourth Series) 16: 210–223. [DP: 1.IX.1875 (Evenhuis 2003)] https://doi.org/10.1080/00222937508681155

Pascoe FP (1876) Descriptions of new genera and species of New Zealand Coleoptera. Part II. The Annals and Magazine of Natural History (Fourth Series) 17: 48–60. [DP: 1.I.1876 (Evenhuis 2003)] https://doi.org/10.1080/00222937608681895

Pascoe FP (1882) Notes on Coleoptera, with descriptions of new genera and species. Part IV. The Annals and Magazine of Natural History (Fifth Series) 9: 25–37. [DP: 1.I.1882 (Evenhuis 2003)] https://doi.org/10.1080/00222938209458985

Pascoe FP (1883) Notes on Coleoptera, with descriptions of new genera and species. Part V. The Annals and Magazine of Natural History (Fifth Series) 11: 436–442. [DP: 1.VI.1883 (Evenhuis 2003)] https://doi.org/10.1080/00222938309459177

Pascoe FP (1887) Notes on Coleoptera, with descriptions of new genera and species. Part VI. The Annals and Magazine of Natural History (Fifth Series) 20: 8–20. [DP: 1.VII.1887 (Evenhuis 2003)] https://doi.org/10.1080/00222938709460006

Peavot H (1937) List of dates of publication of the early parts of the Society's 'Transactions.' Proceedings of the Zoological Society of London (Series A) 107: 83–84. [DP: 1.IV.1937 (journal website)]

Peña LE (1966) Catalogo de los Tenebrionidae (Coleoptera) de Chile. Entomologische Arbeiten aus dem Museum G. Frey 17: 397–453 [DP: 1.VII.1966 (back cover)]

Penrith M-L (1977) The Zophosini (Coleoptera: Tenebrionidae) of western southern Africa. Cimbebasia Memoir No. 3: 1–291. [DP: 23.III.1977 (p. 3)]

Penrith M-L (1979) Revision of the western southern African Adesmiini (Coleoptera: Tenebrionidae). Cimbebasia (A) 5: 1–94. [DP: 28.III.1979 (article header)]

Penrith M-L (1981a) Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 2. The subgenus *Zophosis* Latreille, and seven related south-western African subgenera. Cimbebasia (A) 6: 17–109. [DP: 16.I.1981 (article header)]

Penrith M-L (1981b) Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 3. Seven aberrant Namib subgenera. Cimbebasia (A) 6: 111–124. [DP: 20.III.1981 (article header)]

Penrith M-L (1981c) Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 4. Twelve subgenera from arid southern Africa. Cimbebasia (A) 6: 125–164. [DP: 24.VII.1981 (article header)]

Penrith M-L (1982) Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 5. A derived subgenus from northern Africa. Cimbebasia (A) 6: 165–226. [DP: 23.VII.1982 (article header)]

Penrith M-L (1983) Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 8. The Palaearctic species group of the subgenus *Oculosis* Penrith, the subgenus *Cheirosis* Deyrolle, and a monotypical subgenus from Socotra. Cimbebasia (A) 6: 369–384. [DP: 25.XI.1983 (article header)]

Penrith M-L (1986) Relationships in the tribe Adesmiini (Coleoptera: Tenebrionidae) and a revision of the genus *Stenodesia* Reitter. Annals of the Transvaal Museum 34: 275–302. [DP: XI.1986 (article header)]

Penrith M-L, Endrödy-Younga S (1994) Revision of the subtribe Cryptochilina (Coleoptera: Tenebrionidae: Cryptochilini). Transvaal Museum Monograph No. 9: 1–144. [DP: XII.1994 (p. III)]

Pérez-Vera F, Ávila JM, Martínez JC (2017) Nueva ordenación taxonómica del subgénero *Elongasida* Escalera, 1906 del género *Alphasida* Escalera, 1905 (Coleoptera, Tenebrionidae). Graellsia 73: 1–26. [DP: 30.XII.2017 (journal website)] https://doi.org/10.3989/graellsia.2017.v73.183

Péringuey L (1886) Second contribution to the South-African coleopterous fauna. The Transactions of the South African Philosophical Society 4[1884–88]: 67–195, pls i–iv. [DP: 31.III.1886 (header of pages)] https://doi.org/10.1080/21560382.1884.9526202

Péringuey L (1892a) Third contribution to the South African coleopterous fauna. The Transactions of the South African Philosophical Society 6[1889–1892]: 1–94. https://doi.org/10.1080/21560382.1889.9526248

Péringuey L (1892b) Rectifications to previous contributions. The Transactions of the South African Philosophical Society 6 (Part II): [135]. [DP: after 31.VII.1892 (Transactions 8: xxxii); by 29.XII.1892 (*Soc Imp Nat Moscou*)]

Péringuey L (1896) Descriptions of new genera and species of Coleoptera from South Africa, chiefly from Zambezia. The Transactions of the Entomological Society of London 1896: 149–189. [DP: 1.VI.1896 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1896.tb00961.x

Péringuey L (1899) Fifth contribution to the South African Coleopterous fauna. Description of new species of Coleoptera, chiefly in the collection of the South African Museum. Annals of the South African Museum 1[1898–99]: 240–330, pls vi-vii. [DP: III.1899 (p. [iii])] https://doi.org/10.5962/bhl.part.13902

Péringuey L (1904) Sixth contribution to the South African Coleopterous fauna. Description of new species of Coleoptera in the collection of the South African Museum. Annals of the South African Museum 3[1903–05]: 167–300, pl. xiii. [DP: 31.XII.1904 (p. [iii])]

Péringuey L (1908) Leonhard Schultze, Zoologische und Anthropologische Ergebnisse einer Forschungsreise im Westlichen und Zentralen Südafrika. Coleoptera (II). Tenebrionidae und Curculionidae. Denkschriften der Medicinisch-Naturwissenschaftlichen Gesellschaft zur Jena 13: 393–424. https://doi.org/10.5962/bhl.title.51355

Perroud B-P, Montrouzier P (1865) Essai sur la faune entomologique de Kanala (Nouvelle-Calédonie) et description de quelques espèces nouvelles ou peu connues. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 11[1864]: 46–257, pl. 1. [DP: II.1865 (first title page)]

Perroud B-P, Mulsant E (1856) Description de deux nouvelles espèces de coléoptères constituant un genre nouveau dans la famille des Ulomiens. Opuscules Entomologiques 7: 160–165. [DP: 1856 (title page)]

Perty JAM (1830) Delectus animalium articulatorum, quae in itinere per Brasiliam annis mdccxvii–mdcccxx jussu et auspiciis Maximiliani Josephi I. Bavariae regis augustissimi peracto collegerunt Dr. J. B. de Spix et Dr. C. F. Ph. de Martius. Accedit dissertatio de insectorum in America meridionali habitantium vitæ, genere, moribus et distributione geographica. [Fascicle 1]. J. A. M. Perty, Monachii [= München], 60 pp., pls 1–12. [DP: 1830 (title page)]

Perty JAM (1831) Observationes nonnullae in Coleoptera Indiae Orientalis. Dissertatio philosophico-entomologica, quam unacum praemissis thesibus auctoritate et consensu illustris philosophorum ordinis in Academia Ludovico-Maximilianea facultatem legendi rite adepturus. M. Lindauer, Monachii [= München], xxxxiv pp., 1 pl. [DP: 25.I.1831 (title page)]

Perty JAM (1832) Delectus animalium articulatorum, quae in itinere per Brasiliam annis mdccxvii–mdcccxx jussu et auspiciis Maximiliani Josephi I. Bavariae regis augustissimi peracto collegerunt Dr. J. B. de Spix et Dr. C. F. Ph. de Martius. Accedit dissertatio de insectorum in America meridionali habitantium vitae, genere, moribus et distributione geographica. [Fascicle 2]. J. A. M. Perty, Monachii [= München], 61–124, pls 13–24. [DP: by VII.1832 (Bousquet 2016a: 412)]

Perty JAM (1833) De insectorum in America meridionali habitantium vitae genere, moribus ac distributione geographica observationes nonnullae. Monachii [= München], 46 pp. [DP: by XII.1833 (Bousquet 2016a : 413)]

Peyerimhoff P de (1907) Liste des coléoptères du Sinai. L'Abeille, Journal d'Entomologie 31[1907–1923]: 1–48. [DP: 1907 (footer p. 1)]

Peyerimhoff P de (1911) Nouveaux coléoptères du Nord-Africain (treizième note [Tenebrionidae]; récoltes du Dr. Edm. Sergent dans l'Extrême-Sud-Oranais). Bulletin de la Société Entomologique de France 1911: 346–348. [DP: 22.XI.1911 (p. [463])]

Peyerimhoff P de (1916) Nouveaux Coléoptères du Nord-Africain (Vingt-deuxième note): Récoltes de M. le Dr H. Foley dans l'extrême Sud-Oranais. Bulletin de la Société Entomologique de France 1916: 71–76. [DP: 1.III.1916 (p. [351])]

Peyerimhoff P de (1920) Nouveaux coléoptères du Nord-africain. Trente-deuxième note: faune saharienne. Bulletin de la Société Entomologique de France 1919[1919–20]: 325–328. [DP: 8.I.1920 (p. [390])]

Peyerimhoff P de (1927) Études sur la systématique des Coléoptères du Nord-Africain. –I. Les *Pachychila* (Tenebrionidae). L'Abeille, Journal d'Entomologie 34: 1–57. [DP: 15.XII.1927 (wrapper)]

Peyerimhoff P de (1928) Nouveaux Coléoptères du Nord-Africain. Soixante-deuxième note: Uu [sic] type aberrant de Pimeliinae (Tenebrionidae). Bulletin de la Société Entomologique de France 1928: 61–63, pl. 1. [DP: 8.IV.1928 (p. 332)]

Pic M (1904) Diagnoses de coléoptères asiatiques provenant surtout de Sibéria. L'Échange, Revue Linnéenne 20(232): 25–27. [DP: IV.1904 (cover)]

Pic M (1907a) Coléoptères exotiques nouveaux ou peu connus (Suite). L'Échange, Revue Linnéenne 23(268): 125–128. [DP: IV.1907 (cover)]

Pic M (1907b) Contribution à l'étude du genre « *Eutypodera* » Gerst. L'Échange, Revue Linnéenne 23(271): 148–149. [DP: VII.1907 (cover)]

Pic M (1910) Coléoptères exotiques nouveaux ou peu connus (Suite). L'Échange, Revue Linnéenne 26(310): 74–78. [DP: X.1910 (p. 73 header)]

Pic M (1911a) Coléoptères exotiques nouveaux ou peu connus (Suite.). L'Échange, Revue Linnéenne 27(323): 181–183. [DP: XI.1911 (cover)]

Pic M (1911b) Deux nouveaux genres de Coléoptères. Mélanges Exotico-entomologiques 1: 3–4. [DP: 10.XI.1911 (cover)] https://doi.org/10.5962/bhl.title.52304

Pic M (1912) Coléoptères exotiques nouveaux ou peu connus (Suite.). L'Échange, Revue Linnéenne 28(331): 53. [DP: VII.1912 (cover)]

Pic M (1913a) Descriptions de 29 espèces et de plusieurs variétés. Mélanges Exotico-entomologiques 5: 7–20. [DP: 25.III.1913 (cover)]

Pic M (1913b) Nouveaux genres et nouvelles espèces. Mélanges Exotico-entomologiques 6: 1–7. [DP: 12.VII.1913 (cover)]

Pic M (1913c) Coléoptères exotiques en partie nouveaux (Suite.). L'Échange, Revue Linnéenne 29(342): 142–144. [DP: VI.1913 (cover)]

Pic M (1914a) Nouveaux coléoptères du Congo et d'Afrique orientale au Musée de Tervueren. Revue Zoologique Africaine 3[1913–14]: 483–489. [DP: 25.V.1914 (p. 495)]

Pic M (1914b) Coléoptères divers du Tonkin et de l'Indo-Chine. Mélanges Exotico–entomologiques 9: 2–20. [DP: 6.VI.1914 (cover)]

Pic M (1914c) Notes diverses, descriptions et diagnoses (suite). L'Échange, Revue Linnéenne 30(350): 10–13. [DP: II.1914 (cover)]

Pic M (1915a) Descriptions abrégées diverses. Mélanges Exotico–entomologiques 12: 3–20. [DP: 20.I.1915 (cover)]

Pic M (1915b) Nouveautés de diverses familles. Mélanges Exotico–entomologiques 13: 2–13. [DP: 1.III.1915 (cover)]

Pic M (1915c) Nouveautés rentrant dans diverses familles. Mélanges Exotico-entomologiques 14: 2–20. [DP: 12.IV.1915 (cover)]

Pic M (1915d) Genres nouveaux, espèces et variétés nouvelles. Mélanges Exotico–entomologiques 16: 2–13. [DP: 20.X.1915 (cover)]

Pic M (1915e) Diagnoses d'Héteromères. Mélanges Exotico–entomologiques 16: 14–24. [DP: 20.X.1915 (cover)]
Pic M (1916a) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 32(375): 11–12. [DP: 3.VI.1916 (cover)]
Pic M (1916b) Notes et descriptions abrégées diverses. Mélanges Exotico-entomologiques 17: 2–8. [DP: 25.II.1916 (cover)]
Pic M (1916c) Genres et sous-genres nouveaux. Mélanges Exotico-entomologiques 19: 1–5. [DP: 28.VI.1916 (cover)]
Pic M (1916d) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 20: 1–20. [DP: 24.VII.1916 (cover)]
Pic M (1916e) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 21: 2–20. [DP: 4.X.1916 (cover)]
Pic M (1917a) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 33(381): 11–12. [DP: 5.VI.1917 (cover)]
Pic M (1917b) Descriptions, synopsis et rectifications concernant le groupe des «Lagriidae». L'Échange, Revue Linnéenne 33(383, hors texte): 1–4. [DP: 2.X.1917 (cover)]
Pic M (1917c) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 22: 2–20. [DP: 20.II.1917 (cover)]
Pic M (1917d) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 23: 2–20. [DP: 24.IV.1917 (cover)]
Pic M (1917e) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 24: 2–24. [DP: 20.VI.1917 (cover)]
Pic M (1917f) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 25: 2–24. [DP: 14.VIII.1917 (cover)]
Pic M (1917g) Descriptions abrégées diverses. Mélanges Exotico-entomologiques 26: 2–24. [DP: 12.XII.1917 (cover)]
Pic M (1918a) Courtes descriptions diverses. Mélanges Exotico-entomologiques 27: 1–24. [DP: 15.III.1918 (cover)]
Pic M (1918b) Courtes descriptions diverses. Mélanges Exotico-entomologiques 28: 1–24. [DP: 16.V.1918 (cover)]
Pic M (1919a) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 35 (392): 7–8. [DP: 2.IV.1919 (cover)]
Pic M (1919b) Nouveautés diverses. Mélanges Exotico-entomologiques 30: 1–21. [DP: 10.VI.1919 (cover)]
Pic M (1920a) Diagnoses de coléoptères exotiques. L'Échange, Revue Linnéenne 36(400): 15–16. [DP: 2.VIII.1920 (cover)]
Pic M (1920b) Nouveautés diverses. Mélanges Exotico-entomologiques 32: 1–28. [DP: 10.VI.1920 (cover)]
Pic M (1921a) Notes diverses, descriptions et diagnoses (suite). L'Échange, Revue Linnéenne 37(403): 1–4. [DP: 10.II.1921 (cover)]
Pic M (1921b) Diagnoses de Coléoptères exotiques (suite). L'Échange, Revue Linnéenne 37(405): 10–12. [DP: 5.VIII.1921 (cover)]
Pic M (1921c) Nouveautés diverses. Mélanges Exotico-entomologiques 33: 1–32. [DP: 12.V.1921 (cover)]

Pic M (1921d) Nouveautés diverses. Mélanges Exotico-entomologiques 34: 1–33. [DP: 10.X.1921 (cover)]

Pic M (1922a) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 38(408): 23–24. [DP: 4.IV.1922 (cover)]

Pic M (1922b) Nouveautés diverses. Mélanges Exotico-entomologiques 35: 1–32. [DP: 10.II.1922 (cover)]

Pic M (1922c) Nouveautés diverses. Mélanges Exotico-entomologiques 36: 1–32. [DP: 1.IX.1922 (cover)]

Pic M (1922d) Nouveautés diverses. Mélanges Exotico-entomologiques 37: 1–32. [DP: 28.XI.1922 (cover)]

Pic M (1922e) Synonymies et corrections concernant divers coléoptères hétéromères. Bulletin de la Société Zoologique de France 46: 134–137. [DP: 15.III.1922 (Table des Matières)]

Pic M (1923a) Notes diverses, descriptions et diagnoses. L'Échange, Revue Linnéenne 39(412): 5–7. [DP: 15.IV.1923 (cover)]

Pic M (1923b) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 39(413): 11–12 [DP: 12.VII.1923 (cover)], (414): 15–16. [DP: 20.X.1923 (cover)]

Pic M (1923c) Nouveautés diverses. Mélanges Exotico-entomologiques 38: 1–32. [DP: 20.III.1923 (cover)]

Pic M (1923d) Nouveautés diverses. Mélanges Exotico-entomologiques 39: 3–32. [DP: 20.VIII.1923 (cover)]

Pic M (1923e) Nouveautés diverses. Mélanges Exotico-entomologiques 40: 3–32. [DP: 18.XI.1923 (cover)]

Pic M (1923f) Sur les Hétéromères Amarygminae (Col.). Bulletin de la Société Zoologique de France 47: 303–306. [DP: 31.I.1923 (Table des Matières)]

Pic M (1924a) Nouveautés diverses. Mélanges Exotico-entomologiques 41: 1–32. [DP: 15.V.1924 (cover)]

Pic M (1924b) Nouveautés diverses. Mélanges Exotico-entomologiques 42: 1–32. [DP: 10.XI.1924 (cover)]

Pic M (1925a) Nouveautés diverses. Mélanges Exotico-entomologiques 43: 1–32. [DP: 18.IV.1925 (cover)]

Pic M (1925b) Nouveautés diverses. Mélanges Exotico-entomologiques 44: 1–32. [DP: 6.X.1925 (cover)]

Pic M (1925c) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 41(421): 11–12. [DP: 20.VIII.1925 (cover)]

Pic M (1925d) Nouvelles espèces de coléoptères exotiques du Muséum National de Prague. Nové druhy exotických brouků ve sbírkách Národního Musea v Praze. Sborník Entomologického Oddělení Národního Musea v Praze 2[1924]: 85–90.

Pic M (1926a) Nouveaux Coléoptères du Tonkin (2e article). Bulletin de la Société Zoologique de France 51: 45–48. [DP: 20.III.1926 (wrapper)]

Pic M (1926b) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 42(426): 15–16. [DP: 6.XI.1926 (cover)]

Pic M (1926c) Entomologische Erebnisse der schwedischen Kamtchatka–Expedition 1920–1922. 7. Coleoptera (ex. p.). Arkiv för Zoologi 18B [1926–27] (3): 1–5. [DP: issued 13.II.1926 (wrapper)]

Pic M (1927a) Coléoptères nouveaux ou peu connus de la République Argentine. Revista de la Sociedad Entomológica Argentina 2(4): 43–46. [DP: 1.XI.1927 (wrapper)]

Pic M (1927b) Coléoptères de l'Indochine. Mélanges Exotico-entomologiques 49: 1–36. [DP: 8.VII.1927 (cover)]

Pic M (1927c) Coléoptères du Globe. Mélanges Exotico-entomologiques 50: 1–36. [DP: 14.X.1927 (cover)]

Pic M (1928a) Notes et descriptions. Mélanges Exotico-entomologiques 51: 1–36. [DP: 12.IV.1928 (cover)]

Pic M (1928b) Nouveautés diverses. Mélanges Exotico-entomologiques 52: 1–32. [DP: 10.IX.1928 (cover)]

Pic M (1928c) Deuxième liste de Coléoptères de la Somalie italienne avec description de nouvelles espèces. Memorie della Società Entomologica Italiana 6[1927]: 37–43. [DP : 14.I.1928 (p. 33 footer)]

Pic M (1930a) Nouveautés diverses. Mélanges Exotico-entomologiques 55: 1–36. [DP: 26.II.1930 (cover)]

Pic M (1930b) Nouveautés diverses. Mélanges Exotico-entomologiques 56: 1–36. [DP: 20.VI.1930 (cover)]

Pic M (1930c) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 46(440): 7–8. [DP: 3.V.1930 (cover)]

Pic M (1930d) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 46(441): 12. [DP: 9.VIII.1930 (cover)]

Pic M (1931a) Nouveaux coléoptères (1re note). Bulletin du Muséum d'Histoire Naturelle (2e Série) 3: 106–109. [DP: printed 19.II.1931 (p. 206)]

Pic M (1931b) Nouveautés diverses. Mélanges Exotico-entomologiques 57: 1–36. [DP: 25.V.1931 (cover)]

Pic M (1931c) Sur les genres *Biophida* Pasc. et *Psilonycha* Fähr [Col. Hétéromères]. Bulletin de la Société Entomologique de France 1930: 302–303. [DP: 7.I.1931 (p. 336)]

Pic M (1932) Nouveautés diverses. Mélanges Exotico-entomologiques 60: 1–36. [DP: 14.IX.1932 (cover)]

Pic M (1933) Nouveautés diverses. Mélanges Exotico-entomologiques 62: 1–36. [DP: 8.IX.1933 (cover)]

Pic M (1934a) Coléoptères exotiques en partie nouveaux (suite). L'Échange, Revue Linnéenne 50(458): 31–32.

Pic M (1934b) Nouveautés diverses. Mélanges Exotico-entomologiques 63: 1–36. [DP: 4.IV.1934 (cover)]

Pic M (1934c) Nouveautés diverses. Mélanges Exotico-entomologiques 64: 1–36. [DP: 24.IX.1934 (cover)]

Pic M (1934d): Nouveaux coléoptères de Chine. Entomologisches Nachrichtenblatt (Troppau) 8: 84–87. [DP: VII.1934 (page footers)]

Pic M (1935a) Nouveautés diverses. Mélanges Exotico-entomologiques 65: 1–36. [DP: 8.IV.1935 (cover)]

Pic M (1935b) Nouveaux coléoptères hétéromères de Madagascar. Revue Française d'Entomologie 2: 95–98. [DP: 1.VIII (footers); 20.VIII.1935 (issue list, p. 260)]

Pic M (1936a) Nouveautés diverses. Mélanges Exotico-entomologiques 67: 1–36. [DP: 25.II.1936 (cover)]

Pic M (1936b) Nouveautés diverses. Mélanges Exotico-entomologiques 68: 10–36. [DP: 28.VIII.1936 (cover)]

Pic M (1936c) Quelques observations sur les coléoptères Nilionidae. Entomologisches Nachrichtenblatt (Troppau) 10: 196–198. [DP: XII.1936 (page footers)]

Pic M (1937a) Coléoptères nouveaux de Chine. Notes d'Entomologie Chinoise (Musée Heude) 4(7): 169–176.

Pic M (1937b) Hétéromères Rhysopaussides, principalement du Congo (Col.). Revue de Zoologie et de Botanique Africaines 30[1937–38]: 304–311.[DP: 23.XII.1937 (article header)]

Pic M (1937c) Nouveautés diverses. Mélanges Exotico-entomologiques 69: 1–36.

Pic M (1938) Nouveautés diverses, mutations. Mélanges Exotico-entomologiques 70: 1–36. [DP: 10.VI.1938 (cover)]

Pic M (1940) Opuscula Martialis [I]. Les Imprimeries Réunies, Moulins: 1–16. [DP: 20.XII.1940 (cover)]

Pic M (1941) Opuscula Martialis V. Les Imprimeries Réunies, Moulins: 1–16. [DP: 22.X.1941 (cover)]

Pic M (1944) Coléoptères du globe (suite). L'Échange, Revue Linnéenne 60(496): 5–8. [DP: 4.V.1944 (p. 5 header)]

Pic M (1947) Nouveaux Coléoptères de la Côte d'Ivoire. Bulletin de la Société Entomologique de France 51[1946]: 150–151. [DP: 15.II.1947 (p. 156)]

Pic M (1950) Descriptions et notes variées. Diversités Entomologiques 7: 1–16. [DP: 26.VI.1950 (cover)]

Pic M (1951) Descriptions diverses et notes. Diversités Entomologiques 8: 7–16. [DP: 1.II.1951 (cover)]

Pic M (1952a) Coléoptères hétéromères nouveaux de l'Afrique australe. Annals of the Transvaal Museum 22: 63–65. [DP: 4.XI.1952 (p. 1 header)]

Pic M (1952b) Genres et sous-genre nouveaux d'hétéromères du Congo (Coléoptères). Revue de Zoologie et de Botanique Africaines 45[1951–52]: 253–255. [DP: 25.IV.1952 (article header)]

Pic M (1952c) Coléoptères du globe (suite). L'Échange, Revue Linnéenne 68(527): 1–4. [DP: 2.II.1952 (cover)]

Pic M (1952d) Descriptions diverses, notes. Diversités Entomologiques 10: 9–16. [DP: 10.II.1952 (cover)]

Pic M (1952e) Mission A. Villiers au Togo et au Dahomey (1950). VI. Coléoptères divers. Bulletin de l'Institut Français d'Afrique Noire 14: 97–119. [DP: printed III.1952 (p. 388); 1er trimestre 1952 (dépôt légal)]

Pic M (1953) Coléoptères nouveaux de Fernando-Poo. Bulletin de l'Institut Français d'Afrique Noire 15: 152–170. [DP: printed II.1953 (p. 482); 1er trimestre 1953 (dépôt légal)]

Pic M (1954) Lagriidae et Alleculidae nouveaux du Musée royal du Congo belge (Coléoptères). Revue de Zoologie et de Botanique Africaines 49(3–4): 225–264. [DP: 14.VIII.1954 (article header)]

Pic M (1955) Contributions à l'étude de la faune entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953). Première partie. XVIII. Coleoptera Lagriidae et Alleculidae. Annales

du Musée du Congo Belge Tervuren (Sér. 8vo, Sciences Zoologiques) 36: 178–188. [DP: printed III.1955 (p. [441])]

Pic M (1956) Nouveaux Coléoptères de diverses familles. Annales Historico-Naturales Musei Nationalis Hungarici (Series Nova) 7[48]: 71–92. [DP: 31.XII.1956 (Merkl et al. 2008: 157)]

Pierre F (1962) Expédition française au Jannu (Népal oriental). Coleoptera Tenebrionidae. Bulletin de la Société Entomologique de France 66[1961]: 212–214. [DP: 12.I.1962 (p. 250)]

Pierre F (1964) *Storthocnemis* nouveaux de la zone sahélienne et du Sahara. Remarques concernant les Leucolaephini trib. nov. (Col. Tenebrionidae). Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 26: 865–874. [DP: printed IX.1964 (p. [1036]); 4e trimestre 1964 (dépôt légal)]

Pierre F (1968) Contribution à la faune de l'Iran. 12 Étude écologique et biogéographique des Ténébrionides Pimeliinae s. nov. des régions désertiques et semi-désertiques de l'Iran. Annales de la Société Entomologique de France (Nouvelle Série) 4: 997–1036. [DP: 4ième trimestre 1968 (dépot légal)]

Pierre F (1972) Les *Caedius* du continent Africain. Écologie, biogéographie et taxonomie (Tenebrionidae). Annales de la Société Entomologique de France (Nouvelle Série) 8: 951–981.

Pierre F (1985) Sur quelques *Pimelia* recueillis par le Pr. A. Hollande dans le Haut Atlas Marocain (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 1[1984]: 287–297. [DP: I.1985 (dépot légal, back wrapper)]

Piller M, Mitterpacher L (1783) Iter per Poseganam Sclavoniae provinciam mensibus Junio, et Julio anno MDCCLXXXII. Regiae Universitatis, Budae, 147 pp., 16 pls. [DP: 1783 (title page)]

Pizarro-Araya J, Flores GE (2006) La posición sistemática de *Geoborus lineatus* comb. nov. (ex. *Gyriosomus*) (Coleoptera: Tenebrionidae). Revista de la Sociedad Entomológica Argentina 65: 93–98. [DP: after 12.X.2006 (manuscript accepted)]

Poey F (1854) Memorias sobre la historia natural de la Isla de Cuba, acompañadas de sumarios latinos y extractos en frances. Tomo 1. [Part 5]. Barcina, Habana, 281–453 + pls 31–34. [DP: VI.1854 (p. 449)]

Pollock DA (2010a) 11.20. Mycteridae Blanchard, 1845. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV – Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 3: Systematics (Part 2). Walter de Gruyter, Berlin, 693–699.

Pollock DA (2010b) 11.23. Pythidae Solier, 1834. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV – Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 3: Systematics (Part 2). Walter de Gruyter, Berlin, 708–715.

Pomel A (1871) Le Sahara (Géologie, Géographie et Biologie). Bulletin de la Société Algérienne de Climatologie, Sciences Physiques et Naturelles 8(4–6): 133–265.

Pongrácz A (1935) Die eozäne Insektenfauna des Geiseltales. Nova Acta Leopoldina (Neue Folge) 2(3/4, No. 6): 485–572.

Ponting J (2018) A replacement name for *Agasthenes* Bates, 1873 (Coleoptera: Tenebrionidae), junior homonym of *Agasthenes* Förster, 1869 (Hymenoptera: Ichneumonidae). Records of the Western Australian Museum 33: 131–132. https://doi.org/10.18195/issn.0312-3162.33(1).2018.131-132

Poole RW, Gentili P (1996) Nomina Insecta Nearctica. A check list of the insects of North America. Volume 1: Coleoptera, Stresiptera. Entomological Information Services, Rockville, 827 pp.

Preudhomme de Borre A (1868) Notice sur un nouveau genre de ténébrionides appartenant au groupe des adéliides. Annales de la Société Entomologique de Belgique 11[1867–68]: 125–131, pl. 3. [DP: 27.IX.1868 (*Soc Ent Belg*)]

Purchart L (2007) *Adelostoma* (*Zarudnyomus*) *borowieci* n. sp. from India (Coleoptera: Tenebrionidae: Adelostomini). Genus 18: 239–245. [DP: 30.VI.2007 (article header)]

Purchart L (2010) *Carinosella maasaiorum*, new genus and new species of Adelostomini from Maasai land in Africa (Coleoptera, Tenebrionidae). Deutsche Entomologische Zeitschrift 57: 253–257. [DP: 18.XI.2010 (p. 253)] https://doi.org/10.1002/mmnd.201000022

Purchart L (2017) Revision of the genus *Adelostoma* (Coleoptera: Tenebrionidae). Part 2: A new subgenus and species from Oman. Zootaxa 4258: 281–286. [DP: 28.IV.2017 (title page footer)] https://doi.org/10.11646/zootaxa.4258.3.5

Purchart L, Grimm R (2016) A new genus and species of Cnodalonini (Coleoptera: Tenebrionidae) from Borneo. Annales Zoologici (Warszawa) 66: 521–527. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.004

Purchart L, Kamiński MJ (2017) A taxonomic review of the genus *Clitobius* with description of a new species from Oman (Coleoptera: Tenebrionidae). Acta Entomologica Musei Nationalis Pragae 57 (Supplementum): 139–163. [DP: 31.XII.2017 (article header)] https://doi.org/10.1515/aemnp-2017-0115

Quedenfeldt G (1885) Verzeichniss der von Herrn Major a. D. von Mechow in Angola und am Quango-Strom 1878–1881 gesammelten Tenebrioniden und Cisteliden. Berliner Entomologische Zeitschrift 29: 1–38, pl. 3. [DP: 31.VII.1885 (wrapper)] https://doi.org/10.1002/mmnd.18850290106

Quedenfeldt G (1887) Ein neues Helopiden-Genus von Marokko. Entomologische Nachrichten 13: 257–259. [DP: IX.1887 issue] https://doi.org/10.1002/mmnd.47918870121

Quedenfeldt G (1890) Drei neue Tenebrioniden aus Tripolitanien. Berliner Entomologische Zeitschrift 33[1889](2): 395–400. [DP: 31.III.1890 (wrapper)] https://doi.org/10.1002/mmnd.18900330223

Quedenfeldt G (1891) *Brachycryptus* n. gen. Cistelidarum, prope Omophlus. Entomologische Nachrichten 17: 129–130. [DP: V.1891 issue] https://doi.org/10.1002/mmnd.47918910123

Rafinesque CS (1815) Analyse de la nature ou tableau de l'univers et des corps organisés. C. S. Rafinesque, Palermo, 223 pp. [DP: IV–15.VII.1815 (Bousquet 2016a: 431)] https://doi.org/10.5962/bhl.title.106607

Ragusa E (1898) Catalogo ragionato dei coleotteri di Sicilia. Il Naturalista Siciliano (Nuova Serie) 2[1897]: 105–130. [DP: 15.VII.1898 (wrapper)]

Ragusa E (1921) Coleotteri nuovi o poco conosciuti della Sicilia. Bullettino della Società Entomologica Italiana 53: 85–100.

Raphael S (1970) The publication dates of the *Transactions of the Linnean Society of London*, Series I, 1791–1875. Biological Journal of the Linnean Society 2: 61–76. [DP: III.1970 issue] https://doi.org/10.1111/j.1095-8312.1970.tb01688.x

Redtenbacher L (1845) Die Gattungen der deutschen Kaefer-Fauna nach der analytischen Methode bearbeitet, nebst einem kurz gefassten Leitfaden, zum Studium dieses Zweiges der Entomologie. C. Ueberreuter, Wien, [13], 177 pp., 2 pls. [DP: by IX.1845 (Bousquet 2016a: 436)] https://doi.org/10.5962/bhl.title.35739

Redtenbacher L (1848) Fauna Austriaca. Die Käfer. Nach der analytischen Methode bearbeitet. C. Gerold, Wien, 481–640. [DP: by 9.II.1848 (Bousquet 2016a: 436)] https://doi.org/10.5962/bhl.title.37851

Redtenbacher L (1868) Reise der Österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den Befehlen des Commodore B. von Wüllersdorf-Urbair. Zoologischer Theil. Zweiter Band. I. Abtheilung. A. Coleoptera. Carl Gerold's Sohn, Vienna, iv, 249, [5] pp., 5 pls. [1867] [DP: by 22.V.1868 (Bousquet 2016a: 437)]

Reichardt AN (1935) New Opatrini (Coleoptera, Tenebrionidae) from Tadjikistan [in Russian]. Trudy Tadzhikskoy Bazy Akademiya Nauk SSSR [Sect. Acad. Sci. SSR] 5: 251–256, pl. 1.

Reichardt AN (1936) Darkling beetles of the tribe Opatrini (Coleoptera Tenebrionidae) of the Palearctic Region. Keys to the fauna of the USSR. Vol. 19 [in Russian]. Zoologicheski Institut Akademiya Nauk SSSR, Moscow, 1–224. [DP: after 22.VI.1936 (censor date)]

Reiche L (1850) Entomologie. In: Ferret A, Galinier JG (Eds) Voyage en Abyssinie dans les provinces du Tigré, du Samen et de l'Ahmara. Tome Troisième. Paulin, Paris, 33 pls. [DP: 1850, by 19.XII.1850 (Bousquet 2016a: 439)]

Reiche L (1854) Catalogue des espèces d'insectes coléoptères recueillies par M. F. de Saulcy pendant son voyage en Orient. Gide et J. Baudry, Paris, iv + 19 pp. [DP: by 11.XI.1854 (Bousquet 2016a: 440)]

Reiche L (1862) Espèces nouvelles de coléoptères appartenant à la faune circa-méditerranéenne. Annales de la Société Entomologique de France (Série 4) 1[1861]: 361–374. [DP: 22.I.1862 (Lefèvre 1885)] https://doi.org/10.1080/00379271.1863.11755439

Reiche L, Saulcy F de (1857) Espèces nouvelles ou peu connues de coléoptères, receuillies par M. F. de Saulcy membre de l'Institut, dans son voyage en Orient, et décrites par MM. L. Reiche et Félicien de Saulcy. (Suite). Annales de la Société Entomologique de France (Série 3) 5: 169–204 [DP: 24.VI.1857], 205–276. [DP: 9.IX.1857 (wrappers)]

Reid CAM (2014) 2.7.7. Chrysomelinae Latreille, 1802. In: Leschen RAB, Beutel RG (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV – Arthropoda: Insecta. Part 40. Coleoptera, Beetles. Volume 3: Morphology and systematics (Phytophaga). Walter de Gruyter, Berlin, 243–251.

Reinig WF (1931) Entomologische Ergebnisse der Deutsch-Russischen Alai-Pamir-Expedition. 1928 (II). 5. Coleoptera II. Tenebrionidae. Mitteilungen aus dem Zoologischen Museum in Berlin 16[1930]: 865–912. [DP: 1931 (*Zool Rec*)]

Reitter E (1876a) Neue Gattungen und Arten aus der Familie der Cucujidae. Coleopterologische Hefte 15: 37–64. [DP: by 1.XI.1876 (*Ent Nachr* 2: 176)]

Reitter E (1876b) *Rhipidonyx* Reitter. Novum genus Mycetophagidarum. Deutsche Entomologische Zeitschrift 20: 304. [DP: X.1876 (Inhalt, p. iii)]

Reitter E (1884) Revision der europäischen *Mycetochares*-Arten. Deutsche Entomologische Zeitschrift 28: 241–250. [DP: XI.1884 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018840106

Reitter E (1886) Revision der mit *Stenosis* verwandten Coleopteren der alten Welt. Deutsche Entomologische Zeitschrift 30: 97–144. [DP: VI.1886 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018860116

Reitter E (1887a) Insect in itenere CL. N. Przewalskii in Asia centrali novissime lecta. IX. Tenebrionidae. Horae Societatis Entomologicae Rossicae 21: 355–389. [DP: 27.XII.1887 (Kerzhner 1984)]

Reitter E (1887b) Neue Coleopteren aus Europa, den angrenzenden Ländern und Sibirien, mit Bemerkungen über bekannte Arten. Vierter Theil. Deutsche Entomologische Zeitschrift 31: 497–528. [DP: XI.1887 (Inhalt, p. i)] https://doi.org/10.1002/mmnd.48018870216

Reitter E (1888) Ueber einige mit *Pimelia* nahe verwandte Coleopteren-Gattungen. Deutsche Entomologische Zeitschrift 1888: 329–331. [DP: XI.1888 (Inhalt, p. iii)] https://doi.org/10.1002/mmnd.47918880409

Reitter E (1889a) Insecta, a Cl. G. N. Potanin in China et in Mongolia novissime lecta. XIII. Tenebrionidae. Horae Societatis Entomologicae Rossicae 23: 678–710, pls 1–6. [DP: 24.VIII.1889 (Kerzhner 1984)]

Reitter E (1889b) Coleopterologische Ergebnisse der im Jahre 1886 und 1887 in Transcaspien von Dr. G. Radde, Dr. A. Walter und A. Konchin ausgeführten Expedition. Verhandlungen des Naturforschenden Vereines in Brünn 27[1888]: 95–133. [DP: 1889 (wrapper)]

Reitter E (1890a) Neue analytische Uebersicht der bekannten Arten der Coleopteren-Gattung *Omophlus*. Deutsche Entomologische Zeitschrift 1890: 33–52. [DP: V.1890 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018900306

Reitter E (1890b) Uebersicht der *Cteniopus*-Arten aus Europa und den angrenzenden Ländern, soweit mir dieselben in natura bekannt sind. Wiener Entomologische Zeitung 9: 256–258. [DP: 30.XI.1890 (cover)]

Reitter E (1893) Bestimmungs-Tabelle der unechten *Pimeliden* aus der palaearctischen Fauna. Verhandlungen des Naturforschenden Vereines in Brünn 31[1892]: 201–250. [DP: 1893 (wrapper)]

Reitter E (1895) Beschreibungen mit Abbildungen neuer Coleopteren, gesammelt von Herrn Hans Leder bei Urga in der nördlichen Mongolei. Wiener Entomologische Zeitung 14: 280–286, pl. 2. [DP: 10.XI.1895 (cover)]

Reitter E (1896a) Abbildungen mit Beschreibungen zehn neuer Coleopteren aus der palaearctischen Fauna. Wiener Entomologische Zeitung 15: 233–240. [DP: 30.IX.1896 (cover)] https://doi.org/10.5962/bhl.part.13881

Reitter E (1896b) Uebersicht der mir bekannten, mit *Penthicus* Fald. Verwandten Coleopteren-Gattungen und Arten aus der paläarctischen Fauna. Deutsche Entomologische Zeitschrift 1896: 161–172. [DP: V.1896 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018960133

Reitter E (1896c) Beitrag zur Kenntniss der Platysceliden. Deutsche Entomologische Zeitschrift 1896: 173–176. [DP: V.1896 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018960135

Reitter E (1896d) Dichotomische Uebersicht der bekannten Arten der Coleopteren Gattung *Capnisa* Lac. = *Gnathosia* Fisch. Entomologische Nachrichten 22: 129–135. [DP: V.1896 (p. 129)] https://doi.org/10.5962/bhl.part.1948

Reitter E (1897a) Dichotomische Uebersicht der mit bekannten Gattungen aus der Tenebrioniden-Abtheilung: Tentyrini. Deutsche Entomologische Zeitschrift 1896: 297–303. [DP: I.1897 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018960213

Reitter E (1897b) Analytische Revision der Coleopteren-Gattung *Microdera* Esch. Deutsche Entomologische Zeitschrift 1897: 229–235. [DP: XII.1897 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018970115

Reitter E (1898) Neue Coleopteren aus Europa und den angrenzenden Ländern. Deutsche Entomologische Zeitschrift 1898: 337–360. [DP: XII.1898 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018980222

Reitter E (1900a) Weitere Beiträge zur Kentniss der Coleopteren-Gattung *Laena* Latr. Deutsche Entomologische Zeitschrift 1899: 282–286. [DP: II.1900 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018990210

Reitter E (1900b) Uebersicht der mit Erodius verwandten palaeartischen Coleopteren-Genera. Entomologische Nachrichten 26: 299–302. [DP: X.1900 issue]

Reitter E (1900c) XLII. Heft (42). Bestimmungs-Tabelle der Tenebrioniden-Abtheilungen: Tentyrini und Adelostomini, aus Europa und angrenzenden Gebieten. Edmund Reitter, Paskau, pp. [1], 82–197. [DP: 1900 (title page of separate)]

Reitter E (1901) Abbilungen und Beschreibungen neuer Coleopteren aus der palaearctischen Fauna. Wiener Entomologische Zeitung 20: 157–164. [DP: 25.XI.1901 (cover)] https://doi.org/10.5962/bhl.part.7311

Reitter E (1902a) Coleopterologische Notizen. Wiener Entomologische Zeitung 21: 221–222. [DP: 15.X.1902 (cover)]

Reitter E (1902b) Verschiedenes über die Coleopteren der Tenebrioniden-Abtheilung Helopina. Deutsche Entomologische Zeitschrift 1901: 209–224. [DP: I.1902 (Inhalt, p. 3)]

Reitter E (1903) Uebersicht der Arten der Coleopteren-Gattung *Entomogonus* (Helopidae). Wiener Entomologische Zeitung 22: 18–20. [DP: 25.I.1903 (cover)] https://doi.org/10.5962/bhl.part.9745

Reitter E (1904) Bestimmungs-Tabelle der Tenebrioniden-Unterfamilien: Lachnogyini, Akidini, Pedinini, Opatrini und Trachyscelini aus Europa und den angrenzenden Ländern. Verhandlungen des naturforschenden Vereines in Brünn 42[1903]: 25–189. [DP: V.1904 (Separate, 165 pp.)]

Reitter E (1906a) Drei neue im Quellgebeit des Indus von Prof. Dr. Koken gesammelte Coleopteren. Wiener Entomologische Zeitung 25: 40–42. [DP: 20.I.1906 (cover)] https://doi.org/10.5962/bhl.part.5376

Reitter E (1906b) Uebersicht der Coleopteren-Unterfamilie: Omophlini der Alleculidae aus Europa und den angrenzenden Ländern. Verhandlungen des Naturforschenden Vereines in Brünn 44[1905]: 115–175. [DP: 1906 (wrapper)]

Reitter E (1908) Zwei neue Coleopteren aus Adana in Kleinasien. Wiener Entomologische Zeitung 27: 133–136. [DP: 15.IV.1908 (cover)] https://doi.org/10.5962/bhl.part.11615

Reitter E (1909a) Neue Revision der Arten der Coleopterengattung *Prosodes* Esch. Wiener Entomologische Zeitung 28: 113–168. [DP: 15.VII.1909 (cover)]

Reitter E (1909b) Neue Coleoptera aus der paläarktischen Fauna. Wiener Entomologische Zeitung 28: 303–312. [DP: 30.XI.1909 (cover)]

Reitter E (1910) Eine neue Gattung der Coleopterenfamilie der Tenebrionidae, zugleich ein Vertreter einer neuen Tribus bei den Lachnogiini. Entomologische Blätter 6: 20–22. [DP: I.1922 (p. 1)]

Reitter E (1911) Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. Lutz, Stuttgart, 436 pp., pls 81–128. [DP: by XII.1911 (*Nat Nov*)]

Reitter E (1913) Eine Serie neuer Coleopteren aus der paläarktischen Fauna. Deutsche Entomologische Zeitschrift 1913: 649–666. [DP: 30.XI.1913 (cover)]

Reitter E (1914a) Bestimmungs-Tabelle für die Unterfamilie Erodini der Tenebrionidae, aus Europa und den angrenzenden Ländern. Deutsche Entomologische Zeitschrift 1914: 43–85. [DP: 1.II.1914 (cover)] https://doi.org/10.1002/mmnd.48019140104

Reitter E (1914b) Bestimmungs-Tabelle der Tenebrioniden-Abteilung der Scaurini. Deutsche Entomologische Zeitschrift 1914: 369–380. [DP: 1.VIII.1914 (cover)] https://doi.org/10.1002/mmnd.48019140403

Reitter E (1914c) Bestimmungs-Tabelle der Tenebrioniden-Abteilung der Sepidiini. Deutsche Entomologische Zeitschrift 1914: 381–392. [DP: 1.VIII.1914 (cover)] https://doi.org/10.1002/mmnd.48019140404

Reitter E (1915) Bestimmungs-Tabelle der echten Pimeliiden aus der paläarktischen Fauna. Wiener Entomologische Zeitung 34: 1–63. [DP: 10.III.1915 (wrapper)] https://doi.org/10.5962/bhl.part.10589

Reitter E (1916a) Bestimmungstabelle der Arten der Gattung *Adesmia* Fisch. aus der paläarktischen Fauna (Col. Tenebrionidae). Wiener Entomologische Zeitung 35: 1–31. [DP: 25.I.1916 (wrapper)] https://doi.org/10.5962/bhl.part.9976

Reitter E (1916b) Bestimmungstabelle der Tenebrioniden-Gruppe der Phaleriini, aus der palaearktischen Fauna. Entomologische Blätter 12: 3–10. [DP: 31.III.1916 (p. 1, wrapper)]

Reitter E (1916c) Bestimmungs-Tabelle der Tenebrioniden- Abteilung der palaearctischen Epitragini. Entomologische Blätter 12: 139–149. [DP: 10.IX.1916 (p. 139)]

Reitter E (1916d) Bestimmungstabelle der Tenebrioniden, enthaltend die Zopherini, Elenophorini, Leptodini, Stenosini und Lachnogyini aus der paläarktischen Fauna. Wiener Entomologische Zeitung 35: 129–171. [DP: 12.IX.1916 (wrapper)] https://doi.org/10.5962/bhl.part.9976

Reitter E (1917a) Bestimmungs-Tabelle der palaearctischen Arten der Tenebrioniden-Abteilung Asidini. Verhandlungen des naturforschenden Vereines in Brünn 55[1916]: 1–70. [DP: 1917 (wrapper)]

Reitter E (1917b) Bestimmungstabelle der Cossyphini und Misolampini (Tribus der Tenebrionidae). Wiener Entomologische Zeitung 36: 129–150. [DP: 30.X.1917 (wrapper)] https://doi.org/10.5962/bhl.part.12929

Reitter E (1920a) Tenebrionidae. XV Teil. Bestimmungstabelle der Unterfamilien: Belopinae, Borinae, Tenebrioninae und Coelometopinae der Tenebrionidae (Col.). Bestimmungstabelle der Europäischen Coleopteren Heft 87. Edmund Reitter, Paskau (Mähren), 1–24. [DP: by X.1920 (*Nat Nov*)]

Reitter E (1920b) Coleopterologische Notizen. Entomologische Blätter 15[1919]: 220–221. [DP: 7.I.1920 (p. 256)]

Reitter E (1922a) Bestimmungstabelle der palaearktischen Helopinae (Col. Tenebrionidae). I. Teil. Wiener Entomologische Zeitung 39: 1–44. [DP: 30.III.1922 (cover)] https://doi.org/10.5962/bhl.part.2572

Reitter E (1922b) Bestimmungstabelle der palaearktischen Helopinae (Col. Tenebrionidae). II. Teil. Wiener Entomologische Zeitung 39: 113–171. [25.X.1922 (cover)] https://doi.org/10.5962/bhl.part.2572

Ren G-D (1998) Coleoptera: Tenebrionidae. In: Hong WU (Ed.) Insects of Longwangshan Nature Reserve [in Chinese]. China Forestry Publishing House, Beijing, 108–114.

Ren G-D, Ba Y, Liu H, Niu Y, Zhu X, Li Z, Shi A (2016) Fauna Sinica: Insecta. Volume 63: Coleoptera: Tenebrionidae (I). Science Press, Beijing, 532 pp.

Ren G-D, Li Z (2001) A new genus and two new species of the tribe Blaptini in China (Coleoptera: Tenebrionidae). Zoological Research 22: 310–314. [DP: VIII.2001 (article header)]

Ren G-D, Wang X, Yu Y (2000) Survey of classificatory research of the genus *Blaps* Fabrcius (Coleoptera: Tenebrionidae) in the world – attached a list of known species of China [in Chinese]. Journal of Hebei University Natural Science Edition 20: 46–51.

Ren G-D, Yu Y (1999) The darkling beetles from deserts and semideserts of China (Coleoptera: Tenebrionidae) [in Chinese]. Hebei University Publishing House, Hebei, i–vii, 395 pp.

Ren G-D, Yu Y (2000) Larvae-monograph of the genus *Cyphogenia* Solier, 1836 in China (Coleoptera: Tenebrionidae) [in Chinese]. Journal of Hebei University Natural Science Edition 20: 52–57.

Reymond A (1938) Résultats scientifiques d'un voyage en Asie centrale (Mission Haart – Audoin-Dubreuil) 1931. Revue de Géographie Physique, Paris, 285 pp.

Reymond A (1954) Addition à la connaissance entomologique de la faune du Maroc sud-oriental (Missions de l'Institut scientifique chérifien d'avril à juillet 1953). Bulletin de la Société des Sciences Naturelles et Physiques du Maroc 34: 41–53. [DP: after 26.III.1954 (submitted, p. 53); first quarter 1954 (Bibliography of Agriculture 19(3): 125)]

Riley ND (1923) Insecta. In: Sclater WL (Ed.) The zoological record, volume the fifty-eighth being records of zoological literature relating chiefly to the year 1921. London, 1–270.

Robiche G (2001) Description d'un nouveau genre de Tenebrionidae et de son espèce récolté en Afrique du Sud. (Coleoptera, Tenebrionidae). Lambillionea 101: 191–195. [DP: VI.2001 (wrapper)]

Robiche G (2004a) Contribution à la connaissance de la tribu Drosochrini: description d'un nouveau genre et de son espèce. (Coleoptera, Tenebrionidae). Lambillionea 104: 736–741. [DP: XII.2004 (wrapper)]

Robiche G (2004b) Contribution à la connaissance de la tribu Drosochrini, genre *Oncosoma* Westwood, 1842: description d'un nouveau sous-genre, *Strophia*, et de quatre nouvelles espèces afrotropicales (Coleoptera, Tenebrionidae). Bulletin de la Société Entomologique de France 109: 129–140. [DP: 17.VI.2004 (p. 546)]

Robiche G (2005) Rectification homonymique du sous-genre *Strophia* (Col., Tenebrionidae). Bulletin de la Société Entomologique de France 110: 358. [DP: 8.IX.2005 (p. 526)]

Robiche G (2007) Note sur quelques espèces appartenant aux genres *Cyrtotyche*, *Hyboproctus*, *Nodotelus*. Description d'un nouveau genre et d'une nouvelle espèce. (Coleoptera, Tenebrionidae). Lambillionea 107: 445–454. [DP: IX.2007 (wrapper)]

Robiche G (2013) Un nouveau statut pour le genre *Conophthalmus* Quedenfeldt (Coleoptera, Tenebrionidae, Tenebrioninae). Bulletin de la Société Entomologique de France 118: 521–525. [DP: 20.XII.2013 (p. 564)]

Robiche G (2019a) Description d'un nouveau sous-genre et de nouvelles espèces appartenant au genre *Strongylium* Kirby, 1819 de la région afrotropicale et remarques systématiques (Coleoptera, Tenebrionidae). Lambillionea 119: 81–100. [DP: VII.2019 (journal website)]

Robiche G (2019b) Description d'un nouveau sous-genre et de sa nouvelle espèce du Gabon appartenant au genre *Tenebrio* Linnaeus, 1758 et note systématique sur le genre *Gridellia* (Kammener, 2006) (Coleoptera, Tenebrionidae). Le Coléoptériste (ACOREP) 22: 97–102. [DP: 31.VIII.2019 (Sommaire du n°22 (2))]

Rottenberg A von (1871) Beiträge zur Coleopteren-Fauna von Sicilien. Berliner Entomologische Zeitschrift 14[1870]: 235–260. [DP: 31.I.1871 (wrapper)] https://doi.org/10.1002/mmnd.47918710226

Rottenberg A von (1873) [Synonymische Bemerkungen. 9.] Berliner Entomologische Zeitschrift 17: 217. [DP: 31.X.1873 (wrapper)]

Rye EC (1870) In: Günther ACLG (Ed.) The record of zoological literature. 1869. Volume sixth. John Van Voorst, London, 183–301.

Rye EC (1873) Insecta. Coleoptera. In: Newton A (Ed.) The Zoological Record for 1871; being volume eighth of the record of zoological literature. John Van Voorst, London, 222–329. [DP: at least V.1873 (date of Preface)]

Rye EC (1874) Insecta. Coleoptera. In: Newton A (Ed.) The Zoological Record for 1872; being volume ninth of the record of zoological literature. John Van Voorst, London, 230–314. [DP: at least IV.1874 (date of Preface)]

Rye EC (1875) Insecta. Coleoptera. In: Rye EC (Ed.) The Zoological Record for 1873; being volume tenth of the record of zoological literature. John Van Voorst, London, 224–343. [DP: at least IV.1875 (date of Preface)]

Rye EC (1877) Insecta. Coleoptera. In: Rye EC (Ed.) The Zoological Record for 1875; being volume twelfth of the record of zoological literature. John Van Voorst, London, 271–343. [DP: at least V.1877 (date of Preface)]

Rye EC (1878) Insecta. In: Rye EC (Ed.) The Zoological Record for 1876; being volume thirteenth of the record of zoological literature. John Van Voorst, London, 240 pp. [DP: at least V.1878 (date of Preface)]

Rye EC (1879) Insecta. In: Rye EC (Ed.) The Zoological Record for 1877; being volume fourteenth of the record of zoological literature. John Van Voorst, London, 8–94. [DP: by VIII.1879 (*Nat Nov*)]

Rye EC (1880) Insecta. In: Rye EC (Ed.) The Zoological Record for 1878; being volume fifteenth of the record of zoological literature. John Van Voorst, London, 1–121. [DP: by IX.1879 (*Nat Nov*)]

Saha GN (1988) A new genus of Amarygmini (Coleoptera: Tenebrionidae) from India. Records of the Zoological Survey of India 85: 429–432.

Sahlberg JR (1903) Coleoptera Levantina mensibus Februario et Martio 1896 in Palaestina et Aegypto inferiore collecta. Öfversigt af Finska Vetenskaps-Societetens Förhandlingar [1902–03] 45(18): 1–36. [DP: by 15.IV.1903 (Öfversigt af förhandlingarna 45(1902–03): 13)]

Saunders E (1837) Descriptions of some new species of coleopterous insects lately received from Monte Video. The Transactions of the Entomological Society of London 1(3): 149–157. [DP: 17.I.1837 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1839.tb03198.x

Say T (1824) Descriptions of Coleopterous insects collected in the late expedition to the Rocky Mountains, performed by order of Mr. Calhoun, Secretary of War, under the command of Major Long. Journal of the Academy of Natural Sciences of Philadelphia 3[1823–1824]: 238–256 [DP: I.1824], 257–282. [DP: II.1824 (Fox 1913)]

Schaufuss L-W (1882) Coléoptères aveugles de la famille des Colydidae. Annales de la Société Entomologique de France (Série 6) 2: 46–48. [DP: 28.VI.1882 (Lefèvre 1895)]

Schaufuss L-W (1889) Einige Käfer aus dem baltischen Bernsteine. Berliner Entomologische Zeitschrift 32[1888]: 266–270. [DP: 28.II.1889 (wrapper)] https://doi.org/10.1002/mmnd.47918880405

Schaum H (1850) Bericht über die Leistungen in der Entomologie während des Jahres 1849. Archiv für Naturgeschichte 16(2): 139–250. [DP: 1850 (title page)]

Schaum H (1852) Bericht über die Leistungen in der Entomologie während des Jahres 1851. Archiv für Naturgeschichte 18(2): 105–256. [DP: 1852 (title page)]

Schawaller W (1990) Revision of the western Palaearctic Tenebrionidae (Coleoptera). Part 3. A new genus of Erodiini from Arabia. Fauna of Saudi Arabia 11: 49–54. [DP: 15.XI.1990 (Contents)]

Schawaller W (1998) *Borneolaena* gen. n. *riedeli* sp. n. from Sarawak, the first species of Laenini (Coleoptera: Tenebrionidae) from the Sunda Islands. Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 575: 1–8. [DP: 31.VIII.1998 (article header)]

Schawaller W (1999a) *Microbradymerus* gen. n. (Coleoptera: Tenebrionidae, Coelometopinae) from the Oriental Region. Acta Zoologica Academiae Scientarum Hungaricae 45: 143–148. [DP: 15.VII.1999 (p. 148)]

Schawaller W (1999b) Notes on Palearctic and Oriental Phrenapatini (Coleoptera: Tenebrionidae), with descriptions of four new species. Revue Suisse de Zoologie 106: 419–428. [DP: VI.1999 (wrapper)] https://doi.org/10.5962/bhl.part.80089

Schawaller W (2000) The genus *Falsotithassa* Pic (Coleoptera: Tenebrionidae), with descriptions of new Oriental species. Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 604: 1–11. [DP: 10.V.2000 (article header)]

Schawaller W (2001a) *Nepalolaena kira* gen. nov., sp. nov. from the Nepal Himalayas (Coleoptera, Tenebrionidae). Entomologica Basiliensia 23: 277–282. [DP: 1.IX.2001 (Inhalt)]

Schawaller W (2001b) The genus *Laena* Latreille (Coleoptera: Tenebrionidae) in China, with descriptions of 47 new species. Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 632: 1–62. [DP: 30.XI.2001 (article header)]

Schawaller W (2003) *Malayoscelis* gen. n., the third genus of the Pycnocerini (Coleoptera: Tenebrionidae) from the Oriental region. Acta Zoologica Academiae Scientiarum Hungaricae 48: 197–202. [DP: 5.I.2003 (p. 202)]

Schawaller W (2004) The Oriental species of *Platydema* Laporte & Brullé, with descriptions of 16 new species (Coleoptera: Tenebrionidae). Stuttgarter Beiträge zur Naturkunde Serie A (Biologie) 671: 1–49. [DP: 22.XII.2004 (article header)]

Schawaller W (2007) *Antennoluprops bremeri*, gen. nov., spec. nov. from Madagascar, with remarkable male antennal and tibial morphology (Insecta, Coleoptera, Tenebrionidae, Lupropini). Spixiana 30: 29–32. [DP: 1.V.2007 (article header)]

Schawaller W (2008) Three new species of *Scaphidema* Redtenbacher (Coleoptera: Tenebrionidae) from China. Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 1: 381–385. [DP: 30.IV.2008 (article header)]

Schawaller W (2009a) A new genus and species of tenebrionid beetles (Coleoptera: Tenebrionidae: Diaperinae) from Oman and the United Arab Emirates. Fauna of Arabia 24: 163–168. [DP: 10.V.2009 (article header)]

Schawaller W (2009b) Five new epigean species of *Toxocnema* Fahraeus (Coleoptera: Tenebrionidae) from arboreal habitats in South Africa and Swaziland. Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 2: 363–370. [DP: 30.IV.2009 (article header)]

Schawaller W (2010) Check-list of the Tenebrionidae (sensu stricto) from Madagascar (Coleoptera). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 3: 277–289. [DP: 30.IV.2010 (article header)]

Schawaller W (2011) Revision of the genera *Anaedus*, *Dichastops*, *Luprops* and *Sphingocorse* from South Africa and adjacent regions, with description of *Capeluprops* n. gen. (Coleoptera: Tenebrionidae: Lagriinae: Lupropini). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 4: 269–288. [DP: 30.IV.2011 (article header)]

Schawaller W (2012a) *Afrohelops* gen. nov. (Coleoptera: Tenebrionidae: Helopini) from relict montane forests in Kenya and Mozambique. Annals of the Ditsong National Museum of Natural History 2: 75–79.

Schawaller W (2012b) A new genus and species of Tentyriini (Coleoptera: Tenebrionidae) from sand dunes in Namaqualand, South Africa. Zootaxa 3514: 79–83. [DP: 11.X.2012 (title page footer)] https://doi.org/10.11646/zootaxa.3514.1.5

Schawaller W (2012c) *Mariepskopia albomaculata* gen. et sp. nov. (Coleoptera: Tenebrionidae: Cnodalonini) from relict arboreal habitats in South Africa. Annales Zoologici (Warszawa) 62: 217–219. [DP: 1.VI.2012 (journal website)] https://doi.org/10.3161/000345412X652738

Schawaller W (2013a) *Ardoiniellus montanus* n. gen., n. sp. and nine new species of *Enicmosoma* Gebien from South Africa and Zimbabwe (Coleoptera: Tenebrionidae: Lupropini). Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 6: 137–149. [DP: 30.IV.2013 (article header)]

Schawaller W (2013b) The species of *Bradymerus* Perroud (Coleoptera: Tenebrionidae) from New Guinea and the Moluccan Islands, with descriptions of 11 new species. Stuttgarter Beiträge zur Naturkunde A (Neue Serie) 6: 151–174. [DP: 30.IV.2013 (article header)]

Schawaller W (2013c) Cossyphodini (Coleoptera: Tenebrionidae: Pimeliinae) in South Africa, Namibia and adjacent regions: New species and records, key to genera, and Old World species catalogue. Zootaxa 3721: 351–364. [DP: 16.X.2013 (title page footer)] https://doi.org/10.11646/zootaxa.3721.4.3

Schawaller W (2013d) The termitophilous genus *Rhyzodina* Chevrolat (Coleoptera: Tenebrionidae: Amarygmini): new data, species-key, and remarks on antennal tufts of hair. Deutsche Entomologische Zeitschrift 60: 65–71. [DP: 22.V.2013 (article header)] https://doi.org/10.1002/mmnd.201300008

Schawaller W (2014) The genus *Platycotylus* Olliff (*Thurea* Ferrer, syn. nov.) in Kenya and South Africa (Coleoptera: Tenebrionidae: Palorini). Annals of the Ditsong National Museum of Natural History 4: 51–53.

Schawaller W (2015) *Microcenoscelis* n. gen. (Coleoptera: Tenebrionidae: Ulomini) from tropical Africa, with description of a blind species from Zimbabwe. Zootaxa 4027: 437–441. [DP: 5.X.2015 (title page footer)] https://doi.org/10.11646/zootaxa.4027.3.7

Schawaller W (2016) *Laoscapha phoupanense* gen. et sp.nov. (Coleoptera: Tenebrionidae: Diaperinae) from Laos. Entomologica Basiliensia et Collectionis Frey 35: 439–442.

Schawaller W, Ando K (2009) Revision of the genus *Foochounus* Pic, 1921 (Coleoptera: Tenebrionidae) from the Oriental region. Entomological Review of Japan 64: 259–286. [DP: 30.XII.2009 (journal website)]

Schawaller W, Bouchard P (2019) New taxa of Phrenapatinae (Coleoptera: Tenebrionidae) from southern Africa, with new distributional data and a checklist of the Afrotropical fauna. Annales Zoologici 69: 191–200. [DP: 31.III.2019 (journal website)] https://doi.org/10.3161/00034541ANZ2019.69.1.014

Schawaller W, Bremer H (2013) The termitophilous genus *Asyleptus* Peringuey, 1896 (*Termitonebria* Wasmann, 1925 syn. nov., *Falsozialeus* Pic, 1951 syn. nov.) and its tribal placement (Coleoptera: Tenebrionidae: Amarygmini). Annals of the Ditsong National Museum of Natural History 3: 81–83. [DP: 1.II.2013 (journal website)]

Schawaller W, Masumoto K, Merkl O (2013) *Lepidocaulinus* gen. nov. *mirabilis* sp. nov. from Thailand (Coleoptera: Tenebrionidae: Stenochiinae). Annales Zoologici (Warszawa) 63: 377–380. [DP: 1.VI.2013 (journal website)] https://doi.org/10.3161/000345413X669630

Schawaller W, Purchart L (2012) *Nanocaecus hlavaci* gen. and sp. nov. – first record of the tribe Gnathidiini (Coleoptera: Tenebrionidae: Diaperinae) from the Socotra Archipelago. Acta Entomologica Musei Nationalis Pragae 52: 303–314. [DP: 17.XII.2012 (article header)]

Schoenfeldt H von (1897) Catalog der Coleopteren von Japan. Dritter Nachtrag. Jahrbücher des Nassauischen Vereins für Naturkunde 50: 97–144.

Schuh R (2020) Family Zopheridae Solier, 1834. In: Iwan D, Löbl I (Eds) Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 66–79. [DP: 17.IX.2020 (verso of title page)]

Schulz WA (1902) *Phygoscotus*, nov. nom. gen. e fam. coleopt. Berliner Entomologische Zeitschrift 47: 134. [DP: VIII.1902 (wrapper)]

Schuster A (1922) Die paläarktischen Tenebrioniden des Deustschen Entomologischen Institutes. No. II (Col.). Entomologische Mitteilungen 11: 47–50. [DP: 15.III.1922 (wrapper)]

Schuster A (1926) Neue Tenebrioniden aus der Cyrenaica II. (Col.). Bollettino della Società Entomologica Italiana 58: 130–135. [DP: 30.X.1926 (wrapper)]

Schuster A (1930) Zwei neue Tenebrioniden aus dem Mittlemeergebiete. Bollettino della Società Entomologica Italiana 62: 65–67. [DP: 16.IV.1930 (fascicle header)]

Schuster A (1934) Zur Nomenklatur des Subgenus *Aulonoscelis* Rtt. (Col., Tenebr.). Koleopterologische Rundschau 20: 75. [DP: 31.III.1934 (wrapper)]

Schuster A (1935) Die Tenebrioniden-Ausbeute Dr. Gabriels in Persien. Koleopterologische Rundschau 21: 20–29. [DP: 30.IV.1935 (wrapper)]

Schuster A (1936) Tenebrionidae. In: Entomologische Sammelergebnisse der Deutschen Hindukusch Expedition 1935 der Deutschen Forschungsgemeinschaft. Arbeiten über Morphologische und Taxonomische Entomologie aus Berlin-Dahlem 3: 192–201. [DP: 25.VII.1936 (volume title page)]

Schuster A (1937) Eine Tenebrionden-Ausbeute von Mesopotamien, Palästina, Syrien und Aegypten. Koleopterologische Rundschau 23: 44–52. [DP: 31.III.1937 (wrapper)]

Schuster A (1938) Neue Tenebrioniden (Col.) von Persisch-Belutschistan. Koleopterologische Rundschau 24: 77–90. [DP: 15.VII.1938 (wrapper)]

Schuster A (1940) Die Tenebrioniden (Col.) des Museums Hoang ho-Pei ho in Tientsin. Koleopterologische Rundschau 26: 15–24. [DP: 1.III.1940 (wrapper)]

Schwarz EA, Barber HS (1914) Note on Rhipidandri – a correction. Proceedings of the Entomological Society of Washington 16: 175–177.

Sclater PL (1893) List of the dates of delivery of the sheets of the 'Proceedings' of the Zoological Society of London, from the commencement in 1830 to 1859 inclusive. Proceedings of the General Meetings for Scientific Business of the Zoological Society of London 1893: 436–440. [DP: 1.VIII.1893 (wrapper)]

Scudder SH (1882) Nomenclator zoologicus. An alphabetical list of all generic names that have been employed by naturalists for recent and fossil animals from the earliest times to the close of the year 1879. I. Supplemental list of genera in zoology. Bulletin of the United States National Museum 19: i–xix, 1–376. [DP: by VIII.1882 (Bousquet 2016a: 494)] https://doi.org/10.5479/si.03629236.19.i

Seidlitz G (1890) Fauna Baltica. Die Kaefer (Coleoptera) der deutschen Ostseeprovinzen Russlands [Lieferung 5]. Hartungsche Verlagsdruckerei, Königsberg, 129–160 [Gattungen], 513–608 [Arten]. [DP: by 23.IV.1890 (Bousquet 2016a: 496)]

Seidlitz G (1893) Naturgeschichte der Insecten Deutschlands begonnen von Dr. W.F. Erichson, fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H.v. Kiesenwetter, Julius Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abtheilung. Coleoptera. Fünfter Band. Erste Hälfte. [Lieferung 2]. Nicolai, Berlin, 201–400. [DP: III.1893 (p. xxviii)]

Seidlitz G (1894) Naturgeschichte der Insecten Deutschlands begonnen von Dr. W.F. Erichson, fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H.v. Kiesenwetter, Julius Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abtheilung. Coleoptera. Fünfter Band. Erste Hälfte. [Lieferung 3]. Nicolai, Berlin, 401–608. [DP: V.1894 (p. xxviii)] https://doi.org/10.1002/mmnd.48018940541

Seidlitz G (1895) Naturgeschichte der Insecten Deutschlands begonnen von Dr. W.F. Erichson, fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H.v. Kiesenwetter, Julius Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abtheilung. Coleoptera. Fünfter Band. Erste Hälfte. [Lieferung 4]. Nicolai, Berlin, 609–800. [DP: by V.1895 (Bousquet 2016a: 497, footnote)] https://doi.org/10.1002/mmnd.48018950246

Seidlitz G (1896) Naturgeschichte der Insecten Deutschlands begonnen von Dr. W. F. Erichson fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H. v. Kiesenwtter, Julius Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abtheilung. Coleoptera. Fünfter Band. Zweite Hälfte. [Lieferung 1]. Nicolai, Berlin, 1–304. [DP: by XI.1896 (*Nat Nov*)]

Seidlitz G (1898a) Naturgeschichte der Insecten Deutschlands begonnen von Dr. W.F. Erichson, fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H.v. Kiesenwetter, Julius Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abtheilung. Coleoptera. Fünfter Band. Erste Hälfte. [Lieferung 5]. Nicolai, Berlin, v–xxviii, 801–877. [DP: IX.1898 (p. xxviii)]

Seidlitz G (1898b) Naturgeschichte der Insecten Deutschlands begonnen von Dr. W. F. Erichson fortgesetzt von Prof. Dr. H. Schaum, Dr. G. Kraatz, H. v. Kiesenwtter, Julius Weise, Edm. Reitter und Dr. G. Seidlitz. Erste Abtheilung. Coleoptera. Fünfter Band. Zweite Hälfte. [Lieferung 2]. Nicolai, Berlin, 305–680. [DP: by 22.VI.1898 (Bousquet 2016a: 497)]

Seidlitz G (1900) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1898. Coleoptera. Archiv für Naturgeschichte 65 (II Band. 2. Heft): 101–330. [DP: XI.1900 (Inhalt)]

Seidlitz G (1905) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1903. Coleoptera. Archiv für Naturgeschichte 70 (II Band. 2. Heft): 54–356. [DP: IX.1905 (Inhalt)]

Seidlitz G (1906) Coleoptera für 1904. Archiv für Naturgeschichte 71 (II Band. 2. Heft): 44–360. [DP: VIII.1906 (Inhaltsverzeichnis)

Seidlitz G (1908) Coleoptera für 1906. Archiv für Naturgeschichte 73 (II Band. 2. Heft): 67–448. [DP: XI.1908 (Inhaltsverzeichnis)]

Seidlitz G (1909) Coleoptera für 1907. Archiv für Naturgeschichte 74 (II Band. 2. Heft): 55–392. [DP: XII.1909 (Inhaltsverzeichnis)]

Semenov AP (1889) Diagnoses Coleopterorum novorum ex Asia Centrali. Horae Societatis Entomologicae Rossicae 24: 193–226. [DP: 24.VIII.1889 (Kerzhner 1984)]

Semenov AP (1891) Diagnoses Coleopterorum novorum ex Asia centrali et orientali. Horae Societatis Entomologicae Rossicae 25[1890–91]: 262–382. [DP: 1.IV.1891 (Kerzhner 1984)]

Semenov AP (1893) Symbolae ad cognitionem Pimeliidarum. Horae Societatis Entomologicae Rossicae 27: 249–264. [DP: 22.IV.1893 (Kerzhner 1984)]

Semenov AP (1894) De Coleopterorum familia nova. Bulletin de l'Académie Impériale des Sciences de St.-Pétersbourg 35[1892–1894]: 607–614. [DP: 5.IX.1894 (p. 614 footer)]

Semenov AP (1901) To the littoral fauna of Crimea: I. *Phaleria pontica*, sp. n. (Coleoptera, Tenebrionidae) [in Russian, with Latin descriptions]. Revue Russe d'Entomologie 1: 90–97. [DP: VII.1901 (p. 90 footer)]

Semenov AP (1903a) Coleoptera nova faunae turanicae. Revue Russe d'Entomologie 3: 8–13. [DP: II.1903 (p. 8 footer)]

Semenov AP (1903b) Analecta coleopterologica. Revue Russe d'Entomologie 3: 169–173. [DP: VIII.1903 (p. 169 footer)]

Semenov-Tjan-Shansky AP (1907a) Synopsis generum tribus Platyopinorum (Coleoptera, Tenebrionidae, Pimeliini). Horae Societatis Entomologicae Rossicae 38[1907–08]: 175–184. [DP: 20.IV.1907 (Oshanin 1910: 10)]

Semenov-Tjan-Shansky AP (1907b) De novo Pimeliinorum genere, quod tribum peculiarem repraesentat (Coleoptera, Tenebrionidae). Revue Russe d'Entomologie 6[1906]: 257–260. [DP: issued in 1907 despite the date of XII.1906 on p. 257 footer (see Bouchard et al. 2011: 807)]

Semenov-Tjan-Shansky AP (1908) Analecta coleopterologica. XIV. Revue Russe d'Entomologie 7[1907]: 258–265. [DP: after 25.VI.1908 (Gregorian calendar, censor date p. 306)]

Semenov-Tjan-Shansky AP, Bogatchev AV (1936) Supplément à la révision du genre *Blaps* F. (Coleoptera, Tenebrionidae) de G. Seidlitz, 1893. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand 1: 553–568. [DP: 17.X.1936 (title page)]

Semenov-Tjan-Shansky AP, Bogatchev AV (1940) Adjonctions caractéristiques à la faune de l'URSS dans l'ordre des Coléoptères (Coleoptera). I [In Russian with French summary and Latin descriptions]. Bulletin de la Société des Naturalistes de Moscou. Section Biologique (Nouvelle Série) 49: 201–209.

Semenov-Tjan-Shansky AP, Bogatchev AV (1947) New genera of the tribe Eurychorini [in Russian]. Doklady Akademii Nauk Azerbaydzhanskoy SSR 3: 175–177.

Sénac H (1884) Essai monographique sur le genre *Pimelia* (Fabricius). Première partie. Espèces a tarses postérieurs et intermédiaires comprimés (1re division de Solier). Jacques Lechevalier, Paris, xix, 106 pp. [DP: 1884 (title page)]

Sénac H (1887) Sous-genre *Pachyscelodes* (subdivision nouvelle du genre *Pachyscelis* Sol.). Annales de la Société Entomologique de France (Série 6) 7: 187–194. [DP: 15.VIII.1887 (Lefèvre 1895)]

Sénac H (1888) [Note synonymique]. Annales de la Société Entomologique de France (Série 6) 8: lv–lvi. [DP: 10.X.1888 (Lefèvre 1895)]

Sharp D (1876) Descriptions of some new genera and species of New Zealand Coleoptera. The Entomologist's Monthly Magazine 13[1876–77]: 70–77. [DP: by 2.VIII.1876 (pp. 70–72), by 6.IX.1876 (pp. 73–77) (*Ent Soc Lond*)] https://doi.org/10.5962/bhl.part.22816

Sharp D (1886) On New Zealand Coleoptera, with descriptions of new genera and species. The Scientific Transactions of the Royal Dublin Society (Series 2) 3[1883–87]: 351–454. [DP: XI.1886 (Contents, p. iv)]

Sharp D (1892a) Insecta. In: Sharp D (Ed.) The zoological record, volume the twenty-eighth. Being records of zoological literature relating chiefly to the year 1891. Gurney & Jackson, UK, 1–311. [DP: after 3.IX.1892 (Preface); by XI.1892 (*Nat Nov*)]

Sharp D (1892b) Coleoptera – (continued). In: Supplementary appendix to travels amongst the Great Andes of the Equator by Edward Whymper with contributions by H.W. Bates. T.G. Bonney. G.A. Boulenger. Peter Cameron. F. Day. W.L. Distant. A.E. Eaton, F.D. Godman. H.S. Gorham. Martin Jacoby. E.J. Miers. A. Sidney Ollif. O. Salvin. David Sharp. T.R.R. Stebbing. Illustrated. John Murray, London, 40–44. [DP: 2.III.1892 (Sharp 1892)]

Sharp D (1899) Insecta. In: Sharp D (Ed.) The zoological record, volume the thirty-fifth. Being records of zoological literature relating chiefly to the year 1898. Gurney & Jackson, UK, 1–205. [DP: after 21.X.1899 (Preface); by 9.XII.1899 (*Athenaeum* 1899: 815)]

Sharp D (1919) Insecta. In: Sharp D (Ed.) The zoological record, volume the fifty-third being records of zoological literature relating chiefly to the year 1916. London, 1–264.

Sharp D (1922) Insecta. In: Sharp D (Ed.) The zoological record, volume the fifty-seven being records of zoological literature relating chiefly to the year 1920. London, 1–289.

Sherborn CD (1934) Dates of publication of catalogues of natural history (post 1850) issued by the British Museum. The Annals and Magazine of Natural History (Tenth Series) 13: 308–312. [DP: 1.II.1934 (Evenhuis 2003)] https://doi.org/10.1080/00222933408654812

Shibata T (1980) Notes on the Tenebrionidae from Taiwan and Japan, III. (Coleoptera). Entomological Review of Japan 34: 63–74. [DP: V.1980 (p. 63 footer)] https://doi.org/10.2524/jtappij.34.4_63

Silbermann G (1833) Descriptions d'espèces nouvelles (3–4). [Monographie du genre *Odontopus*]. Revue Entomologique 1(2): [4 pp]. [DP: by 20.III.1833 (*Soc Ent Fr*)]

Silbermann G (1838) Rapport sur les travaux entomologiques en 1836, par M. le Dr Erichson. Revue Entomologique 5[1837]: 5–41. [DP: by 21.XI.1838 (*Soc Ent Fr*)]

Silfverberg H (1984) The coleopteran genera of Dejean 1821. II. Polyphaga. 1. Annales Entomologici Fennici 50: 58–60. [DP: printed 31.VII.1984 (back wrapper)]

Silvestro VA, Flores GE (2016) Notes on types of some species described by Billberg and Germar belonging to the South American genera *Scotobius* Germar, 1823 and *Nyctelia* Berthold, 1827 (Coleoptera: Tenebrionidae), with new synonymies and taxonomic implications. Annales Zoologici (Warsawa) 66: 653–663. [DP: 1.XII.2016 (journal website)] https://doi.org/10.3161/00034541ANZ2016.66.4.017

Silvestro VA, Giraldo-Mendoza AE, Flores GE (2015) *Pumiliofossorum*: a new genus of Scotobiini (Coleoptera: Tenebrionidae) with two new species from Peru, and a revised key for the genera of the tribe. Zootaxa 3986: 461–471. [DP: 20.VII.2015 (title page footer)] https://doi.org/10.11646/zootaxa.3986.4.5

Skelley PE, Alonso-Zarazaga MA (2003) Synonymy of *Rhamphidera* Skelley with *Bancous* Pic, termitophilous fungus beetles (Coleoptera: Erotylidae). Insecta Mundi 17: 107–109.

Skopin NG (1960a) Materials on the morphology and ecology of the larvae of the tribe Blaptini (Coleoptera, Tenebrionidae) [in Russian]. Trudy Instituta zoologii AN Kazakhskoy SSR 11: 36–71.

Skopin NG (1960b) Neue Tenebrioniden (Coleoptera) aus Zentralasien. I. Annales Historico-Naturales Musei Nationalis Hungarici 52: 295–311. [DP: 31.XII.1960 (Merkl et al. 2008: 167)]

Skopin NG (1961a) Neue Tenebrioniden (Coleoptera) aus Zentrlasien II, nebst einigen systematischen sowie synonymischen Bemerkungen. Annales Historico-Naturales Musei Nationalis Hungarici 53: 381–406. [DP: 31.XII.1961 (Merkl et al. 2008: 169)]

Skopin NG (1961b) Materials on the fauna and ecology of darkling beetles (Coleoptera, Tenebrionidae) of southeastern Kazakhstan [in Russian]. Trudy Nauchno-Issledovatelskogo Instituta Zashchity Rastenii Kazakhstanskoy Akademii Selskokhozyastvennykh Nauk 6: 172–208.

Skopin NG (1962) Larvae of the subfamily Pimeliinae (Coleoptera, Tenebrionidae) [in Russian]. Trudy Naucchno-Issledovatelskogo Instituta Zashchity Rastenii Kazakhstanskoy Akademii Selskokhozyastvennykh Nauk 7: 191–298.

Skopin NG (1964) Neue Tenebrioniden (Coleoptera) aus Zenralasien III, nebst einigen systematischen sowie synonymischen Bemerkungen. Annales Historico-Naturales Musei Nationalis Hungarici 56: 389–412. [DP: 31.XII.1964 (Merkl et al. 2008: 177)]

Skopin NG (1967) On nocturnal darkling beetles of the genus *Melanesthes* Lac. (Coleoptera: Tenebrionidae) from central Kazakhstan [in Russian]. Entomologicheskoe Obozrenie 46: 205–211. [DP: after 15.III.1967 (censor date)] [English translation in Entomological Review 46: 123–125]

Skopin NG (1968a) Darkling beetles (Col. Tenebr.) of southern Kazakhstan and their economic importance [in Russian]. Trudy Kazakhsh Naucchno-Issledovatelskogo Instituta Zashchity Rastenii 10: 73–114.

Skopin NG (1968b) Eine neue Tenebrioniden-Gattung und -Art aus Zentralasian (Coleoptera-Tenebrionidae-Pimeliini). Entomologische Arbeiten aus dem Museum G. Frey 19: 300–304. [DP: 1.VI.1968 (Inhalt)]

Skopin NG (1971) Monographische Übersicht der Arten der Gattungen *Diesia* Fisch. -W. und *Platyesia* gen. nov. (Coleoptera, Tenebrionidae). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden 38[1970–71]: 325–349. [DP: 28.XII.1971 (article header)]

Skopin NG (1973) Revision der Tenebrionidae-Gattunggruppe *Trigonoscelis-Sternoplax* (Coleoptera). Entomologische Arbeiten aus dem Museum G. Frey 24: 104–185. [DP: 1.X.1973 (Inhalt)]

Skopin NG (1974a) Zur Revision der eurasiatischen Arten der Gattung *Belopus* Gb. Entomologische Abhandlungen des Staatlichen Museum für Tierkunde in Dresden 40: 65–103. [DP: 15.XI.1974 (article header)]

Skopin NG (1974b) Revision der Gattung *Pterocoma* Dejean, Solier, 1836 (Coleoptera, Tenebrionidae). Entomologische Abhandlungen des Staatlichen Museum für Tierkunde in Dresden 40: 127–164. [DP: 18.XII.1974 (article header)]

Skopin NG (1979) Systematische Stellung der Gattung *Scythis* Schaum, 1865, sowie Revision der Arten (Coleoptera, Tenebrionidae). Annales Historico-Naturales Musei Nationalis Hungarici 71: 169–183. [DP: 31.XII.1979 (Merkl et al. 2008: 208)]

Skopin NG, Kaszab Z (1978) Über die Arten der Gattung *Blaps* F. (Coleoptera, Tenebrionidae), gesammelt von Herrn Dr. W. Wittmer im Jahre 1976 in Kaschmir. Folia Entomologica Hungarica (Series Nova) 31(2): 207–212. [DP: 31.X.1978 (verso of title page)]

Ślipiński SA, Lawrence JF (1997) Genera of Colydiinae (Coleoptera: Zopheridae) of the Australo-Pacific region. Annales Zoologici (Warszawa) 47: 341–440.

Ślipiński SA, Lawrence JF (1999) Phylogeny and classification of Zopheridae sensu novo (Coleoptera: Tenebrionoidea) with a review of the genera of Zopherinae (excluding Monommatini). Annales Zoologici (Warszawa) 49: 1–53.

Ślipiński SA, Lawrence JF (2010) 11.9 Zopheridae Solier, 1834. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV - Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin, 548–559. https://doi.org/10.1515/9783110911213.548

Smith AD (2013) Phylogenetic revision of the North American Asidini (Coleoptera: Tenebrionidae). Systematic Entomology 38: 585–614. [DP: 18.VI.2013 (journal website)] https://doi.org/10.1111/syen.12017

Smith AD, Wirth CC (2016) A new genus and species of stridulating Edrotini (Coleoptera: Tenebrionidae: Pimeliinae) from west Texas, with notes on stridulation within the tribe. Annales Zoologici (Warszawa) 66: 577–587. [DP: 30.XII.2016 (cover)] https://doi.org/10.3161/00034541ANZ2016.66.4.011

Soldati F (2008) New nomenclatural and taxonomic acts, and comments. Tenebrionidae: Asidini; Tribe Asidini Fleming, 1821. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 30–34, 128–139. [DP: 15.IV.2008 (verso of title page)]

Soldati F (2020) Tribe Asidini Fleming, 1821. In: Iwan D, Löbl I (Eds): Catalogue of Palaearctic Coleoptera. Tenebrionoidea. Revised and updated second edition. Volume 5. Brill, Leiden and Boston, 138–155. [DP: 17.IX.2020 (verso of title page)]

Soldati F, Soldati L (2003) Une espèce nouvelle de *Phtora* appartenant à un sous-genre inédit (Coleoptera, Tenebrionidae, Phaleriini) (33. Contribution à la connaissance des Tenebrionidae). Bulletin de la Société Linnéenne de Bordeaux 31: 1–8. [DP: printed 15.IV.2003 (p. 56)]

Soldati L (2009) The darkling beetles of Qatar. (Insecta: Coleoptera: Tenebrionidae). Natura optima dux Foundation, Warszawa, 101 pp.

Solier AJJ (1834) Essai d'une division des coléoptères hétéromères, et d'une monographie de la famille des collaptérides. Annales de la Société Entomologique de France 3: 479–636, pls 12–15. [DP: 1834 (issue cover)]

Solier AJJ (1835a) Prodrome de la famille des xystropides. Annales de la Société Entomologique de France 4: 229–248. [DP: by 28.IX.1835 (*Acad Sci Fr*)]

Solier AJJ (1835b) Essai sur les collaptérides (suite). Annales de la Société Entomologique de France 4: 249–419, pls 5–9 [DP: by 28.IX.1835], 509–574, pls 14–15. [DP: by 21.XII.1835 (*Acad Sci Fr*)]

Solier AJJ (1836) Essai sur les collaptèrides (suite). Annales de la Société Entomologique de France 5: 5–200, pls 1–4 [DP: by 16.V.1836], 303–355, pls 6–7. [DP: by 18.VII.1836], 403–512, pls 11–13 [DP: by 31.X.1836 (*Acad Sci Fr*)]

Solier AJJ (1837a) Essai sur les collaptérides (suite). Annales de la Société Entomologique de France 5[1836]: 635–684, pls 23–24. [DP: by 6.III.1837 (*Acad Sci Fr*)]

Solier AJJ (1837b) Essai sur les collaptérides (suite). Annales de la Société Entomologique de France 6: 151–172, pl. 7. [DP: by 9.IX.1837 (*Acad Sci Fr*)]

Solier AJJ (1838a) Réponse à la note de M. Lacordaire, sur l'habitat de quelques mélasomes. Annales de la Société Entomologique de France 6[1837]: 481–495. [DP: by 7.V.1838 (*Acad Sci Fr*)]

Solier AJJ (1838b) Essai sur les collaptèrides (suite). Annales de la Société Entomologique de France 7: 5–73, pls 1–3 [DP: by 30.VII.1838], 159–199, pls 7–8. [DP: by 19.XI.1838 (*Acad Sci Fr*)]

Solier AJJ (1841a) Essai sur les collaptérides (suite). Annales de la Société Entomologique de France 9 [1840]: 207–270, pls 9–10 [pp. 255–270 incorrectly numbered 355–370]. [DP: 30.IV.1841 (wrapper)]

Solier AJJ (1841b) Essai sur les collaptérides (suite). Annales de la Société Entomologique de France 10: 29–51, pl. 2. [DP: 7.VII.1841 (*Soc Ent Fr*)]

Solier AJJ (1843) Essai sur les collaptérides de la tribu des Molurites. Imprimerie Royale, Turin, 127 pp, 4 pls. [DP: 1843 (verso of title page)]

Solier AJJ (1848) Essai sur les collaptérides. Studi Entomologici 1: 149–370, 112 pls. [DP: 1848 (wrapper)]

Solier AJJ (1851) Insectos. Coleopteros. In: Gay C (Ed.) Historia física y política de Chile según documentos adquiridos en esta república durante doce años de residencia en ella y publicada bajo los auspicios del supremo gobierno. Zoología. Tomo quinto. Gay, C., Paris, 5–285. [DP: 1851 (title page)]

Solsky SM (1876) Matériaux pour l'entomographie des provinces asiatiques de la Russie. Horae Societatis Entomologicae Rossicae 11: 273–299. [DP: 13.VIII.1876 (Kerzhner 1984)]

Solsky SM (1881) New or little-known Coleoptera from the Russian Empire and neighboring countries (continued)] [in Russian]. Trudy Russkago Entomologicheskago Obshchestva 13[1881–82]: 31–84. [DP: 13.X.1881 (Gregorian calendar, Contents)]

Spiessberger EL, Ivie MA (2020) A new genus and fourteen new species of Anopidiina (Coleoptera: Tenebrionidae: Diaperinae: Gnathidiini) from the West Indies. The Coleopterists

Bulletin 74: 667–695. [DP: 22.XII.2020 (journal website)] https://doi.org/10.1649/0010-065X-74.4.667

Spilman TJ (1959) Notes on *Edrotes*, *Leichenum*, *Palorus*, *Eupsophulus*, *Adelium* and *Strongylium* (Tenebrionidae). The Coleopterists Bulletin 13: 58–64. [DP: 27.VI.1959 (volume Contents)]

Spilman TJ (1961) Remarks on the classification and nomenclature of the American tenebrionine genus *Adelonia* (Coleoptera: Tenebrionidae). The Pan-Pacific Entomologist 37: 49–51. [DP: 24.III.1961 (volume Contents)]

Spilman TJ (1962a) A few rearrangements in the Tenebrionidae, with a key to the genera of the Ulomini and Tenebrionini of America, north of Mexico (Coleoptera). The Coleopterists Bulletin 16: 57–63. [DP: 2.VII.1962 (volume Contents)]

Spilman TJ (1962b) The New World genus *Centronopus* with new generic synonymy and a new species (Coleoptera: Tenebrionidae). Transactions of the American Entomological Society 88: 1–19. [DP: 25.IV.1962 (back wrapper)]

Spilman TJ (1967) A new North American Ulomine genus and species, *Doliodesmus charlesi*. (Coleoptera: Tenebrionidae.). The Pan-Pacific Entomologist 43: 149–154. [DP: 14.VII.1967 (wrapper)]

Spilman TJ (1972) *Uloma* Dejean, 1821 (Insecta, Coleoptera): proposed designation of a type-species inder [sic] the Plenary Powers. Z.N.(S.) 1979. Bulletin of Zoological Nomenclature 32–34. [DP: 1.V.1972 (wrapper)]

Spilman TJ (1973) Nomenclatural problems in six genera of Tenebrionidae (Coleoptera). Proceedings of the Entomological Society of Washington 75: 39–44. [DP: 26.IV.1973 (inside wrapper)]

Spinola MM (1842) G. Stemmodère. *Stemmoderus*. Dejean. (Famille des Rhysodites). Magasin de Zoologie (2e série) 4: pl. 91 (6 pp. Text). [DP: 1842 (Table p. vi, bottom of p. 1)]

Spinola MM (1845) Essai monographique sur les clérites, insectes coléoptères. Ponthenier, Genoa, 616 pp. [DP: by IV.1845 (Bousquet 2016a: 511)]

Staff of BIOSIS (1981) The zoological record. Volume 115: 1978. Insecta. Part B. Coleoptera. BioSciences Information Service and the Zoological Society of London, London, xxii, 341 pp. [DP: XII.1981 (cover page)]

Staff of the Zoological Society of London (1972) The zoological record. Volume 105. Section 13. 1968. Insecta. The Zoological Society of London, London, xii, 747 pp. [DP: 1972 (title page)]

Stein JPEF, Weise J (1877) Catalogi Coleopterorum Europae. Editio secunda. Edw. Janson, London, Nicolai, Berlin, Luc. Buquet, Paris, [2] + 209 pp. [DP: by 1.IX.1877 (*Ent Nachr*)]

Steiner Jr WE (1980) A new tribe, genus, and species of cossyphodine from Peru (Coleoptera: Tenebrionidae). Proceedings of the Entomological Society of Washington 82: 384–395. [DP: 11.VII.1980 (inside wrapper)]

Steiner Jr WE (2016) New assignments among the genera *Haplandrus* Leconte, *Metaclisa* Jacquelin du Val and *Tarsus* LeConte with descriptions of larvae and pupae and a new genus for North America (Coleoptera: Tenebrionidae). Annales Zoologici (Warszawa) 66: 529–550. [DP: 1.XII.2016 (journal website)] https://doi.org/10.3161/00034541ANZ2016.66.4.005

Stephens JF (1829) The nomenclature of British insects; being a compendious list of such species as are contained in the Systematic Catalogue of British Insects, and forming a guide to their classification, &c. &c. Baldwin and Cradock, London, [2], 68, [61] pp. [DP: 1.VI.1829 (Bousquet 2016a: 516)] https://doi.org/10.5962/bhl.title.51800

Stephens JF (1832a) Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Embellished with coloured figures of the rarer and more interesting species. Mandibulata. Vol. IV. [Part 45] Baldwin and Cradock, London, 367–413, [1]. [DP: 31.I.1832 (p. 367 footer)]

Stephens JF (1832b) Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Embellished with coloured figures of the rarer and more interesting species. Mandibulata. Vol. V. [Parts 46–52]. Baldwin and Cradock, London, 1–16 [DP: 31.I.1832 (p. 1 footer)], 17–64 [DP: 29.II.1832 (p. 17 footer)], 65–96 [DP: 31.III.1832 (p. 65 footer)], 97–160 [DP: 30.IV.1832 (p. 97 footer)], 161–192 [DP: 31.V.1892 (p. 161 footer)], 193–224 [DP: 30.VI.1832 (p. 193 footer)], 225–240. [DP: 31.VII.1832 (p. 225 footer)]

Stephens JF (1835) [Zoology. Invertebrals] *Pedinus*. In: Smedley E, Rose HJ, Rose HJ (Eds) Encyclopaedia metropolitana; or, universal dictionary of knowledge, on an original plan: comprising the twofold advantage of a philosophical and an alphabetical arrangement, with appropriate engravings. Volume XXIII. [Miscellaneous and lexicographical, vol. 10.]. Baldwin and Cradock London, 159.

Steven C, von (1828) Tentyriae et Opatra collectionis Stevenianae nunc Musei Universitatis Mosquensis. Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou 1 [1829]: 81–100. [DP: by X.1828 (*Bull Nord*)]

Strand E (1917) Übersicht der Gistel's "Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere" (1857) behandelten Insekten. Archiv für Naturgeschichte (A) 82 [1916] (5): 75–101. [DP: VIII.1917 (wrapper)]

Strand E (1929) Zoological and palaeontological nomenclatorial notes. Acta Universitatis Latviensis 20: 3–29. [DP: 1929 (title page)]

Strand E (1935a) Revision von Gattungsnamen palaearktischer Coleoptera. Folia Zoologica et Hydrobiologica 7: 282–299. [DP: 20.IV.1935 (wrapper)]

Strand E (1935b) Miscellanea nomenclatorica zoologica et palaeontologica. VII. Folia Zoologica et Hydrobiologica 7: 300–306. [DP: 20.IV.1935 (wrapper)]

Strand E (1942) Miscellanea nomenclatorica zoologica et palaeontologica. X. Folia Zoologica et Hydrobiologica 11: 386–402. [DP: 15.IX.1942 (wrapper)]

Sturm J (1826) Catalog meiner Insecten-Sammlung. Erster Theil. Käfer. Verfasser, Nürnberg, viii, 207 pp., 4 pls. [DP: by 15.IV.1826 (Bousquet 2017)]

Thomas Jr DB (1984) *Texaponium*, a new genus for *Cryptadius triplehorni* Berry (Coleoptera: Tenebrionidae). Proceedings of the Entomological Society of Washington 86: 658–659. [DP: 17.VII.1984 (inside wrapper)]

Thomas Jr DB (2015) *Chaseleodes* Thomas: a new subgenus of *Eleodes* Eschscholtz (Coleoptera: Tenebrionidae) from the central plateau of Mexico. The Coleopterists Society Mono-

graph 14: 122–126. [DP: 18.XII.2015 (inside wrapper)] https://doi.org/10.1649/0010-065X-69.mo4.122

Thomson CG (1859) Skandinaviens Coleoptera, synoptiskt bearbetade. I. Tom. Berlingska Bogtryckeriet, Lund, v, 290 pp. [DP: by 14.XII.1859 (Bousquet 2016a: 526)] https://doi.org/10.5962/bhl.title.138677

Thomson J (1858) Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome deuxième. Paris, 469 pp., 15 pls. [DP: by VI.1858 (pp. 1–256); by XI.1858 (pp. 257–336); n.d. (pp. 337–469) (Hayek 1989)] https://doi.org/10.5962/bhl.title.33946

Thomson J (1860a) Monographie de la famille des Nilionides. In: Musée Scientifique ou Recueil d'Histoire Naturelle. [Livraison 1]. Paris, 5–14. [DP: by 13.X.1860 (*Bibl Fr*)]

Thomson J (1860b) Lycanthropa novum genus. In: Musée Scientifique ou Recueil d'Histoire Naturelle. [Livraison 1]. Paris, 20. [DP: by 13.X.1860 (*Bibl Fr*)]

Thomson J (1860c) Evaniosomitarum enumeratio. In: Musée Scientifique ou Recueil d'Histoire Naturelle. [Livraison 1]. Paris, 21–23. [DP: by 13.X.1860 (*Bibl Fr*)]

Thomson J (1864) Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. [Livraisons 1–2]. H. Dessain, Liége, 1–272. [DP: by X.1864 (Bousquet 2016a: 533)] https://doi.org/10.5962/bhl.title.48458

Thunberg CP (1789) Periculum entomologicum, quo characteres generum insectorum, consensu exper. fac. med. Upsal. praeside Carol. Pet. Tunberg. Publicae censurae proponit Samuel Törner, Norcopia-Gothus. In audit. gustav. maj. D. X Jun. MDCCLXXXIX. Horis consvetis. Joh. Edman, Upsaliae. [= Uppsala], 16 pp. [DP: 10.VI.1789 (cover)]

Thunberg CP (1791) Dissertatio entomologica novas insectorum species, sistens. Cujus partem sextam consensu exp. fac. med. Upsal. praeside Car. Petr. Thunberg. Publico examini subjicit Andreas Johannes Lagus, Fenno. In audit. hort. bot. D. I Junii MDCCXCI. H.a.m.s. Johann Edman, Upsaliae [= Uppsala], [3] + pp. 107–130 + pl. 6. [DP: 28.V.1791 (title page of the 1801 issue)]

Thunberg CP (1814) Beskrifning På tvänne nya Insect-Slågten, *Gnatocerus* och *Taumacera* från Goda-Hopps Udden. Svenska Vetenskaps Akademien Nya Handlingar 1814: 46–50.

Tillyard RJ (1916) Description of the fossil insects. In: Mesozoic and Tertiary insects of Queensland and New South Wales. Queensland Geological Survey Publication No. 253, 11–60 + 6 pls.

Triplehorn CA (1962) New Diaperini (Coleoptera: Tenebrionidae) from the West Indies. Annals of the Entomological Society of America 55: 502–507. [DP: 1.IX.1962 (fascicle title page)] https://doi.org/10.1093/aesa/55.5.502

Triplehorn CA (1968) Generic classification in Coniontini and description of a new species of *Eusattus* from Texas. Annals of the Entomological Society of America 61: 376–380. [DP: 15.III.1968 (fascicle title page)] https://doi.org/10.1093/aesa/61.2.376

Triplehorn CA (1975) A new subgenus of *Eleodes*, with three new cave-inhabiting species (Coleoptera: Tenebrionidae). The Coleopterists Bulletin 29: 39–43. [DP: 28.III.1975 (wrapper)]

Triplehorn CA (1991) A review of the genus *Phaleria* Latreille from the Western Hemisphere (Coleoptera: Tenebrionidae: Phaleriinae). The Coleopterists Bulletin 45: 258–270. [DP: 22.X.1991 (inside wrapper)]

Triplehorn CA, Brendell MJD (1985) A new *Diaperis* from Brazil, with notes on other species and generic relationships (Coleoptera: Tenebrionidae: Diaperinae). The Coleopterists Bulletin 39: 11–15. [DP: 9.IV.1985 (back wrapper)]

Triplehorn CA, Thomas Jr DB (2012) Studies in the genus *Eleodes* Eschscholtz with a revision of the subgenus *Melaneleodes* Blaisdell and *Omegeleodes*, new subgenus (Coleoptera: Tenebrionidae: Eleodini). Transactions of the American Entomological Society 137[2011]: 251–281. [DP: printed VII.2012 (wrapper)]

Triplehorn CA, Thomas Jr DB (2015) A revision of *Eleodes* subgenus *Litheleodes* Blaisdell (Coleoptera: Tenebrionidae). The Coleopterists Society Monograph 14: 11–21. [DP: 18.XII.2015 (journal website)] https://doi.org/10.1649/0010-065X-69.mo4.11

Turco F, Ślipiński SA, Lambkin CL (2013) *Enhypnon* Carter: a taxonomic revision of an endemic Australian genus of ground-dwelling beetles (Coleoptera: Zopheridae). Zootaxa 3681: 371–394. [DP: 24.VI.2013 (title page footer)] https://doi.org/10.11646/zootaxa.3681.4.3

Uyttenboogaart DL (1929) Contributions to the knowledge of the fauna of the Canary-Islands IX: Descriptions of new Tenebrionidae (Col.). Tijdschrift voor Entomologie 72: 341–350. [DP: 31.XII.1929 (verso of volume title page)]

Uyttenboogaart DL (1934) Revision des genus *Tribolium* (Col. Ten.). Entomologische Blätter 30: 20–31. [DP: 28.II.1934 (wrapper)]

Uyttenboogaart DL (1940) Voyages de M. Ch. Alluaud aux Iles Canaries (1889–90) et à l'archipel de Madère (1938). Coléoptères Curculionides. (Contributions to the knowledge of the fauna of the Canary-Islands, XXIV). Revue Française d'Entomologie 7: 49–69. [DP: 30.VI (p. 49 footer)]

Vauloger de Beaupré M (1900) Contribution au catalogue des Coléoptères du nord de l'Afrique. Helopini. Annales de la Société Entomologique de France 68[1899]: 669–722. [DP: 13.VI.1900 (*Soc Ent Fr*)]

Vela JM, Alonso-Zarazaga MA, Daccordi M (2020) The species of *Timarcha* Samouelle, 1819 described by Linnaeus (Coleoptera, Chrysomelidae). ZooKeys 986: 55–80. [DP: 5.XI.2020 (p. 55)] https://doi.org/10.3897/zookeys.986.57158

Villa A, Villa GB (1833) Coleopterorum species novae in catalogo dupletorum extantes. Diagnosibus, adumbrationibus atque observationibus illustratae. In: Coleoptera Europae dupleta in collectione Villa quae pro mutua commutatione offerri possunt. Villa, Mediolanum [=Milan], 36 pp. [DP: 1833 (title page)]

Viñolas A (1990) Nueva ordenacion de los generos *Phylan* Stephens, 1832, y *Micrositus* Mulsant and Rey, 1854, de la tribu Dendarini (Coleoptera: Tenebrionidae). Sessio Conjunta d'Entomologia ICHN SCL: 53–68.

Viñolas A, Cartagena MC (2005) Tenebrionidae de la Península Ibérica y Baleares. Vol. I: Lagriinae y Pimeliinae. Entomopraxis édition, Bracelona, 500 pp.

Walker F (1858) Characters of some apparently undescribed Ceylon insects. The Annals and Magazine of Natural History (Third Series) 2: 280–286. [DP: 1.X.1858 (Evenhuis 2003)] https://doi.org/10.1080/00222935808697026

Walker F (1859) Characters of some apparently undescribed Ceylon insects. The Annals and Magazine of Natural History (Third Series) 3: 258–265. [DP: 1.IV.1859 (Evenhuis 2003)]

Waltl J (1835) Reise durch Tyrol, Oberitalien und Piemont nach dem südlichen Spanien. Pustet, Passau, 247, 120 pp. [DP: by II.1835 (Bousquet 2016a: 551)]

Wang W (1997) Some fossil insects (Coleoptera) of western Beijing with discussion of development and succession of the Late Mesozoic insect fauna. Memoirs of Beijing Natural History Museum 56: 199–206, pl. 1.

Wasmann E (1896) Viaggio di Leonardo Fea in Birmania e regioni vicine. LXXII. Neue Termitophilen und Termiten aus Indien. Annali del Museo Civico di Storia Naturale Genova 36: 613–624 [DP: 16.VI.1896 (p. 609 footer)], 625–630 [DP: 27.VI.1896 (p. 625 footer)], pl. 2. https://doi.org/10.5962/bhl.part.25040

Wasmann E (1897) Neue Myrmekophilen aus Madagascar. Deutsche Entomologische Zeitschrift 1897: 257–272, pls 1–2. [DP: XII.1897 (Inhalt, p. 3)]

Wasmann E (1899a) Neue Termitophilen und Myrmecophilen aus Indien. Deutsche Entomologische Zeitschrift 1899: 145–169, pls 1–2. [DP: VIII.1899 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018990135

Wasmann E (1899b) Ein neues (termitophiles?) Tenebrionidengenus aus Kamerun. Deutsche Entomologische Zeitschrift 1899: 172–173, pl. 2 (fig. 8). [DP: VIII.1899 (Inhalt, p. 3)] https://doi.org/10.1002/mmnd.48018990137

Wasmann E (1902) Ueber die Gattung *Schizillus* Wasm. Deutsche Entomologische Zeitschrift 1902: 244. [DP: VII.1902 (Inhalt, p. 3)]

Wasmann E (1904) Termitophilen aus dem Sudan. Results of the Swedish Zoological Expedition to Egypt and the White Nil 1901 under the direction of L.A. Jägerskiöld. Part 1. [No. 13]. Royal University of Uppsala, Uppsala, 21 pp., 1 pl. [DP: by VI.1904 (*Nat Nov*)]

Wasmann E (1921) Ueber einige indische Rhysopaussinen (Col., Tenebrionidae). (238. Beitrag sur Kenntnis der Myrmecophilen und Termitophilen). Tijdschrift voor Entomologie 64: 14–30, pl. 1. [DP: 1.VIII.1921 (wrapper)]

Wasmann E, Brauns H (1925) New genera and species of South Africa myrmecophilous and termitophilous beetles. South African Journal of Natural History 5: 101–118, pls 9–10.

Waterhouse CO (1875) Descriptions of some new genera and species of Coleoptera from South Africa, Madagascar, Mauritius, and the Seychelle Islands. The Annals and Magazine of Natural History (Fourth Series) 15: 403–414. [DP: 1.VI.1875 (Evenhuis 2003)] https://doi.org/10.1080/00222937508681110

Waterhouse CO (1876) Notes on some heteromerous Coleoptera belonging to the true Tenebrionidae. The Annals and Magazine of Natural History (Fourth Series) 17: 287–289. [DP: 1.IV.1876 (Evenhuis 2003)] https://doi.org/10.1080/00222937608681951

Waterhouse CO (1877) Descriptions of new Coleoptera from various localities. The Entomologist's Monthly Magazine 14[1877–78]: 72 [DP: VIII.1877 issue], 73–75. [DP: IX.1877 issue] https://doi.org/10.5962/bhl.part.22824

Waterhouse CO (1879a) Description of a new genus and species of heteromerous Coleoptera of the family Cistelidae from Honolulu. The Entomologist's Monthly Magazine 15[1878–79]: 267–268. [DP: V.1879 issue]

Waterhouse CO (1879b) Descriptions of two new genera and species of Coleoptera from Madagascar belonging to the families Tenebrionidae and Cerambycidae. The Transactions of the Entomological Society of London 1879: 263–266. [DP: 27.XII.1879 (Wheeler 1912)]

Waterhouse CO (1880) Description of a new genus and species of heteromerous Coleoptera. The Annals and Magazine of Natural History (Fifth Series) 5: 147–148. [DP: 1.II.1880 (Evenhuis 2003)] https://doi.org/10.1080/00222938009459396

Waterhouse CO (1881) On the Coleopterous Insects collected by Prof. I. Bailey Balfour in the island of Socotra. Proceedings of the Zoological Society of London 1881: 469–478, pl. 43. [DP: VIII.1881 (Duncan 1937)] https://doi.org/10.1111/j.1096-3642.1881.tb01305.x

Waterhouse CO (1882a) New genera and species of Buprestidae and Heteromera. The Annals and Magazine of Natural History (Fifth Series) 9: 172–175. [DP: 1.III.1882 (Evenhuis 2003)] https://doi.org/10.1080/00222938209459018

Waterhouse CO (1882b) [Description of a new genus and species of Colydiidae]. Proceedings of the Entomological Society of London 1882: iv–v. [DP: 12.VII.1882 (Wheeler 1912)]

Waterhouse CO (1887) Characters of undescribed Coleoptera in the British Museum. The Annals and Magazine of Natural History (Fifth Series) 19: 446–449. [DP: 1.VI.1887 (Evenhuis 2003)] https://doi.org/10.1080/00222938709460280

Waterhouse CO (1890) Coleoptera. [in: Ridley HN: Notes on the Zoology of Fernando Noronha]. The Journal of the Linnean Society of London (Zoology) 20 [1886–90]: 548–556. [DP: 31.VII.1890 (verso of title page)]

Waterhouse CO (1894) Coleoptera (partim). In: Walker J. A visit to Damma Island, East Indian Archipelago. With notes on the fauna. The Annals and Magazine of Natural History (Sixth Series) 14: 64–71. [DP: 1.VII.1894 (Evenhuis 2003)]

Waterhouse CO (1896) Note on *Tenebrio ferrugineus*, Fabr., in the Banksian Collection of Coleoptera. The Annals and Magazine of Natural History (Sixth Series) 17: 230–231. [DP: 1.III.1896 (Evenhuis 2003)] https://doi.org/10.1080/00222939608680356

Waterhouse CO (1903) Description of a new genus of heteromerous Coleoptera. The Annals and Magazine of Natural History (Seventh Series) 12: 563–564. [DP: 1.XI.1903 (Evenhuis 2003)] https://doi.org/10.1080/00222930308678894

Waterhouse FH (1937) List of the dates of delivery of the sheets of the 'Proceedings' of the Zoological Society of London, from the commencement in 1830 to 1859 inclusive. Proceedings of the Zoological Society of London (Series A) 107: 78–83. [DP: 1.IV.1937 (journal website)]

Waterhouse GR (1845a) Descriptions of coleopterous insects collected by Charles Darwin, Esq., in the Galapagos Islands. The Annals and Magazine of Natural History 16: 19–41. [DP: 1.VII.1845 (Evenhuis 2003)] https://doi.org/10.1080/037454809494527

Waterhouse GR (1845b) Descriptions of some new genera and species of heteromerous Coleoptera. The Annals and Magazine of Natural History 16: 317–324. [DP: 1.XI.1845 (Evenhuis 2003)] https://doi.org/10.1080/037454809496527

Watt JC (1968) Specific synonymy in *Mimopeus* Pascoe (*Cilibe auctorum*), and the nomenclatural status of some related genera (Coleoptera, Tenebrionidae). New Zealand Entomologist 4[1968–70]: 35–39. [DP: III.1968 (wrapper)] https://doi.org/10.1080/00779962.1968.9722884

Watt JC (1975) A revised subfamily classification of Tenebrionidae (Coleoptera). New Zealand Journal of Zoology 1[1974]: 381–452. [DP: 27.I.1975 (verso vol. 2 title page)] https://doi.org/10.1080/03014223.1974.9517846

Watt JC (1992) Tenebrionidae (Insecta: Coleoptera): catalogue of types and keys to taxa. Fauna of New Zealand 26: 5–64. [DP: VII.1992 (p. 69)]

Weise E (1974) Die *Isomira*-Arten (Col., Alleculidae) Mitteleureupas und des Mittelmeer-Raums. Entomologische Blätter 70: 65–127. [DP: 15.VII.1974 (wrapper)]

Westwood JO (1837) Steira. *Steira*. Magasin de Zoologie (Classe IX. Insectes) 7: pl. 176 [2 pp.]. [DP: IV.1837 (p. 2)]

Westwood JO (1838) Synopsis of the genera of British insects. Longman, Orme, Brown, Green, & Longmans, London, 1–48. [DP: V.1838 (pp. 1–16), VII.1838 (pp. 17–32), XI.1838 (pp. 33–48) (ICZN 1957)]

Westwood JO (1841a) Arcana entomologica; or illustrations of new, rare, and interesting insects. Vol. I. [Parts 1–4]. William Smith, London, pp. 1–16, pls 1–4 [DP: 1.V.1841], 17–32, pls. 5–8 [DP: probably 1.VII.1841], 33–48, pls. 9–12 [DP: probably 1.IX.1841], 49–64, pls. 13–16. [DP: probably 1.XI.1841 (Baker 1996)]

Westwood JO (1841b) [reading of paper entitled "Descriptions of some coleopterous insects from tropical Africa, belonging to the section Heteromera"]. Proceedings of the Zoological Society of London 9: 66–68. [DP: by X.1841 (Sclater 1893)]

Westwood JO (1842) Descriptions of some new species of exotic coleopterous insects. The Transactions of the Entomological Society of London 3[1841–43]: 69–71. [DP: 2.IX.1842 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1842.tb03254.x

Westwood JO (1843) [Descriptions of some coleopterous insects from tropical Africa belonging to the section Heteromera]. Proceedings of the Zoological Society of London 10[1842]: 117–122. [DP: I.1943 (F.H. Waterhouse 1937)]

Westwood JO (1844) Descriptions of some coleopterous insects from tropical Africa, belonging to the section Heteromera. Transactions of the Zoological Society of London 3[1842–1849]: 207–229, pls 14–15. [DP: 23.I.1844 (Peavot 1937)]

Westwood JO (1849) Descriptions of some new exotic Coleoptera. The Transactions of the Entomological Society of London 5[1847–49]: 202–214. [DP: 5.XI.1849 (Wheeler 1912)]

Westwood JO (1851) Descriptions of three new genera of exotic Coleoptera. The Transactions of the Entomological Society of London (New Series) 1[1850–51]: 167–172. [DP: 31.V.1851 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1851.tb02494.x

Westwood JO (1875) Descriptions of new Heteromerous Coleoptera. The Transactions of the Entomological Society of London 1875: 223–232, pls 6–7. [DP: 30.XI.1875 (Wheeler 1912)] https://doi.org/10.1111/j.1365-2311.1875.tb01909.x

Westwood JO (1881) IV. Entomology. In: Oates CG (Ed.) Matabele land and the Victoria Falls: A naturalist's wanderings in the interior of South Africa from the letters and journals of the late Frank Oates, F.R.G.S. Kegan Paul and Co., London, 331–365, pls E–H. [DP: by 30.VII.1881 (Bousquet 2016a: 564)]

Westwood JO (1883) Descriptions of some new exotic Coleoptera. Tijdschrift voor Entomologie 26 [1882–83]: 61–78, pls 3–5. [DP: by V.1883 (*Nederl Ent Ver*)]

Westwood JO (1889) IV. Entomology. In: Oates CG (Ed.) Matabele Land and the Victoria Falls: A naturalist's wanderings in the interior of South Africa from the letters and journals of the late Frank Oates, F.R.G.S. Second Edition. C. Kegan Paul, Trench and Co., London, 338–389, pls 5–9. [DP: by 2.XI.1889 (Bousquet 2016a: 565)]

Wheeler G (1912) On the dates of the publications of the Entomological Society of London. Transactions of the Entomological Society of London 1911: 750–767. [DP: 10.II.1912 (verso volume title page)] https://doi.org/10.1111/j.1365-2311.1912.tb02207.x

White A (1846) Insects. In: Richardson J, Gray JE (Eds) The zoology of the voyage of H.M.S. Erebus and Terror, under the command of Captain Sir James Clark Ross, R.N., F.R.S., during the years 1839 to 1843. Vol. II. Reptiles, fishes, Crustacea, insects, Mollusca. E.W. Janson, London, 1–24 (insects), pls 1–6. [DP: IV.1846 (Evenhuis 2015)]

Wickham HF (1913) Fossil Coleoptera from Florissant in the United States National Museum. Proceedings of the United States National Museum 45: 283–303. [DP: 13.VI.1913 (p. vii)] https://doi.org/10.5479/si.00963801.45-1982.283

Wickham HF (1914a) Twenty new Coleoptera from the Florissant Shales. Transactions of the American Entomological Society 40: 257–270. [DP: 31.X.1914 (List of papers for volume)]

Wickham HF (1914b) New Miocene Coleoptera from Florissant. Bulletin of the Museum of Comparative Zoology at Harvard College 58[1913–14]: 423–494, 16 pls. [DP: XII.1914 (volume Contents)] https://doi.org/10.5962/bhl.title.28703

Wilke S (1922) Beitrage zur Systematik und geographischen Verbreitung ungeflugelter Tenebrioniden (Unterfam-Asidinae). Archiv für Naturgeschichte (A) 87[1921](12): 248–312. [DP: by I.1922 (wrapper)]

Wilke S (1924) Der südafrikanische Formenkreis der Asidinen (Col. Tenebr.). Deutsche Entomologische Zeitschrift 1924: 517–549. [DP: 31.XII.1924 (wrapper)] https://doi.org/10.1002/mmnd.48019240602

Williams RB (2017) T.V. Wollaston's *Coleoptera Hesperidum*: correction of its spurious 1867 publication date to 1868. Zoological Bibliography 4: 89–92. [DP: 15.VI.2017 (p. 92)]

Wolcott GN (1950) The insects of Puerto Rico. Coleoptera. The Journal of Agriculture of the University of Puerto Rico 32: 225–416. [DP: XI.1950 (p. 416)] https://doi.org/10.46429/jaupr.v32i2.13615

Wollaston TV (1854) Insecta Maderensia; being an account of the insects of the islands of the Madeiran group. J. Van Voorst, London, xliii, 634 pp., 13 pls. [DP: 3.IX.1854 (Bousquet 2016a: 572)] https://doi.org/10.5962/bhl.title.9060

Wollaston TV (1857) Catalogue of the coleopterous insects of Madeira in the collection of the British Museum. The Trustees of the British Museum of Natural History, London, xvi, 234, [8] pp. [DP: by 7.IX.1857 (Bousquet 2016a: 572)]

Wollaston TV (1861) On certain Coleoptera from the Island of St. Vincent. The Annals and Magazine of Natural History (Third Series) 7: 197–206 [DP: 1.III.1861(Evenhuis 2003)], 246–253. [DP: 1.IV.1861 (Evenhuis 2003)]

Wollaston TV (1864) Catalogue of the coleopterous insects of the Canaries in the collection of the British Museum. British Museum, London, xiii, 648 pp. [DP: by 25.VI.1864 (Sherborn 1934)]

Wollaston TV (1865) Coleoptera Atlantidum, being an ennumeration of the coleopterous insects of the Madeiras, Salvages, and Canaries. Taylor and Francis, London, 47, 526 pp. [DP: by 30.XII.1865 (Bousquet 2016a: 572)] https://doi.org/10.5962/bhl.title.29516

Wollaston TV (1868) Coleoptera Hesperidum, being an ennumeration of the coleopterous insects of the Cape Verde Archipelago. J. van Voorst, London, xxxix, 285 pp. [DP: by 28.I.1868 (Williams 2017)] https://doi.org/10.5962/bhl.title.48651

Wollaston TV (1877) Coleoptera Sanctae-Helenae. John Van Voorst, London, xxv, 256 pp. [DP: by 15.XII.1877 (Bousquet 2016a: 573)] https://doi.org/10.5962/bhl.title.48635

World Wildlife Fund [WWF] (2012) Terrestrial Ecoregions of the World. [Available from:] https://www.worldwildlife.org/publications/terrestrial-ecoregions-of-the-world [accessed 23.IX.2020]

Young DK, Pollock DA (2010) 11.24. Pyrochroidae Latreille, 1807. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV – Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin, 715–721.

Zhang J-F (1989) Fossil insects from Shanwang, Shandong, China [in Chinese]. Shandong Science and Technological Publishing House, Jinan, 459 pp., 92 pls.

Appendix 1

List of unavailable genus-group names in Tenebrionidae Latreille, 1802. Each entry includes the name, its usage in the literature (or one example when the name was used more than once), and the reason for treating it as unavailable. See the Methods section for additional information. The incorrect subsequent spellings below are not in prevailing usage.

Acanthodactylus; Escalera, 1914: 347; incorrect subsequent spelling for *Acontodactylus* Desbrochers des Loges, 1894.

Acanthopus; Latreille, 1829a: 38; incorrect subsequent spelling for *Accanthopus* Dejean, 1821.

Achaemenus; G.S. Medvedev and Iwan, 2006: 618; incorrect subsequent spelling for *Achaemenes* Bogatchev, 1949.

Acilagria; Borchmann, 1916a: 90; published before 1931 without a description, a definition, or an indication.

Acmaeus; Gebien, 1910b: 304; incorrect subsequent spelling for *Acmoeus* Fåhraeus, 1870.

Acrothymus; Gemminger in Gemminger and Harold, 1870: 2009; incorrect subsequent spelling for *Arcothymus* Pascoe, 1866.

Acthosus; Carter, 1906: 251; incorrect subsequent spelling for *Achthosus* Pascoe, 1863.

Acysba; Villa and Villa, 1833: 18; published before 1931 without a description, a definition, or an indication.

Adosagria; Pic, 1955: 179, 180; incorrect subsequent spelling for *Adosogria* Borchmann, 1936.

Aediotorix; Gebien, 1905: 258; incorrect subsequent spelling for *Aediatorix* Bates, 1868.

Aemyone; Ferrer and Delatour, 2007: 275, 276; incorrect subsequent spelling for *Aemymone* Bates, 1868.

Afghanopachya; Anonymous in Staff of BIOSIS, 1981: 283; incorrect subsequent spelling for *Afghanopachys* Kwieton, 1978.

Afghanprosodes; Schuster, 1936: 197; published after 1930 without a type species designation.

Agapetus; Dejean, 1834: 212; published before 1931 without a description, a definition, or an indication.

Agroecus; Chatanay, 1915: 508; incorrect subsequent spelling for *Agraecus* Fairmaire, 1900.

Agymnonix; Kaszab, 1980b: 320; incorrect subsequent spelling for *Agymnonyx* Gebien, 1921.

Akixa; Guérin-Méneville, 1834: 13; incorrect subsequent spelling for *Akis* Herbst, 1799.

Alcione; Reitter, 1897a: 300; incorrect subsequent spelling for *Alcinoe* Ménétriés, 1849.

Alcmaeonis; Blackburn, 1893b: 133; incorrect subsequent spelling for *Alcmeonis* Bates, 1868.

Alcyone; Kraatz, 1865: 80; incorrect subsequent spelling for *Alcinoe* Ménétriés, 1849.

Aletha; Poole and Gentili, 1996: 425; incorrect subsequent spelling for *Alethia* Champion, 1888.

Alienolonyx; Bremer, 2019: 60; alternative original spelling of *Alienoplonyx* Bremer, 2019, herein rejected.

Allegoria; Gemminger in Gemminger and Harold, 1870: 1959; incorrect subsequent spelling for *Alegoria* Laporte, 1840.

Allolagria; Sharp, 1922: 144; incorrect subsequent spelling for *Allogria* Borchmann, 1916.

Alphitoplogus; Motschulsky, 1873: 474; incorrect subsequent spelling for *Alphitophagus* Stephens, 1832.

Amacarus; Dejean, 1834: 212; published before 1931 without a description, a definition, or an indication.

Amarigmus; Hope, 1841: 75; incorrect subsequent spelling for *Amarygmus* Dalman, 1823.

Amathodes; Erichson, 1845a: 114; incorrect subsequent spelling for *Amatodes* Dejean, 1834.

Amblychara; Reitter, 1900c: 94; incorrect subsequent spelling for *Amblycara* Fairmaire, 1893.

Amblycyphrus; Aalbu et al. 1995: 481; incorrect subsequent spelling for *Amblycyphus* Motschulsky, 1870.

Ammophthorus; Jacquelin du Val, 1861: 288; incorrect subsequent spelling for *Ammophtorus* Lacordaire, 1859.

Amophorus; Dejean, 1836: 203; incorrect subsequent spelling for *Ammophorus* Guérin-Méneville, 1831.

Amozoum; Reitter, 1914a: 45, 50; incorrect subsequent spelling for *Ammozoum* Semenov, 1891.

Amphitrix; Koch, 1956a: 49; incorrect subsequent spelling for *Amphithrix* Español, 1953.

Amphydora; Dejean, 1834: 210; incorrect subsequent spelling for *Amphidora* Eschscholtz, 1829.

Amphysus; Dejean, 1834: 189; published before 1931 without a description, a definition, or an indication.

Amplypteraca; Mas-Peinado et al., 2018: 531, 543; alternative original spelling of *Amblypteraca* Mas-Peinado, Buckley, Ruiz & García-París, 2018, herein rejected.

Amyone; Ferrer and Delatour, 2007: 279; incorrect subsequent spelling for *Aemymone* Bates, 1868.

Anadesis; Laporte, 1840: 185; incorrect subsequent spelling for *Anodesis* Solier, 1834.

Anaemia; Horn, 1870: 377; incorrect subsequent spelling for *Anemia* Laporte, 1840.

Anarmastodera; Schawaller, 2010: 285; incorrect subsequent spelling for *Anarmostodera* Fairmaire, 1897.

Anchophtalmus; Lesne, 1922: 703; incorrect subsequent spelling for *Anchophthalmus* Gerstaecker, 1854.

Aniosis; Ferreira, 1967: 741; incorrect subsequent spelling for *Anisosis* Deyrolle, 1867.

Anisochara; Löbl et al. 2008b: 309; incorrect subsequent spelling for *Anisocara* Gebien, 1925.

Anisocheira; Dejean, 1834: 197; published before 1931 without a description, a definition, or an indication.

Anisocrepis; Dejean, 1834: 198; published before 1931 without a description, a definition, or an indication.

Anodesia; Agassiz, 1846a: 11; incorrect subsequent spelling for *Anodesis* Solier, 1834.

Anoedus; Blanchard, 1845: 35; incorrect subsequent spelling for *Anaedus* Blanchard, 1842.

Anomaearthrum; Aalbu et al., 2002: 501; incorrect subsequent spelling for *Anomoearthrum* Mäklin, 1867.

Anomalipes; Guérin-Méneville, 1831b: pl. 29; incorrect original spelling, emended to *Anomalipus* Guérin-Méneville, 1831, under prevailing usage.

Anthcarohelops; Nabozhenko, 2019: 7; incorrect subsequent spelling for *Anthracohelops* Haupt, 1950.

Antocera; Ragusa, 1898: 121; incorrect subsequent spelling for *Autocera* Wollaston, 1857.

Apatocerus; Schawaller, 2013: 68; incorrect subsequent spelling for *Apistocerus* Fairmaire, 1899.

Apaxo; Fairmaire, 1877b: 167; incorrect subsequent spelling for *Anaxo* Bates, 1868.

Aphthora; Champion, 1895b: 148; incorrect subsequent spelling for *Aphtora* Bates, 1872.

Aplocheirus; Macquart, 1850: 191; published before 1931 without a description, a definition or an indication.

Archeoglenes; Doyen and Lawrence, 1979: 333; incorrect subsequent spelling for *Archaeoglenes* Broun, 1893.

Arcolymus; Gebien, 1942a: 745; incorrect subsequent spelling for *Arcothymus* Pascoe, 1866.

Argasidius; Gebien, 1937a: 674; incorrect subsequent spelling for *Argasidus* Péringuey, 1899.

Argenis; Burmeister, 1875: 463; incorrect subsequent spelling for *Aryenis* Bates, 1868.

Arrhenoplitis; Gemminger in Gemminger and Harold, 1870: 1949; incorrect subsequent spelling for *Arrhenoplita* W. Kirby, 1837.

Arthrocomus; Gebien, 1911b: 614; incorrect subsequent spelling for *Arthroconus* Solier, 1851.

Arthrodactyla; Laporte, 1840: 211; incorrect subsequent spelling for *Athrodactyla* Klug, 1833.

Ascalabos; Fairmaire, 1894f: 395; incorrect subsequent spelling for *Ascalabus* Fairmaire, 1893.

Asdidius; Rye, 1870: 268; incorrect subsequent spelling for *Asididius* Fairmaire, 1869.

Asidax; Gistel, 1848b: 149; incorrect subsequent spelling for *Asida* Latreille, 1802.

Aspicephalus; Motschulsky, 1839: 63; incorrect original spelling, emended to *Aspidocephalus* Motschulsky, 1839, under prevailing usage.

Aspidus; Gebien, 1910b: 298; incorrect subsequent spelling for *Aspidius* Mulsant & Rey, 1859.

Astenochirus; R. Lucas, 1920: 123; incorrect subsequent spelling for *Asthenochirus* Fairmaire, 1885

Astenorhinus; Fairmaire, 1894g: 664; incorrect subsequent spelling for *Asthenochirus* Fairmaire, 1885.

Asthenorhinus; Kolbe, 1897b: 611; incorrect subsequent spelling for *Asthenochirus* Fairmaire, 1885.

Asyleplus; Gebien, 1943: 922; incorrect subsequent spelling for *Asyleptus* Péringuey, 1896.

Batulinus; Papp, 1961: 105; incorrect subsequent spelling for *Batulius* J.L. LeConte, 1851.

Beplegenes; Carter, 1926: 128; incorrect subsequent spelling for *Blepegenes* Pascoe, 1868.

Biophanes; Marseul, 1857: 117; incorrect subsequent spelling for *Bioplanes* Mulsant, 1854.

Blapicauda; Ren et al., 2000: 48; published after 1930 without a type species designation.

Blapiplanula; Ren et al., 2000: 49; published after 1930 without a type species designation.

Blapsibreva; Ren et al., 2000: 49; published after 1930 without a type species designation.

Blaptinus; Latreille, 1829a: 21; incorrect subsequent spelling for *Blapstinus* Dejean, 1821.

Blaptyscelis; Koch, 1965: 127; published after 1930 without a type species designation.

Blaptyscellis; Koch in Pierre, 1962: 213; published after 1930 without a type species designation.

Brachicula; Fairmaire, 1906: 278; alternative original spelling of *Brachycula*, rejected by Bousquet et al. (2015: 143).

Brachydium; Kaszab, 1939b: 187; incorrect subsequent spelling for *Brachyidium* Fairmaire, 1883.

Brachypophloeus; Alluaud, 1899: 342; incorrect subsequent spelling for *Brachypophlaeus* Fairmaire, 1897.

Bradytes; Dejean, 1834: 182; published before 1931 without a description, a definition, or an indication.

Bucerus; Dejean, 1834: 203; published before 1931 without a description, a definition, or an indication.

Bysacnus; Fairmaire, 1897f: 124; incorrect subsequent spelling for *Byzacnus* Pascoe, 1866.

Cacloplesia; Pic, 1935: 97; incorrect subsequent spelling for *Cacoplesia* Fairmaire, 1898.

Calliosis; Deyrolle, 1867: 81; original spelling of *Calosis*, corrected in the same work.

Calobomon; Reitter, 1900c: 93; incorrect subsequent spelling for *Calobamon* Kraatz, 1865.

Calobosca; Champion, 1895b: 170; incorrect subsequent spelling for *Calabosca* Fairmaire, 1894.

Calymmaphorus; Solier, 1841a: 209, 245; incorrect original spelling for *Calymmophorus* Solier, 1841.

Calyptosis; Maseul, 1857: 111; incorrect original spelling for *Calyptopsis* Solier, 1835.

Camariocropteron; Gebien, 1942a: 332; incorrect subsequent spelling for *Camariocropterum* Pic, 1920.

Camarioides; Seidlitz, 1900: 277; incorrect original spelling for *Camariodes* Fairmaire, 1869.

Cameria; Laporte, 1840: 231; incorrect subsequent spelling for *Camaria* Lepeletier & Audinet-Serville, 1828.

Campanotiphilus; Carter, 1926: 148; incorrect subsequent spelling for *Camponotiphilus* Lea, 1914.

Caragonia; Wollaston, 1861: 206; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Caribanoisis; Nabozhenko et al., 2016d: 569 [header]; as pointed out by Bousquet et al. (2018: 136), this is an error by the publisher for *Caribanosis* Nabozhenko, Kirejtshuk, Merkl, Varela, Aalbu & Smith, 2016.

Cataphronetes; Imhoff, 1856: 239; incorrect subsequent spelling for *Cataphronetis* P.H. Lucas, 1846.

Catonus; Kaszab, 1968: 395; incorrect subsequent spelling for *Catomus* Allard, 1876.

Centronipus; Macquart, 1850: 188; incorrect subsequent spelling for *Centronopus* Solier, 1848.

Ceracostira; Pic, 1955: 185; incorrect subsequent spelling for *Coracostira* Fairmaire, 1899.

Chardiochianalus; Kaszab, 1940a: 202; alternative original spelling of *Cardiochianalus* Kaszab, 1940, rejected by Kaszab (1975a: 4).

Charinotus; Dejean, 1834: 206; published before 1931 without a description, a definition or an indication.

Charistela; Kolbe, 1897b: 620; incorrect subsequent spelling for *Caristela* Fairmaire, 1894.

Charitotheca; Agassiz, 1846: 78; proposed as an unjustified emendation for the unavailable name *Chariotheca* Dejean, 1834; published before 1931 without a description, a definition, or an indication.

Chatanayas; Anonymous in Commonwealth Institute of Entomology, 1960: 393; incorrect subsequent spelling for *Chatanayus* Ardoin, 1957.

Chelenodus; Berthold, 1827: 369; published before 1931 without a description, a definition, or an indication.

Chemolamus; Fairmaire, 1895b: 447, 448; incorrect subsequent spelling for *Chemolanus* Bates, 1879.

Chilenodus: Agassiz, 1846a: 35; proposed as a replacement name for the unavailable name *Chelenodus* Berthold, 1827; published before 1931 without a description, a definition, or an indication.

Chiron; Villa and Villa, 1833: 18; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Cholopus Agassiz, 1846b: 83; proposed as a replacement name for the unavailable name *Cholipus* Dejean, 1834; published before 1931 without a description, a definition, or an indication.

Chorodes; Cazurro Ruiz, 1895: 730; incorrect subsequent spelling for *Chaerodes* White, 1846.

Chremolamus; Fairmaire, 1884d: 74; incorrect subsequent spelling for *Chemolanus* Bates, 1879.

Chromomoea; Carter, 1915a: 59; incorrect subsequent spelling for *Chromomaea* Pascoe, 1866.

Cichillus; Bertkau, 1890: 257; incorrect subsequent spelling for *Dichillus* Jacquelin du Val, 1860.

Cilibe; Dejean, 1836: 208; incorrect subsequent spelling for *Celibe* Boisduval, 1835.

Clinocramon; Péringuey, 1904: 297; incorrect subsequent spelling for *Clinocranion* Solier, 1843.

Clinocranium; Agassiz, 1846a: 39; incorrect subsequent spelling for *Clinocranion* Solier, 1843.

Cnecozochara; Ogloblin and Znojko, 1950: 57; incorrect subsequent spelling for *Cnecosochara* Reitter, 1913.

Cnodalium; Gray, 1831: pl. 80; incorrect subsequent spelling for *Cnodalon* Latreille, 1797.

Cnodulon; Fabricius, 1801a: xxi; incorrect subsequent spelling for *Cnodalon* Latreille, 1797.

Cnudalon; Latreille, 1816a: 306; incorrect subsequent spelling for *Cnodalon* Latreille, 1797.

Coedius; Blanchard, 1845: 13; incorrect original spelling of *Caedius* Blanchard, 1845.

Coelecnemis; Imhoff, 1856: 238; incorrect subsequent spelling for *Coelocnemis* Mannerheim, 1843.

Colposcytis; Reitter, 1897a: 298; incorrect subsequent spelling for *Colposcythis* Reitter, 1889.

Colposphaena; Koch, 1950b: 283; incorrect subsequent spelling for *Colposphena* Semenov, 1889.

Comphonota; Marseul, 1857: 112; incorrect subsequent spelling for *Camphonota* Solier, 1836.

Coriogeton; Pic, 1915e: 20; incorrect subsequent spelling for *Cyriogeton* Pascoe, 1871.
Coronus; Dejean, 1834: 192; published before 1931 without a description, a definition or an indication.
Corypera; Fauvel, 1904: 190; incorrect subsequent spelling for *Coripera* Pascoe, 1866.
Coscinopter; Allard, 1876a: 15; original spelling corrected to *Coscinoptilix* in the same work.
Coscinoptilax; Blackwelder, 1945: 542; incorrect subsequent spelling for *Coscinoptilix* Allard, 1876.
Cossiphus; Laporte, 1833b: 34; incorrect subsequent spelling for *Cossyphus* G.-A. Olivier, 1791.
Costatostira; Pic, 1954: 232; incorrect subsequent spelling for *Costatosora* Pic, 1934.
Crirasida; Gebien, 1937a: 726; incorrect subsequent spelling for *Cribrasida* Reitter, 1917.
Cripticopsis; Español, 1955: 19; incorrect subsequent spelling for *Crypticopsis* Antoine, 1945.
Cripticus; Español, 1955: 9; incorrect subsequent spelling for *Crypticus* Latreille, 1816.
Crypsinon: Fairmaire, 1894f: 395; incorrect subsequent spelling for *Crypsinous* Fairmaire, 1891.
Cryptochyle; Latreille, 1829a: 7; incorrect subsequent spelling for *Cryptochile* Latreille, 1828.
Ctenoposomus; Reitter, 1906b: 135; alternative original spelling of *Ctenioposomus* Reitter, 1906, rejected by Bousquet et al. (2015: 140).
Curismosphena; Gebien, 1921b: 3; incorrect subsequent spelling for *Curimosphena* Gebien, 1920.
Cymathotes; Blanchard, 1845: 33; incorrect subsequent spelling for *Cymatothes* Dejean, 1834.
Cyphagenia; Laporte, 1840: 191; incorrect subsequent spelling for *Cyphogenia* Solier, 1837.
Cyphoglossa; Silbermann, 1838: 32; incorrect subsequent spelling for *Cryptoglossa* Solier, 1837.
Cypobiestes; Gebien, 1942a: 756; incorrect subsequent spelling for *Cybopiestes* Reitter, 1917.
Deilognatha; Sahlberg, 1903: 26; incorrect subsequent spelling for *Dailognatha* Steven, 1828.
Delanurops; Iablokoff-Khnzorian, 1964: 309; incorrect subsequent spelling for *Delonurops* Reitter, 1922.
Dendronomus; Dejean, 1834: 205; published before 1931 without a description, a definition or an indication.
Derilis; Motschulsky, 1872: 27; alternative original spelling of *Deriles* Motschulsky, 1872, herein rejected.
Diaphanidius; Semenov-Tjan-Shansky and Bogatchev, 1940: 208; incorrect subsequent spelling for *Diaphanidus* Reitter, 1900.
Diatopsis; Laporte, 1840: 242; incorrect subsequent spelling for *Dietopsis* Solier, 1835.

Dichroma; Gemminger in Gemminger and Harold, 1870: 1916; incorrect subsequent spelling for *Dichromma* Mulsant & Rey, 1855.

Dichtrethus; Péringuey, 1892a: 52; incorrect subsequent spelling for *Distretus* Haag-Rutenberg, 1871.

Dimonus; Reitter, 1914c: 389; incorrect subsequent spelling for *Dymonus* Solier, 1843.

Diodoeus; Kaszab, 1955: 477; incorrect subsequent spelling for *Dioedus* J.L. LeConte, 1862.

Diodontus; Laporte, 1840: 185; incorrect subsequent spelling for *Diodontes* Solier, 1834.

Diphyrhynchus; Fairmaire, 1849: 445; incorrect original spelling for *Diphyrrhynchus* Fairmaire, 1849.

Diplocyrthus; Escalera, 1914: 355; incorrect original spelling for *Diplocyrtus* Quedenfeldt, 1887.

Dirosus; Dallas, 1866: 470; incorrect original spelling for *Dirosis* Miller, 1858.

Dissonus; Marseul, 1863: 181; incorrect original spelling for *Dissonomus* Jacquelin du Val, 1861.

Dolichopterus; Gemminger in Gemminger and Harold, 1870: 2028; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Doryacus; Gebien, 1938a: 73; incorrect subsequent spelling for *Doryagus* Pascoe, 1887.

Dromeus; Reitter, 1900c: 186; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Dyla; Marseul, 1857: 116; incorrect subsequent spelling for *Dila* Fischer von Waldheim, 1844.

Dzungaropterocoma; Löbl et al., 2008b: 166; incorrect subsequent spelling for *Dzhungaropterocoma* Skopin, 1974.

Ebertia; Kaszab, 1970d: 429; incorrect subsequent spelling for *Ebertius* Jedlička, 1965.

Ecoptostira; Borchmann, 1936: 236; alternative original spelling of *Eccoptostira* Borchmann, 1936, herein rejected.

†*Edromus*; Haupt, 1950: 120; alternative original spelling of †*Eodromus* Haupt, 1950, herein rejected.

Edrotoporus; Champion, 1895b: 93; incorrect subsequent spelling for *Edrotopus* Haag-Rutenberg, 1877.

Elanophorus; Dahl, 1823: 41; incorrect subsequent spelling for *Elenophorus* Dejean, 1821; published in a work suppressed for the purposes of zoological nomenclature (ICZN 1964, Opinion 710).

Eleutheris; Dejean, 1834: 206; published before 1931 without a description, a definition or an indication.

Ellidonius; Gebien, 1937a: 743; incorrect subsequent spelling for *Ellidoneus* Wilke, 1922.

Elodona; Erichson, 1845b: 256; incorrect subsequent spelling for *Eledona* Latreille, 1797.

Emallodera; Burmeister, 1875: 467; incorrect subsequent spelling for *Emalodera* Blanchard, 1842.

Emalodera; Blanchard, 1842: pl. 13; incorrect original spelling, emended to *Emmallodera* Blanchard, 1842, under prevailing usage.

Emmalodera; Champion, 1895b: 46; incorrect subsequent spelling for *Emalodera* Blanchard, 1842.

Emsipara; Reitter, 1916b: 10; incorrect subsequent spelling for *Emypsara* Pascoe, 1866.

Encyrtus; Fairmaire, 18cix; incorrect subsequent spelling for *Eucyrtus* Lacordaire, 1859.

Endomoderes; Silbermann, 1838: 28; incorrect subsequent spelling for *Entomoderes* Solier, 1836.

Endothyna; Gebien, 1939: 470; incorrect subsequent spelling for *Endothina* Carter, 1924.

Entelogonus; Iablokoff-Khnzorian, 1964: 304; incorrect subsequent spelling for *Eutelogonus* Reitter, 1922.

Enthriptera; Reitter, 1893: 203; alternative original spelling of *Euthriptera* Reitter, 1893, herein rejected.

Entomoderon; Silbermann, 1838: 30; incorrect subsequent spelling for *Entomoderes* Solier, 1836.

Eocoptostira; Neave, 1950: 86; incorrect subsequent spelling for *Eccoptostira* Borchmann, 1936.

Epaerops; Champion, 1895b: 92; incorrect subsequent spelling for *Epairops* Fåhraeus, 1870.

Epeirops; Bertkau, 1876: 78; incorrect subsequent spelling for *Epairops* Fåhraeus, 1870.

Ephicerus; Macquart, 1850: 186; published before 1931 without a description, a definition or an indication.

Epicamptus; Dejean, 1834: 198; published before 1931 without a description, a definition or an indication.

Epipedonata; Solier, 1836: 342; alternative original spelling of *Epipedonota* Solier, 1836, rejected by Solier (1851: 157).

Erganna; Oustalet, 1898: 972; incorrect subsequent spelling for *Ergenna* Fairmaire, 1897.

Eriodontes; Gebien, 1937a: 546; incorrect subsequent spelling for *Erodiontes* Reitter, 1914

Eschaptoporis; Seidlitz, 1908: 336; incorrect subsequent spelling for *Eschatoporis* Blaisdell, 1906.

Etaceta; Ferrer and Delatour, 2007: 275; incorrect subsequent spelling for *Etazeta* Fairmaire, 1889.

Eucirtus; Schoenfeldt, 1897: 126; incorrect subsequent spelling for *Eucyrtus* Lacordaire, 1859.

Eudustomus Kolbe, 1889: 127; incorrect subsequent spelling for *Endustomus* Brême, 1842.

Euganodia; Seidlitz, 1900: 277; incorrect subsequent spelling for *Enganodia* Fairmaire, 1898.

Eulimenes; Lacordaire, 1859: 467; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Eunotus; Dejean, 1834: 198; published before 1931 without a description, a definition or an indication.

Euoplus; Bertkau, 1879: 502; incorrect subsequent spelling for *Evoplus* J.L. LeConte, 1866.

Euplopus; Ragusa, 1898: 127; incorrect subsequent spelling for *Enoplopus* Solier, 1848.

Eurhyzodina; Bremer and Lillig, 2014: 145; incorrect subsequent spelling for *Eurhysodina* Wasmann, 1921.

Eurichora; G.-A. Olivier, 1795: 2; incorrect subsequent spelling for *Eurychora* Thunberg, 1789.

Euripimelia; Chernei, 2005: 104; incorrect subsequent spelling for *Eurypimelia* Reitter, 1915.

Eurygonus; Lacordaire, 1859a: 217; incorrect subsequent spelling for *Eurygona* Laporte, 1840.

Eusemostene; Gebien, 1940: 764; published after 1930 without a type species designation (see Bousquet et al. 2018: 224).

Eutychus Péringuey, 1908: 405; incorrect subsequent spelling of *Eutichus* Haag-Rutenberg, 1875.

Eutypodera; Pic, 1907b: 148; incorrect subsequent spelling for *Entypodera* Gerstaecker, 1871.

Evaniosamus; Laporte, 1840: 192; incorrect subsequent spelling for *Evaniosomus* Guérin-Méneville, 1834.

Evrychora; Thunberg, 1789: 9; incorrect original spelling for *Eurychora* Thunberg, 1789.

Evtelus; Fåhraeus, 1870: 304; incorrect original spelling for *Eutelus* Solier, 1843.

Exangelutus; Kulzer, 1964: 274; incorrect subsequent spelling for *Exangeltus* Blackburn, 1897.

Excavatoprostenus; Pic, 1944: 8; published after 1930 without a type species designation (see Bousquet et al. 2015: 139).

Falsostenochirus; Gebien, 1943: 924; incorrect subsequent spelling for *Falsastenochirus* Pic, 1938.

Fatuellus; Gistel, 1850: 409; proposed as a replacement name for the unavailable name *Lateranus* Sturm, 1843; published before 1931 without a description, a definition, or an indication.

Galymmaphorus; Solier, 1841a: 247; alternative original spelling of *Calymmophorus* Solier, 1841, herein rejected.

Gampsia; Gistel, 1848a: 126; incorrect subsequent spelling for *Campsia* Lepeletier & Audinet-Serville, 1828.

Gasthrhaema; Reitter, 1906b: 118; incorrect subsequent spelling for *Gastrhaema* Jacquelin du Val, 1863.

Gentianidis; Gemminger in Gemminger and Harold, 1870: 2028; incorrect subsequent spelling for *Gentinadis* Laporte, 1840.

Glyptophrinus; Lesne, 1922: 688; incorrect subsequent spelling for *Glyptophrynus* Fairmaire, 1899.

Glyptoteryx; Koch, 1956a: 216; incorrect subsequent spelling for *Glyptopteryx* Gebien, 1910.

Gnata; Dahl, 1823: 41; published in a work suppressed for the purposes of zoological nomenclature (ICZN 1964, Opinion 710).

Gonyodera; Perty, 1832: 63; alternative original spelling of *Goniadera*, rejected by Perty (1833: 14).

Gymnogathus; Kaszab, 1978: 52; incorrect subsequent spelling for *Gymnognathus* Solier, 1851.

Hadrobates; Seidlitz, 1905: 275; incorrect subsequent spelling for *Habrobates* Semenov, 1903.

Halamobia; Reitter, 1911: 329; incorrect subsequent spelling for *Halammobia* Semenov, 1901.

Harotoma; Kulzer 1951b: 563; incorrect subsequent spelling for *Horatoma* Solier, 1841.

Harpiscius; Reitter, 1914b: 370; incorrect subsequent spelling for *Herpiscius* Solier, 1838.

Heiliofugus; Laporte, 1840: 200; incorrect subsequent spelling for *Heliofugus* Guérin-Méneville, 1831.

Helaeus; Kirby, 1819b: 467; incorrect subsequent spelling for *Helea* Latreille, 1804.

Heleus; Latreille, 1817: 261; incorrect subsequent spelling for *Helea* Latreille, 1804.

Heliopathes; Mulsant, 1854: 157; incorrect subsequent spelling for *Heliopates* Dejean, 1834.

Heliophugus; Lacordaire, 1859b: 744; incorrect subsequent spelling for *Heliofugus* Guérin-Méneville, 1831.

Heliosthraema; Reitter, 1890a: 34; incorrect original spelling, emended to *Heliostrhaema* Reitter, 1890 under prevailing usage.

Helisteres Gemminger in Gemminger and Harold, 1870: 2008; incorrect subsequent spelling for *Heliosteres* Hope, 1841.

Hemicyclys; Imhoff, 1856: 243; incorrect subsequent spelling for *Hemicyclus* Westwood, 1841.

Hemisphaeresmia; Koch, 1944b: 157; published after 1930 without a type species designation.

Hemitrichesthes; Gebien, 1911b: 620; incorrect subsequent spelling for *Hemitrichestes* Reitter, 1904.

Hemosodes; Seidlitz, 1909: 298; incorrect subsequent spelling for *Hemasodes* Casey, 1907.

Hepadrinus; Luederwaldt, 1929: 48; incorrect subsequent spelling for *Opatrinus* Dejean, 1821.

Heteroblaps; Kolbe, 1928: 202; published before 1931 without a description, a definition, or an indication.

Hexagonocheilus; Solier, 1851: 168; incorrect original spelling for *Hexagonochilus* Solier, 1851.

Heydyphanes; Kraatz in Heyden and Kraatz, 1882: 332; incorrect subsequent spelling for *Hedyphanes* Fischer von Waldheim, 1820.

Hipponomus; Iablokoff-Khnzorian, 1964: 303; incorrect subsequent spelling for *Hipponome* Laporte, 1840.

Hipsosoma; Marseul, 1887: 307; incorrect subsequent spelling for *Hypsosoma* Ménétriés, 1854.

Holania; Fauvel, 1904: 186; incorrect subsequent spelling for *Holaniara* Fairmaire, 1871.

Hologlyptus; J.L. LeConte, 1866a: 59; incorrect original spelling for *Ologlyptus* Lacordaire, 1858.

Homalopus; Solier, 1836: 78; name not used as valid when proposed.

Homoeotrysis; Haag-Rutenberg, 1879b: 136; incorrect subsequent spelling for *Homotrysis* Pascoe, 1866.

Hovamarygmus; Gebien, 1943: 925; incorrect subsequent spelling for *Hovarygmus* Fairmaire, 1898.

Hybraenia; Pascoe 1866c: 497; incorrect subsequent spelling for *Hybrenia* Pascoe, 1866.

Hylobates; Dejean, 1834: 204; published before 1931 without a description, a definition, or an indication.

Hylocurus; Dejean, 1834: 203; published before 1931 without a description, a definition, or an indication.

Hymenophorus; Mulsant, 1852: 68; original spelling of *Hymenorus* Mulsant, 1852, corrected in the same work.

Hyonthis; Reitter, 1897a: 297; incorrect subsequent spelling for *Hionthis* Miller, 1861.

Hypophloeus; Panzer, 1795: 339; incorrect subsequent spelling for *Hypophlaeus* Fabricius, 1790.

Hypsoderes; Dejean, 1834: 195; published before 1931 without a description, a definition, or an indication.

Iophon; Champion, 1895a: 224; incorrect original spelling for *Jophon* Champion, 1895.

Iphicerus; Dejean, 1834: 203; published before 1931 without a description, a definition, or an indication.

Iphtinus; Reiche, 1854: 16; incorrect original spelling for *Iphthinus* Dejean, 1834.

Ipitragus; Macquart, 1850: 186; incorrect original spelling for *Epitragus* Latreille, 1802.

Isomera; Fairmaire and Coquerel, 1866: 46; incorrect subsequent spelling for *Isomira* Mulsant, 1856.

Isophon; Doyen et al., 1990: 235; incorrect subsequent spelling for *Jophon* Champion, 1895.

Jintainum; Iwan and Löbl, 2008: 267; incorrect subsequent spelling for *Jintaium* Ren, 1999.

Lachnoderus; Gebien, 1910b: 301; incorrect subsequent spelling for *Lachnoderes* Mulsant & Rey, 1859.

Lachnogyia; Reitter, 1904: 34; incorrect subsequent spelling for *Lachnogya* Ménétriés, 1849.

Lachriomus; Solsky, 1881: 50; incorrect subsequent spelling for *Lechriomus* Morawitz, 1865.

Lasiotata; Laporte, 1840: 181; incorrect subsequent spelling for *Lasiostola* Dejean, 1834.

Lathelicus; Heyden et al., 1883: 133; incorrect subsequent spelling for *Latheticus* C.O. Waterhouse, 1880.

Lateranus; Sturm, 1843: 147; published before 1931 without a description, a definition, or an indication.

Leaena; Dahl, 1823: 41; incorrect subsequent spelling for *Laena* Dejean, 1821; published in a work suppressed for the purposes of zoological nomenclature (ICZN 1964, Opinion 710).

Leichrodes; Pic, 1934d: 84; incorrect subsequent spelling for *Leiochrodes* Westwood, 1883.

Leiochbrota; Kirby, 1885a: 90; incorrect subsequent spelling for *Leiochrota* Westwood, 1883.

Leiochritina; Neervoort van de Poll, 1886: 34; incorrect subsequent spelling for *Leiochrotina* Westwood, 1883.

Leiochrodomorphus; Kaszab, 1946a: 31; incorrect subsequent spelling for *Leichrodomorphus* Pic, 1921.

Leporina; Reitter, 1920a: 18; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Leptynoderus; Curtis, 1844: 221; incorrect subsequent spelling for *Leptynoderes* Solier, 1838.

Leucolephus; Medvedev, 1973: 644; incorrect subsequent spelling for *Leucolaephus* P.H. Lucas, 1859.

Leucoloephus; P.H. Lucas, 1859: xxii; incorrect original spelling of *Leucolaephus* P.H. Lucas, 1859.

Liochrinus; Fairmaire, 1893b: 25; incorrect subsequent spelling for *Leiochrinus* Westwood, 1883.

Listronychus; Laporte, 1840: 244; incorrect subsequent spelling for *Lystronychus* Latreille, 1829.

Loboderus; Gemminger, 1870: 1925; incorrect subsequent spelling for *Lobodera* Mulsant & Rey, 1859.

Lobophilus; Pic, 1911a: 183; incorrect subsequent spelling for *Lophophyllus* Fairmaire, 1887.

Longicerenopus; Berry, 1975: 929; published after 1930 without a type species designation (see Bousquet et al. 2018: 181).

Lutelus; Solier, 1843: 4; alternative original spelling of *Eutelus* Solier, 1843, herein rejected.

Lyprocaulus; Pic, 1934d: 84; incorrect subsequent spelling for *Leprocaulus* Fairmaire, 1896.

Lyprochelida; Gebien, 1904b: 20; incorrect subsequent spelling for *Lyprochelyda* Fairmaire, 1899.

Lyproehelyda; Gebien, 1921b: 238; incorrect subsequent spelling for *Lyprochelyda* Fairmaire, 1899.

Lyprops; Hope, 1841: 133; incorrect subsequent spelling for *Luprops* Hope, 1833.

Lystronichus; Latreille, 1829a: 41; incorrect original spelling for *Lystronychus* Latreille, 1829.

Machlopis; Reitter, 1900c: 191; incorrect subsequent spelling for *Machlopsis* Pomel, 1871.

Macrophthalmus; Lacordaire, 1859b: 732; incorrect subsequent spelling for *Macrophtalmus* Montrouzier, 1855.

Macrotis; Dejean, 1834: 186; published before 1931 without a description, a definition, or an indication.

Marcuzzichoton; Ferrer and Moraguès, 2001: 500, 517; published after 1930 without a type species designation (see Kamiński et al. 2019c: 361).

Medaris; Kolbe, 1898: 598; incorrect subsequent spelling for *Mederis* Motschulsky, 1872.

Megagrius; Laporte, 1840: 183; incorrect subsequent spelling for *Megagenius* Solier, 1835.

Megliphus; Motschulsky, 1872: 41; alternative original spelling of *Meglyphus* Motschulsky, 1872, herein rejected.

Meladiesa; Gebien, 1937a: 807; incorrect subsequent spelling for *Meladiesia* Reitter, 1909.

Melanchrus; Dejean, 1834: 185; published before 1931 without a description, a definition or an indication.

Melanchrus; Lillig and Pavlíček, 2003: 62; incorrect subsequent spelling for *Melancrus* Reiche & Saulcy, 1857.

Metopocerus; Dejean, 1834: 190; published before 1931 without a description, a definition, or an indication.

Metriopa; Hope, 1841: 118; incorrect subsequent spelling for *Metriopus* Solier, 1835.

Micispa; Motschulsky, 1858b: 189; incorrect subsequent spelling for *Micipsa* P.H. Lucas, 1855.

Micrantherus; Bertkau, 1876: 78; incorrect subsequent spelling for *Micrantereus* Solier, 1848.

Micretyche; Carter, 1926: 134; incorrect subsequent spelling for *Micrectyche* Bates, 1873.

Micreuphloeus; Gebien, 1911a: 526; incorrect subsequent spelling for *Micreuphlaeus* Fairmaire, 1897.

Microblattelus; Bremer, 2014: 181; incorrect subsequent spelling for *Microblattellus* Ferrer, 2006.

Microperithrix; Pierre, 1972: 951; name published after 1930 without a description, a definition or a bibliographic reference to such a published statement.

Microperitrix; Reymond, 1954: 45; name published after 1930 without a description, a definition or a bibliographic reference to such a published statement.

Microps; Dahl, 1823: 46; published in a work suppressed for the purposes of zoological nomenclature (ICZN 1964, Opinion 710).

Microsomira; Anonymous, 1931: 204; incorrect subsequent spelling for *Micrisomira* Pic, 1930.

Miladion; Reitter, 1887a: 385; alternative original spelling of *Myladion* Reitter, 1887, rejected by Reitter (1896b: 166).

Milaris; Motschulsky, 1872: 23; incorrect subsequent spelling for *Mylaris* Pallas, 1781.

Mimoborchmannia; Borchmann, 1936: 490; incorrect subsequent spelling for *Mimoborchmania* Pic, 1934.

Minantereus; Desmarest, 1860: 168; incorrect subsequent spelling for *Micrantereus* Solier, 1848.

Mitrogenius; Solier, 1836: 330; alternative original spelling of *Mitragenius* Solier, 1836, rejected by Solier (1851: 152).

Monogolesthes; Seidlitz, 1906: 268; incorrect subsequent spelling for *Mongolesthes* Reitter, 1904.

Morocaula; Sharp, 1899: 144; incorrect subsequent spelling for *Morocaulus* Fairmaire, 1899.

Mosostena; Marseul, 1863: 170; incorrect subsequent spelling for *Mesostena* Eschscholtz, 1831.

Myaladion; Kaszab, 1960a: 161; incorrect subsequent spelling for *Myladion* Reitter, 1887.

Myaldion; Kaszab, 1960a: 161; incorrect subsequent spelling for *Myladion* Reitter, 1887.

Mycetocharus; Stephens, 1832b: 27; incorrect subsequent spelling for *Mycetochares* Latreille, 1829.

Mycetophylla; Sturm, 1843: 166; incorrect subsequent spelling for *Mycetophila* Gyllenhal, 1810.

Myria; Gemminger in Gemminger and Harold, 1870: 1963; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Myrmecixenus; Erichson, 1844: 287; incorrect subsequent spelling for *Myrmechixenus* Chevrolat, 1835.

Neoandrosus; Pic, 1921: 12; alternative original spelling of *Neandrosus* Pic, 1921, herein rejected.

Nesiotaurus; Fairmaire, 1897b: 385; incorrect subsequent spelling for *Nesotaurus* Fairmaire, 1896.

Nilion; Latreille, 1802: 179; incorrect original spelling of *Nilio* Latreille, 1802.

Nocturna; Voet, 1806: 81; published in a work that did not include consistent application of binominal nomenclature.

Nodosogilium; Pic, 1951: 12; alternative original spelling of *Nodosogylium* Pic, 1951, herein rejected.

Nonpenicillus; Ren, Wang and Yu, 2000: 50; published after 1930 without a type species designation.

Notha; Dejean, 1834: 182; published before 1931 without a description, a definition or an indication.

Notiolosthus; Motschulsky, 1872: 34; alternative original spelling of *Notiolesthus*, herein rejected.

Notoprateus; Gebien, 1941: 821; incorrect subsequent spelling for *Notoprataeus* Carter, 1924.

Nyctipathes; Marseul, 1857: 116; incorrect subsequent spelling for *Nyctipates* Gebler, 1841.

Nystagmus; Gistel, 1848a: 125; proposed as a replacement name for the unavailable name *Bucerus* Dejean, 1834; published before 1931 without a description, a definition or an indication.

Odontomoplus; Ragusa, 1898: 200; incorrect subsequent spelling for *Odontomophlus* Seidlitz, 1896.

Oedemetus; Bertkau, 1876: 79; incorrect subsequent spelling for *Oedemutes* Pascoe, 1860.

Ogcoosoma; Westwood, 1844: 227; incorrect subsequent spelling for *Oncosoma* Westwood, 1843.

Ogcosoma; Westwood, 1843: 121; incorrect original spelling, emended to *Oncosoma* Westwood, 1843 under prevailing usage.

Ohionthis; Reitter, 1900c: 89, 139; incorrect subsequent spelling for *Ohyonthis* Reitter, 1898.

Oleroscelis; Gemminger in Gemminger and Harold, 1870: 1812; incorrect subsequent spelling for *Oteroscelis* Solier, 1835.

Olisthoena; Fairmaire, 1849: 451; incorrect subsequent spelling for *Olisthaena* Erichson, 1842.

Omalois; Allard, 1876a: 4; incorrect original spelling of *Omaleis* Allard, 1876.

Omalus; Allard, 1876a: 4; original spelling of *Omalois* Allard, 1876, corrected in the same work.

Omocrates; Mulsant, 1854: 150; original spelling of *Olocrates*, corrected in the same work.

Onymachris; Champion, 1895b: 9; incorrect subsequent spelling for *Onymacris* Allard, 1885.

Opatrinops; Reitter, 1904: 73; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Ophtalmosis; Deyrolle, 1867: 229; original spelling of *Ophthalmosis*, corrected in the same work.

Opiestus; Chevrolat, 1833b: 30; alternative original spelling of *Oopiestus*, rejected by Chevrolat (1847a: 118).

Opisidus; Masters, 1872: 182; incorrect subsequent spelling for *Ospidus* Pascoe, 1866.

Oplochirus; Bertkau, 1876: 78; incorrect subsequent spelling for *Oplocheirus* Klug, 1835.

Oplomerus; Dejean, 1834: 206; published before 1931 without a description, a definition, or an indication.

Opsidus; Masters, 1887: 328; incorrect subsequent spelling for *Ospidus* Pascoe, 1866.

Orchrotus; Cazurro Ruiz, 1894a: 63; incorrect subsequent spelling for *Oochrotus* Lucas, 1852.

Orientacara; Penrith, 1986: 294; incorrect subsequent spelling for *Orientocara* Koch, 1952.

Orthogonoderus; Germain, 1855: 402, 403; incorrect subsequent spelling for *Orthogonoderes* Solier, 1841.

Oxipistoma; Koch, 1940a: 259; alternative original spelling of *Oxypistoma*, also proposed after 1930 without type species designation.

Pachynoscelis; Heyden, 1882: 144; published without a description, a definition, or an indication.

Paecilesthus; Dejean, 1834: 207; incorrect original spelling of *Poecilesthus* Dejean, 1834.

Paleosclerum; Nabozhenko, 2019: 6; incorrect subsequent spelling for *Palaeosclerum* Nabozhenko & Kirejtshuk, 2017.

Paracupezus; Riley, 1923: 129; incorrect subsequent spelling for *Pareupezus* Kolbe, 1889.

Parapiophorus; Nabozhenko, 2019: 8; incorrect subsequent spelling for *Paropiophorus* Haupt, 1950.

Parenicmosoma; Ardoin, 1959a: 61; published after 1930 without a type species designation.

Pectenepitragus; Gebien, 1937a: 570; incorrect subsequent spelling for *Pectinepitragus* Pic, 1927.

Pectophegoneus; Anonymous in Staff of the Zoological Society of London, 1972: 507; incorrect subsequent spelling for *Pectphegoneus* Freude, 1968.

Pedirus; Doyen et al., 1990: 237; incorrect subsequent spelling for *Pediris* Motschulsky, 1872.

Pelecipalpus; Kaszab, 1982b: 48; incorrect subsequent spelling for *Pelecypalpus* Hinton, 1947.

Penthapyllus; Ragusa, 1898: 123; incorrect subsequent spelling for *Pentaphyllus* Dejean, 1821.

Penticinus; Reitter, 1896b: 171; alternative original spelling of *Penthicinus* Reitter, 1896, rejected by Reitter (1904: 135, 170).

Penticus; Medvedev and Iwan, 2007: 613; incorrect subsequent spelling for *Penthicus* Faldermann, 1836.

Periclytus; Bertkau, 1876: 78; incorrect subsequent spelling for *Proselytus* Fåhraeus, 1870.

Periseptus; Fairmaire, 1887a: 176; incorrect subsequent spelling for *Peristeptus* Haag-Rutenberg, 1875.

Petrobius; Brullé, 1832: 202; incorrect subsequent spelling for *Gnaptor* Brullé, 1831.

Phalera; Dejean, 1821: 68; incorrect subsequent spelling for *Phaleria* Latreille, 1802.

Phanerentoma; Lacordaire, 1859a: 195; incorrect subsequent spelling for *Phanerotoma* Solier, 1843.

Philammus; Escalera 1914: 339; incorrect subsequent spelling for *Philhammus* Fairmaire, 1871.

Philax; Dejean, 1834: 192; incorrect subsequent spelling for *Phylax* Brullé, 1832.

Philethus; Macquart, 1850: 182; incorrect subsequent spelling for *Phyletes* Redtenbacher, 1845.

Philoscotus; Dejean, 1834: 186; published before 1931 without a description, a definition or an indication.

Phlaegmatus; Dejean, 1834: 208; published before 1931 without a description, a definition or an indication.

Phloeotribon; Gerstaecker, 1866: 427; incorrect subsequent spelling for *Phaeotribon* Kraatz, 1865.

Phrepates; Solier, 1834: 488; incorrect subsequent spelling for *Phrenapates* Gray, 1831.

Phylacoprosodes; Schuster, 1934: 75; replacement name for *Aulonoscelis* Reitter, 1909, which is not an available name.

Phylas; Berthold, 1827: 368; incorrect subsequent spelling for *Phylan* Sturm, 1826.

Phylethus; Chevrolat, 1847b: 57; incorrect subsequent spelling for *Phyletes* Redtenbacher, 1845.

Phyletus; Marseul, 1863: 184; incorrect subsequent spelling for *Phyletes* Redtenbacher, 1845.

Phylhammus; Español, 1963b: 188; incorrect subsequent spelling for *Philhammus* Fairmaire, 1871.

Phymatesthes; Gebien, 1928: 189, 191; incorrect subsequent spelling for *Phymatestes* Pascoe, 1866.

Phymathodes; Blanchard, 1845: 39; incorrect subsequent spelling for *Phymatodes* Dejean, 1834.

Phymatisoma; Laporte and Brullé, 1831: 332, 408; incorrect original spelling, emended to *Phymatosoma* Laporte & Brullé, 1831 under prevailing usage.

Phythora; Marquet, 1897: 162; incorrect subsequent spelling for *Phtora* Germar, 1836.

Phytophilus; Guérin-Méneville, 1838: 99; incorrect subsequent spelling for *Phitophilus* Guérin-Méneville, 1831.

Phyxelius; Philippi, 1864: 348; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Piazomera; Gebien, 1910a: 154; incorrect subsequent spelling for *Piesomera* Solier, 1843.

Piezomera; Gemminger in Gemminger and Harold, 1870: 1898; incorrect subsequent spelling for *Piesomera* Solier, 1843.

Piliobola; Hope, 1841: 112; published before 1931 without a description, a definition, or an indication.

Pimelionotus; Ardoin, 1962b: 969; published after 1930 without a type species designation.

Pineta; Desmarest, 1860: 159; incorrect subsequent spelling for *Peneta* Lacordaire, 1859.

Plaesia; Fairmaire, 1875: 43; incorrect subsequent spelling for *Plesia* Klug, 1833.

Platomodes; Dallas, 1866: 473; incorrect subsequent spelling for *Platamodes* Ménétriés, 1849.

Platysum; Mulsant and Rey, 1859a: 73, 81; original spelling of *Platynosum*, corrected in the same work.

Plectrascelis; Silbermann, 1838: 28; incorrect subsequent spelling for *Psectrascelis* Solier, 1836.

Podhamala; Motschulsky, 1860c: 535; incorrect subsequent spelling for *Podhomala* Solier, 1836.

Polpagenia; Laporte, 1840: 183; incorrect subsequent spelling for *Polpogenia* Solier, 1836.

Polycoelagastridion; Kaszab, 1942: 14; incorrect subsequent spelling for *Polycoelogastridion* Reichardt, 1936.

Polycoelogastridium; Gebien, 1938a: 428; incorrect subsequent spelling for *Polycoelogastridion* Reichardt, 1936.

Porphyrrhyba; Champion, 1895b: 195; incorrect subsequent spelling for *Porphyrhyba* Fairmaire, 1877.

Porphyruba; Bertkau, 1890: 260; incorrect subsequent spelling for *Porphyrhyba* Fairmaire, 1877.

Porphyryba; Fairmaire, 1894b: 144; incorrect subsequent spelling for *Porphyrhyba* Fairmaire, 1877.

Prachoma; Laporte, 1840: 195; incorrect subsequent spelling for *Prochoma* Solier, 1835.

Praosis; Laporte, 1840: 186; incorrect subsequent spelling for *Praocis* Eschscholtz, 1829.

Praygena; Bertkau, 1876: 78; incorrect subsequent spelling for *Praeugena* Laporte, 1840.

Priopus; Hope, 1841: 73; alternative original spelling of *Prioscelis*, rejected by Westwood (1844: 211).

Procris; Curtis, 1844: 221; incorrect subsequent spelling for *Praocis* Eschscholtz, 1829.

Prodhomala; Marseul, 1857: 112; incorrect subsequent spelling for *Podhomala* Solier, 1836.

Proplatamodes; Kaszab, 1960a: 16; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Prorythinota; Ferrer et al., 2016: 160; incorrect subsequent spelling for *Prorhytinota* Koch, 1943, an unavailable name.

Prothraustocolus; Kaszab, 1979b: 278; incorrect subsequent spelling for *Prothraustocola* Kaszab, 1957.

Psammeticus; Guérin-Méneville, 1831b: pl. 28bis; incorrect subsequent spelling for *Psammetichus* Latreille, 1828.

Psammodius; Berthold, 1827: 366; incorrect subsequent spelling for *Psammodes* W. Kirby, 1819.

Psaryphys; Cazurro Ruiz, 1895: 498; incorrect subsequent spelling for *Psaryphis* Erichson, 1843.

Pseudammobius; Franz, 1996: 71; new nominal genus published in a combined description with a single included new nominal species not marked by "gen. nov., sp. nov." or an equivalent expression (Löbl et al. 2008a: 45).

Pseudelops; Fauvel, 1904: 190; incorrect subsequent spelling for *Pseudhelops* Guérin-Méneville, 1841.

Pseudemallus; Edwards and Vevers, 1975: 281; incorrect subsequent spelling for *Pseudemmallus* Koch, 1956.

Pseudoammobius; Franz, 1996: 131; new nominal genus published in a combined description with a single included new nominal species not marked by "gen. nov., sp. nov." or an equivalent expression (see Löbl et al. 2008a: 45).

Pseudobax; Gebien, 1942a: 308; incorrect subsequent spelling for *Pseudabax* Kraatz, 1880.

Pseudocylibe; Kaszab, 1982b: 291; alternative original spelling of *Pseudocylibe* Kaszab, 1982, herein rejected.

Pseudocyrtus; Pic 1916: 14; alternative original spelling of *Pseudeucyrtus* Pic, 1916, herein rejected.

Pseudoderilis; Gebien, 1941: 343; incorrect subsequent spelling for *Pseudoderiles* Gebien, 1928.

Pseudohelops; Cazurro Ruiz, 1895: 506; incorrect subsequent spelling for *Pseudhelops* Guérin-Méneville, 1841.

Pseudonantes; Pic, 1925b: 7; incorrect subsequent spelling for *Pseudonautes* Fairmaire, 1892.

Pseudostena; Gemminger in Gemminger and Harold, 1870: 1958; incorrect subsequent spelling for *Pseudostene* Wollaston, 1861.

Pseudotrichoplatycelis; Kaszab, 1960a: 83; alternative original spelling of *Pseudotrichoplatyscelis* Kaszab, 1960, herein rejected.

Pseudotrichoplatynoscelis; Kaszab, 1960a: 82; alternative original spelling of *Pseudotrichoplatyscelis* Kaszab, 1960, herein rejected.

Psilioloba; Mulsant and Rey, 1853b: 20; incorrect subsequent spelling of *Pilioloba* Erichson in Agassiz, 1846.

Pyganisia; Hope, 1841: 133; incorrect subsequent spelling for *Pyanisia* Laporte, 1840.

Raibosceles; Allard, 1876a: 5; incorrect original spelling for *Raiboscelis* Allard, 1876.

Reichardtia; Kaszab, 1982c: 79; incorrect subsequent spelling for *Reichardtiella* Kaszab, 1942.

Reiterella; Seidlitz, 1905: 276; incorrect subsequent spelling for *Reitterella* Semenov, 1891.

Rhamnatodes Champion, 1895b: 20; incorrect subsequent spelling for *Rhammatodes* Haag-Rutenberg, 1876.

Rhicnodes; Gebien, 1941: 817; incorrect subsequent spelling for *Rhicnodus* Fairmaire, 1892.

Rhytimorpha; Koch, 1943: 888; alternative original spelling of *Rhydimorpha* Koch, 1943, herein rejected.

Rophobas; Motschulsky, 1872: 36; alternative original spelling of *Rhophobas* Motschulsky, 1872, herein rejected.

Rythinota; Ferrer et al., 2016: 159; incorrect subsequent spelling for *Rhytinota* Eschscholtz, 1831.

Rytinota; Eschscholtz, 1831: 5, 7; incorrect original spelling, emended to *Rhytinota* Eschscholtz, 1831 under prevailing usage.

Saragdonius; Bertkau, 1876: 78; incorrect subsequent spelling for *Saragodinus* Bates, 1872.

Sarathropus; Heyden, 1895: 111; incorrect subsequent spelling for *Sarothropus* Kraatz, 1865.

Saurothropus; Dallas, 1866: 471; incorrect subsequent spelling for *Sarothropus* Kraatz, 1865.

Scelidopsecta; Kulzer, 1954b: 204; incorrect original spelling for *Scelidospecta* Kulzer, 1954.

Sceloblaps; Kolbe, 1928: 203; published before 1931 without a description, a definition or an indication.

Schizomena; Sharp, 1922: 142; incorrect subsequent spelling for *Schizomma* Gebien, 1921.

Scytodonta; Reitter, 1900c: 166; incorrect subsequent spelling for *Scythodonta* Reitter, 1894.

Selenepistomus; Mulsant and Rey, 1853b: 20; incorrect subsequent spelling for *Selenepistoma* Dejean, 1834.

Selenoma; Peña, 1966: 408; incorrect subsequent spelling for *Selenomma* Dejean, 1836.

Sepidiostemis; Reitter, 1914c: 382; incorrect subsequent spelling for *Sepidiostenus* Fairmaire, 1884.

Sepidostenus; Fairmaire, 1887a: 184; incorrect subsequent spelling for *Sepidiostenus* Fairmaire, 1884.

Sericeus Ragusa, 1898: 114; incorrect subsequent spelling for *Seriscius* Motschulsky, 1845.

Solenopistoma; Mulsant and Rey, 1854: 29; incorrect subsequent spelling for *Selenepistoma* Dejean, 1834.

Solskia; Semenov, 1891: 263; incorrect subsequent spelling for *Solskyia* Solsky, 1881.

Solskya; Semenov-Tjan-Shansky, 1908: 265; incorrect subsequent spelling for *Solskyia* Solsky, 1881.

Somaticum; Hope, 1841: 117; incorrect original spelling for *Somaticus* Hope, 1841.

Spaerotidius; Kaszab, 1941a: 39, 40; alternative original spelling of *Sphaerotidius* Kaszab, 1941, herein rejected.

Sphaenariopsis; Blair, 1935a: 103; incorrect original spelling for *Sphenariopsis* Kraatz, 1865.

Sphingidophorus; Pic, 1917: 1; incorrect original spelling for *Sphragidophorus* Champion, 1889.

Sphoerotus; Brême, 1842a: 106; incorrect original spelling for *Sphaerotus* W. Kirby, 1819.

Spinanaedus; Gebien, 1941: 826; incorrect original spelling for *Spinadaenus* Pic, 1921.

Spinolystronychus; Pic, 1944: 5; published after 1930 without a type species designation (see Bousquet et al. 2015: 139).

Statyra; Lacordaire, 1830b: 154; incorrect original spelling for *Statira* Lepeletier & Audinet-Serville, 1828.

Stegatopsis; Allard, 1884: 23; incorrect subsequent spelling for *Stegastopsis* Kraatz, 1865.

Stenochara; Hope, 1841: 70; incorrect subsequent spelling for *Stenocara* Solier, 1835.

Stenogenius; Solier, 1834: 520; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Sternodus; Agassiz, 1846b: 353; incorrect subsequent spelling for *Sternodes* Fischer von Waldheim, 1837.

Subtentyrina; Koch, 1939: 260; published after 1930 without a type species designation.

Subtentyrina; Löbl and Merkl, 2003: 251; published after 1999 and not explicitly indicated as intentionally new.

Sulpiosoma; Ferrer, 2006c: 79; alternative original spelling of *Sulpiusoma* Ferrer, 2006, herein rejected.

Symnetasida; Ragusa, 1921: 100; incorrect subsequent spelling for *Gymnetasida* Reitter, 1917

Syntractus; Borchmann, 1909b: 2; incorrect subsequent spelling for *Synatractus* W.J. Macleay, 1887.

Taeniobates; Motschulsky, 1872: 32; alternative original spelling of *Taenobates* Motschulsky, 1872, herein rejected.

Taganoides; Kaszab, 1965: 109; incorrect subsequent spelling for *Tagonoides* Fairmaire, 1886.

Tagaulus; Hayashi, 1980: 19; incorrect subsequent spelling for *Tagalus* Gebien, 1914.

Talpophila; Macquart, 1850: 174; incorrect subsequent spelling for *Thalpophila* Solier, 1835.

Tanchyrus; Kaszab, 1941a: 2, 42; incorrect subsequent spelling for *Tanchirus* Fairmaire, 1897.

Tanuria; Lacordaire, 1859: 454; first published as a synonym and not treated before 1961 as an available name and adopted as the name of a taxon or treated as a senior homonym.

Targesius; Gistel, 1848: xi; proposed as a replacement name for the unavailable name *Melancrus* Dejean, 1834; published before 1931 without a description, a definition, or an indication.

Tarsoconodes; Sharp, 1922: 142; incorrect subsequent spelling for *Tarsocnodes* Gebien, 1920.

Taurocerus; Agassiz, 1846b: 362; incorrect subsequent spelling for *Tauroceras* Hope, 1841.

Taxonema; Bertkau, 1876: 78; incorrect subsequent spelling for *Toxocnema* Fåhraeus, 1870.

Telleas; Gebien, 1911a: 447; incorrect subsequent spelling for *Telleus* Fairmaire, 1904.

Teneobrionites; Bousquet et al. 2018: 381; incorrect subsequent spelling for *Tenebrionites* Cockerell 1920.

Tentiria; Dahl, 1823: 41; incorrect subsequent spelling for *Tentyria* Latreille, 1802; published in a work suppressed for the purposes of zoological nomenclature (ICZN 1964, Opinion 710).

Tentyrionota; Gridelli, 1937: 38; incorrect subsequent spelling for *Tentyronota* Reitter, 1900.

Thecocerus; Agassiz, 1846b: 368; proposed as an unjustified emendation for the unavailable name *Thecacerus* Dejean, 1834; published before 1931 without a description, a definition, or an indication.

Thoracophora; Imhoff, 1856: 242; incorrect subsequent spelling for *Thoracophorus* Hope, 1841.

Thraucostolus; Gebien, 1910a: 74; incorrect subsequent spelling for *Thraustocolus* Kraatz, 1866.

Thryptera; Gaubil, 1849: 213; incorrect subsequent spelling for *Thriptera* Solier, 1836.

Thylacoderus; Burmeister, 1875: 489; incorrect subsequent spelling for *Thylacoderes* Solier, 1843.

Trachelaeum; Agassiz, 1846b: 373; incorrect subsequent spelling for *Tracheloeum* Hope, 1841.

Tracheloblaps; Kolbe, 1928: 203; published before 1931 without a description, a definition or an indication.

Trachinotus; Gistel, 1848a: xi; incorrect subsequent spelling for *Trachynotus* Latreille, 1828.

Treintoma; Wolcott, 1950: 326; incorrect subsequent spelling for *Trientoma* Solier, 1835.

Trelolosodis; Cazurro Ruiz, 1897b: 427; incorrect subsequent spelling for *Scelosodis* Solier, 1835.

Tribolocara; Lacordaire, 1859a: 69, 72; incorrect subsequent spelling for *Trilobocara* Solier, 1851.

Trichochianalis; Kaszab, 1940a: 201; alternative original spelling of *Trichochianalus*, rejected by Ksazab (1940b: 989).

Tricholeipoleura; Kaszab, 1940a: 152; alternative original spelling of *Tricholeipopleura*, rejected by Kaszab (1940b: 989).

Trichopodum; Gebien, 1905: 253; incorrect subsequent spelling for *Trichopodus* Mulsant & Rey, 1859.

Trichosphena; Gebien, 1937a: 577; incorrect subsequent spelling for *Trichosphaena* Reitter, 1916.

Trigonoides; Fairmaire, 1901c: 267; incorrect subsequent spelling for *Tagonoides* Fairmaire, 1886.

Trinobatis; Laporte, 1840: 195; incorrect subsequent spelling for *Thinobatis* Eschscholtz, 1831.

Trisilius; Bertkau, 1879: 505; incorrect subsequent spelling for *Trisilus* Haag-Rutenberg, 1878.

Trogloderes; Gebien, 1938a: 64; incorrect subsequent spelling for *Trogloderus* J.L. LeConte, 1879.

Ulomimimus; Bates, 1873a: 201; incorrect original spelling, emended to *Ulomimus* Bates, 1873 under prevailing usage.

Ulona; Dahl, 1823: 43; incorrect subsequent spelling for *Uloma* Dejean, 1821; published in a work suppressed for the purposes of zoological nomenclature (ICZN 1964, Opinion 710).

Umbraticus; Voet, 1806: 81; published in a work that did not include consistent application of binominal nomenclature.

Urosis; Deyrolle, 1867: 81; alternative original spelling of *Anisosis* Deyrolle, 1867, rejected by Dallas (1868: 265–266).

Usagaria; Péringuey, 1892a: 56; incorrect subsequent spelling for *Uzagaria* Ancey, 1881.

Usoma; Berthold, 1827: 369; incorrect subsequent spelling for *Uloma* Dejean, 1821.

Valeron; Cazurro Ruiz, 1897b: 97; incorrect subsequent spelling for *Scleron* Hope, 1841.

Verticiphloeus; Bremer and Lillig, 2017b: 201; published after 1930 without a description, a definition, or a bibliographic reference to such a published statement.

Victa; Allard, 1870: 50; incorrect subsequent spelling for *Vieta* Laporte, 1840.

Xanthomerus; Escalera, 1914: 353; incorrect subsequent spelling for *Xanthomus* Mulsant, 1854.

Xanthotopeia; Fairmaire, 1894g: 671, 672; incorrect subsequent spelling for *Xanthothopeia* Mäklin, 1867.

Xanthotopia; Kolbe, 1897b: 619; incorrect subsequent spelling for *Xanthothopeia* Mäklin, 1867.

Zaleucos; Gebien, 1937a: 715; incorrect subsequent spelling for *Zaleucus* Champion, 1892.

Zaphobas; Papp, 1961: 128; incorrect subsequent spelling for *Zophobas* Dejean, 1834.

Zarudnyonymus; Kaszab 1981b: 367; incorrect subsequent spelling for *Zarudnionymus* Semenov-Tjan-Shansky & Bogatchev, 1947.

Zioelas; Gebien, 1943: 914; incorrect subsequent spelling for *Ziaelas* Fairmaire, 1892.

Zophabas; Motschulsky, 1872: 35; incorrect subsequent spelling for *Zophobas* Dejean, 1834.

Zophelops; Gebien, 1911a: 534; incorrect subsequent spelling for *Zophohelops* Reitter, 1902.

Zophobius; Dejean, 1834: 180; published before 1931 without a description, a definition, or an indication.

Zypoetus; Kaszab, 1977: 303; incorrect subsequent spelling for *Zypoetes* Champion, 1893.

Appendix 2

Supporting references for conservation of *Cyphaleus* Westwood, 1841 over *Chrysobalus* Boisduval, 1835 through reversal of precedence (ICZN 1999, Article 23.9.2). To our knowledge *Chrysobalus* Boisduval, 1835 has not been used as a valid name after 1899.

1. Bouchard P, Bousquet Y, Davies AE, Alonso-Zarazaga MA, Lawrence JF, Lyal CHC, Newton AF, Reid CAM, Schmitt M, Ślipiński SA, Smith ABT (2011) Family-group names in Coleoptera (Insecta). ZooKeys 88: 1–972.

2. Bouchard P, Lawrence JF, Davies AE, Newton AF (2005) Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. Annales zoologici (Warszawa) 55: 499–530.
3. Doyen JT, Matthews EG, Lawrence JF (1990) Classification and annotated checklist of the Australian genera of Tenebrionidae (Coleoptera). Invertebrate Taxonomy 3 [1989] (3): 229–260.
4. Hangay G, Zborowski P (2010) A guide to the beetles of Australia. CSIRO Publishing, Collingwood. x + 238 pp.
5. Kukalová-Peck J, Lawrence JF (1993) Evolution of the hind wing in Coleoptera. The Canadian Entomologist 125: 181–258.
6. Kukalová-Peck J, Lawrence JF (2004) Relationships among coleopteran suborders and major endoneopteran lineages: evidence from hind wing characters. European Journal of Entomology 101: 95–144.
7. Lawrence JF, Britton EB (1994) Australian beetles. Melbourne University Press, 192 pp.
8. Lawrence JF, Leschen RAB (2010) 11.12. Chalcodryidae Watt, 1974. Pages 567–571. In: Leschen, RAB, Beutel, RG, Lawrence, JF (Eds). Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV - Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin.
9. Lawrence JF, Newton Jr AF (1995) Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names). In: Pakaluk J, Slipinski SA (Eds) Biology, phylogeny, and classification of Coleoptera. Papers celebrating the 80th birthday of Roy A. Crowson. Muzeum I Instytut Zoologii PAN, Warszawa, pp. 779–1006.
10. Lawrence JF, Slipinski A (2013) Australian beetles. Volume 1: morphology, classification and keys. CSIRO Publishing, Collingwood.
11. Leschen RAB, Escalona HE, Elgueta M (2016) Phylogeny of the Gondwanan beetle family Ulodidae (Tenebrionoidea). Zootaxa 4138: 441–473.
12. Matthews EG (1980) A guide to the genera of beetles of South Australia. Part 5. Polyphaga: Tenebrionoidea. South Australian Museum. vi + 67 pp.
13. Matthews EG (1992) Classification, relationships and distribution of the genera of Cyphaleini (Coleoptera: Tenebrionidae). Invertebrate Taxonomy 6: 437–522.
14. Matthews EG (2004) New synonymy and new names in Australian Tenebrionidae (Coleoptera). Transactions of the Royal Society of South Australia 128: 261.
15. Matthews EG, Bouchard P (2008) Tenebrionid Beetles of Australia: Description of tribes, keys to genera, catalogue of species. Commonwealth of Australia, Canberra.
16. Matthews EG, Lawrence JF (2019) In: Slipinski A, Lawrence JF (Eds) Australian beetles. Volume 2: Archostemata, Myxophaga, Adephaga, Polyphaga (part). CSIRO Publishing, Clayton South, pp. 582–661
17. Matthews EG, Lawrence JF, Bouchard P, Steiner Jr WE, Ślipiński SA (2010) 11.14. Tenebrionidae Latreille, 1802. Pages 574–659. In: Leschen, RAB, Beutel, RG, Lawrence, JF (Eds). Handbook of Zoology. A Natural History of the Phyla

of the Animal Kingdom. Volume IV - Arthropoda: Insecta. Part 38. Coleoptera, Beetles. Volume 2: Systematics (Part 2). Walter de Gruyter, Berlin.
18. Matthews EG, Scupola A (2003) Entomological investigations in Australia by the Natural History Museum of Turin: Coleoptera, Tenebrionidae. Museo Regionale di Scienze Naturali, Monografie 35: 281–302.
19. Moore BP (1980) A guide to the beetles of southeastern Australia. Australian Entomological Press, Greenwich, Australia, 226 pp.
20. Naumann I (1993) CSIRO handbook of Australian insect names: common and scientific names for insects and allied organisms of economic and environmental importance. Sixth Edition. CSIRO Publishing, East Melbourne, Australia, 200 pp.
21. Steiner Jr WE (2009) Tenebrionidae of Australia. Descriptions of tribes. Keys to genera. Catalogue of species by E.G. Matthews and P. Bouchard. Australian Biological Resources Study, GPO Box 787, Canberra ACT 2601, Australia, 2008, pp. 398. Systematic Entomology 34: 198.
22. Stone c, Goodyer G, Sims K, Penman T, Carnegie A (2010) Beetle assemblages captured using static panel traps within New South Wales pine plantations. Australian Journal of Entomology 49: 304–316.
23. Williams G (2002) A taxonomic and biogeographic review of the invertebrates of the Central Eastern Rainforest Reserves of Australia (CERRA) World Heritage Area, and adjacent regions. Technical Reports of the Australian Museum 16: 1–208.
24. Williams G (2020) The invertebrate world of Australia's subtropical rainforests. CSIRO Publishing, Clayton South, 385 pp.
25. Williams G, Evans T (1993) Hidden rainforests: subtropical rainforests and their invertebrate biodiversity. New South Wales University Press, 188 pp.

Index of species-group names

abacoides, Selinus 228
abbreviata, Akis 363
abbreviatum, Adelostoma 317
abnorme, Eurymetopon 248
abnormis, Alogista 96
abnormis, Trimytis 141
abstrusa, Notiasida 269
acantholophus, Oncopterus 275
acco, Saitostrongylium 335
aculeatus, Prophanes 239, 256, 313
acuminata, Eurychora 183
acuminata, Tagona 357
acuminatum, Sepidium 88
acuminatus, Dolichoderus 164, 167, 236, 352
acuminatus, Pedinus 140, 141
acutangula, Melaxumia 244
acutangula, Platyscelis 368
acutangulus, Hedyphanes 350
acuticolle, Myladion 260
acuticornis, Ephidonius 176
acuticosta, Psammodes 317
acuticosta, Schizaraeus 337
acuticosta, Scotinesthes 339
acutispina, Crypsinous 151
acutum, Opatrum 340

acutus, Pterocomodes 327
adamantina, Hesseosis 134
adamsii, Emypsara 173
adansoniarum, Tenebriomimus 360
adelostomoide, Hanstroemium 200
adelotopus, Blatticephalus 122, 134
adimonius, Helops 371
adriani, Aprosphaena 106
adriani, Dichillus 162
adustus, Rhipidonyx 331
advenus, Pycnochilus 328
aenea, Lagria 111, 237
aenea, Leptomorpha 130
aenea, Menandris 245
aenea, Statiropsis 348
aeneicolor, Etazeta 180
aeneipennis, Caracasa 133
aeneipennis, Lagriallecula 225
aeneipennis, Lelegeis 229
aeneipennis, Stenomax 203
aeneolus, Nelites 262
aeneopiceus, Nypsius 270
aenescens, Abantis 86, 263
aenescens, Carabelops 133
aenescens, Heteropsectropus 208
aenescens, Hyperchalca 216
aenescens, Morphostenophanes 258
aeneus, Nesosphaerotus 267
aeneus, Pseudamenophis 318
aeneus, Tenebrio 350
aequalis, Tentyria 157, 158
aereus, Iphthinus 284
aetnensis, Parablops 193, 286
affine, Opatrum 277
affinis, Lagria 248
affinis, Platyscelis 281
africanum, Paranopidium 288
africanus, Spyrathus 111
afrogermanica, Asphaltesthes 357
agilis, Ancylochira 175
agilis, Umslatus 373
agona, Homala 211
agrestis, Acastus 87
agricola, Opatrum 123, 171, 201
agroides, Statira 348
aguilari, Pachacamacius 282
aiunica, Bermejoina 120
akisoides, Colasia 147
alaiensis, Penthicus 353
alaiensis, Prosodes 257
alatum, Silvestriellum 342
albata, Actizeta 89
albicolle, Stenocara 137
albiventris, Pachynotelus 284
albolineata, Lagriomima 226
albolineata, Statira 267
albomaculata, Mariepskopia 240
albopilosa, Hypovinsonia 217
aldabricus, Epeurycaulus 176
alfkeni, Periloma 294
algae, Micropedinus 252
alienus, Astathmetus 114
allardiana, Leptocolena 314
alleculoides, Hoplonyx 213
alleni, Alienoplonyx 94
alpagutae, Idahelops 218
alpina, Tagonoides 266
alpinus, Crypticus 226
alpinus, Hadrus 199, 375
altaica, Cistela 153
altaicus, Pedinus 116
alternans, Poeciltoides 309
alternans, Trigonopus 187
alternata, Asticostena 114
alternata, Camaria 321
alternatus, Podamarygmus 308
alternicoste, Oncosoma 112
altitudinis, Machlomorpha 236
alutaceum, Melancrus 97
alvearium, Platybolium 304
amabilis, Calosis 131
amabilis, Lophocnemis 234
amandanus, Helops 237
amaroides, Adelium 296
amaroides, Mimopeus 254
amatolensis, Lucidolaena 235

amazonicum, Strongylium 308
amazonicus, Meniscophorus 245
ambigua, Disema 91
americana, Platydema 210
americanus, Elenophorus 129, 242
ammobioides, Actizeta 89
amoena, Cistela 142
amoena, Lagria 234
amoenus, Apellatus 104
ampla, Lagria 331
ampliata, Pimplema 302
amplipenne, Prometopion 313
amplipennis, Moluris 166
amplipennis, Paulianesthes 291
amplipennis, Plesiophthalmus 323
amplithorax, Rehumius 330
anastomosis, Asida 285
andamanus, Indochillus 223
andoi, Tarpela 268
andrewesii, Pseudoblaps 334
andrewsi, Vizcainyx 375
andringitrensis, Hovademus 214
anglicus, Tenebrionites 360
angolensis, Aberlencus 86
angolensis, Gnophota 166
angolensis, Hadrophasis 199
angolensis, Zophosis 355
angulata, Pimelia 93, 302
angulata, Upis 241, 313
angulatus, Pelecyphorus 326
anguliceps, Spectrocnera 344
angulicollis, Asiris 113
angulicollis, Camaria 192
angulicollis, Prosodes 190
angulicollis, Sphingocorse 346
angulipennis, Helopimorphus 203
angulophthalma, Pachycera 158
angulosa, Tentyria 244
angusta, Lindia 232
angusta, Platydema 155
angusta, Pseudostene 325
angustata, Blaps 270, 315
angustata, Cosmonota 150
angustata, Lopholagria 256
angustata, Pimelia 148, 247, 351
angustatus, Mimothydemus 254
angusticollis, Acanthobas 86
angusticollis, Aeanes 91
angusticollis, Cardiothorax 268
angusticollis, Chaetopsia 139
angustitarsis, Heterophylus 264
angustus, Blapstinus 241
angustus, Exangeltus 187
angustus, Tedinus 359
anisocera, Lagria 138
annulicornis, Amaropsis 96
annulipes, Falsogauromaia 189
annulipes, Nemostira 189
annulipes, Tearchus 359
anomala, Pimelia 90, 335
anomalus, Acanthomerus 249
antennale, Macroperas 237
antennalis, Hyperamarygmus 216
antennata, Brachycilibe 126
antennatus, Arthrodeis 161
antennatus, Seorsoplonyx 341
anthicoides, Achanius 87
anthicoides, Apocrypha 105
anthicoides, Chaetyllus 139
anthicoides, Entypodera 175
anthracinus, Derosphaerius 160, 270
anthracinus, Hectus 105, 200
anthracinus, Helops 292
anthracinus, Tenebrio 377
antiquus, Hesiodobates 206
antoinei, Storthocnemis 324
antracina, Gnophota 195
antrophilus, Perdicus 293
aphodina, Pycna 238, 328
aphodioides, Dechius 158
aphodioides, Trachyscelis 366
apicalis, Bratyna 127, 258
apicalis, Dimorphochilus 164
apicalis, Sthenoboea 352
apicata, Stenogena 148
apicicornis, Ilus 218

appenhageni, Melasmana 202
aptera, Eutochia 106
aptera, Obesacula 271
apterus, Phediodes 296
arabica, Adesmia 90
arabicum, Hegeterocara 191, 201
arabicus, Histeromimus 210
arabicus, Leucolaephus 288
arabicus, Proscheimus 314
arabs, Stenosis 255
arachnipes, Namazopus 261
arachnoides, Diopethes 165
arachnoides, Stenocara 279
aranea, Dioxycula 165
araucanum, Penadelium 293
arcadii, Sophrobates 344
arcana, Dignathosis 163
arcanus, Bolusculus 124
arcibasis, Scytosoma 340
arcuata, Hemicera 205, 216
ardoini, Durandius 168
ardoini, Girardocamaria 194
ardoini, Phaleria 265
ardoini, Stenohelops 350
arenapta, Canariella 132
arenaria, Epitragosoma 177
arenarius, Apsheronellus 106
arenicola, Arthrochora 110
arenicola, Caediexis 129
arenosus, Heliofugus 202, 203
arens, Edrotes 272
areolata, Prosodes 184
arguta, Stridigula 353
argynnis, Indricula 219
ariasi, Asida 197
aries, Cryphaeus 151
armata, Pimelia 326
armata, Reichardtiella 330
armata, Spinepicalla 346
armatum, Ceradelium 137
armatum, Opatrum 171
armatus, Microbolitonaeus 249
armatus, Otys 240, 281
armeniaca, Trigonoscelis 284
armeniacus, Armenohelops 110
armigera, Heterogria 226
armillata, Cistela 242, 272
armipes, Camarimena 213
armipes, Coracostira 149
arneius, Dicyrtodes 163
arnoldi, Cossyphodes 95
aruspex, Blepegenes 122, 137
ascetum, Monteithium 257
asiaticus, Microtelus 253
asidaeformis, Celibe 321
asidioides, Bioramix 133
asidioides, Polpogenia 309
asper, Helops 267
asper, Hoplonyx 327
asper, Ilyxerus 218
asper, Rhicnodus 331
asperatus, Amblycyphus 97
asperatus, Rhophobas 332
aspericollis, Pseudemmallus 319
asperipellis, Micreuphlaeus 249
asperipenne, Hoplobrachium 210, 213
asperipenne, Opatrum 147
asperipennis, Eurynotus 120
asperipennis, Phylacinus 298
asperula, Acanthioides 86
asperula, Tagonoides 257
asperulus, Adelodemus 90
asperulus, Pachymastus 284
asperulus, Selinus 299
assamica, Cteisodella 153
assamica, Espagnolina 179
assimilis, Helops 214
atavus, Promorphostenophanes 313
ater, Eupezoplonyx 182
ater, Falsosynopticus 190
ater, Falsozialeus 190
ater, Helops 179, 292, 312
ater, Melanolophus 111
ater, Sycophantomorphus 355
aterrima, Allecula 373
atlantis, Helops 204

atlantis, Micrositus 242
atra, Borneocamaria 125
atra, Tenebriocamaria 360
atrata, Lagria 290
atratus, Scaurus 336
atratus, Tenebrio 329, 378
atratus, Tydeolus 371
atriceps, Epiphaleria 177
atricolor, Dietysus 119
atricolor, Mimuroplatopsis 255
atricorne, Sundon 355
atronitens, Gonodera 311
atronitens, Tenebrio 109, 360
atronitidum, Flabellostrongylium 191
atronitidus, Trichotenebrio 368
atropos, Cnemeplatia 145
atrum, Eurymetopon 243
atrum, Oubanghinum 281
attenuata, Amphidora 120
attenuata, Blaps 314
attenuata, Lamprobothris 226
aucklandicum, Adelium 223
audouini, Adesmia 208, 280
audouini, Prochoma 312
aulacopterus, Bradynocerus 127
auricoma, Ernocharis 327
auripunctata, Freudella 191
aurita, Ametrocera 98
aurita, Mithippia 255
auritus, Tenebrio 156
aurocincta, Reichenspergeria 330
aurovittata, Sphaeromatris 345
aurulentiformis, Kaszabus 223
australe, Isopteron 221, 222
australe, Uloma 207
australiae, Schizophthalmotribolium 338
australis, Caediomorpha 129
australis, Celibe 136
australis, Chiroscelis 141
australis, Phaeotribon 261
australis, Tenebrio 113, 245
australis, Trigonotarsus 321, 343, 369
azarovi, Cyclocnera 154
azurea, Diaperis 248
azureum, Strongylium 193
azureus, Helops 209
babylonica, Stegastopsis 348
bacillus, Dicraeus 162
bactriana, Prosodes 314
badakschanica, Platynoscelis 326
badeni, Trachynotus 138
baehri, Litopous 233
baeri, Rhacius 227
baerii, Blaps 122, 292
bahrainicus, Piestognathoides 301
bakeri, Lagria 234
bakewellii, Hyocis 215
balchanicus, Zophohelops 371
balchashensis, Pterocoma 265
balfouri, Eusyntelia 185
baloghi, Achariotheca 88
baloghi, Spinorhacus 347
balti, Zophosis 316
bangaloreanus, Indochillus 321
barbarum, Opatrum 242
barbatus, Ecnomoderes 170
barbatus, Prohylithus 340
barborae, Microsthes 253
barbosai, Oncotiphallops 275
barbucha, Pizura 302
barceloi, Asida 183
bardudensis, Diastolinus 267
barnardi, Atropsorodes 115
barthelemyi, Entomogonus 175
basalis, Espites 180
basicornis, Theatetes 363
basilewskyi, Helenomelas 201
basilewskyi, Strongyallecula 353
basilewskyi, Timosmithus 365
batesi, Adelostoma 188
batesi, Horatomodes 214
batesi, Menimus 245
batesi, Pheres 296
baudueri, Omophlus 307
baumeisteri, Mycetocharoides 259

bazmanicus, Arthrodibius 133
beameri, Eleodes 210
bechuanus, Psectes 318
beckeri, Latacula 227
bedeli, Micrositus 115
bedeli, Phaleria 178
behrii, Prosodes 281
bellator, Bobisthes 122
bellendenus, Diaspirus 161
bellii, Platynotus 306
beltii, Elomosda 172
belutschistanica, Ibnsaudia 315
benardi, Farsarthrosis 190
benguelensis, Epipagus 177
benguelensis, Microderopsis 250
benguelensis, Platysemus 306, 307
benguelensis, Zophosis 227
benitensis, Nemostira 271
bennettii, Phrenapates 297
bennigseni, Lagria 91
benoiti, Pseudoleichenum 323
berardi, Toxicum 131
bertiae, Claudegirardius 144
bertolonii, Moluris 141
besti, Chariotheca 107
bewicki, Cossyphodes 288
biangulatus, Pseudanaedus 319
bibartitus, Psectrapus 318
bicarinata, Eulabis 181, 207
bicarinatus, Coelolophus 146
bicarinatus, Praocis 311
bicolor, Borbochara 124
bicolor, Erxias 179
bicolor, Eurymetopon 248
bicolor, Falsocalcar 188
bicolor, Hypomelus 217
bicolor, Licymnius 115
bicolor, Malacova 239
bicolor, Nicandra 275
bicolor, Oracula 278
bicolor, Pseudeumolpus 320
bicolor, Scaphidium 336
bicolor, Stomylus 353
bicoloripes, Grandelagria 197
bicoloripes, Heteromerotylus 207
bicoloripes, Pseudothryoneus 325
bicornutus, Stethotrypes 352
bicostata, Asida 112
bicostata, Aspila 114, 316
bicostata, Cryptoglossa 152
bidentula, Histiaea 210
bidwelli, Mitua 256
bifasciata, Diaperis 96, 298
bifasciatus, Basides 118
bifenestra, Chiroscelis 141
biformis, Prosodes 165
bifoveolata, Acropachia 88
bifurcus, Pelecyphorus 207
bigibbosus, Eumolpamarygmus 182
biimpressus, Tenebrio 217
bimaculata, Disema 166
bimaculata, Merklia 246
bimaculatus, Dytiscus 341
bimaculatus, Rouyerus 333
bimaculatus, Tenebrio 341
binodosa, Opatresthes 277
binodosus, Chartopteryx 96
binodosus, Planostibes 151
bipartita, Nemostira 302
bipartitus, Psectrapus 318
bipunctatus, Trachynotus 366
birmanicus, Corticeus 341
biroi, Melobates 244
biroi, Osdara 347
bisbicostatus, Psammodes 317
biskrense, Amblycara 97
blackburni, Saragus 143
blairi, Lagria 272
blairi, Mesostena 307
blanchardi, Isopus 222
blapsoides, Oxycara 281
blapsoides, Stenomorpha 185, 350
blapstinoides, Penichrus 293
blaschkii, Cibdelis 143, 339
blattoides, Catobleps 134
boei, Zophosis 271

boettcheri, Phyllechus 299
bogatchevi, Thriptera 87, 123
boisduvalii, Sepidium 230
bolcan, Eleodimorpha 171
boleti, Chrysomela 161
bolivari, Tidiguinia 364
boliviensis, Blapida 320
bombophthalma, Oppenheimeria 278
boorpi, Prosodes 219
borbonicus, Bolitophagus 123
bordoni, Paralorelopsis 287
borealis, Zomedes 378
borneensis, Cryptostenophanes 152
borneensis, Guanobius 198
borneensis, Pheugonius 296
boroldaica, Platynoscelis 344
bouchardi, Scolytocaulus 339
brachypterus, Narsodes 262
bradymeroides, Falsonotostrongylium 190
braetii, Strongyliastrum 353
brancuccii, Borbonalia 124
brasilica, Peltis 217
brasiliensis, Pseudapsida 319
braueri, Camarothelops 132
braunsi, Cylindrothorus 253
braunsi, Termitonebria 361
bredoi, Psammophanes 317
bremeri, Antennoluprops 103
bremeri, Arabcynaeus 108
bremeri, Plesiophthalmus 302
brendelli, Omopheres 251
brevicollis, Cheirodes 98
brevicollis, Dilamus 313
brevicollis, Eunotiodes 182
brevicollis, Pseudanemia 319
brevicollis, Sphenaria 148
brevicornis, Anaxo 100
brevicornis, Calydoniomorpha 131
brevicornis, Cholipus 142
brevicornis, Eulabis 105
brevicornis, Foleya 191
brevicornis, Fourtaus 191
brevicornis, Leichrodomorphus 228
brevicornis, Pachylodera 284
brevicornis, Perichilus 294
brevicornis, Pseudephalus 319
brevicornis, Spinoderosphaerus 346
brevicornis, Tagenopsis 357
brevicosta, Asida 105
brevilineatus, Rouyerus 125
brevior, Trigonopus 97
brevipennis, Platyscelis 149
brevipleurum, Anchophthalmops 100
brevis, Cistela 178, 322
brevis, Platycilibe 304
brevithorax, Natalostira 262
breviusculum, Brachyidium 126
breviusculum, Oxycara 355
breweri, Ctimene 153, 364
breyeri, Scotobiopsis 339
brincki, Platydemoides 305
broscosomoides, Eucrossoscelis 181
browni, Ferveoventer 190
brownii, Tarpela 359
brucei, Gnaptorina 206
bruchi, Derosalax 160
bruchi, Ectomopsis 170
bruchi, Mimolagria 254
bruchianum, Phrynocarenum 297
brucki, Trachynotus 119
brullaei, Tentyria 181
brunnea, Cistela 304
brunnea, Cyphostethe 156
brunneocollis, Cerogria 91
brunneoopaca, Acanthocamaria 86
brunnicornis, Epitragus 91
brunnipes, Drosochrus 168
brunnipes, Stenocara 109
bucca, Lanhsia 226
bucculentum, Prochoma 282
bucki, Oligocara 264
buprestoides, Tenebrio 273, 282, 283
burdoi, Physophrynus 300
bushmanica, Parapachynotela 288
bushmanicum, Vansonium 374

byrrhiformis, Arthrodeis 128
byrroides, Planodes 303
cacozela, Zophosis 339
cadaverinus, Tenebrio 295, 373
caeca, Eulea 181
caeca, Microcenoscelis 250
caecus, Dactylocalcar 157
caelatus, Emyon 173
caelebs, Nepaloplonyx 266
caerulea, Stenochia 193
caerulescens, Ergenna 178
caeruleus, Temnes 360
caeruleus, Tenebrio 103, 204, 217
caffer, Proselytus 314
caffer, Psammodes 290
calathoides, Pterostichula 327
calcarata, Bothynogria 126
calcarata, Prosodes 314
calcaratum, Colparthrum 322
calcaratus, Eustolopus 185
calcaratus, Helops 245, 339
calderanus, Praocis 247
caledonica, Montaguea 257
californica, Pycnomorpha 328
caligata, Cybostira 154
calosomoides, Adelium 89
calosomoides, Cedrosius 136
cameronensis, Bremerianus 127
camerunense, Mireanopidium 255
camponoti, Myrmecopeltoides 260
camusi, Nephodes 288
canadensis, Meracantha 246
canaliculatum, Opatrum 174
canaliculatus, Epitragus 125
cancellata, Pimelia 237
cancellatus, Scotoderus 340
cancellatus, Tenebrio 158, 340
candidipennis, Adesmia 276
canescens, Edylius 171
canonnei, Apterogena 107, 193
cantabrica, Isomira 157
capensis, Caenocrypticus 129
capensis, Helops 184
capensis, Lamprocrypticus 133
capensis, Lawrenceus 227
capensis, Phaleria 284
capicola, Terametus 361
capicola, Trigonopus 369
capitata, Stenosis 219
capnisiceps, Orocina 279
capnisoides, Aphaleria 105
caraboides, Centrioptera 136
caraboides, Hegeter 131
caraboides, Stizopus 174
caraboides, Tenebrio 87, 174
caraboides, Xanthicles 375
caraibica, Hummelinckia 214
carbonaria, Allecula 212
carbonaria, Blaps 243
carbonarius, Ethas 180
carbonarius, Helops 278
carbunculus, Eucyrtus 143
carcharoides, Cychrachna 154
carenipenne, Chlorocamma 141
carinata, Nyctoporis 172, 174
carinata, Ulomina 147, 372
carinatipennis, Haemus 199
carinata, Microgonocnemis 251
carinatum, Opatrum 257
carinatus, Pelecyphorus 297
carinatus, Tropidopterus 370
carinipennis, Stenosethas 351
carinula, Heterotarsus 212
carinulatus, Demtrius 159
cariosa, Goniadera 91
cariosicollis, Asida 291
caroli, Pygidiphorus 329
carolinensis, Dechiustes 158
caryophyllea, Asida 92
caspicus, Tenebrio 351
castanea, Barbora 117
castanea, Dorelogena 167
castanea, Microcilibe 250
castanescens, Cisteloida 144
castaneum, Cheilopoma 140
castaneum, Colydium 240, 348, 367

castaneum, Telaponium 359
castaneus, Cratopus 150, 336, 337
castaneus, Eupsophus 183
castaneus, Hypophlaeus 217
castaneus, Martianus 240
castaneus, Namibismus 261
castaneus, Tenebrio 218
castellana, Pimelia 217
castleae, Cimiciopsis 143
catcatica, Vietnalia 374
catenata, Moluris 317
catenulatum, Adelium 340
catenulatus, Bolitolaemus 123
catenulatus, Lechinius 228
catopoides, Platydema 151
caucasica, Choristopsis 142
caudata, Anisosis 102
caudata, Odocnemis 272
cavernicola, Coeloecetes 146
cavicauda, Cyrtomius 156
caviceps, Nerinodon 266
cavicornis, Lagriocera 225
cavifrons, Micipsa 206
cayennense, Trichoton 176, 368, 369
cechovskyi, Amarygmus 168
centralis, Proteleates 315
cephalotes, Epitragus 195
cephalotes, Gnathidium 195
cephalotes, Gynandrocera 198
cephalotes, Iccius 217
cephalotes, Tenebrio 139, 271
ceramboides, Attelabus 373
cerambycina, Apalmia 104
cerasus, Cerasoma 137
cerylonoides, Eba 169
ceylanica, Pseudocasnonidea 321
ceylonica, Laena 313
ceylonicus, Microlyprops 251
chaetotaxicus, Oncotus 246
chalceus, Diphyrrhynchus 165
chalcoides, Agraecus 93
chalconatum, Strongylium 354
chalcoptera, Camaria 167
chalibeus, Helops 103
championi, Axynaon 117, 135
championi, Helops 183
championi, Hyocis 287
chappuisi, Typhlophloeus 371
charlesi, Doliodesmus 167
chatanayi, Gnathelops 195
chauveneti, Asida 116
chengi, Taiwanotrachyscelis 358
cheni, Falsocosmonota 189
chevrolati, Oeatus 272
chevrolati, Phedius 296
chevrolatii, Anthrasomus 103, 104
chevrolatii, Calognathus 130
chikatunovi, Hedyphanes 251
childrenii, Chartopteryx 140
chilensis, Aulacus 116, 183
chilensis, Cordibates 149
chilensis, Grammicus 197
chilensis, Lycula 235
chinensis, Fifinoides 191
chinensis, Leptomorpha 231
chiyakensis, Macropoda 378
choresmense, Microleichenum 251
chrysomelina, Apsida 106, 200
chrysomelinus, Heterophylus 207
chrysomelinus, Tenebrio 161
chrysomeloides, Cerodolus 138
chrysomeloides, Nitidula 219
chrysomeloides, Ospidus 280
chrysophthalmus, Luprops 235
chui, Taiwanomenephilus 357
cicatricosa, Birolagria 121
ciliaris, Sinorus 343
ciliaris, Stenosis 92
ciliata, Disemorpha 166
ciliata, Pimelia 183
ciliatum, Ammidium 98, 178
ciliatum, Trilobocara 369
ciliatus, Coelus 147
ciliatus, Microstizopus 253
cimicoides, Eurychora 235, 379
cinereosparsus, Bionesus 120

cisteloides, Melaps 244
civile, Cryptozoon 153
clara, Oracula 168
clathrata, Asida 125
clathrata, Asidobothris 112
clathrata, Blaps 161
clathratum, Opatrum 159, 212, 277
clathratus, Oxythorax 282
clathratus, Sphenogenius 345
clauda, Crossoscelis 151
clavatus, Neomenimus 264
clavatus, Scaphinion 336
clavicornis, Telchis 359
clavicrus, Helops 328
clavimanus, Entomogonus 158
clavipes, Adavius 89
clavipes, Leprocaulus 230
clavipes, Methistamena 248
clavipes, Rhosaces 332
cleryi, Anodesis 102
clypealis, Tenebrio 197, 374
clypeata, Blaps 146
clypeatus, Coelometopus 146
clypeoloba, Tetranosis 362
coccinelloides, Hypamarygmus 216
coenosus, Arcothymus 108
coenosus, Byrsax 128
coerulea, Xystronia 377
coeruleatus, Necrobioides 262
coeruleovirens, Sternomaia 351
coerulescens, Bequaertiella 120
coerulescens, Hedyphanes 200
coerulescens, Helops 182
coeruleus, Macrophtalmus 238
cognatoi, Ardamimicus 108
colasi, Pachycera 216
collare, Hysterarthron 217
collare, Microzoum 243
collaris, Allecula 274
collaris, Emydodes 173
collaris, Euschatia 147
collaris, Exeniotis 187
collaris, Hoplonyx 365
collaris, Olocrates 232
collaris, Scotobius 161
collaris, Tenebrio 171, 201, 230
collarti, Rhagostira 331
colliardi, Opatrum 343
coloripes, Nemostira 254
columbina, Titaena 365
colydiiformis, Klewaria 224
colydioides, Tenebrio 118
colydioides, Yantaroxenos 377
comata, Allotadzhikistania 95
comata, Batuliomorpha 119
commodum, Adelium 163
compactus, Micrositus 335
compactus, Tanchirus 358
compressa, Sepidiacis 341
compressicornis, Diopoenus 165
compressipes, Blaps 86
concameratus, Plesiophthalmus 182
concinna, Syggona 355, 356
concolor, Cerenopus 138
concolor, Haplandrus 126
confusa, Blaps 164
confusa, Psaryphis 193
confusus, Dietysus 162, 163
congener, Helops 211, 274
conicicollis, Emmenastus 351
conophthalma, Rozonia 324
conradti, Trichomyatis 368
consimilis, Adesmia 344
consobrinus, Tetraphyllus 140
conspuata, Glabrasida 194
constricta, Menederopsis 108, 245
constrictus, Emmenastus 249
contorta, Microschatia 114
contracta, Asidelia 112
contractus, Asthenochirus 188
contractus, Helops 188, 246, 300
convexa, Anemia 101
convexa, Oocistela 276
convexicollis, Mitrephorus 256
convexipennis, Cyriogeton 346
convexipennis, Foochounus 191

convexipennis, Selinus 257
convexus, Arrhabaeus 110
convexus, Eumolpocyriogeton 182
convexus, Opatrinus 107
coomani, Microeucyrtus 251
coquerelii, Asididius 112
coquerelii, Camariodes 132
coquerelii, Nemostira 263
coracinus, Nyctobates 320
corallipes, Scotaeus 339
corax, Hedyphanes 237
cordata, Eleodes 122
cordatus, Telesicles 360
cordicollis, Dichillus 162
cordicollis, Gnaptorina 124
cordicollis, Helops 112
cordicollis, Microphenus 252
cordicollis, Prosodes 246
cordiformis, Psammodes 356
coriaceus, Caedius 307
coriaceus, Nyctipates 270
coriaria, Helopidesthes 203
corinthius, Pyanirygmus 328
cornigera, Sepidiopsis 341
cornuta, Anemia 346
cornuta, Pokryszkiella 309
cornuta, Trogossita 137, 195
cornutipectus, Pythiopus 329
cornutum, Satanocalcar 336
cornutum, Uloma 103, 109
cornutus, Bolitophagus 124, 296
cornutus, Diabolicobates 161
cornutus, Mechanetes 240
cornutus, Pseudobasides 320
cornutus, Tenebrio 359
coromandelensis, Microdera 244, 262
coronata, Pimelia 311
coronatus, Catomus 135
corporaali, Casnonidea 155
corpulenta, Hemimmedia 205
corpulentus, Catopherus 135
corpulentus, Penthicus 293
corticeus, Crypticus 152
coruscans, Chariotheca 139, 140
corvinus, Helops 329, 331
corvinus, Opatrinus 378
corvinus, Tenebrio 223
corvus, Omolipus 274
corynomelas, Tithassa 365
costata, Andremiopsis 101
costata, Aptila 108
costata, Blepusa 122
costata, Calogria 130
costata, Caxtonana 135
costata, Celibe 154, 335
costata, Euclarkia 180
costata, Mesostena 113
costata, Rondoniella 333
costata, Sloanea 343
costata, Steira 348, 352
costata, Tapenopsis 358
costata, Vieta 166
costatipennis, Lixionica 233
costatum, Anchomma 100
costatus, Geoborus 160, 193
costatus, Helopinus 203
costatus, Indeucolus 219
costatus, Macrosynopticus 157, 238
costatus, Odontopus 272, 295
costatus, Phylax 244
costatus, Polyscopus 310
costatus, Psammetichus 316
costatus, Tenebrio 209, 233
costatus, Tetranillus 362
costatus, Trogloderus 370
costifera, Diesia 324
costifera, Prosodes 373
costiferum, Opatrum 343
costipennis, Araeoschizus 108
costipennis, Archaeoglenes 108
costipennis, Cerenopus 109
costipennis, Chianalus 140
costipennis, Lophophyllus 234
costipennis, Notibius 365
costipennis, Setenis 197
costulata, Tagonoides 122

costulatus, Barlacus 118
costulatus, Macroartactes 237
costulipennis, Nicandra 267
costulipennis, Ozaenimorphus 282
crassecostatus, Cryptobates 152
crassicorne, Enicmosoma 174
crassicornis, Anarmostodera 100
crassicornis, Blapidurus 121
crassicornis, Knausia 224
crassicornis, Menoeceus 246
crassicornis, Prioscelis 106
crassicornis, Spiloscapha 346
crassipes, Trigonopoda 369
crassus, Blapstinus 373
crassus, Cteniopus 210
crematogastri, Doyenia 167
crenata, Eurychora 342
crenata, Goniadera 196
crenata, Isostira 222
crenata, Phtora 134, 144, 297, 298
crenaticollis, Nyctozoilus 197
crenaticostata, Emmallodera 172
crenatocostata, Steira 209
crenatostriata, Daedrosis 157
crenatus, Delopygus 158
crenatus, Phobelius 297
crenatus, Telleus 360
crenicollis, Scotinus 339
crenicollis, Seirotrana 377
crenicosta, Nyctelia 116
crenipennis, Xyloborus 377
crenulata, Cimicichora 143
crenulata, Xantusiella 376
crenulatus, Baratus 117
crenulatus, Saccophorus 334
crenulicolle, Bolitrium 124
crenulicollis, Ammotrypes 99
crenulipennis, Derostira 160
cribrarius, Talanus 358
cribratellus, Psilachnopus 326
cribratula, Lagria 167
cribratus, Emmenastrichus 173
cribratus, Glyptotus 194
cribricolle, Pseuduloma 326
cribricollis, Hegeter 374
cribricollis, Tentyria 101
cribrosa, Tentyria 88
crinicollis, Psammodes 124
crinita, Adynata 376
crinita, Pimelia 364
crinitus, Trachynotus 369
crispatus, Andremius 101
cristata, Nyctoporis 172, 270
cristatus, Bothynocephalus 125
cristatus, Indochillus 219
cristatus, Tenebrio 156, 297
crotchii, Tenebrio 292
cruralis, Allecula 124
crux, Eremobates 178
crypticoides, Micropeltoides 252
csikii, Cybopiestes 154
cubana, Bielawskia 120
cucujiformis, Schedarosus 337
cucujinus, Doliopines 167
cucullatus, Calymmus 375
cucullatus, Praocis 131
cucumericola, Schizomma 161, 337
culinaris, Tenebrio 244, 372
cumstriis, Iugidorsum 222
cuneatus, Crypticanus 151
cuprea, Elixota 172
cuprea, Eurypera 184
cuprea, Mahena 239
cupreolineatus, Meracanthoides 246
cupreomicans, Melanimon 166
cupreum, Adelium 278
cupreum, Toreuma 115, 186, 365
cupreus, Accanthopus 188
curta, Eleodes 140
curticollis, Xanthia 375
curticornis, Falsocuphotes 189
curticornis, Oyanus 282
curticornis, Zophophilus 379
curtus, Diastolinus 195
curtus, Pseudobyrsax 321
curvipes, Basanopsis 118

curvipes, Cistela 242
curvipes, Sphaerotus 345
curvipes, Tenebrio 245
cyanea, Pseudocistela 144
cyaneocuprea, Porphyrhyba 265
cyaneostriatus, Proscorus 314
cyaneum, Eutherama 186
cyaneus, Lophocnemis 254
cyaneus, Tenebrio 113
cyanicolle, Microstrongylium 253
cyanipennis, Statira 346
cyanipes, Helops 247
cylindracea, Blaps 261
cylindracea, Bothriostira 125
cylindrica, Blaps 183
cylindrica, Upis 273
cylindricornis, Nothrocerus 269
cylindricus, Tenebrio 245
cylindriformis, Stenothesilea 351
cylindrus, Nannocerus 261
cymbium, Fitzsimonsia 191
cyphonotus, Arthrodeis 178
cyrenaica, Doderoella 166
damarense, Stenocara 359
damarina, Zophosis 271
damone, Colposcelis 337
dardana, Tentyria 162
darlingtoni, Grabulax 197
darlingtoni, Prototyrtaeus 316
davatchii, Iranolasiostola 220
davidis, Asidoblaps 112
davidis, Cistela 144
davidis, Helops 185
davidis, Plesiophthalmus 277
debile, Anomoearthrum 103
debilis, Eleodes 274
debilis, Psammodes 127
decellei, Donisiellus 167
decipiens, Aphyllocerus 105
decipiens, Haporema 200
decorata, Nyctelia 301
decorsii, Styphacus 354
decui, Trimytantron 120, 369
decurtatus, Micrositus 212
degeeri, Sepidium 297
dejeani, Tentyria 283
dejeanii, Cephalostenus 137, 349
dejeanii, Cistela 348
dejeanii, Mitragenius 255
dejeanii, Xystropus 241
delalandii, Eurynotus 187
delaruei, Somalammodes 344
delavayi, Tagonoides 357
delicatulus, Anepsius 102
demeyeri, Platymedvedevia 305
dendaroides, Platydendarus 304
dentaticeps, Falsonannocerus 189
dentaticornis, Dictysomorphus 162
dentatus, Cryptogenius 152, 297
dentatus, Helops 241
denticolle, Opatrum 312
denticollis, Deretus 159
denticollis, Metallonotus 248
denticollis, Storthephora 353
denticosta, Eurynotus 265
denticulata, Gabonia 192
denticulatus, Prionychus 239
dentifrons, Atasthalus 115
dentipennis, Pseudoderiles 322
dentipes, Blaps 103, 208
dentipes, Elasmocera 171
dentipes, Eleodes 171
dentipes, Helops 87, 137, 210, 213
dentipes, Pimelia 86, 87, 326
dentipes, Platamodes 303
dentipes, Sycophantes 355
dentitibia, Acanthoblaps 86
deplanata, Cerostena 138, 349
deplanata, Pimelia 289
deplanata, Platydema 285
deplanatum, Adelium 149
deplanchei, Lepturidea 231
depressa, Akis 336
depressa, Epipedodema 177
depressa, Lampyris 150
depressiuscula, Cistela 268

depressus, Dendarus 330
depressus, Hypophlaeus 129, 285
depressus, Taxes 359
dermestiformis, Pseudonomus 323
deserta, Allodengitha 95
deserta, Tentyria 250
deserti, Argyrophana 109
deserti, Remipedella 330
deserticola, Alleculopsis 95
deserticus, Caenocrypticus 364
desertoides, Microdera 218
desertus, Aspidocephalus 113
deyrollei, Chileone 141
diabolicus, Idricus 218
diaclinoides, Ardoinia 109
diaperinus, Alphitobius 314
diaperinus, Tenebrio 152
diaperoides, Uloma 372
diecki, Asida 230
diehli, Parastizopus 289
difficilis, Eusattus 184
difforme, Strongylium 321
difformipes, Tauroceropedus 359
difformis, Caenoblaps 129
digitalis, Lachnopus 225
digitatus, Menederes 100
digitatus, Orthonychius 279
digitatus, Tenebrio 141
dilatata, Alegoria 94, 215
dilatata, Blaps 305
dilatata, Pimelia 280
dilatata, Platyope 316
dilatatus, Ammobius 316
dilatatus, Eusattus 147
dilatatus, Zamolxis 378
dilaticollis, Coelocnemis 146
dilaticollis, Hexagonochilus 208
dilaticollis, Praocis 305, 306
dilaticollis, Prosodes 232
dilaticollis, Pseudolyprops 323
dilatipes, Paniasis 286
dilectans, Opatrum 166
dimidiatipennis, Hypophlaeus 127
dimorpha, Epitragella 177
dircaeoides, Lobopoda 257
discoglabrata, Isomira 328
discoidale, Hovadelium 214
discoidalis, Hemicistela 205
discoidalis, Leiochrodes 228
discrepans, Alleculodes 94
disctinctus, Hylithus 338
dispar, Echinotus 294
dispar, Nerina 266
dispar, Phayllidius 296
dissecta, Pachychila 262, 264
dissidens, Posides 310
dissimilis, Cymbeba 155
distincta, Cistela 203
distincticornis, Nemostira 150
distinguendus, Micrositus 246
diversecostatus, Lobatopezus 233
diversicornis, Borneocistela 125
diversicornis, Cerogria 91
diversipennis, Nemostira 189
diversipennis, Theresea 363
diversipes, Falsomycterus 189
diversipes, Psydomorphus 326
diversoculatus, Platycteniopus 305
dives, Gauromaia 192
dividiopsis, Lornamus 234
dohertyi, Rhysopaussus 332
dohrni, Cerogria 87, 138
dohrnii, Taphrosoma 279, 358
dombaicus, Cylindronotus 135
domesticus, Pachycerus 283
dominici, Orarabion 278
donacioides, Arthromacra 111, 237
doublieri, Hymenorus 215
douei, Piestognathus 301
dromedarius, Cyphonotus 156, 211, 338
dryadophilus, Helops 261
dubius, Eusattus 149
duboulayi, Amarygmimus 97
duboulayi, Saragodinus 335
dumbrelli, Paraphanes 123

duplicatus, Sphaerotidius 345
duponti, Dillacerus 164
duporti, Mimoxenotermes 254
dutoiti, Calaharena 130
easterlai, Eleodes 135
ebenina, Araucaricola 108
ebenina, Epipedonota 177
ebeninus, Asphalus 113
ebeninus, Nycteropus 270
ebeninus, Telethrus 360
eberlanzi, Lepidochora 229
ectatommae, Thorictosoma 364
edentatus, Selinus 295
edwarsii, Melanopterus 151
eghbali, Iranopachyscelis 220
eidmanni, Afrotagalus 92
elateroides, Amorphopoda 99
elatus, Pelecyphorus 195
elegans, Compsomorphus 148
elegans, Cryptochile 279
elegans, Dordanea 167
elegans, Omolepta 274
elegans, Scaurus 137, 349
elephas, Anomalipus 88
elgonicum, Anopidium 103
elongata, Athrodactyla 115
elongata, Celebesa 136
elongata, Celibe 254
elongata, Crioceris 186, 264
elongata, Phanerotoma 296
elongata, Sphenaria 345
elongata, Tentyria 181
elongatulus, Styrus 354
elongatus, Acestus 87
elongatus, Conibius 148
elongatus, Cryptocarpes 152
elongatus, Diceroderes 168, 181
elongatus, Merotemnus 246
elongatus, Pachypterus 366
elongatus, Pandarinus 290
elongatus, Phanerops 296
elongatus, Rhinandrus 187, 312
elongatus, Tenebrio 119, 130, 204
elvirae, Toxicum 258
elysius, Phaedis 295
emarginata, Blaps 201
emarginaticollis, Isotoma 221, 222
emarginatum, Opatrum 147
embaphionides, Asida 303
emondi, Calyptopsis 131
endroedyi, Enigmatica 174
enigmatica, Hangaya 200
eocenicus, Eupachypterus 182
epieroides, Zypoetes 379
epipleuralis, Amenophis 318
epipleuralis, Parimmedia 290
epipleuralis, Pleurostira 308
episcopale, Strongylium 185
episcopalis, Chemolanus 186
episcopalis, Nesogena 127
equestris, Helops 236
erebea, Ectyche 170
erebi, Entomoderes 175
erichsonii, Titaena 111
erinaceus, Sepidiostenus 341
erodioides, Cychrochile 154
erodioides, Diestecopus 163
erodioides, Leptonychus 231
erosus, Eusattus 241
erotyloides, Othryoneus 280
erotyloides, Pteroglymmius 327
erotyloides, Spheniscus 154, 181, 298, 345
ertli, Oncosoma 354
ertli, Psammodes 317
erythropa, Cistela 101
eschscholtzii, Hyperops 178
espanoli, Pseudoseriscius 107
estriatus, Blapstinus 154
ethasicornis, Tetranosis 188
eumolpoides, Thylacoderes 364
euphraticus, Falsocatomulus 189, 251
eurydera, Statira 331
eurynotoides, Clastopus 144
eutagenoides, Herbertfranzia 206
eutymi, Teles 359

evanescens, Apterophenus 107
exacavatus, Hoplariobius 194
exaratus, Nyctobates 127
excaecus, Menimopsis 245
excavata, Blaps 222, 306
excavata, Upis 159
expansicollis, Nemanes 262
explanata, Nyctelioma 270
explorator, Crypticus 116
expolitus, Helops 143, 229
exsectus, Opostirus 278
extensicollis, Centronopus 136
externecostata, Pachychila 201
extricata, Blaps 232
fabricii, Prioscelis 312
fairmairei, Adelium 263
fairmairei, Amenophis 98
fairmairii, Pimelia 98
falcata, Acutogria 89
faldermanni, Helops 204, 279
fallaciosa, Hoplitoblaps 213
farctus, Omopheres 274
farctus, Oncotus 275
fasciatus, Charisius 140
fasciatus, Erotylus 164, 309
fasciatus, Loxostethus 235
fasciculatus, Helops 218
fatidica, Blaps 93
fausti, Anemia 98
fausti, Podhomala 373
favieri, Asida 292
favosus, Metriopus 96, 291
feai, Lagriocera 376
feai, Xenotermes 376
felicitana, Gnaptorina 195
felix, Bolitophagus 286
femoralis, Camaria 239
femoralis, Hoplostira 213
femoralis, Hybonotus 287
femoralis, Pezomaia 295
femoralis, Sylvanoplonyx 355
femoralis, Tenebrio 291
femoralis, Trisilus 370
femorata, Oenomia 273
femoratus, Helops 155, 200
femoratus, Tenesis 360
fera, Houaphanica 214
feronioides, Nyctobates 215
ferruginea, Mesotretis 247
ferruginea, Thinobatis 363
ferrugineus, Evoplus 187
ferrugineus, Helops 221, 264
ferrugineus, Himatismus 156
ferrugineus, Tenebrio 240, 348
fervidus, Nautes 262
ficicola, Lyphia 235
fieberi, Arthrodygmus 111
filiforme, Uloma 90, 246
filiformis, Tenebrio 357
filiola, Allecula 285
filum, Hypophlaeus 145, 350
fimbriatus, Erodius 372
fimbricollis, Camponotiphilus 132
fischeri, Diesia 218
flabellicornis, Xylotinus 331
flavicollis, Pimelia 177
flavipennis, Hypophlaeus 371
flavipes, Allecula 191
flavipes, Cistela 258, 259
flavipes, Helops 191
flavopictus, Nesioticus 266
flavus, Xanthobates 376
floccosus, Diplocyrtus 165
flohri, Trimytis 365
floridanus, Branchus 127
floridensis, Onychomira 276
foraminosus, Pandarinus 162
foraminosus, Proderops 312
forcipata, Kaindilagria 223
fordi, Tagalus 190
formicophilus, Poecilocrypticus 309
formosana, Campsiomorpha 101
formosus, Pseudabax 318
formosus, Tetraphyllus 157, 215, 362
forticornis, Basanus 118
forticostis, Glyptopteryx 194

fortidens, Myladina 259
fortineri, Coelosattus 147
fortipes, Camaria 333
fortithorax, Nemostira 209
fossor, Helops 334
fossor, Opatrum 98
fossulata, Cistelomorpha 228
fossulata, Praogena 226
fossulata, Rhytinota 332, 333
fossulatus, Clitobius 188
fouquei, Borneosphena 125
foveata, Bothrionota 125
foveatus, Piloxys 302
foveicollis, Caulostena 135
foveicollis, Emmenastus 166
foveicollis, Gonocnemis 287
foveicollis, Licymnius 231
foveicollis, Palorus 147
foveicollis, Statira 191
foveifrons, Cylindrosia 155
foveipennis, Moromelas 258
foveipennis, Vietomorpha 374
foveolatus, Asthenochirus 318
fragilicornis, Othryades 280
fragilis, Asthenopoda 114
fragilis, Epairops 175
francoisi, Strongylium 92
frankkochi, Bremerus 127
franzi, Caecophloeus 129
franzi, Conibius 196
frater, Cteniopus 153
fraterna, Cistela 352
fraternus, Atrocrypticanus 115
freyi, Cheiroplus 140
freyi, Physohelops 300
freyi, Pseudimmedia 320
freyi, Rasphytus 329
freynei, Robustosora 333
frigida, Pimelia 318
frioli, Megagenius 241
frommi, Phrynocolus 317
frondosus, Phrynocolus 297
frontalis, Hicetaon 209
frontalis, Orthostibia 279
frontalis, Trachynotus 176
fruhstorferi, Derispiola 160
fruhstorferi, Erulipus 179
fryi, Allophasia 95
fuerteventurae, Anophthalmolamus 103
fujianica, Gerdacula 193
fulgidipennis, Chrysobalus 142
fuliginea, Typhobia 372
fuliginosa, Cistela 133
fulva, Lycoscelis 235
fulvicollis, Leiochrinus 228
fulvipenne, Aspisoma 113, 114
fulvipes, Barsenis 118
fulvipes, Cistela 196
fulvipes, Upis 200
fulvopilosa, Lagria 88
fulvus, Caedius 220
fumosus, Asyleptus 114, 118, 190, 361
funeraria, Miotodera 255
fungicola, Heptaphylla 206
furcifera, Phalaria 104
fusca, Cistela 215
fusca, Neotheca 266
fuscipes, Cistela 101
fuscipes, Hegeter 281
fusculus, Prateus 311
fuscum, Opatrum 157, 196
fuscus, Epitragus 177, 235
fuscus, Gymnognathus 110, 198
fusiformis, Epitragus 233
fusiformis, Reitterella 330
gabrieli, Kawiria 223
gabrieli, Pseudopodhomala 193, 324
gaditana, Asida 96
gaerdesi, Zophosis 334
gagates, Notibius 181
gagatina, Melasia 244
gagatina, Praogena 356
gagatinus, Helops 198
galapagoense, Stomion 353
galapagoensis, Pedonoeces 292
gallanus, Hoplonyx 263

ganglbaueri, Platyscelis 271
ganglbaueri, Pterocoma 183
gebieni, Malayoscelis 239
gebieni, Neopsectropus 265
gebieni, Pilobaloderes 301
gebieni, Pimeliocnera 302
gebieni, Pseudoblaps 148
geminatus, Polypleurus 310
gemmata, Pimelia 97, 275
geniculata, Camaria 301
gerstaeckeri, Colparthrum 147
gestroi, Nemostira 225
ghesquierei, Hoplostrongylium 213
gibba, Pimelia 257, 300
gibber, Boletoxenus 123, 124
gibbicollis, Tanychilus 248
gibbifer, Boletophagus 128
gibbipenne, Stenocara 223
gibbipennis, Isaminas 220
gibbosa, Lagria 300
gibbosa, Scotera 339
gibbosulus, Suarezius 354
gibbosus, Amiantus 98
gibbosus, Dicyrtus 163
gibbosus, Emcephalus 172, 173
gibbosus, Oenopion 273
gibbosus, Platyphanes 306
gibbula, Pimelia 255
gibbulus, Heliophilus 293
gibbum, Opatrum 273, 298
gibbus, Erodius 87, 136, 179, 206
gibbus, Tenebrio 257
gigantea, Cyphostethe 209
gigantea, Pimelia 301, 302
giganteus, Helops 178
giganteus, Loubacantus 234
giganteus, Selinopodus 340
giganteus, Tenebrio 242
gigas, Anthracohelops 103
gigas, Macropachylesthus 237
gigas, Macruloma 238
gigas, Tenebrio 135, 220, 232, 260, 270
giraffa, Xenostira 376
girardi, Afrobyrsax 92
giseltalensis, Pyrochalcaspis 329
glaber, Helops 152
glaber, Pareupezus 289
glabra, Gnathosia 195
glabrata, Lobopoda 194
glabrata, Statira 246
glabratum, Coelopleurum 147
glabratum, Sphaeridium 172
glabratum, Syncolydium 356
glabratus, Platyotus 306
glebi, Medvedevia 241
globicollis, Derosphaerus 160
globicollis, Herlesa 206
globipennis, Dolphus 167
globosa, Adesmia 300
globosum, Sphaerognathium 345
globosus, Arthrodeis 104
globosus, Erodius 111
globulina, Coniontis 126
globulum, Stenocara 349
glyptopterus, Amathobius 97
gnaptorinoides, Itagonia 222
godeffroyi, Ismarus 221, 342
godmani, Epitragus 177
gonocephaloides, Opatrum 147
gonospoides, Brosimapsida 128
gonyxuthum, Bellendenum 119
gonzalezi, Hegeter 211
goudotii, Nesogena 207
gounellei, Disema 250
gounellei, Falsodiopethes 189
gounellei, Nilio 251
gounellei, Otoceromorphus 280
gounellei, Plinthochrous 235, 308
gracilentus, Psammodes 344
gracilicornis, Coscinoptilix 150
gracilicornis, Macrozophobas 238
gracilicornis, Tinophyllus 365
graciliformis, Stenosides 273, 351
gracilipes, Onychosis 276
gracilis, Microdera 332
gracilis, Porrolagria 170

gracilis, Rhinandrus 331
gracilis, Stenochia 349
gracilitarsis, Overlaetia 281
gracillimus, Cteniopus 186
grallator, Blastarnus 122
granatensis, Cistela 312
grande, Adelostoma 90, 378
grandicollis, Prosodes 314
grandicornis, Afrinus 92
grandicornis, Microtocerus 253
grandicornis, Phaeostolus 295
grandipalpis, Asida 151, 172
grandipleurum, Tragardhus 366
grandis, Amnodeis 99
grandis, Catomus 257
grandis, Clitobius 106
grandis, Epitragus 197
grandis, Hemicyclus 205
grandis, Lagria 170
grandis, Luzonoplonyx 235
granidorsis, Perithrix 294
graniger, Sphaerocaulus 344
granipennis, Helops 324
granosa, Eleodes 319
granosula, Podoces 308
granulare, Oncosoma 275
granulata, Anemia 101
granulata, Pimeliopsis 302
granulata, Trigonoscelis 169
granulatus, Cardigenius 172
granulatus, Eurycaulus 338
granulatus, Helops 120
granulatus, Notibius 268
granulatus, Ozotypoides 282
granulicollis, Pimelia 105
granulifera, Asida 197
granulithorax, Pimelia 240
granulosum, Mesopatrum 247
granulosum, Trichosternum 306
gratus, Helops 198
gravida, Eleodes 377
gravida, Gronophora 197
gravidum, Strongylium 211
grayii, Halonomus 199
gredleri, Moluris 297
greensladei, Wattiana 375
gressitti, Pseudisopus 320
gridelli, Rhytistena 333
grisescens, Thriptera 186
griseum, Opatrum 112
grjebinei, Caecochares 129
groehni, Gonialaena 196
groenlandicus, Pseudohelops 322
grombczewskii, Apatopsis 104
grossa, Jurallecula 223
grumi, Homopsis 212
guatemalensis, Sicinus 342
guillaumeti, Exechophthalmus 187
guineensis, Tenebrio 92
gynandromorphum, Anisocara 102
haackei, Argenticrinis 109
haafi, Meroxys 246
haagi, Tromosternus 370
haarlovi, Pachyscelis 92
hadrocerus, Microatasthalus 249
haemorrhoidalis, Ips 110, 213, 264, 278
haemorrhoum, Uloma 145
halli, Caedius 263
halophila, Blaps 164
halorageos, Acanthosternus 87
hamata, Leptosora 231
hamiltonuli, Cardiosis 99
haplandroides, Epitoxicum 177
harpalinus, Otys 281
harpaloides, Adelium 296
harpaloides, Scaletomerus 336
hauseri, Lachnopus 267
hauseri, Omophlina 348
hauseri, Platyscelis 116
hauseri, Udebra 372
hauxwellii, Gamaxus 192
hebes, Micrositus 242
helenae, Belousovia 119
helenensis, Hadrodes 199
helmsi, Periatrum 294
helopioides, Acanthomerus 306

helopioides, Alcinoe 94
helopioides, Camaria 132
helopioides, Chilometopon 313
helopioides, Gnesis 195, 370
helopioides, Phitophilus 300
helopioides, Piciella 301
helopioides, Pitholaus 302
helopioides, Platynoscelis 305
hemiceroides, Platycrepis 357
hemichalceus, Aptereucyrtus 106
hemisphaerica, Pimelia 170
hemisphaerica, Platydema 199, 302
hemisphaericus, Sphenolampidius 345
hemisphericus, Ades 90
henoni, Pachyscelis 284
hepburni, Eleodes 210
heraldicus, Stratodemus 353
herculeanus, Polposipus 168, 309, 328
hercules, Pycnocerus 99
herero, Blastarnodes 122
hereroensis, Cerosis 138
hergovitsi, Borborella 124
hesperia, Ksukolcula 224
hessei, Lineocrypticus 232
heterocerus, Holobrachys 210
heterodoxus, Hoploedipus 213
heterogena, Lasiostola 227
heteromerus, Morychus 129
heteromorphus, Helops 161
heydeni, Melanesthes 257
heynei, Chrysolagria 103
hiemalis, Blaps 109
hierichonticus, Gedeon 193
himalaicus, Syachis 355
himalayanus, Dichillus 162
himba, Zophosis 303
hingstoni, Derispiella 160
hintoni, Scaptes 368
hirsuta, Eleodes 367
hirsuta, Microgoniadera 251
hirsutus, Pelecyphorus 367
hirsutus, Penthicus 206
hirsutus, Scleron 338
hirta, Chrysomela 224, 225
hirta, Cteisa 153
hirta, Platyscelis 234
hirticollis, Lagria 337
hirtulum, Opatrum 339
hirtulus, Anephyctus 101
hirtulus, Helops 198
hirtus, Pterohelaeus 295
hispida, Bartolozzia 118
hispida, Lagriostira 94, 226
hispida, Pimelia 366
hispida, Tentyria 285
hispidum, Opatrum 277
hispidus, Raynalius 330
hispidus, Temnoaphelus 360
hispidus, Tenebrio 366
hlavaci, Nanocaecus 261
hoeschi, Uniungulum 373
hoffmannseggii, Misolampus 255
hoffmanseggii, Metriopus 248
holconota, Blaps 304
holmi, Predactylosis 311
hololeptoides, Uloma 343
holomelaena, Allecula 364
holomelaena, Casnonidea 134
holosericeus, Heteropus 208
homogenea, Dystalica 168
hopei, Amarygmus 172
hopei, Apatelus 104
horni, Metulosonia 249
horni, Picnotagalus 301
hottentottus, Psorodes 326
houaphanica, Spinecula 346
howdenae, Notacula 268
howdeni, Punctacula 328
howittii, Apasis 104
hughesae, Alogenius 91
huizensis, Neoblaps 263
humeralis, Astatira 114
humeralis, Cistela 123, 258
humeralis, Euleantus 181
humeralis, Hemicera 251
humeralis, Myatis 258

humeralis, Palorus 285
humeralis, Psammodes 371
humeralis, Ulomoides 372
humerangulus, Heliophilus 202
humeridens, Ahexaroptrum 93
humeridens, Cophosoma 149
humeridens, Scythis 340
humerifera, Eurychora 355
humerosa, Lagriogonia 226
humerosa, Pachychila 371
humerosus, Asbolodes 111
humerosus, Pachychila 280
humilis, Abiga 86
hutteli, Mimogoueum 254
huttoni, Eremonomus 178
hyalinum, Ammozoum 99
hybrida, Nesogena 267, 326
hybrida, Psilonesogena 326
hybridus, Pedinus 202
hydrovatina, Ceramba 137
hypolithus, Tenebrio 223, 306
hypophloeoides, Palorus 350
iblanensis, Otinia 280
ignotus, Platyburmanicus 304
ilerdensis, Phylan 298
imbricata, Pimelia 126, 271
imitator, Uroplatopsis 373
immundus, Trigonopus 337
impressa, Stenogenomorpha 349
impressicollis, Anchophthalmus 150, 224
impressicollis, Hedyphanes 147
impressicollis, Helops 279
impressicollis, Tagalus 357
impressifrons, Argobrachium 109
impressifrons, Praostetha 311
impressipennis, Callimaria 130
impressipennis, Cyriogeton 219
impressipennis, Donaciolagria 167
impressipennis, Otocerus 308
impressipennis, Pachystira 284
impressosulcatus, Menearchus 245
impressus, Tamdaous 358
inaequale, Nodosogylium 268
inaequalis, Mesabates 246
inaequalis, Microschatia 328
inaequalis, Pengalenganus 293
inaequalis, Trachelostenus 366
incertus, Phylax 279
inconstans, Mesotertis 269
incostata, Hidrosis 209
incostata, Pseudoblapida 121
incultus, Stenomax 359
indica, Tagenia 235, 273
indicus, Cossyphodinus 150
indicus, Leiochrinus 229
indicus, Neocabirutus 263
indicus, Spinamarygmus 346
indicus, Spyrathus 347
indicus, Styphloeus 354
indicus, Ulomimus 326, 372
indochinense, Enicmosoma 218
indutus, Helops 138, 176
inermis, Melambius 104
infaustus, Asbolus 276
infernalis, Tabarus 356
inflata, Psorodes 300
inflatum, Cyrtosoma 266, 267
inflatus, Cryptadius 151
inflatus, Cryptogenius 162
inflatus, Cyphelops 156
inflatus, Mitys 256
ingens, Asida 206
inhumeralis, Praogena 286
initialis, Alphitopsis 96
innotata, Afrasida 108
inops, Typhluloma 371
inquilinus, Hyocis 261
insidiosa, Pachycera 283
insignis, Cyriogeton 156
insignis, Leptodopsis 230
insolitus, Ziaelas 378
instriatus, Belopus 250
insularis, Ctesicles 153
insularis, Hovarygmus 214
insularis, Lagriopsis 226

insularis, Opatrinus 327
insularis, Scotochares 339
insurgens, Clamoris 144, 297, 298
integra, Faustia 229
interjecta, Alphasida 242
intermedia, Micrectyche 249
intermedia, Tagenia 351
intermedius, Chirocharis 290
interpunctatus, Helops 335
interrumpens, Gebienella 192
interrupta, Lasiostola 227
inusitatus, Platycotylus 304
ionoptera, Lagria 295
iphthinoides, Nyctobates 100
iranensis, Zophohelops 379
irei, Paloropsis 285
iridescens, Alcyonotus 94
iridescens, Opigenia 278
iridescens, Paratoxicum 289
iridicolor, Chalcopterus 139
iridicolor, Hemicera 143
iridipennis, Eusarca 184
iridis, Eucamptus 180
irrepertus, Oncotus 329
irroratum, Cnodalon 132, 136
ishikawai, Nipponohelops 268
isthmicum, Moeon 256
italicus, Iphthinus 219
ivoirensis, Bancocistela 117
iwani, Paraselinus 289
jachontovi, Turcmenicola 371
jacksoni, Dimoniacis 164
jacksoni, Otrintus 269
jacobsoni, Simalura 342
jaegeri, Blaps 121
jakli, Pseudocistelopsis 322
jakovlevi, Blaps 261
jakowlewi, Prosodes 164
jansoni, Aediatorix 91
jansonii, Exerestus 187
javana, Borchmannia 326
javana, Tjikoraia 365
javanum, Opatrum 269, 305
jeanneli, Micrositus 104
jendeki, Bobina 122
jenisi, Malaymira 239
jingxiensis, Cretaceites 151
jirofti, Hyalerodius 214
johni, Parapachynotela 213
jokli, Psammophanes 317
jolyi, Eutelonodolinus 186
josephi, Opatrinus 267
juengeri, Leptonychoides 231
juliae, Blaps 269
julichi, Epitragodes 296
jureceki, Microbasanus 249
jurinei, Asida 277
justi, Himatismus 150
kabaki, Menimus 342
kagoshimensis, Paramisolampidius 288
kalaharica, Heliophosis 203
kalaharica, Hoplonyx 206
kalavriticus, Probaticus 354
kamgangi, Tenebrio 151
kaniei, Lycidioides 235
kansouensis, Oodescelis 303
kantneri, Kombacula 224
karakumicus, Xanthohelops 376
karelini, Bradyus 133
karelini, Diesia 305
karelini, Sternodes 351
kashkarovi, Protoblaps 241, 316
kaszabi, Euspinamarygmus 185
kaszabi, Garridoa 192
kaszabi, Homebius 211
kaszabi, Hymenalia 268
kaszabi, Mateuina 240
kaszabi, Neoplateia 265
kaszabi, Nepalofranziella 266
kaszabi, Oreogria 278
kaszabi, Prosodes 220
kaszabi, Schyzoschelus 338
kaszabi, Stenosis 128
kedahense, Pigeostrongylium 301
kejvali, Chitwania 141
kejvali, Zizu 378

kenyaensis, Afrohelops 92
keralaensis, Apelina 104
kessleri, Sympiezocnemis 355
kimanisensis, Plesiophthalmus 139
kira, Nepalolaena 266
kirejtshuki, Calcarocistela 130
kiseritzkii, Pseudocaedius 113, 321
klapperichi, Afghanillus 92
klapperichi, Apterotarpela 107
klapperichi, Cerogria 138
klapperichi, Taiwanotagalus 357
klebsi, Nalassus 350
kochi, Helopsisomira 204
kochi, Misolampomorphus 255
koltzei, Himatismus 107
koltzei, Penthicinus 293
komarowi, Asphena 113
kraatzi, Pogonoxenus 309
krali, Socotraphanes 343
krikkeni, Irianobates 220
krikkeni, Leprocaulinus 230, 301
kryzhanovskii, Kuhitangia 224
kubani, Potocula 310
kuhistanica, Prosodes 96
kulzeri, Cochabambia 95, 146
kulzeri, Prohylithus 313
kundelunguensis, Cossyphodes 248
kuniensis, Iscanus 220
kurosonis, Bolitotrogus 124
kuscheli, Heliofugus 219
kuznetzovi, Eschatostena 179
lacerata, Hologenosis 210
lacerta, Trigonoscelis 325
laciniata, Conibiosoma 88
laciniata, Parasida 289, 307
lacordairei, Delognatha 158
lacordairei, Evelina 187
lacordairei, Miostenosis 255
lacordairii, Melanochrus 243, 244
lacordairii, Orobychus 279
lacordairii, Pseudapocrypha 319
lacordairii, Salax 301, 335
lacordairii, Xenostethus 376
lacuna, Triangulipenna 367
lacunosum, Sepidium 156
laeana, Pseudophthora 323
laenoides, Capeluprops 132
laenoides, Meglyphus 242
laenoides, Polytropus 310
laeta, Ghaleca 193
laetus, Miltoprepes 253
laevicollis, Blaps 163
laevicollis, Pachyscelis 302
laevicollis, Silpha 335
laevicollis, Stenomax 185
laevicornis, Elixota 138
laevigata, Akis 273, 282
laevigata, Pimelia 296
laevigata, Pogonobasis 294
laevigatum, Melancrus 243
laevigatum, Opatrum 96, 207, 227, 252
laevigatus, Erodius 164
laevigatus, Tenebrio 165, 358
laevigatus, Ulomotypus 373
laevipennis, Clitobius 188
laevipennis, Pseudostira 325
laevipennis, Thalpobia 363
laevis, Eusattus 184
laevis, Onosterrhus 276
laevis, Platydema 232
laevis, Tenebrio 246
laevis, Triorophus 369
laeviuscula, Trigonoscelis 247
lamellicornis, Hoplaspis 212
lanatus, Nilio 232
lanipes, Tenebrio 350
lanuginosus, Physogasterinus 300
laosensis, Cryptobates 372
laosensis, Pseudopedinus 323
lapidicola, Bioramix 326
lar, Prosodes 227
lasiodorsa, Triphalopsoides 370
lata, Camaria 132
lata, Coniontis 148
laterale, Euomma 182
lateralis, Apellatus 104

lateralis, Onotrichus 276
lateripunctatus, Arthrodeis 98
lathridioides, Kuschelus 224
laticeps, Autocera 117
laticeps, Camariocropterum 132
laticeps, Schizillus 337
laticeps, Trigonopilus 369
laticolle, Tracheloeum 366
laticollis, Baryscelis 118
laticollis, Cardigenius 133
laticollis, Derostira 160
laticollis, Hedyphanes 147
laticollis, Meneristes 245
laticollis, Mictopsis 253
laticollis, Pedinus 253
laticollis, Stizopus 353
laticollis, Zophobas 266
laticornis, Homoeogenus 211, 224
laticornis, Hybocaulus 214
laticornis, Protoplatycera 316
latifrons, Anthracula 104
latifrons, Mesabates 246
latifrons, Ubangia 372
latimanus, Heliopates 176
latior, Erulipothydemus 179
latipennis, Curtolyprops 154
latipennis, Falsoencyalesthus 189
latisternum, Carpiella 134
latitarsis, Phenus 296
latreillei, Tetraphyllus 362
latus, Ethmus 180
latus, Myrmecocatops 260
laxepunctatus, Arthrodeis 110
lazarus, Zophohelops 330
lebasii, Peneta 293
lecongmani, Microblattellus 249
lederi, Platynoscelis 307
lefranci, Opatrum 241
leleupi, Caecomenimopsis 129
lentum, Adelium 378
lepersonnei, Heterogria 166
lepetzi, Taklamakania 356, 358
leptoderus, Calobamon 130, 364
lepturoides, Cistela 275
letestui, Psilocastus 326
lethaeus, Trigonopus 117
lethifera, Blaps 93
leucographus, Tenebrio 306
levaillantii, Cataphronetis 134
levaillantii, Eurychora 236
leve, Sulcipectus 354
licenti, Colposcelis 148
lifuanum, Uloma 356
lightfooti, Trachynotus 210
lignarius, Mychestes 259
ligurica, Tentyria 361
liliputana, Pimelia 231
limbata, Chilenolagria 141
limpopoana, Phytolostoma 300
lindbergi, Leptodes 287
lindbergi, Microdera 98
lindti, Sternocnera 351
lineaticeps, Borchmannia 124
lineatus, Gyriosomus 193
lineatus, Phylax 244
lineolata, Hovacula 214
liouvillei, Machlasida 316
lisa, Calydonella 131
litoralis, Corinta 149
litoralis, Notoprataeus 269
littoralis, Amphidora 99
littoralis, Phylax 95, 265
liturata, Physciolagria 300
livida, Allecula 355
lobatus, Entomoderes 337
lobatus, Sicharbas 342
lobicollis, Trichethmus 367
loksai, Caenocrypticoides 129
longepilosa, Moralesia 258
longiceps, Pseudethas 102, 319
longicollis, Eleodes 348
longicollis, Platyscelis 371
longicollis, Tentyria 148
longicornis, Disema 263
longicornis, Ectatocera 170
longicornis, Gnaptorina 117

longicornis, Mesostena 336
longicornis, Microprostenus 252
longicornis, Psammodes 316
longicornis, Rhammatodes 331
longipalpe, Opatrum 377
longipenne, Eurymetopon 359
longipennis, Tenebrio 361
longipes, Adesmia 90, 335
longipes, Exocolena 187
longipes, Falsobrachys 188
longipes, Helops 182
longipes, Ischnarthron 220
longipes, Ophthalmosis 277
longipes, Pediris 291
longipes, Pimelia 349
longipes, Rhinohelaeites 331
longipes, Solenomerus 343
longipes, Stenochia 325
longipes, Trigonoscelis 375
longipilis, Laena 169
longipilis, Lagria 239
longipilis, Microcatomus 250
longipilis, Pogonobasis 309
longipilosus, Trichoderulus 367
longitarsis, Hesiodus 206
longitarsus, Tyndarisus 371
longulus, Dissonomus 287
longulus, Hypophlaeus 288
longulus, Micrositus 306
longulus, Trigonopus 375
lopatini, Argyradelpha 109
lorentzi, Strongylium 289
loripes, Ischnodactylus 377
lossowi, Psammodes 109
lucida, Microdera 317
lucidicollis, Platynoscelis 367
lucidus, Psammodes 364
lucifuga, Akis 228
luctuosa, Asida 120, 354
luczotii, Nyctelia 126, 198
lugens, Psorodes 302
lugubre, Tessaromma 362
lugubris, Cylindrinotus 155
lugubris, Dysgena 168
lugubris, Saragus 124
lungulum, Eurymetopon 215
luperus, Cistela 196
luridus, Helops 185
lusitanica, Blaps 373
lusitanicus, Tenebrio 202
lutea, Dengitha 159
lutea, Gonocnemocistela 196
luteicolor, Bearnicistela 119
luteocostata, Costallecula 150
luteomaculatus, Basanaedus 118
luteomaculatus, Hypophlaeus 262
luteomaculatus, Microzophobas 253
luteonotatum, Strongylium 292
luteovittata, Flabellolagria 191
lutosus, Hedyphanes 197
luzonica, Stilbocistela 352
lyleae, Archinamaqua 108
maasaiorum, Carinosella 134
macer, Carchares 133
macer, Sora 155
machadoi, Cossyphodes 283
macilenta, Priocamaria 311
macleayi, Anausis 100
macleayi, Hypocilibe 216
macleayi, Sympetes 355
macrocephala, Tentyria 340
macroceps, Synallecula 94
macularia, Platydema 318
maculata, Epiplecta 177
maculata, Phalerisida 295
maculata, Pimelia 152, 153, 299
maculatus, Ethmus 180
maculipennis, Diaperis 160
maculipennis, Postandrosus 310
maculosus, Cyriogeton 157
madecassa, Stenogena 349
maderae, Boromorphus 125
madurensis, Leiochrodes 228
madurensis, Microamarygmus 249
magellanicus, Patagonopraocis 290
magnum, Apteruloma 107

magrettii, Euglyptonotus 181
maguini, Argutiolana 109
maillei, Dichomma 162
maillei, Thriptera 364
maindroni, Capnisiceps 133
major, Melanocratus 340
major, Socotralia 343
makii, Amarygmus 277
malaisei, Pseudobolbophanes 320
malani, Psammogaster 317
malayana, Camaria 138
manchega, Pimelia 210
mandibularis, Daochus 157
mandibularis, Himatismus 209
margelanica, Platyscelis 303
marginata, Hypaulax 216
marginata, Microdera 361
marginata, Sora 344
marginatum, Peltarium 292
marginatus, Emmenastus 289
marginatus, Helops 90, 310, 311
marginicollis, Mophis 257
marikovskiji, Thaumatoblaps 363
marioni, Eremocantor 178
maritima, Coelomorpha 147
marmorata, Falsolagria 189
marmottani, Eurycaulus 183
maroccanus, Omophlus 115
marshalli, Rhyzodina 183
mastersii, Leptogastrus 231
mastersii, Ommatophorus 274
matthewsi, Stenolagria 350
matthiesseni, Zuercheria 379
maura, Cistela 178, 259
mauritanicus, Pachypterus 265, 284
mauritanicus, Tenebrio 207
maxillosa, Trogossita 169
maxima, Nemostira 226
mcclevei, Madreallecula 238
mechowi, Nyctobates 205
medanense, Strongylium 193
mediolobata, Aspilomorpha 114
medon, Pelecypalpus 292
medquisti, Sulpiusoma 355
medvedevi, Penthicus 323
megalops, Caristela 134
melambioides, Hoplarion 212
melanarium, Opatrum 222
melanarius, Japetus 222
melanophthalmus, Pentaphyllus 219
melanura, Plesia 129, 307
melas, Platyscelis 144
mellyi, Crypticoides 151
menaticus, Cryptohelops 152
mendocina, Physogaster 300
menephiloides, Kabakoviella 223
menetriesii, Oogaster 276
menetriesii, Rhostax 332
mergae, Bolitonaeus 123
meridanus, Menes 245
meridianus, Helops 329
meridionalis, Bioplanes 120
meridionalis, Polyidus 310
merkli, Cyrtosoma 283
merkli, Microbradymerus 249
merkli, Taiwanolagria 357
mesostenoides, Kokeniella 224
mesostenoides, Tentyria 132
mesostenus, Hedyphanes 350
metallescens, Deplanchesia 159
metallica, Microcalydonis 250
metallica, Osdara 345
metallica, Partystona 290
metallica, Strongylagria 353
metallica, Triplehornia 370
metallicipennis, Allecula 254
metallicum, Cnodalon 162, 163
metallicus, Osdaroides 280
metallicus, Parahymenorus 287
metallicus, Pyres 329
metasternalis, Szentivanya 356
methneri, Dysodera 168
methneri, Leptinostethus 230
methneri, Schevogria 337
mexicanum, Neanopidium 262
mexicanus, Diceroderes 161, 315

mexicanus, Pelecyphorus 292
micans, Chrysomela 97
micans, Helops 226
micans, Hoplonyx 262
michaelis, Zophosis 130
michaelseni, Blastarnus 131
michailovi, Trigonopachys 369
microcornis, Millotella 224, 253
microderoides, Ohyonthis 273
micrographus, Eutomus 186
micros, Pachyscelis 284
micrositoides, Platynotus 89
mima, Lagria 225
mimonti, Euboeus 180
minima, Anatolica 183
minor, Afrinus 198
minor, Cryptomysia 152
minor, Mimocossyphus 254
minor, Pachyscelis 184
minshanica, Kralia 224
minuta, Betschia 120
minuta, Brittona 128
minuta, Flabellalogista 191
minuta, Microgauromaia 251
minuta, Phligra 252
minuta, Prosodes 217
minuta, Soemias 343
minuta, Tagenia 162
minuta, Tentyria 316
minutissima, Helopsallecula 204
minutissima, Orchesiolobopoda 278
minutissima, Pseudochariotheca 321
minutissima, Spinolagriella 346
minutissimus, Cabirus 128
minutissimus, Cossyphus 88, 286
minutissimus, Epitragus 325
minutus, Phayllus 296
mirabilis, Gigantopigeus 194
mirabilis, Klapperichia 223
mirabilis, Lepidocaulinus 229
mirabilis, Micromenandris 251
mirabilis, Srilanka 347
miranda, Sintagona 343
miricornis, Staius 347
miritaris, Spathulipezus 344
miritarsis, Allopezus 95
miritarsis, Meladiesia 242
misanthropa, Pterostichula 333
mixta, Pemanoa 293
mniszechii, Rhyzodina 332, 333
moche, Pumiliofossorum 328
modesta, Faustia 190
modestus, Anchophthalmus 170
molesta, Platyscelis 281
molitor, Tenebrio 360
molleri, Physolagria 300
mollis, Centrocnemis 136
molossus, Psammodes 359
mongolicum, Hypsosoma 217
monilicornis, Platolenes 149
monodi, Arthrodosis 214
monophthalmus, Hoplonyx 215
monstrosa, Gedrosia 193
monstrosa, Orcopagia 278
montanus, Ardoiniellus 109
montanus, Leprocaulus 107
monteithi, Cuemus 153
monticola, Byrrhoncus 128
monticola, Platynoscelis 367
monticola, Stenillus 349
montisatri, Colophonesthes 147
montisusti, Dauresia 157
moraguezi, Asida 166, 219
moreletii, Phylax 233
mori, Helops 312, 329, 378
morio, Cistela 94
morio, Ennychius 174
morio, Helibatus 201
morio, Helops 329, 378
morio, Tanylypa 358
moroi, Isomira 207
morosus, Trigonopus 304
mortisagus, Tenebrio 121, 122
morychoides, Paramarygmus 146
mostofii, Arthrodosis 111
mouffleti, Cardiosis 133

moufleti, Tagenodes 357
mroczkowskii, Pseudonotocorax 323
mucoreus, Helops 106, 199, 218
mucronata, Blaps 230
mucronata, Prosodes 122
muelleri, Microselinus 252
muleyhafidi, Asida 236
mulsanti, Pimelia 249
multicolor, Espitomorphus 180
multicosta, Nyctelia 130
multicostatus, Ostorius 280
multidentata, Annamosdara 102
multilineata, Ectatocnemis 170
muqalensis, Adelostoma 274
muricata, Akis 172
muricatulus, Pelecyphorus 352
muricatus, Eurynotus 184
muricatus, Eusattus 344
murina, Chrysomela 221
murinum, Opatrum 212, 247
murrayi, Cteniopus 101
musiva, Pimelia 127, 284
mussardi, Ceratopelius 138
mutabilis, Pseudolagria 322
myrmecophilum, Tribolium 228
myrmecophilus, Araeopselaphus 108
myrmecophilus, Jophon 222
myrmecophilus, Lenkous 229
myrmecophilus, Philhammus 297
mystacea, Tadzhikistania 356
naivashaensis, Synquadrideres 356
nakasatoi, Taiwanomenimus 357
namaqua, Asida 151
namaquanus, Oncotus 143
nana, Psaryphis 317
nanensis, Psis 326
nanpingica, Laena 217
nanum, Nanocalcar 261
nassata, Adesmia 347
natalensis, Notiolesthus 269
navicularis, Dietysus 100
navicularis, Erycastus 179
nebulosus, Erotylus 155, 300, 328
neli, Palaeobasanus 285
neomidina, Chariotheca 319
nepalensis, Ebertius 169
nepalica, Freudeia 191
nepalica, Herbertfranzia 206
nepalica, Pseudognaptorina 322
neraida, Anognathena 103
nervosa, Dirosis 165
nervosus, Notocorax 304
nervosus, Praocis 311
niasensis, Pseudeucyrtus 320
nicaraguensis, Mencheres 245
niger, Amberophlus 97
niger, Falsomophlus 189
niger, Threnus 364
nigerrima, Ceratupis 138
nigra, Pseudeutrapela 320
nigra, Pyrochroa 179
nigrina, Eleodes 248
nigrita, Cistela 308
nigritarsis, Artactes 110
nigritus, Helops 245
nigriventris, Ectenostoma 170
nigroaeneus, Lodinus 233
nigroaeneus, Paramarygmus 287
nigrocoeruleus, Oogeton 277
nigrocyaneus, Plesiophthalmus 307
nigromaculatum, Cechenosternum 135
nigropunctatus, Asthenochirus 114
nikolskii, Pterocoma 205
nitens, Tenebrio 132
nitida, Camaria 132
nitida, Campolene 132
nitida, Licinoma 231
nitida, Olisthaena 273
nitida, Podhomala 373
nitidipes, Camarimena 301
nitidiventris, Diastanus 161
nitidulus, Ipsaphes 304
nitidulus, Tenebrio 345
nitidum, Oligocara 273
nitidus, Aesymnus 91
nitidus, Eumolpamarygmus 182

nitidus, Omedes 274
nitidus, Paraphanes 288
nitidus, Paropiophorus 290
nitidus, Polypleurus 309
noctivaga, Vernayella 374
nocturnus, Falsoarthroconus 188
nodicornis, Dietysus 119
nodifer, Hyboproctus 215
nodipennis, Cerandrosus 137
nodipennis, Eulytus 181
nodipennis, Nothogria 268
nodosa, Pimelia 369
nodosa, Zophosis 270
nodosum, Cnodalon 363
nodosus, Tragardhus 255
nodulosa, Machleida 236
nodulosus, Mrazius 258
notabilis, Caudamarygmus 135
notaticollis, Impressosora 218
notatus, Microanaedus 249
novaecaledoniae, Adelozotypus 90
novemcostata, Bolitopertha 123
novica, Pseudeba 319
ntsubanus, Endroeditagalus 174
nuda, Porrolagria 225, 310
nudum, Broomium 128
nunenmacheri, Eschatoporis 179
nuratensis, Prosodes 247
nyassensis, Aptericula 106
nycterinoides, Myrmecosoma 260
obesa, Apithesis 105
obesa, Coniontis 148
obesa, Pseudasida 319
obesus, Anaxius 100
obesus, Erodius 111
obesus, Nyctozoilus 270, 345
obliterata, Asida 242
oblonga, Asida 194
oblonga, Platyscelis 271
oblongocamelus, Tetraphyllus 97
oblongus, Hypselops 217
obrienorum, Micrasida 249
obscura, Camaria 140, 189
obscura, Falsocamaria 189
obscura, Microcistela 250
obscuricollis, Oncotus 295
obscuripes, Phaedeucyrtus 295
obscurus, Cestrinus 88
obscurus, Epantius 176
obscurus, Espites 252
obscurus, Tenebrio 245
obtusa, Blaps 183, 314
occidentalis, Arthrodeis 104
occidentalis, Eleates 171
occidentalis, Hionthis 209, 216
occulta, Immedia 218
occultus, Isicerdes 221
oceanica, Itampolis 222
ochraceipennis, Omophlus 272
ocreata, Blaps 121
octocostata, Aglypta 93, 275
octocostata, Auristira 116
octoseriatus, Eustolopus 175
ocularis, Mycetochara 271
ocularis, Palembus 240, 285, 360
ocularis, Reminius 330
oculata, Cistela 287
oculatum, Mauritianopidium 240
oculatus, Epicydes 176
oculatus, Parablops 94
oculatus, Schoenicus 279
odewahnii, Dysarchus 168
oertzeni, Prioproctus 312
ohausi, Thinobatis 325
ohkurai, Anisophaedis 102
okeni, Blapida 121, 248
olcesii, Oxycara 135
olgae, Sphenaria 368
olivaceus, Pseudoperichilus 323
omophloides, Allecula 232
oograbiesensis, Hirtograbies 209
ooidea, Semieutochia 341
opaca, Asida 112
opaca, Blaps 313
opaca, Cryptobatoides 152
opaca, Idiopsis 218, 224

opaca, Isonota 221
opacicollis, Osternus 280
opacipennis, Falsozotypus 190
opacipennis, Minasius 255
opacus, Cephaloplonyx 137
opacus, Edalus 170, 375
opacus, Eremostibes 178
opacus, Notibius 276
opacus, Paroeatus 290
opatroides, Asiopus 113
opatroides, Pogonobasis 309
operosa, Lagriola 226
ophtalmicus, Idatius 218
ophthalmica, Isomira 113, 223
opticus, Protodactylus 316
orbicularis, Micrositus 252
orbicularis, Zophosis 198
orbiculata, Pimelia 361
orbignianus, Evaniosomus 187, 268
ordubadensis, Adelphinus 90
orichalceus, Periphanes 294
orientale, Opatrum 104, 141, 338, 339
orientalis, Allecula 259
orientalis, Plateia 303
oriunda, Cerogria 121
ornata, Idisia 218
ornatipes, Freyitia 192
ornatus, Corticeus 248
oromii, Oreomelasma 278
oryzae, Latheticus 227
osculans, Amphidora 150
osdaroides, Cyrtotyctus 157
ostrowskii, Eichleria 171
ovalis, Asopidiopsis 113
ovalis, Bioramix 120
ovalis, Oopiestus 277
ovalis, Pseudocistela 264, 321
ovalis, Statira 180
ovata, Pachylagria 283
ovata, Pimelia 300
ovata, Saptine 335
ovata, Zophosis 140, 141
ovatum, Opatrum 145, 199
ovicauda, Camarimena 132
ovipennis, Conoecus 149
ovipennis, Eucyrtus 107
ovipennis, Helops 334
ovipennis, Stibia 251
ovoideus, Dietysus 307
ovulum, Cistela 107
oxianus, Dilamus 142
oxyoma, Rhytinota 313, 314
pachycera, Rhaibodera 331
pachyderus, Amblysphagus 98
pacificus, Coelus 322
pahangica, Upinella 364
palawanus, Pseudochillus 252
pallasi, Pterocoma 284
pallida, Uptona 373
pallidicolor, Heterogria 375
pallidipennis, Platyesthus 305
pallidipes, Campsia 121
pallidipes, Netopha 267
pallidus, Alaephus 93
pallidus, Helops 376
pallidus, Pytho 337
pallipes, Arthroplatus 111
palmi, Thurea 364
palpalis, Saragella 335
pamirensis, Bioramix 120, 303
pamirensis, Trichoplatynoscelis 368
pamirensis, Trichoplatyscelis 368
pandanicola, Uloma 338
panfilovi, Megascythis 241
pannosus, Bolitophagus 123
papuana, Louwerensia 235
papuanus, Bradysphaerotus 127
papuanus, Planibates 303
paradoxa, Dilablaps 164
paradoxa, Melolontha 331
paradoxum, Biroum 121
paradoxus, Vaniosus 374
parallela, Platydema 248
parallelus, Andremius 184
parallelus, Litoborus 232
parallelus, Pelecyphorus 112

parallelus, Prolabrus 313
parallelus, Scotobaenus 339
pardalis, Dietomorpha 163
pardoi, Phylan 159
parodoxa, Csiro 253
partida, Triphalopsis 369
parvicollis, Cyclonesus 154
parvitarse, Brachymoschium 126
parvula, Anamphidora 100
parvula, Horatoma 213
parvulus, Mimosynopticus 254
pascoei, Amarygmus 184
passaloides, Chiroscelis 312
passerinii, Dinoscelis 164
patagonica, Megalophrys 241, 293
patriciae, Microhionthis 251
patrizii, Storthocnemis 325
pauliani, Anommabates 103
pauliani, Mimolaena 254
paulinae, Platynosum 305
paulinoi, Asida 302
paulostriata, Mayidicistela 240
paykullii, Amarygmus 90
pectoralis, Centrioptera 97
pectoralis, Schoenicus 291
peculiaris, Arnoldiola 110
pedinoides, Ascalabus 112, 130
pedinoides, Zophosis 260
peezi, Archinamibia 108
pellucidus, Tenebrio 199
penai, Alhuena 94
penai, Penaus 293
penrithae, Caenocrypticus 317
pensylvanicus, Tenebrio 96
pentachorda, Praocis 310
pentagonus, Praocis 108
peregrina, Solskyia 344
peregrinator, Trachynotus 370
peregrinus, Dalmanius 157
perforata, Casnonidea 157
perforata, Diorhychina 165
perforata, Helea 171, 201, 344
perforatum, Foranotum 191
perforatus, Dinomus 164
perforatus, Triphalus 370
periscelis, Prostenus 315
perlata, Tomogria 365
peronatus, Helops 217
perrieri, Asidesthes 112
perrieri, Chalcostylus 139
perrieri, Prosodidius 314
perrisii, Leucolaephus 231
perroti, Scutopiloxys 340
persica, Micipsa 194
persica, Thriptera 220
persicus, Catomus 135
persis, Zarudnionymus 378
pertusus, Hyperops 162
pertyi, Tentyriopsis 361
peruanus, Prohylithus 224
peruviana, Atahualpina 115
peruvianus, Ammophorus 99, 340
peruvianus, Strongylacanthus 353
peruviensis, Renefouqueosis 330
petri, Evaostetha 187
petriiformis, Cnecosochara 145
pexicollis, Steneucyrtus 349
pexus, Pteroctenus 327
peyerimhoffi, Amphithrix 99
peyerimhoffi, Parabigopsis 286
pfaundleri, Arthrodosis 220
phaedonoides, Gonospa 196
philacoides, Dila 116, 193
philippinensis, Chrysolinoides 143
phoupaneica, Makicula 239
phoupanensis, Laoscapha 227
physodes, Sphargeris 345
physoptera, Oroptera 279
physopterus, Psammodes 286
picea, Mesostenopa 247
picea, Tagenia 276
piceum, Opatrum 332, 333
piceum, Tenebriocephalon 360
piceum, Uloma 102, 186, 210
piceus, Arthroconus 110
piceus, Catapiestus 134

piceus, Emmenastus 233
piceus, Helops 114
piceus, Mycotrogus 259
picipes, Cistela 290
picipes, Heliopates 166, 207
picipes, Helops 96
picipes, Opatrum 95, 265
picipes, Osdara 279
picipes, Oterophloeus 280
picipes, Philorea 297
picipes, Polpocara 309
picipes, Zophosis 270
picta, Chromomaea 142
picta, Dinoria 164
picticollis, Byzacnus 128
pictum, Opatrum 228, 231
pictus, Dilamus 271
pictus, Gaurobates 192
pictus, Psammodes 158
piligaster, Drosochrus 161
piliger, Aspidolobus 113
piligera, Pimelia 327
pilipes, Nyctelia 318
pilipes, Pedinopsis 234, 291
pilistriata, Alogistopsis 96
pilitarsis, Thydemorphus 364
pilosa, Cyphostethe 368
pilosa, Lorelopsis 234
pilosella, Brycopia 128
pilosellus, Melanesthes 126
pilosellus, Trichosaragus 368
pilosus, Cylindrothorus 155
pilosus, Emmalus 173
pilosus, Entomochilus 175
pilosus, Falsocossyphus 189
pilosus, Glyptothorax 124, 194
pilosus, Laonicus 226
pilosus, Metabolocerus 248
pilosus, Praezolodinus 311
pilosus, Trichamarygmus 367
pilosus, Xystropus 377
pilularius, Scotobius 339
pimelia, Helops 225
pinguis, Emmenastus 352
pinguis, Penthicus 293
pinguis, Somocoelia 344
pinguis, Zabroideus 377
plana, Luebbertia 235
planata, Akis 258
planatus, Austropalorus 117
planicollis, Oxidates 281
planipennis, Eleodes 263
planiusculus, Olocrates 242
plantaris, Psydus 327
planum, Opatrum 340
planus, Anomalipus 105
planus, Cucujus 89
planus, Erodius 341
platensis, Crypticus 195
platessa, Selinus 305
platesthoides, Poliorcetes 309
platisoides, Doliema 167
platitubera, Mechanetes 161
platydemoides, Gressittiola 197
platyderus, Trigonopus 115
platynotos, Asida 175
platynotus, Metriopus 146, 292
plicatula, Lagria 160
plicatulus, Isopedus 349
plicatulus, Parecatus 289
plicatus, Epitragus 156
plicatus, Histeromorphus 210
plicatus, Phylax 294
plicifrons, Thalpophila 325
plumosus, Tenebrio 349
pluricostatus, Scleroides 338
podagrarium, Hasticollinum 200
podontoides, Omophlus 274
pohli, Palaeosclerum 285
polinierii, Eucolus 180
polita, Blaps 276
polita, Homala 211, 274
polita, Lomocnemis 234
polita, Plastica 303
politicollis, Catomus 170
politus, Cistela 336

politus, Episopus 177
politus, Exapinaeus 187
politus, Rhyssochiton 334
politus, Xenogloeus 376
polyzona, Pseudogena 322
populi, Phyletes 298
porcatus, Diodontes 165
porcatus, Melanopterus 243
poricollis, Penthicus 95
portentosa, Balachowskya 117
portschinskii, Lagria 142
postumus, Parakeleusticus 287
poupillieri, Lagria 251
praelonga, Axumia 117
praelongus, Helops 272
praetorius, Vutsimus 375
praocioides, Oxinthas 281
preangerensis, Amarygmus 137
pretiosus, Eucyrtus 181
priesneri, Thraustocolus 230
prionodes, Epomidus 178
priscus, Lorelus 234
probes, Psammodophysis 317
problematicum, Oxycara 308
procerum, Calcar 136
procerus, Evaniosomus 142
producta, Blaps 373
prolatus, Alymon 96, 193
prolixus, Gnaptor 307
prominoculatum, Miripronotum 255
prona, Afrasida 112
propensa, Afrasida 198
propheta, Ibnsaudia 217
prosternalis, Cleognathus 144
protensulus, Helops 350
proxima, Euschatia 184
proximus, Scaletomerus 281
pruinosa, Blaps 332
pruinosa, Lagria 203
pruinosa, Trimytis 369
pruinosus, Epitragus 248
pruinosus, Pedinus 325
psammarina, Freyula 192
pseudanemia, Gnathosia 264
pseudohelea, Aoupinia 104
pseudopimelia, Trigonoscelis 369
pterolomoides, Derispiolina 160
pubens, Uzagaria 374
puberulus, Notibius 269
puberulus, Schoenicus 338
pubescens, Arunogria 111
pubescens, Chrysomela 296
pubescens, Craniotus 150
pubescens, Ecripsis 170
pubescens, Eulabis 106
pubescens, Pectinepitragus 291
pubescens, Pedonoeces 225
pubescens, Seriscius 341
pubescens, Tenebrio 227
pulchella, Indostola 219
pulchella, Lagria 125
pulchellus, Phaeotribon 295
pulchellus, Ucalegon 372
pulcher, Epilampus 181
pulcher, Eucyrtus 188
pulcherrima, Adesmia 208, 280
pulchra, Alcmeonis 94
pulchrum, Diestesoma 163
pullulus, Heterophaga 252
pullum, Uloma 136
pullus, Tenebrio 93
pulverea, Trimytis 302
pumilio, Corticeus 94
punctata, Blaps 113, 122
punctata, Mesostena 247
punctata, Microschatia 252
punctata, Pimelia 88, 234, 283
punctatissima, Heterogria 207
punctatissima, Platyscelis 89
punctatissimus, Anaedus 100
punctatissimus, Cteniopus 308
punctatissimus, Heterophylus 143
punctatissimus, Himatismus 160
punctatissimus, Oplocheirus 188
punctatostriatus, Eurynotus 325
punctatum, Pseudanopidium 319

punctatus, Coccimarygmus 228
punctatus, Dioedus 165
punctatus, Emmenastus 173
punctatus, Nilio 251
punctatus, Paratenetus 289
punctatus, Trichulodes 369
puncticollis, Asida 254
puncticollis, Gonopus 93
puncticollis, Sinoecia 342
puncticollis, Stibia 352
punctifera, Myladina 182
punctigera, Pimelia 292
punctigerum, Ancylopoma 101
punctipennis, Aethalides 91
punctipennis, Helops 161
punctipennis, Melanesthes 277
punctipennis, Mesostena 148
punctipennis, Platyphanes 141, 295
punctipennis, Selinus 214
punctistriatus, Micrositus 198
punctoseriata, Notioscythis 269
punctostriatus, Sulpius 355
punctulata, Coelotaxis 147
punctulatus, Blapstinus 233
punctulatus, Opatroides 212, 277
punctulatus, Pedinus 374
punctum, Enicmosoma 174
punneeae, Thaioblaps 363
punticum, Diaderma 161
purpurascens, Hesseosis 206
purpurascens, Tenebrio 221, 264
purpuratus, Tetraphyllus 139
purpureipennis, Metisopus 248
purpureipennis, Sora 263
purpureipes, Impressallecula 218
purpureofasciatus, Augolesthus 116
purpureus, Choaspes 142
purpurina, Cistelampra 144
purpurina, Lyprochelyda 235
purpuripennis, Adonicus 91
purpuripennis, Calostegia 131
purpurivittatus, Scotaeus 364
pusilla, Tagenia 162
pusillima, Stenosis 92
pusillum, Rhypasma 332
pusillus, Heliopates 159
pustulosum, Adelium 318
pustulosus, Austropeus 117
pustulosus, Phymaeus 299
pygmaea, Asida 324
pygmaea, Microcameria 250
pygmaea, Prosodes 358
pygmaea, Tentyria 340
pygmaea, Trigonoscelis 323
pygmaeus, Erodius 105, 127
qazvinica, Havanalia 200
qinlingensis, Odontocera 272
quadraticeps, Pseudethas 319
quadraticollis, Cataphanus 134
quadratulum, Meladeras 242
quadricollis, Asbolius 111
quadricollis, Derosimus 160
quadricollis, Mitragenius 290
quadricollis, Pleurophorus 166, 307
quadricollis, Selinus 194
quadricollis, Tentyria 197, 299
quadricostata, Prosodes 236
quadricostata, Tynthlobia 371
quadridentata, Diesia 163
quadrihamata, Singapura 342
quadrihamatus, Tenebrio 234
quadrilineatus, Erodius 175
quadrimaculata, Nemostira 237
quadrioculatus, Ischnodactylus 220, 221
quadripustulatus, Alphitophagus 96, 298
quadrivittata, Brachycula 126
quedenfeldti, Eurycaulus 183
quisqueyanus, Rhypasma 134
quisquilius, Tenebrio 152
raffrayi, Porphyrhyba 367
raffrayi, Pycnuloma 329
ragusae, Pedinus 291
reaumuri, Tetraphyllus 205
rectangulus, Cnemodasus 145
rectus, Conisattus 149

reflexa, Blaps 121
reflexa, Pimelia 88, 93, 350
reflexicollis, Praocis 265
refulgens, Calydonis 131
regalis, Trachynotus 161
reichenspergeri, Dichillus 260
reichii, Heliotaurus 223
reichii, Melaphorus 243, 244, 329
reitteri, Dendarus 331
reitteri, Leprocaulus 255
reitteri, Prosodes 303
reitteri, Pterocoma 257
relicta, Paraguania 287
remipes, Morocaulus 258
requieni, Eutelus 186, 268
resolutus, Trachynotus 281
resplendens, Hegemona 180, 184, 200
reticulata, Asida 334
reticulata, Macropoda 330
reticulata, Pimelia 238
reticulata, Silpha 123
reticulata, Zophosis 166
reticulatus, Byallius 128
reticulatus, Stenochinus 349
revoili, Catamerus 134
rhinoceros, Taiwanocryphaeus 357
rhynchophorus, Hedyphanes 134
rhysopaussoides, Cyrtostrongylium 157
ricardae, Amphidora 190
richesianum, Toxicum 365, 366
richteri, Arthrodosis 220
riedeli, Borneolaena 125
riederii, Diaperis 130, 173, 271
rimulosa, Gebienia 192
risbeci, Tribolium 227
ritsemae, Sipirocus 343
robusta, Barycistela 118
robusta, Microschatia 89
robusta, Pseudoenanea 322
robusta, Psydocamaria 326
robustus, Diaphanidus 322
robustus, Eusattus 267
rogersi, Schizillus 165, 337
rohdei, Nemostira 169
rohlfsi, Mecopisthopus 241
rolphi, Micipsina 249
rolphii, Heliotaurus 203
romani, Fifina 190
rosinae, Microcistela 250
rotundata, Blaps 216
rotundata, Phaleria 199
rotundatus, Arthrodeis 110
rotundatus, Heliodromus 202
rotundicollis, Batulius 118
rotundicollis, Leprocaulus 322
rotundicollis, Madobalus 238
rotundicollis, Micipsa 361
rotundicollis, Stizopus 91
rotundipenne, Uloma 107
rotundipennis, Laosocryptobates 239
royi, Apterozidalus 107
ruber, Gnatocerus 195
rubicollis, Lobophilomorphus 233
rubida, Lagria 107
rubigineus, Cryptobates 152
rubricrus, Pontianacus 310
rubripes, Agnaptoria 93
rubripes, Gonocnemis 190
rubripes, Sphenaria 231
rubrithorax, Seydelicistela 342
rudebecki, Namibomodes 329
rufa, Fossilochile 191
rufa, Lycogonocnemis 235
rufa, Macrotrachyscelis 238
rufa, Pseudopraeugena 324
rufescens, Aryenis 111
rufescens, Curtopeltoides 154
rufescens, Lobodera 233
rufescens, Ruandania 333
rufescens, Spinogauromaia 346
ruficollis, Mentes 246
ruficollis, Micrisomira 249
ruficolor, Borneogonocnemis 125
ruficolor, Podacamptus 308
ruficorne, Stenocara 219
ruficornis, Asida 366

ruficornis, Microsphaerotus 252
ruficornis, Microstenogena 252
ruficornis, Stenosis 338
ruficrus, Taraxides 169
rufilabris, Menederes 245
rufilabrum, Adelium 187
rufina, Cistelopsis 144
rufipenne, Strongylium 353
rufipennis, Cistela 167
rufipennis, Xanthothopeia 376
rufipes, Acropteron 89, 345
rufipes, Acropteryx 89
rufipes, Amphidora 351
rufipes, Aphtora 105
rufipes, Boros 164
rufipes, Cistela 215
rufipes, Crypticus 341
rufipes, Eurymetopon 184
rufipes, Microphyes 252
rufipes, Mycetophila 215
rufipes, Platolenes 304
rufipes, Praocis 311
rufipes, Stenochia 349
rufitarsis, Micipsa 249
rufitarsis, Ponapeida 310
rufitarsis, Toxocnema 365
rufithorax, Spinolyprops 346
rufiventris, Cistela 192
rufobrunnea, Statira 237
rufomaculata, Hemicera 261
rufomarginata, Cistelopsis 232
rufonitens, Achrostus 88
rufonitens, Ambigatus 97
rufonitens, Statira 226
rufonotata, Pseudoscaphidema 325
rufonotatus, Pseudomorocaulus 323
rufopictus, Helops 378
rufoposticalis, Allecula 167
rufus, Ammobius 98, 99
rufus, Thoseus 364
rufus, Tyrtaeus 372
rugiceps, Kershawia 223
rugiceps, Psammocryptus 358
rugicollis, Eurynotus 255
rugifrons, Derosphaerius 107
ruginota, Stalagmoptera 110
rugipennis, Akis 175
rugipennis, Macrolagria 102
rugosa, Lagria 116
rugosa, Oxyge 281
rugosa, Pimelia 98
rugosicolle, Notostrongylium 269
rugosicollis, Cistela 182
rugosula, Eurychora 309
rugosum, Adelostoma 206
rugosum, Caryosoma 134
rugosum, Sepidium 196, 344
rugosus, Emmenastus 173
rugosus, Helops 156
rugosus, Prioscelides 312
rugulipennis, Blaps 246
ruguliventris, Arthrodeis 201
rugulosa, Pimelia 222
rugulosum, Eocallidium 175
rugulosus, Nyctipates 270, 306
rungsi, Arthrodeis 224
rusticum, Opatrum 157, 196
rutilans, Pezophenus 295
sabulicola, Clitobius 145
sabulicola, Sphaerostibes 345
sabulicola, Weisea 375
sabulosa, Silpha 212, 277, 363
sabulosa, Tagenia 351
sachtlebeni, Sphenosdara 345
sadabandeirus, Angolositus 102
saegeri, Upembarus 373
sahlbergi, Platyscelis 257
sakaii, Malayaplamius 239
sakaii, Sadanaria 334
sallaei, Alethia 94
sallei, Diastolinus 376
sanctaemariae, Protodactylus 379
sanguinicollis, Eucaliga 180
sanguinicrus, Enganodia 174
santubongicus, Borneosphaerotus 125
saperdoides, Tenebrio 356, 377

sarawakensis, Melobrachys 245
sarcinipennis, Arthrohyalus 111
sardiniensis, Isocerus 316
sardiniensis, Parablops 323
sardous, Cheirodes 140, 141
sardous, Phylax 242
sareptanus, Stenomax 204
sasajii, Hosohamudama 214
satanas, Cyrtotyche 157
saudita, Storthocnemis 114
scabra, Pimelia 301
scabricula, Eleodes 166
scabripennis, Lemoultia 229
scabripennis, Xenius 376
scabriuscula, Rhytinota 332, 333
scabriusculus, Heliotaurus 202
scabrosa, Pimelia 97
scabrosus, Cyptus 156
scalaris, Temnophthalmus 360
scaphoides, Hadrus 296, 318
scapularis, Cistela 123, 258
scatebrae, Addia 89
scauroides, Rhomaleus 332
schaeferi, Heinrichesia 201
schatzmayri, Paracirta 286
schmitzi, Anemia 367
schroederi, Paranemia 288
schultzei, Nesocaedius 266
schusteri, Dendarus 250
schusteri, Hyperops 119
schusteri, Psilolaena 326
scorteccii, Stegastopsis 279
scotti, Messoricolum 247
scotti, Paralyreus 287
scriptipennis, Platydema 104
scrobicollis, Astalbus 114
scrobicollis, Ocnodes 271
scrobipennis, Adesmia 347
scruposa, Ozolais 282
sculpta, Statira 363
sculpta, Steira 352
sculpticollis, Azarelius 117
sculpticollis, Eutermicola 186
sculpticollis, Hexarhopalus 208
sculpticollis, Paragonocnemis 287
sculptilis, Tonkinius 365
sculptipennis, Botiras 133
sculpturatum, Brachypilium 127
sculpturatus, Emeax 172
scutatus, Anchophthalmus 329
sechellensis, Peyrierasia 294
securigera, Ecnolagria 275
seditiosus, Tharsus 363
seirotranoides, Gondvanadelium 195
sellata, Exostira 187
sellatus, Praocis 205
sembilanicus, Dentatoploedipus 159
semenowi, Diaphanidus 194
semenowi, Leptodes 247
semenowi, Mantichorula 239
semenowi, Prosodes 315
semialutacea, Lagria 150
semicarinata, Pterocoma 247
semicastaneus, Epitragus 338
semicostatum, Tenebrioloma 360
semicostatus, Micrositus 233
semiopaca, Sulcolagria 354
semipunctatus, Agissopterus 93
semipurpureus, Eucyrtus 145
semirufum, Falsostrongylium 190
semirufum, Ogoueum 273
semirugosus, Falsoperichilus 190
semiviolacea, Nesogenomorpha 267
semiviridis, Tetragonomenes 362
semperi, Pseudostrongylium 325
senegalensis, Cossyphus 173, 174
senegalensis, Peltoides 277, 292
sensitivus, Plegacerus 307
seorsus, Insolitoplonyx 219
septemcostatus, Melanolophus 243
sequoiarum, Megeleates 242
sergenti, Cimipsa 143
seriatoporus, Penthicoides 293
seriatoporus, Pseudeumolpus 321
seriatoporus, Pseudolamus 322
seriatus, Conibius 148

seriatus, Pseudhadrus 287, 320
seriatus, Trichiotes 367
sericans, Nesotaurus 267
sericans, Philhammus 132, 297
sericea, Cnemeplatia 229
sericea, Cteisodes 153
sericeum, Opatrum 309
seriepunctata, Faustia 252
serra, Nemostira 168
serrata, Cornucistela 149
serrata, Platyope 169
serraticorne, Strongylium 213, 278, 280
serraticornis, Jaklia 222
serratus, Tenebrio 126, 219
serricollis, Asida 88
serricornis, Palpichara 285
serricornis, Sipolisia 343
serricostata, Zoutpansbergia 379
serrimargo, Psammodes 261
serripes, Ascelosodis 112
serripes, Dendarus 159
servillei, Adesmia 237
servillei, Erodius 165
servus, Opatrinus 378
setipennis, Asida 197
setosa, Oxura 281, 282
setosa, Pimelia 115
setosa, Trigonoscelis 352
setosella, Paita 285
setosula, Eurychora 351
setosus, Batulius 119
setosus, Opatrinus 212, 247
setosus, Ozotypus 282
setulosus, Conophthalmus 149
sexcostatum, Sclerum 310
shunichii, Ueonomisolampidius 372
sibiricum, Opatrum 243
silphoides, Anchophthalmus 101
silphoides, Platesthes 304
silphoides, Tenebrio 168
silvestre, Allostrongylium 95
silvestrei, Asida 322
similis, Acestus 306
similis, Epitragus 342
simplex, Asemogena 112
simplex, Melanesthes 231
simplex, Microblemma 249
simplex, Pimelia 117, 243
simplex, Prophanes 235
simplicicollis, Aphelus 105
simplicifrons, Tetranillus 253
simplicithorax, Bradymerus 321
simulans, Amarosoma 97
simulator, Colpotinus 148
simulator, Pocadiopsis 308
sinaitica, Schweinfurthia 338
singulare, Malaiseum 239
singularipes, Neandrosus 262
singularis, Alaudes 94
singularis, Camariomorpha 132
singularis, Lisa 232
singularis, Ograbies 273
singularis, Spinadaenus 346
singularis, Stemmoderus 348
singularis, Typhlusechus 371
sinuata, Platyscelis 288
sinuatipes, Falsolophocnemis 189
sinuatus, Helops 165, 358
siphla, Sinocistela 342
skopini, Dichillus 328
skopini, Falsolobodera 189
smyrnensis, Stenosis 185
socia, Allecula 247
socia, Blaps 193
sociale, Paramellon 288
socialis, Barytipha 118
soleata, Bolbostetha 123
solenopistoma, Zadenos 342
solieri, Allecula 163
solieri, Parepitragus 289
solieri, Sitophagus 343
solitarius, Catomus 342
solivaga, Zophosis 261
solskyi, Prosodes 315
sommeri, Peneta 144
somocoeloides, Platyscelis 346

songoricum, Anatrum 100
sordescens, Buxela 128
sordidum, Pseudopatrum 323
sordidus, Ophryastes 194
sordidus, Trachynotus 368
soror, Caenocrypticus 299
spadix, Cistela 149
speciosus, Centronopus 329
spectabilis, Camaria 180
spectrum, Atasthalus 115
speculifer, Chalcocyclus 139
speculiferus, Euhelaeus 181
sphaericus, Pimelosomus 302
sphaeroides, Opatrum 129
sphenarioides, Balassogloa 117
spinicolle, Sepidium 169
spinifer, Camaria 370
spinimanus, Tenebrio 194
spinipennis, Phrynocolus 346
spinipes, Camaria 370
spinipes, Cimicia 143
spinipes, Statira 347
spinipes, Trigonopus 286
spinithorax, Euphrynus 182
spinolae, Herpiscius 206
spinosa, Allogria 95
spinosum, Clinocranion 145
spissicornis, Brachyphrynus 126
spissicornis, Stenoscapha 231, 350
splendens, Cnodalon 205
sprecherae, Piscicula 302
spretulus, Strepsius 353
squalida, Pterolasia 327
squalidus, Cestrinus 90
squamosa, Endothina 174
squamosa, Lachnogya 225
squamosus, Argasidus 109
squamosus, Pseudocaedius 321
squamulatus, Scaptes 336
stanislavi, Becvarius 119
steckeri, Storthocnemis 353
steiroides, Smiliotus 343
stenochinus, Dignamptus 163
stenosides, Ethas 192
stenosinoide, Basilewskyum 118
sternalis, Litoborus 287
stoetzneri, Isomira 258
stoliczkanus, Coelocnemodes 146
stolidus, Emmenastus 351
straminea, Cistelomorpha 144
strangulata, Emmallodera 297, 325
strangulatus, Sphinctoderus 346
striata, Hyperchalca 237
striata, Lobopoda 233
striata, Macrocistela 237
striata, Prosodes 241
striata, Pseudocamarimena 321
striatellus, Botiras 126
striaticollis, Cirsa 143, 156
striatipennis, Dichotymus 162
striatopunctata, Tagenia 106, 351
striatopunctatus, Himatismus 178
striatulus, Rhammatodes 102
striatum, Sepidium 88
striatum, Stenadelium 348
striatum, Trichosternum 368
striatus, Acanthomerus 278
striatus, Hegeter 200
striatus, Platyscelis 307
striatus, Tanychilus 358
stricticollis, Coxelinus 150
strigicollis, Colpotus 148
strigicollis, Edrotopus 171
strigicollis, Rozonia 333
strigipennis, Gonocnemis 196
strigipennis, Lagrimina 225
strigipennis, Viriathus 374
strigiventris, Prosodes 314
strigosus, Pedinus 122
striipuncta, Tentyria 361
striolatus, Phylacastus 298
strongylioides, Paulianaria 290, 291
stygianus, Lepispilus 371
suavis, Asopis 113
subaenea, Porrolagria 95, 138
subaeneipennis, Allecula 234

subaeneus, Catomulus 135
subaeneus, Dichastops 161
subalatus, Narses 262
subannulipes, Dietysus 374
subcalva, Danodema 157
subcarinatus, Asbolodomimus 111
subcaudatus, Saziches 336
subchalybaeus, Parablops 222
subcoecum, Leleupium 229
subcoecus, Falsotagalus 190
subcoriaceus, Amphianax 99
subcostatum, Hopatropteron 212
subcostatus, Eucyrtus 271
subcrenatus, Gonespites 196
subcruciata, Mycetocharina 259
subcylindricus, Ethmus 180
subdepressus, Hypophlaeus 143
subelegans, Tentyria 256
subfossulata, Tentyria 332
subglobosus, Tenebrio 132, 184
subhemisphaerica, Thalpophila 223
subhumeralis, Phaleria 295
sublaevigata, Trigonoscelis 141
sublaevis, Auchmobius 116
sublaevis, Eohelaeus 175
sublineata, Gerardia 193, 300
submaculatus, Emcephalus 172
submetallicus, Epitragus 309
submetallicus, Prophanes 295
subnuda, Pterocoma 169
subnudus, Falsopraocis 104
subnudus, Tapinocomus 358
subopaca, Disema 256
subopaca, Homoeonota 212
subopaca, Stenerula 348
subopacus, Tactoderus 356
subparalella, Phaleria 115
subparallelus, Dasytoxystropus 157
subparallelus, Hyocis 153
subquadrata, Tentyria 100
subreticulatus, Praocis 279
subrobustus, Nyctobates 320
subseriata, Lagria 94, 226
subseriata, Microdera 91
subseriata, Stictodere 352
subsquamosus, Gridelliopus 197
substriata, Pseudoblaps 269, 320
substriatus, Heterophylus 181
subterraneus, Myrmechixenus 260, 261
subterraneus, Syntyphlus 356
subtilicostis, Tenebriopsis 360
subtilis, Omophlus 251
subvestita, Eleodopsis 172
subviolaceus, Encyalesthus 173
subvittatus, Pechalius 291
sulcata, Anobriomaia 102
sulcata, Leptomorpha 141
sulcaticeps, Mamorina 239
sulcatipennis, Pteraulus 327
sulcatulum, Adelium 374
sulcatulus, Heliophygus 334
sulcatulus, Rhacius 330
sulcatum, Adelostoma 90, 310
sulcatum, Jintaium 222
sulcatus, Camptobrachys 132
sulcatus, Notibius 365
sulcatus, Ononyctus 276
sulcatus, Pedinus 121, 122
sulciceps, Stenolamus 350
sulcicollis, Gonocnemis 265
sulcicollis, Leptodes 313
sulcicollis, Machla 96
sulcicollis, Pachycoelia 229, 283
sulcicollis, Psammodes 353
sulcifera, Blaps 278
sulcipennis, Erelus 178
sulcipennis, Lasioderus 227
sulcipennis, Neogria 264
sulciventris, Agymnonyx 93
sulphurea, Chrysomela 143, 144, 153, 335, 359
sulphuripes, Cistela 331
sumatrana, Falsotithassa 190
sumatranus, Pigeocaulinus 301
superbus, Helops 203
suppressus, Tenebrio 136

suturalis, Eutrapela 90
suturalis, Podhomala 308
svetlanae, Eustenomacidius 135
szechenyii, Trigonoscelis 352
szekessyi, Tagalopsis 357
tachyptera, Petria 294
tagenioides, Boros 125
tagenioides, Hyperops 216
talpa, Doryagus 167
tamdaoica, Erzika 179
tarandus, Menimoides 245
tardus, Oncotus 133
tarsalis, Ammobius 108
tarsalis, Rhacolaena 330
tasmanicum, Brachycilibe 108
tasmanicus, Leaus 228
taurus, Peneta 257
telueti, Tentyromorpha 361
telueticus, Melambius 199
tenebrioides, Helops 221, 262
tenebrioides, Heterotarsus 208
tenebrioides, Nyctopetus 270
tenebrionoides, Prioscelida 312
tenebrosa, Megacantha 241
tenebrosus, Hades 199
tenellus, Pandarinus 286
tenenbaumi, Sepilokus 341
tentyriniformis, Psammodes 348
tentyrioides, Hionthis 209
tentyrioides, Hylithus 215
tentyrioides, Misolampidius 255
tentyrioides, Stenholma 349
tentyroides, Blaps 193
tenuepunctatum, Bothynocara 125
tenuesculptus, Glyptophrynus 194
tenuestriatus, Plamius 302
tenuicollis, Stenosida 351
tenuicornis, Ainu 93
tenuicornis, Filotarsus 191
tenuicornis, Vacronus 374
tenuimembris, Eustenia 185, 371
tenuipes, Hypocistela 217
tenuipes, Leptasida 230
tenuis, Coniontis 151
tenuis, Nuptis 269
tenuis, Semenovonymus 341
tenuitarsis, Decialma 158
tenuitarsis, Thettea 363
terminatus, Tenebrio 330
termitophilus, Amarygmus 221
terrena, Ossiporis 280
terrenus, Apostethus 106
testacea, Enanea 173
testacea, Isarida 220
testacea, Micropeneta 252
testaceicolor, Macrocistelopsis 237
testaceipes, Nesogena 110
testaceipes, Pseudamarygmus 318
testaceus, Cnemodus 145
testaceus, Mycetophagus 293
testaceus, Oncotus 273
testudinarius, Erodius 379
testudineus, Tenebrio 161
tetraphyllus, Bius 235
tetraphyllus, Leiochrodinus 228
tetrops, Falsandrosus 188
tetrops, Sumbawia 355
texanus, Emmenastus 110
texanus, Neohelops 264
thailandicus, Bunamarygmus 128
thallioides, Platydema 346
theresae, Cephalothydemus 137
thesileiformis, Csikiola 153
thibetana, Microtelopsis 216
thompsoni, Apocryphodes 105
thomseni, Cephaladesmia 136
thoracica, Trogossita 120, 159
thoracicum, Tenebriocephalon 223
thoracicus, Hypophlaeus 309
thoracicus, Nycterinus 270
thoracicus, Trogossita 121
thoreyi, Psammodes 366
tibiale, Opatrum 192, 243, 253
tibialis, Afrolaena 92
tibialis, Blaps 196
tibialis, Cenoscelis 136

tibialis, Eleodes 108
tibialis, Labetis 224
tibialis, Lariversius 227
tibialis, Neocamaria 264
tibialis, Notocistela 269
tibialis, Ommatochara 274
tibialis, Petrostetha 294
tibialis, Pterocoma 313
tibialis, Stenoscapha 350
tibialis, Xylochus 377
tibidens, Blaps 341
tigrinella, Splichalia 347
tincta, Lagria 376
tinctipennis, Mophon 257
tiro, Euryhelops 184, 379
titanus, Psammoryssus 317
todai, Sakaiomenimus 335
tomentosa, Sphenaria 231
tomentosus, Epitragus 177
tomentosus, Helops 177
torrei, Orghidania 109, 279, 344
torrida, Othelecta 280
torulosus, Tenebrio 300
townsendi, Litasida 232
toxopeusi, Papuamisolampus 286
trachynotoides, Brises 127
trachyscelides, Chaerodes 139, 142
transbechuana, Microsis 313
transfuga, Prosodes 324
trapezicollis, Pterocoma 324
trechoides, Mimocellus 254
triangulipes, Prosodes 289
tribulus, Eleodes 367
tricolor, Adynata 91
tricondyloides, Styrax 354
tricorne, Uloma 373
tricorniger, Xenus 105, 376
tricornis, Hoplopeltis 213
tricornis, Phaleria 373
tricostata, Asida 198
tricostellus, Emcephalus 355
tricuspidatum, Sepidium 179, 341
triplehorni, Cryptadius 362
triplehorni, Vabole 374
tripolitanus, Brachycryptus 126, 370
trispinosus, Gargilius 192
triste, Adelium 108
tristis, Allecula 212
tristis, Anisocerus 102, 137, 340
tristis, Azonoderus 117
tristis, Blaps 200, 201
tristis, Helops 159, 286
tristis, Javamarygmus 222
tristis, Sphenariopsis 345
tristis, Zophodes 379
trisulcata, Prosodes 273
trivialis, Cestrinus 139
tronqueti, Phtora 145
tropica, Asida 336
truquii, Iphthinus 220
truquii, Tisamenes 365
tschinkeli, Toktokkus 365
tuberculata, Lagria 299
tuberculata, Pterocoma 324, 354
tuberculata, Tarphiophasis 359
tuberculatocostata, Stalagmoptera 347
tuberculatum, Phymatosoma 299
tuberculatum, Scleropatrum 339
tuberculatus, Aesthetus 91
tuberculatus, Biomorphus 120
tuberculatus, Bradymerus 127
tuberculatus, Corticeus 260
tuberculatus, Dysceladus 168
tuberculatus, Laosocryptobates 227
tuberculatus, Macrostethus 238
tuberculatus, Pseudhelops 320
tuberculicostatum, Opatrum 256
tuberculifera, Pimelia 336
tuberculiferus, Hadroderus 199
tuberculiger, Neotagalus 265
tuberculosa, Scotinesthes 358
tubericollis, Borneosynopticus 125
tuckeri, Eutriorophus 187
tucumanus, Edrotinus 171
tumi, Esemephe 179
tumidus, Micrositus 212

tumidus, Oedemutes 273
turanica, Platynoscelis 269
turkestanica, Laena 134
turkestanica, Microdera 189
turkestanica, Platyscelis 347
turkestanica, Stenosis 357
typica, Alphasida 96
uenoi, Hypolaenopsis 217
ukamia, Hemipristis 205
ulissiponensis, Pedinus 182
ulomoides, Ariarathus 109
ulomoides, Cryptops 152
umbilicata, Licinoma 167
umbrata, Cnephalura 145
uncinatus, Caenocrypticus 129
uncipes, Apteruleda 107
uncus, Doyenus 167
undaticollis, Camaria 89
undatus, Helops 155, 300, 328
undulata, Eoallognosis 175
undulata, Zophosis 192
undulatus, Cyclobiomorphus 154
unguiculina, Myladina 259
unicolor, Ammocera 98
unicolor, Corticeus 149, 217
unicolor, Cyrtosoma 157
unicolor, Oochrotus 276
unicolor, Statira 111
unicolor, Upis 362
unidentatus, Pseudopigeus 323
unifasciata, Chrysomela 186, 264
uniformis, Leiochrinus 229
uptoni, Magela 239
usambarana, Psilonycha 190
usambaricus, Afrotagalus 262
ustulata, Homoropsis 212
ustus, Scelosodis 86
uzboica, Trigonoscelis 320
vagecostatus, Praocis 289
vagevittatus, Pseudonautes 323
valgus, Tenebrio 342
validicorne, Ammozoum 99
validipes, Cabirus 112
validipes, Melanocratus 243
validus, Pachylesthus 283
validus, Trichopodus 368
vandami, Cossyphodes 216
variabile, Strongylium 343
variabilis, Paracistela 286
variabilis, Scymena 340
variabilis, Synatractus 356
varians, Messalia 247
varicolor, Amarygmus 295
varicolor, Anisostira 102
varicosus, Scotobius 231
variegata, Diaperis 250
variegatus, Cyclophanes 154
variicolor, Hypostatira 217
variolaris, Lasiostola 324
variolaris, Pimelia 238
variolatus, Halonomus 293
variolosum, Opatrum 298
varipes, Epicalla 176
varvasi, Trientoma 369
velikensis, Tenebrio 87, 174
velox, Stenocara 135
venezuelensis, Austrocaribius 117
venosus, Mimohelops 254
ventricosus, Edrotes 170, 200
verendus, Microphylacinus 252
vermiculata, Ctenogria 153
vermiculatum, Ecnomosternum 170
vermiculatus, Erodiontes 179
vernalis, Habrobates 198
vernicatus, Ebenolus 169
vernus, Habrochiton 199
verrucosus, Asbolus 111
verrucosus, Bluops 122
verrucosus, Euphloeus 182
verschureni, Garambanus 192
versicolor, Thesilea 363
vertagus, Blacodes 121
vesiculiferum, Cyclobium 154
vestita, Melanocoma 243
vestitum, Sepidium 168, 374
vestitus, Anectus 101

vestitus, Epitragus 177
vestitus, Schoenicus 204
vetorator, Eleodes 208
viatica, Coniontis 148
viatica, Eutelocera 185
viaticus, Crypticus 304, 372
viberti, Ammogiton 99
viduus, Cenophorus 136
viennensis, Scaurus 225
vietnamensis, Viettagona 374
vietnamita, Harvengia 200
viettei, Falsocamariodes 189
viklundi, Wahlbergylium 375
vilhenai, Distretus 294
vilhenai, Microsis 252
villardi, Rhopalobates 332
villiersi, Ectateus 172
villiger, Nephodes 266
villosa, Bycrea 128
villosa, Coccinella 268
villosa, Oxygonodera 282
villosa, Pimelia 288
villosipennis, Helops 204
villosipes, Chemolanus 99, 140
villosum, Opatrum 236, 323
villosus, Achaemenes 87, 123
villosus, Himatismus 154
villosus, Pescennius 294
villosus, Pseudesarcus 319
vinculiger, Enneacoides 172, 174
vinsoni, Chalcopauliana 139
violacea, Chariotheca 101
violacea, Diaperis 305
violacea, Nesogena 127
violacea, Platycrepis 304
violaceicolor, Porphyrhyba 214, 310
violaceipennis, Crypsis 151
violaceipennis, Sterces 351
violaceipes, Cleomis 144, 320
virens, Platydema 342
viride, Cnodalon 146
viridicollis, Cephaleucyrtus 137
viridicollis, Helops 204
viridicuprea, Nesogena 287
viridipennis, Diestica 163
viridipennis, Lagria 142
viridipennis, Pubamarygmus 328
viridipes, Amarygmus 308
viridis, Amarantha 96
viridis, Atractus 92, 115, 263
viridis, Cantaloubeus 132
viridis, Gonocnemis 139
viridistriatus, Amarsenes 318
viridula, Diaperis 342
vittata, Hybrenia 215
vittata, Pterocoma 289
vittatum, Sepidium 209, 366
vittatus, Platyphanes 278
vogti, Machlophila 236
vonhayekae, Dioscoridemus 165
vulgaris, Scotobius 196
wagneri, Eschatomoxys 179
wahlbergi, Eutichus 186
walckenaerii, Thoracophorus 116, 134, 363
walkeri, Cherostus 140
walkerii, Pterohelaeus 327
walteri, Colposcythis 148
wasmanni, Apistocerus 105
wasmanni, Chariophenus 139
waterhousei, Hyocis 264
waterhousei, Peltolobus 94
watsoni, Afrinus 285
websteri, Eusattus 154
weiskei, Strongylium 208
welwitschi, Huilamus 214
westermanni, Melarachnica 244
westermanni, Pachylocerus 284, 328
westwoodi, Agasthenes 93, 118
westwoodi, Apomestris 106
westwoodi, Prophanes 239, 256
westwoodii, Achthosus 88
wilhelminae, Apterobrachys 106
wittei, Isomiropsis 221
wittmeri, Omophlus 291
wollastonii, Cossyphodes 150

woodrooffei, Cossyphodes 150
wykehami, Cornopterus 149
xanthozona, Stenochia 292
xantusi, Falsobates 188
xauenensis, Pimelia 239
xerophilica, Microdocnemis 250
xylophilus, Anethas 362
yunnanica, Pseudohymenalia 322
zabroides, Isoncophallus 221
zaidamica, Pterocoma 310
zapoteca, Troglogeneion 370
zelandicus, Zolodinus 378
ziczac, Basides 104
zischkai, Praocis 311
zoltani, Neoplamius 265
zoologicum, Saeculum 334
zophosoides, Erodius 379
zoufali, Calcar 119
zumpti, Mimocistela 254
zumpti, Nicandra 207

Index of family- and genus-group names

Family-group names listed in Table 1 are in bold. Available genus-group names are in regular font, unavailable genus-group names are in italics.

Abantiades 48, 86, 263
Abantis 48, 86, 263
Aberlencus 52, 86
Abiga 33, 86
Abigopsis 30, 86
Ablapsis 43, 86
Acanthioides 14, 86
Acanthobas 75, 86
Acanthoblaps 43, 86
Acanthocamaria 75, 86
Acanthodactylus 286, 521
Acanthomera 57, 86, 87, 326
Acanthomerus 57, 87, 249, 278, 306
Acanthopus 521
Acanthosternus 48, 87
Acantophorus 22, 87
Acastus 56, 87
Accanthopus 61, 87, 174, 188, 521
Acerogria 37, 87, 121, 138
Acestophanus 14, 87
Acestus 14, 87, 306
Achaemenes 24, 87, 123, 521
Achaemenus 123, 521
Achanius 22, 87, 97
Achariotheca 75, 88
Achora 35, 88, 312
Achrostus 75, 88
Achthosus 65, 88, 521
Acidia 15, 88
Acilagria 521
Acis 15, 88
Acisba 32, 88
Acmaeus 521
Acmoeus 52, 88, 521
Aconobius 47, 88
Acontodactylus 36, 88, 286, 521
Acotulus 6
Acritolagria 37, 88
Acromaticus 28, 88
Acropachia 36, 88
Acropteron 54, 89, 111, 345
Acropteronini 54
Acropteroxys 89
Acropterum 54, 89
Acropteryx 54, 89, 111, 345
Acroschatia 17, 89
Acrothymus 521
Actanorie 75, 89, 130
Acthosus 521
Actizeta 18, 89
Actizetina 18
Acutogria 37, 89
Acutoodescelis 54, 89
Acysba 521
Adamus 52, 89
Adavius 47, 89, 372
Addia 83, 89
Adelidium 6
Adeliini 35
Adelina 72, 89, 167, 337
Adelinina 72
Adelium 35, 89, 108, 149, 163, 168, 187, 223, 263, 278, 296, 318, 334, 340, 370, 374, 378
Adelodemus 35, 90, 106

Adelonia 36, 90, 227, 246, 280, 330
Adelostoma 14, 90, 188, 206, 274, 310, 317, 378
Adelostomini 14
Adelostomoides 14, 90
Adelozotypus 35, 90
Adelphinops 61, 90
Adelphinus 61, 90
Adelphus 63, 90
Adeps 83, 90
Adepsion 83, 90
Ades 74, 90, 228
Adesmia 14, 15, 90, 208, 237, 238, 276, 280, 300, 335, 344, 347, 378
Adesmiini 14
Adesmina 15, 90
Adisema 39, 91
Adonicus 76, 91
Adordanea 32, 91
Adoryacus 50, 91
Adosagria 521
Adosogria 37, 91, 521
Adynata 37, 91, 251, 376
Aeanes 66, 91
Aediotorix 521
Aegialites 6
Aemymone 36, 91, 521, 523
Aemyone 521
Aequigula 15, 91
Aeschrocera 38, 91
Aesthetus 75, 91
Aesymnus 65, 91
Aethales 21, 91
Aethalides 59, 91
Aethyssius 67, 92, 94, 100
Afghanillus 28, 92
Afghanopachya 521
Afghanopachys 24, 92, 521
Afghanprosodes 521
Afrasida 15, 92, 108, 112, 198
Afrethas 29, 92
Afrinus 30, 92, 198, 266, 285
Afrobyrsax 57, 92
Afrohelops 85, 92
Afrolaena 37, 92
Afronosis 29, 92
Afrostrongylium 85, 92, 354
Afrotagalus 42, 92, 262
Afrotenebrio 64, 92
Agapetus 522
Agastenes 58, 93, 118
Agasthenes 58, 93, 118
Agelarches 25, 93
Ageonoma 6
Agissopterus 84, 93
Aglypta 58, 93, 275, 276
Agnaptoria 44, 93
Agnathus 6
Agonopus 53, 93
Agraecus 77, 93, 522
Agroblaps 43, 93
Agroecus 522
Agymnonix 522
Agymnonyx 75, 93, 522
Ahexaroptrum 75, 93
Ainu 75, 93, 179
Akidini 15
Akis 15, 88, 93, 172, 175, 228, 258, 273, 282, 336, 350, 363, 522
Akixa 522
Alaephus 34, 93, 374
Alaetrinus 52, 93
Alagria 37, 94, 226
Alaudes 18, 94
Alaudina 18
Alcinoe 30, 94, 522
Alcinoeta 30, 94, 95
Alcione 522
Alcmaeonis 522
Alcmeonis 67, 94, 522
Alcyone 522
Alcyonotus 75, 91, 94, 351
Alegoria 65, 94, 215, 522
Aletha 522
Alethia 66, 94, 522
Alhuena 34, 94
Alienolonyx 522
Alienophloeus 74, 94
Alienoplonyx 55, 94, 522
Allardius 61, 94, 323
Allecula 66, 94, 124, 163, 167, 191, 212, 232, 234, 247, 254, 259, 274, 285, 355, 364, 373
Alleculina 66
Alleculina 66, 94
Alleculinae 66
Alleculini 66
Alleculodes 66, 94
Alleculopsis 67, 95
Allegoria 522
Allocera 38, 95, 138
Allocossyphodes 18, 95
Allodengitha 30, 95
Allogria 37, 95, 522
Allolagria 522
Allomyladion 49, 95
Allopezus 76, 95
Allophasia 72, 95
Allophylax 46, 95, 232, 242, 265, 298
Allostrongylium 85, 95
Allotadzhikistania 24, 95
Allotriocochabambia 85, 95, 146
Alobates 76, 96
Alogenius 15, 91, 96, 291
Alogista 66, 96, 355
Alogistopsis 71, 96

Alphasida 15, 16, 96, 120, 172, 194, 197, 236, 242
Alphitobiini 54
Alphitobius 54, 96, 152, 207, 227, 252, 314
Alphitophagus 72, 96, 298, 522
Alphitoplogus 522
Alphitopsis 54, 96
Altes 59, 96, 106
Altiprosodes 44, 96
Alymon 55, 96, 193
Amacarus 522
Amachla 16, 96
Amarantha 62, 96
Amarigmus 522
Amaropsis 66, 96
Amarosoma 35, 97
Amarsenes 76, 97, 318
Amarygmimus 58, 97
Amarygmini 55
Amarygmomimus 58, 97
Amarygmus 55, 90, 97, 100, 104, 105, 119, 137, 149, 162, 163, 168, 172, 184, 216, 221, 277, 295, 304, 307, 308, 318, 328, 374, 522
Amathobius 50, 97
Amathodes 522
Amatodes 50, 97, 149, 275, 354, 522
Amberophlus 70, 97
Ambigatus 22, 97
Amblycara 30, 97, 522
Amblycarenum 30, 97
Amblychara 522
Amblychirus 52, 97
Amblycyphrus 522
Amblycyphus 19, 97, 522
Amblyptera 24, 97
Amblypteraca 24, 98, 523
Amblysphagus 48, 98, 366
Amenophis 76, 98, 159, 205, 311, 318
Ametrocera 51, 98, 218
Amiantus 27, 98
Amicrodera 32, 98
Ammidanemia 62, 98
Ammidium 47, 98, 170, 178
Ammobiina 47
Ammobius 47, 98, 99, 108, 316
Ammocera 38, 98
Ammodoides 21, 98
Ammodonus 47, 98, 323, 336, 368
Ammogiton 30, 99
Ammophorus 63, 99, 340, 522
Ammophthorus 522
Ammophtorus 47, 99, 522
Ammotrypes 50, 99
Ammozoides 21, 99
Ammozoum 21, 99, 522
Amnodeis 21, 99
Amophorus 522
Amorphochirus 41, 99
Amorphopoda 71, 99
Amozoum 522
Amphianax 58, 99
Amphidora 43, 99, 120, 150, 190, 351, 522
Amphidorini 43
Amphithrix 47, 99, 522
Amphithrixoides 47, 99
Amphitrix 522
Amphydora 522
Amphysus 522
Amplypteraca 523
Amyone 523
Anacardiosis 34, 99
Anachayus 76, 99, 140
Anacycus 55, 100
Anadesis 523
Anadischidus 76, 100
Anaedes 36, 100
Anaedus 36, 100, 113, 114, 523
Anaemia 523
Anamenederes 52, 100
Anamphidora 69, 100
Anaplopus 6
Anarmastodera 523
Anarmostodera 63, 100, 523
Anatolica 30, 100, 183
Anatrum 48, 100
Anausis 59, 100
Anaxius 51, 100
Anaxo 67, 100, 523
Anchomma 28, 100
Anchophtalmus 523
Anchophthalmops 52, 100, 305
Anchophthalmus 52, 101, 150, 170, 224, 275, 282, 329, 523
Ancylopoma 85, 101
Andocamaria 76, 101
Andremiopsis 16, 101
Andremius 16, 101, 184
Andrimus 68, 101
Androchirus 68, 101
Androsus 76, 101
Anebacis 32, 101
Anectus 17, 101
Anemia 62, 98, 101, 346, 367, 523
Anemiadena 62, 101
Anephyctus 63, 101
Anepsiini 15
Anepsius 15, 102
Anethas 29, 92, 102, 319, 362
Angoleantus 32, 102
Angolositus 52, 86, 102, 305

Aniara 65, 102, 186, 210
Aniarus 65, 102
Aniosis 523
Anisocara 73, 102, 523
Anisocerus 18, 102, 137, 340
Anisochara 523
Anisocheira 523
Anisocrepis 523
Anisophaedis 76, 102
Anisosis 34, 102, 523
Anisostira 39, 102
Annamosdara 76, 102
Anobriomaia 79, 102
Anodesia 523
Anodesis 21, 102, 523
Anoedus 523
Anognathena 66, 103
Anomaearthrum 523
Anomalipes 523
Anomalipus 52, 88, 103, 105, 106, 170, 208, 523
Anommabates 73, 103
Anomoearthrum 85, 95, 103, 523
Anophthalmolamus 66, 103
Anopidiina 73
Anopidium 73, 103
Anotoma 37, 103
Antarcticodomus 6
Antennoluprops 41, 103
Anteros 61, 103
Anthcarohelops 523
Anthracias 64, 103, 109
Anthracohelops 85, 103, 523
Anthracosomus 26, 103
Anthracula 66, 104
Anthrasomus 26, 103, 104
Anthrenopsis 71, 104
Anticlia 50, 104
Antimachus 65, 104, 138
Antocera 523
Antofagapraocis 26, 104
Antoineius 46, 104
Aoupinia 35, 104
Apalmia 71, 104
Apasis 35, 104
Apatelus 35, 104
Apatocerus 523
Apatopsis 24, 104
Apaxo 523
Apelina 55, 104
Apellatus 66, 104
Apelta 6
Apentanes 22, 104
Apentanodes 21, 104, 329
Aphaleria 58, 105
Aphanaspis 24, 105
Aphanotus 65, 105
Aphectus 59, 105
Aphelus 76, 105
Aphrotus 30, 105, 376
Aphthora 523
Aphtora 42, 105, 523
Aphyllocerus 55, 105
Apistocerus 63, 105, 523
Apithesis 47, 105
Aplanasida 16, 105
Aplocheirus 523
Apocrypha 57, 105, 148
Apocryphini 57
Apocryphodes 35, 105
Apodemus 52, 105, 106
Apolites 18, 106, 218
Apomestris 59, 106
Apostethus 35, 106
Aposyla 6
Apristopus 41, 106
Aprosphaena 33, 106
Apsena 58, 106
Apsheronellus 51, 106, 251
Apsida 76, 106, 200
Aptereucyrtus 76, 106
Aptereutochia 65, 106
Aptericula 71, 106
Apterobrachys 76, 106
Apteroclitobius 47, 106
Apterocyphostethe 30, 107
Apterogena 84, 107, 193
Apteroleprocaulus 79, 107
Apteromaia 76, 107
Apteromerus 76, 107
Apteromira 69, 107
Apteronympha 38, 107
Apterophenus 76, 107
Apteroseriscius 71, 107
Apterosphaeria 30, 107
Apterotarpela 61, 107
Apterotheca 76, 107, 117, 135
Apterozidalus 53, 107
Apteruleda 65, 107
Apteruloma 65, 107
Apterulomoides 66, 107
Aptila 51, 108
Arabammobius 47, 108
Arabcynaeus 72, 108
Araeopselaphus 71, 108
Araeoschizina 28
Araeoschizus 28, 108
Araucaricola 41, 108
Archaeoglenes 42, 108, 523
Archaeoglenini 42
Archasida 15, 108
Archeocrypticus 6
Archeoglenes 523
Archeophthora 42, 108
Archinamaqua 52, 108
Archinamibia 30, 108
Arcolymus 523
Arcothymus 35, 108, 521, 523
Arctylus 26, 108
Ardamimicus 16, 108
Ardeleodes 43, 108

Ardelio 64, 109
Ardoinia 54, 65, 109, 344
Ardoiniellus 41, 109
Arenacara 15, 109
Arenoblaps 43, 109
Argasidius 523
Argasidus 14, 109, 523
Argenis 523
Argenticrinis 26, 109
Argobrachium 76, 105, 109
Argoporis 58, 109, 364
Argutiolana 76, 109, 375
Argyradelpha 24, 109
Argyrophana 24, 109
Ariarathus 63, 109, 360
Armalia 19, 110
Armenohelops 60, 110
Armigena 63, 110
Arnoldiola 25, 110
Arrhabaeus 42, 110
Arrhenoplita 73, 110, 187, 523
Arrhenoplitis 523
Artactes 76, 110, 237
Arthopus 6
Arthrochora 14, 110
Arthrocomus 524
Arthroconus 19, 110, 198, 524
Arthrodactyla 524
Arthrodeis 22, 98, 104, 110, 111, 128, 161, 178, 201, 224
Arthrodes 22, 110
Arthrodibius 22, 110, 133, 178, 201
Arthrodinus 22, 111
Arthrodion 22, 111
Arthrodosis 22, 111, 214, 220
Arthrodygmus 22, 111
Arthrohyalosis 22, 111
Arthrohyalus 22, 111
Arthromacra 39, 111, 237
Arthroplatus 54, 111
Arturium 27, 111
Artystona 64, 111
Arunogria 39, 111
Aryenis 22, 111, 523
Asbolius 32, 111
Asbolodes 76, 111
Asbolodomimus 76, 95, 111
Asbolus 19, 111, 112, 276
Ascalabos 524
Ascalabus 77, 112, 130, 524
Ascelosodis 19, 112
Asdidius 524
Asemogena 84, 112
Asialassus 60, 112
Asida 16, 88, 92, 96, 105, 112, 116, 120, 125, 151, 166, 172, 175, 183, 194, 197, 198, 206, 219, 230, 236, 242, 254, 277, 285, 291, 292, 302, 303, 309, 322, 324, 334, 336, 354, 366, 524
Asidax 524
Asidelia 26, 112
Asidesthes 16, 112
Asididius 76, 112, 524
Asidina 17, 112
Asidini 15
Asidoblaps 44, 112
Asidobothris 76, 112
Asidodema 51, 112
Asidomachla 16, 112
Asidomorpha 16, 112
Asidopsis 17, 112
Asiobirus 51, 112
Asiocaedius 47, 113, 321
Asiomira 68, 113, 223
Asiopus 42, 113
Asiris 58, 113
Asopidiopsis 76, 113
Asopis 76, 113
Asphalina 58
Asphaltesthes 30, 113, 357
Asphalus 58, 113
Asphena 30, 113
Aspicephalus 524
Aspidius 48, 113, 524
Aspidocephalus 28, 113, 524
Aspidolobus 21, 113
Aspidosoma 36, 113
Aspidosternum 41, 113
Aspidus 524
Aspila 14, 114, 316
Aspilomorpha 14, 114
Aspisoma 36, 113, 114
Astalbus 62, 114
Astathmetus 76, 114
Astatira 39, 114
Astenochirus 524
Astenorhinus 524
Asthenochirus 55, 114, 188, 318, 524
Asthenopoda 84, 114
Asthenorhinus 524
Asticostena 71, 114
Astorthocnemis 24, 114
Astrotus 17, 114
Asyleplus 524
Asyleptus 55, 114, 118, 190, 361, 524
Asyrmatus 60, 114
Atahualpina 75, 115
Atasthalomorpha 57, 115
Atasthalus 57, 115
Athrodactyla 63, 115, 524
Atlasion 46, 115, 242
Atlasotaurus 70, 115
Atoichus 66, 115
Atoreuma 58, 115, 186, 365

Atrachyderma 26, 115
Atractus 67, 92, 115, 263
Atrocrates 52, 115
Atrocrypticanus 52, 115
Atropsorodes 55, 115
Atryphodes 35, 116
Auchmobius 19, 116
Augolesthus 76, 116, 143
Aulacodera 23, 116
Aulacus 26, 116, 183
Auladera 23, 116
Aulonasida 16, 116
Aulonogria 37, 116
Aulonolcus 49, 116
Aulonoscelis 44, 116, 538
Auristira 38, 116
Australoseriscius 72, 116
Austrocaribius 48, 117
Austropalorus 62, 117
Austropeus 76, 117
Austroptorina 44, 117
Autocera 18, 117, 523
Axumia 33, 117
Axynaon 55, 117, 135
Azarelius 55, 117
Azonoderus 84, 117
Balachowskya 24, 117
Balassogloa 70, 117
Balius 25, 117
Bancocistela 71, 117
Bancous 6
Bantodemus 52, 117
Baratus 76, 117
Barbora 66, 117
Barlacus 55, 118
Barsenis 39, 118, 250, 256, 263
Bartolozzia 16, 118
Barycistela 66, 118
Baryscelis 85, 118
Barytipha 60, 118
Basanaedus 36, 118
Basanopsis 65, 118
Basanus 75, 118
Basides 72, 104, 118, 220
Basilewskyum 14, 118
Bassianus 58, 118
Batessia 58, 118
Batulinus 524
Batuliodes 15, 118
Batuliomorpha 15, 119
Batulius 15, 118, 119, 524
Bearnicistela 71, 119
Bechuanitis 28, 119
Becvaramarygmus 55, 119
Becvarius 76, 119
Bellendenum 35, 119
Belopini 36
Belopomerus 36, 119
Belopus 36, 119, 130, 204, 250
Belousovia 44, 119
Belutschistanops 31, 119
Beplegenes 524
Bequaertiella 37, 120
Bermejoina 46, 120
Betasida 16, 120, 354
Betschia 74, 120
Bia 63, 120
Bielawskia 20, 120
Biolus 51, 120
Biomorphus 61, 120
Bionesus 84, 120
Biophanes 524
Bioplanes 45, 120, 524
Bioramix 53, 120, 133, 140, 183, 190, 229, 269, 281, 303, 305, 326, 367, 368
Birolagria 37, 121
Biroum 76, 121
Bius 63, 120, 121, 159, 235
Blacodatus 50, 121
Blacodes 50, 121
Blapicauda 524
Blapida 76, 121, 248, 320, 334
Blapidium 43, 121
Blapidocamaria 82, 121
Blapidocampsia 77, 121
Blapidurus 43, 121
Blapimorpha 43, 121
Blapiplanula 524
Blapisa 43, 121
Blaposodes 45, 122
Blaps 43, 86, 87, 93, 103, 109, 113, 121, 122, 146, 161, 163, 164, 183, 193, 196, 200, 201, 208, 216, 222, 230, 231, 232, 243, 246, 261, 269, 270, 276, 278, 292, 304, 305, 306, 313, 314, 315, 332, 341, 373
Blapsibreva 524
Blapstinina 47
Blapstinus 48, 113, 122, 154, 208, 225, 233, 241, 292, 362, 373, 524
Blaptina 43
Blaptinae 43
Blaptini 43
Blaptinus 524
Blaptogonia 44, 122
Blaptoprosodes 45, 122
Blaptyscelis 524
Blaptyscellis 524
Blapylis 43, 122, 172
Blastarnodes 51, 122
Blastarnus 51, 122, 131
Blatticephalus 58, 122, 134
Blenosia 50, 121, 122
Blepegenes 35, 122, 137, 524
Blepusa 66, 122
Blindus 51, 122
Bluops 35, 122

Bobina 66, 122
Bobisthes 66, 122
Bogatshevia 24, 87, 123
Bolbophanes 59, 123, 320
Bolbostetha 66, 94, 123
Boletophagus 57, 123, 128
Boletoxenus 57, 123, 124
Bolithophilus 69, 123
Bolitolaemus 57, 123
Bolitonaeus 57, 123
Bolitopertha 58, 123
Bolitophagiella 57, 123
Bolitophagini 57
Bolitophagus 57, 123, 124, 171, 286, 296
Bolitotherus 57, 124, 296
Bolitotrogus 57, 124
Bolitoxenus 57, 124
Bolitrium 41, 124
Bolusculus 35, 124
Bombocnodulus 26, 124
Borbochara 66, 124
Borbonalia 66, 124
Borborella 66, 124
Borboresthes 66, 124
Borchmannia 39, 124, 326
Borchmannius 71, 124, 194
Boreoptorina 44, 124
Boreosaragus 59, 124, 335
Borneocamaria 76, 125, 211, 224
Borneocistela 71, 125
Borneogonocnemis 56, 125
Borneolaena 37, 125
Borneosphaerotus 76, 125
Borneosphena 76, 125
Borneostira 40, 125
Borneosynopticus 76, 125
Boromorphini 17
Boromorphus 17, 125
Boros 6, 125, 164
Bothrasida 17, 125
Bothrichara 37, 125
Bothrionota 37, 125
Bothriostira 39, 125
Bothrotes 21, 125
Bothynocara 76, 125
Bothynocephalus 76, 125
Bothynogria 37, 126
Botiras 53, 126, 133
Bouchardandrus 63, 126
Bovius 42, 126
Brachicula 524
Brachycilibe 42, 108, 126
Brachycryptus 71, 126, 370
Brachycula 68, 126
Brachycyphus 24, 126
Brachydium 524
Brachyesthes 48, 126
Brachygenius 23, 126
Brachyhelops 6
Brachyidium 47, 126, 145, 524
Brachymoschium 14, 126
Brachyontis 18, 126
Brachyphrynus 27, 126
Brachypilium 83, 127
Brachypophlaeus 65, 127, 231, 350, 524
Brachypophloeus 231, 524
Brachyscelis 24, 127, 284
Bradygena 63, 127
Bradymerus 76, 127, 222, 303, 321
Bradynocerus 77, 127
Bradysphaerotus 77, 127
Bradytes 525
Bradyus 58, 105, 127, 133
Branchini 17
Branchus 17, 127
Brasilius 77, 127
Bratyna 71, 127, 258
Bremerianus 84, 127
Bremerus 63, 127
Brinckia 26, 127
Brises 59, 127, 176
Brittona 74, 128
Brittonina 74
Broomium 30, 128
Brosimapsida 77, 128
Brouniphylax 6
Brycopia 35, 128, 164
Bucerus 525, 536
Bulbulus 22, 128
Bunamarygmus 55, 128
Burmanosis 29, 128
Buxela 71, 128
Byallius 59, 128
Bycrea 48, 128
Byrrhoncus 51, 128
Byrsax 57, 128
Bysacnus 525
Byzacnus 77, 128, 525
Caanthus 6
Cabirus 51, 112, 128
Cabirutus 51, 112, 128, 159, 263
Cacicus 21, 129, 242
Cacloplesia 525
Cacoplesia 69, 129, 525
Caecochares 73, 129
Caecomenimopsis 73, 129
Caecophloeus 73, 129
Caediexis 47, 129
Caediomorpha 49, 129
Caedius 47, 129, 220, 263, 307, 526
Caenoblaps 44, 129
Caenocapicus 17, 129
Caenocorse 62, 129
Caenocrypticini 17
Caenocrypticoides 17, 129
Caenocrypticus 17, 129, 152, 299, 317, 364, 374
Calabosca 77, 112, 130, 525
Calaharena 50, 130
Calcar 36, 119, 130, 136, 204

Calcarocistela 68, 130
Calcarosis 34, 130
Callicomus 75, 130, 271
Callignathus 19, 130
Callimaria 75, 130
Calliosis 131, 525
Callismilax 64, 130
Callyntra 23, 130
Calobamon 33, 130, 364, 525
Calobomon 525
Calobosca 525
Calognathina 19
Calognathus 19, 130
Calogria 37, 130
Calophthalmus 6
Calosis 34, 131
Calostega 41, 131
Calostegia 41, 106, 131
Calous 51, 131
Calydonella 77, 131
Calydoniomorpha 77, 131
Calydonis 77, 131
Calymmaphorus 131, 525
Calymmatophorus 26, 131
Calymmophorus 26, 131, 525, 530
Calymmus 64, 131, 375
Calyptopsis 30, 131, 142, 525
Calyptosis 525
Camaria 77, 89, 132, 138, 140, 167, 180, 192, 239, 301, 321, 333, 370, 525
Camarimena 77, 132, 180, 213, 301, 343
Camariocropteron 525
Camariocropterum 77, 132, 525
Camariodes 77, 132, 365, 525
Camarioides 525
Camariomorpha 77, 132, 248
Camarothelops 85, 132
Cameria 525
Campanotiphilus 525
Camphonota 24, 132, 184, 526
Campolene 77, 132
Camponotiphilus 59, 132, 525
Campsia 77, 121, 132, 136, 530
Campsiomorpha 77, 101, 132
Camptobrachys 77, 132
Canariella 18, 132
Cantaloubeus 55, 132
Cantopipleurus 30, 132
Capeluprops 41, 132
Capicrypticus 71, 133
Capidium 51, 133
Capnisa 31, 133
Capnisiceps 30, 133
Capnochroa 69, 133
Capricephalius 22, 133
Carabelops 77, 93, 133
Caraboblaps 44, 133
Caracasa 77, 133
Caragonia 525
Carchares 63, 133, 308
Cardigenius 16, 133, 172
Cardiobioramix 53, 133
Cardiochianalus 53, 133, 525
Cardiogenius 16, 133
Cardiosis 34, 99, 133
Cardiothorax 35, 116, 134, 268, 281, 363
Caribanoisis 525
Caribanosis 29, 134, 525
Carinosella 14, 134
Caristela 67, 134, 525
Caroliphosis 34, 134
Carpiella 34, 134
Caryosoma 85, 134
Casnonidea 39, 134, 155, 157, 189, 302, 356
Catamerus 41, 134
Cataphanus 77, 134
Cataphronetes 525
Cataphronetis 75, 134, 525
Catapiestus 77, 134, 303
Catobleps 58, 134
Catolaena 37, 134
Catomidius 61, 134
Catomodontus 61, 135
Catomulus 30, 135
Catomus 61, 134, 135, 170, 257, 342, 525
Catonus 525
Catopherus 55, 135
Caucasohelops 60, 135
Caucasonotus 60, 135
Caudamarygmus 55, 135
Caulostena 69, 135
Cauricara 15, 135
Caverneleodes 43, 135
Caxtonana 76, 135
Cechenosternum 71, 135
Cecrops 80, 135
Cedrosius 63, 136
Celebesa 77, 136
Celibe 59, 136, 154, 254, 321, 335, 526
Celox 77, 136
Cenophorus 48, 136
Cenoscelis 65, 106, 136
Centorus 36, 119, 136, 261
Centrioptera 19, 97, 136, 276
Centrocnemis 24, 136
Centrocnemita 24, 136
Centronipus 525
Centronopini 58
Centronopus 58, 136, 245, 329, 525
Centropus 58, 136

Cephacerus 22, 136
Cephaladesmia 15, 136
Cephalamarygmus 55, 137
Cephaleucyrtus 79, 137
Cephaloplonyx 56, 137
Cephalostenus 63, 137, 349
Cephalothydemus 77, 137
Ceracostira 525
Ceradelium 35, 137
Ceradesmia 15, 137
Ceramba 73, 137
Cerandria 72, 137
Cerandrosus 77, 137
Cerasoma 19, 137
Ceratanisini 18
Ceratanisus 18, 102, 106, 137, 199, 218, 340
Ceratoma 37, 137
Ceratopelius 60, 138
Ceratupis 65, 138
Cerenopini 58
Cerenopus 58, 109, 138
Cerocamptus 77, 138
Cerodolus 60, 138
Cerogria 37, 87, 91, 121, 138, 167, 290
Cerogriodes 37, 138
Ceromelaephus 28, 138
Ceropria 72, 138, 162, 176
Cerosis 34, 138
Cerostena 23, 138, 318, 349
Cerostira 38, 95, 138
Cerysia 55, 138
Cestrinus 35, 88, 90, 139
Chaerodes 36, 139, 142, 526
Chaerodini 36
Chaeroplonyx 56, 139
Chaetopsia 77, 139
Chaetotoma 24, 139, 271
Chaetyllus 37, 139, 310, 331
Chalcocyclus 77, 139
Chalcodrya 6
Chalcopauliana 77, 139
Chalcoplonyx 55, 139
Chalcopteroides 55, 139
Chalcopterus 55, 139
Chalcostylus 64, 139
Chanopterus 6
Chardiochianalus 525
Charianus 77, 139
Charinotus 525
Chariophenus 79, 139
Chariotheca 77, 101, 107, 139, 140, 319, 525
Chariothes 77, 140
Charisius 66, 140, 262
Charistela 525
Charitotheca 525
Chartopteryx 59, 96, 140, 156
Chaseleodes 43, 140
Chatanayas 526
Chatanayus 76, 100, 140, 526
Cheilopoma 74, 140
Cheirodes 62, 98, 101, 140, 141, 210, 319, 346, 367
Cheiroplus 55, 140
Cheirosis 34, 140, 141
Chelenodus 526
Chemolamus 526
Chemolanus 77, 99, 140, 186, 526
Cherostus 58, 123, 140
Chianalus 53, 126, 140
Chilenodus 526
Chilenolagria 38, 141
Chileone 79, 141, 216
Chiliarchum 27, 141
Chilometopon 19, 141, 313
Chinotrigon 26, 141
Chirocharis 41, 141, 290
Chirodes 62, 141
Chiron 526
Chiroscelis 41, 141, 312
Chirosis 34, 141
Chitoniscus 6
Chitwania 66, 141
Chlamydion 50, 141
Chlorocamma 77, 141
Chlorophanes 59, 141, 295
Chlorophila 39, 142
Choaspes 77, 142
Choastes 77, 142
Choerodes 36, 142
Cholipus 78, 142, 526
Cholopus 526
Chorasmius 22, 142
Choresmolamus 47, 142
Choristopsis 30, 142
Chorodes 526
Chremolamus 526
Chromatia 69, 142
Chromomaea 67, 142, 231, 526
Chromomoea 526
Chrysobalus 59, 142, 544
Chrysolagria 38, 103, 142
Chrysolinoides 79, 143
Chrysomaia 76, 143
Chrysopeplus 77, 143, 229
Cibdelis 77, 143, 339
Cichillus 526
Cilibe 335, 526
Cilioncotus 52, 143
Cillibus 59, 143
Cimicia 14, 143
Cimicichora 14, 143
Cimiciopsis 14, 143
Cimipsa 30, 143
Circomus 62, 143
Cirsa 32, 143, 156

Cirta 30, 143
Cissides 72, 143
Cistela 70, 94, 101, 107, 123, 133, 142, 143, 144, 149, 153, 167, 178, 182, 192, 196, 203, 215, 242, 258, 259, 268, 272, 275, 287, 290, 304, 308, 312, 322, 331, 336, 348, 352, 359
Cistelampra 66, 144
Cistelina 70, 144
Cistelites 6
Cistella 70, 144
Cistelodema 71, 144
Cisteloida 66, 144
Cistelomorpha 70, 144, 228
Cistelopsis 66, 144, 232
Clamoris 42, 144, 297, 298
Clastopus 52, 144, 214
Claudegirardius 52, 144
Clavatoodescelis 54, 144, 271
Cleognathus 55, 144
Cleolaus 42, 144
Cleomis 77, 144, 282, 320
Cleteus 6
Clinocramon 526
Clinocranion 28, 145, 526
Clinocranium 526
Clitobius 47, 105, 106, 145, 188, 199
Clypeophtora 75, 145
Cnecosochara 70, 145, 526
Cnecozochara 526
Cnemandrosus 81, 145
Cnemeplatia 18, 117, 145, 229
Cnemeplatiina 18
Cnemeplatiini 18
Cnemodasus 47, 145
Cnemodinini 18
Cnemodinus 18, 145
Cnemodus 18, 145
Cnemophloeus 74, 145
Cnemoplatia 18, 145
Cneocnemis 65, 145
Cnephalura 77, 145
Cnodalium 526
Cnodalon 77, 132, 136, 146, 162, 163, 205, 363, 526
Cnodalonini 75
Cnodalum 77, 146
Cnodulon 526
Cnudalon 526
Coccimarygmus 55, 146, 228
Cochabambia 85, 95, 146
Coedius 526
Coeladesmia 15, 146, 292
Coelecnemis 526
Coelocnemis 77, 146, 526
Coelocnemodes 44, 146, 263
Coeloderes 6
Coeloecetes 47, 146
Coelolophus 85, 146
Coelometopus 78, 146
Coelomorpha 18, 147
Coelopalorus 62, 147
Coelophanes 61, 147
Coelopleurum 72, 147
Coelosattus 18, 147
Coelotaxis 18, 147
Coelus 18, 147, 322
Colasia 44, 147
Collariheliofugus 79, 147
Colophonesthes 51, 147
Colparthrum 39, 147, 322
Colpopatrum 49, 147
Colpophorinus 49, 147
Colpophorus 49, 147
Colposcelis 30, 148, 337, 371
Colposceloides 30, 148
Colposcythis 30, 148, 526
Colposcytis 526
Colposphaena 526
Colposphena 30, 148, 526
Colpotinoides 52, 148
Colpotinus 51, 148
Colpotus 51, 148
Comphonota 526
Comphosida 31, 148
Compsocula 71, 148
Compsomorphus 57, 148
Conibiosoma 48, 88, 148
Conibius 48, 148, 181, 196, 276
Coniontellus 18, 148
Coniontides 18, 148
Coniontini 18
Coniontis 18, 126, 147, 148, 151
Conipinus 18, 149
Conisattus 18, 149
Conoecus 21, 149
Conophthalmus 51, 149
Convexoodescelis 54, 149
Cophodema 78, 149
Cophosoma 78, 149
Copistethus 69, 149
Coracostira 41, 149, 525
Cordibates 33, 149
Corinta 47, 149
Coriogeton 527
Coripera 35, 149, 527
Cornopterus 47, 149
Cornucistela 69, 149
Cornugeton 55, 149
Coronus 527
Corticeus 74, 94, 149, 217, 248, 260, 262, 288, 309, 341, 350, 356, 371
Corypera 527
Coscinopter 150, 527
Coscinoptilax 527
Coscinoptilix 61, 150, 527

Cosmogaster 52, 150, 224
Cosmonota 72, 150
Cossiphus 527
Cossyphini 36
Cossyphodes 18, 95, 150, 216, 248, 283, 288
Cossyphodina 18
Cossyphodini 18
Cossyphodinus 19, 150
Cossyphodites 19, 150
Cossyphoditina 19
Cossyphus 36, 88, 150, 173, 174, 286, 527
Costallecula 71, 150
Costatosora 39, 150, 527
Costatostira 527
Costiferolagria 38, 116, 150
Cotulades 6
Coxelinus 41, 150
Craniosphena 30, 150
Craniotus 16, 150
Cratidus 43, 150
Cratopus 33, 150, 336, 337
Cretaceites 85, 151
Cribrasida 16, 151, 527
Cripticopsis 527
Cripticus 527
Crirasida 527
Crististibes 50, 151
Crossoscelis 85, 151
Cruracurvamtenebrio 64, 151
Cryphaeus 64, 103, 109, 151
Crypsinon 151, 527
Crypsinous 55, 151, 372, 527
Crypsis 74, 151, 229
Cryptadius 19, 55, 151, 362
Cryptasida 16, 151
Crypticanus 52, 151
Crypticini 71
Crypticocatops 72, 151
Crypticoides 32, 151
Crypticomorpha 18, 151
Crypticopsis 71, 152, 527
Crypticus 71, 116, 152, 195, 226, 304, 341, 372, 527
Cryptobates 78, 152, 372
Cryptobatoides 78, 152
Cryptobrachys 78, 152
Cryptocarpes 17, 152, 234
Cryptochile 19, 152, 153, 279, 299, 527
Cryptochilina 19
Cryptochilini 19
Cryptochyle 527
Cryptogenius 27, 152, 162, 297
Cryptoglossa 19, 97, 136, 152, 276, 527
Cryptoglossini 19
Cryptohelops 61, 152
Cryptomysia 69, 152
Cryptops 54, 152
Cryptostenophanes 78, 152
Cryptotrophus 19, 153
Cryptozoon 73, 153
Csikiola 78, 153
Csiro 74, 153, 253
Cteisa 69, 153
Cteisodella 66, 153
Cteisodes 66, 153
Cteniopinus 70, 153, 228
Cteniopodini 70
Ctenioposomus 70, 153, 527
Cteniopus 70, 101, 143, 144, 153, 186, 210, 308, 331, 335, 359
Ctenogria 38, 153
Ctenoposomus 527
Ctesicles 48, 153
Ctimene 59, 153, 256, 364
Cuemus 78, 153
Cuphotes 84, 154, 181, 298, 345
Curimosphena 31, 154, 527
Curismosphena 527
Curtolyprops 41, 154
Curtopeltoides 65, 154
Cybopiestes 78, 154, 527
Cybostira 39, 154
Cybotus 48, 154
Cychrachna 30, 154
Cychrochile 19, 154
Cyclobiomorphus 72, 154
Cyclobium 72, 154
Cyclocnera 24, 154
Cycloderus 6
Cyclonesus 78, 154
Cyclophanes 59, 154
Cyclosattus 60, 154
Cylindrinotina 60
Cylindrinotus 60, 155, 350
Cylindronotus 60, 135, 155
Cylindrosia 64, 155
Cylindrosora 39, 155
Cylindrostira 39, 155
Cylindrothorus 69, 155, 253, 280
Cymathotes 527
Cymatodes 55, 155
Cymatothes 55, 155, 300, 328, 527
Cymbeba 35, 155
Cynaeus 72, 155
Cyphagenia 527
Cyphaleina 58
Cyphaleus 59, 96, 100, 106, 140, 142, 156, 278, 370, 544
Cyphelops 84, 156

Cyphogenia 15, 156, 175, 228, 527
Cyphoglossa 527
Cyphonotus 85, 156, 211, 338
Cyphostethe 30, 107, 113, 156, 160, 209, 368
Cyphostethoides 30, 156
Cypobiestes 527
Cyptus 47, 156, 263
Cyriogeton 57, 156, 157, 219, 346, 527
Cyrta 32, 156
Cyrtoderes 28, 156, 297
Cyrtomius 21, 156, 197
Cyrtosoma 78, 157, 266, 267, 283
Cyrtostrongylium 56, 157
Cyrtotyche 78, 157
Cyrtotyctus 78, 157
Dacoderus 6
Dactylocalcar 34, 157
Daedrosis 35, 157, 237
Dailognatha 30, 157, 158, 527
Dalmanius 55, 157
Damatris 78, 157, 215, 239, 362
Danielomira 69, 157
Danodema 78, 157
Daochus 42, 157
Darwinella 6
Dasus 49, 157
Dasyplonyx 55, 157
Dasytoxystropus 69, 157
Dauresia 84, 157
Davaona 39, 157
Debeauxiella 31, 158
Dechius 82, 158
Dechiustes 78, 158
Decialma 59, 158
Decoriplus 27, 158
Deilognatha 527
Delanurops 527
Delognatha 30, 42, 158
Delonurops 61, 158, 237, 527
Delopygus 65, 158
Dema 53, 159
Demtrius 64, 159
Dendarina 45
Dendarini 45
Dendarophylan 45, 159
Dendaroscelis 45, 159
Dendarus 45, 159, 250, 286, 290, 330, 331, 333
Dendronomus 527
Dendroscopius 63, 159
Dengitha 30, 159
Dentatoploedipus 78, 159
Dentibirus 51, 159
Deplanchesia 78, 159
Deretus 61, 159
Deridea 6
Deriles 76, 100, 159, 527
Derilis 527
Derispia 74, 160
Derispiella 74, 160
Derispiola 74, 160
Derispiolina 41, 160
Derolagria 38, 160
Deroplatus 21, 160
Derosalax 33, 160
Derosimus 36, 160
Derosphaerius 30, 107, 160, 178, 270
Derosphaerus 78, 142, 160, 173, 182, 189, 262, 269, 284
Derostethe 30, 160
Derostira 39, 160
Derostirostaius 40, 160
Derostrophus 31, 160
Desertosochrus 51, 161
Diabolicobates 80, 161
Diacalla 6
Diacallina 6
Diachoriops 78, 161, 337
Diacis 28, 161
Diaclina 54, 161
Diaderma 47, 161
Diaperina 72
Diaperinae 71
Diaperini 72
Diaperis 72, 95, 96, 130, 160, 161, 173, 248, 250, 271, 298, 305, 342
Diaphanidius 527
Diaphanidus 22, 161, 194, 322, 527
Diaspirus 35, 161
Diastanus 70, 161
Diastixus 61, 161, 267
Diastoleus 63, 161
Diastolinus 48, 153, 161, 195, 267, 341, 376
Diatopsis 527
Diceroderes 64, 161, 168, 181, 315
Dichastops 41, 161
Dichillesthes 28, 162
Dichillina 28
Dichillinus 28, 162
Dichillocerus 28, 162
Dichillodontus 28, 162
Dichillomessor 28, 162
Dichillus 28, 162, 260, 328, 526
Dichomma 31, 162
Dichotymus 55, 162
Dichroma 528
Dichromma 45, 162, 528
Dichtha 27, 162
Dichtrethus 528
Dicraeosis 83, 162
Dicraeus 82, 162
Dictysomorphus 72, 162
Dictysus 55, 162
Dicyrtodes 35, 163
Dicyrtus 84, 163
Diemenoma 35, 163

Diesia 24, 163, 218, 305, 324
Diesiola 24, 163
Diestecopus 51, 122, 163
Diestesoma 84, 163
Diestica 84, 163
Dietomorpha 24, 163
Dietopsis 66, 163, 527
Dietysus 55, 100, 119, 162, 163, 307, 374
Dignamptus 85, 163
Dignathosis 34, 163
Dila 44, 116, 129, 163, 193, 528
Dilablaps 44, 164
Dilamus 47, 142, 164, 271, 313
Dillacerus 64, 164, 236
Dilopersina 44, 164
Dimeriseis 22, 164
Dimoniacis 28, 164
Dimonus 528
Dimorphochilus 66, 164
Dinax 84, 164
Dineria 43, 164, 227
Dinomus 78, 164
Dinoria 35, 128, 164
Dinoscelis 42, 164
Diodoeus 528
Diodontes 22, 165, 528
Diodontus 528
Dioedus 42, 110, 126, 165, 357, 528
Diopethes 78, 165
Diopoenus 66, 165
Diorhychina 39, 165
Dioscoridemus 78, 165
Dioxycula 71, 165
Diphyrhynchus 528
Diphyrrhynchus 48, 86, 87, 165, 263, 528
Diplocyrthus 528
Diplocyrtus 57, 165, 528
Diprosodes 44, 165
Dipsaconia 6
Dirosis 22, 165, 528
Dirosus 528
Dischidus 83, 165
Dischizillus 29, 165
Discodemus 18, 166
Discogenia 43, 166
Discopleurus 29, 166, 307
Discotus 49, 166
Disema 39, 91, 166, 250, 256, 263
Disemorpha 39, 166
Dissonomini 58
Dissonomus 58, 166, 181, 207, 264, 287, 528
Dissonus 528
Distretus 27, 166, 294, 528
Ditaphronotus 19, 166
Diversogria 40, 166
Dividiopsa 31, 166
Divieta 28, 166
Docalis 6
Doderoella 25, 166
Dolamara 62, 166
Dolichasida 16, 166
Dolichoderus 64, 164, 167, 236, 352
Dolichopterus 528
Doliema 72, 167, 337
Doliodesmus 72, 167
Doliopines 72, 167
Dolphus 62, 167
Donaciolagria 39, 167
Donisiellus 65, 167
Doranalia 66, 167
Dordanea 32, 91, 167
Dorelogena 84, 167
Dorota 66, 167
Dorrigonum 35, 167
Doryacus 528
Doryagus 50, 167, 528
Doyenia 36, 167
Doyenus 52, 167
Drepanomela 38, 167
Drocleana 78, 167
Dromeus 528
Drosochrus 51, 161, 168, 203
Drosochrus 51, 161, 168, 203
Dryadigmus 55, 168
Duocula 68, 168
Durandius 18, 168
Durasida 16, 168
Dyla 528
Dymonus 28, 168, 528
Dysantes 64, 168, 181
Dysantina 64
Dysarchus 59, 168, 335
Dysceladus 81, 168
Dysgena 63, 168
Dysodera 39, 168
Dysopinus 39, 168
Dystalica 35, 168
Dzhungaropterocoma 25, 169, 528
Dzungaropterocoma 528
Earophanta 24, 169
Earophila 24, 169
Earophilina 24, 169
Eba 62, 169
Ebenolus 85, 169
Ebertia 528
Ebertius 37, 169, 528
Eccoptostira 39, 169, 528, 529
Eccoptostoma 78, 169, 273
Echinotrigon 26, 169
Echinotus 28, 169, 294
Echocerus 72, 169
Ecnocera 38, 170
Ecnolagria 38, 170, 275
Ecnomoderes 29, 170

Ecnomosternum 21, 170
Ecoptostira 528
Ecphoroma 24, 170
Ecripsis 47, 170
Ectateus 52, 170, 172
Ectatocera 71, 170
Ectatocnemis 52, 170
Ectenostoma 71, 170
Ectomopsis 78, 170
Ectromopsis 60, 170
Ectyche 73, 170
Ectychini 73
Edalus 36, 170, 375
Edromus 528
Edrotes 19, 170, 200, 272
Edrotini 19
Edrotinus 34, 171
Edrotoporus 528
Edrotopus 26, 171, 528
Edylius 59, 171
Egestriomima 6
Eichleria 50, 171
Elaeodes 43, 171
Elaeus 60, 171
Elanophorus 528
Elascus 6
Elasmocera 84, 171
Elasmocerella 84, 171
Eleates 57, 171
Eledona 57, 123, 171, 201, 528
Eledonoprius 57, 171
Elenophorini 20
Elenophorus 20, 129, 171, 201, 242, 528
Eleodes 43, 99, 108, 122, 135, 140, 150, 166, 171, 208, 210, 232, 243, 248, 263, 274, 313, 319, 348, 367, 377
Eleodimorpha 43, 171
Eleodopsis 43, 172
Eleoselinus 52, 172
Eleutheris 528
Elixota 55, 100, 138, 172
Ellaemus 59, 172
Ellidoneus 16, 172, 528
Ellidonius 528
Ellipsodes 71, 104, 172
Elodona 528
Elomosda 78, 172
Elongasida 16, 151, 172, 322
Emallodera 529
Emalodera 529
Embaphion 43, 172
Emcephalus 59, 172, 173, 181, 355
Emeax 23, 172
Emmallodera 63, 172, 297, 325, 529
Emmallus 47, 173
Emmalodera 529
Emmalus 47, 173, 374
Emmenastrichus 19, 173
Emmenastus 32, 110, 166, 173, 233, 249, 289, 351, 352
Emmenides 19, 173
Emsipara 529
Emydodes 38, 173
Emyon 51, 173
Emypsara 75, 130, 173, 271, 529
Enanea 73, 173
Encara 59, 173
Encephalus 59, 173
Encyalesthus 78, 142, 173, 189, 284
Encyrtus 529
Endomoderes 529
Endophloeus 6
Endostomus 36, 173
Endostostomus 36, 174
Endothina 51, 174, 529
Endothyna 529
Endroeditagalus 42, 174
Endustomus 36, 173, 174, 529
Enganodia 84, 174, 529
Enhypnon 6
Enicmonota 41, 174
Enicmosoma 41, 174, 218
Enigmatica 37, 174
Enneacoides 23, 172, 174
Enneboeopsis 6
Enneboeus 6
Ennychiatus 50, 174
Ennychius 50, 174
Enoplopodina 61
Enoplopus 61, 174, 530
Entelogonus 529
Enthriptera 529
Entinopoda 15, 175, 185
Entomobalia 23, 175
Entomochilus 23, 175
Entomoderes 23, 175, 337, 529
Entomoderon 529
Entomogonus 61, 158, 175, 185
Entypodera 39, 175, 234, 530
Eoallognosis 85, 175
Eocallidium 85, 175
Eocoptostira 529
Eocyphogenia 15, 175
Eodirosis 22, 175
Eodromus 85, 175, 528
Eohelaeus 85, 175
Epaerops 529
Epairops 28, 175, 529
Epairopsis 28, 176
Epantius 58, 176
Epeirops 529
Epeurycaulus 47, 176
Ephalus 49, 176, 319
Ephicerus 529
Ephidonius 59, 127, 176

Epicalla 78, 176
Epicamptus 529
Epicydes 39, 154, 176
Epilamprus 72, 176
Epilampus 72, 176, 181
Epilasium 48, 176
Epipagus 19, 177
Epipedodema 54, 177
Epipedonata 529
Epipedonota 23, 177, 529
Epiphaleria 75, 177
Epiphysa 15, 177
Epiplecta 84, 177
Episopus 78, 177
Epitoxicum 64, 177
Epitragella 21, 177
Epitragini 21
Epitragodes 21, 177, 296
Epitragoma 21, 177, 291
Epitragopsis 21, 177
Epitragosoma 21, 177
Epitragus 21, 91, 125, 156, 177, 195, 197, 233, 235, 248, 309, 325, 338, 342, 532
Epitrichia 31, 177
Epityria 31, 178
Epomidus 35, 178
Erelus 85, 178
Eremobates 78, 178
Eremobatodes 78, 178
Eremocantor 19, 178
Eremoecus 34, 178
Eremonomus 47, 178
Eremophaleria 75, 178
Eremostibes 50, 178
Erganna 529
Ergenna 63, 178, 529
Eriodontes 529
Erionura 61, 178
Ernocharis 69, 178, 258, 327, 352
Erodibius 22, 178
Erodiini 21
Erodinus 22, 179
Erodiontes 22, 179, 220, 529
Erodius 22, 87, 105, 111, 127, 136, 164, 165, 175, 179, 206, 341, 372, 379
Erulipothydemus 62, 179
Erulipus 75, 179
Erxias 69, 179
Erycastus 55, 179
Eryx 68, 179
Erzika 66, 179
Eschaptoporis 529
Eschatomoxys 20, 179
Eschatoporiini 36
Eschatoporis 36, 179, 529
Eschatostena 31, 179
Esemephe 19, 179
Esemephina 19
Espagnolina 72, 179
Espidium 28, 179
Espites 78, 180, 252
Espitomorphus 77, 180
Etaceta 529
Etazeta 41, 180, 529
Ethas 29, 180, 192
Ethmomerus 28, 180
Ethmophobes 28, 180
Ethmus 28, 180, 371
Eubalia 69, 129, 180, 307
Euboeus 61, 180, 203, 204, 292, 312
Eucaliga 66, 180
Eucamaria 78, 180
Eucamptus 79, 180
Eucirtus 529
Eucistela 6
Euclarkia 36, 180
Eucolus 52, 180, 219
Euconibius 48, 181, 196
Eucosmus 84, 181
Eucrossoscelis 84, 181
Eucyrtus 78, 107, 143, 145, 181, 188, 251, 271, 529
Eudissonomus 58, 181
Eudustomus 529
Eudysantes 64, 181
Euganodia 529
Euglyptonotus 55, 181
Euhelaeus 60, 181
Euhemicera 78, 181
Eulabes 207
Eulabini 58
Eulabis 58, 105, 106, 181, 207
Eulea 36, 181
Euleantus 32, 181, 331
Eulimenes 530
Eulipus 31, 181, 256
Eulytus 56, 181
Eumicrositus 45, 182
Eumolpamarygmus 56, 182
Eumolparamarygmus 56, 182
Eumolpocyriogeton 57, 182
Eumylada 49, 182
Eunotiodes 21, 182
Eunotus 530
Euomma 66, 104, 182
Euomophlus 70, 182
Euoplus 530
Eupachypterus 48, 182
Eupezoplonyx 56, 182
Eupezus 56, 182
Euphloeus 78, 182
Euphron 78, 182
Euphrynus 27, 182
Euplopus 530
Eupomeca 45, 183
Eupsophulus 34, 183
Eupsophus 34, 183
Eupterocoma 25, 183

Eurepipleura 30, 183
Eurhysodina 63, 183, 530
Eurhyzodina 530
Eurichora 530
Euripimelia 530
Euryasida 16, 183
Eurycaulinus 50, 183
Eurycaulus 50, 99, 183, 338
Eurychora 14, 183, 235, 236, 309, 342, 351, 355, 379, 530
Eurychorula 14, 183
Eurygona 26, 183, 530
Eurygonus 530
Euryhelops 53, 61, 133, 183, 184, 379
Eurymetopon 20, 184, 215, 243, 248, 359
Eurymetopum 20, 184
Eurynotina 51
Eurynotus 51, 120, 184, 187, 255, 265, 325
Euryostola 24, 184
Eurypera 55, 184
Eurypimelia 24, 184, 530
Euryprosodes 44, 184
Euryprosternum 16, 184
Eurypus 6
Eusarca 79, 184
Eusattodes 18, 184
Eusattus 18, 147, 149, 154, 166, 184, 241, 267, 344
Euschatia 79, 147, 184
Euschides 17, 185
Eusemostene 530
Euspinamarygmus 56, 185
Eustenia 70, 185, 371
Eustenomacidius 60, 135, 185
Eustolopus 15, 175, 185
Eustrongylium 85, 185
Eusyntelia 31, 185
Eutagenia 29, 185
Euteleocera 26, 185
Eutelocera 26, 185
Eutelogonus 61, 185, 529
Eutelonodolinus 78, 186
Eutelonotus 78, 186, 268
Eutelus 78, 186, 268, 530, 533
Eutermicola 62, 186
Eutherama 84, 186
Euthriptera 24, 186, 529
Euthysternum 78, 186
Eutichus 14, 186, 530
Eutochia 65, 102, 106, 158, 186, 210
Eutomus 58, 186
Eutoreuma 59, 115, 186
Eutrapela 39, 90, 186, 264
Eutrapelodes 71, 186
Eutriorophus 20, 187
Eutychus 530
Eutypodera 530
Euzadenos 46, 187
Evaniosamus 530
Evaniosomini 22
Evaniosomus 22, 142, 187, 268, 530
Evaostetha 66, 187
Evelina 22, 187
Eviropodus 52, 187
Evoplus 73, 187, 530
Evrychora 530
Evtelus 530
Exadelium 35, 187
Exangeltus 34, 187, 530
Exangelutus 530
Exapinaeus 72, 187
Excavatoprostenus 530
Exechophthalmus 42, 187
Exeniotis 36, 187
Exerestus 64, 187, 313
Exocolena 78, 187
Exohadrus 6
Exostira 39, 187
Extetranosis 29, 188, 216, 253
Fahraeus 56, 188
Falacer 56, 188
Falsammidium 47, 188
Falsandrosus 78, 188
Falsaspila 14, 188
Falsastenochirus 56, 188, 530
Falsasthenochirus 56, 188
Falsoarthroconus 20, 188
Falsoaugolesthus 83, 188
Falsobates 78, 188
Falsobrachys 78, 188
Falsocaedius 47, 188
Falsocalcar 63, 188
Falsocamaria 78, 180, 189
Falsocamariodes 78, 189
Falsocasnonidea 39, 189
Falsocatomulus 31, 189, 251
Falsocosmonota 72, 189
Falsocossyphini 58
Falsocossyphus 58, 189
Falsocuphotes 84, 189
Falsodiopethes 79, 189
Falsoencyalesthus 78, 189
Falsogauromaia 79, 189
Falsolagria 38, 189
Falsolobodera 49, 189
Falsolophocnemis 85, 189
Falsomicrodera 32, 189
Falsomophlus 70, 189
Falsomycterini 23
Falsomycterus 23, 189
Falsonannocerus 79, 189
Falsonemostira 39, 189
Falsonotostrongylium 84, 190
Falsoperichilus 79, 190
Falsophthora 42, 190

Falsoplonyx 56, 190
Falsopraocis 26, 104, 190
Falsopsilonycha 71, 190
Falsostenochirus 530
Falsostrongylium 84, 190
Falsosynopticus 56, 190
Falsotagalus 42, 190
Falsotithassa 41, 160, 190
Falsoxanthalia 6
Falsozialeus 55, 190
Falsozotypus 79, 190
Farsarthrosis 22, 190
Fatuellus 530
Faustia 53, 190, 229, 252
Ferganoprosodes 44, 190
Ferveoventer 16, 190
Fifina 66, 190
Fifinoides 66, 191
Filotarsus 26, 191
Fitzsimonsia 29, 191
Fitzsimonsium 29, 191
Flabellalogista 71, 191
Flabellolagria 38, 191
Flabellostrongylium 84, 191
Flavipoda 67, 191
Foleya 22, 191
Foochounus 79, 102, 139, 191, 250
Foranotini 43
Foranotum 43, 191
Fossilochile 19, 191
Fourtaus 31, 191
Foveostatira 40, 191
Freudeia 31, 191
Freudella 84, 191
Freyitia 31, 192
Freyula 47, 192
Fundulus 62, 192
Gabonia 41, 192
Gabonisca 41, 192
Gahanosis 34, 192
Galymmaphorus 131, 530
Gamaxus 36, 192
Gampsia 530
Ganyme 6
Garambanus 56, 192
Gargilius 72, 192
Garridoa 20, 192
Gasthrhaema 530
Gastrhaema 70, 192, 530
Gaurobates 79, 192
Gauromaia 79, 137, 189, 192
Gebienella 79, 192
Gebienia 39, 192
Gebieniella 29, 192
Gebienocamaria 79, 192
Gebleria 44, 116, 193
Gedeon 24, 193
Gedrosia 25, 193
Genateropa 84, 107, 193
Genoblaps 44, 193, 314
Gentianidis 530
Gentinadis 85, 193, 530
Geoborus 21, 160, 193
Geophanus 14, 193
Gerandryus 69, 193, 286
Gerardia 69, 193, 300
Gerdacula 66, 193
Ghaleca 55, 193
Gibbostrongylium 85, 193
Gigantopigeus 79, 194
Girardius 31, 194
Girardocamaria 79, 194
Glabrasida 16, 105, 116, 168, 194, 198, 242, 254, 291
Glabrilobopoda 67, 194
Globasida 16, 194
Globularthrodosis 22, 194
Glyptariobius 46, 194
Glyptasida 17, 194
Glyptophrinus 531
Glyptophrynus 27, 194, 531
Glyptopteryx 52, 194, 252, 329, 356, 531
Glyptoteryx 531
Glyptothorax 71, 124, 194
Glyptotus 79, 194
Gnaptor 44, 194, 307, 537
Gnaptorina 44
Gnaptorina 44, 117, 124, 195, 206
Gnaptorinina 44
Gnata 531
Gnathelops 85, 195
Gnathidiina 73
Gnathidiini 73
Gnathidium 73, 195
Gnathocerus 72, 195
Gnathosia 31, 133, 195, 264
Gnatocerus 72, 137, 169, 195, 342
Gnesis 79, 195, 370
Gnophota 31, 166, 195
Goajiria 48, 195
Gobretus 21, 195
Gonasida 17, 195
Gondvanadelium 35, 195
Gondwanocrypticus 71, 195
Gondwanodilamus 48, 196
Gonespites 79, 196
Goniadera 36, 91, 196, 277
Goniaderini 36
Gonialaena 37, 196
Gonialaenini 37
Goniodera 36, 196
Gonocephalum 49, 157, 196, 200, 241, 259, 277
Gonocnemis 56, 87, 139, 190, 196, 265, 287
Gonocnemocistela 56, 196
Gonodera 69, 196, 311

Gonoderina 68
Gonogenius 63, 196
Gonopterus 28, 196
Gonopus 52, 53, 93, 196
Gonospa 79, 196
Gonyodera 531
Grabulax 37, 197
Gracilasida 16, 197, 303, 324, 366
Graecopachys 24, 197
Grammicus 29, 197
Granasida 16, 197
Grandelagria 38, 197
Grandicyrtomius 21, 197
Granulasida 16, 197
Granulophanes 61, 197
Graptopezus 79, 197
Gressittiola 72, 197
Gridellia 63, 197, 374
Gridelliopus 46, 197
Gronophora 38, 197
Guanobius 54, 198
Guildia 46, 198
Gunarellus 62, 198, 349
Gunarus 60, 198
Gymnetasida 16, 198, 542
Gymnogathus 531
Gymnognathus 19, 110, 198, 531
Gynandrocera 30, 198
Gyrasida 26, 198
Gyrinodes 61, 198
Gyriosomus 23, 126, 193, 198
Gyrosis 34, 198
Habrobates 24, 198, 531
Habrochiton 24, 199
Hades 74, 199
Hadrobates 531
Hadroderus 46, 199
Hadrodes 47, 199
Hadromelambius 46, 199
Hadrophasis 49, 199
Hadrus 50, 199, 296, 318, 375
Haemerophygus 18, 199
Haemodus 46, 199
Haemus 46, 199
Halammobia 75, 199, 531
Halamobia 531
Halonomus 47, 199, 293
Halophalerus 75, 199
Hangaya 66, 200
Hanstroemium 46, 200
Haplandrus 79, 126, 200
Haporema 79, 200
Hapsida 76, 200
Harotoma 531
Harpiscius 531
Harvengia 29, 200
Harvengiina 29
Hasticollinum 49, 200
Havanalia 66, 200
Hectus 59, 105, 200
Hedrotes 19, 200
Hedyphanes 61, 134, 147, 197, 200, 237, 251, 350, 532
Hegemona 79, 180, 184, 200
Hegeter 31, 131, 200, 211, 281, 325, 374
Hegeterocara 31, 191, 201
Hegeteromorpha 32, 201
Heiliofugus 531
Heinrichesia 26, 201
Helaeus 171, 531
Helea 60, 171, 201, 344, 531
Heledona 57, 201
Heleina 59
Heleini 58
Helenomelas 47, 201
Helenophorus 20, 201
Heleus 201, 344, 531
Helibatus 50, 174, 201
Helioarthrodibius 22, 201
Heliocaes 45, 201, 202
Heliocrates 45, 202
Heliodromus 33, 202
Heliofugus 79, 147, 184, 202, 203, 219, 334, 531
Heliomelasma 46, 202
Heliomophlus 70, 202
Heliopates 45, 159, 166, 176, 201, 202, 207, 531
Heliopathes 201, 531
Heliopathes 45, 202
Heliophilus 45, 202, 293
Heliophosis 34, 203
Heliophugus 531
Heliophygus 79, 203, 334
Heliosteres 79, 203, 531
Heliosthraema 531
Heliostrhaema 70, 203, 531
Heliotaurus 70, 115, 202, 203, 223
Helisteres 531
Helogria 38, 203
Helopelius 62, 203, 350
Helopides 6
Helopidesthes 62, 203
Helopidoxus 61, 203
Helopimorphus 48, 203
Helopina 61
Helopini 60
Helopinina 50
Helopinus 51, 173, 203, 327
Helopocerodes 60, 204
Helopogonus 61, 204
Helopondrus 60, 204
Heloponotus 60
Helopostygnus 61, 204
Helopotrichus 61, 204
Helops 61, 87, 90, 96, 103, 106, 112, 114, 120, 137, 138, 143, 150, 152,

155, 156, 159, 161, 165, 176, 177, 178, 179, 182, 183, 184, 185, 188, 191, 198, 199, 200, 203, 204, 209, 210, 211, 213, 214, 217, 218, 221, 225, 226, 229, 236, 237, 241, 245, 246, 247, 261, 262, 264, 267, 272, 274, 278, 279, 286, 292, 300, 310, 311, 312, 324, 328, 329, 331, 334, 335, 339, 350, 351, 358, 371, 376, 378
Helopsallecula 71, 204
Helopsisomira 69, 204
Hemasodes 21, 204, 531
Hemeralopius 36, 204
Hemerobates 76, 205
Hemicera 79, 143, 205, 216, 251, 261
Hemicistela 66, 205
Hemicyclus 59, 154, 205, 531
Hemicyclys 531
Hemimmedia 79, 205
Hemipraocis 26, 205
Hemipristis 41, 205
Hemipristula 41, 205
Hemipterocoma 25, 205
Hemisphaeresmia 531
Hemitrichestes 49, 206, 531
Hemitrichesthes 531
Hemosodes 531
Hepadrinus 531
Heptaphylla 58, 206
Herbertfranzia 29, 206
Herbertfranziella 29, 206
Herlesa 31, 206
Herodius 22, 206
Herpiscius 63, 206, 531
Herpsis 14, 206
Herthasida 17, 206
Hesiodobates 81, 206
Hesiodus 79, 206
Hesperoptorina 44, 124, 206
Hesseodes 56, 206
Hesseosis 34, 134, 206
Heterarthron 58, 207
Heterasida 16, 207
Heteroblaps 531
Heterocheira 48, 207
Heterochira 48, 207
Heterogena 63, 207
Heterogria 40, 166, 207, 226, 283, 375
Heteromerotylus 83, 207
Heteromira 69, 207
Heteronicandra 51, 207
Heterophaga 54, 207, 252
Heterophyllus 72, 207
Heterophylus 58, 72, 143, 166, 181, 207, 264
Heteropromus 43, 208
Heteropsectropus 52, 208
Heteropus 48, 208
Heteroscelis 15, 52, 208
Heterostrongylium 84, 208
Heterotarsina 48
Heterotarsus 48, 203, 208, 212, 281
Hexagonocheilus 531
Hexagonochilus 29, 208, 531
Hexarhopalus 79, 107, 208, 209, 227, 230
Hexarhoptrum 79, 208
Heydyphanes 532
Hicetaon 79, 209
Hidrosella 14, 209
Hidrosis 14, 209
Himastethe 30, 209
Himatismus 31, 107, 150, 154, 156, 160, 178, 209
Hionthis 31, 209, 216, 532
Hionthisoma 31, 209
Hipalmus 63, 209, 233
Hipomelus 28, 209
Hipponome 62, 209, 532
Hipponomus 532
Hipsosoma 532
Hirsutosora 40, 209
Hirtograbies 52, 209
Hispanomelia 24, 210
Histeromimus 22, 210
Histeromorphus 22, 210
Histeropsis 73, 210
Histiaea 62, 210
Histrionotus 28, 210
Holania 532
Holaniara 65, 210, 532
Holdhausia 70, 210
Holeleodes 43, 210
Holoblaps 44, 210
Holobrachium 56, 210
Holobrachys 79, 210
Hologenosis 34, 210
Hologlyptus 532
Holostrongylium 84, 211
Homala 31, 211, 274
Homalapipleurus 31, 211
Homaleis 60, 211
Homalinota 31, 211
Homalopsis 31, 211
Homalopus 532
Homalus 60, 211
Homebiina 19
Homebius 19, 211
Homocyrtus 85, 156, 211, 338
Homoeocamaria 76, 211
Homoeogenus 76, 211, 224
Homoeonota 31, 212, 221
Homoeotrysis 532
Homopsis 24, 212

Homoropsis 71, 212
Homotrysis 67, 212, 215, 532
Hopatrinus 53, 212
Hopatroides 49, 212
Hopatromorpha 49, 212
Hopatropteron 48, 212
Hopatrum 49, 212
Hoplambius 46, 212
Hoplariobius 46, 194, 212
Hoplarion 46, 115, 194, 212, 246, 335
Hoplaspis 72, 212
Hoplitoblaps 44, 213
Hoplobrachium 56, 137, 210, 213
Hoplocephala 73, 213
Hoplochirus 56, 213
Hoploedipinus 79, 213
Hoploedipus 79, 213
Hoplonyx 56, 206, 213, 215, 262, 263, 327, 365
Hoplopeltis 54, 213
Hoploptera 84, 213, 281
Hoplostira 40, 213
Hoplostrongylium 84, 213
Horatoma 19, 213, 214, 288, 334, 531
Horatomella 19, 213
Horatomodes 19, 214
Horistelops 60, 204, 214
Hosohamudama 39, 214
Houaphanica 67, 214
Hovacula 71, 214
Hovadelium 37, 214
Hovademulus 52, 214
Hovademus 53, 214
Hovamarygmus 532
Hovarygmus 50, 214, 532
Huilamus 27, 214
Hummelinckia 48, 214
Hyalarthrodosis 22, 214
Hyalerodius 22, 214
Hybocaulus 81, 214
Hybonotus 78, 215, 287
Hyboproctus 79, 215
Hybraenia 532
Hybrenia 67, 212, 215, 532
Hydissus 79, 215, 532
Hydisus 79, 215
Hydromedion 6
Hylithus 20, 215, 338
Hylobates 532
Hylocrinus 20, 215, 233, 289
Hylocurus 532
Hylonoma 65, 215
Hyloplonyx 56, 215
Hymaea 6
Hymenalia 67, 215, 268
Hymenochara 69, 215
Hymenophorus 215, 532
Hymenorus 67, 215, 532
Hyociina 74
Hyociini 74
Hyocis 74, 153, 215, 261, 264, 287
Hyonthis 532
Hyonthosoma 31, 209, 216
Hypamarygmus 56, 216
Hypaulax 79, 141, 216
Hyperamarygmus 55, 216
Hyperchalca 84, 216, 237
Hypercossyphodes 18, 216
Hypermicrotelopsis 29, 188, 216, 253
Hyperops 31, 119, 158, 162, 178, 216, 273, 282, 283, 362
Hyperopsis 31, 216
Hypoblaps 43, 216
Hypocalis 79, 205, 216
Hypocilibe 59, 216
Hypocistela 70, 217
Hypogena 65, 217, 373
Hypolaenopsis 37, 217
Hypomelina 26
Hypomelus 26, 217
Hypophlaeini 74
Hypophlaeus 74, 127, 129, 143, 145, 217, 262, 285, 288, 309, 350, 371, 532
Hypophloeus 532
Hypoprosodes 44, 217
Hypostatira 39, 217
Hypovinsonia 80, 217
Hypselops 21, 217
Hypsoderes 532
Hypsosoma 31, 217, 532
Hypulus 61, 217
Hysterarthron 39, 217
Iberomelia 25, 217
Ibnsaudia 33, 217, 315
Iccius 72, 217
Ictistygna 6
Ictistygnina 6
Idahelops 60, 218
Idastrandiella 18, 218
Idatius 71, 218
Idiesa 24, 218
Idiobates 64, 218
Idiopsis 20, 218, 224
Idisia 23, 218
Idisiini 23
Idricus 51, 218
Iliodera 32, 218
Ilus 80, 218
Ilyxerus 64, 218
Imatismus 31, 154, 209, 218
Immedia 80, 218
Impressallecula 67, 218
Impressosora 39, 218, 264
Impressosora 39, 218, 264
Indenicmosoma 41, 218
Indeucolus 52, 219

Indianosis 29, 219
Indochillus 29, 219, 223, 321
Indoprosodes 44, 219
Indostola 29, 219
Indricula 67, 219
Inscutoheliofugus 79, 219
Insolitoplonyx 56, 219
Inspinogeton 57, 219
Insulasida 16, 166, 219
Iophon 532
Iphicerus 532
Iphicorynus 73, 219
Iphius 42, 126, 219
Iphthimera 15, 219
Iphthiminus 80, 219
Iphthimulus 80, 220
Iphthimus 80, 220
Iphthinus 80, 219, 220, 284, 532
Iphtinus 532
Ipitragus 532
Iranarthrodosis 22, 220
Iranerodius 22, 220
Iranolasiostola 24, 220
Iranopachyscelis 24, 220
Iranosodes 44, 220
Irianobates 80, 220
Isaminas 80, 220, 327
Isarida 47, 220
Iscanus 41, 108, 220
Ischnarthron 74, 220
Ischnodactylus 72, 118, 220, 221, 377
Ischyomius 6
Isicerdes 80, 221
Ismarus 68, 221, 342
Isocera 39, 221, 222
Isocerus 45, 221, 264, 316
Isomera 532
Isomira 69, 107, 113, 157, 207, 221, 223, 258, 287, 328, 359, 532
Isomiropsis 71, 221
Isoncophallus 52, 221
Isonota 31, 221
Isopedus 60, 221, 349
Isophon 532
Isopteron 35, 88, 104, 139, 221, 222, 312
Isopteroplonyx 56, 221
Isopterum 35, 222
Isopus 80, 222
Isostira 76, 222
Isotoma 39, 221, 222
Itagonia 44, 222
Italohelops 61, 222
Italomelia 25, 222
Itampolis 29, 222
Iugidorsum 26, 222
Ixalus 53, 222
Jaklia 67, 222
Japetus 50, 222
Javamarygmus 56, 222
Jintainum 532
Jintaium 49, 222, 532
Jophon 67, 222, 223, 532
Julogenius 70, 223
Jurallecula 67, 223
Kabakoviella 80, 223
Kaindilagria 38, 223
Karroocara 15, 223
Kaszaba 80, 223
Kaszabadelium 35, 223
Kaszabiella 33, 223
Kaszabochillus 29, 223
Kaszaboscelis 54, 223
Kaszabus 21, 223
Kawiria 24, 223
Kershawia 36, 223
Kirgisomira 68, 223
Klapperichia 18, 223
Klewaria 23, 224
Klewariini 23
Knausia 67, 224
Kocakia 20, 218, 224
Kocheria 22, 224
Kochogaster 52, 150, 224
Kochotella 16, 224, 253
Kokeniella 31, 224
Kombacula 67, 224
Koneus 20, 224
Kralia 69, 224
Krollus 76, 224
Ksukolcula 67, 224
Kuhitangia 43, 224
Kuhitangiinae 43
Kuhitangiini 43
Kuschelus 41, 224
Labetis 69, 224
Lachna 38, 224
Lachnodactylina 23
Lachnodactylus 23, 225
Lachnoderes 48, 225, 532
Lachnoderus 532
Lachnogya 23, 225, 533
Lachnogyia 533
Lachnogyina 23
Lachnogyini 23
Lachnopus 23, 225, 267
Lachriomus 533
Laena 37, 134, 169, 217, 225, 313, 326, 533
Laenini 37
Lagria 38, 88, 91, 94, 98, 107, 111, 116, 125, 138, 142, 150, 160, 167, 170, 197, 203, 224, 225, 226, 234, 237, 239, 248, 251, 272, 290, 295, 299, 300, 331, 337, 376
Lagriallecula 71, 225
Lagriella 38, 225
Lagriina 37
Lagriinae 34
Lagriini 37
Lagrimina 38, 225
Lagriocera 40, 225, 376
Lagriodema 39, 225
Lagriodes 40, 226
Lagriogonia 39, 226
Lagriola 37, 226

Lagriomima 38, 39, 226
Lagriopsis 38, 226
Lagriostira 37, 39, 94, 226
Lamperos 62, 226
Lamprobothris 63, 226
Lamprocrypticus 71, 133, 226
Lanhsia 57, 226
Laonicus 59, 226
Laoscapha 75, 227
Laosocryptobates 79, 227, 239
Laraliprosodes 44, 227
Lariversius 43, 227
Lasiocnema 24, 227
Lasioderus 46, 227
Lasiograna 24, 227
Lasiostola 24, 136, 227, 324, 533
Lasiotata 533
Latacula 67, 227
Lateranus 530, 533
Latetribolium 54, 227
Lathelicus 533
Latheticus 65, 227, 533
Latipleurosis 34, 227
Latometus 6
Latorhascius 36, 227
Lawrenceus 53, 227
Leaena 533
Leanum 65, 228
Leaus 65, 228
Lechinius 70, 228
Lechius 53, 228
Lechriomus 15, 228, 533
Leichenina 51
Leichenum 51, 174, 228, 231
Leichrodes 533
Leichrodomorphus 74, 228, 533
Leiochbrota 533
Leiochrinini 74
Leiochrinus 74, 228, 229, 533
Leiochritina 533
Leiochrodes 74, 228, 533
Leiochrodinus 74, 228
Leiochrodomorphus 533
Leiochrodontes 74, 228
Leiochromimus 55, 228
Leiochrota 74, 229, 533
Leiochrotina 74, 229, 533
Leiopeplus 77, 143, 229
Leipopleura 53, 229
Lelegeis 72, 229
Leleupium 42, 229
Lemoultia 56, 229
Lenkous 80, 229
Lepidocaulinus 80, 229
Lepidochora 14, 229
Lepidocnemeplatia 18, 229
Lepidospilus 59, 229
Lepispilus 59, 229, 371
Leporina 533
Leprocaulinus 80, 230, 301
Leprocaulus 79, 107, 230, 255, 321, 322, 533
Leptasida 16, 230
Leptinostethus 39, 230
Leptocolena 43, 230, 314
Leptoderis 20, 171, 201, 230
Leptoderops 33, 230
Leptodes 23, 230, 247, 287, 313
Leptodini 23
Leptodinopsis 23, 230
Leptodopsis 23, 230
Leptogastrus 35, 231
Leptomorpha 43, 130, 141, 231
Leptonychoides 22, 231
Leptonychus 22, 231
Leptoscapha 65, 231
Leptosora 40, 231
Leptosphena 31, 231
Lepturidea 67, 92, 94, 100, 115, 142, 231, 263
Leptynoderes 63, 231, 533
Leptynoderus 533
Lesbidana 49, 231
Leucolaephus 24, 231, 241, 288, 533
Leucolephus 533
Leucoloephus 533
Lichenum 51, 231
Licinoma 35, 167, 231
Licymnius 67, 115, 231
Lindia 65, 232
Lineocrypticus 72, 232
Linio 42, 232
Liochrinus 533
Liodema 72, 232
Liodocistela 67, 232
Lioprosodes 45, 232
Lisa 67, 232
Listronychus 533
Litasida 16, 232
Litheleodes 43, 232
Lithoblaps 43, 232
Litoboriolus 45, 232
Litoboromimus 46, 232
Litoborus 46, 232, 233, 287
Litopous 67, 233
Litororus 45, 233
Lixionica 34, 233
Lobatopezus 56, 233
Lobetas 64, 233
Lobodera 49, 233, 293, 533
Loboderus 233, 533
Loboglossa 6
Lobometopon 21, 233
Lobophilomorphus 40, 233
Lobophilus 533

Lobopoda 67, 191, 194, 233, 247, 257
Lobothorax 49, 233
Locrodes 20, 233
Lodinus 48, 233
Loensus 51, 234, 291, 323
Lomocnemis 80, 234
Longicerenopus 533
Longuloodescelis 54, 234, 368
Lophocnemis 84, 174, 234, 254, 325
Lopholagria 38, 234, 256
Lophoma 32, 234
Lophophyllus 40, 234, 533
Lordodera 80, 234
Lorelopsis 41, 234
Lorelus 41, 234
Loricula 67, 234
Loriculoides 67, 234
Lornamus 17, 152, 234
Lorona 38, 234
Loubacantus 39, 234
Louwerensia 72, 235
Loxostethus 72, 235
Lucidolaena 37, 235
Luebbertia 50, 235
Lupropini 41
Luprops 41, 180, 235, 273, 355, 356, 534
Lutelus 533
Luzonoplonyx 56, 235
Lycanthropa 14, 235, 379
Lycidioides 80, 235
Lycogonocnemis 56, 235
Lycoscelis 57, 235
Lycula 67, 235
Lygestira 59, 235
Lygophilus 21, 235
Lyphia 65, 232, 235
Lyprocaulus 533
Lyprochelida 534
Lyprochelyda 36, 118, 235, 534
Lyproehelyda 534
Lyprops 273, 534
Lyprosodes 44, 236
Lystronichus 534
Lystronychus 69, 236, 377, 533, 534
Macellocerus 64, 164, 167, 236, 352
Machla 16, 96, 236, 323
Machlasida 16, 236, 316
Machleida 16, 236
Machloida 16, 236
Machlomorpha 16, 17, 112, 236
Machlophila 17, 236
Machlopis 534
Machloplasta 16, 236
Machlopsis 14, 209, 236, 534
Macradesmia 15, 237
Macrarthra 39, 237
Macroartactes 76, 237
Macrocasnonidea 40, 237
Macrocistela 71, 237
Macrocistelopsis 67, 237
Macrohyperchalca 84, 237
Macrolagria 40, 102, 237
Macropachylesthus 80, 237
Macroperas 35, 237
Macrophanes 61, 237
Macrophtalmus 85, 238, 534
Macrophthalmata 85, 238
Macrophthalmus 238, 534
Macropoda 15, 238, 330, 378
Macropodesmia 15, 238
Macrostethus 80, 238
Macrosynopticus 56, 157, 238
Macrotis 534
Macrotrachyscelis 75, 238
Macrozophobas 64, 238
Macruloma 65, 238
Madagassa 42, 238, 328
Madobalus 53, 238
Madreallecula 67, 238
Maerodes 59, 239, 256
Magdanalia 67, 239
Magela 74, 239
Magrebmelia 25, 239
Mahena 80, 239
Makicula 67, 239
Malacodrya 6
Malacova 78, 239
Malaiseum 40, 239
Malayaplamius 80, 239
Malaymira 69, 239
Malayoscelis 41, 239
Malaysphena 80, 239
Mallogria 38, 239
Mamorina 61, 239
Mantichorula 24, 239
Maracia 80, 239
Marcuzzichoton 534
Margus 65, 240
Mariepskopia 80, 240
Martianus 73, 240, 360
Massadraamelia 25, 240
Mateuina 47, 240
Matthewsotys 67, 240
Mauritianopidium 73, 240
Mayidicistela 71, 240
Mechanetes 80, 161, 240
Mecocerus 70, 241
Mecopisthopus 24, 241
Mecysmus 48, 241
Medaris 534
Mederis 82, 241, 534
Medvedevia 44, 241
Medvedevoblaps 44, 241, 316
Megacantha 56, 241

Megadasus 49, 241
Megagenius 31, 241, 534
Megagrius 534
Megalophrys 34, 241, 293
Megaprosodes 44, 96, 241
Megasattus 18, 241
Megascythis 33, 241
Megasida 17, 242
Megatenebrio 64, 242
Megatlasion 46, 115, 242
Megazopherus 6
Megeleates 57, 242
Megelenophorina 21
Megelenophorus 21, 129, 242
Megischia 70, 242
Megischina 70, 242, 272
Megliphus 534
Meglyphus 45, 242, 534
Meladeras 45, 242
Meladiesa 534
Meladiesia 24, 242, 534
Meladocrates 45, 242
Melambasida 16, 242
Melambatlasus 46, 242
Melambiina 46
Melambiophylax 46, 242
Melambius 46, 104, 199, 212, 242
Melanastus 20, 243
Melanchrus 534
Melancrus 32, 97, 243, 534, 542
Melaneleodes 43, 243
Melanesthes 49, 126, 206, 231, 243, 253, 257, 277
Melanimon 50, 62, 166, 192, 243, 253
Melanimonini 62
Melanochrus 31, 243, 244
Melanocoma 49, 243
Melanocratus 53, 243, 340
Melanolophus 27, 111, 243
Melanophorus 23, 243
Melanopterus 53, 151, 243
Melanostola 25, 117, 243, 244
Melansis 46, 244
Melaphorus 22, 243, 244, 329, 349
Melaps 68, 244
Melarachnica 33, 244
Melasia 66, 244
Melasma 46, 244
Melasmana 46, 202, 244
Melasmocara 31, 244
Melaxumia 31, 244
Melobates 82, 244
Melobrachys 80, 245
Melytra 6
Menandris 80, 245
Mencheres 20, 245
Menearchus 53, 245
Menechides 58, 245, 329, 339
Menederes 52, 100, 245
Menederopsis 52, 108, 245
Menedrio 64, 245
Menephiloides 6
Menephilus 80, 245
Meneristes 58, 113, 245
Menes 67, 245
Menimoides 74, 245
Menimopsis 73, 129, 245
Menimus 73, 137, 245, 250, 264, 285, 342, 365
Meniscophorus 40, 245
Menoeceus 67, 246
Menoncotus 52, 246
Mentariobius 46, 246
Mentes 84, 246
Meracantha 56, 188, 246, 300
Meracanthoides 56, 246
Meralius 6
Merinus 80, 246
Merklia 40, 246
Meropersina 44, 246
Meropria 40, 246
Merotemnus 36, 246
Meroxys 56, 246
Meryx 6
Mesabates 20, 246
Mesabatodes 20, 246
Mesohelops 61, 247
Mesoleptodes 23, 247
Mesolobopoda 67, 247
Mesomorphus 49, 212, 247, 293
Mesooblaps 43
Mesopatrum 35, 247
Mesopraocis 26, 247
Mesoprosodes 44, 247
Mesopterocoma 25, 247
Mesostena 31, 113, 148, 247, 307, 336, 351, 535
Mesostenopa 31, 247
Mesosternoplax 25, 247
Mesothoris 7
Mesotretis 41, 247
Messalia 85, 247
Messoricolum 47, 247
Metablapylis 43, 248
Metabolocerus 65, 248
Metaclisa 62, 96, 248, 363
Metaclisini 62
Metacorticeus 74, 248
Metacossyphodes 19, 248
Metallonotus 41, 113, 248
Methistamena 77, 248
Metisopus 80, 248
Metistete 67, 232, 248
Metonites 76, 248
Metopocerus 534

Metopoloba 21, 248
Metoponiopsis 20, 248
Metoponium 20, 248
Metriolagria 38, 248
Metriopa 534
Metriopus 15, 96, 137, 146, 219, 248, 291, 292, 534
Metulosonia 65, 249
Micipsa 32, 143, 194, 206, 249, 361, 534
Micipsina 33, 249
Micispa 534
Micrantereus 51, 249, 343, 534, 535
Micrantherus 534
Micrarmalia 20, 249
Micrasida 17, 249
Micrectyche 73, 249, 534
Micretyche 534
Micreuphlaeus 80, 249, 534
Micreuphloeus 534
Micrisomira 69, 249, 535
Microamarygmus 71, 249
Microanaedus 36, 249
Microatasthalus 58, 249
Microbasanus 75, 249
Microblattellus 58, 249, 534
Microblattelus 534
Microblemma 29, 249
Microbolitonaeus 58, 249
Microbradymerus 80, 249
Microcalcar 41, 250
Microcalydonis 81, 250
Microcameria 79, 250
Microcatomus 62, 250
Microcenoscelis 65, 250
Microcilibe 73, 250
Microcistela 67, 69, 250
Microcistelopsis 67, 250
Microcrypticus 72, 151, 250
Microdendarus 45, 250
Microdera 32, 91, 98, 167, 189, 218, 244, 250, 262, 317, 332, 361
Microderopsis 32, 250
Microdisema 39, 250
Microdocnemis 60, 250
Microeucyrtus 78, 251
Microgauromaia 81, 251
Microgoniadera 36, 251
Microgonocnemis 56, 251
Microhedyphanes 61, 251
Microhemicera 82, 251
Microhionthis 31, 251
Microlagria 37, 251
Microleichenum 51, 251
Microlyprops 37, 251
Micromenandris 80, 251
Micromes 20, 251
Micromophlus 70, 251
Micronilio 42, 251
Microomopheres 21, 251
Micropedinus 41, 252, 269
Micropeltoides 54, 252
Micropeneta 74, 245, 252
Microperithrix 534
Microperitrix 534
Microphenus 80, 252
Microphligra 28, 252
Microphyes 54, 252
Microphylacinus 45, 252
Microplatyscelis 54, 252
Microprostenus 69, 252
Microps 535
Micropseudochillus 29, 252
Microschatia 17, 89, 114, 252, 328
Microselinus 52, 252
Microsis 34, 252, 313
Micrositus 45, 104, 115, 198, 212, 233, 242, 246, 252, 306, 335
Microsomira 535
Microsphaerotus 80, 252
Microstenogena 67, 252
Microsthes 67, 253
Microstizopus 50, 253
Microstrongylium 85, 253
Microtelopsis 29, 188, 216, 253, 362
Microtelus 29, 253
Microthelecta 69, 253
Microtocerus 84, 253
Microzoon 62, 253
Microzophobas 64, 253
Microzoum 62, 192, 243, 253
Micruloma 7
Mictopsis 84, 253
Miglica 49, 253
Miladion 535
Milaris 535
Millotella 16, 224, 253
Millstreamia 74, 253
Miltoprepes 63, 101, 102, 253
Mimelasida 16, 254
Mimoborchmania 40, 254, 535
Mimoborchmannia 535
Mimocellus 41, 254
Mimocistela 71, 254
Mimocossyphus 19, 254
Mimogoueum 85, 254
Mimohelops 85, 254
Mimolaena 37, 254
Mimolagria 38, 254
Mimopeus 60, 254
Mimopraogena 67, 254
Mimosynopticus 56, 254
Mimothydemus 84, 254
Mimoxenotermes 63, 254

Mimuroplatopsis 40, 255
Minantereus 535
Minasius 38, 255
Minorus 46, 255
Miostenosis 30, 255
Miotodera 84, 156, 255
Mireanopidium 74, 255
Miripronotum 27, 255
Misolampidius 80, 255, 328
Misolampomorphus 80, 255
Misolampus 80, 255
Mithippia 59, 255
Mitotagenia 29, 255
Mitragardhus 46, 255
Mitragenius 23, 255, 290, 535
Mitrephorus 59, 256
Mitrogenius 535
Mitrothorax 59, 153, 256, 364
Mitua 35, 256
Mitys 80, 256
Mnionophilus 7
Mnionychus 7
Modicodisema 39, 256
Moeon 80, 256
Moerodes 59, 256
Mogadoria 31, 256
Mokalagria 38, 256
Molion 42, 257
Molurina 27
Moluris 27, 141, 166, 257, 297, 300, 317
Monatrum 49, 257
Mongolesthes 49, 257, 535
Mongolopterocoma 25, 257
Monodius 53, 257
Monogolesthes 535
Monoloba 67, 257
Montagona 44, 257
Montaguea 35, 257
Montanocatomus 61, 257
Montanoodescelis 54, 257
Monteithium 35, 257
Montiprosodes 44, 257
Mophis 72, 257
Mophon 80, 257
Moragacinella 47, 258
Moralesia 47, 258
Morica 15, 258
Morocaula 535
Morocaulus 71, 258, 535
Moromelas 80, 258
Morphostenophanes 80, 258, 313
Mosostena 535
Mrazius 80, 258
Mucheimira 69, 258
Mutiloxicum 64, 258
Myaladion 535
Myaldion 535
Myatis 54, 258
Mycetochara 69, 123, 178, 258, 259, 271, 327
Mycetochares 69, 259, 327, 535
Mycetocharina 67, 95, 134, 259
Mycetocharina 69
Mycetocharis 69, 259
Mycetocharoides 69, 259
Mycetocharus 535
Mycetocula 67, 259
Mycetophila 69, 123, 215, 258, 259, 535
Mycetophylla 535
Mychestes 64, 259
Mycotrogus 65, 259
Myladanesthes 49, 259
Myladina 49, 182, 259
Myladion 49, 260, 293, 535
Mylaris 80, 135, 220, 260, 270, 535
Mylops 7
Myonophloeus 74, 260
Myria 535
Myrmechixenini 75
Myrmechixenus 75, 260, 261, 535
Myrmechoxenus 75, 260
Myrmecixenus 535
Myrmecocatops 72, 260
Myrmecodema 65, 260
Myrmecodichillus 28, 260
Myrmecopeltoides 37, 260
Myrmecophosis 34, 260
Myrmecosoma 65, 260
Myrmecoxenus 75, 261
Nalassus 60, 135, 204, 214, 261, 268, 279, 350
Nalepa 44, 261
Namaphosis 34, 261
Namaquaeon 32, 261
Namazopus 50, 261
Namibismus 32, 261
Namibomodes 27, 261, 329
Nannalcyon 80, 261
Nannocerus 80, 261
Nannohyocis 74, 261
Nanoblaps 43, 261
Nanocaecus 73, 261
Nanocalcar 36, 261
Nanohemicera 79, 261
Nanotagalus 42, 262
Narses 66, 140, 262
Narsodes 67, 262
Nataloplonyx 56, 262
Natalostira 40, 262
Nautes 61, 262
Neacisba 32, 262
Neandrosus 78, 262, 535
Neanopidium 73, 262
Neatus 64, 262

Neboissianus 7
Necrobioides 80, 262
Neglectophloeus 74, 262
Nelites 75, 262
Nemanes 50, 262
Nemapus 33, 244, 262, 263
Nemoplonyx 56, 263
Nemostira 40, 150, 168, 169, 189, 209, 225, 226, 237, 254, 263, 271, 302
Nemostiromorpha 39, 91, 263
Nemostiropsis 40, 263
Neoabantis 48, 263
Neoadelium 35, 263, 318
Neoandrosus 535
Neoatractus 67, 263
Neobaphion 43, 263
Neoblaps 44, 263
Neocabirutus 51, 263
Neocaedius 47, 263
Neocamaria 82, 264
Neocisba 32, 262, 264
Neocistela 67, 264, 321
Neodissonomus 58, 264
Neoeutrapela 39, 186, 264
Neognathosia 32, 264
Neogria 38, 226, 264
Neohelops 61, 264
Neohyocis 74, 264
Neoisocerus 45, 221, 264
Neomenimus 73, 264
Neomida 72, 110, 187, 213, 264, 278
Neooligocara 65, 264
Neopachypterina 48
Neopachypterus 48, 265, 284
Neophaleria 75, 265
Neophylax 46, 95, 265
Neoplamius 80, 265
Neoplateia 72, 265
Neoplonyx 56, 265
Neoporphyrhyba 80, 265
Neopraocis 26, 265
Neopsectropus 65, 265
Neopterocoma 25, 265
Neosolenopistoma 52, 265
Neotagalus 42, 265
Neotheca 80, 266
Neozophobas 64, 266
Nepalindia 44, 266
Nepalofranziella 29, 266
Nepalolaena 37, 266
Nepaloplonyx 56, 266
Nephodes 61, 266, 288
Nephodinus 61, 266, 288
Nerina 30, 266
Nerinodon 32, 266
Nesiotaurus 535
Nesioticus 56, 266
Nesocaedius 47, 266
Nesocyrtosoma 81, 206, 266, 267, 283, 342
Nesogena 63, 110, 127, 207, 267, 287
Nesogenomorpha 67, 267
Nesopatrum 53, 267
Nesophaerotus 81, 267
Nesosphaerotus 81, 267
Nesostes 18, 267
Nesotaurus 70, 267, 535
Nesotes 61, 161, 198, 204, 267
Netopha 67, 267
Netuschilia 23, 267
Netuschiliina 23
Nevermanniella 40, 267
Nevisia 48, 267
Nicandra 51, 131, 207, 267, 275
Nikomenalia 67, 268
Nilio 42, 232, 251, 268, 535
Nilion 535
Nilioninae 42
Nipponalassus 60, 268
Nipponohelops 61, 268
Nocar 67, 268
Nochelius 22, 268
Nocibiotes 48, 268
Nocturna 535
Nodosogilium 535
Nodosogylium 84, 268, 535
Nodotelus 78, 268
Nolicima 35, 268
Nonpenicillus 535
Noserinus 7
Noserodes 7
Noserus 7
Nosoderma 7
Notacula 67, 268
Notha 536
Nothogria 38, 268
Nothrocerus 32, 269
Notiasida 17, 269
Notibius 48, 181, 268, 269, 276, 365
Notiolesthus 78, 269
Notiolosthus 536
Notioscythis 33, 269
Notoblaps 43, 269
Notocerastes 7
Notocistela 68, 269
Notocorax 53, 269, 304, 305
Notolea 7
Notoprataeus 41, 269, 536
Notoprateus 536
Notostrongylium 85, 269
Nototrintus 35, 269
Nudoplatyscelis 53, 269
Nuptis 81, 269
Nyctalops 53, 269
Nyctelia 23, 116, 126, 130, 198, 270, 301, 318
Nycteliini 23
Nyctelioma 23, 270
Nyctelius 23, 270
Nycterinus 43, 270

Nycteropina 64
Nycteropus 64, 270
Nyctipates 45, 270, 306, 536
Nyctipathes 536
Nyctobates 80, 100, 127, 205, 215, 220, 270, 320
Nyctopetus 21, 270
Nyctoporini 23
Nyctoporis 23, 172, 174, 270
Nyctozoilus 59, 91, 197, 216, 270, 276, 345
Nypsius 68, 270
Nystagmus 536
Oatesius 31, 270
Obenbergeria 75, 271
Obesacula 68, 271
Oblongoodescelis 54, 144, 271
Oblongoplatyscelis 54, 271
Obriomaia 83, 271
Occidentophosis 34, 271
Ocholissa 7
Ochrolamus 47, 271
Ocnera 24, 126, 271
Ocnodes 27, 141, 271, 296
Ocularisora 40, 271
Oculochara 69, 271
Oculosis 34, 271
Odocnemis 60, 211, 221, 272, 274
Odontocera 40, 272
Odontocerostira 40, 272
Odontocnemis 60, 272
Odontogria 38, 272
Odontomophlus 70, 272, 307, 536
Odontomoplus 536
Odontopezus 41, 272
Odontopus 41, 272, 295
Odrotes 19, 272
Oeatus 81, 272
Oectosis 81, 273
Oedemetus 536
Oedemutes 81, 273, 358, 536
Oedenocera 31, 273
Oenomia 84, 273
Oenopion 81, 273
Ogcoosoma 536
Ogcosoma 275, 536
Ogoueum 78, 273
Ograbies 52, 273
Ohionthis 536
Ohyonthis 33, 273, 536
Oleroscelis 536
Oligocara 65, 264, 273
Oligorus 41, 273
Oliprosodes 44, 273
Olisthaena 59, 105, 158, 200, 273, 536
Olisthoena 536
Olocrates 45, 232, 242, 273
Ologlyptus 17, 273, 285, 532
Omala 31, 274
Omaleis 60, 211, 221, 272, 274, 536
Omalois 274, 536
Omalus 211, 274, 536
Omandelostoma 14, 274
Omedes 70, 274
Omegeleodes 43, 274
Ommatochara 68, 274
Ommatophorus 68, 274
Omocrates 273, 536
Omocula 68, 274
Omolepta 71, 274
Omolipus 81, 274
Omopheres 21, 251, 274
Omophlina 70, 274, 348
Omophlus 70, 115, 182, 251, 272, 274, 275, 291, 296, 307
Oncoosoma 50, 275
Oncopterus 51, 275
Oncopteryx 51, 275
Oncosoma 50, 112, 275, 354, 536
Oncotiphallops 52, 275
Oncotopsis 51, 275
Oncotus 52, 133, 143, 246, 273, 275, 295, 329
Onocera 38, 275
Onoglypta 58, 275
Ononyctus 59, 276
Onosterrhus 59, 216, 276
Onotrichus 59, 276
Onychomira 69, 276
Onychosis 34, 276
Onymachris 536
Onymacris 15, 276, 536
Onysius 7
Oochila 19, 276
Oochrotus 72, 276, 537
Oocistela 68, 244, 276
Ooconibius 48, 196, 276
Oodeoscelis 54, 276
Oodescelis 54, 89, 144, 149, 234, 257, 276, 281, 303, 346, 347, 371
Oogaster 29, 276
Oogeton 55, 277
Oopiestus 55, 277, 292
Opacoplonyx 57, 277
Opatrasida 16, 277
Opatresthes 36, 277
Opatrina 48
Opatrini 46
Opatrinops 536
Opatrinus 53, 107, 159, 212, 247, 267, 277, 327, 378, 531
Opatroides 49, 212, 277
Opatronesthes 49, 277
Opatropis 49, 277
Opatrum 49, 95, 96, 98, 104, 112, 123, 124, 129,

141, 145, 147, 157, 159, 166, 171, 174, 192, 196, 199, 201, 207, 212, 222, 227, 228, 231, 236, 241, 242, 243, 247, 252, 253, 256, 257, 265, 269, 273, 277, 296, 298, 305, 309, 312, 323, 332, 333, 338, 339, 340, 343, 363, 377
Ophtalmosis 277, 536
Ophthalmosis 34, 277
Opiestus 536
Opigenia 59, 278
Opisidus 536
Opisthoblaps 43, 278
Oplocephala 72, 213, 278
Oplocheirus 56, 188, 213, 278, 536
Oplochirus 536
Oplomerus 536
Oploptera 84, 213, 278, 280, 281, 308
Opostirus 64, 278
Oppenheimeria 23, 278
Opsidus 537
Oracula 68, 168, 278
Orarabion 46, 278
Orchesiolobopoda 68, 278
Orchrotus 537
Orcopagia 64, 278
Oremasis 59, 278
Oreogria 38, 278
Oreomelasma 46, 278
Orghidania 65, 109, 279, 344
Orientacara 537
Orientocara 15, 279, 537
Orientochile 19, 279
Orobychus 83, 279
Orocina 33, 279
Orophylaxus 46, 279
Oroptera 38, 279
Orostegastopsis 32, 279
Ortheolus 21, 279
Orthogonoderes 26, 116, 183, 279, 537
Orthogonoderus 537
Orthonychius 34, 279
Orthostibia 20, 279
Osdara 81, 279, 345, 347
Osdaroides 81, 280
Ospidus 60, 280, 536, 537
Ossiporis 28, 175, 280
Osternus 81, 250, 280
Ostorius 36, 280
Oterophloeus 32, 280, 371
Oteroscelis 15, 208, 280, 536
Oteroscelopsis 15, 280
Othelecta 69, 280
Othryades 40, 280
Othryoneus 81, 280
Otinia 46, 104, 279, 280
Otoceromorphus 84, 280
Otocerus 84, 280, 308
Otrintus 35, 269, 281
Otys 68, 240, 281
Oubanghinum 48, 281
Ovalobioramix 54, 281
Ovaloodescelis 54, 281
Overlaetia 56, 281
Oxidates 81, 281
Oxinthas 17, 281
Oxipistoma 282, 537
Oxura 27, 281, 282
Oxurina 27
Oxycara 32, 135, 151, 173, 243, 281, 308, 355
Oxycarops 32, 281
Oxycerus 28, 281
Oxyge 17, 281
Oxygonodera 20, 282
Oxypistoma 32, 282
Oxythorax 52, 282
Oxyura 27, 282
Oyanus 77, 282
Ozaenimorphus 81, 282
Ozolais 64, 282
Ozotypoides 35, 282
Ozotypus 81, 282
Pachacamacius 20, 282
Pachycera 31, 158, 216, 273, 282, 283
Pachycerops 31, 283
Pachycerus 73, 283
Pachychila 32, 88, 101, 201, 234, 262, 264, 280, 283, 361, 371
Pachychile 32, 283
Pachychilina 32, 283
Pachycoelia 59, 229, 283, 371
Pachycossyphodes 19, 283
Pachycyrtosoma 81, 283
Pachylagria 40, 283
Pachylesthus 81, 283
Pachylocerus 42, 284, 328
Pachylodera 24, 284
Pachymastus 50, 284
Pachynoscelis 537
Pachynotelus 19, 191, 284
Pachyphaleria 75, 284
Pachypterocoma 25, 284
Pachypterus 48, 265, 284, 366
Pachyscelina 24, 284
Pachyscelis 24, 92, 127, 184, 284, 288, 302
Pachyscelodes 25, 284, 336
Pachysternoplax 25, 284
Pachystira 40, 284
Pachyurgus 78, 284
Pactostoma 17, 285
Paecilesthus 537
Paita 73, 285
Paivaea 32, 285, 537
Paivea 32, 285
Palaeobasanus 75, 285

Palaeosclerum 50, 285, 537
Palembomimus 72, 285
Palembus 73, 240, 285, 360
Paleosclerum 537
Palorini 62
Palorinus 62, 285
Paloropsis 62, 285
Palorus 62, 129, 143, 147, 169, 285, 306, 350
Palpafrina 30, 285
Palpichara 68, 285
Palpicula 68, 285
Palpomodes 27, 286, 329
Pandarinus 45, 162, 286, 290
Pandarus 45, 159, 286
Paniasis 73, 286, 319
Paoligena 63, 286
Paoligenini 62
Papuamisolampus 81, 286
Parabantodemus 53, 286
Parabigopsis 32, 286
Parablops 69, 94, 193, 222, 286, 323
Parabolitophagus 58, 286
Paracirta 32, 286
Paracistela 69, 286
Paracossyphus 36, 286
Paracupezus 537
Paradissonomus 58, 287
Paradrus 82, 287
Paragena 63, 287
Paragonocnemis 56, 125, 235, 251, 287
Paraguania 20, 287
Parahelops 7
Parahymenorus 68, 287
Parahyocis 74, 287
Paraisomira 69, 287
Parakeleusticus 85, 287
Paraleptodes 23, 287
Paralitoborus 46, 287
Paralorelopsis 41, 287
Paralyreus 73, 287
Paramarygmus 56, 146, 246, 287, 289
Paramellon 19, 288
Paramellonina 19
Paramellops 19, 288
Paramisolampidius 81, 288
Paranemia 75, 288, 356, 358
Paranephodes 61, 288
Paranopidium 73, 288
Parapachynotela 19, 213, 288
Parapachyscelis 24, 288
Paraphanes 59, 123, 288
Paraphloeus 74, 288
Paraphylax 7
Parapiophorus 537
Paraplatyope 24, 288
Paraplatyscelis 54, 288
Parapraocis 26, 289
Paraprosodes 45, 289, 314
Parapterocoma 25, 289
Paraselinus 53, 289
Parasida 17, 289, 307
Parasternoplax 25, 289
Parastizopus 50, 174, 289
Parastrongylium 84, 289
Paratenetus 37, 226, 289, 353
Paratoxicum 64, 289, 338
Paravius 20, 289
Parecatus 17, 289
Parenicmosoma 537
Parenneboeus 7
Parepitragus 21, 289
Pareupezus 56, 289, 537
Parimmedia 81, 290
Parmularia 27, 290
Paroderus 45, 162, 290
Paroeatus 81, 290
Parogria 38, 290
Paromophlus 70, 290
Paropiophorus 85, 290, 537
Partystona 64, 290
Passalocharis 41, 290
Patagonogenius 23, 290
Patagonopraocis 26, 290
Paulianaria 81, 290, 291
Paulianesthes 32, 291
Paurodontomophlus 70, 291
Pechalius 21, 177, 291
Pectenepitragus 537
Pectinepitragus 21, 291, 537
Pectophegoneus 537
Pectphegoneus 21, 291, 537
Pedarasida 16, 291
Pedinina 51
Pedinini 50
Pedinopsis 51, 234, 291
Pedinulus 51, 291
Pedinus 51, 116, 121, 122, 140, 141, 148, 159, 182, 202, 253, 291, 325, 374
Pedionomus 15, 96, 291
Pediris 82, 291, 537
Pedirus 537
Pedoeces 48, 292
Pedonoeces 48, 225, 292, 362
Pedostrongylium 85, 292
Pelecipalpus 537
Pelecypalpus 82, 292, 537
Pelecyphorus 17, 112, 114, 195, 207, 292, 297, 307, 309, 326, 342, 351, 352, 367, 372, 378
Pelleas 73, 292
Pelops 68, 292

Pelorinus 61, 292
Pelorocnemis 24, 292
Peltadesmia 15, 292
Peltarium 44, 122, 292
Peltasida 16, 292
Peltoides 54, 252, 277, 292
Peltolobus 34, 94, 241, 293
Pemanoa 68, 293
Penadelium 35, 293
Penaus 21, 293
Peneta 42, 144, 257, 293, 538
Penetini 42
Pengalenganus 37, 293
Penichrus 66, 293
Pentaphyllus 73, 219, 293, 537
Penthapyllus 537
Penthicinus 49, 293, 537
Penthicoides 53, 293
Penthicomelanesthes 49, 293
Penthicus 49, 95, 116, 166, 206, 233, 260, 293, 323, 353, 537
Pentholasius 49, 293
Penthomegus 49, 293
Penticinus 293, 537
Penticus 537
Perdicus 29, 293
Perdistretus 27, 294
Periatrum 35, 294
Periblaps 44, 294
Perichilus 81, 294
Periclytus 537
Periloma 50, 294
Perimylops 7
Peringueyia 28, 294
Periphanes 81, 294
Periphanodes 81, 294
Periseptus 537
Peristeptus 14, 294, 537
Perithrix 47, 294
Pescennius 20, 294
Petria 70, 294
Petrobius 537
Petrostetha 68, 294
Peyerimhoffius 46, 294
Peyrierasia 73, 294
Pezodontus 41, 272, 295
Pezohelaeus 60, 295
Pezomaia 81, 295
Pezophenus 81, 295
Phaedeucyrtus 81, 295
Phaedis 81, 251, 295, 320
Phaedogria 38, 295
Phaennis 7
Phaenogeton 55, 295
Phaeogala 7
Phaeostolus 63, 295
Phaeotribon 32, 261, 295, 538
Phalera 537
Phaleria 75, 115, 177, 178, 199, 265, 284, 295, 341, 373, 537
Phaleriderma 52, 295
Phaleriini 75
Phalerisida 75, 295
Phaleromela 75, 295
Phallocentrion 53, 295
Phanechloros 59, 141, 295
Phanerentoma 537
Phanerops 64, 296
Phanerotoma 27, 296, 537
Phanerotomea 27, 296
Phayllidius 73, 296
Phayllus 73, 296
Phediodes 68, 296
Phedius 68, 296
Phegoneus 21, 291, 296, 338
Phellidius 57, 296
Phellopsis 7
Pheloneis 35, 97, 296
Phelopatrum 49, 296, 318
Phenus 81, 296
Pheres 65, 296
Pheugonius 41, 296
Phibalus 70, 290, 296
Philammus 538
Philax 538
Philethus 538
Philhamellus 18, 297
Philhammus 18, 132, 297, 326, 538
Philolithus 17, 194, 195, 206, 297, 365
Philorea 23, 297, 309
Philoscotus 538
Philpottia 7
Phitophilus 21, 300, 538
Phlaegmatus 538
Phligra 28, 252, 297
Phloeodes 7
Phloeopsidius
Phloeotribon 538
Phobelius 37, 297
Phrenapates 42, 297, 538
Phrenapatinae 42
Phrenapatini 42
Phrepates 538
Phrynocarenini 23
Phrynocarenum 23, 297, 325
Phrynocolopsis 27, 297
Phrynocolus 27, 152, 297, 317, 346
Phrynophanes 27, 297
Phthora 42, 75, 297
Phtora 42, 75, 134, 144, 145, 297, 298, 325, 538
Phycosecis 7
Phygoscotus 84, 298
Phylacastus 52, 298
Phylacinus 45, 298
Phylacoprosodes 538

Phylan 45, 159, 182, 202, 242, 273, 298, 306, 538
Phylanmania 46, 298
Phylas 538
Phylax 45, 95, 233, 242, 244, 265, 279, 294, 298, 538
Phylaximon 46, 298
Phyletes 72, 298, 538
Phylethus 298, 538
Phyletus 538
Phylhammus 538
Phyllechus 84, 299
Phyloradix 18, 299
Phymaeus 81, 299
Phymatestes 37, 299, 538
Phymatesthes 538
Phymathodes 538
Phymatiotris 24, 197, 299
Phymatisoma 538
Phymatium 19, 152, 299
Phymatodes 37, 299, 538
Phymatoplata 53, 299
Phymatosoma 84, 299, 538
Physadesmia 15, 300
Physciolagria 86, 300
Physignathus 55, 300
Physocoelus 56, 300
Physodera 27, 300
Physogaster 23, 300
Physogasterini 23
Physogasterinus 23, 300
Physogria 38, 300
Physohelops 62, 300
Physolagria 38, 300
Physophrynus 27, 300
Physosterna 15, 300
Phythora 538
Phytolostoma 14, 300
Phytophilus 538
Phyxelius 538
Piazomera 538
Piccula 69, 193, 300
Piciella 40, 301
Picnotagalus 42, 301
Picocamaria 81, 301
Piesomera 27, 301, 538
Piesterotarsa 25, 301
Piestognathoides 22, 301
Piestognathus 22, 301
Piezomera 538
Pigeocaulinus 80, 301
Pigeostrongylium 81, 301
Pigeus 81, 301, 321
Piliobola 538
Pilioloba 34, 301, 540
Pilobalia 23, 301
Pilobaloderes 26, 301
Pilosocasnonidea 39, 302
Pilosoplonyx 56, 302
Piloxys 81, 302
Pimalius 20, 302
Pimelia 24, 25, 86, 87, 88, 90, 93, 97, 98, 105, 115, 117, 126, 127, 132, 139, 148, 152, 153, 166, 170, 177, 183, 210, 217, 222, 231, 234, 237, 238, 239, 240, 243, 247, 249, 255, 257, 271, 275, 280, 283, 284, 288, 289, 292, 296, 299, 300, 301, 302, 311, 318, 326, 327, 335, 336, 349, 350, 351, 361, 364, 366, 369
Pimeliinae 14
Pimeliini 24
Pimeliocnera 25, 302
Pimelionotus 538
Pimelionotus 56, 302
Pimeliopsis 20, 302
Pimelipachys 25, 302
Pimelosomus 24, 302
Pimidia 25, 302
Pimplema 74, 199, 302
Pineta 538
Piscicula 51, 302
Pisterotarsa 25, 301, 302, 355
Pitholaus 68, 302
Pizura 68, 302
Plaesia 539
Plamius 81, 145, 302
Planasida 16, 197, 302, 303, 324, 366
Planibates 77, 303
Planirostrosis 34, 303
Planodes 50, 303
Planoodescelis 54, 303
Planoplatyscelis 54, 120, 303, 307
Planoprosodes 45, 303
Planostibes 50, 151, 303
Plastica 57, 303
Platamodes 29, 303, 539
Platamodina 29
Platasida 17, 303
Plateia 77, 303
Platesthes 26, 304
Platolenes 55, 149, 304
Platomodes 539
Platyallecula 68, 304
Platyblaps 43, 304
Platybolium 65, 304
Platyburak 53, 304
Platyburmanicus 53, 304
Platycharlesus 53, 304
Platycilibe 42, 304
Platycolpotus 53, 304
Platycotylus 62, 304, 364
Platycrepis 81, 304, 357
Platycrypticus 71, 304, 372
Platycteniopus 70, 305
Platydema 73, 102, 104, 151, 155, 199, 210, 232, 248, 285, 302, 305, 318, 342, 346, 372
Platydemoides 73, 305

Platydendarus 53, 304, 305
Platyesia 25, 305
Platyesthus 84, 305
Platyholmus 26, 171, 305, 306
Platykochius 52, 305
Platylus 48, 305
Platymedvedevia 52, 305
Platynoscelis 54, 269, 305, 307, 326, 344, 367
Platynosum 50, 243, 305
Platynotina 52
Platynotini 51
Platynotoides 53, 306
Platynotus 53, 89, 222, 306
Platyolmus 26, 306
Platyolus 46, 306
Platyope 25, 169, 306, 316
Platyotus 62, 306
Platyphanes 59, 141, 227, 278, 295, 306
Platyphanus 14, 306
Platyprocnemis 47, 306
Platyprosodes 45, 306
Platypsorodes 56, 306
Platyscelidini 53
Platyscelis 54, 89, 116, 144, 149, 223, 234, 257, 271, 281, 288, 303, 306, 307, 346, 347, 368, 371
Platysemodes 14, 306, 307
Platysemus 14, 306, 307
Platystena 31, 307
Platysum 305, 539
Plectrascelis 539
Plegacerus 56, 307
Pleioplatyscelis 54, 303, 307
Pleiopleura 54, 307
Pleisiasida 17, 289, 307
Plesia 69, 129, 307, 539
Plesiamarygmus 55, 307
Plesioderes 47, 176, 307
Plesiognaptor 44, 307
Plesiophthalmus 56, 57, 139, 156, 182, 219, 277, 302, 307, 323, 346
Pleuromophlus 70, 307
Pleurophorus 29, 166, 307
Pleurostira 40, 308
Pleuroxycara 32, 308
Plicatocerus 84, 308
Plinthochrous 57, 235, 308
Pocadiopsis 50, 308
Podacamptus 57, 308
Podamarygmus 55, 308
Podhamala 539
Podhomala 25, 308, 327, 373, 539
Podoces 63, 308
Pododonta 70, 308
Podomala 25, 308
Podonta 70, 308
Podontinus 70, 308
Poecilesthostrongylium 85, 308
Poecilesthus 84, 163, 164, 309, 537
Poecilocrypticus 72, 309
Poeciltoides 81, 309
Pogonobasis 14, 294, 309
Pogonocanta 14, 309
Pogonophloeus 74, 309
Pogonoxenus 74, 309
Pokryszkiella 53, 309
Polasida 16, 277, 309
Polemiotus 21, 309
Poliorcetes 17, 309
Polopinus 81, 309
Polpagenia 539
Polpocara 23, 309
Polpogenia 25, 309, 539
Polposipus 81, 168, 309, 328
Polycoelagastridion 539
Polycoelogastridion 49, 310, 539
Polycoelogastridium 539
Polyidus 68, 310
Polypleurus 81, 309, 310
Polyscopus 14, 310
Polytropus 37, 310
Ponapeida 81, 310
Pontianacus 57, 310
Poopterocoma 25, 310
Porphyrhyba 81, 214, 265, 310, 367, 539
Porphyrohyba 81, 310
Porphyrrhyba 539
Porphyruba 539
Porphyryba 539
Porrolagria 38, 95, 138, 170, 225, 310
Posides 20, 310
Postandrosus 82, 310
Postpraocis 26, 310
Potocula 68, 310
Prachoma 539
Praeugena 63, 90, 178, 226, 286, 310, 311, 356, 539
Praeugenini 63
Praezolodinus 34, 311
Praocida 26, 311
Praocidia 26, 311
Praociini 26
Praocis 26, 104, 108, 131, 191, 205, 247, 265, 279, 289, 305, 306, 310, 311, 539
Praogena 63, 226, 286, 311, 356
Praonoda 26, 311
Praosis 539
Praostetha 76, 311

Prateus 37, 311
Praygena 539
Predactylosis 34, 311
Priocamaria 82, 311
Prionalia 68, 311
Prionotheca 25, 311
Prionotus 35, 88, 312
Prionychus 68, 179, 239, 292, 312
Prioproctus 41, 312
Priopus 539
Prioscelida 66, 312
Prioscelides 41, 312
Prioscelis 42, 106, 126, 219, 312
Priothorax 35, 312
Pristophilus 42, 312
Probaticus 61, 312, 354
Prochoma 32, 282, 312, 539
Procris 539
Proctenius 70, 312
Proderops 64, 312
Prodhomala 539
Prodilamus 47, 313
Prohylithus 20, 224, 313, 340
Prolabrus 62, 313
Prolaena 37, 313
Proleptodes 23, 313
Promecheilus 7
Promethis 82, 241, 291, 313, 320, 342
Prometopion 19, 313
Promorphostenophanes 80, 313
Promus 43, 313
Propemicrosis 34, 313
Prophanes 59, 235, 239, 256, 295, 313
Proplatamodes 539
Propterocoma 25, 313
Prorhytinota 33, 313, 539
Prorythinota 539
Proscheimus 47, 314
Proscorus 82, 314
Proselytus 54, 314, 537
Prosoblapsia 44, 314
Prosodella 45, 289, 314
Prosodes 44, 45, 96, 122, 164, 165, 183, 184, 190, 193, 217, 219, 220, 227, 232, 236, 241, 246, 247, 257, 270, 273, 281, 289, 292, 303, 306, 314, 315, 324, 358, 373
Prosodestes 45, 314
Prosodidius 17, 314
Prosodila 45, 314
Prosodina 44
Prosodinia 45, 314
Prosodopria 45, 270, 315
Prosodoscelis 45, 315
Prosodura 45, 315
Prosomenes 64, 315
Prostenus 70, 241, 315
Proteleates 58, 315
Prothraustocola 33, 315, 539
Prothraustocolus 539
Protoblaps 44, 241, 315, 316
Protocalosis 34, 316
Protodactylus 34, 316, 379
Protomachlasida 16, 316
Protoplatycera 86, 316
Prototyrtaeus 73, 316
Prunaspila 14, 114, 316
Przewalskia 25, 316
Psammestus 47, 316
Psammetichus 21, 316, 539
Psammeticus 316, 539
Psammoardoinellus 46, 316
Psammocryptus 32, 316, 358
Psammodes 27, 109, 124, 127, 158, 261, 286, 290, 301, 316, 317, 344, 348, 353, 356, 359, 364, 366, 371, 539
Psammodius 539
Psammodophysis 27, 317
Psammoeca 32, 317
Psammogaster 50, 317
Psammoica 32, 317
Psammolophus 27, 317
Psammophanes 27, 317, 344
Psammophrynopsis 27, 317
Psammophrynus 27, 317
Psammoryssus 27, 317
Psammostretus 27, 317
Psammotopulus 18, 317
Psammotyria 27, 317
Psammotyriopsis 27, 317
Psaryphis 14, 193, 317, 540
Psaryphulum 14, 317
Psaryphys 540
Psectes 51, 318
Psectrapus 52, 318
Psectrascelis 23, 138, 318, 349, 539
Psectropus 52, 318
Pselaphidion 73, 318
Pseudabax 82, 318, 540
Pseudadelium 35, 318
Pseudadrus 49, 318
Pseudalymon 57, 318
Pseudamarsenes 82, 318
Pseudamarygmus 55, 318
Pseudamblyptera 25, 318
Pseudamenophis 76, 318
Pseudammobius 540
Pseudanaedus 37, 319
Pseudandrosus 82, 319
Pseudanemia 62, 98, 319

Pseudanopidium 73, 319
Pseudapocrypha 57, 319
Pseudapsida 73, 319
Pseudasida 17, 319
Pseudeba 62, 319
Pseudeleodes 43, 319, 367
Pseudelops 540
Pseudemallus 540
Pseudemmallus 46, 319, 540
Pseudephalus 49, 319
Pseudesarcus 42, 319
Pseudethas 29, 102, 165, 319, 337, 349
Pseudeucyrtus 77, 320, 540
Pseudeumolpus 81, 320, 321
Pseudeuthriptera 26, 320
Pseudeutrapela 40, 320
Pseudhadrus 82, 287, 320
Pseudhelops 60, 320, 540
Pseudimmedia 82, 320
Pseudisopus 82, 320
Pseudnneboeus
Pseudoammobius 540
Pseudobasides 73, 320
Pseudobates 82, 320
Pseudobax 540
Pseudoblapida 82, 121, 320
Pseudoblaps 53, 148, 269, 320, 334
Pseudobolbophanes 59, 320
Pseudobradymerus 77, 321
Pseudobyrsax 35, 321
Pseudocaedius 47, 49, 113, 321
Pseudocaelophus 79, 321
Pseudocamaria 82, 321
Pseudocamarimena 81, 321
Pseudocasnonidea 40, 321
Pseudochariotheca 82, 321
Pseudochillus 29, 223, 252, 321
Pseudochrysomela 82, 321
Pseudocilibe 35, 321
Pseudocistela 67, 69, 144, 264, 321, 322
Pseudocistelopsis 68, 322
Pseudocoelus 18, 322
Pseudocolparthrum 39, 322
Pseudocylibe 540
Pseudocyrtus 320, 540
Pseudoderiles 82, 322, 540
Pseudoderilis 540
Pseudoderosphaerus 79, 322
Pseudodiaphanidus 22, 322
Pseudoelongasida 16, 322
Pseudoenanea 74, 322
Pseudogena 84, 322
Pseudognaptor
Pseudohelops 540
Pseudohelops 85, 322
Pseudohymenalia 69, 322
Pseudolagria 38, 322
Pseudolamus 48, 322
Pseudoleichenum 47, 323
Pseudolyprops 37, 323, 369
Pseudomachla 16, 323
Pseudomorocaulus 71, 323
Pseudonantes 540
Pseudonautes 82, 323, 364, 540
Pseudonomus 48, 323
Pseudonosoderma 7
Pseudonotocorax 53, 323
Pseudoogeton 57, 323
Pseudopachyscelis 25, 323
Pseudoparablops 61, 323
Pseudopatrum 35, 256, 323
Pseudopedinus 51, 323
Pseudopenthicinus 49, 323
Pseudoperichilus 82, 323
Pseudophthora 42, 190, 323
Pseudopigeus 82, 323
Pseudopimelia 24, 25, 324, 354
Pseudoplanasida 16, 324
Pseudoplatyope 25, 324
Pseudopodhomala 25, 193, 324
Pseudopodhomalina 25, 324
Pseudopraeugena 63, 324
Pseudoprobaticus 60, 324
Pseudoprosodes 45, 324
Pseudopterocoma 25, 324
Pseudorozonia 33, 324
Pseudortheolus 21, 325
Pseudoscaphidema 75, 325
Pseudoscotobius 23, 325
Pseudoselinus 53, 325
Pseudoseriscius 72, 107, 116, 325
Pseudostena 540
Pseudostene 75, 325, 540
Pseudosternoplax 26, 325
Pseudostira 40, 325
Pseudostorthocnemis 25, 325
Pseudostrongylium 84, 325
Pseudotalpophila 31, 325
Pseudothinobatis 21, 325
Pseudothryoneus 82, 325
Pseudotocerus 84, 325
Pseudotrichoplatycelis 540
Pseudotrichoplatynoscelis 326, 540

Pseudotrichoplatyscelis 54, 326, 540
Pseuduloma 66, 326
Pseuduroplatopsis 39, 326
Psilachnopus 18, 326
Psilioloba 540
Psilocastus 57, 326
Psilolaena 37, 326
Psilomera 17, 326
Psilonesogena 84, 114, 326
Psilonycha 7, 190
Psis 68, 326
Psoroderes 57, 326
Psorodes 57, 86, 87, 300, 302, 326
Psorophodes 57, 326
Psydocamaria 82, 326
Psydomorphus 82, 326
Psydus 82, 144, 327
Pteraulus 51, 203, 327
Pterelaeus 60, 327
Pterna 69, 327
Pterocoma 25, 169, 183, 205, 247, 257, 265, 284, 289, 310, 313, 324, 327, 354
Pterocomodes 25, 327
Pteroctenus 23, 327
Pteroderes 7
Pterodes 57, 327
Pteroglymmius 80, 327
Pterohelaeus 60, 118, 295, 327
Pterolasia 25, 327
Pteroselinus 53, 327
Pterostichula 27, 327, 333
Ptilonix 80, 328
Pubamarygmus 57, 328
Pubeirosoma 69, 328
Pulposipes 81, 328
Pumiliofossorum 63, 328
Punctacula 68, 328
Pushtunillus 28, 328
Pyanirygmus 55, 328
Pyanisia 55, 328, 540
Pycna 42, 238, 328
Pycnidium 7
Pycnocerini 41
Pycnocerus 42, 99, 164, 284, 328
Pycnochilus 42, 328
Pycnomorpha 17, 328
Pycnonotida 17, 328
Pycnuloma 65, 329
Pyganisia 540
Pygidiphorus 86, 329
Pygmaeodes 27, 329
Pyres 58, 329
Pyrochalcaspis 85, 329
Pystelops 60, 114, 329
Pythiopus 46, 329
Pythonissus 64, 329
Quadrideres 52, 329
Quadroncotus 52, 329
Raibosceles 329, 540
Raiboscelis 62, 209, 329, 331, 540
Raptor 22, 329
Rasphytus 22, 329
Raynalius 47, 330
Rehumius 82, 244, 330
Reichardtia 330, 540
Reichardtiella 49, 330, 540
Reichardtiellina 49, 330
Reichenspergeria 57, 330
Reiterella 540
Reitterella 29, 330, 540
Reitterellus 45, 330
Reitterohelops 60, 330
Reminius 85, 330
Remipedella 45, 330
Remipedellina 45
Renatiella 15, 330, 347
Renefouqueosis 29, 330
Rhacius 36, 227, 330
Rhacolaena 37, 330
Rhaebosceles 62, 331
Rhagostira 40, 331
Rhaibodera 40, 331
Rhaibogria 38, 331
Rhammatodes 32, 102, 111, 181, 331, 357, 540
Rhamnatodes 540
Rhicnodes 540
Rhicnodus 37, 331, 540
Rhinandrus 64, 187, 312, 313, 331
Rhinobarus 70, 331
Rhinohelaeites 86, 331
Rhipidandrus 58, 123, 140, 186, 206, 331, 377
Rhipidonyx 71, 331
Rhizalemus 45, 331
Rhizalus 45, 332
Rhizoblaps 43, 332
Rhomaleus 33, 332
Rhopalobates 82, 332
Rhophobas 82, 332, 541
Rhosaces 40, 332
Rhostax 32, 332
Rhydimorpha 33, 332, 541
Rhypasma 36, 134, 160, 332
Rhysodina 63, 332
Rhysopaussini 63
Rhysopaussus 63, 332
Rhyssochiton 76, 334
Rhyssopera 7
Rhytidonota 33, 332
Rhytimorpha 332, 541
Rhytinopsis 33, 332, 333
Rhytinota 33, 117, 262, 313, 314, 332, 333, 345, 541
Rhytistena 33, 333
Rhyzodina 63, 105, 183, 332, 333

Ripicolodes 27, 333
Rizalus 45, 332, 333, 540
Robustocamaria 82, 264, 333
Robustosora 40, 333
Rondoniella 18
Rondoniellina 18
Rophobas 541
Rouyerus 40, 125, 333
Rozonia 33, 324, 333
Ruandania 38, 333
Rues 35, 334
Rugasida 16, 334
Rugoplatynotus 53, 334
Rugosiheliofugus 79, 334
Rygmodus 7
Rythinota 541
Rytinota 332, 541
Sabularius 62, 334
Sabulophosis 34, 334
Saccophorella 19, 334
Saccophorus 19, 334
Sadanaria 82, 334
Saeculum 17, 334
Saerangodes 85, 335
Saharoplarion 46, 335
Saitostrongylium 85, 335
Sakaiomenimus 74, 335
Salax 34, 301, 335
Saptine 73, 335
Sarachus 15, 335
Saragdonius 541
Saragella 59, 335
Saragodinus 59, 335, 541
Saragus 60, 124, 143, 154, 335
Sarandonyx 70, 335
Sarathropus 541
Sarothropus 15, 336, 541
Satanocalcar 64, 336
Saurothropus 541
Saxistena 31, 336
Saziches 82, 336
Scaletomerus 68, 240, 281, 336
Scaphidema 75, 249, 262, 336
Scaphidemini 75
Scaphinion 68, 336
Scaptes 48, 336, 368
Scaurini 63
Scauris 63, 336
Scaurus 63, 137, 225, 336, 349
Scelace 25, 284, 336
Sceleodis 33, 336
Sceleoides 33, 337
Scelidopsecta 337, 541
Scelidospecta 23, 337, 541
Sceloblaps 541
Scelocolpis 30, 337
Scelosodis 33, 86, 150, 336, 337, 543
Schedarosus 72, 337
Schelodontes 53, 227, 304, 337, 375
Schevodera 38, 337
Schevogria 38, 337
Schizaraeus 29, 337
Schizillus 19, 29, 165, 337
Schizomena 541
Schizomma 78, 161, 337, 541
Schizophthalmotribolium 64, 338
Schlinkus 85, 338
Schoenicus 21, 204, 279, 291, 338
Schoeniphegoneus 21, 338
Schusteriella 29, 338
Schweinfurthia 33, 338
Schyzoschelus 52, 338
Sciaca 20, 338
Sciophagus 73, 283, 338
Sclerina 50
Scleroides 50, 338
Scleron 50, 338, 544
Scleronimon 50, 338
Scleronopsis 50, 338
Scleropatroides 49, 339
Scleropatrum 49, 257, 339
Sclerum 50, 104, 141, 310, 338, 339
Scolytocaulus 42, 301, 304, 339
Scopulophosis 34, 339
Scoriaderma 7
Scotaeus 82, 181, 339, 364
Scotera 77, 339
Scotinesthes 17, 289, 339, 358
Scotinus 17, 339
Scotobaenus 58, 339
Scotobates 58, 339
Scotobiini 63
Scotobiopsis 70, 339
Scotobius 63, 161, 196, 231, 339
Scotochares 65, 339
Scotoderus 82, 158, 292, 340
Scutopiloxys 82, 340
Scymena 48, 340
Scythis 33, 241, 340, 341
Scythodonta 33, 340, 541
Scytodonta 541
Scytosoma 33, 340
Sebastianus 53, 340
Sechuranus 20, 340
Seidlitzellus 18, 340
Seirotrana 36, 340, 377
Selenepistoma 46, 187, 265, 340, 342, 377, 541
Selenepistomus 541
Selenoma 541
Selenomma 63, 340, 541
Selinopodus 53, 340

Selinus 53, 194, 214, 228, 257, 295, 299, 305, 340
Sellio 48, 161, 341
Semenovonymus 33, 341
Semieutochia 65, 341
Seorsophloeus 74, 341
Seorsoplonyx 57, 341
Sepedonastes 75, 341
Sepidiacis 28, 341
Sepidiina 28
Sepidiini 26
Sepidiopsis 28, 341
Sepidiostemis 541
Sepidiostenus 28, 341, 541
Sepidium 28, 88, 156, 168, 169, 179, 196, 209, 230, 297, 341, 344, 366, 374
Sepidostenus 541
Sepilokus 42, 341
Septentriophosis 34, 341
Sericeus 541
Seriscius 71, 341, 541
Serrania 81, 342
Serrichora 14, 342
Serridenos 46, 342
Sesaspis 7
Setenis 82, 197, 291, 320, 342
Seydelicistela 71, 342
Sicharbas 17, 342
Sicinus 72, 342
Silvestriellum 46, 342
Simalura 82, 251, 342
Simarus 68, 221, 342
Similepitragus 21, 342
Singapura 57, 342
Sinocatomus 61, 342
Sinocistela 70, 342
Sinoecia 33, 342
Sinomenimus 74, 342
Sinopium 77, 343
Sinorus 49, 343
Sintagona 44, 343
Sipirocus 41, 343
Sipolisia 40, 343
Sirrhas 7
Sitophagus 72, 343
Sivacrypticus 7
Sloanea 58, 343
Smiliophanus 14, 343
Smiliotus 14, 343
Sobas 49, 321, 343, 369
Socotralia 68, 343
Socotraphanes 62, 343
Socotropatrum 50, 343
Soemias 20, 343
Solenomerus 51, 343
Solenopistoma 265, 541
Solskia 541
Solskya 541
Solskyia 15, 344, 541
Somaladesmia 15, 344
Somalammodes 22, 344
Somalarabes 27, 344
Somaticum 344, 541
Somaticus 28, 88, 119, 138, 145, 161, 196, 344, 366, 368, 369, 370, 541
Somocoelia 54, 344
Somocoeloplatys 54, 344
Sophrobates 82, 344
Sora 40, 155, 209, 263, 344
Soradeus 60, 344
Spaerotidius 541
Spathulipezus 57, 344
Spectrocnera 25, 344
Spelaebiosis 65, 109, 279, 344
Sphaenariopsis 541
Sphaeriontis 18, 344
Sphaerocaulus 82, 344
Sphaerognathium 73, 345
Sphaeromatris 82, 345
Sphaerostibes 50, 345
Sphaerotidius 82, 345, 541
Sphaerotus 82, 345, 542
Sphargeris 36, 345
Sphenaria 33, 148, 231, 345, 368
Sphenariopsis 33, 345, 541
Spheneuphloeus 82, 345
Spheniscus 84, 154, 181, 298, 345
Sphenogenius 59, 345
Sphenolampidius 82, 345
Sphenosdara 82, 345
Sphenosoma 54, 345
Sphenothorax 83, 345
Sphinctoderus 38, 346
Sphingidophorus 541
Sphingocorse 41, 346
Sphoerotus 542
Sphragidophorus 40, 346, 541
Spiloscapha 75, 346
Spinadaenus 37, 346, 542
Spinamarygmus 57, 346
Spinanaedus 542
Spinanemia 62, 346
Spinecula 68, 346
Spinepicalla 82, 346
Spinoderosphaerus 82, 346
Spinodietysus 57, 346
Spinogauromaia 82, 346
Spinolagriella 41, 346, 347
Spinolyprops 41, 346
Spinolystronychus 542
Spinoodescelis 54, 346
Spinophrynus 27, 346
Spinorhacus 41, 347
Spinosdara 81, 347
Spinostatira 40, 213, 347
Splenoodescelis 54, 347
Splichalia 40, 347
Spongesmia 15, 347
Spongesmima 15, 330, 347

Spyrathus 22, 111, 347
Srilanka 82, 347
Staius 40, 160, 347
Stalagmoptera 25, 110, 347
Statira 40, 111, 180, 191, 226, 237, 246, 267, 308, 331, 346, 347, 348, 363, 376, 542
Statirina 39
Statiropsis 40, 348
Statyra 542
Stegastopsis 33, 273, 279, 348, 542
Stegatopsis 542
Steira 14, 209, 348, 352
Stemmatoderus 57, 348
Stemmoderus 57, 348
Stenadelium 36, 348
Stene 65, 348
Steneleodes 43, 210, 348, 377
Stenerophlina 70, 348
Stenerula 71, 348
Steneryx 71, 348
Stenethmus 27, 348
Steneucyrtus 82, 321, 349
Stenholma 22, 349
Stenillus 29, 349
Stenocara 15, 109, 135, 137, 219, 223, 279, 349, 359, 542
Stenocephalus 63, 349
Stenocera 23, 349
Stenochara 542
Stenochia 85, 193, 292, 325, 335, 349, 354
Stenochidus 68, 349
Stenochiinae 75
Stenochiini 84
Stenochinus 82, 127, 162, 349
Stenodesia 15, 136, 223, 349
Stenogena 68, 148, 349
Stenogenius 542
Stenogenomorpha 71, 349
Stenogonopus 53, 349
Stenohelops 62, 198, 203, 349, 350
Stenolagria 38, 350
Stenolamus 54, 350
Stenolassus 62, 350
Stenomacidius 60, 350
Stenomaleis 62, 350
Stenomax 60, 185, 203, 204, 329, 350, 359
Stenomorpha 17, 112, 125, 185, 242, 269, 303, 326, 328, 350, 352, 367
Stenopalorus 62, 350
Stenophanes 83, 350
Stenophloeus 74, 145, 350
Stenopsis 15, 350
Stenoscapha 65, 73, 231, 350
Stenosethas 29, 351
Stenosida 33, 106, 269, 351
Stenosides 17, 273, 274, 285, 351
Stenosidops 29, 351
Stenosina 29
Stenosini 28
Stenosis 29, 92, 128, 185, 219, 255, 338, 351, 357
Stenothesilea 83, 351
Stenotrichus 61, 351
Steptochora 14, 351
Sterces 76, 351
Steriphanides 20, 351
Steriphanus 20, 351
Sternocnera 25, 351
Sternodes 25, 351, 542
Sternodus 542
Sternomaia 83, 351
Sternoplax 25, 26, 247, 284, 289, 320, 325, 352
Sternotrigon 26, 352
Stethasida 17, 352
Stethotrypes 74, 228, 352
Sthenoboea 83, 352
Stibia 20, 187, 251, 352
Stictodera 20, 352
Stictodere 21, 352
Stictoderia 21, 352
Stierlinius 64, 352
Stigmatoma 69, 352
Stilbocistela 68, 352
Stilpnonotus 7
Stips 14, 348, 352
Stipsostoma 14, 352
Stira 14, 352, 353
Stizopodina 50
Stizopus 50, 91, 167, 174, 353
Stomion 20, 353
Stomium 20, 353
Stomylus 73, 318, 353
Stonavus 49, 353
Storthephora 37, 353
Storthocnemis 26, 114, 324, 325, 353
Stratodemus 42, 353
Strepsius 83, 353
Stridigula 52, 353
Stridulomus 27, 353
Strongyallecula 71, 353
Strongylacanthus 85, 353
Strongylagria 40, 353
Strongyliastrum 85, 353
Strongylium 85, 92, 95, 103, 146, 151, 169, 185, 189, 193, 208, 211, 213, 247, 253, 254, 269, 278, 280, 289, 292, 308, 321, 330, 335, 343, 349, 353, 354, 376, 379

Strophia 51, 354
Strophiamixa 51, 354
Stygohelops 60, 354
Styphacus 53, 354
Styphloeus 83, 354
Styrax 85, 354
Styrus 59, 354
Suarezius 83, 354
Subalphasida 16, 354
Subpterocoma 25, 324, 354
Subtentyrina 542
Sulcipectus 26, 354
Sulcolagria 38, 354
Sulcosis 34, 355
Sulpiosoma 542
Sulpius 50, 355
Sulpiusoma 83, 355, 542
Sumbawia 58, 355
Sundon 83, 355
Syachis 33, 279, 355
Sycophantes 83, 355
Sycophantomorphus 83, 355
Syggona 41, 355, 356
Sylvanoplonyx 57, 355
Symnetasida 542
Sympetes 60, 355
Symphochora 14, 355
Symphoxycara 32, 355
Sympiezocera 7
Sympiezocnemis 25, 355
Synallecula 68, 94, 355
Synatractus 39, 356, 542
Syncolydium 74, 356
Synercticus 7
Syngona 41, 356
Synhimba 27, 356
Synopticus 7
Synquadrideres 52, 356
Syntractus 542
Syntyphlus 50, 356
Syrphetodes 7
Szekessya 7
Szentivanya 74, 356
Tabarus 83, 356
Taclamacanius 75, 356
Tactoderus 63, 356
Tadzhikistania 26, 356
Taeniobates 542
Taenobates 83, 356, 542
Tagalinus 42, 356
Tagalopsis 42, 357
Tagalus 42, 190, 357, 542
Taganoides 542
Tagaulus 542
Tagenesthes 30, 357
Tagenia 29, 106, 162, 235, 273, 276, 351, 357
Tagenodes 32, 357
Tagenopsis 86, 357
Tagenostola 30, 357
Tagona 45, 357
Tagonoides 44, 122, 257, 266, 357, 542, 543
Taichius 83, 357
Taiwanocryphaeus 64, 357
Taiwanolagria 40, 357
Taiwanomenephilus 83, 357
Taiwanomenimus 74, 357
Taiwanotagalus 42, 357
Taiwanotrachyscelis 75, 358
Taklamakania 75, 356, 358
Talanini 85
Talanus 85, 163, 358
Talpophila 542
Tamatasida 17, 358
Tamdaous 81, 358
Tamena 33, 358
Tanchirus 83, 358, 542
Tanchyrus 542
Tangiprosodes 45, 358
Tanuria 542
Tanychilus 68, 248, 358
Tanylypa 34, 358
Tapenopsis 23, 358
Taphrosoma 83, 279, 358
Tapinocomus 21, 358
Tapinopsis 23, 358
Taraxides 83, 165, 169, 358
Targesius 542
Tarpela 62, 226, 268, 359
Tarphiomimus 7
Tarphiophasis 47, 359
Tarsocnodes 27, 359, 542
Tarsoconodes 542
Tarsosis 34, 359
Tauroceras 58, 359, 542
Tauroceropedus 58, 359
Taurocerus 542
Taurohelops 60, 359
Taxes 68, 359
Taxonema 542
Tearchus 83, 207, 359
Tedinus 69, 359
Telabis 20, 359
Telacis 70, 359
Telaponium 20, 359
Telchis 42, 359
Teles 83, 359
Telesicles 68, 360
Telethrus 83, 360
Telleas 542
Telleus 83, 360, 542
Temnes 68, 360
Temnoaphelus 83, 360
Temnophthalmus 83, 360
Teneatopus 63, 360
Tenebrio 64, 87, 92, 93, 96, 103, 109, 113, 118, 119, 121, 122, 126, 130, 132, 135, 136, 139, 141, 151, 152, 156, 158, 161, 165, 168, 171, 174, 184, 194, 197, 199, 201, 202,

203, 204, 207, 209, 217, 218, 219, 220, 221, 223, 227, 230, 232, 233, 234, 240, 242, 244, 245, 246, 257, 260, 264, 270, 271, 273, 282, 283, 291, 292, 295, 297, 300, 306, 329, 330, 340, 341, 342, 345, 348, 349, 350, 351, 356, 357, 358, 359, 360, 361, 366, 372, 373, 374, 377, 378
Tenebriocamaria 83, 360
Tenebriocephalon 18, 223, 360
Tenebrioloma 65, 360
Tenebriomimus 73, 360
Tenebrionellus 64, 360
Tenebrionidae 85
Tenebrioninae 54
Tenebrionini 63
Tenebrionites 86, 360, 542
Tenebriopsis 83, 360
Teneobrionites 542
Tenesis 83, 360
Tentiria 543
Tentyria 33, 88, 100, 101, 132, 148, 157, 158, 162, 181, 197, 202, 244, 250, 256, 283, 285, 299, 316, 332, 340, 361, 543
Tentyriina 33, 361
Tentyriini 30
Tentyrina 33, 361
Tentyriomorpha 32, 361
Tentyrionota 543
Tentyriopsis 83, 361
Tentyrodera 32, 361
Tentyromorpha 32, 361
Tentyronota 33, 361, 543
Terametus 41, 361
Teremenes 83, 361
Termitonebria 55, 361
Tessaromma 48, 362
Tetragonomecus 83, 362
Tetragonomenes 83, 188, 271, 362
Tetranillus 30, 253, 362
Tetranosis 29, 188, 362
Tetraphyllus 83, 89, 90, 97, 139, 140, 157, 205, 215, 362
Tetrethas 29, 362
Tetromma 31, 362
Texaponium 20, 362
Thaioblaps 44, 363
Thalpobia 33, 249, 363
Thalpophila 33, 223, 325, 363, 542
Thalpophilodes 33, 223, 332, 363
Tharsus 62, 363
Thaumatoblaps 44, 363
Theatetes 68, 363
Thecacerus 83, 363, 543
Thecocerus 543
Theresea 85, 363
Thesilea 83, 363
Thettea 83, 363
Thinobatini 33
Thinobatis 33, 325, 363, 543
Thoracon 49, 363
Thoracophora 543
Thoracophorus 35, 116, 134, 363, 543
Thoracostira 40, 363
Thorictophasis 17, 364
Thorictosoma 18, 364
Thorictosomatina 18
Thornella 68, 364
Thoseus 36, 364
Thraucostolus 543
Thraustocolus 33, 130, 217, 230, 315, 364, 543
Threnus 58, 109, 364
Thriptera 26, 87, 123, 186, 220, 364, 543
Thryptera 543
Thurea 62, 364
Thydemorphus 83, 364
Thydemus 82, 364
Thylacoderes 26, 364, 543
Thylacoderus 543
Tibinella 68, 364
Tibiocnodes 27, 364
Tidiguinia 50, 364
Timeneca 59, 256, 364
Timogebienus 57, 365
Timosmithus 30, 365
Tinophyllus 77, 132, 365
Tisamenes 17, 365
Titaena 64, 111, 130, 365
Titaenini 64
Tithassa 37, 365
Tjikoraia 73, 365
Tlascalinus 20, 365
Toktokkus 27, 365
Tomogria 38, 365
Tonibiastes 48, 365
Tonibius 48, 365
Tonkinius 83, 365
Toreuma 59, 115, 186, 365
Toxicina 64
Toxicini 64
Toxicum 64, 131, 258, 365, 366
Toxocnema 83, 365, 542
Trachasida 16, 366
Trachelaeum 543
Tracheloblaps 543
Tracheloeum 28, 344, 366, 543
Trachelolagria 7
Trachelostenini 65
Trachelostenus 65, 366
Trachinotus 543
Trachyderas 7
Trachyderastes 7
Trachyderes 28, 366
Trachyderma 26, 115, 366

Trachymetus 48, 366
Trachynotidus 26, 366
Trachynotina 28
Trachynotus 28, 119, 138, 161, 176, 209, 210, 281, 366, 368, 369, 370, 543
Trachyscelini 75
Trachyscelis 75, 98, 366
Tragardhus 46, 255, 366
Treintoma 543
Trelolosodis 543
Trestonia 65, 366
Tretothorax 7
Triangulipenna 27, 367
Triboliini 65
Tribolium 65, 105, 227, 228, 240, 348, 360, 367
Tribolocara 543
Trichamarygmus 57, 367
Trichanemia 62, 367
Tricheleodes 43, 367
Trichethmus 28, 367
Trichiasida 17, 367
Trichiotes 20, 367
Trichochianalis 367, 543
Trichochianalus 54, 367
Trichodamatris 83, 367
Trichoderulus 43, 367
Tricholeipoleura 367, 543
Tricholeipopleura 54, 367
Trichomyatis 54, 368
Trichoodescelis 54, 234, 368
Trichoplatynoscelis 54, 368
Trichoplatyscelis 54, 326, 368
Trichopodum 543
Trichopodus 50, 222, 368, 543
Trichosaragus 60, 368
Trichosphaena 33, 368, 543
Trichosphena 543
Trichosternum 50, 222, 306, 368
Trichostethe 30, 368
Trichotenebrio 64, 368
Trichotoides 48, 368
Trichoton 48, 128, 176, 368, 369
Trichotrachys 28, 368
Trichotrichus 28, 369
Trichotum 48, 369
Trichulodes 37, 369
Trictenotoma 7
Trientoma 20, 369, 543
Trigonocnera 26, 369
Trigonoides 543
Trigonopachys 26, 369
Trigonopilus 50, 369
Trigonopoda 47, 369
Trigonopus 53, 97, 115, 117, 187, 286, 304, 337, 369, 375
Trigonoscelis 26, 141, 169, 247, 284, 320, 323, 325, 352, 369, 375
Trigonotarsus 49, 321, 343, 369
Trilobocara 34, 171, 279, 369, 543
Trilobocarini 33
Trimytantron 20, 120, 369
Trimytis 20, 141, 302, 365, 369
Trinobatis 543
Triorophus 20, 369
Triphalopsis 20, 369
Triphalopsoides 20, 370
Triphalus 20, 370
Triplehornia 75, 370
Tripolicryptus 71, 126, 370
Trisilius 543
Trisilus 59, 370, 543
Trogloderes 543
Trogloderus 43, 370, 543
Troglogeneion 20, 370
Tromosternus 79, 370
Tropidopterus 35, 370
Tropitrachys 28, 370
Truncatocamaria 77, 370
Truncatoodescelis 54, 371
Tuberocnodes 27, 371
Tucumana 70, 185, 371
Turcmenicola 30, 371
Turkmenohelops 60, 371
Turkonalassus 60, 371
Tydeolus 21, 371
Tylophloeus 74, 371
Tyndarisus 59, 371
Tynteria 32, 371
Tynthlobia 28, 371
Typhlophloeus 74, 371
Typhluloma 66, 371
Typhlusechina 30
Typhlusechus 30, 371
Typhobia 73, 372
Tyrtaeus 73, 372
Ubangia 55, 372
Ucalegon 17, 372
Udebra 47, 372
Uenomisolampidius 83, 372
Uenostrongylium 85, 372
Uleda 66, 372
Ulodes 7
Ulodica 7
Uloma 66, 90, 102, 103, 107, 109, 136, 145, 186, 207, 210, 244, 246, 312, 338, 343, 356, 372, 373, 544
Ulomimimus 543
Ulomimus 66, 326, 372, 543
Ulomina 62, 147, 372
Ulomini 65
Ulomites 7
Ulomoides 71, 73, 240, 285, 296, 304, 360, 372

Ulomotypus 62, 373
Ulona 544
Uloporus 7
Ulosonia 65, 373
Ulus 48, 373
Umbraticus 544
Umslatus 57, 373
Uniungulum 27, 373
Upembarus 53, 325, 373
Upinella 68, 364, 373
Upis 83, 159, 200, 241, 273, 313, 362, 373
Uptona 74, 373
Uptonina 74
Uria 75, 373
Uriela 25, 373
Urielina 25, 373
Uroblaps 43, 373
Uroplatopsis 40, 373
Uroprosodes 45, 373
Urosis 544
Usagaria 544
Usechimorpha 7
Usechus 7
Usoma 544
Uyttenboogaartia 33, 374
Uzagaria 47, 374, 544
Vabole 62, 374
Vacronini 34
Vacronus 34, 374
Vadalus 51, 374
Valdivium 36, 374
Valeron 544
Vaniosus 23, 374
Vansoniina 19
Vansonium 19, 374
Varogeton 55, 374
Vernayella 18, 374
Verodes 7
Verticiphloeus 544
Victa 544
Vieta 28, 166, 168, 374, 544
Vietnalia 68, 374
Vietomorpha 28, 374
Viettagona 44, 374
Villiersia 63, 197, 374
Viriathus 69, 374
Vizcainyx 20, 375
Vutsimus 57, 375
Wahlbergylium 76, 375
Wallardilagria 40, 375
Warchalowskiellus 53, 375
Waterhousia 26, 201, 375
Wattadelium 36, 170, 375
Wattiana 18, 375
Wattianus 7
Wattius 64, 375
Weisea 47, 375
Wolladrus 50, 199, 375
Xanthalia 40, 166, 207, 225, 226, 283, 375
Xanthia 375
Xanthicles 37, 375
Xanthobates 83, 376
Xanthohelops 60, 376
Xanthomerus 544
Xanthomus 60, 376, 544
Xanthothopeia 376, 544
Xanthothopia 376
Xanthotopeia 544
Xanthotopia 544
Xantusiella 83, 376
Xenius 83, 376
Xenocera 376
Xenocerogria 38, 376
Xenogena 38, 376
Xenogloeus 65, 376
Xenolagria 39, 376
Xenostethus 41, 149, 376
Xenostira 40, 376
Xenotermes 63, 376
Xenus 105, 376
Xerolinus 376
Xyloborus 377
Xylochus 70, 377
Xylopinus 83, 356, 377
Xysta 377
Xystronia 69, 377
Xystropodina 69
Xystropus 70, 241, 377
Yamatotakeru 73, 377
Yantaroxenos 36, 377
Yarranum 36, 377
Zabroideus 83, 377
Zadenos 46, 187, 342, 377
Zaleucos 544
Zaleucus 17, 378, 544
Zambesmia 15, 378
Zamolxis 17, 378
Zaphobas 544
Zarudnionymus 14, 90, 188, 378, 544
Zarudnyonymus 544
Zeadelium 36, 378
Ziaelas 57, 378, 544
Zidalus 53, 107, 378
Zioelas 544
Zizu 68, 378
Zodinus 53, 378
Zolodininae 34
Zolodinus 34, 378
Zomedes 70, 378
Zophabas 544
Zophelops 544
Zopherinus 7
Zopherodes 7
Zopherosis 7
Zopherus 7
Zophius 83, 378
Zophobas 64, 238, 266, 329, 378, 544
Zophobius 544
Zophodes 53, 379
Zophohelops 60, 61, 184, 330, 371, 379, 544
Zophondrus 61, 379
Zophophilus 83, 345, 361, 379

Zophoserodius 22, 379
Zophosini 34
Zophosis 34, 99, 102, 130, 131, 133, 134, 138, 140, 141, 157, 163, 166, 192, 198, 203, 206, 210, 227, 252, 260, 261, 270, 271, 276, 277, 303, 311, 313, 316, 334, 339, 341, 355, 359, 379
Zophosodactylus 34, 379
Zoutpansbergia 46, 379
Zuercheria 85, 379
Zygas 14, 379
Zypoetes 42, 379, 544
Zypoetus 544