

Araneae Sloveniae: a national spider species checklist

by

Rok Kostanjšek, Matjaž Kuntner



Sofia–Moscow

2015

ZOOKEYS 474 (SPECIAL ISSUE)

ARANAE SLOVENIAE: A NATIONAL SPIDER SPECIES CHECKLIST

by Rok Kostanjšek, Matjaž Kuntner

Cover photo: Male *Dolomedes fimbriatus* (© M. Kuntner).

First published 2015

ISBN 978-954-642-765-6 (paperback)

Pensoft Publishers

12 Prof. Georgi Zlatarski Street, 1700 Sofia, Bulgaria

Fax: +359-2-870-42-82

info@pensoft.net

www.pensoft.net

Printed in Bulgaria, January 2015

Contents

Introduction.....	2
Historic setting.....	2
Materials and methods.....	4
Species list.....	4
Slovenian spider species checklist (alphabetically by families)	6
Family AGELENIDAE	6
Family AMAUROBIIDAE.....	8
Family ANAPIDAE.....	9
Family ANYPHAENIDAE.....	9
Family ARANEIDAE	9
Family ATYPIDAE	13
Family CLUBIONIDAE.....	14
Family CYBAEIDAE	15
Family DICTYNIDAE	16
Family DYSDERIDAE	17
Family ERESIDAE.....	19
Family EUTICHURIDAE	19
Family FILISTATIDAE.....	20
Family GNAPHOSIDAE.....	20
Family HAHNIIDAE.....	24
Family LEPTONETIDAE.....	24
Family LINYPHIIDAE.....	24
Family LIOCRANIDAE.....	42
Family LYCOSIDAE.....	43
Family MIMETIDAE.....	49
Family MITURGIDAE	49
Family MYSMENIDAE.....	49
Family NEMESIIDAE	50
Family NESTICIDAE	50
Family OECOBIIDAE.....	50
Family OXYOPIDAE	51
Family PHILODROMIDAE	51
Family PHOLCIDAE	52
Family PHRUROLITHIDAE.....	52
Family PISAURIDAE.....	53
Family SALTICIDAE	53
Family SCYTODIDAE.....	58

Family SEGESTRIIDAE.....	58
Family SPARASSIDAE	59
Family TETRAGNATHIDAE.....	59
Family THERIDIIDAE	61
Family THERIDIOSOMATIDAE.....	66
Family THOMISIDAE	66
Family TITANOECIDAE.....	70
Family TRACHELIDAE	70
Family ULOBORIDAE.....	70
Family ZODARIIDAE	70
Family ZOROPSIDAE.....	71
Redeterminations and omissions from the list	71
Unconfirmed records	73
Nomina dubia	74
Nomina nuda	75
Conclusions	75
Acknowledgements	76
References	76

Araneae Sloveniae: a national spider species checklist

Rok Kostanjšek¹, Matjaž Kuntner^{2,3,4}

1 Department of Biology, University of Ljubljana, Slovenia **2** Institute of Biology, Scientific Research Centre, Slovenian Academy of Sciences and Arts, Ljubljana, Slovenia **3** Centre for Behavioural Ecology & Evolution, College of Life Sciences, Hubei University, Wuhan, China **4** National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Corresponding authors: Rok Kostanjšek (rok.kostanjsek@bf.uni-lj.si); Matjaž Kuntner (kuntner@gmail.com)

Academic editor: Jeremy Miller | Received 23 August 2014 | Accepted 3 December 2014 | Published 21 January 2015

<http://zoobank.org/EFE37A9D-CF8E-4CCF-8C1A-14A8E893B3F9>

Citation: Kostanjšek R, Kuntner M (2015) Araneae Sloveniae: a national spider species checklist. ZooKeys 474: 1–91.
doi: 10.3897/zookeys.474.8474

Abstract

The research of the spider fauna of Slovenia dates back to the very beginning of binomial nomenclature, and has gone through more and less prolific phases with authors concentrating on taxonomy, faunistics, ecology and zoogeographic reviews. Although the body of published works is remarkable for a small nation, the faunistic data has remained too scattered for a thorough understanding of regional biotic diversity, for comparative and ecological research, and for informed conservation purposes. A national checklist is long overdue. Here, a critical review of all published records in any language is provided. The species list currently comprises 738 species, is published online at <http://www.biportal.si/katalog/araneae.php> under the title Araneae Sloveniae, and will be updated in due course. This tool will fill the void in cataloguing regional spider faunas and will facilitate further araneological research in central and southern Europe.

Keywords

Faunistics, ecology, regional faunas, Slovenia, Palearctic, species richness

Introduction

At roughly 20,000 km², Slovenia's territory may be relatively small, but its position in between the Mediterranean, Alpine, Dinaric and Pannonic biogeographic regions is unique, and consequently, its native biota is rich and remarkable. Despite several active episodes of spider research in Slovenia, reviewed by Kuntner and Šereg (2002), a comprehensive national spider checklist has not been available, yet is long overdue. Our aim is to provide a critically filtered list of all relevant literature, in any language, that listed data relevant for Slovenian spider faunistics, and a list of all spider species recorded in this territory, cleaned for dubious, erroneous, and synonymous records. This checklist is simultaneously published online facilitating regular updates.

Historic setting

The beginnings go back to the 18th century, when Scopoli (1763) described 44 spider species from Carniola following Linné's nomenclature. Scopoli's cataloguing (Scopoli 1763, 1772) included both plants and animals, with spiders taking a prominent part. Most of the 19th century works were also taxonomic and cataloguing in nature (Damin 1900; Doblika 1853; Doleschall 1852; Hamann 1896; Joseph 1881, 1882; Schiödte 1847; Simon 1868, 1882), adding to the recognition of the territory's biotic importance, particularly in karstic caves (Hamann 1896; Schiödte 1847).

Early 20th century brought more taxonomic investigations and numerous species descriptions. Again, cave faunas played a prominent role and Slovenia's karst (a word deriving from the geographic name Kras) became the cradle of subterranean biology in large part due to lively araneological research (Absolon and Kratochvíl 1932, 1933; Bohinec 1926; Caporiacco 1938; Fage 1919, 1931; Kratochvíl 1933, 1934, 1936, 1939, 1948; Kratochvíl and Miller 1940; Megušar 1914; Roewer 1931; Wichmann 1926). These and other authors from the first half of 20th century also documented the epigeic spider fauna (Caporiacco 1949; Drenski 1936; Giltay 1932; Hafner 1925; Kratochvíl 1935; Kulczynski 1915; Miller 1940; Reimoser 1919; Šilhavy 1944).

The second part of the 20th century saw numerous important taxonomic additions, either stand alone or within revisions. Among them, several authors stand out as highly influential. Paolo Marcello Brignoli, as an example, revised numerous genera from several families contributing to the Mediterranean spider taxonomy (Brignoli 1971a, b, 1975, 1976, 1978, 1980). In her numerous revisions, Christa Deeleman-Reinhold provided a solid basis for understanding cave and surface linyphiids and dysderids from Slovenia and the Balkans (Deeleman-Reinhold 1971a, b, 1973a, b, 1975, 1977a, b, 1978, 1980, 1981, 1983, 1985, 1993; Deeleman-Reinhold and Deeleman 1988). Furthermore, Hermann Wiegle contributed with descriptions of new Slovenian taxa (Wiegle 1961, 1964), and Konrad Thaler published numerous regional, particularly Alpine, revisions encompassing several families (Thaler 1972, 1973, 1976, 1978a, b, 1981a, b, 1982, 1986,

1990a, b, c, 1994, 1997; Thaler and Buchar 1994; Thaler and Polenec 1974). In addition, other contemporary authors also added to taxonomic understanding of the regional fauna (Maurer 1982a, b; Miller and Polenec 1975a, b; Millidge 1979; Pesarini 1989; Tongiorgi 1966; Van Helsdingen 1969; Vanuytven et al. 1994; Wunderlich 1980).

However, this time should also be known as the “Polenec era” (Kuntner and Šereg 2002). Although Anton Polenec only touched on taxonomy, his several decades-long investigations of Slovenia’s spiders have made a lasting imprint on the faunistics and community ecology, in particular of ground spider assemblages. Polenec published numerous sampling checklists and/or observations (Polenec 1952, 1954, 1957, 1958, 1959, 1960, 1961a, b, c, d, 1962a, b, c, 1963a, b, c, d, e, 1964a, b, 1965a, b, 1966a, b, 1967a, b, 1968a, b, 1969a, b, c, 1970a, b, 1971a, b, c, 1972, 1973a, b, c, d, e, 1974a, b, 1975a, b, 1976a, b, 1977, 1978a, b, c, d, 1979a, b, 1980a, b, 1981, 1982a, b, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1992; Polenec and Thaler 1980). He also coauthored the only catalogue of Yugoslav spider fauna (Nikolić and Polenec 1981), where the republic of Slovenia was within the same geographic borders as today.

Other authors of the end of the 20th century have also contributed to the overall understanding of spider species distributions in Slovenia (Alicata 1966; Balarin 1984; Bedjanič 1999; Blick et al. 1995; Bole 1974; Bole et al. 1980, 1982, 1993; Bosmans 1997; Brenčič 1999; Buchar and Polenec 1974; Deltshev 1999; Drozenik 1971; Fuhn and Polenec 1967; Gasparo 1995, 1996, 2000; Gasparo and Thaler 2000; Grimm 1985, 1986; Kiauta 1960; Knoflach 1994, 1996; Knoflach and Thaler 2000; Komposch and Steinberger 1999; Kranjc and Novak 1977; Kratochvíl 1970; Kuntner 1994, 1996, 1997a, b, c, d, 1998, 1999a, b; Kuntner and Baxter 1997; Kuntner et al. 1999a, 1999b; Mršić 1997; Nikolić 1957, 1961, 1963; Novak 1967, 1971, 1981, 2005a; Novak et al. 1981; Novak 1982; Novak and Sivec 1976; Pesarini 1989; Polak 1994, 1997; Růžička et al. 2005; Sket 1979, 1993, 1999, 2000; Spazzapan-Brelih 1964; Töpfer-Hofmann et al. 2000; Zingerle 1999; Zupančič 1984).

The 21st century began with some higher level systematics and taxonomic works that used Slovenia’s exemplars (Agnarson 2004; Arnedo et al. 2004, 2009; Gregorič 2008; Kuntner et al. 2008; Řezáč et al. 2008a, b; Van Helsdingen et al. 2001; Wang et al. 2010), but mostly continued to document the fauna through faunistic contributions (Buchar and Dolansky 2011; Buchar and Thaler 2002; Čandek et al. 2013, 2015; Decae 2010; Fišer and Kostanjšek 2001; Franc 2004; Gorjan and Fišer 2010; Gregorič and Kuntner 2009; Kostanjšek 2000, 2001, 2002a, b, 2003, 2004a, b, 2005, 2007, 2010, 2011, 2013, 2014; Kostanjšek and Celestina 2008; Kostanjšek and Fišer 2005; Kostanjšek and Gorjan 2013; Kostanjšek and Kuntner 2002; Kostanjšek and Miller 2004; Kostanjšek and Ramšak 2005; Kuntner 2001; Kuntner and Kostanjšek 2000; Kuntner et al. 2007; Neuhauser et al. 1995; Pipan et al. 2008; Polak et al. 2012), ecological and behavioral studies (Kralj-Fišer et al. 2013; Nentwig and M. 2010; Novak 2005b; Novak et al. 2004, 2010; Tkavc 2008) and zoogeographical reviews (Blick et al. 2004; Decae 2010; Deltshev 2005; 2008; Finch et al. 2008; Knapič 2012; Kuntner and Šereg 2002; Le Peru 2011; Řezáč et al. 2014).

Materials and methods

The present checklist is based on all published literature containing information on spiders found in the territory of Slovenia but also includes several new records based on recently collected material. The classification and nomenclature follow the World Spider Catalog version 15.5 (2014). Families, genera and species are listed alphabetically. For each species, all relevant literature regarding its presence in Slovenia is followed by synonyms (as they occur in the literature) indicated by an equals sign (=). In this paper, all references relevant to Slovenian spider fauna are marked with [*] in order to distinguish them from other cited literature sources.

The new, previously unrecorded species in the list are marked by an asterisk and followed by a description of the collecting site, geographic data (latitude, longitude, altitude), date of collection and sampling method, and the data on the collector/material provider and species identifying authority. The specimens of previously unrecorded species are deposited in the collections of the Department of Biology, University of Ljubljana, Slovenia, and the Institute of Biology, Scientific Research Centre, Slovenian Academy of Sciences and Arts, Ljubljana, Slovenia.

Species list

The Slovenian spider species list, published online as Araneae Sloveniae ver. 1.0 (<http://www.bioportal.si/katalog/araneae.php>), currently comprises 738 species belonging to 286 genera and 43 families (Table 1) and will be updated in due course. This list considerably exceeds the 590 spider species recorded to occur in Slovenia in Fauna Europaea (Van Helsdingen 2013) and almost doubles the records reported in the outdated checklist of Slovenian (within the Yugoslavian) spider fauna (Nikolić and Polenec 1981). This number was largely reached by adding original data published since the old catalogue but also by adding numerous overlooked records.

Numerous ambiguous records from the Yugoslav list (Nikolić and Polenec 1981) are clarified; these included 149 species and subspecies, marked by question marks, whose presence in Slovenia was expected but never confirmed. Although these dubious data were clearly marked as such in the Fauna Europaea Database (Van Helsdingen 2013), they continued to puzzle. For example, the widely used online identification key for European Spiders (Nentwig et al. 2014) marks the presence of both dubious and valid records on the Slovenia's map. Of these dubious records, 75 species are retained in the checklist as they have recently been confirmed in the literature. The remaining 74 species and subspecies, however, are omitted. Together with other omissions from the list, such as nomina dubia, nomina nuda and redeterminations of published records, these are given at the end of the list.

Table I. A taxonomic count of Slovenian spiders. See *Araneae Sloveniae* (<http://www.biportal.si/katalog/araneae.php>) for updates.

Family	Genus	Species
Agelenidae	10	25
Amaurobiidae	2	8
Anapidae	1	1
Anyphaenidae	1	2
Araneidae	19	37
Atypidae	1	3
Clubionidae	1	20
Cybaeidae	2	4
Dictynidae	6	13
Dysderidae	7	21
Eresidae	1	1
Eutichuridae	1	9
Filistatidae	1	1
Gnaphosidae	16	53
Hahniidae	3	7
Leptonetidae	1	1
Linyphiidae	95	216
Liocranidae	5	9
Lycosidae	11	60
Mimetidae	1	3
Miturgidae	1	3
Mysmenidae	2	2
Nemesiidae	2	3
Nesticidae	2	4
Oecobiidae	2	2
Oxyopidae	1	3
Philodromidae	3	18
Pholcidae	4	5
Phrurolithidae	1	2
Pisauridae	2	3
Salticidae	29	66
Scytodidae	1	1
Segestriidae	1	5
Sparassidae	1	1
Tetragnathidae	4	13
Theridiidae	24	55
Theridiosomatidae	1	1
Thomisidae	13	43
Titanocecidae	2	4
Trachelidae	1	1
Uloboridae	2	3
Zodariidae	1	5
Zoropsidae	1	1
43		286
		738

Slovenian spider species checklist (alphabetically by families)**Family AGELENIDAE**

Agelena labyrinthica (Clerck, 1757)

Brignoli 1976, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1964a, 1967b, 1970b, 1971a, 1971c, 1973e, 1974a, 1975b, 1978b, 1980a, 1989, Tarman 2003

= *Aranea roeselii* Scopoli, 1763

Scopoli 1763

Allagelena gracilens (C. L. Koch, 1841)

= *Agelena gracilens* C. L. Koch, 1838

Brignoli 1976, Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

= *Agelena similis* Keyserling, 1863

Polenec 1957, 1958, 1973c, 1974a, 1978b

Coelotes alpinus Polenec, 1972

Maurer 1982a, 1982b, Nikolić and Polenec 1981, Polenec 1972, 1973a, 1973b, 1973e, 1978b, 1982a, 1989, Tarman 2003, Thaler 1976, Zingerle 1999, Zupančič et al. 1984

Coelotes atropos (Walckenaer, 1830)

Polenec 1959

Coelotes poleneci Wiehle, 1964

Bole et al. 1980, Mršić 1997, Nikolić and Polenec 1981, Polenec 1961d, 1963d, 1964b, 1966a, 1966b, 1967a, 1967b, 1968a, 1969b, 1970a, 1970b, 1973b, 1973d, 1974b, 1975b, 1976a, 1976b, 1977, 1978c, 1979a, 1980b, 1982b, 1983, 1984, 1986, 1987, 1989, Tarman 2003, Thaler 1976, Wiehle 1964, Zupančič et al. 1984

Coelotes solitarius L. Koch, 1868

Kostanjšek 2007, Novak 2005b, Thaler 1976

Coelotes terrestris (Wider, 1834)

Čandek et al. 2013

Eratigena agrestis (Walckenaer, 1802)

= *Tegenaria agrestis* (Walckenaer, 1802)

Brignoli 1976, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1984, Stražar 2001

Eratigena atrica (C. L. Koch, 1843)

= *Tegenaria atrica* C. L. Koch, 1843

Čandek et al. 2013, Kostanjšek 2012, Polenec 1962b

Hadites tegenarioides Keyserling, 1862

Joseph 1881, 1882

***Histopona luxurians* (Kulczyński, 1897)**

Deeleman-Reinhold 1983, Nikolić and Polenec 1981, Novak 2005b

= *Tegenaria luxurians* Kulczyński, 1897

Bole et al. 1980, 1982, Polenec 1960, 1961d, 1962a, 1963d, 1964a, 1965a, 1966a, 1966b, 1967a, 1967b, 1968a, 1969b, 1970b, 1971a, 1971c, 1973b, 1973d, 1974b, 1975b, 1976a, 1976b, 1977, 1978c, 1979a, 1980a, 1980b, 1982b, 1983, 1984, 1985, 1986, 1989, Wiegle 1964, Zupančič et al. 1984

***Histopona torpida* (C. L. Koch, 1837)**

Bole et al. 1980, Brignoli 1976, Budja 2008, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polak 1997, Polenec 1957, 1958, 1959, 1963e, 1964b, 1967b, 1970b, 1973e, 1974a, 1975a, 1975b, 1979a, 1984, 1985, 1986, 1987, 1989, Rebeušek et al. 2008

***Inermocoelotes anoplus* (Kulczyński, 1897)**

Čandek et al. 2013

= *Coelotes anoplus* Kulczyński, 1897

Bole et al. 1980, 1982, Brignoli 1975, 1976, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1962a, 1963e, 1965b, 1966a, 1968a, 1968b, 1969a, 1973b, 1978d, 1979a, 1982b, 1985, 1989, Wiegle 1964

= *Eurocoelotes anoplus* (Kulczyński, 1897)

Wang et al. 2010

***Inermocoelotes inermis* (L. Koch, 1855)**

Gorjan 2014

= *Coelotes inermis* (L. Koch, 1855)

Bole et al. 1980, 1982, Brignoli 1976, Budja 2008, Kuntner 1997a, 1997c, 1999b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1960, 1961d, 1962a, 1962c, 1963c, 1963d, 1964a, 1964b, 1965a, 1966a, 1966b, 1967a, 1967b, 1968a, 1969b, 1970a, 1970b, 1971a, 1971c, 1973c, 1973d, 1973e, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1977, 1978b, 1978c, 1979a, 1980a, 1981, 1982a, 1982b, 1983, 1984, 1985, 1986, 1987, 1989, Tarman 2003, Thaler 1976, Zupančič et al. 1984

= *Eurocoelotes inermis* (L. Koch, 1855)

Gregorič and Kuntner 2009, Wang et al. 2010

***Tegenaria campestris* (C. L. Koch, 1834)**

Kuntner 1999b, 2001, 2002, Polenec 1976a, ULRS 2002

***Tegenaria domestica* (Clerck, 1757)**

Kostanjšek 2004a, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1962b, 1978a, Tarman 2003

= *Tegenaria derhamii* Scopoli

Megušar 1914

***Tegenaria ferruginea* (Panzer, 1804)**

Kostanjšek 2004a, Nikolić and Polenec 1981, Novak 2005b, Polenec 1962b, 1989

Tegenaria pagana* (C. L. Koch, 1840)

1♀ - meadow, 2,5 km N from Kostanjevica na Krki; 45°52,5'N; 15°25,4'E, 150 m a. s. l.; 26.7.2009; leg. & det. Kostanjšek R.

Tegenaria parietina (Fourcroy, 1785)

Kostanjšek 2004a, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1989, Tarman 2003

Tegenaria parvula Thorell, 1875

= *Tetralus strandi* Caporiacco, 1936

Caporiacco 1938, Nikolić and Polenec 1981

Tegenaria silvestris L. Koch, 1872

Bole et al. 1980, Brignoli 1976, 1980, Budja 2008, Kostanjšek 2003, 2004a, Kratochvíl 1934, Kratochvíl and Miller 1940, Kuntner 1997d, 1998, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Polenec 1957, 1958, 1959, 1960, 1963e, 1965b, 1967b, 1969a, 1969b, 1970a, 1970b, 1971c, 1974a, 1975a, 1975b, 1976b, 1978d, 1979a, 1980b, 1981, 1982a, 1984, 1985, 1986, 1987, 1989

= *Malthonica silvestris* (L. Koch, 1872)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009

Tegenaria tridentina L. Koch, 1872

Nikolić and Polenec 1981, Novak 2005b, Polenec 1964a, Wieghele 1964

Textrix caudata L. Koch, 1872

Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1978d, 1992

Textrix denticulata (Olivier, 1789)

Kostanjšek 2001

Urocoras munieri (Simon, 1880)

= *Coelotes munieri* Simon, 1880

Bole et al. 1980, Nikolić and Polenec 1981

Family AMAUROBIIDAE***Amaurobius erberi*** (Keyserling, 1863)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2002a, Polenec 1992

Amaurobius fenestralis (Ström, 1768)

Bole et al. 1980, Fage 1931, Nikolić and Polenec 1981, Novak 2005b, Polenec 1979a, 1989, Tarman 2003

Amaurobius ferox (Walckenaer, 1830)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1989

Amaurobius jugorum L. Koch, 1868

Budja 2008, Čandek et al. 2013, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1961d, 1963d, 1963e, 1964b, 1967b, 1968a, 1970b, 1971c, 1973c, 1974a, 1975a, 1975b, 1976b, 1985, 1989, Thaler 1990a

Amaurobius minor (Kulczyński, 1915)

Nikolić and Polenec 1981, Polenec 1978d, 1979b, 1992

Amaurobius obustus L. Koch, 1868

Bole et al. 1980, 1982, Nikolić and Polenec 1981, Polenec 1960, 1961d, 1962a, 1962c, 1963d, 1963e, 1964a, 1964b, 1965a, 1966a, 1966b, 1967a, 1967b, 1969a, 1969b, 1970a, 1970b, 1971a, 1973b, 1974b, 1975b, 1976a, 1976b, 1977, 1979a, 1980b, 1981, 1982a, 1982b, 1983, 1984, 1985, 1986, 1987, 1989, Thaler 1990a

Amaurobius scopolii Thorell, 1871

Kratochvíl 1935

Callobius claustrarius (Hahn, 1833)

Kostanjšek 2007, Nikolić and Polenec 1981

= ***Amaurobius claustrarius*** (Hahn, 1833)

Novak 2005b, Zupančič et al. 1984

Family ANAPIDAE***Comaroma simoni*** Bertkau, 1889

Budja 2008, Gorjan 2014, Kostanjšek 2002b, Kuntner 1997c, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1964b, 1966a, 1966b, 1970b, 1971a, 1971c, 1973b, 1983, 1989, Thaler 1978a

Family ANYPHAENIDAE***Anyphaena accentuata*** (Walckenaer, 1802)

Budja 2008, Čandek et al. 2013, Kostanjšek 2013, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958, 1959, 1960, 1964b, 1973e, 1974a, 1985, 1986, 1987, 1989

Anyphaena sabina L. Koch, 1866

Čandek et al. 2013

Family ARANEIDAE***Aculepeira ceropégia*** (Walckenaer, 1802)

Čandek et al. 2013, Kuntner 1997d, Nikolić and Polenec 1981

= ***Aranea ceropégia*** Walckenaer, 1802

Polenec 1964b, 1971a, 1971c, 1973e, 1975b, 1976b

= ***Araneus ceropégicus*** Lessert, 1910

Polenec 1989

Agalenata redii (Scopoli, 1763)

Čandek et al. 2013, Kostanjšek 2003

= ***Aranea aldrovandi*** Scopoli, 1763

Scopoli 1763

= ***Aranea redii*** Scopoli, 1763

Polenec 1954, Scopoli 1763

Araneus alsine (Walckenaer, 1802)

Brigić et al. 2009, Čandek et al. 2013, Kostanjšek 2001, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polak 1997, Polenec 1983, 1989
= *Aranea alsine* Walckenaer, 1802
Polenec 1957, 1958, 1973c, 1992

Araneus angulatus Clerck, 1757

Čandek et al. 2013, Giltay 1932, Kostanjšek 2004a, 2005, Kuntner 1996, 1997a, 1997d, 1999b, 2002

Araneus circe (Audouin, 1826)

Nikolić and Polenec 1981
= *Aranea circe* (Audouin, 1827)
Polenec 1992

Araneus diadematus Clerck, 1757

Bedjanič 1999, Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Kuntner et al. 2008, Neuhauser et al. 1995, Nikolić 1963, Polak 1994, 1997, Polenec 1985, 1986, 1987, Tarman 2003, Vogrin 2002

= *Aranea duadema* Linnaeus, 1758

Polenec 1957, 1958, 1960, 1961b, 1964a, 1964b, 1965a, 1967b, 1969a, 1970b, 1971c, 1973c, 1974a, 1980a

= *Araneus diademus* Clerck, 1757

Polenec 1989

Araneus marmoreus Clerck, 1757

Čandek et al. 2013, Kostanjšek 2004a, 2007, Kuntner 1997d, 1999b, Nikolić and Polenec 1981

= *Aranea raji* Scopoli, 1763

Polenec 1954, 1961b, 1980a, Scopoli 1763

= *Aranea raji* var. *betulae* Sulzer, 1776

Polenec 1961b, 1963d, 1964a, 1964b, 1965a, 1970b, 1989

= *Araneus marmoreus pyramidatus* Clerck, 1757

Kuntner 1997c, Nikolić and Polenec 1981

Araneus quadratus Clerck, 1757

Čandek et al. 2013, Kuntner 1996, 1997c, 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989, Tarman 2003

= *Aranea quadrata* Clerck, 1757

Polenec 1978b

= *Aranea reaumiri* Scopoli, 1763

Polenec 1954

= *Aranea reaumurii* Scopoli, 1763

Scopoli 1763

Araneus sturmi (Hahn, 1831)

Čandek et al. 2013, Kuntner 1997c, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

= *Aranea sturmi* (Hahn, 1831)
Polenec 1957, 1958, 1960, 1973c

= *Atea sturmi* C.L.Koch, 1837
Budja 2008

***Araneus triguttatus* (Fabricius, 1793)**
Kostanjšek 2010

***Araniella alpica* (L. Koch, 1869)**
Kuntner et al. 2008

***Araniella cucurbitina* (Clerck, 1757)**
Čandek et al. 2013, 2015, Kostanjšek 2004a, 2005, Kuntner 1996, 1997c, 1997d, Nikolić and Polenec 1981, Novak 1981, Polenec 1984, Tarman 2003

= *Aranea cucurbitina* Linnaeus, 1758
Polenec 1963d, 1964a, 1967b, 1969a, 1969b, 1970b, 1971a, 1978b, 1980a
= *Aranea frischii* Scopoli, 1763
Scopoli 1763

= *Araneus cucurbitinus* Clerck, 1757
Novak 2005b, Polenec 1978d, 1985, 1989

***Araniella opistographa* (Kulczyński, 1905)**
Čandek et al. 2015

***Argiope bruennichi* (Scopoli, 1772)**
Bedjanič 1999, Čandek et al. 2013, Kaligarič 1996, Kostanjšek 2000, 2004a, 2004b, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Kuštor 2006, Nikolić and Polenec 1981, Polenec 1952, 1954, 1963b, 1966a, 1989, Tarman 2003, Vogrin 2002, 2005

= *Aranea brunnichii* Scopoli, 1772
Scopoli 1772

***Cercidia prominens* (Westring, 1851)**
Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1978d, 1986, 1989

***Cyclosa conica* (Pallas, 1772)**
Budja 2008, Čandek et al. 2013, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Kuntner et al. 2008, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1963d, 1964a, 1970b, 1973c, 1989

***Cyclosa oculata* (Walckenaer, 1802)**
Nikolić and Polenec 1981, Polenec 1957, 1958, 1964b, 1989

***Gibbaranea bituberculata* (Walckenaer, 1802)**
Budja 2008, Čandek et al. 2013, Kostanjšek 2003, Kuntner 2002

= *Aranea bituberculata* Walckenaer, 1802
Polenec 1969a

***Hypsosinga albovittata* (Westring, 1851)**
= *Singa albovittata* Westring, 1851

Polenec 1992

Hypsosinga heri (Hahn, 1831)

Kostanjšek 2002b, 2014, Kuntner 1997c, 1999b, 2001, 2002, ULRS 2002

Hypsosinga pygmaea (Sundevall, 1831)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1999b

= *Singa pygmaea* (Sundevall, 1831)

Nikolić and Polenec 1981

Hypsosinga sanguinea (C. L. Koch, 1844)

Čandek et al. 2013, Gorjan 2014, Kuntner 1997d

= *Singa sanguinea* C. L. Koch, 1844

Bole et al. 1980, Polenec 1989

Lariniooides cornutus (Clerck, 1757)

Kostanjšek 2004a, Kuntner 2002

= *Aranea cornuta* Clerck, 1757

Polenec 1992

= *Aranea leuwenhoekii* Scopoli, 1763

Scopoli 1763

Lariniooides sclopetarius (Clerck, 1757)

Čandek et al. 2013, Kostanjšek 2012, Kuntner 1997a, 1999b, 2002

Lariniooides suspicax (O. P.-Cambridge, 1876)

Kuntner 2002

Leviellus thorelli (Ausserer, 1871)

Čandek et al. 2013, Gregorič 2008, Kralj-Fišer et al. 2013

= *Zygiella thorelli* (Ausserer, 1871)

Kostanjšek 2004a, Kuntner 1999b, 2002

Mangora acalypha (Walckenaer, 1802)

Čandek et al. 2013, Kostanjšek 2003, 2004a, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1969a, 1969b, 1971a, 1973c, 1973e, 1989

Neoscona adianta (Walckenaer, 1802)

Čandek et al. 2013, Kuntner 1997d, 2002, Kuntner and Kostanjšek 2000

= *Araneus adianta* Walckenaer, 1802

Giltay 1932

Neoscona subfusca (C. L. Koch, 1837)

Kostanjšek and Kuntner 2002, Kuntner 2002, Kuntner and Kostanjšek 2000

Nuctenea umbratica (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Kuntner 1996, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000

= *Aranea sexpunctata* Linnaeus, 1758

Polenec 1962b, 1978b, 1980a

= *Aranea swammerdamii* Scopoli, 1763

Scopoli 1763

- = *Araneus sexpunctatus* Linnaeus, 1758
 Tarman 2003
- = *Chinestela umbratica* (Clerck, 1757)
 Nikolić and Polenec 1981
- Parazygiella montana*** (C. L. Koch, 1834)
 Čandek et al. 2013, Gregorič 2008
- = *Zilla montana* C. L. Koch, 1834
 Polenec 1970a
- = *Zygiella montana* (C. L. Koch, 1839)
 Nikolić and Polenec 1981, Polenec 1979a, 1989
- Singa hamata*** (Clerck, 1757)
 Kuntner 1997c, Nikolić and Polenec 1981
- Singa nitidula*** C. L. Koch, 1844
 Čandek et al. 2013, Kuntner 1996, 1997c, 1999b, Nikolić and Polenec 1981
- Stroemius stroemi*** (Thorell, 1870)
 Čandek et al. 2013, Gregorič 2008
- = *Zygiella stroemi* (Thorell, 1870)
 Gregorič 2008, Kuntner 1999b, 2001, 2002, ULRS 2002
- Zilla diodia*** (Walckenaer, 1802)
 Čandek et al. 2013, Kostanjšek 2003, Kuntner 1996, 1997c, 1997d, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981
- = *Aranea diodia* Walckenaer, 1802
 Polenec 1958, 1969a
- Zygiella keyserlingi*** (Ausserer, 1871)
 Gregorič 2008
- Zygiella x-notata*** (Clerck, 1757)
 Gregorič 2008, Kuntner 2002, Kuntner and Kostanjšek 2000
- = *Zilla litterata* Wiegle, 1931
 Polenec 1962b

Family ATYPIDAE

- Atypus affinis*** Eichwald, 1830
 Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2000, 2004a, Le Peru 2011, Nikolić and Polenec 1981
- Atypus muralis*** Bertkau, 1890
 Bole et al. 1980, Kostanjšek 2000, 2001, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1966a, 1969a
- Atypus piceus*** (Sulzer, 1776)
 Čandek et al. 2013, Kostanjšek 2000, Kostanjšek and Kuntner 2002, Kuntner 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961c, 1978a, 1978d, 1979b, Tarman 2003
- = *Atypus picinus* 0
 Bole et al. 1980

Family CLUBIONIDAE

Clubiona brevipes Blackwall, 1841

Kuntner 1997d, Nikolić and Polenec 1981

Clubiona caeruleascens L. Koch, 1867

Bole et al. 1980, Budja 2008, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1978d, 1979a, 1984, 1985, 1986, 1989

Clubiona comta C. L. Koch, 1839

Gorjan 2014, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1971a, 1978d

Clubiona corticalis (Walckenaer, 1802)

Bole et al. 1982, Kuntner and Kostanjšek 2000, Polenec 1965b, 1992

= *Paraclubiona corticalis* (Walckenaer, 1802)

Nikolić and Polenec 1981

Clubiona genevensis L. Koch, 1866

Polenec 1969a

= *Microclubiona genevensis* L. Koch, 1866

Nikolić and Polenec 1981

Clubiona germanica Thorell, 1871

Čandek et al. 2013, Kuntner 1997c, 1999b, 2001, 2002, ULRS 2002

Clubiona leucaspis Simon, 1932

Gorjan 2014, Kostanjšek and Gorjan 2014

Clubiona lutescens Westring, 1851

Kuntner 1997c, 1997d, 1999b, Nikolić and Polenec 1981

Clubiona marmorata L. Koch, 1866

Kuntner 1996, Kuntner and Baxter 1997, Polenec 1978d

= *Microclubiona marmorata* L. Koch, 1866

Nikolić and Polenec 1981

Clubiona neglecta O. P.-Cambridge, 1862

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1974b, 1989

Clubiona pallidula (Clerck, 1757)

Bole et al. 1980, Kostanjšek 2004a, Nikolić and Polenec 1981, Novak 2005b,

Polenec 1989

= *Clubiona holosericea* Linnaeus, 1758

Polenec 1969b

Clubiona phragmitis C. L. Koch, 1843

Kuntner 1997d, 2001, 2002, ULRS 2002

Clubiona pseudoneglecta Wunderlich, 1994

Čandek et al. 2013, Kostanjšek 2014, Kuntner 1997d, 2001, 2002, ULRS 2002

Clubiona reclusa* O. P.-Cambridge, 1863

1♂ - forest, Pokljuka, Zgornji Goreljek, 700 m W of Sivec peak; 46°20,05'N;
13°58,14'E, 1240 m a. s. l.; 1.11.2001; leg. & det. Kostanjšek R.

- 4♀ - forest, Pohorje, 500 m W from Lasina Peak, N of Rogla; 46°28,88'N; 15°20,24'E, 1300 m a. s. l.; 31.7.2005; leg. & det. Kostanjšek R.
- 4♀ - forest, Pohorje, Črne mlake marsh 1,6 km NE of Rogla; 46°28,12'N; 15°21,27'E, 1300 m a. s. l.; 31.7.2005; leg. & det. Kostanjšek R.
- 2♀ - damp meadow, 300 m E of Fara village near Kolpa river; 45°28,59'N; 14°53,18'E, 225 m a. s. l.; 23.7.2008; leg. & det. Kostanjšek R.
- 1♀ - meadow, Cerklje ob Krki; 150 m a. s. l.; 8.7.1981; det. Knapič T., Gregorič M.
- 1♀ - damp meadow, 3,6 km N of Kostanjevica na Krki; 45°52,73'N; 15°25,23'E, 150 m a. s. l.; 26.7.2009; leg. & det. Kostanjšek R.

Clubiona similis L. Koch, 1867

Kostanjšek and Celestina 2008

Clubiona stagnatilis Kulczyński, 1897

Kostanjšek 2000

Clubiona subsultans Thorell, 1875

Nikolić and Polenec 1981, Polenec 1979a, 1989

Clubiona subtilis L. Koch, 1867

Novak 1981, 2005b

Clubiona terrestris Westring, 1851

Bole et al. 1980, Budja 2008, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1959, 1963e, 1969a, 1969b, 1973e, 1974a, 1978d, 1984, 1986, 1989

Clubiona trivialis C. L. Koch, 1843

Polenec 1957, 1958, 1967b

= *Microclubiona trivialis* (C. L. Koch, 1843)

Nikolić and Polenec 1981

Family CYBAEIDAE

Argyroneta aquatica (Clerck, 1757)

Budihna et al. 1996, Gregori 1980, 1994, Kalan et al. 2007, Kmec 2000, Kostanjšek 2002a, 2004a, Kuntner 1997a, 2001, Nikolić and Polenec 1981, Polenec 1971a, 1992, Tarman 2003, ULRS 1993, 2002

Cybaeus minor Chyzer, 1897

Bole et al. 1980, Maurer 1992, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1969b, 1970a, 1970b, 1971a, 1971c, 1973e, 1976a, 1977, 1978c, 1979a, 1980b, 1981, 1982b, 1983, 1984, 1985, 1986, 1989

Cybaeus raymondi (Simon, 1916)

Kuntner 1998, 2001, Kuntner and Kostanjšek 2000, ULRS 2002

Cybaeus tetricus (C. L. Koch, 1839)

Bole et al. 1980, Brignoli 1976, Kostanjšek 2004a, Maurer 1992, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958, 1959, 1960, 1961d, 1962a,

1963d, 1964b, 1966a, 1967a, 1967b, 1968a, 1969a, 1969b, 1970a, 1970b, 1971c, 1973d, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1978c, 1979a, 1980a, 1980b, 1981, 1982b, 1983, 1985, 1989, Rebeušek et al. 2008, Zupančič et al. 1984

= *Cybaeus angustiarum* L. Koch, 1868

Novak 2005b

Family DICTYNIDAE

Argenna subnigra (O. P.-Cambridge, 1861)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009

Cicurina cicur (Fabricius, 1793)

Bole et al. 1980, Brignoli 1976, Čandek et al. 2013, Novak 2005b, Polenec 1957, 1958, 1962a, 1963e, 1967b, 1974a, 1975a, 1976a, 1985, 1989, Roewer 1931

Dictyna arundinacea (Linnaeus, 1758)

Nikolić and Polenec 1981, Polenec 1957, 1958

Dictyna civica (Lucas, 1850)

Čandek et al. 2013, Kostanjšek 2012, Kostanjšek and Celestina 2008

Dictyna latens (Fabricius, 1775)

Polenec 1971a

= *Brigittea latens* (Fabricius, 1775)

Nikolić and Polenec 1981

Dictyna pusilla Thorell, 1856

Kuntner 1997c, 2002

Dictyna uncinata Thorell, 1856

Čandek et al. 2013, Kuntner 1996, 1997a, 1997d, 2002

Lathys humilis (Blackwall, 1855)

Čandek et al. 2013, 2015, Nikolić and Polenec 1981, Polenec 1978d

Lathys nielseni (Schenkel, 1932)

Gregorič and Kuntner 2009

Lathys stigmatisata (Menge, 1869)

Gorjan 2014, Kostanjšek and Gorjan 2014

Mastigusa arietina (Thorell, 1871)

Gorjan 2014

= *Tetralus arietinus* Thorell, 1881

Polenec 1981, 1989

= *Tetralus macrophtalmus* Kulczyński, 1891

Novak 2005b, Polenec 1961d, 1963e, 1964a, 1966a, 1969a, 1975b, 1979a, 1989

Mastigusa macrophtalma (Kulczyński, 1897)

Budja 2008, Kuntner and Kostanjšek 2000

= *Tuberta macrophtalma* (Kulczyński, 1897)

Nikolić and Polenec 1981

Nigma walckenaeri (Roewer, 1951)

= *Dictyna viridissima* (Walckenaer, 1805)

Polenec 1988, 1989

Family DYSDERIDAE***Dasumia canestrinii* (L. Koch, 1876)**

Bole et al. 1980, 1982, Budja 2008, Čandek et al. 2013, Gorjan 2014, Kuntner 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Novak 1981, Polenec 1957, 1958, 1959, 1960, 1962a, 1963e, 1965a, 1965b, 1966a, 1966b, 1969a, 1973b, 1973c, 1976a, 1978d, 1979a, 1982b, 1984, 1985, 1986, 1989, Zupančič et al. 1984

= *Dasumia istriaca* Simon, 1882

Simon 1882

***Dasumia carpatica* (Kulczyński, 1882)**

= *Harpactea carpatica* (Kulczyński, 1882)

Polenec 1992

***Dysdera adriatica* Kulczyński, 1897**

Čandek et al. 2013, 2015, Gorjan 2014, Le Peru 2011, Polenec 1986, Řezáč et al. 2008a

= *Dysdera hungarica adriatica* Kulczyński, 1897

Nikolić and Polenec 1981

***Dysdera crocata* C. L. Koch, 1838**

Gregorić and Kuntner 2009

***Dysdera dubrovnikensis* Deeleman-Reinhold, 1988**

Deeleman-Reinhold and Deeleman 1988, Le Peru 2011, Řezáč et al. 2008a

***Dysdera erythrina* (Walckenaer, 1802)**

Budja 2008, Gregorić and Kuntner 2009, Kostanjšek 2003, 2004a

***Dysdera hungarica* Kulczyński, 1897**

Budja 2008, Gorjan 2014, Polenec 1957, 1958, 1965a, 1983, 1984, 1985, 1989

***Dysdera kollari* Doblika, 1853**

Le Peru 2011

***Dysdera longirostris* Doblika, 1853**

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1961d, 1964b, 1969b, 1970a, 1970b, 1971c, 1974a, 1975a, 1975b, 1978d, 1979a, 1980b

***Dysdera microdonta* Řezáč, 2014**

Řezáč et al. 2014

***Dysdera ninnii* Canestrini, 1868**

Bole et al. 1980, 1982, Budja 2008, Čandek et al. 2013, Deeleman-Reinhold and Deeleman 1988, Gorjan 2014, Kostanjšek 2003, Kuntner 1996, 1998, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Kuntner et al. 1999b, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963d, 1963e, 1965a, 1965b, 1966a, 1967b, 1968a, 1968b, 1969a, 1973b, 1973c, 1974a, 1975a, 1975b, 1977, 1978d, 1982a, 1984, 1985, 1986, 1987, 1989, Řezáč et al. 2008a, 2014, Roewer 1931

***Harpactea grisea* (Canestrini, 1868)**

Alicata 1966, Bole et al. 1980, 1982, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1980b, 1981, 1989, 1992, Thaler 1976

***Harpactea hombergi* (Scopoli, 1763)**

Budja 2008, Kuntner 1996, Kuntner and Baxter 1997, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989, 1992

= *Dysdera hombergi* Walckenaer, 1830

Damin 1900, Doblika 1853, Řezáč et al. 2008a

= *Harpactes hombergi* Scopoli, 1763

Polenec 1954, 1964b

***Harpactea lepida* (C. L. Koch, 1838)**

Bole et al. 1980, 1982, Budja 2008, Kuntner 1998, Kuntner et al. 1999b, Le Peru 2011, Nikolić and Polenec 1981, Novak 2005b, Polenec 1959, 1962c, 1966b, 1971a, 1977, 1978b, 1978c, 1979a, 1980a, 1980b, 1981, 1982a, 1982b, 1983, 1984, 1985, 1986, 1987, 1989, Thaler 1976, Zupančič et al. 1984

= *Harpactes lepidus* C. L. Koch, 1839

Polenec 1957, 1958, 1960, 1961a, 1961d, 1962a, 1962c, 1963d, 1963e, 1964a, 1964b, 1965a, 1966b, 1967a, 1967b, 1968a, 1969a, 1969b, 1970b, 1971a, 1971c, 1973c, 1973d, 1973e, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1978d

***Harpactea rubicunda* (C. L. Koch, 1838)**

Kostanjšek 2004a

***Mesostalita nocturna* (Roewer, 1931)**

Deeleman-Reinhold 1971a, Nikolić and Polenec 1981, Stepišnik and Ramšak 2006, ULRS 2002, 2004

= *Stalita nocturna* Roewer, 1931

Brignoli 1978, Caporiacco 1938, Gasparo 1996, Gasparo and Thaler 2000, Kratochvíl 1970, Le Peru 2011, Roewer 1931

***Parastalita stygia* (Joseph, 1882)**

Absolon and Kratochvíl 1933, Bedek et al. 2009, Caporiacco 1938, Deeleman-Reinhold 1971a, Kratochvíl 1934, 1970, Kržič 2010, Kuntner 1998, Kuntner et al. 1999b, Mršić 1997, Nikolić 1963, Nikolić and Polenec 1981, Polak 1994, Sket 2000, Tarman 2003, ULRS 2002

= *Stalita stygia* Joseph, 1882

Brignoli 1978, Drensky 1936, Fage 1931, Hamann 1896, Joseph 1882, Le Peru 2011, Wichmann 1926

***Rhode aspinifera* (Nikolić, 1963)**

Deeleman-Reinhold 1977a, 1993, Le Peru 2011, Nikolić and Polenec 1981, Tarman 2003, Thaler 1990b

= *Typhlorhode aspinifera* Nikolić, 1963

Nikolić 1961, 1963

***Stalita badzii* Kratochvíl, 1934**

Brignoli 1971b, 1978, Kiauta and Leben 1960, Kratochvíl 1934, 1970, Le Peru 2011, Nikolić 1963, Nikolić and Polenec 1981, Polenec 1973b, Tarman 2003, ULRS 2002

Stalita intermifemur Roewer, 1931

Caporiacco 1938, Kratochvíl 1970, Le Peru 2011, Nikolić and Polenec 1981, Roewer 1931

Stalita taenaria Schiödte, 1847

Absolon and Kratochvíl 1933, Brignoli 1971b, 1978, 1980, Caporiacco 1938, Deeleman-Reinhold 1977a, Doleschall 1852, Drensky 1936, Fage 1931, Gasparo and Thaler 2000, Hafner 1925, Hamann 1896, Joseph 1881, 1882, Kostanjšek and Kuntner 2002, Kratochvíl 1934, 1970, Kržič 2010, Kuntner 1998, Kuntner and Kostanjšek 2000, Kuntner et al. 1999b, Kuštor and Novak 1980, Lämmermann 1915, Le Peru 2011, Megušar 1914, Mršić 1997, Nikolić 1957, 1963, Novak 1976, Perko 1910, Pokorný 1853, Polak 1997, Polak et al. 2012, Polenec 1954, Pretner 1974, Reimoser 1919, Roewer 1931, Schiner 1854, Schiödte 1847, Sket 1979, 1993, 1999, 2000, 2006, Staut et al. 2008, Tarman 2003, ULRS 2002, Wichmann 1926

= *Stalita spinosissima* Kulczyński, 1897

Nikolić and Polenec 1981

Family ERESIDAE***Eresus kollari*** Rossi, 1846

Řezáč et al. 2008b

= *Eresus cinnaberinus* (Olivier, 1789)

Gregorić and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Tarman 2003

= *Eresus niger* Petagna, 1787

Kostanjšek and Kuntner 2002, Le Peru 2011, Polenec 1980a, 1989, 1992, ULRS 1993, 2002

Family EUTICHURIDAE***Cheiracanthium elegans*** Thorell, 1875

Gregorić and Kuntner 2009, Nikolić and Polenec 1981

Cheiracanthium erraticum (Walckenaer, 1802)

Čandek et al. 2013

= *Cheiracanthium dumetorum* (Hahn, 1833)

Nikolić and Polenec 1981, Tarman 2003

Cheiracanthium mildei L. Koch, 1864

Čandek et al. 2013, Kostanjšek 2012, Kostanjšek and Celestina 2008

Cheiracanthium montanum L. Koch, 1877

Polenec 1989

Cheiracanthium pennyi O. P.-Cambridge, 1873

Kostanjšek 2002b

Cheiracanthium punctorium (Villers, 1789)

Čandek et al. 2013, Gregorić and Kuntner 2009, Kostanjšek 2004a, 2013, Kuntner 1996, 1997d, Nikolić and Polenec 1981, Polenec 1964b, 1989, Tarman 2003

- Cheiracanthium rupestre** Herman, 1879
 Kratochvíl 1934, Nikolić and Polenec 1981
Cheiracanthium striolatum Simon, 1878
 Bole et al. 1980, Polenec 1992
Cheiracanthium virescens (Sundevall, 1833)
 Polenec 1989

Family FILISTATIDAE

- Filistata insidiatrix** (Forsskål, 1775)
 Čandek et al. 2013, Kuntner 1997d, 2001, 2002, Le Peru 2011, ULRS 2002

Family GNAPHOSIDAE

- Aphantaulax cincta** (L. Koch, 1866)
 Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm 1985
Aphantaulax trifasciata (O. P.-Cambridge, 1872)
 Kostanjšek 2010
 = *Aphantaulax seminigra* Simon, 1878
 Grimm 1985
Callilepis schuszteri (Herman, 1879)
 Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985,
 Kostanjšek 2005, Nikolić and Polenec 1981, Polenec 1978d
Civizelotes pygmaeus (Miller, 1943)
 = *Zelotes pygmaeus* (Miller, 1943)
 Gregorič and Kuntner 2009
Drassodes cupreus (Blackwall, 1834)
 Bole et al. 1980, Kuntner 1997d, 2002
Drassodes lapidosus (Walckenaer, 1802)
 Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner
 2009, Grimm 1985, Kostanjšek 2004a, Kuntner 1997d, 1999b, Kuntner and
 Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1968b, 1969a, 1970a,
 1975a, 1978d, 1980b, 1981, 1982a, 1989
Drassodes pubescens (Thorell, 1856)
 Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner
 2009, Grimm 1985, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić
 and Polenec 1981, Polenec 1957, 1958, 1963e, 1968b, 1969a, 1973c, 1975a,
 1978d, 1980b, 1981, 1982a, 1985, 1989, Zupančič et al. 1984
Drassyllus lutetianus (L. Koch, 1866)
 Gorjan 2014, Kostanjšek 2004b
Drassyllus praeficus (L. Koch, 1866)
 Gorjan 2014, Gregorič and Kuntner 2009
 = *Zelotes praeficus* (L. Koch, 1866)
 Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1968b, 1969a,
 1973c, 1975a, 1976b, 1989

Drassyllus pumilus (C. L. Koch, 1839)

Gorjan 2014, Gregorič and Kuntner 2009

Drassyllus pusillus (C. L. Koch, 1833)= *Zelotes pusillus* (C. L. Koch, 1833)

Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1975b, 1989, 1992

Drassyllus villicus (Thorell, 1875)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009

= *Zelotes villicus* (Thorell, 1875)

Bole et al. 1980, Giltay 1932, Grimm 1985, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1969a, 1978d, 1983, 1986, 1989

Echemus angustifrons (Westring, 1861)

Grimm 1985

= *Boreoechemus angustifrons* (Westring, 1861)

Polenec 1978d

= *Boreoechemus rhenanus* (Bertkau, 1883)

Nikolić and Polenec 1981

Gnaphosa badia (L. Koch, 1866)

Bole et al. 1982, Grimm 1985, Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1982a, 1989

Gnaphosa bicolor (Hahn, 1833)

Bole et al. 1980, Čandek et al. 2013, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1982a, 1985, 1989

Gnaphosa inconspecta Simon, 1878

Nikolić and Polenec 1981, Polenec 1992

Gnaphosa lucifuga (Walckenaer, 1802)

Grimm 1985, Nikolić and Polenec 1981, Polenec 1968b, 1969a, 1975a, 1992

Gnaphosa lugubris (C. L. Koch, 1839)

Grimm 1985

Gnaphosa modestior Kulczyński, 1897

Grimm 1985

Gnaphosa muscorum (L. Koch, 1866)

Grimm 1985, Nikolić and Polenec 1981, Polenec 1969a, 1992

Gnaphosa occidentalis Simon, 1878= *Gnaphosa lugubris occidentalis* (Simon, 1873)

Nikolić and Polenec 1981

Gnaphosa opaca Herman, 1879

Grimm 1985, Nikolić and Polenec 1981, Polenec 1978d, 1992

Haplodrassus dalmatensis (L. Koch, 1866)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Polenec 1992

Haplodrassus kulczynskii Lohmander, 1942

Grimm 1985, Nikolić and Polenec 1981, Polenec 1976b, 1989

***Haplodrassus signifer* (C. L. Koch, 1839)**

Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1970b, 1989

= *Drassodes signifer* C. L. Koch, 1839

Bole et al. 1980, Polenec 1967b, 1975b

***Haplodrassus silvestris* (Blackwall, 1833)**

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm 1985, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1976b, 1978d, 1983, 1985, 1986, 1989

***Kishidaia conspicua* (L. Koch, 1866)**

= *Poecilochroa conspicua* (L. Koch, 1866)

Grimm 1985, Nikolić and Polenec 1981, Polenec 1978d, 1992

***Micaria aenea* Thorell, 1871**

Zupančič et al. 1984

***Micaria albovittata* (Lucas, 1846)**

Gregorič and Kuntner 2009

= *Micaria rogenhoferi* Herman, 1879

Nikolić and Polenec 1981, Polenec 1968b, 1975a

= *Micaria scintilans* (Cambridge, 1871)

Nikolić and Polenec 1981, Polenec 1969a

***Micaria dives* (Lucas, 1846)**

= *Micariolepis dives* (Lucas, 1846)

Nikolić and Polenec 1981, Polenec 1968b, 1975a, 1992

***Micaria formicaria* (Sundevall, 1831)**

Gregorič and Kuntner 2009, Kuntner 1997d, 2002

***Micaria fulgens* (Walckenaer, 1802)**

Bole et al. 1980, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1973c, 1978d, 1981, 1985, 1989

***Micaria pulicaria* (Sundevall, 1831)**

Čandek et al. 2013, Polenec 1982a, 1989

***Micaria silesiaca* L. Koch, 1875**

Bole et al. 1980, Kostanjšek 2004b

***Nomisia aussereri* (L. Koch, 1872)**

Grimm 1985

***Nomisia exornata* (C. L. Koch, 1839)**

Čandek et al. 2013, Gorjan 2014, Grimm 1985, Kostanjšek 2010

***Phaeocedus braccatus* (L. Koch, 1866)**

Bole et al. 1982, Čandek et al. 2013, Polenec 1992

***Poecilochroa variana* (C. L. Koch, 1839)**

Gregorič and Kuntner 2009

***Scotophaeus scutulatus* (L. Koch, 1866)**

Čandek et al. 2013, Grimm 1985, Kostanjšek 2004a, 2005

***Trachyzelotes pedestris* (C. L. Koch, 1837)**

Čandek et al. 2013, Gregorič and Kuntner 2009

= *Zelotes pedestris* (C. L. Koch, 1837)

Bole et al. 1980, Grimm 1985, Nikolić and Polenec 1981, Polenec 1965b, 1968b, 1971c, 1975a, 1975b, 1977, 1978d, 1989

***Zelotes apricorum* (L. Koch, 1876)**

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1968a, 1970a, 1970b, 1973c, 1978d, 1983, 1985, 1986, 1989

***Zelotes atrocaeruleus* (Simon, 1878)**

Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1966a, 1968b, 1969a, 1975a, 1983, 1989

***Zelotes clivicola* (L. Koch, 1870)**

Nikolić and Polenec 1981, Polenec 1968a, 1989

= *Zelotes clivicolus* Grimm, 1985

Grimm 1985

***Zelotes electus* (C. L. Koch, 1839)**

Grimm 1985, Nikolić and Polenec 1981, Polenec 1968b, 1969a, 1975a

***Zelotes erebeus* (Thorell, 1871)**

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1966a, 1968b, 1969a, 1973b, 1973c, 1976a, 1978d, 1986, 1989

= *Zelotes serotinus* L. Koch, 1866

Polenec 1957, 1958, 1959, 1963d, 1965a, 1965b, 1966a, 1973c

***Zelotes exiguus* (Müller & Schenkel, 1895)**

Polenec 1992

***Zelotes gracilis* (Canestrini, 1868)**

Grimm 1985, Nikolić and Polenec 1981

***Zelotes hermani* (Chyzer, 1897)**

Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1969a

***Zelotes latreillei* (Simon, 1878)**

Bole et al. 1980, Čandek et al. 2013, Grimm 1985, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1969a, 1969b, 1973c, 1975b, 1976b, 1977, 1978d, 1980b, 1984, 1986, 1989

***Zelotes longipes* (L. Koch, 1866)**

Gorjan 2014, Grimm 1985

***Zelotes oblongus* (C. L. Koch, 1833)**

Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Kuntner 2001, Polenec 1992, ULRS 2002

***Zelotes petrensis* (C. L. Koch, 1839)**

Bole et al. 1980, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1965b, 1969a, 1973c, 1976b, 1979a, 1981, 1989

***Zelotes subterraneus* (C. L. Koch, 1833)**

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1961d, 1963e, 1969a, 1973c, 1978d, 1986, 1989

Family HAHNIIDAE***Antistea elegans* (Blackwall, 1841)**

Brignoli 1976, Nikolić and Polenec 1981, Polenec 1966b, 1967a, 1989

***Cryphoeca silvicola* (C. L. Koch, 1834)**

Brignoli 1976, Kratochvíl 1934, Nikolić and Polenec 1981, Polenec 1961d, 1967a, 1967b, 1970a, 1976a, 1979a, 1989, Zupančič et al. 1984

***Habnia helveola* Simon, 1875**

Gregorič and Kuntner 2009, Polenec 1976b, 1979a, 1982a, 1985

= *Habnia bressica* Simon, 1875

Nikolić and Polenec 1981, Polenec 1970b, 1974a, 1982a, 1989

***Habnia montana* (Blackwall, 1841)**

Nikolić and Polenec 1981, Polenec 1970a, 1971b

***Habania nava** (Blackwall, 1841)**

1♂ - forest, 3 km S of Rače in NE Slovenia; 46°25,73'N; 15°40,83'E, 250 m a. s. l.; 22.7.2013; leg. Velkavrh M., det.: Kuralt Ž., Kostanjšek R.

1♀ - forest, 1 km N of Marjeta na Dravskem polju, E of Rače in NE Slovenia; N 46°27,00'N, 15°43,32'E, 250 m a. s. l.; 18.7. - 24.7.2013; leg. Kostanjšek R., det.: Velkavrh M., Kostanjšek R.

***Habnia ononidum* Simon, 1875**

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1978d, 1985, 1989

= *Habnia mengei* Kulczyński, 1897

Polenec 1957, 1958, 1964b, 1973c

***Habnia pusilla* C. L. Koch, 1841**

Budja 2008, Gorjan 2014, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1962a, 1962c, 1964a, 1965a, 1965b, 1968b, 1970b, 1973c, 1973d, 1974a, 1974b, 1975a, 1975b, 1976a, 1977, 1989

Family LEPTONETIDAE***Proteleptoneta italicica* (Simon, 1907)**

Le Peru 2011

= *Paraleptoneta italicica* Simon, 1917

Bole et al. 1982, Nikolić and Polenec 1981, Polenec 1973b, 1989

Family LINYPHIIDAE***Abacoproeces saltuum** (L. Koch, 1872)**

1♂ - forest, 3 km S of Rače in NE Slovenia; 46°25,73'N, 15°40,83'E, 250 m a. s. l.; 22.7.2013; leg. Velkavrh M., det.: Kostanjšek R.

Agnyphantes expunctus (O. P.-Cambridge, 1875)

Kostanjšek and Miller 2004

Agynta affinis (Kulczyński, 1898)

= *Aprolagus beatus* (Cambridge, 1906)

Nikolić and Polenec 1981

= *Meioneta beata* (O. P.-Cambridge, 1906)

Bole et al. 1980, Polenec 1971b

Agynta equestris (L. Koch, 1881)

= *Meioneta equestris* (L. Koch, 1881)

Nikolić and Polenec 1981, Polenec 1968b

Agynta fuscipalpa (C. L. Koch, 1836)

= *Meioneta fuscipalpa* (C. L. Koch, 1836)

Čandek et al. 2013

Agynta gulosa (L. Koch, 1869)

= *Meioneta gulosa* (L. Koch, 1869)

Nikolić and Polenec 1981, Polenec 1968a, 1970a, 1971b, 1989, 1992

Agynta innotabilis (O. P.-Cambridge, 1863)

= *Meioneta innotabilis* (O. P.-Cambridge, 1863)

Kostanjšek and Gorjan 2013

Agynta rurestris (C. L. Koch, 1836)

= *Meioneta rurestris* (C. L. Koch, 1836)

Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1970b, 1971b, 1973b, 1978b, 1980a, 1989

Agynta saxatilis (Blackwall, 1844)

= *Aprolagus lugubris* (Blackwall, 1834)

Nikolić and Polenec 1981

= *Meioneta saxatilis* (Blackwall, 1844)

Bole et al. 1980, Čandek et al. 2013, Polenec 1957, 1958, 1973d, 1989, 1992

Agynta simplicitarsis (Simon, 1884)

= *Meioneta simplicitarsis* (Simon, 1884)

Čandek et al. 2013

Anguliphantes monticola (Kulczyński, 1881)

= *Leptyphantes monticola* (Kulczyński, 1882)

Nikolić and Polenec 1981, Novak 2005b, Polenec 1968a, 1970a, 1971b, 1973b, 1978b, 1979a, 1989, Tarman 2003, Zupančič et al. 1984

Araeoncus anguineus (L. Koch, 1869)

Nikolić and Polenec 1981, Polenec 1970a, 1971b

*Araeoncus bumilis** (Blackwall, 1841)

1♂ - primary forest, Rajhenavski Rog sanctuary, Kočevje region; 45°41'N, 15°01'E, 870-920 m a. s. l.; 25-28.6.1999; leg. Floren A., det. Miller J.

Asthenargus bracianus Miller, 1938

Kostanjšek and Gorjan 2013

Bathyphantes gracilis (Blackwall, 1841)

Brignoli 1980, Kuntner 1997c, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1967a, 1969b, 1975b, 1989

Bathyphantes nigrinus (Westring, 1851)

Kuntner 1997c, 1999b, 2002, Polak 1997

Bolyphantes alticeps (Sundevall, 1833)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1971b, 1973b, 1978b, 1978c, 1980a, 1981, 1982a, 1989, Zupančič et al. 1984

Bolyphantes kolosvaryi (Caporiacco, 1936)

van Helsdingen et al. 2001

Bolyphantes luteolus (Blackwall, 1833)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1981, 1982a, 1989

Centromerita bicolor (Blackwall, 1833)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1981, 1982a, 1989

Centromerus capucinus (Simon, 1884)

Nikolić and Polenec 1981, Polenec 1962a, 1968b

Centromerus cavernarum (L. Koch, 1872)

= *Centromerus jacksoni* Denis, 1952

Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1969c, 1973d, 1976b, 1979a, 1982b, 1983, 1989

Centromerus incilium (L. Koch, 1881)

Nikolić and Polenec 1981, Polenec 1962a, 1963e, 1965b, 1967b, 1969a, 1970a, 1975b, 1977, 1978d, 1979a, 1984, 1987, 1989

= *Centromerus incilius* L. Koch, 1881

Bole et al. 1980, Polenec 1961a, 1962a, 1962c, 1968b, 1969a, 1974b, 1975b, 1976a, 1981, 1989

Centromerus leruthi Fage, 1933

Nikolić and Polenec 1981, Polenec 1978c, 1989

Centromerus pabulator (O. P.-Cambridge, 1875)

Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1970a, 1979a, 1981, 1982a, 1982b, 1983, 1989, Zupančič et al. 1984

Centromerus sellarius (Simon, 1884)

Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1961d, 1964a, 1964b, 1966b, 1967a, 1968a, 1969b, 1970a, 1970b, 1971c, 1974a, 1975a, 1976a, 1977, 1978c, 1979a, 1980b, 1983, 1989

Centromerus serratus (O. P.-Cambridge, 1875)

Nikolić and Polenec 1981, Polenec 1978d, 1982a, 1985, 1989

Centromerus silvicola (Kulczyński, 1887)

Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1975b, 1978c, 1979a, 1980b, 1981, 1982a, 1982b, 1983, 1986, 1987, 1989, Zupančič et al. 1984

- = *Centromerus similis* Kulczyński, 1894
Polenec 1957, 1958, 1959, 1960, 1961a, 1961d, 1962a, 1962c, 1963e, 1964a, 1964b, 1966a, 1966b, 1967a, 1967b, 1968a, 1968b, 1969a, 1969b, 1970b, 1971a, 1971c, 1973b, 1973c, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1977
- Centromerus subalpinus*** Lessert, 1907
Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1973b, Zupančič et al. 1984
- Centromerus sylvaticus*** (Blackwall, 1841)
Bole et al. 1980, Budja 2008, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1961a, 1962a, 1963e, 1969a, 1974b, 1975b, 1976a, 1978c, 1982a, 1984, 1989, Zupančič et al. 1984
- Centrophantes crosbyi*** (Fage & Kratochvíl, 1933)
Miller and Polenec 1975a, Nikolić and Polenec 1981, Polenec 1976b, 1978b, 1979a, 1980a, 1980b, 1983, 1984, 1987, 1989
- = *Centromerus crosbyi* Fage & Kratochvíl, 1933
Polenec 1970b, 1971a, 1971c, 1973b, 1974b, 1989
- Centrophantes roeweri*** (Wiehle, 1961)
Bole et al. 1980, Komposch and Steinberger 1999, Nikolić and Polenec 1981, Novak 2005b, Polenec 1980a
- = *Leptyphantes roeweri* Wiehle, 1961
Carnelutti 1986, Nikolić and Polenec 1981, Polenec 1961d, 1966a, 1966b, 1967a, 1969c, Wiehle 1961
- Ceratinella brevipes*** (Westring, 1851)
Nikolić and Polenec 1981, Polenec 1957, 1959, 1967a, 1970a, 1977, 1979a, 1989
- Ceratinella brevis*** (Wider, 1834)
Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1958, 1961d, 1965a, 1970a, 1973c, 1989
- Ceratinella major*** Kulczyński, 1894
Polenec 1963d, 1989
- Ceratinella scabrosa*** (O. P.-Cambridge, 1871)
Gorjan 2014, Nikolić and Polenec 1981, Polenec 1958, 1975b, 1978c, 1989
- Cinetata gradata*** (Simon, 1881)
Blick et al. 1995
- = *Cineta gradata* (Simon, 1881)
Thaler 1972
- Cnephalocotes obscurus*** (Blackwall, 1834)
Kostanjšek 2014
- Collinsia inerrans*** (O. P.-Cambridge, 1885)
= *Milleriana inerrans* O. P.-Cambridge
Polenec 1970a, 1971b
- Cresmatoneta mutinensis*** (Canestrini, 1868)
Nikolić and Polenec 1981

Dicymbium nigrum (Blackwall, 1834)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1968a, 1989

Diplocentria bidentata (Emerton, 1882)

Kuntner 2002, Kuntner and Kostanjšek 2000

Diplocephalus alpinus (O. P.-Cambridge, 1872)

= *Diplocephalus coniectens* Kulczyński, 1894

Novak 2005b, Polenec 1964b, 1967a, 1968a, 1970a, 1971a, 1989

= *Plaesiocraerus connectens* (Kulczyński, 1894)

Nikolić and Polenec 1981

Diplocephalus crassilobus (Simon, 1884)

Čandek et al. 2013, Novak 2005b, Rebeušek et al. 2008

= *Diplocephalus crassiloba* Simon, 1884

Mildage 1979

Diplocephalus cristatus (Blackwall, 1833)

Budja 2008, Kuntner 1997d, 2002, Novak 2005b

Diplocephalus helleri (L. Koch, 1869)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1992

Diplocephalus latifrons (O. P.-Cambridge, 1863)

Kuntner 1998, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1976a, 1978c, 1979a, 1982a, 1989

Diplocephalus picinus (Blackwall, 1841)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1969b, 1976a, 1983, 1985, 1989

= *Savignia picina* Blackwell, 1841

Polenec 1957, 1958, 1964a

Diplostyla concolor (Wider, 1834)

Čandek et al. 2013, Gorjan 2014, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1986, 1989

= *Bathyphantes concolor* (Wider, 1834)

Bole et al. 1980, Polenec 1965b, 1974a, 1975a

= *Bolyphantes concolor* 0

Bole et al. 1980

= *Stylophora concolor* Wider

Polenec 1974b

Dismodicus elevatus (C. L. Koch, 1838)

Nikolić and Polenec 1981, Polenec 1957, 1958

Drapetisca socialis (Sundevall, 1833)

Budja 2008, Čandek et al. 2013, Kratochvíl 1934, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1961d, 1962a, 1964a, 1964b, 1966b, 1967b, 1974a, 1975a, 1976b, 1977, 1979a, 1982a, 1985, 1987, 1989

= *Drapestica socialis* 0

Bole et al. 1980, Čandek et al. 2013

Entelecara acuminata (Wider, 1834)

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1982a, 1989

Entelecara congenera (O. P.-Cambridge, 1879)

Polenec 1989

Entelecara erythropus (Westring, 1851)

Polenec 1982a, 1989

Entelecara media Kulczyński, 1887

Nikolić and Polenec 1981, Polenec 1970a, 1971b

Erigone dentipalpis (Wider, 1834)

Gregorič and Kuntner 2009, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1970b, 1971a, 1989

Erigone longipalpis (Sundevall, 1830)

Polenec 1980b, 1989

Erigonella biemalis (Blackwall, 1841)

Nikolić and Polenec 1981, Polenec 1970a, 1989

Erigonella subelevata (L. Koch, 1869)

Polenec 1971b, 1981, 1982a, 1989, Zupančič et al. 1984

Floronia bucculenta (Clerck, 1757)

Čandek et al. 2013, Kuntner 1997c, 1997d, 1999b, Nikolić and Polenec 1981

= *Floronia frenata* (Wider, 1834)

Polenec 1957, 1958

Formiphantes lephthyphantiformis (Strand, 1907)

= *Leptyphantes lephthyphantiformis* (Strand, 1907)

Nikolić and Polenec 1981, Polenec 1978b, 1978c, 1979a, 1980a, 1989

= *Leptyphantes pisai* Miller, 1951

Bole et al. 1980, Polenec 1967a, 1968a, 1969c, 1973b, 1974b

Frontinellina frutetorum (C. L. Koch, 1834)

Čandek et al. 2013, Kuntner 1997d

= *Frontinella frutetorum* (C. L. Koch, 1834)

Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

= *Linyphia frutetorum* C. L. Koch, 1834

Polenec 1969a, 1969b, 1971a, 1973d, 1989

= *Robertus frutetorum* 0

Bole et al. 1980

Gnathonarium dentatum (Wider, 1834)

Polenec 1982a, 1989

Gonatium bilare (Thorell, 1875)

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1966a, 1973c, 1989

Gonatium paradoxum (L. Koch, 1869)

= *Gonatium corallipes* (Cambridge, 1875)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1965a, 1966b, 1974b, 1975b, 1978c, 1981, 1982a, 1983, 1984, 1985, 1986, 1989

***Gonatium rubellum* (Blackwall, 1841)**

Bole et al. 1980, Nikolić and Polenec 1981, Novak 2005b, Polenec 1964b, 1968a, 1969b, 1974b, 1978c, 1983, 1989, Thaler 1978a

= *Gonatium isabellinum* Menge, 1868

Polenec 1957, 1958, 1959, 1973c

***Gonatium rubens* (Blackwall, 1833)**

Bole et al. 1980, 1982, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1977, 1978d, 1981, 1989

***Gongylidiellum edentatum* Miller, 1951**

Komposch and Steinberger 1999, Millidge 1979, Thaler 1973

***Gongylium rufipes* (Linnaeus, 1758)**

Kostanjšek and Miller 2004

***Helophora insignis* (Blackwall, 1841)**

Kostanjšek 2010

***Hylyphantes nigritus* (Simon, 1881)**

Kostanjšek 2004a, Kostanjšek and Miller 2004

***Hypomma cornutum* (Blackwall, 1833)**

= *Enidia cornuta* (Blackwall, 1833)

Polenec 1988, 1989, 1992

***Hypocephalus pusillus* (Menge, 1869)**

= *Cnephalocotes pusillus* Menge

Polenec 1957, 1958

***Impropantes decolor* (Westring, 1861)**

= *Leptyphantes zebrinus* (Menge, 1866)

Bole et al. 1980

***Incestophantes annulatus* (Kulczyński, 1882)**

= *Leptyphantes annulatus* Kulczyński, 1882

Budja 2008

***Ipa keyserlingi* (Ausserer, 1867)**

= *Centromerus keyserlingi* Ausserer, 1867

Polenec 1992

= *Leptyphantes keyserlingi* (Ausserer, 1867)

Bole et al. 1980

***Kaestneria dorsalis* (Wider, 1834)**

Čandek et al. 2013, Kuntner 1999b, 2002

***Labulla thoracica* (Wider, 1834)**

Budja 2008, Kuntner 1997d, Nikolić and Polenec 1981, Novak 2005b, Polenec 1964b, 1970b, 1989

***Leptyphantes leprosus* (Ohlert, 1865)**

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1989

Leptyphantes minutus (Blackwall, 1833)

Čandek et al. 2013, Nikolić and Polenec 1981, Novak 2005b, Polenec 1979a, 1989, 1992

Leptyphantes notabilis Kulczyński, 1887

Novak 2005b

Linyphia hortensis Sundevall, 1830

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997d, 2002, Polenec 1978d

Linyphia triangularis (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1961b, 1962a, 1963d, 1963e, 1967b, 1969a, 1969b, 1970b, 1971a, 1971c, 1973c, 1974a, 1974b, 1978b, 1980a, 1985, 1989, Tarmar 2003

= *Aranea albini* (Scopoli, 1763)

Scopoli 1763

Macrargus carpenteri (O. P.-Cambridge, 1894)

Polenec 1992

Macrargus rufus Wider, 1834

Bole et al. 1980, 1982, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1961a, 1961d, 1962a, 1962c, 1963e, 1964a, 1964b, 1965a, 1965b, 1967a, 1967b, 1968a, 1969a, 1971c, 1973c, 1973d, 1973e, 1974b, 1975b, 1976a, 1976b, 1977, 1978d, 1982a, 1985, 1989

Mansuphantes fragilis (Thorell, 1875)

= *Leptyphantes fragilis* (Thorell, 1875)

Nikolić and Polenec 1981, Novak 2005b, Polenec 1961d, 1967a, 1968a, 1970a, 1971b, 1976a, 1979a, 1989, Wiehle 1961

Mansuphantes mansuetus (Thorell, 1875)

Gorjan 2014, Gregorič and Kuntner 2009

= *Leptyphantes mansuetus* (Thorell, 1875)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961a, 1961d, 1962a, 1963e, 1964b, 1965a, 1965b, 1966a, 1967a, 1967b, 1969a, 1969b, 1970b, 1973c, 1973e, 1974b, 1976a, 1978d, 1979a, 1981, 1982a, 1984, 1985, 1986, 1989, Thaler 1994, Zupančič et al. 1984

Maso sundevallii (Westring, 1851)

Budja 2008, Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961d, 1969b, 1989

Mecopisthes silus (O. P.-Cambridge, 1872)

Nikolić and Polenec 1981, Polenec 1963d, 1967b, 1969a, 1970b, 1978d, 1980b, 1989

Mecynargus foveatus (Dahl, 1912)

Čandek et al. 2013

Megaleptyphantes collinus (L. Koch, 1872)

Čandek et al. 2013

Megalepthyphantes nebulosus (Sundevall, 1830)

Gregorič and Kuntner 2009

= *Leptphyphantes nebulosa* (Sundevall, 1830)

Nikolić and Polenec 1981

Mermessus trilobatus (Emerton, 1882)

Čandek et al. 2013

Micrargus herbigradus (Blackwall, 1854)

Čandek et al. 2013, 2015, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1969a, 1971a, 1974a, 1975a, 1975b, 1976a, 1977, 1989

Micrargus subaequalis (Westring, 1851)

= *Notocyba subaequalis* (Westring, 1851)

Zupančič et al. 1984

Microlinyphia pusilla (Sundevall, 1830)

Kuntner 1997c, 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1974b, 1984, 1989

= *Linyphia carnica* Caporiacco, 1922

Nikolić and Polenec 1981

= *Linyphia pusilla* (Sundevall, 1830)

Polenec 1957, 1958, 1973c

Microneta viaria (Blackwall, 1841)

Bole et al. 1980, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1960, 1961d, 1962a, 1964a, 1964b, 1965b, 1966b, 1967a, 1968a, 1969b, 1970b, 1971a, 1971c, 1973d, 1974b, 1975b, 1976a, 1976b, 1978c, 1979a, 1983, 1984, 1986, 1989, Thaler 1978a

Minicia marginella (Wider, 1834)

Čandek et al. 2013, Kuntner 1997d, 2002

Minyriolus pusillus (Wider, 1834)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1969a

Moebelia penicillata (Westring, 1851)

Čandek et al. 2013, Polenec 1992

Mughiphantes baebleri (Lessert, 1910)

= *Leptphyphantes baebleri* Lessert, 1910

Budja 2008

Mughiphantes hadzii (Miller & Polenec, 1975)

= *Leptphyphantes hadzii* Miller & Polenec, 1975

Miller and Polenec 1975a, Nikolić and Polenec 1981, Tarman 2003

Mughiphantes mughi (Fickert, 1875)

= *Leptphyphantes mughi* (Fickert, 1875)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, Zupančič et al. 1984

Mughiphantes triglavensis (Miller & Polenec, 1975)

= *Leptphyphantes triglavensis* Miller & Polenec, 1975

Komposch and Steinberger 1999, Miller and Polenec 1975a, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003, Thaler 1976, 1990c

Mughiphantes variabilis (Kulczyński, 1887)

= *Leptyphantes variabilis* Kulczyński, 1887

Polenec 1971b

Nematogmus sanguinolentus (Walckenaer, 1841)

Čandek et al. 2013, Kuntner and Kostanjšek 2000

Neriene clathrata (Sundevall, 1830)

Čandek et al. 2013, 2015, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, van Helsdingen 1969

= *Linyphia clathrata* Sundevall, 1829

Novak 2005b, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1968b, 1969a, 1970b, 1975a, 1978b, 1978d, 1980a, 1989

Neriene emphana (Walckenaer, 1841)

Budja 2008, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Nikolić and Polenec 1981

= *Linyphia emphana* (Walckenaer, 1841)

Polenec 1974a, 1989

= *Prolinyphia emphana* Walckenaer, 1841

Polenec 1963d, 1964a, 1964b, 1970b, 1971a, 1971c

Neriene furtiva (O. P.-Cambridge, 1871)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, 2002

Neriene montana (Clerck, 1757)

Kuntner 1999b

= *Linyphia montana* (Clerck, 1757)

Polenec 1957, 1958, 1959, 1965a, 1968b, 1969a, 1978d

Neriene peltata (Wider, 1834)

Budja 2008, Gorjan 2014, Kuntner 1997c, Nikolić and Polenec 1981, Novak 2005b, van Helsdingen 1969

= *Linyphia peltata* Wider, 1834

Novak 1981

= *Prolinyphia peltata* (Wider, 1834)

Polenec 1963d, 1964a, 1967b, 1969b, 1989

Neriene radiata (Walckenaer, 1841)

Čandek et al. 2013, Kuntner 1997c, 1999b, van Helsdingen 1969

= *Linyphia marginata* C. L. Koch, 1834

Polenec 1957, 1958, 1965a, 1973c, 1989

= *Neriene marginata* C. L. Koch, 1834

Nikolić and Polenec 1981

= *Prolinyphia marginata* C. L. Koch, 1834

Polenec 1963d, 1964a, 1967b, 1970b

Nusoncus nasutus (Schenkel, 1925)

= *Troxochrus nasutus* Schenkel, 1925

Polenec 1992, Zupančič et al. 1984

- Obscuriphantes obscurus*** (Blackwall, 1841)
= *Cnephalocotes obscurus* (Blackwall, 1834)
Kostanjšek 2010, Polenec 1981, 1982a, 1989
= *Leptyphantes obscurus* (Blackwall, 1841)
Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1969b, 1970b, 1989
- Oedothorax agrestis*** (Blackwall, 1853)
Nikolić and Polenec 1981, Polenec 1966b, 1967a, 1968a, 1974b, 1989
- Oedothorax apicatus*** (Blackwall, 1850)
Kostanjšek 2004a, Kostanjšek and Miller 2004
- Oedothorax retusus*** (Westring, 1851)
Kuntner 1997c, 2002
- Oreoneta montigena*** (L. Koch, 1872)
= *Hilaira montigena* (L. Koch, 1872)
Polenec 1970a, 1971b
- Oreonetides glacialis*** (L. Koch, 1872)
Polenec 1970a, 1971b
= *Montitetrix glacialis* (L. Koch, 1872)
Nikolić and Polenec 1981
- Oryphantes angulatus*** (O. P.-Cambridge, 1881)
Kuntner 2002
= *Leptyphantes angulatus* O. P.-Cambridge, 1881
Kuntner and Kostanjšek 2000
- Ostearius melanopygius*** (O. P.-Cambridge, 1879)
Čandek et al. 2013
- Palliduphantes alutacius*** (Simon, 1884)
= *Leptyphantes alutacius* Simon, 1884
Kuntner 1999b, 2002
- Palliduphantes istrianus*** (Kulczyński, 1914)
= *Leptyphantes istrianus* Kulczyński, 1914
Bole et al. 1980, Nikolić and Polenec 1981, Polenec and Thaler 1980
- Palliduphantes pallidus*** (O. P.-Cambridge, 1871)
Gorjan 2014
= *Leptyphantes pallidus* (O. P.-Cambridge, 1871)
Bole et al. 1980, Deeleman-Reinhold 1985, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1962a, 1963e, 1965b, 1969a, 1974a, 1975a, 1976a
= *Leptyphantes pallidus alutatius* E. Simon, 1884 comb. nov. Miller, 1975
Polenec 1987, 1989, Zupančič et al. 1984
- Palliduphantes pillichi*** (Kulczyński, 1915)
= *Leptyphantes pillichi* Kulczyński, 1915
Bole et al. 1980
- Panamomops affinis*** Miller & Kratochvíl, 1939
Bole et al. 1980, Polenec 1986, 1987, 1989

Panamomops mengei Simon, 1926

Kostanjšek and Miller 2004

Parapelecopsis nemoralis (Blackwall, 1841)= *Pelecopsis nemoralis* (Blackwall, 1841)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989

Pelecopsis elongata (Wider, 1834)

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1962a, 1962c, 1970a, 1989

Pelecopsis radicicola (L. Koch, 1872)

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1965a, 1975b, 1977, 1989

= *Pelecopsis thoracatus* Cambridge

Polenec 1957, 1958, 1973c

Pityohyphantes phrygianus (C. L. Koch, 1836)

Nikolić and Polenec 1981, Polenec 1979a, 1989

Pocadicnemis carpathica (Chyzer, 1894)

Kuntner 1999b, 2001, 2002, ULRS 2002

Pocadicnemis pumila (Blackwall, 1841)

Čandek et al. 2013, Gorjan 2014, Polenec 1978d

Porrhomma campbelli* F. O. P.-Cambridge, 1894

1♀ - chasm Unška Koliševka, central Slovenia; 45°18,81'N, 14°15,81'E, 600 m a. s. l.; 1.9.2000 - 15.9.2001; leg. & det. Řezáč M., Kuntner M., Polak S.

Porrhomma convexum (Westring, 1851)

Novak 1981, 2005b, Novak and Kuštor 1982, Polenec 1967a, 1973b, 1974b, 1989

= *Porrhomma proserpina* (Simon, 1872)

Kratochvíl 1934, Nikolić and Polenec 1981

Porrhomma egeria Simon, 1884

Kiauta and Leben 1960, Kratochvíl 1934, Miller and Kratochvíl 1940, Novak et al. 1981, Polenec 1973b

Porrhomma microphthalmum (O. P.-Cambridge, 1871)

Kostanjšek and Gorjan 2013

Porrhomma microps (Roewer, 1931)

Novak 2005b

= *Porrhomma kolosvaryi* Kratochvíl, 1934

Kratochvíl 1934, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003

Porrhomma myops Simon, 1884

Novak 2005b

Porrhomma pygmaeum (Blackwall, 1834)

Čandek et al. 2013, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Novak 2005b

Porrhomma rosenbaueri (L. Koch, 1872)

Fage 1931, Nikolić and Polenec 1981, Polenec 1989, Tarman 2003

Saaristoa firma (O. P.-Cambridge, 1905)= *Oreonetides firmus* (O. P.-Cambridge, 1900)

Kratochvíl 1934, Nikolić and Polenec 1981, Novak 2005b, Polenec 1964b, 1969b, 1979a, 1989, Rebeušek et al. 2008, Thaler 1981b

Saloca diceros (O. P.-Cambridge, 1871)

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1963d, 1968a, 1973d, 1974b, 1979a, 1989

Sauron rayi (Simon, 1881)

Gorjan 2014

= *Metopobactrus rayi* (Simon, 1881)

Nikolić and Polenec 1981, Polenec 1978d

Scotargus pilosus Simon, 1913

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1968a, 1969c, 1970a, 1974a, 1974b, 1977, 1978c, 1979a, 1980b, 1989

= *Macrargus strandi* (Schenkel, 1934)

Polenec 1966b, 1967a, 1967b, 1969c

Sintula corniger (Blackwall, 1856)

Bole et al. 1980, Gorjan 2014, Polenec 1970a, 1976a

Sintula retroversus (O. P.-Cambridge, 1875)

Gorjan 2014, Nikolić and Polenec 1981

Sintula spiniger (Balogh, 1935)

Gorjan 2014, Gregorič and Kuntner 2009

= *Sintula spininigra* (Balogh, 1935)

Bole et al. 1982

Stemonyphantes conspersus (L. Koch, 1879)

= *Stemonyphantes pictus* Buchar, 1967

Polenec 1992

Stemonyphantes lineatus (Linnaeus, 1758)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961a, 1961d, 1962a, 1963e, 1965b, 1966a, 1967b, 1968a, 1968b, 1969a, 1970a, 1973c, 1974b, 1975b, 1976a, 1989, Zupančič et al. 1984

Styloctetor stativus (Simon, 1881)

Gorjan 2014

= *Anacotyle stativa* Simon, 1926

Bole et al. 1982

Syedra gracilis (Menge, 1869)

Bole et al. 1980, Polenec 1968b, 1975a

Tallusia experta (O. P.-Cambridge, 1871)

Gorjan 2014

= *Centromerus expertus* (O. P.-Cambridge, 1871)

Bole et al. 1980, Polenec 1992

Tallusia vindobonensis (Kulczyński, 1898)

Thaler 1997

= *Centromerus vindobonensis* Kulczyński, 1898

Polenec and Thaler 1980

***Tapinocyba insecta* (L. Koch, 1869)**

Kuntner 1999b, Polenec 1976b, 1984, 1989

***Tapinocyba pallens* (O. P.-Cambridge, 1872)**

Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1961d, 1963e, 1965a, 1965b, 1967b, 1969a, 1970a, 1971a, 1973c, 1973e, 1976a, 1989

***Tapinopa longidens* (Wider, 1834)**

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961d, 1963e, 1968a, 1968b, 1969a, 1970a, 1970b, 1978b, 1989

***Tenuiphantes alacris* (Blackwall, 1853)**= *Leptyphantes alacris* (Blackwall, 1853)

Bole et al. 1980, Kuntner 1998, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1961d, 1967a, 1968a, 1970a, 1970b, 1973e, 1974b, 1978c, 1979a, 1989, Zupančič et al. 1984

***Tenuiphantes cristatus* (Menge, 1866)**

Gorjan 2014, Gregorič and Kuntner 2009

= *Leptyphantes cristatus* (Menge, 1866)

Bole et al. 1980, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Polenec 1957, 1958, 1959, 1960, 1961a, 1961d, 1962a, 1962c, 1963e, 1964a, 1964b, 1965a, 1966a, 1967a, 1967b, 1968a, 1969a, 1970a, 1971c, 1973c, 1973e, 1974a, 1974b, 1975a, 1976a, 1977, 1978c, 1979a, 1983, 1985, 1986, 1987, 1989, Zupančič et al. 1984

***Tenuiphantes flavipes* (Blackwall, 1854)**

Čandek et al. 2013, Gorjan 2014

= *Leptyphantes flavipes* (Blackwall, 1854)

Bole et al. 1980, Budja 2008, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1962a, 1963e, 1964a, 1965a, 1965b, 1967b, 1969a, 1970a, 1970b, 1973e, 1974a, 1974b, 1975a, 1975b, 1976b, 1977, 1978d, 1979a, 1982a, 1985, 1989, Thaler 1978a

***Tenuiphantes mengei* (Kulczyński, 1887)**

Gorjan 2014

= *Leptyphantes mengei* Kulczyński, 1887

Bole et al. 1980, Budja 2008, Kuntner and Kostanjšek 2000, Polenec 1957, 1958, 1961a, 1962a, 1963e, 1965b, 1968b, 1973c, 1976a, 1981, 1989

***Tenuiphantes tenebricola* (Wider, 1834)**

Gorjan 2014, Kostanjšek 2004a

= *Leptyphantes pygmaeus* (Menge, 1866)

Nikolić and Polenec 1981

= *Leptyphantes tenebricola* (Wider, 1834)

Bole et al. 1980, 1982, Budja 2008, Kuntner 1997c, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957,

1958, 1959, 1960, 1961d, 1962a, 1963d, 1963e, 1964a, 1966b, 1967a, 1967b, 1968a, 1969a, 1969b, 1970a, 1970b, 1971a, 1971c, 1973d, 1973e, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1977, 1978b, 1978c, 1979a, 1980b, 1983, 1984, 1986, 1987, 1989, Zupančič et al. 1984

Tenuiphantes tenuis (Blackwall, 1852)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009

Tenuiphantes zimmermanni (Bertkau, 1890)

Gorjan 2014, Kostanjšek 2004a

= *Bathyphantes simonii* Bösenberg, 1901

Nikolić 1963

= *Leptyphantes zimmermanni* Bertkau, 1890

Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1971c, 1976b, 1977, 1989

Theonina cornix (Simon, 1881)

Čandek et al. 2013, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1978d

Thyreostenius parasiticus (Westring, 1851)

Polenec 1987, 1989, Tarman 2003

Tiso aestivus (L. Koch, 1872)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, Tarman 2003

Tiso vagans (Blackwall, 1834)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1978c, 1980b, 1982a, 1989

Trematocephalus cristatus (Wider, 1834)

Kuntner 1997c, 1997d, Polenec 1992

Trichoncus affinis Kulczyński, 1894

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1963e, 1986, 1989

Trichoncus hackmani Millidge, 1955

Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1978d

= *Trichoncus vasconicus hackmani* Millidge

Polenec 1971a

Trichoncus saxicola (O. P.-Cambridge, 1861)

Kostanjšek and Gorjan 2013

Trichoncus scrofa Simon, 1884

Polenec 1969a

Trichoncyboides simoni (Lessert, 1904)

= *Tapinocyboides simoni* (Lessert, 1904)

Polenec 1992

Trichopterna cito (O. P.-Cambridge, 1872)

Nikolić and Polenec 1981

Troglohyphantes brignolii Deeleman-Reinhold, 1978

Polak et al. 2012

Troglohyphantes confusus Kratochvíl, 1939

Bole et al. 1993, Deeleman-Reinhold 1973b, 1978, Kratochvíl 1939, Kuntner 2001, Nikolić and Polenec 1981, Polenec 1977, 1979a, 1983, 1986, 1989, 1992, Růžička et al. 2005, Sket 1979, Tarman 2003, Thaler 1986, ULRS 2002

Troglohyphantes croaticus (Chyzer, 1894)

Kratochvíl 1939

Troglohyphantes cruentus Brignoli, 1971

Brignoli 1971b, Deeleman-Reinhold 1978, Nikolić and Polenec 1981, ULRS 2002

Troglohyphantes diabolicus Deeleman-Reinhold, 1978

Batič et al. 1980, Bole et al. 1993, Deeleman-Reinhold 1978, Kuntner 2001, Mršić 1997, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Pipan et al. 2008, Polenec 1992, Puc et al. 1988, Rebešek et al. 2008, ULRS 2002

Troglohyphantes diurnus Kratochvíl, 1932

Deeleman-Reinhold 1973b, Drensky 1936, Kratochvíl 1934, 1939, 1948, Nikolić and Polenec 1981, Novak 2005b, Thaler and Polenec 1974

Troglohyphantes excavatus Fage, 1919

Bole et al. 1980, Brignoli 1971b, 1980, Deeleman-Reinhold 1971b, 1973a, 1978, Fage 1919, 1931, Gasparo and Thaler 2000, Kratochvíl 1934, Nikolić 1963, Nikolić and Polenec 1981, Novak 2005b, Pesarini 1989, Polak et al. 2012, Polenec 1963d, 1966a, 1967a, 1969b, 1969c, 1971a, 1973b, 1977, 1978c, 1979a, 1982b, 1983, 1985, 1986, 1989, Rebešek et al. 2008, Roewer 1931, Thaler 1986, Wiehle 1964, Zupančič et al. 1984

= *Troglohyphantes anellii* Caporacco, 1938

Brignoli 1971b, Caporacco 1938

Troglohyphantes fagei Roewer, 1931

Nikolić and Polenec 1981

Troglohyphantes gamsi Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003, ULRS 2002

Troglohyphantes gracilis Fage, 1919

Deeleman-Reinhold 1978, Drensky 1936, Fage 1919, 1931, Kratochvíl 1934, Nikolić and Polenec 1981, ULRS 2002

Troglohyphantes helsingeni Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Kuntner 2001, Nikolić and Polenec 1981, Novak 2005b, Polenec 1992, Thaler 1986, ULRS 2002

Troglohyphantes jamatus Roewer, 1931

Deeleman-Reinhold 1978, Nikolić and Polenec 1981, Roewer 1931, Sket 1979, 2000, Tarman 2003, ULRS 2002

= *Troglohyphantes jugoslavicus* Kratochvíl, 1934

Drensky 1936, Kratochvíl 1934, 1939

Troglohyphantes karawankorum Deeleman-Reinhold, 1978

Dreleeman-Reinhold 1978, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003, Thaler 1986, ULRS 2002

Troglohyphantes latzeli Thaler, 1986

Thaler 1986

Troglohyphantes novicordis Thaler, 1978

Novak 2005b

Troglohyphantes poleneci Wiegle, 1964

Carnelutti 1986, Deeleman-Reinhold 1973b, 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966a, 1966b, 1967a, 1969b, 1969c, 1970b, 1973d, 1974b, 1975b, 1976a, 1976b, 1980a, 1983, 1984, 1986, 1987, 1989, 1992, Tarman 2003, ULRS 2002, Wiegle 1964

= *Troglohyphantes montanus* Kratochvíl, 1934

Polenec 1970a, 1971c, 1973b

Troglohyphantes polyopthalmus Joseph, 1881

Brignoli 1971b, Deeleman-Reinhold 1971b, 1973b, 1975, 1978, Drensky 1936, Dronenik 1971, Fage 1919, Hamann 1896, Joseph 1881, 1882, Kratochvíl 1934, Nikolić and Polenec 1981, Novak 2005b, Novak et al. 2004, Pavlek and Ozimec 2009, Polenec 1973b, 1979a, 1989, Reimoser 1919, Stražar 2001, ULRS 2002, Zupančič et al. 1984

= *Nicthyphantes microphthalmus* Joseph, 1881

Hamann 1896, Joseph 1881, 1882

Troglohyphantes sbordonii Brignoli, 1975

Gasparo 2000, Novak 2005b

= *Troglohyphantes cornutus* Deeleman-Reinhold, 1978

Dreleeman-Reinhold 1978, Nikolić and Polenec 1981, Novak 2005b, Thaler 1982, ULRS 2002

Troglohyphantes scientificus Deeleman-Reinhold, 1978

Dreleeman-Reinhold 1978, ULRS 2002

Troglohyphantes similis Fage, 1919

Dreleeman-Reinhold 1978, Drensky 1936, Fage 1919, 1931, Nikolić and Polenec 1981, Tarman 2003, ULRS 2002

= *Troglohyphantes similis dubius* Kratochvíl, 1934

Kratochvíl 1934

Troglohyphantes sketi Deeleman-Reinhold, 1978

Dreleeman-Reinhold 1978, Mršić 1997, Nikolić and Polenec 1981, Pavlek and Ozimec 2009, Tarman 2003, ULRS 2002

Troglohyphantes sordellii (Pavesi, 1875)

= *Troglohyphantes ghidinii* (Lessert, 1906)

Nikolić 1963

Troglohyphantes spinipes Fage, 1919

Dreleeman-Reinhold 1978, Drensky 1936, Fage 1919, 1931, Nikolić and Polenec 1981, ULRS 2002

= *Troglohyphantes similis spinipes* Fage, 1919

Kratochvíl 1934

Troglohyphantes subalpinus Thaler, 1967

Novak 2005b, Pavlek and Ozimec 2009

Troglohyphantes thaleri Miller & Polenec, 1975

Deeleman-Reinhold 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1992, Thaler 1978b, ULRS 2002

Troglohyphantes trispinosus Miller & Polenec, 1975

Deeleman-Reinhold 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Polenec 1978c, 1979a, 1980b, 1981, 1982b, 1983, 1985, 1989, 1992, Tarman 2003, ULRS 2002

Troglohyphantes typhlonetiformis Absolon & Kratochvíl, 1932

Absolon and Kratochvíl 1932, Deeleman-Reinhold 1973a, 1978, Kiauta and Leben 1960, Nikolić and Polenec 1981, Novak 2005b, Polenec 1973b, Tarman 2003, ULRS 2002

Troglohyphantes vicinus Miller & Polenec, 1975

Deeleman-Reinhold 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Polenec 1978b, 1983, 1989, 1992, ULRS 2002

Troglohyphantes wiehlei Miller & Polenec, 1975

Deeleman-Reinhold 1978, Komposch and Steinberger 1999, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1983, 1986, 1989, 1992, Thaler 1986, ULRS 2002

Walckenaeria acuminata Blackwall, 1833

Polenec 1974a

= *Wideria acuminata* 0

Bole et al. 1980

Walckenaeria antica (Wider, 1834)

Gorjan 2014, Polenec 1957, 1958, 1973c

= *Wideria antica* (Wider, 1834)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1963e, 1965a, 1965b, 1968b, 1969a, 1975b, 1981, 1986, 1989

Walckenaeria atrotibialis (O. P.-Cambridge, 1878)

Gorjan 2014

= *Walckenaeria melanocephala* Cambridge, 1881

Polenec 1957, 1958, 1973c

= *Wideria atrotibialis* (Cambridge, 1878)

Nikolić and Polenec 1981

= *Wideria melanocephala* Cambridge, 1881

Bole et al. 1980, Polenec 1964b, 1965a, 1967b, 1969a, 1971a, 1986, 1989

Walckenaeria capito (Westring, 1861)

= *Wideria capito* (Westring, 1861)

Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1970a

***Walckenaeria corniculans* (O. P.-Cambridge, 1875)**

Gorjan 2014

= *Prosopotheca corniculans* (Cambridge, 1875)

Nikolić and Polenec 1981, Polenec 1969a, 1978d, 1985, 1989

***Walckenaeria cucullata* (C. L. Koch, 1836)**

Gorjan 2014, Polenec 1957, 1959, 1960

= *Wideria cucullata* (C. L. Koch, 1836)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1962a, 1964a, 1964b, 1965b, 1966b, 1969b, 1973d, 1974a, 1974b, 1975a, 1976a, 1978d, 1983, 1989

***Walckenaeria cuspidata* Blackwall, 1833**= *Cornicularia cuspidata* (Blackwall, 1833)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1979a, 1982a, 1989

***Walckenaeria furcillata* (Menge, 1869)**

Gorjan 2014, Gregorič and Kuntner 2009

= *Tigellinus furcillatus* (Menge, 1871)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1965a, 1986, 1989

***Walckenaeria mitrata* (Menge, 1868)**

Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1957, 1958, 1960, 1968b

= *Wideria mitrata* (Menge, 1868)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1962a, 1964a, 1965a, 1968a, 1969a, 1970b, 1974a, 1975a, 1975b, 1977, 1983, 1985, 1989

***Walckenaeria monoceros* (Wider, 1834)**= *Prosopotheca monoceros* (Wider, 1834)

Bole et al. 1980, Nikolić and Polenec 1981, Novak 2005b, Polenec 1962a, 1968b

***Walckenaeria obtusa* Blackwall, 1836**

Zupančič et al. 1984

= *Trachynella obtusa* (Blackwall, 1836)

Nikolić and Polenec 1981, Polenec 1962a, 1963e, 1965b, 1968a, 1975b, 1984, 1989

***Walckenaeria simplex* Chyzer, 1894**= *Prosopotheca simplex* Miller, 1971

Bole et al. 1980

= *Wideria simplex* (Chyzer, 1894)

Nikolić and Polenec 1981, Polenec 1989

Family LIOCRANIDAE***Agroeca brunnea* (Blackwall, 1833)**

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm and Bibel 1986, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1961a, 1962a, 1963e, 1964b, 1965a, 1965b, 1968a, 1973c, 1975b, 1976a, 1982a, 1989, Tarman 2003

Agroeca cuprea Menge, 1873

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1957, 1958, 1963e, 1965b, 1978d
 = *Agroeca pullata* Thorell, 1875

Grimm and Bibel 1986, Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1984, 1985, 1989

Agroeca proxima (O. P.-Cambridge, 1871)

Bole et al. 1980

Apostenus fuscus Westring, 1851

Grimm and Bibel 1986, Polenec 1960, 1964b, 1974a, 1975a, 1976a, 1978d, 1983, 1986, 1989

Liocranum perarmatum Kulczyński, 1897

Nikolić and Polenec 1981, Polenec 1978d

Liocranum rupicola (Walckenaer, 1830)

Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm and Bibel 1986, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1989

Sagana rutilans Thorell, 1875

= *Liocranum rutilans* (Thorell, 1875)

Gregorič and Kuntner 2009, Kuntner and Kostanjšek 2000, Polenec 1979a, 1989, 1992

Scotina celans (Blackwall, 1841)

Bole et al. 1980, Grimm and Bibel 1986, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1965b, 1976a, 1982a, 1989

Scotina palliardii (L. Koch, 1881)

Bole et al. 1980, Polenec 1981, 1989

Family LYCOSIDAE***Acantholycosa lignaria*** (Clerck, 1757)

Bole et al. 1980, Polenec 1992, Thaler and Buchar 1994

Acantholycosa pedestris (Simon, 1876)

Nikolić and Polenec 1981, Polenec 1992, Tarman 2003

= *Acantholycosa strandi* (Kratochvíl, 1935)

Buchar and Polenec 1974, Polenec 1970a, 1971b

= *Lycosa longipes* Thorell, 1872

Polenec 1973a

= *Lycosa strandi* Kratochvíl, 1935

Kratochvíl 1935, Polenec 1973a, Růžička et al. 2005

Alopecosa accentuata (Latreille, 1817)

Thaler and Buchar 1994

= *Alopecosa barbipes* (Sundevall, 1833)

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1989

= *Tarentula barbipes* Sundevall, 1833

Polenec 1962a, 1968b, 1969a, 1970b, 1971c, 1975a

Alopecosa aculeata (Clerck, 1757)

Gorjan 2014, Polenec 1978b, 1989, Zupančič et al. 1984

= *Tarentula aculeata* (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1966b, 1968a, 1969a, 1970a, 1970b, 1973c

Alopecosa cuneata (Clerck, 1757)

Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1975b, 1976b, 1978c, 1986, 1989

= *Tarentula cuneata* (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1969a, 1970a, 1970b, 1971c

Alopecosa cursor (Hahn, 1831)

Polenec 1992

= *Alopecosa cursor cursor* 0

Bole et al. 1980

= *Tarentula cursor* (Hahn, 1831)

Nikolić and Polenec 1981

Alopecosa fabrilis (Clerck, 1757)

Kuntner and Kostanjšek 2000

Alopecosa inquilina (Clerck, 1757)

Bole et al. 1980, Polenec 1971b, 1989, 1992

= *Tarentula inquilina* (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1967a, 1970a, 1973b, 1974b

Alopecosa mariae (Dahl, 1908)

Bole et al. 1980, Buchar and Thaler 2004, Gregorič and Kuntner 2009, Polenec 1992

= *Tarentula mariae* (Dahl, 1908)

Nikolić and Polenec 1981, Polenec 1968b, 1973e, 1975a

Alopecosa pulverulenta (Clerck, 1757)

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, Kuntner 1997c, Polenec 1968b, 1975a, 1978d, 1980b, 1981, 1982a, 1989, Zupančič et al. 1984

= *Tarentula pulverulenta* (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1965b

Alopecosa schmidti (Hahn, 1835)

Bole et al. 1980

= *Lycosa schmidti* Hahn, 1835

Polenec 1954, Reimoser 1919

Alopecosa sulzeri (Pavesi, 1873)

Čandek et al. 2013, Gregorič and Kuntner 2009, Polenec 1978d

= *Tarentula sulzeri* (Pavesi, 1873)

Nikolić and Polenec 1981

Alopecosa trabalis (Clerck, 1757)

Bole et al. 1980, 1982, Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner 1997d, Polenec 1975b, 1976b, 1977, 1978b, 1978c, 1978d, 1980a, 1980b, 1981, 1983, 1984, 1986, 1989, Zupančič et al. 1984

= ***Tarentula trabalis*** (Clerck, 1757)

Giltay 1932, Polenec 1967a, 1968a, 1969b, 1970a, 1970b, 1971c, 1973d, 1973e, 1974b

Arctosa alpigena (Doleschall, 1852)

Tarman 2003

Arctosa cinerea (Fabricius, 1777)

Kostanjšek 2010, Kuntner et al. 2007

Arctosa figurata (Simon, 1876)

Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1975a, 1992

Arctosa fulvolineata (Lucas, 1846)

Čandek et al. 2013

Arctosa leopardus (Sundevall, 1833)

Nikolić and Polenec 1981, Polenec 1976b, 1989, 1992

Arctosa lutetiana (Simon, 1876)

Čandek et al. 2013, Gorjan 2014

= ***Tricca lutetiana*** Simon, 1889

Bole et al. 1982

Arctosa maculata (Hahn, 1822)

Čandek et al. 2013, Kostanjšek 2004a, Polenec 1967a

Arctosa perita (Latreille, 1799)

Gorjan 2014

Arctosa personata (Koch, 1872)

Gorjan 2014, Kostanjšek 2002a

Arctosa stigmosa (Thorell, 1875)

Polenec 1989, 1992

Aulonia albimana (Walckenaer, 1805)

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1996, 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1964b, 1965a, 1965b, 1968b, 1969a, 1970b, 1971a, 1973c, 1973d, 1973e, 1974b, 1975a, 1975b, 1976a, 1976b, 1977, 1978d, 1982a, 1985, 1989

Hogna radiata (Latreille, 1817)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kostanjšek and Kuntner 2002, Kuntner 1997d, 1999a, 1999b, 2001, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

= ***Lycosa radiata*** (Latreille, 1817)

Polenec 1992, Thaler and Buchar 1994

= ***Tarentula radiata*** Latreille, 1872

Polenec 1968b

Lycosa singoriensis (Laxmann, 1770)

Polenec 1992

Pardosa agrestis (Westring, 1861)

Čandek et al. 2013, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981,
Polenec 1989

= *Lycosa agrestis* Westring, 1861

Polenec 1970b

Pardosa agricola (Thorell, 1856)

Kostanjšek 2010

Pardosa alacris (C. L. Koch, 1833)

Töpfer-Hofmann et al. 2000

Pardosa amentata (Clerck, 1757)

Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997c,
Nikolić and Polenec 1981, Polenec 1976b, 1985, 1986, 1989, Tarman 2003,
Tongiorgi 1966

= *Lycosa saccata* Linnaeus, 1758

Polenec 1970a, 1970b, 1971a, 1971c, 1973d, 1974a

Pardosa bifasciata (C. L. Koch, 1834)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and
Polenec 1981, Polenec 1968b, 1975a

= *Lycosa bifasciata* C. L. Koch, 1834

Polenec 1971a

Pardosa blanda (C. L. Koch, 1833)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1971b, 1980a, 1980b,
1981, 1989

= *Lycosa blanda* C. L. Koch, 1833

Polenec 1970a, 1973b

Pardosa ferruginea (L. Koch, 1870)

Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1969a,
1971b, Zupančič et al. 1984

= *Lycosa ferruginea* L. Koch, 1870

Polenec 1970a

Pardosa hortensis (Thorell, 1872)

Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, Nikolić
and Polenec 1981, Polenec 1989, Tongiorgi 1966

= *Lycosa hortensis* Thorell, 1872

Polenec 1970b, 1971a

Pardosa lugubris (Walckenaer, 1802)

Bole et al. 1980, 1982, Budja 2008, Čandek et al. 2013, Gorjan 2014,
Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c,
1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000,
Nikolić and Polenec 1981, Novak 2005b, Polak 1997, Polenec 1975b, 1976a,
1977, 1978d, 1979a, 1983, 1984, 1985, 1986, 1989, Tarman 2003, Ton-
giorgi 1966, Zupančič et al. 1984

= *Lycosa chelata* O.F. Müller

Bole et al. 1980, Novak 1981, Polenec 1957, 1958, 1959, 1960, 1963d, 1963e, 1964a, 1964b, 1965a, 1965b, 1969a, 1969b, 1970b, 1971a, 1973c, 1973d, 1973e, 1974a, 1975a

Pardosa monticola (Clerck, 1757)

Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1969a, 1980b, 1989

= *Lycosa monticola* Clerck

Polenec 1963e, 1970a, 1971a, 1973d, 1973e

Pardosa morosa (L. Koch, 1870)

Nikolić and Polenec 1981, Polenec 1992

Pardosa nigra (C. L. Koch, 1834)

Nikolić and Polenec 1981, Polenec 1971b, 1973a, Tarman 2003

= *Lycosa ludovici* Dahl, 1908

Kratochvíl 1935, Polenec 1970a

= *Lycosa nigra* C. L. Koch, 1834

Doleschall 1852

Pardosa palustris (Linnaeus, 1758)

Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1976b, 1980a, 1989, 1992, Zupančič et al. 1984

= *Lycosa tarsalis* Thorell, 1856

Polenec 1967a, 1970a, 1970b

Pardosa prativaga (L. Koch, 1870)

Kostanjšek 2010, 2014

Pardosa proxima (C. L. Koch, 1847)

Čandek et al. 2013, Kostanjšek 2010

Pardosa pseudostrigillata Tongiorgi, 1966

Buchar and Thaler 2002

Pardosa pullata (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1971b, 1976a, 1989, Tarman 2003

= *Lycosa pullata* Clerck

Polenec 1970a, 1970b, 1971a, 1973b, 1973d

Pardosa riparia (C. L. Koch, 1833)

Bole et al. 1980, 1982, Čandek et al. 2013, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1971b, 1976a, 1978c, 1980a, 1981, 1989, Zupančič et al. 1984

= *Alopecosa riparia* (C. L. Koch, 1833)

Polenec 1975b

= *Lycosa cursoria* C. L. Koch, 1847

Polenec 1967a, 1969a, 1969b, 1970a, 1971c, 1973b, 1973e, 1974b

= *Pardosa cursoria* (C. L. Koch, 1847)

Bole et al. 1980, Polenec 1969a

Pardosa saltuaria (L. Koch, 1870)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1968a, 1971b, 1978b, 1980b, 1981, 1982a, 1989, Zupančič et al. 1984

= *Lycosa saltuaria* L. Koch, 1870

Polenec 1970a, 1973b, 1974b

Pardosa saturatior Simon, 1937

Buchar and Thaler 2002, Kuntner 1999b, 2001, 2002, ULRS 2002

Pardosa vittata (Keyserling, 1863)

Nikolić and Polenec 1981, Polenec 1974a, 1992

Pardosa wagleri (Hahn, 1822)

Polenec 1992

Pirata piraticus (Clerck, 1757)

Kostanjšek 2002b, 2011, 2014, Kuntner 1999b, 2001, 2002, Tarman 2003,

Tovornik 1983, 1990, ULRS 2002

Pirata tenuitarsis Simon, 1876

Kuntner 1997c, 2001, 2002, ULRS 2002

Pirata uliginosus (Thorell, 1856)

Kostanjšek 2013, 2014, Kuntner 1997c, 1999b, 2001, 2002, ULRS 2002

Piratula hygrophyla (Thorell, 1872)

Čandek et al. 2013

= *Pirata hydrophilus* Thorell, 1872

Polenec 1975b, 1986, 1989

= *Pirata hygrophila* (Thorell, 1872)

Kuntner 1997c, Nikolić and Polenec 1981

Piratula knorri (Scopoli, 1763)

Čandek et al. 2013

= *Pirata knorri* (Scopoli, 1763)

Buchar and Polenec 1974, Kostanjšek 2001, 2002a, 2004a, Nikolić and Polenec 1981, Polenec 1954, 1989, 1992, Tarman 2003

Piratula latitans (Blackwall, 1841)

Nikolić and Polenec 1981

= *Pirata latitans* (Blackwall, 1841)

Kuntner 1997d, Polenec 1976b, 1986, 1989

Trochosa hispanica Simon, 1870

Bole et al. 1980

= *Trochosa manicata* Thorell, 1875

Bole et al. 1980

Trochosa robusta (Simon, 1876)

Nikolić and Polenec 1981, Polenec 1978d, 1981

Trochosa ruricola (De Geer, 1778)

Gregorič and Kuntner 2009, Polenec 1969a, 1976b, 1978d, 1989

= *Trochosa lapidicola* Hahn, 1829

Polenec 1965b

Trochosa spinipalpis (F. O. P.- Cambridge, 1895)

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, 1992

Trochosa terricola Thorell, 1856

Bole et al. 1980, 1982, Budja 2008, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1960, 1961d, 1962a, 1963e, 1964b, 1965a, 1965b, 1966b, 1967a, 1967b, 1968a, 1968b, 1969a, 1970a, 1971a, 1971c, 1973c, 1973d, 1973e, 1974b, 1975b, 1976a, 1976b, 1977, 1978b, 1978c, 1978d, 1979a, 1980b, 1981, 1982a, 1983, 1984, 1985, 1986, 1987, 1989, Tarman 2003, Zupančič et al. 1984

Xerolycosa nemoralis (Westring, 1861)

Buchar and Dolansky 2011, Budja 2008, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1967a, 1970a, 1971a, 1971b, 1973b, 1974a, 1981, 1983, 1986, 1989

Family MIMETIDAE***Ero aphana*** (Walckenaer, 1802)

Kuntner 1997d, 2002, Le Peru 2011

Ero furcata (Villers, 1789)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1971a, 1974a, 1975a, 1982a, 1983, 1989

Ero tuberculata (De Geer, 1778)

Kostanjšek 2005, Kuntner 1999b, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1978d

Family MITURGIDAE***Zora armillata*** Simon, 1878

Kostanjšek 2010, 2014

Zora nemoralis (Blackwall, 1861)

Bole et al. 1980, Gregorič and Kuntner 2009, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1964b, 1977, 1978d, 1984, 1985, 1989

Zora spinimana (Sundevall, 1833)

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1964b, 1965b, 1969a, 1971a, 1981, 1985, 1989

Family MYSMENIDAE***Mysmenella jobi*** (Kraus, 1967)

Le Peru 2011

= ***Mysmena jobi*** Kraus, 1967

Nikolić and Polenec 1981, Polenec 1992

Trogloneta granulum* Simon, 1922

1♂ - chasm Unška Koliševka, central Slovenia; 45°18,81'N, 14°15,81'E, 600 m a. s. l.; 1.9.2000; leg. & det. Řezáč M., Kuntner M., Polak S.

Family NEMESIIDAE

Brachythele media Kulczyński, 1897

Bole et al. 1980, 1982, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1978a, 1978d, 1979b, Tarman 2003

Nemesia caementaria (Latreille, 1799)

Reimoser 1919

= *Nemesia caementaria germanica* Ausserer, 1871

Polenec 1978a, 1992, Tarman 2003

Nemesia pannonica Herman, 1879

Čandek et al. 2013, Deceae 2010, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, Le Peru 2011, Polenec 1966a, 1968b, 1978a, 1978d, 1979b, Tarman 2003

= *Nemesia pannonica pannonica* Herman, 1879

Fuhn and Polenec 1967, Nikolić and Polenec 1981, Polenec 1975a, 1978a

Family NESTICIDAE

Nesticus cellulanus (Clerck, 1757)

Brignoli 1971b, 1980, Caporiacco 1938, Čandek et al. 2013, Drensky 1936, Gasparo and Thaler 2000, Kostanjšek 2004a, Kratochvíl 1933, 1936, Kuntner 1997d, 1999a, 1999b, Le Peru 2011, Novak 1981, 2005b, Novak and Kuštor 1982, Novak and Sivec 1976, Novak et al. 2004, Polak 1994, Polak et al. 2012, Polenec 1973b, 1989, 1992, Staut et al. 2008, Tarman 2003, Thaler 1981a

Nesticus eremita Simon, 1879

Brignoli 1971b, 1980, Kostanjšek 2003, Le Peru 2011, Polak et al. 2012

= *Nesticus speluncarum eremita* E. Simon, 1879

Kratochvíl 1934

Nesticus speluncarum Pavesi, 1873

Le Peru 2011, Nikolić 1963, Nikolić and Polenec 1981

Typhlonesticus idriacus (Roewer, 1931)

= *Nesticus idriacus* Roewer, 1931

Deeleman-Reinhold 1975, 1978, 1980, 1981, Komposch and Steinberger 1999, Kostanjšek 2001, 2010, Kranjc and Novak 1978, Kratochvíl 1933, Le Peru 2011, Nikolić 1957, 1961, Nikolić and Polenec 1981, Novak 2005b, Polenec 1992, Roewer 1931, Thaler 1976, 1981a, ULRS 2002, 2004

Family OECOBIIDAE

Oecobius maculatus Simon, 1870

Kostanjšek and Gorjan 2013

Uroctea durandi (Latreille, 1809)

Čandek et al. 2013, Kostanjšek 2003, 2005, Kuntner 1997a, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1992, Tarman 2003

Family OXYOPIDAE

Oxyopes heterophthalmus (Latreille, 1804)

Kostanjšek 2000, 2003, Kuntner 1997a, 2001, 2002, ULRS 2002

Oxyopes lineatus Latreille, 1806

Gregorič and Kuntner 2009, Kostanjšek and Kuntner 2002, Kuntner 1997d, 2001, 2002, Kuntner and Kostanjšek 2000

Oxyopes ramosus (Martini & Goeze, 1778)

Brignoli 1976, Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958

Family PHILODROMIDAE

Philodromus albidus Kulczyński, 1911

Budja 2008, Čandek et al. 2013, Kuntner 1997c, 1997d, 1999b, 2002, Kuntner and Kostanjšek 2000

Philodromus aureolus (Clerck, 1757)

Čandek et al. 2013, Kuntner 1997d, Kuntner and Kostanjšek 2000, Polenec 1957, 1958, 1973c, 1989

Philodromus cespitum (Walckenaer, 1802)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 2002, Kuntner and Kostanjšek 2000

= *Philodromus aureolus caespiticolis* (Walckenaer, 1837)

Nikolić and Polenec 1981, Polenec 1969a

Philodromus collaris C. L. Koch, 1835

Kuntner 1997c, Polenec 1967b, 1984, 1985, 1989, Šilhavy 1944

Philodromus dispar Walckenaer, 1826

Budja 2008, Čandek et al. 2013, Kuntner 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958

Philodromus fuscolimbatus Lucas, 1846

= *Philodromus buxi constellatus* (Simon, 1875)

Nikolić and Polenec 1981

Philodromus fuscomarginatus (De Geer, 1778)

Polenec 1970a

Philodromus longipalpis Simon, 1870

Budja 2008, Kostanjšek 2010, 2011

= *Philodromus aureolus pallens* Klulczinsky

Šilhavy 1944

Philodromus margaritatus (Clerck, 1757)

Kostanjšek 2013, Šilhavy 1944, Tarman 2003

Philodromus poecilus (Thorell, 1872)

Kostanjšek 2003

Philodromus praedatus O. P.-Cambridge, 1871

Čandek et al. 2013, Kostanjšek and Celestina 2008

Philodromus pulchellus Lucas, 1846

Čandek et al. 2013

Philodromus rufus Walckenaer, 1826

Kuntner 1997d, 2002

Thanatus arenarius L. Koch, 1872

Gregorič and Kuntner 2009

Thanatus atratus* Simon, 1875

20♂ - meadow on W slope of Sv. Katarin hill, N of Nova Gorica; 45°57,96'N, 13°39,51'E, 190 m a. s. l.; 14.6-5.7.2008; leg. Gorjan A. & det. Gorjan A., Kostanjšek R.

Thanatus formicinus (Clerck, 1757)

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Polenec 1980b, 1985, 1989

Tibellus macellus Simon, 1875

Čandek et al. 2013

Tibellus oblongus (Walckenaer, 1802)

Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1969a

Family PHOLCIDAE

Holocnemus pluchei (Scopoli, 1763)

Kostanjšek and Kuntner 2002, Kuntner 2001, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011, Polenec 1954, 1992, ULRS 2002

= *Aranea pluchii* Scopoli, 1763

Scopoli 1763

Pholcus opilionoides (Schrank, 1781)

Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989, Tarman 2003

Pholcus phalangioides (Fuesslin, 1775)

Brignoli 1971a, Čandek et al. 2013, Kostanjšek 2004a, 2012, Kratochvíl 1934, Kuntner 1996, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Novak et al. 2004, Polenec 1962b, 1966b, 1989, Stražar 2001, Tarman 2003

Psilochorus simoni (Berland, 1911)

Čandek et al. 2013, Kostanjšek 2012, Kostanjšek and Ramšak 2005

Spermophora senoculata (Dugès, 1836)

Kuntner 1997d, 2001, 2002, Le Peru 2011, Nentwig and Kobelt 2010, ULRS 2002

Family PHRUROLITHIDAE

Phrurolithus festivus (C. L. Koch, 1835)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Grimm and Bibel 1986, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1968b, 1973c, 1975a, 1989

Phrurolithus minimus C. L. Koch, 1839

Čandek et al. 2013, Gorjan 2014, Grimm and Bibel 1986, Nikolić and Polenec 1981, Polenec 1957, 1958, 1965a, 1973c, 1975b, 1984, 1989

Family PISAURIDAE***Dolomedes fimbriatus*** (Clerck, 1757)

Brignoli 1976, Kostanjšek 2003, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963d, 1969b, 1971c, 1973c, 1974a, 1986, 1989, 1992, Tarman 2003, Tovornik 1983, 1990, Vogrin 2002

Dolomedes plantarius (Clerck, 1757)

Kostanjšek 2014, Nikolić and Polenec 1981, Polenec 1992, ULRS 1993, 2002

Pisaura mirabilis (Clerck, 1757)

Brignoli 1976, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Neuhauser et al. 1995, Nikolić and Polenec 1981, Polenec 1978d, 1984, 1985, 1989, Tarman 2003

= *Pisaura listeri* Scopoli, 1763

Bole et al. 1980, Polenec 1952, 1954, 1957, 1958, 1963c, 1963e, 1964a, 1965a, 1965b, 1967b, 1969a, 1969b, 1970b, 1971a, 1975b

Family SALTICIDAE***Aelurillus v-insignitus*** (Clerck, 1757)

Gorjan 2014, Kostanjšek and Fišer 2005

Asianellus festivus (C. L. Koch, 1834)

Fišer and Kostanjšek 2001, Gorjan 2014

Ballus chalybeius (Walckenaer, 1802)

Gorjan 2014, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

Carrhotus xanthogramma (Latreille, 1819)

Kuntner 1997b, 1997d, 2002, Kuntner and Kostanjšek 2000, Tarman 2003

Chalcoscirtus infimus (Simon, 1868)

Fišer and Kostanjšek 2001

Dendryphantes hastatus (Clerk, 1757)

Kuntner 1997b, Nikolić and Polenec 1981

= *Dendryphantes pini* Hahn, 1831

Polenec 1957, 1958

Dendryphantes rufus (Sundevall, 1833)

Kuntner 1997b, 1997c, 1999b, 2002

Euophrys frontalis (Walckenaer, 1802)

Bole et al. 1980, Gorjan 2014, Kuntner 1997d, Polenec 1963e, 1968b, 1975a, 1978c, 1978d, 1981, 1986

= *Euophrys maculata* (Wider, 1834)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1985, 1989

Euophrys herbigrada (Simon, 1871)

Fišer and Kostanjšek 2001, Gorjan 2014, Gregorič and Kuntner 2009

***Evarcha arcuata* (Clerck, 1757)**

Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Knapič 2012, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

= *Aranea marcgravii* Scopoli, 1763

Scopoli 1763

= *Attus albociliatus* Simon, 1868

Simon 1868

= *Evarcha marcgravi* Scopoli

Polenec 1954, 1957, 1958, 1963e, 1969b, 1970b, 1971a, 1973c, 1975b, 1976b

= *Evarcha meregravi* Scopoli

Polenec 1965a

***Evarcha falcata* (Clerck, 1757)**

Bole et al. 1980, Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Knapič 2012, Kostanjšek 2003, 2004a, Kuntner 1996, 1999b, Kuntner and Kostanjšek 2000, Polak 1997, Polenec 1977, 1978d, 1980a

= *Aranea blancardi* Scopoli, 1763

Scopoli 1763

= *Attus falcatus* Simon, 1868

Simon 1868

= *Evarcha blancardi* Scopoli, 1763

Bole et al. 1980, Polenec 1954, 1957, 1958, 1963d, 1964b, 1965a, 1967b, 1970a, 1973c, 1973e, 1974b, 1980a

= *Evarcha flammata* (Clerck, 1757)

Kuntner 1997c, 1997d, Nikolić and Polenec 1981, Polenec 1977, 1989

***Evarcha jucunda* (Lucas, 1846)**

Čandek et al. 2013, Gorjan 2014, Knapič 2012, Kuntner 1997b, 2001, 2002, Polenec 1992, ULRS 2002

***Evarcha laetabunda* (C. L. Koch, 1846)**

Čandek et al. 2013, 2015, Gorjan 2014, Gregorič and Kuntner 2009, Knapič 2012, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1971a, 1978d

***Evarcha michailovi* Logunov, 1992**

Čandek et al. 2013, 2015, Fišer and Kostanjšek 2001, Knapič 2012

***Hasarius adansoni* (Audouin, 1826)**

Čandek et al. 2013, Kostanjšek 2002b

***Heliophanus aeneus* (Hahn, 1832)**

Čandek et al. 2013, Fišer and Kostanjšek 2001, Kostanjšek 2003

***Heliophanus auratus* C. L. Koch, 1835**

Gregorič and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1971a

***Heliophanus cupreus* (Walckenaer, 1802)**

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1997b, 1997d, 1999b, 2002, Kuntner and Kostanjšek 2000

Heliophanus dubius C. L. Koch, 1835

Fišer and Kostanjšek 2001, Kostanjšek 2001, Tarman 2003

Heliophanus flavipes (Hahn, 1832)

Čandek et al. 2013, Kostanjšek 2001, 2004a, Kuntner 1999b

= *Aranea ritteri* Scopoli, 1763

Scopoli 1763

= *Heliophanus ritteri* (Scopoli, 1763)

Nikolić and Polenec 1981, Polenec 1954, 1971a, 1989

Heliophanus kochii Simon, 1868

Čandek et al. 2013, Fišer and Kostanjšek 2001, Gorjan 2014

Heliophanus lineiventris Simon, 1868= *Heliophanus pouzdranensis* Miller, 1958

Polenec 1992

Heliophanus melinus L. Koch, 1867

Fišer and Kostanjšek 2001

Heliophanus patagiatus Thorell, 1875

Fišer and Kostanjšek 2001

Heliophanus tribulosus Simon, 1868

Fišer and Kostanjšek 2001, Gorjan 2014

Icius hamatus (C. L. Koch, 1846)

Fišer and Kostanjšek 2001

Icius subinermis Simon, 1937

Čandek et al. 2013, Kostanjšek and Fišer 2005

Leptorcheates berolinensis (C. L. Koch, 1846)

Čandek et al. 2013, Kostanjšek 2003, Kuntner 1997a, 2002

= *Leptorcheates cinctus* Thorell, 1869

Polenec 1982a, 1989

Macaroeris nidicolens (Walckenaer, 1802)

Čandek et al. 2013, Kuntner 2002

= *Eris nidicolens* (Walckenaer, 1802)

Kuntner 1997b, 1997d, Kuntner and Kostanjšek 2000

Marpissa muscosa (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner 1996, 1999b, Kuntner and Baxter 1997, Nikolić and Polenec 1981, Polenec 1988, 1989

= *Aranea rumpfi* Scopoli, 1763

Scopoli 1763

= *Marpissa rumpfi* Scopoli

Polenec 1954

= *Marpissus muscosus* Simon, 1868

Simon 1868

Marpissa nivoyi (Lucas, 1846)

Čandek et al. 2013, Franc 2004, Gregorič and Kuntner 2009, Kuntner 1997b, 2002, Polenec 1992

Marpissa pomatia (Walckenaer, 1802)

Fišer and Kostanjšek 2001

Mendoza canestrinii (Ninni, 1868)

Fišer and Kostanjšek 2001

Menemerus semilimbatus (Hahn, 1829)

Kuntner 1997b, 2001, 2002, ULRS 2002

Myrmarachne formicaria (De Geer, 1778)

Caporiacco 1949, Čandek et al. 2013, Gogala 1985, Gorjan 2014, Gregorič and Kuntner 2009

= *Aranea joblotii* Scopoli, 1763

Scopoli 1763

= *Myrmarachne joblotii* (Scopoli, 1763)

Nikolić and Polenec 1981, Polenec 1954, Tarman 2003

Neon levis (Simon, 1871)

Bole et al. 1982, Gorjan 2014

Neon rayi (Simon, 1875)

Fišer and Kostanjšek 2001

Neon reticulatus (Blackwall, 1853)

Budja 2008, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1974a, 1975a

Pellenes nigrociliatus (Simon, 1875)

Fišer and Kostanjšek 2001, Gorjan 2014

Pellenes seriatus (Thorell, 1875)

Čandek et al. 2013, 2015, Fišer and Kostanjšek 2001, Gregorič and Kuntner 2009

Pellenes tripunctatus (Walckenaer, 1802)

Bole et al. 1982, Franc 2004, Kostanjšek 2003, Polenec 1992

Philaeus chrysops (Poda, 1761)

Čandek et al. 2013, Franc 2004, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1966a, 1969a, 1992

= *Aranea catesbaei* Scopoli, 1763

Scopoli 1763

= *Aranea sloanii* Scopoli, 1763

Scopoli 1763

Phlegra bresnieri (Lucas, 1846)

Kostanjšek 2003, Kostanjšek and Fišer 2005

Phlegra cinereofasciata (Simon, 1868)

Kostanjšek and Fišer 2005

= *Phlegra fuscipes* Kulczyński, 1891

Bole et al. 1982

Phlegra fasciata (Hahn, 1826)

Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1971a, 1975a

Pseudeuophrys erratica (Walckenaer, 1826)

Fišer and Kostanjšek 2001

Pseudeuophrys lanigera (Simon, 1871)

Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner 2001, 2002, ULRS 2002

= *Euophrys lanigera* (Simon, 1871)

Kuntner and Kostanjšek 2000

Pseudeuophrys obsoleta (Simon, 1868)

Gorjan 2014, Gregorič and Kuntner 2009

= *Euophrys pictilis* (Simon, 1871)

Polenec 1992

Pseudeuophrys vafra (Blackwall, 1867)

Kostanjšek and Fišer 2005

Pseudicius encarpatus (Walckenaer, 1802)

Fišer and Kostanjšek 2001

Saitis barbipes (Simon, 1868)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Nikolić and Polenec 1981, Polenec 1978d, 1979b

Salticus scenicus (Clerck, 1757)

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1967b, Tarmar 2003

Salticus unciger (Simon, 1868)

Kostanjšek and Fišer 2005

Salticus zebraneus (C. L. Koch, 1837)= *Aranea olearii* Scopoli, 1763

Scopoli 1763

= *Salticus olearii* (Scopoli, 1763)

Nikolić and Polenec 1981, Polenec 1954, 1958, 1973c, 1989

Sibianor aurocinctus (Ohlert, 1865)

Gorjan 2014

= *Bianor aenescens* Simon, 1868

Bole et al. 1980, Polenec 1975b, 1978d

= *Bianor aurocinctus* (Ohlert, 1865)

Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1989

Sitticus atricapillus (Simon, 1882)= *Sitticus zimmermanni* (Simon, 1877)

Bole et al. 1982, Polenec 1982a, 1989, 1992

Sitticus floricola (C. L. Koch, 1837)

Kuntner 1999b, 2002

= *Sitticus littoralis* (Hahn, 1832)

Polenec 1992, Tovornik 1990

Sitticus inexpectus Logunov & Kronestedt, 1997

Kostanjšek and Fišer 2005

Sitticus pubescens (Fabricius, 1775)

Franc 2004, Kostanjšek 2003, Polenec 1989, 1992

- = *Sitticus truncorum* (Linnaeus, 1758)
Polenec 1988
- Sitticus saxicola*** (C. L. Koch, 1846)
Kuntner and Kostanjšek 2000, Polenec 1989
- Sitticus terebratus*** (Clerck, 1757)
Kostanjšek and Fišer 2005
- Synageles hilarulus*** (C. L. Koch, 1846)
Fišer and Kostanjšek 2001
- Synageles venator*** (Lucas, 1836)
Fišer and Kostanjšek 2001, Kostanjšek 2003
- Talavera aequipes*** (O. P.-Cambridge, 1871)
Gorjan 2014
- = *Euophrys aequipes* (Cambridge, 1871)
Kostanjšek 2003, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989
- Talavera petrensis*** (C. L. Koch, 1837)
Gregorič and Kuntner 2009
- = *Euophrys petrensis* C. L. Koch, 1837
Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1965a, 1968b, 1973c, 1973e, 1989
- Talavera thorelli*** (Kulczyński, 1891)
Fišer and Kostanjšek 2001

Family SCYTODIDAE

- Scytodes thoracica*** (Latreille, 1802)
Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2005, Kuntner 1997a, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1988, 1989, 1992, Tarman 2003

Family SEGESTRIIDAE

- Segestria bavarica*** C. L. Koch, 1843
Gregorič and Kuntner 2009, Kuntner 1997d, 1999a, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989, 1992, Tarman 2003, Zupančič et al. 1984
- Segestria cavernicola*** Kulczyński, 1915
Le Peru 2011
- Segestria croatica*** Doleschall, 1852
Bole et al. 1982, Kulczyński 1915
- Segestria florentina*** (Rossi, 1790)
Kostanjšek and Kuntner 2002, Kuntner 1997a, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011, Tarman 2003

***Segestria senoculata* (Linnaeus, 1758)**

Budja 2008, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997d, Kuntner and Baxter 1997, Le Peru 2011, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1960, 1963e, 1964b, 1976b, 1978c, 1979a, 1982b, 1985, 1986, 1987, 1989

Family SPARASSIDAE***Micrommata virescens* (Clerck, 1757)**

Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Polenec 1964a, 1978d

= *Micrommata roseum* (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1985, 1986, 1989, Tarman 2003

= *Micrommata viridissima* De Geer

Bole et al. 1980, Polenec 1957, 1958, 1965a, 1969b, 1971a, 1971c, 1973c

***Micrommata virescens ornata* (Walckenaer, 1802)**

= *Micrommata roseum ornatum* (Walckenaer, 1802)

Nikolić and Polenec 1981

= *Micrommata viridissima* var. *ornata* Walckenaer

Polenec 1969a, 1974a

Family TETRAGNATHIDAE***Meta menardi* (Latreille, 1804)**

Batič et al. 1980, Brignoli 1971b, 1980, Caporiacco 1938, Čandek et al. 2013, Deeleman-Reinhold 1978, Ferk and Lipar 2011, Kiauta and Leben 1960, Kostanjšek 2007, Kratochvíl 1934, 1936, Kuntner et al. 2008, Nikolić 1963, Nikolić and Polenec 1981, Novak 1971, 1981, 2005a, 2005b, Novak and Kuštor 1982, Novak and Sivec 1976, Novak et al. 2004, 2010, Polak 1994, 1997, Polak et al. 2012, Polenec 1962b, 1973b, Preisinger 2010, Puc et al. 1988, Rebešek et al. 2008, Roewer 1931, Stražar 2001, Tarman 2003, Tkavc 2008

= *Epeira fusca* Walckenaer

Joseph 1881, Pokorný 1853, Schiner 1854

***Metellina mengei* (Blackwall, 1870)**

Budja 2008, Kostanjšek 2004a, Kuntner 1997c, 1997d, Kuntner and Kostanjšek 2000, Polak 1997

= *Meta mengei* (Blackwall, 1870)

Polenec 1976a

= *Meta reticulata* var. *mengei* Blackwall, 1869

Polenec 1958, 1963d, 1967b, 1969a, 1969b

= *Meta segmentata mengei* (Blackwall, 1869)

Nikolić and Polenec 1981, Polenec 1960, 1989

***Metellina merianae* (Scopoli, 1763)**

Budja 2008, Čandek et al. 2013, 2015, Kostanjšek 2003, 2004a, Kuntner 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Novak 2005a, Polak 1994, 1997, Rebeušek et al. 2008, Stražar 2001, Tarman 2003

= *Aranea merianae* Scopoli, 1763

Scopoli 1763

= *Meta merianae* (Scopoli, 1863)

Batič et al. 1980, Brignoli 1971b, 1980, Caporiacco 1938, Čandek et al. 2013, Fage 1931, Kratochvíl 1934, Nikolić 1963, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Novak and Sivec 1976, Novak et al. 2004, 2010, Polenec 1954, 1967b, 1971c, 1989, Puc et al. 1988, Sket 1999, Spazzapan-Brelih 1964

***Metellina segmentata* (Clerck, 1757)**

Čandek et al. 2013, 2015, Kuntner 1996, 1997c, 1997d, Kuntner and Kostanjšek 2000, Kuntner et al. 2008

= *Meta reticulata* (Linnaeus, 1758)

Polenec 1957, 1958, 1960, 1964a, 1969a, 1969b, 1970a, 1970b, 1971a, 1973c, 1978b, 1980a, 1989

= *Meta reticulata typica* 0

Polenec 1957

= *Meta segmentata* (Clerck, 1758)

Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1961b, 1975b, 1985

***Pachygnatha clercki* Sundevall, 1823**

Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, 1992

***Pachygnatha degeeri* Sundevall, 1830**

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1970a, 1973c, 1974a, 1975a, 1975b, 1976b, 1977, 1984, 1986, 1989

= *Aranea degeerii* Scopoli, 1763

Scopoli 1763

***Pachygnatha listeri* Sundevall, 1830**

Bole et al. 1982, Čandek et al. 2013, Kuntner 1997c, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1973c, 1975b, 1989

***Pachygnatha terilis* Thaler, 1991**

Kuntner 1997d, 2001, 2002, ULRS 2002

***Tetragnatha extensa* (Linnaeus, 1758)**

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, Tarman 2003

= *Tetragnatha solandri* Scopoli, 1763

Polenec 1954

***Tetragnatha montana* Simon, 1874**

Budja 2008, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Polenec 1971c, 1989

Tetragnatha nigrita Lendl, 1886

Čandek et al. 2013, Kuntner 1997d, 2002

Tetragnatha obtusa C. L. Koch, 1837

Kuntner 1997c, 2002, Kuntner et al. 2008, Novak 2005b

Tetragnatha pinicola L. Koch, 1870

Čandek et al. 2013, Kostanjšek 2002b, 2004a, Kuntner 1997c, 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1965a, 1969b, 1971a, 1973c, 1975b, 1989, 1992

Family THERIDIIDAE***Anelosimus vittatus*** (C. L. Koch, 1836)

Agnarsson 2004, Gregorič and Kuntner 2009, Kuntner 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Asagena italicica (Knoflach, 1996)= *Steatoda italicica* Knoflach, 1996

Knoflach 1996

Asagena phalerata (Panzer, 1801)

Čandek et al. 2013, Polenec 1964b, 1970a, 1970b, 1971a, 1989

= *Steatoda phalerata* (Panzer, 1801)

Gregorič and Kuntner 2009, Knoflach 1996, Le Peru 2011, Nikolić and Polenec 1981

Crustulina guttata (Wider, 1834)

Agnarsson 2004, Čandek et al. 2013, Knoflach 1994, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1963e, 1964b, 1965b, 1969a, 1973c, 1978d, 1989

Crustulina scabripes Simon, 1881

Čandek et al. 2013, Gregorič and Kuntner 2009

= *Crustulina scabrosa* 0

Bole et al. 1980

Cryptachaea riparia* (Blackwall, 1834)

1♀ - river bank at the confluence of Cerknica and Idrijca rivers; 46°06,12'N, 13°56,86'E, 240 m a. s. l.; 30.7.2000; leg & det. Kostanjšek R.

1♀ - shaft near house, Dragočajna 4A, Smeldnik; 46°10,41'N, 14°25,08'E, 360 m a. s. l.; 28.7.2003; leg. Štilec K., det. Knapič T., Gregorič M.

2♀ - forest, Krakovski gozd, 2,2 km N from Kostanjevica na Krki; 45°51,82'N, 15°25,28'E, 150 m a. s. l.; 26.7.2009; leg & det. Kostanjšek R.

1♂ - meadow, 700 m NE from Modrejce village; S of Tolmin; 46°10,14'N, 13°45,08'E, 160 m a. s. l.; 22.7.2010; leg & det. Kostanjšek R.

1♂ - Pond Ribnik NW of village Griblje; 45°34,56'N, 15°17,01'E, 150 m a. s. l.; 29.07.2001; leg. & det. Kostanjšek R.

1♀ - Meadow on slope E of Konjsko brdo, Davča, Cerkno; 46°10,44'N, 13°59,49'E, 1310 m a. s. l.; 29.07.2000; leg. & det. Kostanjšek R.

Dipoena braccata (C. L. Koch, 1841)

Kostanjšek 2004a, Le Peru 2011

Dipoena coracina (C. L. Koch, 1837)

Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958

Dipoena melanogaster (C. L. Koch, 1837)

Čandek et al. 2013, Kuntner 1996, 1997d, Kuntner and Baxter 1997, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989

Dipoena torva (Thorell, 1875)

Agnarsson 2004, Kuntner 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Enoplognatha afrodite Hippa & Oksala, 1983

Čandek et al. 2013

Enoplognatha latimana Hippa & Oksala, 1982

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997d, 1999b, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Enoplognatha ovata (Clerck, 1757)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Novak 2005b, Tarman 2003

= *Enoplognatha lineata* (Clerck, 1757)

Budja 2008, Kuntner 1996, Nikolić and Polenec 1981

= *Theridium redimitum* (Linnaeus, 1758)

Polenec 1957, 1958, 1963d, 1967b, 1969b, 1971a, 1973c, 1973e, 1980a, 1985, 1989

Enoplognatha thoracica (Hahn, 1833)

Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1963e, 1974b, 1989, 1992

Episinus angulatus (Blackwall, 1836)

Čandek et al. 2013

Episinus cavernicola (Kulczyński, 1897)

Le Peru 2011

= *Plocamis cavernicola* Kulczyński, 1897

Nikolić and Polenec 1981

Episinus maculipes Cavanna, 1876

Agnarsson 2004, Čandek et al. 2013, Kuntner 1996, 1997a, 2002, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011

Episinus truncatus Latreille, 1809

Bole et al. 1980, Budja 2008, Čandek et al. 2013, Gorjan 2014, Knoflach and Thaler 2000, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1961d, 1964a, 1965b, 1978d, 1985, 1989

Euryopis flavomaculata (C. L. Koch, 1836)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1973c, 1977, 1981, 1985, 1989

Euryopis laeta (Westring, 1861)

Kostanjšek and Gorjan 2013

Heterotheridion nigrovariegatum (Simon, 1873)

Čandek et al. 2013

= *Theridion nigrovariegatum* Simon, 1873

Kostanjšek 2004b

Lasaeola prona (Menge, 1868)

Kostanjšek and Gorjan 2013

Lasaeola tristis (Hahn, 1833)= *Dipoena tristis* (Hahn, 1831)

Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, 1992

Neottiura bimaculata (Linnaeus, 1767)

Agnarsson 2004, Arnedo et al. 2004, Čandek et al. 2013, Gorjan 2014, Kuntner 1999b, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

= *Theridion bimaculatum* (Linnaeus, 1767)

Kuntner 1997d

Neottiura herbigrada (Simon, 1873)

Čandek et al. 2013

Neottiura suaveolens (Simon, 1879)

Čandek et al. 2013, Gorjan 2014, Kuntner 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Paidiscura pallens (Blackwall, 1834)

Čandek et al. 2013, Knoflach and Thaler 2000, Vanuytven et al. 1994

= *Theridion pallens* Blackwall, 1834

Budja 2008, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958

Parasteatoda lunata (Clerck, 1757)

Čandek et al. 2013

= *Achaearanea lunata* (Clerck, 1757)

Budja 2008, Kuntner 1996, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981

= *Theridion lunatum* C. L. Koch, 1841

Polenec 1957

= *Theridium lunatum* (Olivier, 1789)

Kratochvíl 1934, Polenec 1958, 1963d, 1964a, 1989

Parasteatoda simulans (Thorell, 1875)= *Achaearanea simulans* (Thorell, 1875)

Budja 2008, Kuntner 1997d, 1999b, 2002, Le Peru 2011

Parasteatoda tepidariorum (C. L. Koch, 1841)

Čandek et al. 2013

= *Achaearanea tepidariorum* (C. L. Koch, 1841)

Kostanjšek 2004a, Kuntner and Kostanjšek 2000, Le Peru 2011, Novak 2005b

= *Theridion tepidariorum* C. L. Koch, 1841

Polenec 1989

Pholcomma gibbum (Westring, 1851)

Bole et al. 1980, Gorjan 2014, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1976b, 1989

Phylloneta impressa (L. Koch, 1881)

= *Theridion impressum* L. Koch, 1881

Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981

= *Theridium impressum* L. Koch, 1881

Polenec 1971a, 1975b, 1981, 1989

Phylloneta sisypbia (Clerck, 1757)

= *Theridion sisypgium* (Clerck, 1757)

Le Peru 2011, Nikolić and Polenec 1981, Tarman 2003

= *Theridium notatum* Linnaeus

Polenec 1963c, 1964a, 1965a, 1967b, 1969b, 1971a, 1989

Platnickina tincta (Walckenaer, 1802)

Čandek et al. 2013

= *Theridion tinctum* (Walckenaer, 1802)

Kostanjšek 2002b, Kuntner 1996, 1997c, 1997d, 1999a, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1960, 1989

= *Theridium tinctum* C. L. Koch

Kuntner 1999b, Polenec 1957, 1958, 1960

Robertus lividus (Blackwall, 1836)

Gregorič and Kuntner 2009, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1960, 1961d, 1962a, 1963e, 1964a, 1965b, 1968a, 1969a, 1969c, 1970b, 1974a, 1974b, 1975b, 1977, 1980b, 1984, 1989

Robertus neglectus (O. P.-Cambridge, 1871)

Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958

Robertus scoticus Jackson, 1914

Čandek et al. 2013

Robertus truncorum (L. Koch, 1872)

Bole et al. 1980, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1979a, 1981, 1989

Rugathodes bellicosus (Simon, 1873)

= *Theridion bellicosum* (Simon, 1873)

Polenec 1968a, 1992

= *Theridion instabile bellicosum* (Simon, 1873)

Nikolić and Polenec 1981

= *Theridium bellicosum* Simon, 1873

Polenec 1970a, 1971b, 1973b, 1989

Sardinidion blackwalli (O. P.-Cambridge, 1871)

Čandek et al. 2013

- = *Theridion blackwalli* Cambridge, 1870
Kuntner 1999a, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989, 1992
- = *Theridium blackwalli* Cambridge, 1870
Polenec 1958, 1988
- Simitidion simile*** (C. L. Koch, 1836)
Čandek et al. 2013, Kostanjšek 2003
- = *Theridion simile* C. L. Koch, 1836
Le Peru 2011, Nikolić and Polenec 1981, Polenec 1992
- = *Theridium simile* C. L. Koch, 1836
Polenec 1957, 1958, 1973c, 1989
- Steatoda bipunctata*** (Linnaeus, 1758)
Agnarsson 2004, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997d, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1962b, 1966b, 1968a, 1989, Tarman 2003
- Steatoda grossa*** (C. L. Koch, 1838)
Le Peru 2011, Nentwig and Kobelt 2010, Nikolić and Polenec 1981
- Steatoda paykulliana*** (Walckenaer, 1805)
Kuntner 1997d, Le Peru 2011, Polenec 1966a
- = *Lithyphantes paykullianus* (Walckenaer, 1805)
Nikolić and Polenec 1981, Polenec 1969a
- Steatoda triangulosa*** (Walckenaer, 1802)
Čandek et al. 2013, Kuntner 1999b, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011, Nentwig and Kobelt 2010
- Theridion betteni*** Wiehle, 1960
Kostanjšek 2002a, 2004a
- Theridion boesenbergi**** Strand, 1904
20♂, 166♀ - primary forest, Rajhenavski Rog sanctuary, Kočevje region; 45°41'N, 15°01'E, 870-920 m a. s. l.; 25-28.6.1999; leg. Floren A., det. Agnarsson I.
- Theridion familiare**** O. P.-Cambridge, 1871
1♀ - primary forest, Rajhenavski Rog sanctuary, Kočevje region; 45°41'N, 15°01'E, 870-920 m a. s. l.; 25-28.6.1999; leg. Floren A., det. Agnarsson I.
- Theridion melanurum*** Hahn, 1831
Kostanjšek 2003, Le Peru 2011, Nikolić and Polenec 1981
- = *Theridium denticulatum* Walckenaer
Polenec 1958
- Theridion mystaceum*** L. Koch, 1870
Budja 2008, Kuntner 2002, Le Peru 2011
- Theridion petraeum*** L. Koch, 1872
Le Peru 2011, Nikolić and Polenec 1981
- = *Theridium petraeum* L. Koch, 1872
Kratochvíl 1934

Theridion pictum (Walckneher, 1802)

Vanuytven et al. 1994

Theridion pinastri L. Koch, 1872

Budja 2008, Čandek et al. 2013, Kostanjšek 2002b, Kuntner 1997c, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Theridion varians Hahn, 1833

Agnarsson 2004, Budja 2008, Čandek et al. 2013, Kuntner 1997c, 1997d, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989

= *Theridium varians* Hahn, 1833

Kuntner 1999b, Polenec 1957, 1958, 1963d, 1974a

Theridula gonygaster (Simon, 1873)

Kostanjšek 2010, 2011, 2012

Family THERIDIOSOMATIDAE

Theridiosoma gemmosum (L. Koch, 1877)

Kuntner 1999b, 2001, 2002, Le Peru 2011, ULRS 2002

Family THOMISIDAE

Coriarachne depressa (C. L. Koch, 1837)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1962a, 1965b, 1968b, 1973c, 1989

Cozyptila blackwalli (Simon, 1875)

= *Oxyptila blackwalli* Simon, 1875

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1976b, 1978d, 1989, Šilhavy 1944

= *Ozyptila blackwalli* Simon, 1875

Gorjan 2014

Diaeа dorsata (Fabricius, 1777)

Budja 2008, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958, 1959, 1960, 1964a, 1965a, 1969b, 1970a, 1970b, 1973c, 1975b, 1986, 1989, Tarman 2003

Diaeа livens Simon, 1876

Čandek et al. 2013

Ebrechtella tricuspidata (Fabricius, 1775)

Čandek et al. 2013

= *Misumenops tricuspidatus* (Fabricius, 1775)

Budja 2008, Kostanjšek 2004a, Kuntner 1996, 1997a, 1997c, 1997d, 2002

Heriaeus birtus (Latireille, 1819)

Čandek et al. 2013, Kostanjšek 2010

Misumena vatia (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1984, 1989, Tarman 2003, Vogrin 2005

= *Misumena calycina* Linnaeus

Polenec 1957, 1958, 1963a, 1964a, 1965a, 1969b, 1971a, 1971c, 1973c, 1973e, 1980a, 1985

***Ozyptila atomaria* (Panzer, 1801)**

Gorjan 2014, Gregorič and Kuntner 2009

= *Oxyptila atomaria* (Panzer, 1801)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1961d, 1962a, 1965a, 1968b, 1969a, 1975a, 1975b, 1977, 1981, 1985, 1986, 1989

= *Oxyptila horticola* (C. L. Koch, 1837)

Polenec 1957, 1958, 1963e, 1973c, 1989, 1992

***Ozyptila brevipes* (Hahn, 1826)**

= *Oxyptila brevipes* (Hahn, 1826)

Polenec 1957, 1958, 1992

***Ozyptila claveata* (Walckenaer, 1837)**

Čandek et al. 2013, Gorjan 2014

= *Oxyptila nigrita* (Thorell, 1875)

Bole et al. 1980, Polenec 1992

***Ozyptila praticola** (C. L. Koch, 1837)**

1♀ - forest, 3 km S of Rače in NE Slovenia; 46°25,73'N, 15°40,83'E, 250 m a. s. l.; 18.7.2013; leg. & det. Kostanjšek R.

5♂ - forest, 1 km N of Marjeta na Dravskem polju, E of Rače in NE Slovenia; N 46°27,00'N, 15°43,32'E, 250 m a. s. l.; 18.7. - 24.7.2013; leg. Kostanjšek & det. Kostanjšek R.

1♀ - forest, Kozlarjeva gošča, Ljubljansko barje marsh, S of Ljubljana; 45°59,64'N, 14°30,28'E, 290 m a. s. l.; 28.9.2002; leg. Vrezec A, & det. Fišer C., Kostanjšek R.

***Ozyptila pullata* (Thorell, 1875)**

= *Oxyptila kotulai* Kulczyński, 1898

Polenec 1992

***Ozyptila rauda* Simon, 1875**

= *Oxyptila rauda* Simon, 1875

Nikolić and Polenec 1981, Polenec 1973e, 1992

***Ozyptila scabricula* (Westring, 1851)**

= *Oxyptila scabricula* (Westring, 1851)

Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1975a

***Ozyptila simplex* (O. P.-Cambridge, 1862)**

Gorjan 2014

= *Oxyptila simplex* (Cambridge, 1862)

Bole et al. 1980, Polenec 1986, 1989, 1992

***Ozyptila trux* (Blackwall, 1846)**

Kuntner and Kostanjšek 2000

= *Oxyptila trux* (Blackwall, 1846)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1978c, 1982a, 1989

Pistius truncatus (Pallas, 1772)

Gorjan 2014, Kuntner 1996, 1997a, 1999b, 2002, Kuntner and Kostanjšek 2000

Runcinia grammica (C. L. Koch, 1837)

Kostanjšek 2005, 2010

Synema globosum (Fabricius, 1775)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989

Thomisus onustus Walckenaer, 1805

Čandek et al. 2013, Kuntner 1996, 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

Tmarus piger (Walckenaer, 1802)

Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1969a, 1973c, 1978d, 1989

Tmarus stellio Simon, 1875

Kuntner 1997d, 1999b, 2002

Xysticus acerbus Thorell, 1872

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003

Xysticus audax (Schrank, 1803)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1986, 1989

= *Xysticus pini* Hahn

Polenec 1957, 1958, 1959, 1962a, 1965b, 1970a, 1971a, 1973c

= *Xysticus pini audax* Hahn

Polenec 1973e

Xysticus bifasciatus C. L. Koch, 1837

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1970a, 1970b, 1975b, 1976b, 1978c, 1980b, 1981, 1982a, 1984, 1986, 1989, Šilhavy 1944, Tarmar 2003

Xysticus bufo (Dufour, 1820)

= *Xysticus albimanus* Simon, 1932

Polenec 1992

Xysticus cristatus (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1997c, 1997d, Nikolić and Polenec 1981, Polenec 1963e, 1978b, 1980b, 1982a, 1984, 1985, 1989

= *Xysticus viaticus* Linnaeus

Polenec 1958, 1962a, 1971a

Xysticus desidiosus Simon, 1875

Čandek et al. 2013

Xysticus erraticus (Blackwall, 1834)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1973d, 1975a, 1980b, 1981, 1984, 1989

Xysticus ferrugineus Menge, 1876

Bole et al. 1980, Polenec 1992

Xysticus gallicus Simon, 1875

Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1977, 1978c, 1981, 1983, 1986, 1989

Xysticus kempeleni Thorell, 1872

Čandek et al. 2013

Xysticus kochi Thorell, 1872

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1999b, Polenec 1980b, 1981, 1986, 1989

Xysticus lanio C. L. Koch, 1835

Bole et al. 1980, Caporiacco 1949, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1969b, 1970a, 1985, 1989

Xysticus lineatus (Westring, 1851)

Bole et al. 1980, Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1980b, 1981

Xysticus luctuosus (Blackwall, 1836)

Gorjan 2014, Polenec 1980b, 1989, 1992

Xysticus marmoratus Thorell, 1875

= *Xysticus embriki* Kolosváry, 1935

Nikolić and Polenec 1981, Polenec 1992

Xysticus ninnii Thorell, 1872

Kostanjšek 2010, 2011

Xysticus robustus (Hahn, 1832)

Bole et al. 1980, Gregorič and Kuntner 2009, Kuntner 1997d, Polenec 1963e, 1965b, 1966a, 1978d, 1983, 1989

= *Proxysticus robustus* (Hahn, 1831)

Nikolić and Polenec 1981

Xysticus sabulosus (Hahn, 1832)

Kostanjšek 2004a

= *Xysticus cambridgei* (Blackwall, 1859)

Polenec 1986, 1992

Xysticus striatipes L. Koch, 1870

Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1992

Xysticus tenebrosus Silhavy, 1944

Čandek et al. 2013

Xysticus ulmi (Hahn, 1831)

Kostanjšek 2004a, Kuntner 1996, 1999b, 2002

Family TITANOECIDAE

Nurscia albomaculata (Lucas, 1846)

Kostanjšek 2005, 2010

Titanoeca quadriguttata (Hahn, 1833)

Polenec 1989, 1992

= *Titanoeca obscura* 0

Bole et al. 1982

Titanoeca tristis L. Koch, 1872

Čandek et al. 2013

Titanoeca veteranica Herman, 1879

Gregorič and Kuntner 2009, Polenec 1992

Family TRACHELIDAE

Paratrachelas maculatus (Thorell, 1875)

= *Trachelas maculatus* Thorell, 1875

Kuntner 1997a, 2001, 2002, ULRS 2002

Family ULOBORIDAE

Hyptiotes paradoxus (C. L. Koch, 1834)

Budja 2008, Čandek et al. 2013, Kostanjšek 2007, Kuntner 1996, 1997c, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Polenec 1958, 1961c, 1964b, 1967b, 1989

= *Uptiotes paradoxus* (C. L. Koch, 1877)

Nikolić and Polenec 1981

Uloborus plumipes Lucas, 1846

Čandek et al. 2013, Kuntner 1994, 2002, Tarman 2003

Uloborus walckenaerius Latreille, 1806

Čandek et al. 2013, Kuntner 2002, Le Peru 2011, Polenec 1992, Tarman 2003

Family ZODARIIDAE

Zodarion germanicum (C. L. Koch, 1837)

Nikolić and Polenec 1981, Polenec 1968a, 1970a, 1989, 1992

= *Zodarium germanicum* C. L. Koch, 1837

Polenec 1961d, 1965a

Zodarion hamatum Wiegle, 1964

Bole et al. 1982, Bosmans 1997, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1969a, 1978d, Tarman 2003, Wiehle 1964, Wunderlich 1980

Zodarion italicum (Canestrini, 1868)

Kuntner 2001, Polenec 1992, ULRS 2002, Wunderlich 1980

Zodarion pusio Simon, 1914

Kostanjšek and Gorjan 2013

Zodarion scutatum Wunderlich, 1980

Bosmans 2009, Kuntner 2001, Mršić 1997, Polenec 1992, ULRS 2002, Wunderlich 1980

Family ZOROPSIDAE***Zoropsis spinimana*** (Dufour, 1820)

Kostanjšek and Kuntner 2002, Kuntner 2001, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

Redeterminations and omissions from the list

Family Amaurobiidae

Amaurobius pallidus L. Koch, 1868

The single specimen recorded (Kostanjšek 2005) was misidentified and the species should be omitted from the list.

Family Araneidae

Argiope lobata (Pallas, 1772)

The author (Polenec 1952) affiliates the species to Primorje, which in this case refers to coastal region of the former Yugoslavia. However, the species has never been recorded in Slovenia.

Araniella displicata (Hentz, 1847)

The single specimen (Kostanjšek 2005) was re-determined as *A. cucurbitina* (Clerck, 1757) by the author of the original paper.

Family Cybaeidae

Cybaeus angustiarum L. Koch, 1868

As the species is restricted to eastern parts of Central Europe, East and South-East Europe (Maurer 1992), the single specimen listed in Novak (2005b) most likely belongs to *Cybaeus tetricus* (C. L. Koch, 1839).

Family Dictynidae

Lathys nielseni (Schenkel, 1932)

The specimen listed in Čandek et al. (2013) has been re-determined as *Lathys humilis* (Blackwall, 1855) (Čandek et al. 2015).

Family Dysderidae

Dysdera erythrina (Walckenaer, 1802)

The specimen listed in Čandek et al. (2013) has been re-determined as *Dysdera adriatica* (Kulczyński, 1897) (Čandek et al. 2015).

Family Gnaphosidae

Callilepis nocturna (Linnaeus, 1758)

The single specimen (Kostanjšek 2005) was re-determined as *C. schuszteri* (Herman, 1879) by the author of the original paper.

Family Liocranidae

Scotina gracilipes (Blackwall, 1859)

The single record of the species in Slovenia (Polenec 1989) appears as “*S. palliardi* Reimoser, 1937 syn. *S. gracillipes* (Blackwall, 1859)”. Since these names are not synonyms (World Spider Catalog 2014) and the presence of *S. palliardi* in Slovenia is confirmed by other records (Bole 1980; Polenec 1981), we omitted *S. gracilipes* from the list.

Family Lycosidae

Alopecosa barbipes (Sundevall, 1833)

The species has an Atlantic distribution (Cordes and von Helversn 1990), and all Slovenian records belong to *A. accentuata* (Latireille, 1817).

Family Mimetidae

Ero cambridgei Kulczyński, 1911

The single specimen (Kostanjšek 2005) was re-determined as *E. tuberculata* (De Geer, 1778) by the author of the original paper.

Family Uloboridae

Uloborus glomosus (Walckenaer, 1841)

The species originally determined as *U. glomosus* (Kuntner 1994) was later re-determined as *U. plumipes*, Lucas, 1846 by the author (Kuntner and Šerec 2002). However, the re-determination was overlooked in a Slovenian fauna overview (Tarman 2003), where *U. glomosus* was falsely listed as introduced species.

Family Salticidae

Pellenes tripunctatus (Walckenaer, 1802)

The specimen listed in Čandek et al. (2013) has been re-determined as *Pellenes seriatus* (Thorell, 1875) (Čandek et al. 2015).

Sitticus zimmermanni (Simon, 1877)

The species encompass two altitudinally segregated species (Kronestedt and Logunov 2003) and since all Slovenian specimens were collected in alpine environments, the records belong to *S. atricapillus* (Simon, 1882).

Unconfirmed records

The following records were listed in the checklist of Yugoslav spiders (Nikolić and Polenec 1981) as expected in Slovenia, however their presence has not been confirmed.

- Agyneta arietans* (Cambridge, 1872)
Allomengea scopigera (Grube, 1859)
Altella lucida (Simon, 1874)
Anacotyle austera (Simon, 1884)
Araneus carbonarius (L. Koch, 1869)
Araneus ocellatus Clerck, 1757
Bolyphantes crucifer (Menge, 1866)
Bolyphantes index (Thorell, 1856)
Bolyphantes nigropictus Simon, 1884
Cheiracanthium oncognathum Thorell, 1871
Cheiracanthium seidlitzi L. Koch, 1864
Clubiona corticalis nigra, Simon, 1878
Coelotes pabulator Simon, 1875
Coelotes simoni, Strand, 1907
Dictyna sedilloti Simon, 1875
Dipoena convexa (Blackwall, 1870)
Dismodicus bifrons (Blackwall, 1834)
Drassodes canaglensis Di Caporiacco, 1926
Drassodes difficilis (Simon, 1878)
Drassodes fugax (Simon, 1878)
Drassodes luteomicans (Simon, 1878)
Drassodes lutescens (C.L. Koch, 1839)
Drassodes villosus (Thorell, 1856)
Drassodes vinosus (Simon, 1878)
Dysdera subsquarrosa Simon, 1914
Enoplognatha testacea Simon, 1884
Erigone atra Blackwall, 1833
Erigone remota L. Koch, 1869
Euophrys acriceps (Simon, 1871)
Euophrys rufibarbis (Simon, 1868)
Euophrys sulphurea (L. Koch, 1867)
Euophrys testaceozonata (Capoiracce, 1922)
Euryopis quinqueguttata Thorell, 1875
Gnaphosa petrobia L. Koch, 1872
Gongylidiellum latebricola (Cambridge, 1871)
Gongylidiellum murcidum Simon, 1884
Habnia muscicola Simon, 1875
Haplodrassus umbratilis (L. Koch, 1866)
Hylyphantes graminicola (Sundevall, 1830)
Kaestneria approximata (Cambridge, 1871)
Lepthyphantes culicinus Simon, 1884
Lepthyphantes frigidus Simon, 1884
Lepthyphantes monachus Simon, 1884
Lepthyphantes pulcher (Kulczyński, 1882)

<i>Microclubiona diversa</i> (Cambridge, 1862)
<i>Neottiura bimaculata pellucida</i> (Simon, 1873)
<i>Nothocyba laudata</i> (Cambridge, 1881)
<i>Olios argelasius</i> (Walckenaer, 1805)
<i>Pardosa paludicola</i> (Claerck, 1757)
<i>Pardosa proxima poetica</i> Simon, 1876
<i>Pardosa strigilata</i> Simon, 1876
<i>Pardosa torrentum</i> Simon, 1876
<i>Phlodromus emarginatus</i> (Schrank, 1803)
<i>Phlodromus glaucinus</i> Simon, 1870
<i>Phildromus vagulus</i> Simon, 1875
<i>Poeciloneta variegata</i> (Blackwall, 1841)
<i>Scotinotylus antennatus</i> (Cambridge, 1875)
<i>Sitticus rupicila</i> (C. L. Koch, 1837)
<i>Tegenaria picta</i> Simon, 1870
<i>Textris coarctata</i> (Dufour, 1831)
<i>Theridion aulicum</i> C. L. Koch, 1838
<i>Theridion instabile</i> Cambridge, 1871
<i>Theridion musivum</i> Simon, 1873
<i>Theridion varians rusticum</i> (Simon, 1873)
<i>Trachelas minor</i> Cambridge, 1872
<i>Trichoncus sordidus</i> Simon, 1884
<i>Xerolycosa albofasciata</i> (Brulle, 1832)
<i>Xysticus gortanii</i> Di Caporiacco, 1922
<i>Xysticus nubilus</i> Simon, 1875
<i>Xysticus parallelus</i> Simon, 1873
<i>Zelotes barbatus</i> (L. Koch, 1866)
<i>Zelotes civicus</i> (Simon, 1878)
<i>Zelotes talpinus</i> (L. Koch, 1866)

Nomina dubia

Family Hahniidae

Cryphoeca cavicola Caporiacco, 1938 (Brignoli 1976; Nikolić and Polenec 1981; Polenec 1978d)

Family Philodromidae

Philodromus corticinus (C. L. Koch, 1837) (Kostanjšek 2004b)

Family Linyphiidae

Porrhomma fonsfrigidum Drensky, 1929 (Kratochvíl 1936; Nikolić and Polenec 1981)
Porrhomma calypso (Bertkau, 1883) (Nikolić and Polenec 1981)

Family Gnaphosidae

Zelotes ater (Hentz, 1832) listed in (Nikolić and Polenec 1981)

Nomina nuda

The following genus-species combinations used by authors in parentheses have not been used in any taxonomic literature.

- Oxyptila blanckardii* (Bole 1980)
Gnaphosa bifasciata (Bole 1980)
Aranea clerkii (Scopoli 1763)
Aranea derhamii (Scopoli 1763)
Aranea forskaelii (Scopoli 1763)
Aranea goedarti (Scopoli 1763)
Aranea hasselquistii (Scopoli 1763)
Aranea hombergii (Scopoli 1763)
Aranea jonstoni (Scopoli 1763)
Aranea kalmii (Scopoli 1763)
Aranea kleinii (Scopoli 1763)
Aranea knorrii (Scopoli 1763)
Aranea linnaei (Scopoli 1763)
Aranea listeria (Scopoli 1763)
Aranea lyonetti (Scopoli 1763)
Aranea malpighii (Scopoli 1763)
Aranea mouffeti (Scopoli 1763)
Aranea osbekii (Scopoli 1763)
Aranea petiverii (Scopoli 1763)
Aranea podae (Scopoli 1763)
Aranea roberti (Scopoli 1763)
Aranea rolandri (Scopoli 1763)
Aranea schaefferi (Scopoli 1763)
Aranea solandri (Scopoli 1763)
Aranea uddmanni (Scopoli 1763)
Aranea wilkii (Scopoli 1763)
Aranea sebae (Scopoli 1772)
Lepthyphantes berolinensis (Polenec 1992)

Conclusions

We provided a critical review of all literature relevant for the Slovenian spider fauna, and provided the first comprehensive national species list. This tool will fill the void in cataloguing regional European spider faunas and allow country wide comparisons (Kuntner and Šerec 2002). Additionally, it will facilitate further araneological research in Slovenia, perhaps solidifying the already existing trend for a shift away from strictly

descriptive biology towards large scale revisionary, phylogenetic, ecological, biogeographical and experimental science. Such a shift would reinforce this species list's utility and value as baseline biological data.

Acknowledgements

We are grateful to A. Šalamun, B. Ivanek and M. Kotarac from CKFF (Centre for Cartography of Fauna and Flora) for managing the database and maintaining the on-line version of the checklist, and A. Kostanjšek for help with data records. Many thanks go to our colleagues who contributed to Slovenian araneology in recent years: I. Agnarsson, I. H. Baxter, M. Bedjanič, G. Bergthaler, U. Budja, A. Celestina, R.-C. Cheng, T. Delić, K. Čandek, C. Fišer, A. Floren, F. Gasparo, A. Gorjan, M. Gregorič, T. Knapič, C. Komposch, S. Kralj-Fišer, I. Kuntner, Ž. Kuralt, L. Katušić, T. Lokovšek, M. Řezáč, T. Novak, J. Müller, M. Pipan, S. Polak, B. Sket, N. Sivec, T. Tkavc, T. Trilar, P. Trontelj, M. Velkavrh, M. Zagmajster.

References

- Absolon K, Kratochvíl J (1932) Zur Kenntnis der höhlenbewohnenden Araneae der illyrischen Karstgebiete. Mitteilungen über Höhlen- und Karstforschung 3: 1–9. [*]
- Absolon K, Kratochvíl J (1933) Über höhlenbewohnende Arachniden. Acta Musei Moraviensis 29: 1–6. [*]
- Agnarson I (2004) Morphological phylogeny of cobweb spiders and their relatives (Araneae, Araneoidea, Theridiidae). Zoological Journal of the Linnean Society 141: 447–626. doi: 10.1111/j.1096-3642.2004.00120.x [*]
- Alicata P (1966) Le *Harpactea* (Araneae, Dysderidae) della fauna italiana e considerazioni sulla loro origine. Atti della accademia naturali in Catania 18: 190–221. [*]
- Arnedo MA, Coddington J, Agnarsson I, Gillespie RG (2004) From a comb to a tree: phylogenetic relationships of the comb-footed spiders (Araneae, Theridiidae) inferred from nuclear and mitochondrial genes. Molecular Phylogenetics and Evolution 31: 225–245. doi: 10.1016/S1055-7903(03)00261-6 [*]
- Balarin I, Polenec A (1984) Pauci, prirodni neprijatelj mrežaste stjenice platane. Zaštita bilja 35: 127–134. [*]
- Bedek J, Bilandžija H, Hamidović D, Cvitanović H, Dražina T, Jalžić B, Jalžić V, Kovač Konrad P, Lukić M, Miculinić K, Ozimec R, Pavlek M (2009) World Under World: Cave Fauna Biodiversity in Ogulin and Kamanje - Globally Important Subterranean Heritage Hidden in Karlovac Country. Croatian Biospelological Society, Zagreb, 79 pp. [*]
- Bedjanič M (1999) O nevretenčarjih. In: Vogrin MVN (Ed.) Krajinski park Rački ribniki – Požeg: vodnik. Društvo za proučevanje ptic in varstvo narave, Rače, 57–75, 124–126. [*]
- Blick T, Bosmans R, Buchar J, Gajdoš P, Hänggi A, Helsdingen PV, Růžička V, Starega W, Thaler K (2004) Checkliste der Spinnen Mitteleuropas. Checklist of the spider of Central

- Europe. (Arachnida: Araneae). Version 1, December 2004. http://www.arages.de/checklist.html#2004_Araneae [accessed on 10.01.2013]
- Blick T, Kleinhenz A, Büchs W (1995) *Cinetata gradata* (Araneae, Linyphiidae) auf einem Acker in Norddeutschland - mit Angaben zur Verbreitung. Beiträge zur Araneologie 4: 9–14. [*]
- Bohinec V (1926) Županova Jama. Geografski vestnik 2: 156–168. [*]
- Bole J (1974) Nevretenčarji Triglavskega narodnega parka. Proteus 36: 442–443.
- Bole J, Drovenik B, Brelih S, Kryšufek B, Polenec A (1980) Naravna in kulturna dediščina Slovenskega naroda: Floristične, vegetacijske in zoološke raziskave (M-618/3469/80). Ljubljana, 209 pp. [*]
- Bole J, Zupančič M, Šercelj A, Mayer E, Petkovšek V, Mršić N, Drovenik B (1982) Floristične, vegetacijske in zoološke raziskave (Poročilo za leto 1982). Naravna in kulturna dediščina Slovenskega naroda. Biološki inštitut Jovana Hadžija ZRC SAZU, Ljubljana, 70 pp. [*]
- Bole J, Drofnik B, Mršić N, Sket B (1993) Endemic animals in hypogean habitats in Slovenia. Naše Jame 35: 43–55. [*]
- Bosmans R (1997) Revision of the genus *Zodarion* Walckenaer, 1833, part II. Western and Central Europe, including Italy (Araneae: Zodariidae). Bulletin – British Arachnological Society 10: 265–294. [*]
- Bosmans R (2009) Revision of the genus *Zodarion* Walckenaer, 1833, part III. South East Europe and Turkey (Araneae: Zodariidae). Contributions to Natural History 12: 211–295. [*]
- Brigić A, Alegro A, Šegota V (2009) *Araneus alsine* – a rare and likely threatened spider of the Croatian fauna. Nat Croat 18: 39–48. [*]
- Brenčič M, Perpar I, Sket B (1999) Šimenkovo brezno. Naše Jame 41: 7–21.
- Brignoli PM (1971a) Beitrag zur Kenntnis der mediterranen Pholcidae (Arachnida, Araneae). Mitt Zool Museum Bd 47: 255–267. doi: 10.1002/mmzn.19710470203 [*]
- Brignoli PM (1971b) Contributo alla conoscenza dei ragni cavernicoli della Jugoslavia (Araneae). Fragmenta Entomologica 3: 103–119. [*]
- Brignoli PM (1975) Ragni d’Italia XXV. Su alcuni ragni cavernicoli dell’Italia settentrionale (Araneae). Notiziario del Circolo speleologico romano 20: 7–39. [*]
- Brignoli PM (1976) Ragni d’Italia XXVII. Nuovi dati su Agelenidae, Argyronetidae, Hahniidae, Oxyopidae e Pisauridae, cavernicoli ed epigei (Araneae). Quaderni del Museo di Speleologia “V Rivera” 2: 3–117. [*]
- Brignoli PM (1978) Araignées d’Italie, XXVIII. Une nouvelle *Stalita* cavernicole (Araneae, Dysderidae). Revue Arachnologique 2: 37–43. [*]
- Brignoli PM (1980) Secondo contributo alla conoscenza dei ragni cavernicoli della Jugoslavia (Araneae). Revue Suisse de Zoologie 87: 183–192. [*]
- Buchar J, Dolansky J (2011) New records of wolf spiders (Araneae: Lycosidae) in the Mediterranean. Klapalekiana 47: 5–11. [*]
- Buchar J, Polenec A (1974) Zur Lycosidenfauna Jugoslawiens (Araneae: Lycosidae). Věstník Československé zoologické společnosti 38: 81–85. [*]
- Buchar J, Thaler K (2002) Über *Pardosa atomaria* (C.L. Koch) und andere *Pardosa*-Arten an Geröllufern in Süd- und Mitteleuropa (Araneae: Lycosidae). Linzer biol Beitr 34: 445–465. [*]
- Buchar J, Thaler K (2004) Ein Artproblem bei Wolfsspinnen: Zur Differenzierung und vikarianten Verbreitung von *Alopecosa striatipes* (C. L. Koch) und *A. mariae* (Dahl) (Araneae,

- Lycosidae). In: Thaler K (Ed.) Diversität und Biologie von Webspinnen, Skorpionen und anderen Spinnentieren. Denisia 12. Biologiezentrum/Oberösterreichisches Landesmuseum, Linz, 271–280. [*]
- Budihna N, Šumer S, Zabric D, Bertok M (1996) Ihtioloska raziskava Selške in skupne Sore. Zavod za ribištvo, Ljubljana, 99 pp. [*]
- Budja U (2008) Primerjava ocen vrstne pestrosti pajkov (Arachnida: Araneae) v treh gozdovih v Sloveniji. BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Capriacco L (1938) Arachnidi cavernicoli e lucifigi di Postumia. Le Grotte d'Italia 2: 36–41. [*]
- Capriacco L (1949) Aracnidi della Venezia Giulia. Atti del Museo civico di Storia Naturale di Trieste 17: 137–151. [*]
- Carnelutti J (1986) Proučenost favne žuželk v Sloveniji. Vršac. [*]
- Cordes D, von Helversen O (1990) Indications for the exsistance of *Albopecosa barbipes* (Sun-devall 1832) as a sibling species to *Alopecosa accentuata* (Latreille 1817) – Results of morphological, ethological and biogeographical studies. Comptes rendus du XIIème Colloque européen d'Arachnologie, Paris, 70–74.
- Čandek K, Gregorič M, Kostanjšek R, Frick H, Kropf C, Kuntner M (2013) Targeting a portion of central European spider diversity for permanent preservation. Biodiversity Data Journal 1: 1–98. doi: 10.3897/BDJ.1.e980 [*]
- Čandek K, Gregorič M, Kostanjšek R, Frick H, Kropf C, Kuntner M (2015) Corrigendum: Targeting a portion of central European spider diversity for permanent preservation. Biodiversity Data Journal 3: e4301. doi: 10.3897/BDJ.3.e4301 [*]
- Damin N (1900) Pauci Dalmacije, Hrvatske, Slavonije i Istre. Rad 134 Jug Akad znan umjetn. [*]
- Decae AE (2010) Diversity and distribution of mygalomorph spiders in the Mediterranean region. PhD thesis, University of Gent, Gent, Belgium. [*]
- Deeleman-Reinhold CL (1971a) Beitrag zur Kenntnis der höhlenbewohnender Dysderidae (Araneida) aus Jugoslawien. Razprave Slov Ak Znan Umetn 14: 95–120. [*]
- Deeleman-Reinhold CL (1971b) Subterranean evolution and distribution pattern in the linyphiid genus *Troglohyphantes* Joseph, with special reference to the Yugoslavian species. Arachnologorum congressus internationalis V: 89–97. [*]
- Deeleman-Reinhold CL (1973a) Notes sur l'évolution régressive dans le genre *Troglohyphantes* Joseph (Araneae, Linyphiidae) dans les grottes Yougoslaves. In: Proceedings of the 6th International Congress of Speleology. Olomouc, 57–63. [*]
- Deeleman-Reinhold CL (1973b) Relations taxonomiques entre les *Troglohyphantes* (Linyphiidae) cavernicoles et les formes habitant les terriers des petits Mammifères. Proceedings of the 6th International Congress of Speleology. Olomouc, 59–63. [*]
- Deeleman-Reinhold CL (1975) Distribution patterns in European cave spiders. In: Proc Int Symp Cave Biol. Oudtshoorn, 25–36. [*]
- Deeleman-Reinhold CL (1977a) Les araignées du genre *Rhode* de Yougoslavie (Araneae, Dysderidae). International Journal of Speleology 9: 251–266. doi: 10.5038/1827-806X.9.3.4 [*]
- Deeleman-Reinhold CL (1977b) On the affinities of some Yugoslavian troglobitic spiders. Proceedings of 7th International Congress of Speleology, 146–150.

- Deeleman-Reinhold CL (1978) Revision of the Cave-Dwelling and Related Spiders of the Genus *Troglohyphantes* Joseph (Linyphiidae), with Special Reference to the Yugoslav Species. SAZU, Ljubljana. [*]
- Deeleman-Reinhold CL (1980) Remarks on troglobiotism in spiders. 8th Internationaler Arachnologen-Kongress, Wien, 433–438. [*]
- Deeleman-Reinhold CL (1981) Remarks on origin and distribution of troglobitic spiders. In: Proceedings of the 8. international congress of speleology, 305–308. [*]
- Deeleman-Reinhold CL (1983) The genus *Histopona* Thorell (Araneae, Agelenidae) with description of two new cave-dwelling species. Mémoires de Biospéologie 10: 325–337. [*]
- Deeleman-Reinhold CL (1985) Contribution à la connaissance des *Leptophantes* du groupe palidus (Araneae, Linyphiidae) de Yougoslavie, Grèce et Chypre. Mémoires de Biospéologie 12: 37–50. [*]
- Deeleman-Reinhold CL (1993) The genus *Rhode* and the harpacteine genera *Stalagtia*, *Folkia*, *Minotauria*, and *Kaemis* (Araneae, Dysderidae) of Yugoslavia and Crete, with remarks on the genus Harpactea. Revue Arachnologique 10: 105–135. [*]
- Deeleman-Reinhold CL, Deeleman PR (1988) Revision des Dysderinae. Tijdschrift voor Entomologie 131: 141–269. [*]
- Deltshev C (1999) A faunistic and zoogeographical review of the spiders (Araneae) of the Balkan peninsula. Journal of Arachnology 27: 255–261. [*]
- Deltshev C (2005) Fauna and zoogeography of spiders (Araneae) in Bulgaria. The Journal of Arachnology 33: 306–312. doi: 10.1636/CH05-6.1 [*]
- Deltshev C (2008) Faunistic diversity and zoogeography of cave-dwelling spiders in the Balkan Peninsula. In: Makarov SE, Dimitrijević RN (Eds) Advances in Arachnology and Developmental Biology. Papers dedicated to Prof. Dr. Božidar Ćurčić. Monographs 12, Vienna-Belgrade-Sofia, 327–348. [*]
- Doblika K (1853) Beitrag zur Monographie des Spinnengeschlechtes *Dysdera*. Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien 3: 115–124. [*]
- Doleschall L (1852) Systematisches Verzeichniss der im Kaiserthum Österreich vorkommenden Spinnen. Sitzungsbereite der Keisern Akademie Wissenschaften 9: 622–651. [*]
- Drenski P (1936) Katalog der echten Spinnen (Aranea) der Balkanhalbinsel. Sbornik na Balgarskata Akademia na Naukite 32: 1–223. [*]
- Droveník B (1971) O jamski favni Domžal in Moravč. Naše jame 13: 41–44. [*]
- Fage L (1919) Etudes sur les Araigenees cavernicoles III. le Genere *Troglohypanthes*. Biospeologica XL, Archives de Zoologie expérimentale et générale 85: 55–148. [*]
- Fage L (1931) Araneae cinquième série, précédée d'un essai sul l'évolution souterraine et son déterminisme. Biospeologica LV, Archives de Zoologie expérimentale et générale 71: 99–291. [*]
- Ferk M, Lipar M (2011) Jame v Udin borštu. Bilten, Jamarski klub Železničar 28: 44–47. [*]
- Finch O-D, Blick T, Schmidt A (2008) Macroecological patterns of spider species richness across Europe. Biodiversity & Conservation 17: 2849–2868. doi: 10.1007/s10531-008-9400-x
- Fišer C, Kostanjšek R (2001) Prispevek k poznovanju pajkov skakačev v Sloveniji (Araneae, Salticidae). Natura Sloveniae 3: 33–40. [*]

- Franc V (2004) Contribution on the knowledge on spiders (Araneae) of Strážovské vrchy Mts. In: Proceedings of the conference Belušské Slatiny. Belušské Slatiny, 67–76. [*]
- Fuhn JE, Polenec A (1967) Über die innerartliche Gliederung von *Nemesia pannonica* Herman. Senckenbergiana biologica 48: 295–300. [*]
- Gasparo F (1995) La fauna delle grotte delle acque carsiche sottolitorale della Venezi Giulia, stato delle ricerche e check list dell specie cavernicole. Atti e Memorie della Commissione Grotte “E Boegan” 32: 17–22.
- Gasparo F (1996) Sulla presenza del genere *Stalita* Schioedte (Araneae, Dysderidae) in Friuli (Italia nordorientale). Atti e Memorie della Commissione Grotte “E Boegan” 33: 47–53. [*]
- Gasparo F (2000) Notes on the synonymies and distribution of two species of the genus *Troglhyphantes* Joseph, 1881, from Eastern Alps (Araneae, Linyphiidae). Gortania – Atti Museo Friul di Storia Naturale 22: 201–209. [*]
- Gasparo F, Thaler K (2000) I ragni cavernicoli della Venezia Giulia (Italia nord-orientale) (Arachnida, Araneae). Atti e Memorie della Commissione Grotte “E Boegan” 37: 17–55. [*]
- Giltay L (1932) Arachnides recueillis par M. D’Orchymont au cours de ses voyages aux Balkans et en Asie Mineure en 1929, 1930 et 1931. Bulletin du Musée Royal d’Histoire Naturelle de Belgique 8: 1–40. [*]
- Gogala A (1985) Mravljeliko. Proteus 47: 211–212. [*]
- Gorjan A (2014) Diversity of ground spiders in vicinity of Solkan. BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Gorjan A, Fišer C (2010) Comparison of dynamics of ground spider species communities in two different habitats. Acta Zool Bulg 62(2): 181–185.
- Gregori J (1980) Zelenci, izvir Save Dolinke. Zbirka vodnikov kulturni in naravnih spomenikov Slovenije 97. Zavod SR Slovenije za varstvo naravnih in kulturnih dediščin, Ljubljana. 30 pp. [*]
- Gregorič M (2008) Interspecific differences in web architecture of the spider genus *Zygiella* (Araneae: Araneidae): a behavioural approach to taxonomic problems. BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Gregorič M, Kuntner M (2009) Epigeian spider diversity of the classical Karst. Hacquetia 8: 67–78. doi: 10.2478/v10028-009-0005-z [*]
- Grimm U (1985) Die Gnaphosidae Mitteleuropas (Arachnida, Araneae). Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg 26: 1–318. [*]
- Grimm U (1986) Die Clubionidae Mitteleuropas: Corinninae und Liocraninae. Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg 27: 1–91. [*]
- Hafner M (1925) Alpski varstveni park v Dolini sedmerih jezer. Geografski vestnik 1: 62–65. [*]
- Hamann O (1896) Europäische Höhlenfauna. Hermann Costenoble, Jena, 296 pp. [*]
- Joseph G (1881) Erfahrungen im wissenschaftlichen Sammeln und Beobachten der den Krainer Tropfsteingrotten eigenen Arthropoden. Berliner Entomologische Zeitschrift 25: 233–282. doi: 10.1002/mmnd.18810250214 [*]
- Joseph G (1882) Systematisches Verzeichnis der in den Tropfstein-Grotten von Krain einheimischen Arthropoden nebst Diagnosen der vom Verfasser entdeckten und bisher noch nich beschriebenen Arten. Berliner entomologische Zeitschrift 26: 4–104. [*]
- Kalan G, Petkovšek M, Uratarič N, Polutnik M, Tomažič M (2007) Carne. Zavod RS za varstvo narave, Območna enota Celje, Celje. [*]

- Kaligarič M (1996) Še o bogomolki. *Proteus* 59: 1–139. [*]
- Kiauta B, Leben F (1960) Sistematski opis jam v okolici Škofje Loke. *Loški razgledi* 7: 157–178. [*]
- Kmecl P (2000) Cerkniško jezero. In: Polak S (Ed.) Mednarodno pomembna območja za ptice v Sloveniji [Important Bird Areas (IBA) in Slovenia]. Društvo za opazovanje in proučevanje ptic Slovenije, Ljubljana, 107–117. [*]
- Knapič T (2012) Biogeographic analysis of European species of spider genus *Evarcha* (Aranea, Salticidae). BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Knoflach B (1994) Zur Genitalmorphologie und Biologie der *Crustulina*-Arten Europas (Arachnida: Araneae, Theridiidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 67: 377–442. [*]
- Knoflach B (1996) Die Arten der *Steatoda phalerata*-Gruppe in Europa (Arachnida, Araneae, Theridiidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 69: 377–404. [*]
- Knoflach B, Thaler K (2000) Notes on Mediterranean Theridiidae (Araneae) - I. *Memorie della Società entomologica italiana* 78: 411–442. [*]
- Komposch C, Steinberger K-H (1999) Rote Liste der Spinnen Kärntens (Arachnida: Araneae). *Naturschutz in Kärnten* 15: 567–618. [*]
- Kostanjšek R (2000) Poročilo o delu araneološke skupine. In: Govedič M (Ed.) Raziskovalni tabor študentov biologije Šalovci '99. Zveza organizacij za tehnično kulturo Slovenije, Gibanje znanosti mladini, Ljubljana, 35–37. [*]
- Kostanjšek R (2001) Poročilo o delu araneološke skupine na študentskem raziskovalnem taboru Cerkno '00. In: Gergeli A (Ed.) Raziskovalni tabor študentov biologije Cerkno 2000. Zveza za tehničko kulturo Slovenije, Ljubljana, 30–34. [*]
- Kostanjšek R (2002a) Poročilo o delu araneološke skupine. In: Gergeli A (Ed.) Raziskovalni tabor študentov biologije Semič 2001. Zveza za tehnično kulturo Slovenije, Ljubljana, 23–26. [*]
- Kostanjšek R (2002b) Poročilo o delu araneološke skupine. In: Planinc G, Presetnik P (Eds) Raziskovalni tabor študentov biologije Videm pri Ptuju 2002. Društvo študentov biologije, Ljubljana, 29–31. [*]
- Kostanjšek R (2003) Araneološka skupina. In: Ferletič U (Ed.) Pomladni biološki raziskovalni dnevi v Sv Petru nad Dragonjo 2003. Društvo študentov biologije, Ljubljana, 6–11. [*]
- Kostanjšek R (2004a) A contribution to the knowledge of the spider fauna of the wider Haloze region (northeast Slovenia). *Natura Sloveniae* 6: 5–13. [*]
- Kostanjšek R (2004b) Poročilo o delu araneološke skupine. In: Planinc G (Ed.) Raziskovalni tabor študentov biologije Žirovnica 2003. Društvo študentov biologije, Ljubljana, 27–30. [*]
- Kostanjšek R (2005) Poročilo o delu araneološke skupine. In: Planinc G (Ed.) Raziskovalni tabor študentov biologije Dekani 2004. Društvo študentov biologije, Ljubljana, 31–35. [*]
- Kostanjšek R (2007) Poročilo o delu araneološke skupine. In: Polajnar J, Stanković D (Eds) Raziskovalni tabor študentov biologije Lovrenc na Pohorju 2005. Društvo študentov biologije, Ljubljana, 33–38. [*]
- Kostanjšek R (2010) A contribution to the Slovenian spider fauna. I. *Nat Slov* 12: 23–33. [*]
- Kostanjšek R (2011) Poročilo o delu araneološke skupine. In: Vinko D, Erbida N (Eds) Raziskovalni tabor študentov biologije, Most na Soči 2010 = Biology Students Research Camp, Most na Soči 2010. Društvo študentov biologije, Ljubljana, 56–59. [*]

- Kostanjšek R (2012) Tujerodne vrste pajkov. In: Jogan N, Bačič M, Strgulc Krajšek S (Eds) Neobiota Slovenije. Ljubljana, 192–193. [*]
- Kostanjšek R (2013) Poročilo o delu skupine za pajke. In: Presetnik P, Stanković D (Eds) Raziskovalni tabor študentov biologije, Cerknica 2006. Društvo študentov biologije, Ljubljana, 17–23. [*]
- Kostanjšek R (2014) Poročilo o delu araneološke skupine. In: Sivec N, Bačič M (Eds) Raziskovalni tabor študentov biologije, Mokronog 2009. Društvo študentov biologije, Ljubljana, 30–33. [*]
- Kostanjšek R, Celestina A (2008) New records on synanthropic spider species (Arachnida: Araneae) in Slovenia. *Natura Sloveniae* 10: 51–55. [*]
- Kostanjšek R, Fišer C (2005) New records of jumping spiders (Araneae: Salticidae) for Slovenia. *Natura Sloveniae* 7: 5–11. [*]
- Kostanjšek R, Gorjan A (2013) A contribution to the Slovenian spider fauna – II. *Natura Sloveniae* 15: 5–12. [*]
- Kostanjšek R, Kuntner M (2002) Poročilo o delu araneološke skupine. In: Govedič M (Ed.) Raziskovalni tabor študentov biologije Šempas '98. Zveza za tehnično kulturo Slovenije, Gibanje znanosti mladini & Društvo študentov biologije, Ljubljana, 23–25. [*]
- Kostanjšek R, Miller J (2004) New records of sheet web spiders from Slovenia (Arachnida: Araneae: Linyphiidae). *Natura Sloveniae* 6: 5–10. [*]
- Kostanjšek R, Ramšak L (2005) *Psilochorus simoni* (Berland, 1911) (Araneae, Pholcidae), a new record for Slovenian fauna from Postonjska jama cave. *Natura Sloveniae* 7: 37–40. [*]
- Kralj-Fišer S, Gregorič M, Lokovšek T, Čelik T, Kuntner M (2013) A glimpse into the sexual biology of the “zygiellid” spider genus Leviellus. *Journal of Arachnology* 41: 387–391. doi: 10.1636/Hi13-08.1 [*]
- Kranjc A, Novak T (1977) Golarjev ali Jamniški pekel pod Olševo. *Naše Jame* 19: 29–36. [*]
- Kratochvíl J (1933) Les espèces européennes de la Famille Nesticidae Dahl. *Prace Moravské prirodovedecké společnosti* 8: 2–69. [*]
- Kratochvíl J (1934) Liste générale des Araignées cavernicoles en Yougoslavie / Pregled pećinskih paukova u Jugoslaviji. *Prirodoslovne razprave* 2: 165–226. [*]
- Kratochvíl J (1935) Araignées nouvelles ou non encore signalees en Yougoslavie. *Folia Zoologica* 3: 10–25. [*]
- Kratochvíl J (1936) Nouveau genere d'Araignes cavernicoles en Yougoslavie: *Typhlonyphia reimoseri* n. gen. n. sp. *Věstník Československé zoologické společnosti* 3: 69–79. [*]
- Kratochvíl J (1939) A propos des deux Araignées cavernicoles de Yougoslavie. *Věstník Československé zoologické společnosti* 6–7: 278–289. [*]
- Kratochvíl J (1948) Étude sur les araignées cavernicoles du genre *Stygohyphantes* gen. nov.. *Věstník Československé zoologické společnosti* 12: 3–24. [*]
- Kratochvíl J (1970) Cavernicole Dysderae. *Přírodovědné práce Ústavu Československé akademie věd v Brně* 4: 1–62. [*]
- Kratochvíl J, Miller F (1940) Neue Höllenspinnen der Gattung *Tegenaria* aus Jugoslawien. *Zoologischer Anzeiger* 131. [*]
- Kronestedt T, Logunov DV (2003) Separation of two species standing as *Sitticus zimmermanni* (Simon, 1887) (Araneae, Salticidae), a pair of altitudinally segregated species. *Revue Suisse de zoologie* 110(4): 855–873.

- Kulczyński V (1915) Fragmenta arachnologica, X. XVIII. Aranearum species nonnullae novae aut minus cognitae. Descriptiones et adnotaciones. Bulletin international de l'Académie des Sciences de Cracovie 9–10B: 57–942. [*]
- Kuntner M (1994) Ameriski pajek *Uloborus glomosus* najden v Sloveniji. Proteus 57: 130. [*]
- Kuntner M (1996) Prispevek k poznavanju favne pajkov Kozjanskega, vzhodna Slovenija (Arachnida: Araneae). / Contribution to the knowledge of the spider fauna of the Kozjansko region, eastern Slovenia. In: Bedjanic M (Ed.) Raziskovalni tabor studentov biologije Kozje '95. Zveza organizacij za tehnicno kulturo, Gibanje znanost mladini, Ljubljana, 49–60. [*]
- Kuntner M (1997a) A contribution to the knowledge of the Slovenian spider fauna: eleven species new for Slovenia and some other interesting findings (Arachnida, Araneae). In: Zabka M (Ed.) Proc 16th European Colloquium of Arachnology. Siedlce, Poland, 165–172. [*]
- Kuntner M (1997b) Jumping spiders new to Slovenia (Arachnida: Araneae: Salticidae). Acta Entomologica Slovenica 5: 117–122. [*]
- Kuntner M (1997c) Pajki (Araneae). In: Pobolsaj K (Ed.) Inventarizacija flore, favne in vegetacije in Porocilo o vplivih na okolje na obmocju zadrzevalnika Dritijscica na odsek AC Blagovica - Sentjakob. Prirodoslovni muzej Slovenije, Ljubljana, 1–6. [*]
- Kuntner M (1997d) Prispevek k poznavanju favne pajkov jugozahodne Slovenije in ugotavljanje vrstnega bogastva pajkov gozdna na Brkinih (Arachnida: Araneae). In: Bedjanic M (Ed.) Raziskovalni tabor studentov biologije Podgrad '96. Zveza organizacij za tehnicno kulturo, Gibanje znanost mladini, Ljubljana, 11–32. [*]
- Kuntner M (1998) Primerjava zgradbe dihal pri jamskih in površinskih vrstah pajkov (Araneae: Dysderidae). BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Kuntner M (1999a) Poročilo araneološke skupine. In: Govedič M (Ed.) Raziskovalni tabor študentov biologije Središče ob Dravi '97. Zveza za tehnično kulturo Slovenije, Gibanje znanost mladini, Ljubljana, 51–54. [*]
- Kuntner M (1999b) Prispevek k poznavanju favnistike in ekologije pajkov severovzhodne Slovenije (Arachnida: Araneae). Natura Sloveniae 1: 29–44. [*]
- Kuntner M (2001) Analiza biotske raznovrstnosti za področje pajkov. Ekspertne študije za Pregled stanja biotske raznovrstnosti in krajinske pestrosti v Sloveniji. Ministrstvo za okolje in prostor, ARSO, Ljubljana, 83–91. [*]
- Kuntner M, Baxter IH (1997) A preliminary investigation of spider species richness in an eastern Slovenian broadleaf forest. In: Zabka M (Ed.) Proceedings of 16th European Colloquium of Arachnology. Siedlce, Poland, 173–182. [*]
- Kuntner M, Coddington JA, Hormiga G (2008) Phylogeny of extant nephilid orb-weaving spiders (Araneae, Nephilidae): Testing morphological and ethological homologies. Cladistics 24: 147–217. doi: 10.1111/j.1096-0031.2007.00176.x [*]
- Kuntner M, Komposch C, Podgornik G, Kreuels M (2007) Veliki obrežni volkec *Arctosa cinerea* - evropski pajek leta 2007. Proteus 69: 364–366. [*]
- Kuntner M, Kostanjsek R (2000) Prispevek k poznavanju favne pajkov zahodne Slovenije (Arachnida: Araneae). Natura Sloveniae 2: 13–28. [*]

- Kuntner M, Kostanjšek R, Coddington JA (1999a) Assessing spider species richness in two forests of submediterranean Slovenia. In: Ramjohn CLMS (Ed.) Proceeding of 23rd Annual Meeting of the American arachnological society. Department of Life Science: University of the West Indies, St. Augustine, Trinidad & Tobago, 23 pp.
- Kuntner M, Sket B, Blejec A (1999b) A comparison of the respiratory systems in some cave and surface species of spiders (Araneae, Dysderidae). *Journal of Arachnology* 27: 142–148. [*]
- Kuntner M, Šereg I (2002) Additions to the spider fauna of Slovenia, with a comparison of spider species richness among European countries. *Bulletin – British Arachnological Society* 12: 185–195. [*]
- Kuštor V (2006) Krajinski park Goričko živi z naravo. Javni zavod Krajinski park Goričko, Grad, 96 pp. [*]
- Kuštor V, Novak T (1980) Živi svet podzemlja (Vodnik 5: Kraška muzejska zborka Inštituta za raziskovanje krasa SAZU). Inštitut za raziskovanje krasa SAZU, Postojna. [*]
- Lämmermayr L (1915) Die Höhle: Bilder vom Leben und den Wundern unter Tag. Deutsche Naturwissenschaftliche Gesellschaft Geschäftsstelle. Theod. Thomas Verlag, Leipzig, 87 pp. [*]
- Le Peru B (2011) The Spiders of Europe, a synthesis data. Memoires de la societe Linneenne de Lyon, 522 pp. [*]
- Maurer R (1982a) Zur Kenntnis der Gattung *Coelotes* (Araneae, Agelenidae) in Alpenländern I. *Revue suisse de Zoologie* 89: 313–336. [*]
- Maurer R (1982b) Zur Kenntnis der Gattung *Coelotes* (Araneae: Agelenidae) in den Alpenländern. II. *Bollettino del Museo civico di storia naturale di Verona* 8: 165–183. [*]
- Maurer R (1992) Zur Gattung *Cybaeus* im Alpenraum (Araneae: Agelenidae, Cybaeinae). *Revue Suisse de zoologie* 92: 147–162. [*]
- Megušar F (1914) Oekologischen Studien an Höhlentieren. Carniola 5: 63–83. [*]
- Miller F, Kratochvíl J (1940) Ein Beitrag zur Revision der mitteleuropäischen Spinnenarten aus der Gattung *Porrhomma* E. Sim. *Zoologischer Anzeiger* 130: 161–190. [*]
- Miller F, Polenec A (1975a) *Centrophantes* gen. n. und zwei neue *Leptyphantes* Arten aus Slowenien (Chelicerata: Aranea). *Věstník Československé zoologické společnosti* 39: 126–134. [*]
- Miller F, Polenec A (1975b) Neue *Troglohyphantes*-Arten aus Slowenien (Araneae-Linyphiidae). *Acta entomologica bohemoslovaca* 72: 55–61. [*]
- Millidge AF (1979) Some erigonine spiders from southern Europe. *Bulletin - British Arachnological Society* 4: 316–328. [*]
- Mršić N (1997) Biotska raznovrstnost v Sloveniji – Slovenija – ‘vroča točka’ Evrope – Biotic diversoty in Slovenia – the ‘hot spot’ of Europe. Ministrstvo za okolje in prostor, Uprava RS za varstvo narave, Ljubljana, 129 pp. [*]
- Nentwig W, Blick T, Gloor D, Hänggi A, Kropf C (2014): Araneae, Spiders of Europe. <http://www.araneae.unibe.ch/> [accessed on 01.08.2014]
- Nentwig W, Kobelt M (2010) Spiders (Araneae). In: Roques A et al. (Eds) Alien terrestrial arthropods of Europe. BioRisk, 131–147. [*]
- Neuhäuser L, Paill W, Komposch C (1995) Arachnida & Insecta - Sampling methods, determination, systematics, faunistics, ecology and biology. In: Bedjanič M (Ed.) Tabor študentov biologije Raka '92, Smast '93, Črneče '94. Zveza organizacij za tehnično kuluro Slovenije, Ljubljana, 45–50. [*]

- Nikolić F (1957) Über die geographische Verbreitung und Abstammung der unterirdischen Spinnen in Jugoslawien. Verhandlungen der Deutschen Zoologischen Gesellschaft in Graz 1957: 487–494. [*]
- Nikolić F (1961) Prilog poznavanju geografskog rasprostranjenja i porijekla podzemnih paukova u Jugoslaviji. II. jugoslovenski speleološki kongres, Split i Dalmatinska Zagora, 189–197. [*]
- Nikolić F (1963) Pauci iz nekih pećina Slovenije. III. jugoslovenski speleološki kongres, Sarajevo, 157–167. [*]
- Nikolić F, Polenec A (1981) Aranea. Slovenska akademija znanosti in umetnosti, Ljubljana, 131 pp. [*]
- Novak T (1971) Še o Hudi luknji. Proteus 34: 127–128. [*]
- Novak T (1981) Prispevek k poznavanju dinamike favne treh štajerskih jam. BSc thesis, University of Ljubljana, Ljubljana. [*]
- Novak T (2005a) Karbelova jama. In: Gradišnik A et al. (Eds) Dravograd: na stičišču poti. Občina Dravograd, Dravograd, 177–179. [*]
- Novak T (2005b) Terrestrial fauna from cavities in northern and central Slovenia, and a review of systematically ecologically investigated cavities. Acta carsologica 34: 169–210. [*]
- Novak T, Kuštor V, Kranjc A, Sivec N (1981) Prispevek k poznavanju razporeditve favne v velikih rovih. Acta carsologica 9: 149–175. [*]
- Novak T, Kuštor V (1982) Zur Fauna der Wände dreier Höhlen Nordostsloweniens (Jugoslawien). Die Höhle 33: 82–89. [*]
- Novak T, Sambol J, Janžekovič F (2004) Faunal dynamics in the Železna jama cave. Acta carsologica 33: 249–267. [*]
- Novak T, Sivec N (1976) Biološke raziskave v pegmatitnih jamah pri Ravnah. Naše jame 18: 39–45. [*]
- Novak T, Tkavc T, Kuntner M, Arnett AE, Lipovšek Delakorda S, Perc M, Janžekovič F (2010) Niche partitioning in orbweaving spiders *Meta menardi* and *Metellina merianae* (Tetragnathidae). Acta oecologica 36: 522–529. doi: 10.1016/j.actao.2010.07.005 [*]
- Novak V (1967) *Stalita taenaria* Schiödte s posebnim ozirom na dihalo. BSc thesis, University of Ljubljana, Ljubljana. [*]
- Pavlek M, Ozimec R (2009) New cave-dwelling species of the genus *Troglohyphantes* (Araneae, Linyphiidae) for the Croatian fauna. Natura Croatica 18: 29–37. [*]
- Perko G (1910) Die Adelsberger grotte in Wort und Bild. Komitee für den Bau eines internationalen museums für höhlenkunde in Adelsberg, Adelsberg. [*]
- Pesarini C (1989) Note su alcune specie italiane di *Troglohyphantes* Joseph, con descrizione di sei nuove specie (Araneae Linyphiidae). Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano 130: 229–246. [*]
- Pipan T, Navodnik V, Janžekovič F, Novak T (2008) Studies of the fauna of percolation water of Huda luknja, a cave in isolated karst in northeast Slovenia. Acta carsologica 37: 141–151. [*]
- Pokorný A (1853) Zoologische Ausbeute der Karsthöhle (Versammlung am 19. Jänner). Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien, Wien, 24–27. [*]
- Polak S (1994) Poročilo speleobiološke skupine. In: Žolgar I (Ed.) Ekološko-raziskovalni tabor "Cerkniško jezero '94". Maldi forum Združene liste, 35–49. [*]

- Polak S (1997) Prispevek k poznavanju podzemeljske favne nekaterih jamskih objektov Matarškega podolja. In: Bedjanic M (Ed.) Raziskovalni tabor studentov biologije Podgrad '96. Zveza organizacij za tehnicno kulturo, Gibanje znanosti mladini, Ljubljana, 45–54. [*]
- Polak S, Bedek J, Ozimec R, Zakšek V (2012) Subterranean fauna of twelve Istrian caves. *Annales Series Historia Naturalis* 22: 7–24. [*]
- Polenec A (1952) Pajki snubači. *Proteus* 14: 228–233. [*]
- Polenec A (1954) O proučevanju pajkov Slovenije. *Biološki vestnik* 3: 172–174. [*]
- Polenec A (1957) Ekološka raziskavanja terestrične, posebej arahnidske favne v nekaterih tipih gozdov Slovenije. PhD thesis, University of Ljubljana, Ljubljana. [*]
- Polenec A (1958) Ekološka raziskovanja arahnidske favne iz nekaterih gozdnih tipov v okolici Kranja. *Biološki vestnik* 6: 92–117. [*]
- Polenec A (1959) Pajki iz okolice Crnogroba. *Loški razgledi* 6: 76–82. [*]
- Polenec A (1960) Pajki iz Male Hrastnice. *Loški razgledi* 7: 184–189. [*]
- Polenec A (1961a) Pajki pozimi. *Proteus* 24: 116–117. [*]
- Polenec A (1961b) Pajki v jeseni. *Proteus* 24: 21–22. [*]
- Polenec A (1961c) Posebnosti med našimi pajki. *Proteus* 23: 169–174. [*]
- Polenec A (1961d) Terestrična arahnidska favna na južnih pobočjih Storžiča. *Biološki vestnik* 9: 109–117. [*]
- Polenec A (1962a) Arahnidska favna in asociacije pozimi. *Biološki vestnik* 10: 71–114. [*]
- Polenec A (1962b) Hišni pajki. *Proteus* 24: 208–210. [*]
- Polenec A (1962c) Svatovanja pajkov pozimi (Raziskovanja pajkov v Mali Hrastnici). *Loški razgledi* 9: 66–70. [*]
- Polenec A (1963a) Kako spreminja barvo cvetni pajek. *Proteus* 25: 57–58. [*]
- Polenec A (1963b) Kako svatuje naš najlepši pajek. *Proteus* 25: 97–100. [*]
- Polenec A (1963c) Nega zaroda pri pajkih. *Proteus* 25: 161–165. [*]
- Polenec A (1963d) Raziskovanje pajkov v Selški dolini. *Loški razgledi* 10: 59–66. [*]
- Polenec A (1963e) Terestrična arahnidska favna v gozdovih pod Nanosom. *Biološki vestnik* 11: 79–88. [*]
- Polenec A (1964a) Ekološka raziskovanja arahnidske favne v *Anemone-Fagetum* v Bohinju. *Biološki vestnik* 12: 133–146. [*]
- Polenec A (1964b) Pajki iz Selške in Poljanske doline. *Loški razgledi* 11: 175–182. [*]
- Polenec A (1965a) Ekološka in favnistična raziskovanja arahnidske favne v Bohinju. *Varstvo narave* 4: 61–67. [*]
- Polenec A (1965b) Raziskovanje arahnidske favne na Krasu. Nasad črnega bora (*Pinus nigra* Arn.) v združbi *Seslerio autumnalis-Ostryetum* pri Divači. *Biološki vestnik* 13: 77–85. [*]
- Polenec A (1966a) Ein ökologisch-faunistischer Beitrag zur Arachnidenfauna Sloweniens. *Biološki vestnik* 14: 109–113. [*]
- Polenec A (1966b) Pajki z Loškega pogorja (Stari vrh, 1205 m). *Loški razgledi* 13: 105–112. [*]
- Polenec A (1967a) Pajki z Blegoša. *Loški razgledi* 14: 98–105. [*]
- Polenec A (1967b) Raziskovanje arahnidske favne v *Abieto-Fagetum austroalpinum* na Jezerskem. *Biološki vestnik* 15: 79–85. [*]
- Polenec A (1968a) Pajki z Ratitovca. *Loški razgledi* 15: 177–183. [*]

- Polenec A (1968b) Raziskovanje terestrične arahnidske favne na Krasu. Pašniško področje v rastlinski združbi *Seslerio autumnalis-Ostryetum* pri Divači. Biološki vestnik 16: 77–85. [*]
- Polenec A (1969a) Favnistično ekološka raziskovanja arahnidske favne na Nanosu. Biološki vestnik 17: 113–123. [*]
- Polenec A (1969b) Pajki s Pasje ravni (1030 m). Loški razgledi 16: 210–217. [*]
- Polenec A (1969c) Zur Kenntnis der Mikrokavernikolen Spinnen-Arten Sloweniens. Bulletin du Museum National d'Histoire Naturelle 41: 201–204. [*]
- Polenec A (1970a) Ekološko favnistična raziskovanja visokogorske arahnidske favne v Sloveniji. Biološki vestnik 18: 59–68. [*]
- Polenec A (1970b) Pajki z Lubnika (1024 m). Loški razgledi 17: 219–224. [*]
- Polenec A (1971a) Arahnidska favna s pobočij Javornikov in Slivnice. Mladinski raziskovalni tabori 1970. [*]
- Polenec A (1971b) Ein Beitrag zur Ökologie der hochalpinen Spinnen Sloweniens. Proceedings of 5th International Congres of Arachnology, Brno, 1971, 207–212. [*]
- Polenec A (1971c) Pajki s Tošča (1021 m). Loški razgledi 18: 164–168. [*]
- Polenec A (1972) *Coelotes alpinus* n. sp. Biološki vestnik 20: 81–83. [*]
- Polenec A (1973a) Naši visokogorski pajki. Proteus 35: 401–403. [*]
- Polenec A (1973b) Nekaj posebnosti in zanimivosti iz živalstva Loškega ozemlja. Loški razgledi 19: 356–374. [*]
- Polenec A (1973c) Pajki izpod Šentjošta. Loški razgledi 19: 375–381. [*]
- Polenec A (1973d) Pajki z Ermanovca (1026 m). Loški razgledi 20: 227–231. [*]
- Polenec A (1973e) Pajki z območja Notranjskega Snežnika (1796 m). Mednarodni mladinski raziskovalni tabori 1971–1972, 55–60. [*]
- Polenec A (1974a) Ekološko favnistična raziskovanja arahnidske favne v Slovenskih Goricah v združbi *Querceto-Carpinetum subpannonicum*. Biološki vestnik 22: 235–240. [*]
- Polenec A (1974b) O pajkih z Ermanovca (1026 m) in Porezna (1622 m). Loški razgledi 21: 149–155. [*]
- Polenec A (1975a) Besonderheiten in der Spinnenfauna Sloweniens. Proceedings of 6th International Congres of Arachnology, 201–203. [*]
- Polenec A (1975b) Pajki z Osovnika (857 m). Loški razgledi 22: 154–162. [*]
- Polenec A (1976a) Die aktivitätsdominanzen Bodenspinnen der Wälder Sloweniens (Arachnida: Araneae). Entomologica Germanica 3: 130–134. [*]
- Polenec A (1976b) Pajki s Planine. Loški razgledi 23: 186–192. [*]
- Polenec A (1977) Pajki z Žirovskega vrha, Suh dol (681 m). Loški razgledi 24: 164–172. [*]
- Polenec A (1978a) O starinskih pajkih s Slavnika. Proteus 40: 183–185. [*]
- Polenec A (1978b) Pajki Ratitovca. In: Ramovš A (Ed.) Ratitovec (Vodniki po Loškem ozemlju 2). Muzejsko društvo Škofja Loka, Škofja Loka, 97–107. [*]
- Polenec A (1978c) Pajki z območja Porezna (1622 m). Loški razgledi 25: 173–178. [*]
- Polenec A (1978d) Zusammensetzung und Besonderheiten der epigäischen Spinnenfauna des Seslerio-Ostryetum am Berge Slavnik (1028 m) (Nord-Istrien, Jugoslawien). Symposia of the Zoological Society of London 42: 367–377. [*]

- Polenec A (1979a) Pajki z Jelovice. Mrzla dolina (860 m), Dražgoška gora (1180 m), Mosti (1130 m), Ledine (1180 m). Loški razgledi 26: 159–168. [*]
- Polenec A (1979b) Še o pajkih s Slavnika. Proteus 42: 19–21. [*]
- Polenec A (1980a) Pajki Blegoša. In: Ramovš A, Bole J (Eds) Blegoš (Vodniki po loškem ozemlju 3). Muzejsko društvo v Škofji Loki, Škofja Loka, 86–93. [*]
- Polenec A (1980b) Pajki s hribovja nad Sorico (Dravrh 1547 m, sleme nad Soriško planino 1550 m, Ratitovec 1667 m). Loški razgledi 27: 199–207. [*]
- Polenec A (1981) Pajki s slemenoma nad Soriško planino. Loški razgledi 28: 276–284. [*]
- Polenec A (1982a) Nekaj novosti med pajki. Loški razgledi 29: 61–68. [*]
- Polenec A (1982b) Živalski svet na dražgoškem ozemlju: Pajki po Dražgoških gozdovih. In: Ramovš A (Ed.) Dražgoše (Vodniki po loškem ozemlju 4). Muzejsko društvo Škofja loka, Škofja Loka, 103–108. [*]
- Polenec A (1983) Pajki s Križnogorskega hribovja. Križna gora 678 m. Loški razgledi 30: 76–85. [*]
- Polenec A (1984) Pajki iz Martinj Vrha – Vancovec 1085 m. Loški razgledi 31: 77–86. [*]
- Polenec A (1985) Pajki iz gornjega dela Selške doline - termofilni bukov gozd nad Zalim logom, 650m. Loški razgledi 32: 98–107. [*]
- Polenec A (1986) Pajki iz dolnjega dela Selške doline – termofilni bukov gozd v Soteski. Loški razgledi 33: 99–109. [*]
- Polenec A (1987) Pajki iz dolnjega dela Selške doline - smrekov gozd na Hrastniku (806 m). Loški razgledi 34: 79–86. [*]
- Polenec A (1988) Nekaj novosti med pajki. Loški razgledi 35: 29–32. [*]
- Polenec A (1989) Pajki z Loškega pogorja – sistematski pregled. Loški razgledi 36: 69–82. [*]
- Polenec A (1992) Rdeči seznam ogroženih pajkov (Aranea) Slovenije (The red list of endangered Aranea in Slovenia). Varstvo narave 17: 173–176. [*]
- Polenec A, Thaler K (1980) Zwei wenig bekannte Deckenetzspinnen Südost-Europas: *Centromerus vindobonensis* Kulczynski und *Leptyphantes istrianus* Kulczynski (Arachnida: Aranidae: Linyphiidae). Senckenbergiana biologica 61: 103–111. [*]
- Preisinger D (2010) Rudniki : opuščeni rudniki v Sloveniji. Založba Turistika, Golnik, 152 pp.
- Pretner E (1974) Zgodovinski pregled koleopteroloških raziskav v jamah Slovenije. Acta car-sologica 6. [*]
- Puc M, Skoberne P, Vidic J (1988) Huda luknja. In: Skoberne P, Peterlin S (Eds) Inventar najpomembnejše naravne dediščine Slovenije, 1 del: vzhodna Slovenija. Zavod SR Slovenije za varstvo naravne in kulturne dediščine, Ljubljana, 150–151. [*]
- Rebeušek F, Jakopič M, Novak T (2008) Presoja sprejemljivosti vplivov OPPN kamnolom Liboje na zavarovana območja (Natura 2000 območje pSCI 3000083 Ocvirkova jama). Okoljsko poročilo. Center za kartografijo favne in flore, Miklavž na Dravskem polju, 26 pp. [*]
- Reimoser E (1919) Katalog der echten Spinnen (Araneae) des paläarktischen Gebietes. Abhandlungen der Zoologisch-Botanischen Gesellschaft in Österreich, Wien 10: 1–280. [*]
- Řezáč M, Král J, Pekár S (2008a) The spider genus *Dysdera* (Araneae, Dysderidae) in central Europe: revision and natural history. The Journal of Arachnology 35: 432–462. doi: 10.1636/H06-38.1 [*]

- Řezáč M, Pekár S, Johannessen J (2008b) Taxonomic review and phylogenetic analysis of central European *Eresus* species (Araneae: Eresidae). *Zoologica Scripta* 37: 263–287. doi: 10.1111/j.1463-6409.2008.00328.x [*]
- Řezáč M, Gasparo F, Král J, Heneberg P (2014) Integrative taxonomy and evolutionary history of a newly revealed spider *Dysdera ninnii* complex (Araneae: Dysderidae). *Zoological Journal of the Linnean Society* 172(2): 451–474. doi: 10.1111/zoj.12177 [*]
- Roewer CF (1931) Arachnoideen aus südostalpinen Höhlen. Mittelteilungen über Höhlen- und Karsiforschung 2: 40–46. [*]
- Růžička V, Kürka A, Buchar J, Řezáč M (2005) Czech Republic – the type material of spiders (Araneae). *Journal by the National Museum, Natural History Series* 174 (1–4): 13–64. [*]
- Schiner JR (1854) Faunna der Adelsberger-, Luege- und Magdalenen Grotte. In: Schmidl A (Ed.) Zur Höhlenkunde des Karstes, Die Grotten und Höhlen von Adelsberg, Lueg, Planina und Laas, Mit Beiträgen von A Pokorny, J R Schiner und W Zippe. Kaiserliche Akademie der Wissenschaften, Wien, 232–272. [*]
- Schiödte JC (1847) Forelögib Beretning om Undersögelser om den underjordiske Fauna i Hulerme i Krain og Istrien. *Oversigt Kgl. danske Videnskabernes Selskabs Forhandlinger* 1847: 75–81. [*]
- Scopoli IA (1763) *Entomologia Carniolica: exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linnaeana. Vindobonae: typis Ioannis Thomae Trattner, 420 pp.* [Araneae: 392–404] [*]
- Scopoli IA (1772) *Observationes zoologicae. Annus V, Historico-naturalis Lipsiae* 1772: 70–128. [*]
- Simon E (1868) Monographie des especes européennes de la famille des attides (Attidae Sundewall. - Saltigradae Latreille). *Annales de la Société entomologique de France* (4) 8: 11–72, 529–726. [*]
- Simon E (1882) Études arachnologiques XX. Descriptions d'espèces et de genres nouveaux de la Famille des Dysderidae. *Annales de la Société entomologique de France* 2: 201–240. [*]
- Sket B (1979) Jamska favna notranjskega trikotnika (Cerknica-Postojna-Planina), njena ogroženost in naravovarstveni pomen. *Varstvo narave* 12: 45–59. [*]
- Sket B (1993) Cave fauna and speleobiology in Slovenia. *Naše Jame* 35: 35–42. [*]
- Sket B (1999) Živalstvo kraških jam. In: Kranjc A et al. (Eds) *Kras: pokrajina, življenje, ljudje. Založba ZRC, ZRC SAZU, Ljubljana*, 125–133. [*]
- Sket B (2000) Pregled in izbor jam, ki so pomembne za ohranjanje podzemskih favn. *Ljubljana*, 36 pp. [*]
- Sket B (2006) Podzemna mokrišča? *Proteus* 68: 198–207. [*]
- Spazzapan-Brelah V (1964) Ekskurzija prirodoslovnih krožkov na Čaven. *Proteus* 27: 135–137. [*]
- Staut M, Ferran M, Polak S (2008) Ferranova buža. *Naše Jame* 47: 5–24. [*]
- Stepišnik U, Ramšak L (2006) Tikina jama. *Naše Jame* 46: 26–33. [*]
- Stražar A (2001) Favna Železne Jame. Jamarsko društvo Simon Robič Domžale, Domžale. [*]
- Šilhavy V (1944) Pavouci čaledi Thomisidae ze zapadního Balkanu: s popisem ètyr nových druhů. *Sborník Klubu přírodovědeckého v Brnì* 1944: 90–95. [*]
- Tarman K (2003) Pajki - Aranea. In: Sket B, Gogala M, Kuštor V (Eds) *Živalstvo Slovenije. Tehniška založba Slovenije, Ljubljana*, 163–175. [*]
- Thaler K (1972) Über einige wenig bekannte Zwergspinnen aus den Alpen II (Arachnida, Aranei, Erigonidae). *Berichte der naturwissenschaftlich-medizinischen Vereins in Innsbruck* 59: 29–50. [*]

- Thaler K (1973) Über wenig bekannte Zwergspinnen aus der Alpen, III (Arachnida: *Aranei*, *Erigonidae*). Berichte der naturwissenschaftlich-medizinischen Vereins in Innsbruck 60: 41–60. [*]
- Thaler K (1976) Endemiten und arktoalpine Arten in der Spinnenfauna der Ostalpen (Arachnida: Araneae). Entomologica germanica 3: 135–141. [*]
- Thaler K (1978a) Bodenspinnen aus der Steiermark und ihren Nachbarländern, gesammelt von Prof. Dr. R. Schuster (Arachnida, Aranei). Mitteilungen der Abteilung für Zoologie am Landesmuseum Joanneum 7: 173–183. [*]
- Thaler K (1978b) *Troglohyphantes novicordis* n. sp. aus der Steiermark, Oesterreich (Arachnida: Araneae: Linyphiidae). Senckenbergiana biologica 59: 289–296. [*]
- Thaler K (1981a) Über *Nesticus idracus* Roewer 1931. Senckenbergiana biologica 61: 271–276. [*]
- Thaler K (1981b) Über *Oreonetides quadridentatus* (Wunderlich, 1972) nov. comb. (Arachnida: Aranei, Linyphiidae). Archives des sciences, Geneve 34: 143–152. [*]
- Thaler K (1982) Zwei weitere Deckennetzspinnen der Ostalpen: *Troglohyphantes tauriscus* n. sp. und *T. juris* n. sp. (Arachnida: Aranei, Linyphiidae). Archives des sciences, Geneve 35: 161–172. [*]
- Thaler K (1986) Über einige Funde von *Troglohyphantes*-Arten in Kärnten (Österreich) (Arachnida, Aranei: Linyphiidae). Carinthia II 176: 287–302. [*]
- Thaler K (1990a) *Amaurobius ruffoi* n.sp., eine weitere Reliktkart der Suedalpen - mit Bemerkungen ueber die Amaurobiidae der Alpen (Arachnida: Aranei). Zoologischer Anzeiger 225: 241–252. [*]
- Thaler K (1990b) Das Männchen von *Rhode aspinifera* (Nikolić) (Arachnida, Araneae, Dysderidae). Mitt Schweiz ent Ges 63: 147–152. [*]
- Thaler K (1990c) *Leptyphantes severus* n.sp., eine Reliktkart der Noerdlichen Kalkalpen westlich des Inn (Österreich) (Arachnida: Aranei, Linyphiidae). Zoologischer Anzeiger 224: 257–262. [*]
- Thaler K (1994) Vikariante Verbreitung im Artenkreis von *Leptyphantes mansuetus* in Mitteleuropa (Araneida: Linyphiidae). Entomologia generalis 18: 171–185. [*]
- Thaler K (1997) *Tallusia pindos* n. sp. aus N-Griechenland (Araneae, Linyphiidae). Linzer biologische Beiträge 29: 377–384. [*]
- Thaler K, Buchar J (1994) Die Wolfsspinnen von Österreich 1: Gattungen *Acantholycosa*, *Alopecosa*, *Lycosa* (Arachnida, Araneida: Lycosidae) - Faunistisch-tiergeographische Übersicht. Carinthia II 184: 357–375. [*]
- Thaler K, Polenec A (1974) *Stygohyphantes (?) noricus* n. sp., eine neue Baldachinspinne aus Österreich (Arachnida, Aranei, Linyphiidae). Revue Suisse de zoologie 80: 763–771. [*]
- Tkavc T (2008) Letna dinamika založnih snovi pri pajku *Meta menardi* (Latreille) (Arachnida: Araneae: Tetragnathidae). MsSc thesis, University of Maribor, Maribor. [*]
- Tongiorgi P (1966) Italian wolf spiders of the genus *Pardosa* (Araneae: Lycosidae). Bulletin of The Museum of Comparative Zoology 134: 275–334. [*]
- Töpfer-Hofmann G, Cordes D, von Helversen O (2000) Cryptic species and behavioural isolation in the *Pardosa lugubris* group (Araneidae, Lycosidae), with description of two new species. Bulletin of the British Arachnological Society 11: 257–274. [*]
- Tovornik D (1983) *Culex (Neoculex) territans* Walker, 1856, id 1958–1974 registriran v Sloveniji kot *Culex (Neoculex) apicalis* Adams, 1903. Biološki Vestnik 31: 93–102. [*]

- Tovornik D (1990) O ekologiji larvalnih komarjev (Diptera: Culicidae) v manjši mirujoči mlaki na Ljubljanskem barju. Biološki Vestnik 38: 47–68. [*]
- ULRS (1993) Uredba o zavarovanju ogroženih živalskih vrst. Uradni list Republike Slovenije, 2851–2854. [*]
- ULRS (2002) Pravilnik o uvrstitvi ogroženih rastlinskih in živalskih vrst v rdeči seznam. Uradni list Republike Slovenije, 8994–8975. [*]
- ULRS (2004) Uredba o zavarovanih prosto živečih živalskih vrstah. Uradni list Republike Slovenije, 5963–6016. [*]
- Van Helsdingen PJ (1969) A reclassification of the species of *Linyphia* Latreille based on the functioning of the genitalia (Araneida, Linyphiidae). Part I. *Linyphia* Latreille and *Neriene* Blackwall. Zoologische Verhandelingen 105: 3–302. [*]
- Van Helsdingen PJ (2013) Araneae. In: Fauna Europaea Database (Version Sept. 30th 2013). <http://www.european-arachnology.org>
- Van Helsdingen PJ, Thaler K, Deltshev C (2001) The European species of *Bolyphantes* with an attempt of a phylogenetic analysis (Araneae Linyphiidae). Memorie della Societa Entomologica Italiana 80: 3–35. [*]
- Vanuytven H, Van Keer J, Poot P (1994) Kogelspinnen verzameld in Zuid-Europa door P. Poot (Araneae, Theridiidae). Nieuwsbrief van de Belgische Arachnologische Vereniging 9: 1–19. [*]
- Vogrin M (2002) Ostale zanimive živali. In: Vogrin M (Ed.) Narava v občini Kidričevo. Občina Kidričevo, Kidričevo, 107–111. [*]
- Wang X-P, Zhu M-S, Li S-Q (2010) A review of the coelotine genus *Eurocoelotes* (Araneae: Amaurobiidae). The Journal of Arachnology 38: 79–98. doi: 10.1636/A09-13.1 [*]
- Wichmann HE (1926) Untersuchungen über die Fauna der Höhlen. Sitzungberichte der Gesellschaft Naturforschender Freunde zu Berlin 1924: 113–132. [*]
- Wiehle H (1961) Spinnen aus Slovenien. Senckenbergiana biologica 42: 409–415. [*]
- Wiehle H (1964) Spinnen aus Slovenien, II. Senckenbergiana biologica 45: 641–652. [*]
- World Spider Catalog (2014) World Spider Catalog. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, version 15.5 [accessed on 17 Oct 2014]
- Wunderlich J (1980) Drei Arten der Gattung *Zodarion* Walckenaer 1847 aus Nordjugoslawien (Arachnida: Araneae: Zodariidae). Senckenbergiana biologica 61: 113–117. [*]
- Zingerle V (1999) Spider and harvestman communities along a glaciation transect in the Italian Dolomites. The Journal of Arachnology 27: 222–228. [*]
- Zupančič M, Mayer E, Šercel A, Petkovšek V, Bole J, Munda IM, Polenec A, Mršić N, Tarman K, Drozenik B (1984) Floristične, vegetacijske in zoološke raziskave (Poročilo za leto 1984). Biološki inštitut Jovana Hadžija ZRC SAZU, Ljubljana, 54 pp. [*]

