

# Thomas J Henry: longtime friend, colleague, and preeminent heteropterist

Alfred G. Wheeler, Jr.<sup>1</sup>

<sup>1</sup> Department of Plant and Environmental Sciences, Clemson University, Clemson, SC 29634-0310, USA

Corresponding author: Alfred G. Wheeler ([awhjr@clemson.edu](mailto:awhjr@clemson.edu))

---

Received 30 October 2018 | Accepted 30 October 2018 | Published 15 November 2018

---

<http://zoobank.org/A074F7A5-88DF-48CF-AAA4-D194BE618130>

---

**Citation:** Wheeler Jr AG (2018) Thomas J Henry: longtime friend, colleague, and preeminent heteropterist In: Wheeler Jr AG (Ed.) A Festschrift Recognizing Thomas J. Henry for a Lifetime of Contributions to Heteropteran Systematics. ZooKeys 796: 1–24. <https://doi.org/10.3897/zookeys.796.30926>

---

Tom Henry came to the Pennsylvania Department of Agriculture, Bureau of Plant Industry (Harrisburg), in 1972. He recently had earned a B.S. degree in Entomology from Purdue University and was hired to identify insects, mainly those submitted by the bureau's plant inspectors in different areas of the state. It did not take long for his entomological colleagues in Harrisburg to recognize his remarkable talents as a taxonomist.

I had been hired the previous year to work on bionomics of insects associated with ornamental trees and shrubs and had collected a mirid on Scots pine (*Pinus sylvestris* L.), which had defied identification. Tom accepted the challenge of trying to identify the mystery plant bug. A trip to examine Miridae in the National Museum of Natural History in Washington, DC, resolved the issue: the conifer bug was *Camptozygum aequale* (Villers), a species new to North America (Wheeler and Henry 1973). To become more familiar with the local mirid fauna, we began to spend our lunch breaks sampling conifers and other trees in nearby ornamental plantings. The detection of *C. aequale* was followed by the discovery of additional Palearctic conifer-feeding plant bugs in Pennsylvania. Tom soon described his first new species: two pine-associated mirids of the diverse genus *Phytocoris* (Henry 1974). Gaining confidence and momentum, he published 27 additional papers on Heteroptera by decade's end, including a review of the orthotyline genus *Reuteria* (Henry 1976), ten new species

of the Neotropical mirid genus *Hyalochloria* (Henry 1978), a new genus and species of cardiastethine Anthocoridae (Henry and Herring 1978), and new species of the isometopine genus *Corticoris* (Henry and Herring 1979).

Tom's entry into heteropteran systematics caught the attention of prominent North American specialists, such as Richard Froeschner, John Lattin, and James Slater. He was encouraged to apply for the Heteroptera position with the Systematic Entomology Laboratory (SEL), Agricultural Research Service, US Department of Agriculture, which had become available with J. L. Herring's retirement in August 1979. In selecting Tom for the position, the search committee must have valued his publication record and recognized his taxonomic prowess; committee members were not dissuaded by his lack of the ordinarily requisite PhD (he was finishing his MS studies at Penn State). The decision to hire Tom Henry proved auspicious for SEL.

Tom began his work at SEL in June of 1980. Productivity characterized his performance in the 1980s. He continued taxonomic research on plant bugs of the Orthotylinae and on the subfamily Isometopinae, describing three new genera (Henry 1980). Highlighting the decade was the 1988 publication of the first catalog of North American Heteroptera since 1917. Henry and Froeschner (1988) accomplished what other heteropterists had attempted to do but ultimately found too daunting. A novel feature of their catalog, which some systematists initially considered inappropriate, was the use of write-ups and photos of representative species at the beginning of each family treatment. Biological control specialists, ecologists, and others not well versed in heteropteran taxonomy found the introductory material particularly valuable. His early trips for fieldwork and visits to major insect collections eventually involved nearly all U.S. states, Asia, Australia, Canada, Europe, India, Mexico, South America, and the West Indies.

Tom continued to prosper in the 1990s despite pursuing a doctoral degree while working full-time. He received his PhD in 1995 from the University of Maryland. Prominent among his accomplishments during the decade were taxonomic revisions of mirid genera (Henry 1991, 1994) and a phylogenetic analysis of the infraorder Pentatomomorpha, involving 34 family groups, which resulted in the recognition of 11 families in a previously composite and paraphyletic Lygaeidae (Henry 1997a). His substantial reclassification of the Pentatomomorpha now is followed in text books, world catalogs, and applied and taxonomic literature. He emphasized the family Berytidae, completing three major works: a cladistic analysis and revision of world genera (Henry 1997b), a monograph of the stilt bugs of the Western Hemisphere (Henry 1997c), and a catalog of the world species (Henry and Froeschner 1998). Tom coauthored a book on the North American mirids considered naturally Holarctic or adventive, either immigrant or intentionally introduced (Wheeler and Henry 1992), and edited a Festschrift of approximately 250 pages that honored the renowned Brazilian miridologist José Carvalho (Henry and Wheeler 1995).

Perusal of the appended list of Tom's publications will confirm his prominence among world heteropterists. Collaborative projects with other specialists and promising newcomers became routine in the new century (e.g., Henry and Schuh 2002, Henry

and Costa 2003), along with more generic revisions (Henry 2006; Ferreira and Henry 2010; Henry 2012, 2015, 2018; Dellapé et al. 2016). Key contributions included the berytid chapter (Henry 2000) in *Heteroptera of Economic Importance* (Schaefer and Panizzi 2000), a comprehensive treatment of Cuban Miridae (Hernández and Henry 2010), chapters on the Miridae (Ferreira et al. 2015) and Lygaeoidea (Henry et al. 2015) in *True Bugs (Heteroptera) of the Neotropics* (Panizzi and Grazia 2015), and an online world catalog of the Lygaeoidea (Dellapé and Henry 2017).

A typical work day for Tom includes a delivery of “urgents”, specimens of Heteroptera intercepted at US ports of entry that need to be identified promptly. He also curates the collection under his care and supervises technicians and volunteers who work with the collection. Tasks expected of a professional entomologist are dealt with promptly, such as reviewing manuscripts at the request of journal editors, providing pre-submission manuscript reviews for colleagues and writing letters in support of their tenure, serving on committees, and participating in the affairs of scientific societies. Tom edited the *Proceedings of the Entomological Society of Washington* from 1992 to 1995 and began a second stint as editor in 2015, which continues. He is a founding member of the International Heteropterists’ Society and will become President at its 6<sup>th</sup> quadrennial meeting in La Plata, Argentina, in December 2018. He is generous with his time in encouraging and mentoring younger workers and assisting students and established specialists who visit the Heteroptera collection. Tom and his wife Kathryn (Katy) often invite visitors to their home for a meal.

How is Tom able to be so productive? For one thing, he possesses a sterling work ethic. He’s efficient, passionate about natural history and systematics, and strives for excellence. A typical day begins at 4:30 am; he works at home for an hour or two on his own manuscripts or reviews those of others, before he leaves for the museum. He is focused, and patient, even though he often must stop what he is doing to answer visitors’ questions or respond to e-mails and phone requests.

Numerous projects on Heteroptera await Tom’s attention. We can anticipate a flurry of papers in the coming years. It is a pleasure to present this special issue of *ZooKeys* that conveys the respect of his colleagues and honors his 70<sup>th</sup> birthday.

## Acknowledgements

I thank ZooKeys editorial secretary Yordanka Banalieva for providing valuable assistance, encouragement, and unfailing good cheer; Nathalie Yonow (Swansea, UK) for her copy editing; Gary Miller (SEL, Beltsville, Maryland) for promptly furnishing information I had requested; and Peter Adler (Clemson University) for answering questions, giving sage advice during preparation of the Festschrift, and improving an early draft of the manuscript. I thank contributing authors for their willingness to pay tribute to the accomplishments of Tom Henry and those who reviewed Festschrift manuscripts.

## References

- Dellapé PM, Henry TJ (2017) *Lygaeoidea Species File*. Version 5.0/5.0. <http://Lygaeoidea.SpeciesFile.org>. (Online World Catalog of the Lygaeoidea). [accessed 22.X.2018]
- Dellapé PM, Melo MC, Henry TJ (2016) A phylogenetic revision of the true bug genus *Her-aeus* (Hemiptera: Rhyparochromidae: Myodochini), with the description of two new genera and 30 new species. *Zoological Journal of the Linnean Society* 177: 29–134. <https://doi.org/10.1111/zoj.12362>
- Ferreira PSF, Henry TJ (2010) Revision of the genus *Ambracius* Stål, 1860 (Heteroptera: Miridae: Clivinematini), with descriptions of three new species. *Zootaxa* 2485: 1–15.
- Ferreira PSF, Henry TJ, Coelho LA (2015) Plant bugs (Miridae). In: Panizzi AR, Grazia J (Eds) *True Bugs (Heteroptera) of the Neotropics*. Springer, Dordrecht, 237–286. [https://doi.org/10.1007/978-94-017-9861-7\\_10](https://doi.org/10.1007/978-94-017-9861-7_10)
- Henry TJ (1974) Two new pine-inhabiting *Phytocoris* from Pennsylvania (Hemiptera: Miridae). *Entomological News* 85: 187–191.
- Henry TJ (1976) Review of *Reuteria* Puton 1875, with descriptions of two new species (Hemiptera: Miridae). *Entomological News* 87: 61–74.
- Henry TJ (1978) Review of the Neotropical genus *Hyalochloria*, with descriptions of ten new species (Hemiptera: Miridae). *Transactions of the American Entomological Society* 104: 69–90.
- Henry TJ (1980) Review of *Lidopus* Gibson and *Wetmorea* McAtee and Malloch, descriptions of three new genera and two new species, and key to New World genera (Hemiptera: Miridae: Isometopinae). *Proceedings of the Entomological Society of Washington* 82: 178–194.
- Henry TJ (1991) Revision of *Keltonia* and the cotton fleahopper genus *Pseudatomoscelis*, with the description of a new genus and an analysis of their relationships (Heteroptera: Miridae: Phylinae). *Journal of the New York Entomological Society* 99: 351–404.
- Henry TJ (1994) Revision of the myrmecomorphic plant bug genus *Schaffneria* Knight (Heteroptera: Miridae: Orthotylinae). *Proceedings of the Entomological Society of Washington* 96: 701–712.
- Henry TJ (1997a) Phylogenetic analysis of the family groups within the infraorder Pentatomomorpha (Hemiptera: Heteroptera), with emphasis on the Lygaeoidea. *Annals of the Entomological Society of America* 90: 275–301. <https://doi.org/10.1093/aesa/90.3.275>
- Henry TJ (1997b) Cladistic analysis and revision and phylogenetic analysis of the stilt bug genera of the world (Heteroptera: Berytidae). *Contributions of the American Entomological Institute* 30(1): 1–100.
- Henry TJ (1997c) Monograph of the stilt bugs, or Berytidae (Heteroptera), of the Western Hemisphere. *Memoirs of the Entomological Society of Washington* 19: 1–149.
- Henry TJ (2000) Stilt bugs (Berytidae). In: Schaefer CW, Panizzi AR (Eds) *Heteroptera of Economic Importance*. CRC Press, Boca Raton, Florida, USA, 725–735. <https://doi.org/10.1201/9781420041859.ch31>
- Henry TJ (2006) Revision of the New World lygaeoid genus *Epipolops* (Heteroptera: Geocoridae: Pamphantinae: Epipolopini), with descriptions of five new species. *Canadian Entomologist* 138: 504–530. <https://doi.org/10.4039/n06-808>

- Henry TJ (2012) Revision of the plant bug genus *Tytthus* (Hemiptera: Heteroptera: Miridae: Phylinae). *ZooKeys* 220: 1–114. <https://doi.org/10.3897/zookeys.220.2178>
- Henry TJ (2015) Revision of the ceratopsine *Renodaeus* group: *Marinonicoris*, *Pilophoropsis*, *Renodaeus*, and *Zanchisme*, with descriptions of four new genera (Heteroptera, Miridae, Orthotylinae). *ZooKeys* 490: 1–156. <https://doi.org/10.3897/zookeys.490.8880>
- Henry TJ (2018) Revision of the plant bug genus *Semiium* (Heteroptera: Miridae: Phylinae: Semiini), with the description of three new species and a revised key. *Proceedings of the Entomological Society of Washington* 120: 508–532. <https://doi.org/10.4289/0013-8797.120.3.508>
- Henry TJ, Costa LAA (2003) Review of the Neotropical phylinae genus *Platyscytisca*, with the description of a new species from Bahia, Brazil (Hemiptera: Heteroptera: Miridae). *Journal of the New York Entomological Society* 111: 120–125. [https://doi.org/10.1664/0028-7199\(2003\)111\[0120:ROTNPG\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2003)111[0120:ROTNPG]2.0.CO;2)
- Henry TJ, Dellapé PM, Paula AS (2015) The big-eyed bugs, chinch bugs, and seed bugs (Lygaeoidea). In: Panizzi A, Grazia J (Eds) *Heteroptera of the Neotropics*. Springer, Dordrecht, 459–519. [https://doi.org/10.1007/978-94-017-9861-7\\_16](https://doi.org/10.1007/978-94-017-9861-7_16)
- Henry TJ, Froeschner RC (Eds) (1988) *Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States*. EJ Brill, Leiden, 958 pp.
- Henry TJ, Froeschner RC (1998) *Catalog of the stilt bugs, or Berytidae, of the world* (Insecta: Hemiptera: Heteroptera). *Contributions of the American Entomological Institute* 30(4): 1–72.
- Henry TJ, Herring JL (1978) A new genus and species of *Cardiastethini* from Peru (Hemiptera: Anthocoridae). *Proceedings of the Entomological Society of Washington* 80: 520–523.
- Henry TJ, Herring JL (1979) Review of the genus *Corticoris* with descriptions of two new species from Mexico (Hemiptera: Miridae: Isometopinae). *Proceedings of the Entomological Society of Washington* 81: 82–96.
- Henry TJ, Schuh RT (2002) Two new genera for two North American phylinae plant bugs (Heteroptera: Miridae). *Proceedings of the Entomological Society of Washington* 104: 211–220.
- Henry TJ, Wheeler Jr AG (Eds) (1995) *Contributions on Heteroptera Dedicated to the Memory of José Candido de Melo Carvalho*. *Proceedings of the Entomological Society of Washington* 97: 229–480.
- Hernández LM, Henry TJ (2010) *The Plant Bugs, or Miridae* (Hemiptera: Heteroptera), of Cuba. Pensoft Publishers, Sofia-Moscow, 212 pp.
- Panizzi AR, Grazia J (Eds) (2015) *True Bugs* (Heteroptera) of the Neotropics. Springer, Dordrecht, 901 pp. <https://doi.org/10.1007/978-94-017-9861-7>
- Schaefer CW, Panizzi AR (Eds) (2000) *Heteroptera of Economic Importance*. CRC Press, Boca Raton, Florida, USA, 828 pp. <https://doi.org/10.1201/9781420041859>
- Wheeler Jr AG, Henry TJ (1973) *Camptozygum aequale* (Villers), a pine-feeding mirid new to North America (Hemiptera: Miridae). *Proceedings of the Entomological Society of Washington* 75: 240–246.
- Wheeler Jr AG, Henry TJ (1992) *A Synthesis of the Holarctic Miridae* (Heteroptera): Distribution, Biology, and Origin, with Emphasis on North America. Thomas Say Foundation Monograph 15, Entomological Society of America, Lanham, Maryland, USA, 282 pp.

## Publications of Thomas J. Henry

### Peer-reviewed journal articles

1. Wheeler Jr AG, Henry TJ (1973) *Camptozygum aequale* (Villers), a pine-feeding mirid new to North America (Hemiptera: Miridae). Proceedings of the Entomological Society of Washington 75: 240–246.
2. Henry TJ, Wheeler Jr AG (1974) *Sthenarus dissimilis* and *Orthops rubricatus*: Conifer-feeding mirids new to North America (Hemiptera: Miridae). Proceedings of the Entomological Society of Washington 76: 217–224.
3. Henry TJ, Wheeler Jr AG (1974) *Plagiognathus vitellinus* (Scholtz), a conifer-feeding mirid new to North America (Hemiptera: Miridae). Proceedings of the Entomological Society of Washington 76: 480–485.
4. Wheeler Jr AG, Henry TJ (1974) *Tropidosteptes pacificus*, a western ash plant bug introduced into Pennsylvania with nursery stock (Hemiptera: Miridae). Cooperative Economic Insect Report 24: 588–589.
5. Henry TJ (1974) Two new pine-inhabiting *Phytocoris* from Pennsylvania (Hemiptera: Miridae). Entomological News 85: 187–191.
6. Wheeler Jr AG, Henry TJ (1975) Recognition of seven Uhler manuscript names, with notes on thirteen other species used by Heidemann (1892) (Hemiptera: Miridae). Transactions of the American Entomological Society 101: 355–369.
7. Wheeler Jr AG, Stinner BR, Henry TJ (1975) Biology and nymphal stages of *Deraeocoris nebulosus* (Hemiptera: Miridae), a predator of arthropod pests on ornamentals. Annals of the Entomological Society of America 68: 1063–1068. <https://doi.org/10.1093/aesa/68.6.1063>
8. Wheeler Jr AG, Henry TJ (1976) First records of the predaceous mirid *Phytocoris tiliae* (F.) from the United States. Entomological News 87: 25–28.
9. Henry TJ (1976) A new *Saileria* from eastern United States (Hemiptera: Miridae). Entomological News 87: 29–31.
10. Henry TJ, Wheeler Jr AG (1976) *Dicyphus rhododendri* Dolling, first records from North America (Hemiptera: Miridae). Proceedings of the Entomological Society of Washington 78: 108–109.
11. Henry TJ (1976) Review of *Reuteria* Puton 1875, with descriptions of two new species (Hemiptera: Miridae). Entomological News 87: 61–74.
12. Henry TJ (1976) *Aleuropteryx juniperi*: A European scale predator established in North America (Neuroptera: Coniopterygidae). Proceedings of the Entomological Society of Washington 78: 195–201.
13. Wheeler Jr AG, Henry TJ (1976) Biology of the honeylocust plant bug, *Diaphnocoris chlorionis*, and other mirids associated with ornamental honeylocust. Annals of the Entomological Society of America 69: 1095–1104. <https://doi.org/10.1093/aesa/69.6.1095>
14. Henry TJ (1976) *Orthotylus nassatus*, a European plant bug new to North America (Heteroptera: Miridae). Cooperative Plant Pest Report 2: 604–608.

15. Wheeler Jr AG, Henry TJ (1977) Rev. *Modestus* Wirtner: biographical sketch and additions and corrections to the Miridae in his 1904 list of western Pennsylvania Hemiptera. *Great Lakes Entomologist* 10: 145–157.
16. Henry TJ (1977) *Teratodia* Bergroth, new synonym of *Diphleps* Bergroth with descriptions of two new species (Heteroptera: Miridae: Isometopinae). *Florida Entomologist* 60: 201–210. <https://doi.org/10.2307/3493907>
17. Wheeler Jr AG, Henry TJ (1977) Miridae associated with Pennsylvania conifers I. Species on arborvitae, false cypress, and juniper. *Transactions of the American Entomological Society* 103: 623–656.
18. Henry TJ (1978) Two new *Ceratocapsus* Reuter 1876, from the eastern United States (Hemiptera: Miridae). *Proceedings of the Entomological Society of Washington* 80: 383–387.
19. Henry TJ (1978) Review of the Neotropical genus *Hyalochloria*, with descriptions of ten new species (Hemiptera: Miridae). *Transactions of the American Entomological Society* 104: 69–90.
20. Henry TJ, Herring JL (1978) A new genus and species of Cardiaethini from Peru (Hemiptera: Anthocoridae). *Proceedings of the Entomological Society of Washington* 80: 520–523.
21. Henry TJ (1978) Description of a new *Polymerus* Hahn, 1831, with notes on two other little-known mirids from the New Jersey Pine-Barrens (Hemiptera: Miridae). *Proceedings of the Entomological Society of Washington* 80: 543–547.
22. Wheeler Jr AG, Henry TJ (1978) Isometopinae (Hemiptera: Miridae) in Pennsylvania: Biology and descriptions of fifth instars, with observations of predation on obscure scale. *Annals of the Entomological Society of America* 78: 607–614. <https://doi.org/10.1093/aesa/71.4.607>
23. Wheeler Jr AG, Henry TJ (1978) *Ceratocapsus modestus*, a predator of grape phylloxera: Seasonal history and description of fifth instar (Hemiptera: Miridae). *Melsheimer Entomological Series* 25: 6–10.
24. Henry TJ, Wheeler Jr AG (1979) *Orthotylus translucens*: taxonomic status and corrections of published misidentifications. *Proceedings of the Entomological Society of Washington* 81: 60–63.
25. Henry TJ, Herring JL (1979) Review of the genus *Corticoris* with descriptions of two new species from Mexico (Hemiptera: Miridae: Isometopinae). *Proceedings of the Entomological Society of Washington* 81: 82–96.
26. Henry TJ, Wheeler Jr AG (1979) Palearctic Miridae in North America: Records of newly discovered and little-known species (Hemiptera-Heteroptera). *Proceedings of the Entomological Society of Washington* 81: 257–268.
27. Henry TJ, Smith CL (1979) An annotated list of the Miridae of Georgia (Hemiptera-Heteroptera). *Journal of the Georgia Entomological Society* 14: 212–220.
28. Henry TJ (1979) Review of the “*lutescens*” group in the genus *Ceratocapsus*, with descriptions of seven new species from the eastern United States (Hemiptera: Miridae). *Proceedings of the Entomological Society of Washington* 81: 401–423.

29. Henry TJ (1979) Review of the New World species of *Myiomma* Puton, with descriptions of eight new species (Hemiptera: Miridae: Isometopinae). Proceedings of the Entomological Society of Washington 81: 552–569.
30. Henry TJ (1979) Review of the New World species of *Bothynotus* Fieber (Hemiptera: Miridae). Florida Entomologist 62: 232–244. <https://doi.org/10.2307/3494062>
31. Henry TJ, Schuh RT (1979) Redescription of *Beamerella* Knight and *Hambletoniola* Carvalho and included species (Hemiptera: Miridae) with a review of their relationships. American Museum Novitates 2689: 1–13.
32. Henry TJ (1979) Descriptions and notes on five new species of Miridae from North America (Hemiptera). Melsheimer Entomological Series 27: 1–10.
33. Wheeler Jr AG, Miller GL, Henry TJ (1979) Observations on the biology and habits of *Macrolophus tenuicornis* (Hemiptera: Miridae) on hayscented fern (Pteridophyta: Polypodiaceae). Melsheimer Entomological Series 27: 11–17.
34. Henry TJ (1980) Review of *Lidopus* Gibson and *Wetmorea* McAtee and Malloch, descriptions of three new genera and two new species, and key to New World genera (Hemiptera: Miridae: Isometopinae). Proceedings of the Entomological Society of Washington 82: 178–194.
35. Wheeler Jr AG, Henry TJ (1980) Seasonal history and host plants of the ant mimic *Barberella formicoides* Poppius, with descriptions of the fifth instar (Hemiptera: Miridae). Proceedings of the Entomological Society of Washington 82: 269–275.
36. Wheeler Jr AG, Henry TJ (1980) *Brachymotocoris heidemanni* (Knight), a junior synonym of the Palearctic *B. puncticornis* Reuter and pest of European ash. Proceedings of the Entomological Society of Washington 82: 568–575.
37. Henry TJ (1980) New records for *Saileria irrorata* and *Tropidostepes adustus* (Hemiptera: Miridae). Florida Entomologist 63: 490–493. <https://doi.org/10.2307/3494534>
38. Henry TJ (1981) A new eastern United States *Psallus* Fieber (Heteroptera: Miridae) from *Physocarpus* (Rosaceae). Proceedings of the Entomological Society of Washington 83: 399–402.
39. Wheeler Jr AG, Henry TJ (1981) Seasonal history and habits of the European alfalfa beetle, *Subcoccinella vigintiquorpunctata* (L.) (Coleoptera: Coccinellidae). Coleopterists Bulletin 35: 197–204.
40. Wheeler Jr AG, Henry TJ (1981) *Jalysus spinosus* and *J. wickhami* (Hemiptera: Berytidae): Taxonomic clarification, review of host plants and distribution, key to adults and fifth instars. Annals of the Entomological Society of America 74: 606–615. <https://doi.org/10.1093/aesa/74.6.606>
41. Henry TJ (1982) The onion plant bug genus *Labopidicola* (Hemiptera: Miridae): Economic implications, taxonomic review, and description of a new species. Proceedings of the Entomological Society of Washington 84: 1–15.
42. Henry TJ, Maldonado-Capriles J (1982) The four “ocelli” of the isometopine genus *Isometocoris* Carvalho and Sailer (Hemiptera: Miridae). Proceedings of the Entomological Society of Washington 84: 245–249.



43. Henry TJ (1982) New synonymies and a new combination in the North American Miridae (Hemiptera). *Proceedings of the Entomological Society of Washington* 84: 337–341.
44. Henry TJ, Wheeler Jr AG (1982) New United States records for six Neotropical Miridae (Hemiptera) in southern Florida. *Florida Entomologist* 62: 232–241. <https://doi.org/10.2307/3494062>
45. Henry TJ (1982) Genus *Parthenicus* in the eastern United States, with descriptions of new species (Hemiptera: Miridae). *Florida Entomologist* 65: 354–366. <https://doi.org/10.2307/3494309>
46. Wheeler Jr AG, Henry TJ (1983) Seasonal history and host plants of the plant bug *Lygocoris atrinotatus*, with description of the fifth-instar nymph (Hemiptera: Miridae). *Proceedings of the Entomological Society of Washington* 85: 26–31.
47. Carvalho JCM, Fontes AV, Henry TJ (1983) Taxonomy of the South American species of *Ceratocapsus*, with descriptions of 45 new species (Hemiptera: Miridae). US Department of Agriculture Technical Bulletin 1676, 58 pp.
48. Wheeler Jr AG, Henry TJ, Mason Jr TL (1983) An annotated list of the Miridae of West Virginia (Hemiptera - Heteroptera). *Transactions of the American Entomological Society* 109: 127–159.
49. McPherson JE, Weber BC, Henry TJ (1983) Seasonal flight patterns of Hemiptera in a North Carolina black walnut plantation. 7. Miridae. *Great Lakes Entomologist* 16: 35–42.
50. Henry TJ (1983) The garden fleahopper genus *Halticus* (Hemiptera: Miridae): Resurrection of an old name and key to species of the Western Hemisphere. *Proceedings of the Entomological Society of Washington* 85: 607–611.
51. Henry TJ (1984) Revision of the spider-commensal plant bug genus *Ranzovius* Distant (Heteroptera: Miridae). *Proceedings of the Entomological Society of Washington* 86: 53–69.
52. Henry TJ, Stonedahl GL (1984) Type designations and new synonymies for Nearctic species of *Phytocoris* Fallen (Hemiptera: Miridae). *Journal of the New York Entomological Society* 91: 442–465.
53. Henry TJ (1984) New species of Isometopinae (Hemiptera: Miridae) from Mexico, with new records for previously described North American species. *Proceedings of the Entomological Society of Washington* 86: 337–345.
54. Henry TJ, Kim KC (1984) Genus *Neurocolpus* Reuter (Heteroptera: Miridae): Taxonomy, economic implications, hosts, and phylogenetic review. *Transactions of the American Entomological Society* 110: 1–75.
55. Henry TJ (1984) New United States records for two Heteroptera: *Pellaea stictica* (Pentatomidae) and *Rhinacloa pallidipes* (Miridae). *Proceedings of the Entomological Society of Washington* 86: 519–520.
56. Snodgrass GL, Henry TJ, Scott WP (1984) An annotated list of the Miridae (Heteroptera) found in the Yazoo-Mississippi Delta and associated areas of Arkansas and Louisiana. *Proceedings of the Entomological Society of Washington* 86: 845–860.

57. Wheeler Jr AG, Henry TJ (1984) Host plants, distribution, and description of the fifth-instar nymphs of two little-known Heteroptera, *Arhysus hirtus* (Rhopalidae) and *Esperanza texana* (Alydidae). *Florida Entomologist* 67: 521–529. <https://doi.org/10.2307/3494461>
58. Henry TJ (1985) Two new species of *Ceratocapsus* from North America (Heteroptera: Miridae). *Proceedings of the Entomological Society of Washington* 87: 387–391.
59. Henry TJ (1985) Newly recognized synonyms, homonyms, and combinations in the North American Miridae (Heteroptera). *Journal of the New York Entomological Society* 93: 121–136.
60. Henry TJ (1985) *Caulotops distanti* (Miridae: Heteroptera), a potential yucca pest newly discovered in the United States. *Florida Entomologist* 68: 320–323. <https://doi.org/10.2307/3494368>
61. Henry TJ (1985) What is *Capsus frontifer* Walker, 1873 (Heteroptera: Miridae)? *Proceedings of the Entomological Society of Washington* 87: 679.
62. Wheeler Jr AG, Henry TJ (1985) *Trigonotylus coelestialium* (Heteroptera: Miridae), a pest of small grains: Seasonal history, host plants, damage, and description of adult and nymphal stages. *Proceedings of the Entomological Society of Washington* 87: 699–713.
63. Henry TJ, Kelton LA (1986) *Orthocephalus saltator* Hahn (Heteroptera: Miridae): Corrections of misidentifications and the first authentic report for North America. *Journal of the New York Entomological Society* 94: 51–55.
64. Henry TJ, Wheeler Jr AG (1986) [Foreword to] Contributions on Heteroptera in honor of the seventieth birthday of Richard C. Froeschner. *Journal of the New York Entomological Society* 94: unnumbered page.
65. Henry TJ, Wheeler AG (1986) *Melanorhopala froeschneri* (Heteroptera: Tingidae): A new lace bug from eastern United States, with notes on host plant and habits, description of the fifth instar, and key to species of the genus. *Journal of the New York Entomological Society* 94: 235–244.
66. Carvalho JCM, Henry TJ (1986) An unusual new genus and species of Colobathristidae from Carajas Mountain in the state of Para, Brazil (Hemiptera). *Boletim do Museu Paraense Emilio Goeldi Zoologia* 2: 85–91.
67. Henry TJ, Neal JW, Gott KM (1986) *Stethoconus japonicus* (Heteroptera: Miridae): A predator of *Stephanitis* lace bugs newly discovered in the United States, promising in the biocontrol of azalea lace bug (Heteroptera: Tingidae). *Proceedings of the Entomological Society of Washington* 88: 722–730 [Reprinted in *The Azalea* 9(2): 29–34].
68. Henry TJ, Carvalho JCM (1987) A peculiar case history: *Hemisphaerodella mirabilis* Reuter is the nymphal stage of *Cyrtocapsus caliginus* (Stål) (Heteroptera: Miridae: Bryocorinae). *Journal of the New York Entomological Society* 95: 290–293.
69. Henry TJ, Lattin JD (1987) Taxonomic status, biological attributes, and recommendations for future work on the genus *Lygus* (Heteroptera: Miridae). In: Hedlund RC, Graham HM (Eds) Economic importance and biological control of *Lygus* and *Adelphocoris* in North America. U. S. Department of Agriculture, ARS Publication 64, 54–68.

70. Henry TJ (1989) *Cariniocoris*, a new phyline plant bug genus from the eastern United States, with a discussion of generic relationships (Heteroptera: Miridae). *Journal of the New York Entomological Society* 97: 87–99.
71. Henry TJ (1990) *Prepops cruciferus* Berg (Heteroptera: Miridae), a Neotropical plant bug newly discovered in the United States: Taxonomic notes, host plants, and distribution. *Annals of the Entomological Society of America* 83: 15–17. <https://doi.org/10.1093/aesa/83.1.15>
72. Henry TJ, Hilburn DJ (1990) An annotated list of the true bugs (Heteroptera) of Bermuda. *Proceedings of the Entomological Society of Washington* 92: 675–684.
73. Stonedahl GM, Henry TJ (1991) A new genus, *Gracilimiris*, and three new species of mirine plant bugs from North America (Heteroptera: Miridae). *Journal of the New York Entomological Society* 99: 224–234.
74. Neal Jr JW, Haldemann RH, Henry TJ (1991) Biological control potential of a Japanese plant bug *Stethoconus japonicus* (Heteroptera: Miridae), an adventive predator of the azalea lace bug, *Stephanitis pyrioides* (Heteroptera: Tingidae). *Annals of the Entomological Society of America* 84: 287–293. <https://doi.org/10.1093/aesa/84.3.287>
75. Schwartz MD, Scudder GGE, Henry TJ (1991) The first Nearctic records of two Holarctic species of *Polymerus* Hahn, with remarks on a monophyletic species-group (Heteroptera: Miridae: Mirinae). *Canadian Entomologist* 123: 721–743. <https://doi.org/10.4039/Ent123721-4>
76. Henry TJ (1991) *Melanotrichus whiteheadi*, a new crucifer-feeding plant bug from the southeastern United States, with new records for the genus and a key to the species of eastern United States (Heteroptera: Miridae: Orthotylinae). *Proceedings of the Entomological Society of Washington* 93: 449–456.
77. Henry TJ (1991) Revision of *Keltonia* and the cotton fleahopper genus *Pseudatomoscelis*, with the description of a new genus and an analysis of their relationships (Heteroptera: Miridae: Phylinae). *Journal of the New York Entomological Society* 99: 351–404.
78. Lattin JD, Henry TJ, Schwartz MD (1992) *Lygus desertus* Knight, 1944, a newly recognized synonym of *Lygus elisus* Van Duzee, 1914 (Heteroptera: Miridae). *Proceedings of the Entomological Society of Washington* 94: 12–25.
79. Henry TJ, Froeschner RC (1992) Corrections and additions to the “Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States.” *Proceedings of the Entomological Society of Washington* 94: 263–272.
80. Henry TJ (1993) A striking new genus and species of bryocorine plant bug (Heteroptera: Miridae) from eastern North America. *Jeffersoniana* 2: 1–9.
81. Henry TJ, Froeschner RC (1993) *Dieuches armatipes* (Walker) (Heteroptera: Lygaeidae) newly discovered in the Western Hemisphere. *Proceedings of the Entomological Society of Washington* 95: 449–452.
82. McPherson JE, Weber BC, Henry TJ (1993) Seasonal flight patterns of Miridae (Hemiptera) in a southern Illinois black walnut plantation. *Great Lakes Entomologist* 26: 97–106.

83. Wheeler Jr AG, Henry TJ (1994) *Orthotylus robiniae*: A *Gleditsia* rather than *Robinia* specialist that resembles the honeylocust plant bug, *Diaphnocoris chlorionis* (Heteroptera: Miridae). Proceedings of the Entomological Society of Washington 96: 63–69.
84. Henry TJ (1994) Revision of the myrmecomorphic plant bug genus *Schaffneria* Knight (Heteroptera: Miridae: Orthotylinae). Proceedings of the Entomological Society of Washington 96: 701–712.
85. Henry TJ (1995) *Proboscidotylus carvalhoi*, a new genus and species of sexually dimorphic plant bug from Mexico (Heteroptera: Miridae: Orthotylinae). Proceedings of the Entomological Society of Washington 97: 340–345.
86. Wheeler Jr AG, Henry TJ (1995) Plant bugs (Hemiptera: Miridae). In: Frank JH, McCoy ED (Eds) Precinctive insect species in Florida. Florida Entomologist 78: 28.
87. Henry TJ (1996) Two new genera and two new species of New World stilt bugs (Heteroptera: Berytidae). Proceedings of the Entomological Society of Washington 98: 533–540.
88. Henry TJ (1997) Phylogenetic analysis of the family groups within the infraorder Pentatomomorpha (Hemiptera: Heteroptera), with emphasis on the Lygaeoidea. Annals of the Entomological Society of America 90: 275–301. <https://doi.org/10.1093/aesa/90.3.275>
89. Henry TJ (1997) Cladistic analysis and revision of the stilt bug genera of the world (Heteroptera: Berytidae). Contributions of the American Entomological Institute 30(1): 1–100.
90. Henry TJ (1997) Monograph of the stilt bugs, or Berytidae (Heteroptera), of the Western Hemisphere. Memoirs of the Entomological Society of Washington 19: 1–149.
91. Henry TJ, Froeschner RC (1998) Catalog of the stilt bugs, or Berytidae, of the world (Insecta: Hemiptera: Heteroptera). Contributions of the American Entomological Institute 30(4): 1–72.
92. Henry TJ, Adamski D (1998) *Rhyparochromus saturnius* (Rossi) (Heteroptera: Lygaeoidea: Rhyparochromidae), a Palearctic seed bug newly discovered in North America. Journal of the New York Entomological Society 106: 132–140.
93. Henry TJ (1999) Review of the eastern North American *Dicyphus*, with a key to species and redescription and neotype designation for *D. vestitus* Uhler (Heteroptera: Miridae). Proceedings of the Entomological Society of Washington 101: 832–838.
94. Henry TJ (1999) The spider-commensal plant bug genus *Ranzovius* (Heteroptera: Miridae: Phylinae) revisited: Three new species and a revised key, with the description of a new sister genus and phylogenetic analysis. Acta Societatis Zoologicae Bohemicae 63: 93–115.
95. Costa LAA, Henry TJ (1999) *Platyscytisca bergmannae*, a new genus and species of Neotropical plant bug resembling species of *Platyscytus* Reuter (Heteroptera: Miridae: Phylinae). Proceedings of the Entomological Society of Washington 101: 490–495.
96. Hernandez L, Henry TJ (1999) Review of the *Ceratocapsus* of Cuba, with descriptions of three new species and a neotype designation for *C. cubanus* Bergroth (Heteroptera: Miridae: Orthotylinae). Caribbean Journal of Science 35: 201–214.
97. Henry TJ (2000) Reevaluation of the plant bug genus *Icodema*, with descriptions of two new genera to accommodate five Nearctic species (Heteroptera: Miridae: Phylinae). Journal of the New York Entomological Society 107: 181–203 (1999).

98. Slater JA, Henry TJ (2000) Notes on and descriptions of new Pamphantinae, with the description of an unusual new myrmecomorphic genus and species. *Journal of the New York Entomological Society* 107: 304–330 (1999).
99. Wijesekara A, Henry TJ (2000) The taxonomic status of the plant bugs (Hemiptera: Miridae) of Sri Lanka. *Proceedings of the Annual Symposium of the Department of Agriculture Sri Lanka* 1: 173–184.
100. Henry TJ (2000) The predatory Miridae: A glimpse at the other plant bugs. *Wings* (Xerces Society) 23(1): 17–20.
101. Henry TJ, Froeschner RC (2000) Corrections and additions to the catalog of the Berytidae. *Proceedings of the Entomological Society of Washington* 102: 1003–1009.
102. Henry TJ (2001) Revision of the orthotyline plant bug genus *Hyalochloria*, with a key and descriptions of four new species (Hemiptera: Heteroptera: Miridae). *Journal of the New York Entomological Society* 109: 235–262. [https://doi.org/10.1664/0028-7199\(2001\)109\[0235:ROTOPB\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2001)109[0235:ROTOPB]2.0.CO;2)
103. Ferreira PSF, Henry TJ (2002) Two new species of *Fulvius* from Brazil, with notes on feeding habits and biogeography. *Proceedings of the Entomological Society of Washington* 104: 56–62.
104. Henry TJ (2002) New species of the plant bug genera *Keltonia* Knight and *Pseudatomoscelis* Reuter (Heteroptera: Miridae: Phylinae). *Proceedings of the Entomological Society of Washington* 104: 97–105.
105. Henry TJ, Schuh RT (2002) Two new genera for two North American phylinae plant bugs (Heteroptera: Miridae). *Proceedings of the Entomological Society of Washington* 104: 211–220.
106. Henry TJ (2002) Review of the stilt bug genus *Yemmatropis* Hsiao, with the description of a new species (Heteroptera: Berytidae) from Viet Nam. *Species Diversity* (Japanese Society of Systematic Zoology): 7: 165–172. <https://doi.org/10.12782/specdiv.7.165>
107. Henry TJ (2002) Review of the stilt bug genus *Hoplinus*, with the description of a new species, a revised key, and notes on other Hoplinini (Heteroptera: Berytidae: Gampsocorinae). *Journal of the New York Entomological Society* 110: 182–191. [https://doi.org/10.1664/0028-7199\(2002\)110\[0182:ROTSBG\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2002)110[0182:ROTSBG]2.0.CO;2)
108. Henry TJ (2003) *Proboscidotylus nigrosquamis* (Maldonado) (Heteroptera: Miridae: Orthotylinae): New combination and first record for the United States. *Proceedings of the Entomological Society of Washington* 105: 59–65.
109. Henry TJ, Brambila J (2003) First report of the Neotropical damsel bug *Alloeorhynchus trimacula* (Stein) in the United States, with new records for two other nabid species in Florida (Heteroptera: Nabidae: Prostematinae). *Proceedings of the Entomological Society of Washington* 105: 801–808.
110. Henry TJ, Ferreira PSF (2003) Three new genera and three new species of Neotropical Hyaliodini, with new combinations and new synonymy (Hemiptera: Heteroptera: Miridae: Deraeocorinae). *Journal of the New York Entomological Society* 111: 96–119. [https://doi.org/10.1664/0028-7199\(2003\)111\[0096:TNGATN\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2003)111[0096:TNGATN]2.0.CO;2)
111. Henry TJ, Costa LAA (2003) Review of the Neotropical phylinae genus *Platyscytisca*, with the description of a new species from Bahia, Brazil (Hemiptera: Heteroptera:

- Miridae). Journal of the New York Entomological Society 111: 120–125. [https://doi.org/10.1664/0028-7199\(2003\)111\[0120:ROTNPG\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2003)111[0120:ROTNPG]2.0.CO;2)
112. Costa LAA, Henry TJ (2004) *Fulvius chaguenus* Carvalho and Costa: Description and type recognition. Proceedings of the Entomological Society of Washington 106: 417–420.
  113. Henry TJ (2004) *Raglius alboacuminatus* (Goeze) and *Rhyparochromus vulgaris* (Schilling) (Lygaeoidea: Rhyparochromidae): Two Palearctic bugs newly discovered in North America. Proceedings of the Entomological Society of Washington 106: 513–522.
  114. Henry TJ, Wilson MR (2004) First records of eleven true bugs (Hemiptera: Heteroptera) from the Galápagos Islands, with miscellaneous notes and corrections to published reports. Journal of the New York Entomological Society 112: 75–86. [https://doi.org/10.1664/0028-7199\(2004\)112\[0075:FROETB\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2004)112[0075:FROETB]2.0.CO;2)
  115. Wheeler Jr AG, Henry TJ (2005) Description of the adult and fifth instar of a myrmecomorphic plant bug, *Bicuspidatiella conica* Maldonado (Heteroptera: Miridae: Deraeocorinae: Hyaliadini), with notes on its habits. Proceedings of the Entomological Society of Washington 107: 209–213.
  116. Henry TJ, Paula AS (2005) *Rhyparochromomiris femoratus*: A remarkable new genus and species of Cylapinae (Hemiptera: Heteroptera: Miridae) from Ecuador. Journal of the New York Entomological Society 112: 176–182 (2004).
  117. Henry TJ, Covell Jr CV, Wheeler Jr AG (2005) An annotated list of the plant bugs, or Miridae (Hemiptera: Heteroptera), of Kentucky. Journal of the New York Entomological Society 113: 24–76. [https://doi.org/10.1664/0028-7199\(2005\)113\[0024:AALOTP\]2.0.CO;2](https://doi.org/10.1664/0028-7199(2005)113[0024:AALOTP]2.0.CO;2)
  118. Henry TJ, Ferreira PSF (2005) *Froeschneropsidea*, A replacement name for the preoccupied genus *Froeschnerisca* (Hemiptera: Heteroptera: Miridae: Deraeocorinae). Proceedings of the Entomological Society of Washington 107: 735.
  119. Hoffman RL, Roble SM, Henry TJ (2005) The occurrence in Florida and Virginia of *Corixidea major*, an exceptionally rare North America bug (Heteroptera: Schizopteridae). Banisteria 26: 18–19.
  120. Wheeler Jr AG, Henry TJ (2006) *Gampsocoris decorus* (Uhler) and *Metacanthus tenellus* Stål (Hemiptera: Berytidae): Neotropical stilt bugs as colonists of an African grass, *Urochloa mutica* (Poaceae), in Florida, with a review of berytid-grass associations. Proceedings of the Entomological Society of Washington 108: 1–8.
  121. Henry TJ (2006) Revision of the New World lygaeoid genus *Epipolops* (Heteroptera: Geocoridae: Pamphantinae: Epipolopini), with descriptions of five new species. Canadian Entomologist 138: 504–530. <https://doi.org/10.4039/n06-808>
  122. Henry TJ, Wheeler Jr AG (2006) Redescription and hosts of *Melanorhopala infuscata* Parshley, with notes and new distribution records for *M. froeschneri* Henry and Wheeler (Hemiptera: Heteroptera: Tingidae). Proceedings of the Entomological Society of Washington 108: 917–922.
  123. Henry TJ (2006) Resurrection of the plant bug genus *Pappus* Distant, with clarification of included species (Hemiptera: Heteroptera: Miridae). Proceedings of the Entomological Society of Washington 108: 822–829.

124. Wheeler Jr AG, Henry TJ, Hoebeke ER (2006) Palearctic plant bugs (Hemiptera, Miridae) in Newfoundland, Canada: First North American records for *Phytocoris longipennis* Flor and *Pilophorus cinnamopterus* (Kirchbaum), new records of eight other species, and review of previously reported species. *Denisia* 19: 997–1014.
125. Henry TJ (2006) *Izyacapsus* (Heteroptera: Miridae: Orthotyliinae), a new ceratocapsine plant bug genus established to accommodate two new species from México. *Russian Entomological Journal* 15(2): 163–170.
126. Henry TJ (2007) A newly discovered Brazilian species of the stilt bug genus *Jalysus* (Heteroptera: Berytidae) associated with myrmecophytic plants. *Proceedings of the Entomological Society of Washington* 109: 324–330.
127. Henry TJ (2007) Synopsis of the eastern North American species of the plant bug genus *Parthenicus*, with descriptions of three new species and a revised key (Heteroptera: Miridae: Orthotyliinae). *American Museum Novitates* 3593: 1–31. [https://doi.org/10.1206/0003-0082\(2007\)3593\[1:SOTENA\]2.0.CO;2](https://doi.org/10.1206/0003-0082(2007)3593[1:SOTENA]2.0.CO;2)
128. Henry TJ (2007) A new *Crataegus*-feeding plant bug of the genus *Neolygus* (Hemiptera: Heteroptera: Miridae) from the eastern United States. *Jeffersoniana* 17: 1–10.
129. Hribar L, Henry TJ (2007) *Empicoris subparallelus* (Hemiptera: Heteroptera: Reduviidae), a predatory bug new to the fauna of Florida. *Florida Entomologist* 90: 738–741. [https://doi.org/10.1653/0015-4040\(2007\)90\[738:ESHHRA\]2.0.CO;2](https://doi.org/10.1653/0015-4040(2007)90[738:ESHHRA]2.0.CO;2)
130. Hoffman RL, Roble SM, Henry TJ (2007) First records of the rarely collected bug *Nannocoris arenarius* from Georgia, North Carolina, and Virginia (Heteroptera: Schizopteridae). *Banisteria* 30: 38–39.
131. Schuh RT, Weirauch C, Henry TJ, Halbert SE (2008) Curaliidae, a new family of Heteroptera (Insecta: Hemiptera) from the eastern United States. *Annals of the Entomological Society of America* 101: 20–29. [https://doi.org/10.1603/0013-8746\(2008\)101\[20:CANFOH\]2.0.CO;2](https://doi.org/10.1603/0013-8746(2008)101[20:CANFOH]2.0.CO;2)
132. Henry TJ, Wheeler Jr AG, Steiner WE (2008) First North American records of *Amphiareus obscuriceps* (Poppius) (Hemiptera: Heteroptera: Anthocoridae), with a discussion of dead-leaf habitats. *Proceedings of the Entomological Society of Washington* 110: 402–416. <https://doi.org/10.4289/07-043.1>
133. Kment P, Henry TJ (2008) Two cases of homonymy in the family Berytidae (Heteroptera). *Proceedings of the Entomological Society of Washington* 110: 811–813. <https://doi.org/10.4289/07-108.1>
134. Henry TJ, Wheeler Jr AG (2008) John D. Lattin: Festschrift for an eminent and a passionate heteropterist, with a list of his publications. *Proceedings of the Entomological Society of Washington* 110: 825–832. <https://doi.org/10.4289/0013-8797-110.4.825>
135. Henry TJ (2008) First North American records for the Palearctic *Orius majusculus* (Reuter) (Hemiptera: Heteroptera: Anthocoridae). *Proceedings of the Entomological Society of Washington* 110: 953–959. <https://doi.org/10.4289/0013-8797-110.4.953>
136. Kerzhner IM, Henry TJ (2008) Three new species, notes and new records of poorly known species, and an updated checklist for the North American Nabidae (Hemiptera: Heteroptera). *Proceedings of the Entomological Society of Washington* 110: 988–1011. <https://doi.org/10.4289/0013-8797-110.4.988>

137. Dobbs T, Henry TJ (2008) Update on the establishment of *Paragonatas divergens* (Hemiptera: Rhyparochromidae) in Florida. *Florida Entomologist* 91: 477–478. [https://doi.org/10.1653/0015-4040\(2008\)91\[477:UOTEOP\]2.0.CO;2](https://doi.org/10.1653/0015-4040(2008)91[477:UOTEOP]2.0.CO;2)
138. Penev L, Erwin T, Sues H, Engel M, Agosti D, Pyle R, Ivie M, Assmann T, Henry T, Miller J, Casale A, Lourenco W, Golovatch S, Fagerholm H, Taiti S, Alonso-Zarazaga M, van Nieuwerkerken E (2008) ZooKeys, unlocking Earth's incredible biodiversity and building a sustainable bridge into the public domain: From "print-based" to "web-based" taxonomy, systematics, and natural history. *ZooKeys* 1: 1–7. <https://doi.org/10.3897/zookeys.1.11>
139. Henry TJ (2008) True bugs (Hemiptera: Heteroptera). In: Evans AV (Ed) *The 2006 Potomac Gorge Bioblitz: Overview and results of a 30-hour Rapid Biological Survey*. *Banisteria* 32: 42–43.
140. Henry TJ, Peña JE, Long D, Acevedo F (2009) *Stethoconus praefectus* (Hemiptera: Miridae): First North American records of an Old World predatory plant bug preying on avocado lace bug, *Pseudacysta perseae* (Hemiptera: Tingidae), in Florida. *Proceedings of the Entomological Society of Washington* 111: 98–105. <https://doi.org/10.4289/0013-8797-111.1.98>
141. Henry TJ (2009) A new species of conifer-inhabiting plant bug from Virginia belonging to the *Phytocoris junceus* group (Hemiptera: Heteroptera: Miridae), with one new synonym. In: Roble SM, Mitchell JC (Eds) *A lifetime of contributions to myriapodology and the natural history of Virginia: A Festschrift in honor of Richard L. Hoffman's 80<sup>th</sup> birthday*. Virginia Museum of Natural History Special Publication No. 16, Martinsville, Virginia, 287–293.
142. Henry TJ (2009) A new species of *Pycnoderiella* (Hemiptera: Heteroptera: Miridae) from the West Indies. *Proceedings of the Entomological Society of Washington* 111: 603–608. <https://doi.org/10.4289/0013-8797-111.3.603>
143. Holguin CM, Peña JE, Henry TJ, Acevedo F (2009) Biology of *Stethoconus praefectus* (Heteroptera: Miridae), a newly established predator of the avocado lace bug, *Pseudacysta perseae* (Heteroptera: Tingidae). *Florida Entomologist* 92: 54–57. <https://doi.org/10.1653/024.092.0109>
144. Kment P, Henry TJ, Fryda J (2009) *Neostusakia*, a replacement name for preoccupied *Stusakia* Kment & Henry, 2008 (Hemiptera: Heteroptera: Berytidae). *Proceedings of the Entomological Society of Washington* 111: 755–756. <https://doi.org/10.4289/0013-8797-111.3.755>
145. Henry TJ, Dellapé PM (2009) A new genus and species of Oxycarenidae (Hemiptera: Heteroptera: Lygaeoidea) from Argentina. *ZooKeys* 25: 49–59. <https://doi.org/10.3897/zookeys.25.244>
146. Dellapé PM, Henry TJ (2010) *Acrolophyses*, a new seed bug genus and two new species (Hemiptera: Heteroptera: Rhyparochromidae: Myodochini) from forest-canopy fogging in Ecuador and Peru. *Insect Systematics & Evolution* 41: 75–89. <https://doi.org/10.1163/187631210X487002>
147. Ferreira PSA, Henry TJ (2010) Revision of the genus *Ambracius* Stål, 1860 (Heteroptera: Miridae: Clivinematini), with descriptions of three new species. *Zootaxa* 2485: 1–15.
148. Henry TJ, Hevel GF, Chordas SW II (2010) Additional records of the little-known *Corixidea major* (Heteroptera: Schizopteridae) from Arkansas and Oklahoma. Pro-



- ceedings of the Entomological Society of Washington 112: 475–477. <https://doi.org/10.4289/0013-8797-112.3.475>
149. Henry TJ (2010) New plant bug records (Hemiptera: Heteroptera: Miridae) from West Virginia. Proceedings of the Entomological Society of Washington 112: 490–499. <https://doi.org/10.4289/0013-8797.112.4.490>
150. Henry TJ, Hoffman RL, Wolski A (2011) First North American record of the Old World clypine *Fulvius subnitens* Poppius (Hemiptera: Heteroptera) from Virginia, with descriptions and a key to the U.S. species of *Fulvius*. Proceedings of the Entomological Society of Washington 113:127–136. <https://doi.org/10.4289/0013-8797.113.2.127>
151. Ferreira PSF, Henry TJ (2011) Synopsis and keys to the tribes, genera, and species of Miridae (Hemiptera: Heteroptera) of Minas Gerais, Brazil. Part I: Bryocorinae. Zootaxa 2920: 1–141.
152. Henry TJ (2012) First eastern North American records of *Campyloneura virgula* (Hemiptera: Heteroptera: Miridae: Bryocorinae). Proceedings of the Entomological Society of Washington 143: 159–163. <https://doi.org/10.4289/082.114.0101>
153. Henry TJ, Caldwell D, Halbert S (2012) *Tropidosteptes forestierae* (Hemiptera: Heteroptera: Miridae: Mirinae): A new species of plant bug injuring ornamental Florida swamp-privet, *Forestiera segregata* (Oleaceae), in South Florida. Insecta Mundi 0240: 1–10.
154. Henry TJ (2012) Revision of the plant bug genus *Tyttthus* (Hemiptera: Heteroptera: Miridae: Phylinae). ZooKeys 220: 1–114. <https://doi.org/10.3897/zookeys.220.2178>
155. Henry TJ, Carpintero DL (2012) Review of the jumping tree bugs (Hemiptera: Heteroptera: Miridae: Isometopinae) of Argentina and nearby areas of Brazil and Paraguay, with descriptions of nine new species. Zootaxa 3545: 41–58.
156. Wolski A, Henry TJ (2012) Revision of the New World species of *Peritropis* Uhler (Heteroptera: Miridae: Cylapinae). Insect Systematics & Evolution 43: 213–270. <https://doi.org/10.1163/1876312X-04303002>
157. Henry TJ (2012) Dr. J. E. McPherson, educator and researcher extraordinaire: biographical sketch and list of publications. Great Lakes Entomologist 45: 111–123.
158. Henry TJ (2013) *Randallophorus schubi*, a new Neotropical genus and species of Pilo-phorini (Hemiptera: Heteroptera: Miridae: Phylinae). Entomologica Americana 118: 177–182. <https://doi.org/10.1664/12-RA-009.1>
159. Wolski A, Henry TJ (2013) Corrigendum to: Revision of the New World species of *Peritropis* Uhler (Hemiptera: Miridae: Cylapinae). Insect Systematics & Evolution 44: 107–109. <https://doi.org/10.1163/1876312X-04401005>
160. Henry TJ, Perez D, Steiner WE, Heiss E (2013) *Brachyrhynchus membranaceus* (Fabricius), an Old World flat bug (Hemiptera: Heteroptera: Aradidae) newly discovered in the Western Hemisphere. Proceedings of the Entomological Society of Washington 115: 342–348. <https://doi.org/10.4289/0013-8797.115.4.342>
161. Henry TJ (2013) *Cymapamphantus valentineorum*, a new genus and species of Pamphantinae (Heteroptera: Lygaeoidea: Geocoridae) from the British Virgin Islands, with a checklist of the species and keys to the tribes and genera of the subfamily. Proceedings of the Entomological Society of Washington 115: 392–401. <https://doi.org/10.4289/0013-8797.115.4.392>

162. Henry TJ (2013) *Joseocoris*, a new genus and two new species of Ceratocapsini (Heteroptera: Miridae: Orthotylinae) from Argentina and Brazil. *Revista de la Sociedad Entomológica Argentina* 72: 147–153.
163. Rengifo-Correa L, Brailovsky H, Henry TJ, Morrone JJ (2014) Phylogenetics and evolutionary morphology of the Neotropical true bug genus *Epipolops* (Hemiptera: Heteroptera: Geocoridae). *Systematic Entomology* 39: 127–140. doi: 10.1111/syen.12040. <https://doi.org/10.1111/syen.12040>
164. Štys P, Henry TJ (2015) A new genus and species of Colobathristidae (Hemiptera: Heteroptera) from Peru, a replacement name for the preoccupied genus *Labradoria* Kormilev, and a key to the Neotropical genera. *Proceedings of the Entomological Society of Washington* 117: 27–35. <https://doi.org/10.4289/0013-8797.117.1.27>
165. Wheeler Jr AG, Henry TJ (2015) First North American record of the Palearctic *Microplax albofasciata* (Costa) (Hemiptera: Lygaeoidea: Oxycarenidae). *Proceedings of the Entomological Society of Washington* 117: 55–61. <https://doi.org/10.4289/0013-8797.117.1.55>
166. Henry TJ (2015) Revision of the ceratocapsine *Renodaeus* group: *Marinonicoris*, *Pilophoropsis*, *Renodaeus*, and *Zanchisme*, with descriptions of four new genera (Heteroptera, Miridae, Orthotylinae). *ZooKeys* 490: 1–156. <https://doi.org/10.3897/zookeys.490.8880>
167. Henry TJ, Sweet MH (2015) *Wheelerodemus muhlenbergiae*, a new genus and new species of Blissidae (Hemiptera: Heteroptera: Lygaeoidea) from Oklahoma and Texas. *Proceedings of the Entomological Society of Washington* 117: 151–161. <https://doi.org/10.4289/0013-8797.117.2.151>
168. Eger J, Brailovsky H, Henry TJ (2015) Heteroptera attracted to butterfly traps baited with fish or shrimp carrion. *Florida Entomologist* 98: 1030–1035. <https://doi.org/10.1653/024.098.0404>
169. Dellapé P, Melo MC, Henry TJ (2016) A phylogenetic revision of the true bug genus *Heraeus* (Hemiptera: Rhyparochromidae: Myodochini), with the description of two new genera and 30 new species. *Zoological Journal of the Linnean Society* 177: 29–134. <https://doi.org/10.1111/zoj.12362>
170. Henry TJ (2016) A new species of the stilt bug genus *Gampsocoris* from Senegal and new generic combination for *Gampsocoris gomeranus* (Hemiptera: Heteroptera: Berytidae). *Entomologica Americana* 122: 24–30. <https://doi.org/10.1664/15-RA-030>
171. Paterson ID, Mangan R, Downie DA, Coetzee JA, Hill MP, Burke AM, Downey PO, Henry TJ, Compton SG (2016) Two in one: Cryptic species discovered in biological control agent populations using molecular data and crossbreeding experiments. *Ecology and Evolution* 6(17): 6139–6150. <https://doi.org/10.1002/ece3.2297>
172. Pineda S, Medina M, Figueroa JI, Henry TJ, Mena LV, Chavarrieta JM, Gómez B, Valdez JM, Lobit P, Martínez AM (2016) Life history, diagnosis, and biological aspects of *Engytatus varians* (Hemiptera: Miridae), a predator of *Bactericera cockerelli* (Hemiptera: Triozidae). *Biocontrol Science and Technology* 26: 1073–1086. <https://doi.org/10.1080/09583157.2016.1185088>
173. Henry TJ (2016) A new *Tillandsia*-feeding species of the ecritotarsine plant bug genus *Tenthecoris* (Hemiptera: Heteroptera: Miridae: Bryocorinae) from the southeastern United States. *Proceedings of the Entomological Society of Washington* 118: 363–372. <https://doi.org/10.4289/0013-8797.118.3.363>

174. Henry TJ, Howard SZ (2016) Revision of the Neotropical ecritotarsine plant bug genus *Sinervus* Stål (Heteroptera: Miridae: Bryocorinae), with the description of three new species and a closely related new genus to accommodate one new and three misplaced species. *Proceedings of the Entomological Society of Washington* 118: 533–554. <https://doi.org/10.4289/0013-8797.118.4.533>
175. Henry TJ (2017) A new species of the plant bug genus *Rubrocuneocoris* Schuh (Heteroptera: Miridae: Phylinae) from Hawaii. *Proceedings of the Entomological Society of Washington* 119: 63–69. <https://doi.org/10.4289/0013-8797.119.1.63>
176. Pineda S, Henry TJ, Martinez AM, Corrales-Madrid JL, Figueroa JI (2017) First records of the dicyphine plant bug *Nesidiocoris tenuis* (Hemiptera: Heteroptera: Miridae) from Mexico. *Proceedings of the Entomological Society of Washington* 119: 290–295. <https://doi.org/10.4289/0013-8797.119.2.290>
177. Rédei D, Kondorosy E, Ishikawa T, Aukema B, Brailovsky H, Carapezza A, Deckert, J, Dellapé P, Gao C, Henry TJ, Jung S, Kment P, Malipatil M, O'Donnell J, Scudder GGE, Tomokuni M, Tsai J-F (2017) Case 3724—*Metochus abbreviatus* Scott, 1874 (Insecta, Heteroptera): Proposed precedence over *Rhyparochomus erosus* Walker, 1872 (currently *Metochus erosus*). *Bulletin of Zoological Nomenclature* 74(1): 22–27. <https://doi.org/10.21805/bzn.v74.a008>
178. Henry TJ, Montemayor SI, Knudson AH (2017) Review of the New World *Tigava* lace bug complex (Hemiptera: Heteroptera: Tingidae), with the description of two new genera and two new species and a key to genera. *Dugesiana* 24(2): 269–277.
179. Henry TJ (2017) Description of a cryptic new species of the plant bug genus *Ecritotarsus* (Heteroptera: Miridae: Bryocorinae) from Peru, a new biocontrol agent of water hyacinth, *Eichhornia crassipes* (Pontederiaceae). *Proceedings of the Entomological Society of Washington* 119: 389–407. <https://doi.org/10.4289/0013-8797.119.3.398>
180. Henry TJ (2017) First record of the Palearctic plant bug *Rhabdomiris striatellus* (Fabricius) in North America. *Proceedings of the Entomological Society of Washington* 119: 575–579. <https://doi.org/10.4289/0013-8797.119.4.575>
181. Henry TJ, Buffington ML (2017) David R. Smith: A Festschrift in honor of his many contributions to entomology on the occasion of his 80<sup>th</sup> birthday, with a list of publications. *Proceedings of the Entomological Society of Washington* 119 (special issue): 679–696. <https://doi.org/10.4289/0013-8797.119.SpecialIssue.679>
182. Wheeler Jr AG, Henry TJ (2018). *Sixeonotopsis crassicornis* Carvalho and Schaffner (Hemiptera: Miridae): New distribution records and first host-plant association. *Proceedings of the Entomological Society of Washington* 120: 442–447. <https://doi.org/10.4289/0013-8797.120.2.442>
183. Henry TJ (2018) Revision of the plant bug genus *Semiium* (Heteroptera: Miridae: Phylinae: Semiini), with the description of three new species and a revised key. *Proceedings of the Entomological Society of Washington* 120: 508–532. <https://doi.org/10.4289/0013-8797.120.3.508>
184. Henry TJ, Brailovsky H (2018) A new species of the lace bug genus *Acalypta* (Hemiptera: Heteroptera: Tingidae) from Guatemala, and a spectacular new genus and new species from Mexico. *Proceedings of the Entomological Society of Washington* 120: 533–542. <https://doi.org/10.4289/0013-8797.120.3.533>

185. Figueroa-Castro P, López-Martínez V, Henry TJ, Brailovsky H, Hernández-Ruiz A (in press) First report of *Caulotops distanti* Reuter (Hemiptera: Miridae: Bryocorinae) on two species of mescal maguey (Asparagaceae) in Guerrero, Mexico. Florida Entomologist.
186. Henry TJ, Perreira WD, Yee DA, O'Donnell CA (in press) First records of the predatory plant bug *Deraeocoris orientalis* (Distant) (Heteroptera: Miridae) and its psyllid prey species *Euceropsylla orizabensis* (Crawford) (Sternorrhyncha: Psyllidae). Proceedings of the Entomological Society of Washington.
187. Melo MC, Henry TJ (in press) Revision of the New World scentless plant bug genus *Niesthrea* Spinola (Heteroptera: Rhopalidae: Niesthreini), with descriptions of six new species and a key to the species. Zoologischer Anzeiger.

### Books

1. Henry TJ, Froeschner RC (Eds) (1988) Catalog of the Heteroptera, or True bugs, of Canada and the Continental United States. EJ Brill, Leiden, 958 pp.
2. Wheeler AG, Henry TJ (1992) A Synthesis of the Holarctic Miridae (Heteroptera): Distribution, Biology, and Origin, with Emphasis on North America. Thomas Say Foundation Monograph 15. Entomological Society of America, Lanham, Maryland, USA, 282 pp.
3. Hernández LM, Henry TJ (2010) The Plant Bugs, or Miridae (Hemiptera: Heteroptera), of Cuba. Pensoft Publishers, Sofia-Moscow, 212 pp.

### Book chapters

1. Henry TJ, Froeschner RC (1988) Introduction. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, i-ix.
2. Henry TJ (1988) Family Anthocoridae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, of True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 12–28.
3. Polhemus JT, Polhemus DA, Henry TJ (1988) Family Belostomatidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, of True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 47–55.
4. Froeschner RC, Henry TJ (1988) Family Berytidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 56–60.
5. Henry TJ (1988) Family Ceratocombidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 61–63.

6. Henry TJ (1988) Family (1988) Dipsocoridae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 130–131.
7. Henry TJ (1988) Family Largidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 159–165.
8. Henry TJ (1988) Family Microphysidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 249–250.
9. Henry TJ, Wheeler Jr AG (1988) Family Miridae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 251–507.
10. Henry TJ, Lattin JD (1988) Family Nabidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 508–520.
11. Henry TJ (1988) Family Pyrrhocoridae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden 613–615.
12. Henry TJ (1988) Family Rhopalidae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 652–664.
13. Henry TJ (1988) Family Schizopteridae. In: Henry TJ, Froeschner RC (Eds) Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States. EJ Brill, Leiden, 682–683.
14. Henry TJ (2000) Stilt bugs (Berytidae). In: Schaefer CW, Panizzi AR (Eds) Heteroptera of Economic Importance. CRC Press, Boca Raton, Florida, USA, 725–735. <https://doi.org/10.1201/9781420041859.ch31>
15. Wheeler Jr AG, Henry TJ (2004) Family Miridae. In: Capinera JL (Ed) Encyclopedia of Entomology. Kluwer Academic Press, Oxford, UK, 1737–1742.
16. Henry TJ, Wheeler Jr AG (2007) Plant bugs (Hemiptera: Miridae) as pests of forage legumes and rangeland grasses. In: Lamp W, Berberet R, Higley L, Baird C (Eds) Handbook of 17. Forage and Rangeland Insects. Entomological Society of America, Lanham, Maryland, USA, 83–91.
17. Henry TJ (2009) Biodiversity of Heteroptera. In: Foottit RG, Adler PH (Eds) Insect Biodiversity: Science and Society. Wiley-Blackwell, Oxford, UK, 223–263. <https://doi.org/10.1002/9781444308211.ch10>
18. Henry TJ, Wheeler Jr AG (2014) Plant bugs. In: Samac DA, Rhodes LH, Lamp WO (Eds) Compendium of Alfalfa Diseases and Pests, 3<sup>rd</sup> ed. American Phytopathological Society, St. Paul, Minnesota, 92–94.
19. Ferreira PSE, Henry TJ, Coelho LA (2015) Plant bugs (Miridae). In: Panizzi A, Grazia J (Eds) Heteroptera of the Neotropics. Springer, Dordrecht, 237–286. [https://doi.org/10.1007/978-94-017-9861-7\\_10](https://doi.org/10.1007/978-94-017-9861-7_10)

20. Henry TJ, Dellapé PM, Ferreira PSF (2015) The big-eyed bugs, chinch bugs, and seed bugs (Lygaeoidea). In: Panizzi A, Grazia J (Eds) *Heteroptera of the Neotropics*. Springer, Dordrecht, 459–519. [https://doi.org/10.1007/978-94-017-9861-7\\_16](https://doi.org/10.1007/978-94-017-9861-7_16)
21. Henry TJ (2017) Biodiversity of Heteroptera. In: Foottit RG, Adler PH (Eds) *Insect Biodiversity: Science and Society*, 2<sup>nd</sup> ed. Wiley-Blackwell, Oxford, UK, 279–335. <https://doi.org/10.1002/9781118945568.ch10>

### *Book reviews*

1. Wheeler Jr AG, Henry TJ (1980) [Review of] *How to Know the True Bugs* by JA Slater and RM Baranowski. 1978. *Proceedings of the Entomological Society of Washington* 82: 156–158.
2. Henry TJ (1981) [Review of] *The Semiaquatic and Aquatic Hemiptera of California*. Edited by AS Menke. 1979. *Proceedings of the Entomological Society of Washington* 83: 178–180.
3. Henry TJ (1981) [Review of] *The Plant Bugs of the Prairie Provinces of Canada* by LA Kelton. 1980. *Proceedings of the Entomological Society of Washington* 83: 809–810.
4. Henry TJ (1983) [Review of] *The Plant Bugs on Fruit Crops in Canada* by LA Kelton. 1982. *Bulletin of the Entomological Society of Canada* 15: 158.
5. Henry TJ (2002) [Review of] *Biology of the Plant Bugs (Hemiptera: Miridae): Pests, Predators, Opportunists* by Alfred G Wheeler, Jr. 2001. Cornell University Press, Ithaca, New York. 2001. *Proceedings of the Entomological Society of Washington* 104: 529–531.

### *Edited works*

1. Henry TJ, Wheeler Jr AG (Eds) (1986) Contributions on Heteroptera in honor of the seventieth birthday of Richard C. Froeschner. *Journal of the New York Entomological Society* 94: 136–302.
2. Henry TJ, Wheeler Jr AG (1995) (Eds) Contributions on Heteroptera Dedicated to the Memory of José Candido de Melo Carvalho. *Proceedings of the Entomological Society of Washington* 97: 229–480.
3. Henry TJ, Wheeler Jr AG (2008) (Eds) Tribute to John D. Lattin. *Proceedings of the Entomological Society of Washington* 110: 825–1245.
4. Henry TJ, Johnson C (2013) Randall Tobias Schuh: A celebration of his career and accomplishments on the occasion of his 70<sup>th</sup> birthday. *Entomologica Americana* 118: 2–6 (2012) [reprinted with corrections in *Entomologica Americana* (2013) 119: 1–6].
5. Henry TJ, Buffington ML (2017) (Eds) David R. Smith: A Festschrift in honor of his many contributions to entomology on the occasion of his 80<sup>th</sup> birthday, with a list of publications. *Proceedings of the Entomological Society of Washington* 119 (special issue): 679–939.

*Obituaries*

1. Henry TJ, Froeschner RC (1987) Jon Lamar Herring: 1922–1985. Proceedings of the Entomological Society of Washington 89: 384–388.
2. Henry TJ, Hormiga G (1994) Barbara Adrienne Broady Venables 1957–1993. Proceedings of the Entomological Society of Washington 96: 767–768.
3. Santiago-Blay J, Henry TJ, Wheeler Jr AG (1997) Jenaro Maldonado Capriles 1919–1995. Biographical sketch, patronyms in his honor, and list of publications. Proceedings of the Entomological Society of Washington 99: 762–771.
4. Slater JA, Henry TJ, Wheeler Jr AG (2002) Halbert Marion Harris (1900–2000): Biographical sketch, described taxa, and list of publications on Heteroptera. Proceedings of the Entomological Society of Washington 104: 1074–1083.
5. Henry TJ (2003) Richard C. Froeschner (1916–2002): Biographical sketch, described taxa, and publications. Proceedings of the Entomological Society of Washington 105: 1075–1086.
6. Henry TJ, Gill BD (2016) Leonard A. Kelton, 1923–2011: Biographical sketch, list of publications, described taxa, and patronyms named in his honor. Proceedings of the Entomological Society of Washington 118: 131–139. <https://doi.org/10.4289/0013-8797.118.1.131>
7. Henry TJ, Brailovsky H, Baez Santacruz J (2017) Luis Cervantes Peredo, 1962–2015: Biographical sketch, list of publications, described taxa, and patronyms. Proceedings of the Entomological Society of Washington 119: 166–172. <https://doi.org/10.4289/0013-8797.119.1.166>

*Online catalog*

1. Dellapé PM, Henry TJ (2017) *Lygaeoidea Species File*. Version 5.0/5.0. <http://Lygaeoidea.SpeciesFile.org>. (Online World Catalog of the Lygaeoidea).

*Popular articles and miscellaneous publications*

1. Henry TJ, Wheeler Jr AG (1974) Honeylocust plant bug—an easily overlooked pest. Pennsylvania Nurserymen's Association Newsletter 5: 3.
2. Henry TJ, Wheeler Jr AG (1975) Honeylocust plant bug, *Diaphnocoris chlorionis* (Say). Hemiptera: Miridae. Regulatory Horticulture 1(1): 15–16.
3. Henry TJ (1976) Bronze birch borer, *Agrilus anxius* Gory. Coleoptera: Buprestidae. Regulatory Horticulture 2(1): 13–14.
4. Henry TJ (1976) Boxwood psyllid, *Psylla buxi* (L.). Homoptera: Psyllidae. Regulatory Horticulture 2(2): 19–20.
5. Wheeler Jr AG, Henry TJ (1976) An easily overlooked pest. National Landscape Association News Notes 40 (May): 3.

6. Henry TJ (1977) Birch leafminer, *Fenusa pusilla* (Lepelletier). Hymenoptera: Tenthredinidae. Regulatory Horticulture 3(1): 17–18.
7. Valley K, Henry TJ (1977) Spruce needle miners in Pennsylvania. Lepidoptera: Olethreutidae and Gelechiidae. Regulatory Horticulture 3(2): 13–14.
8. Henry TJ (1977) Boxelder bug, *Leptocoris trivittatus* (Say). Hemiptera: Rhopalidae. Regulatory Horticulture 3(2): 19–20.
9. Henry TJ (1978) Cyclamen mite on African violets. Acarina: Tarsonemidae. Regulatory Horticulture 4(1): 21–22.
10. Henry TJ (1978) White pine weevil, *Pissodes strobi* (Peck). Coleoptera: Curculionidae. Regulatory Horticulture 4(2): 13–14.
11. Henry TJ (1979) Rhododendron borer, *Synathedon rhododendri* Beutenmüller. Lepidoptera: Sesiidae. Regulatory Horticulture 5(1): 15–16.
12. Henry TJ, Signarovitz LL (1979) A bark beetle as a potential pest of ornamental white pine (Coleoptera: Scolytidae). Regulatory Horticulture 5(2): 15–16.
13. Wheeler Jr AG, Henry TJ (1979) Plant bugs studied as pests and natural control agents. Science in Agriculture 26: 3.
14. Henry TJ, Bennett LW (1980) Pine root collar weevil, *Hylobius radicis* Buchanan. Coleoptera: Curculionidae. Regulatory Horticulture 6(1): 13–14.
15. Henry TJ (1982) A dare-devil insect living among spiders. Creature Features, Smithsonian Institution Insect Zoo Publication 1(10): 2.
16. Henry TJ, PPQ Biological Assessment Support Staff (1983) Pests not known to occur in the United States or of limited distribution. No. 38: Cottonseed bug. US Department of Agriculture, APHIS, PPQ Information Circular, 5 pp.
17. Henry TJ, PPQ Biological Assessment Support Staff (1983) Pests not known to occur in the United States or of limited distribution. No. 39: Peruvian cotton stainer. US Department of Agriculture, APHIS, PPQ Information Circular, 6 pp.
18. Whittle K, Henry TJ (1985) Pests not known to occur in the United States or of limited distribution, No. 67: Wheat bug, *Nysius huttoni* White. US Department of Agriculture, APHIS-PPQ Entomology Circular, 6 pp.