

Checklist of the family Simuliidae (Diptera) of Finland

Jari Ilmonen¹

¹ Metsähallitus Natural Heritage Services, Vantaa, Finland

Corresponding author: Jari Ilmonen (jari.ilmonen@metsa.fi)

Academic editor: J. Kahanpää | Received 27 March 2014 | Accepted 19 June 2014 | Published 19 September 2014

<http://zoobank.org/A50A1040-C3AB-4B83-BB4A-9A5166B183B9>

Citation: Ilmonen J (2014) Checklist of the family Simuliidae (Diptera) of Finland. In: Kahanpää J, Salmela J (Eds) Checklist of the Diptera of Finland. ZooKeys 441: 91–95. doi: 10.3897/zookeys.441.7600

Abstract

A checklist of the family Simuliidae (Diptera) is provided for Finland and recognizes 56 species. One new record has been added (*Simulium latipes*) and one name sunken in synonymy (*Simulium carpathicum*). Furthermore, *Simulium tsheburovae* is treated as a doubtful record.

Keywords

Checklist, Finland, Diptera, Simuliidae

Introduction

Simuliidae is a relatively small family of nematoceran flies, comprised of 2,163 species (2,151 living and 12 fossil) world-wide (Adler and Crosskey 2014). Numerous taxonomical confusions and different views on nomenclature between eastern and western scientists have created confusion in blackfly studies for many decades. Some taxonomical issues concerning species occurring in North Europe have been resolved by recent synonymisations (Raastad et al. 2010, Adler and Crosskey 2014). Systematics and nomenclature of the enumeration follow that of Adler and Crosskey (2014), and only the most relevant synonyms used in previous checklists for Finland are listed.

The faunistic level of knowledge in Finland is good, only few changes were made since compilation of the previous checklist (Ilmonen and Adler 2008). Few additional species can be expected to be found, and many taxonomical issues have been resolved within the last two decades.

Number of species:

World: 2151 species (Adler and Crosskey 2014)

Europe: 230 species (Adler and Crosskey 2014)

Finland: 56 species

Faunistic knowledge level in Finland: good

Checklist

Nematocera Dumeril, 1805

infraorder Culicomorpha Hennig, 1948

superfamily Chironomoidea Newman, 1834

SIMULIIDAE Newman, 1834

SIMULIINAE Newman, 1834

tribe Prosimuliini Enderlein, 1921

HELODON Enderlein, 1921

Helodon ferrugineus (Wahlberg, 1844)

PROSIMULIUM Roubaud, 1906

Prosimulium hirtipes (Fries, 1824)

Prosimulium luganicum Rubtsov, 1956

Prosimulium macropyga (Lundström, 1911)

Prosimulium ursinum (Edwards, 1935)

tribe Simuliini Newman, 1834

CNEPHIA Enderlein, 1921

Cnephia eremites Shewell, 1952

Cnephia pallipes (Fries, 1824)

= *lapponica* (Enderlein, 1921)

GRENIERA Doby & David, 1959

Greniera ivanovae Ivashchenko, 1970

METACNEPHIA Crosskey, 1969

Metacnephia bilineata (Rubtsov, 1940)

= *saileri* (Stone, 1952)

Metacnephia lyra (Lundström, 1911)

= *tabescentifrons* (Enderlein, 1929)

= *trigoniformis* Yankovsky, 2003

Metacnephia tredecimata (Edwards, 1920)

SIMULIUM Latreille, 1802

sg. Boophthora Enderlein, 1921

Simulium erythrocephalum (De Geer, 1776)

sg. Eusimulium Roubaud, 1906

Simulium angustipes Edwards, 1915

= *securiforme* (Rubtsov, 1956)

- Simulium aureum* Fries, 1824
Simulium velutinum (Santos Abreu, 1922)
sg. Boreosimulium Rubzov & Yankovsky, 1982
Simulium annulus (Lundström, 1911)
Simulium baffinense Twinn, 1936
Simulium crassum (Rubtsov, 1956)
sg. Hellichiella Rivosecchi & Cardinali, 1975
Simulium dogieli (Rubtsov, 1956)
Simulium latipes (Meigen, 1804)
Simulium usovae (Golini, 1987)
sg. Nevermannia Enderlein, 1921
 = *Cnetha* Enderlein, 1921
Simulium angustitarse (Lundström, 1911)
Simulium beltukovae (Rubtsov, 1956)
 = *carpathicum* (Knoz, 1961)
Simulium bicorne Dorogostaisky, Rubtsov & Vlasenko, 1935
Simulium cryophilum (Rubtsov, 1959)
 = *carthusiense* f. *brevicaulis* Dorier & Grenier, 1961
Simulium curvans (Rubtsov & Carlsson, 1965)
Simulium dendrofilum (Patrusheva, 1962)
Simulium fontinale Radzivilovskaya, 1948
Simulium juxtacrenobium Bass & Brockhouse, 1990
Simulium lundstromi (Enderlein, 1921)
Simulium silvestre (Rubtsov, 1956)
Simulium vernum Macquart, 1826
 = *pritzkowi* (Enderlein, 1926)
sg. Schoenbaueria Enderlein, 1921
Simulium pusillum Fries, 1824
Simulium subpusillum Rubtsov, 1940
sg. Simulium Latreille, 1802
Simulium annulitarse Zetterstedt, 1838
Simulium argyreatum Meigen, 1838
Simulium frigidum Rubtsov, 1940
Simulium intermedium Roubaud, 1906
Simulium longipalpe Belyukova, 1955
 = *curvistylus* Rubtsov, 1957
Simulium monticola Friederichs, 1920
Simulium morsitans Edwards, 1915
Simulium murmanum Enderlein, 1935
 = *forsi* (Carlsson, 1962)
Simulium noelleri Friederichs, 1920
Simulium ornatum Meigen, 1818
Simulium paramorsitans Rubtsov, 1956

- Simulium posticatum* Meigen, 1838
 = *austeni* Edwards, 1915
 = *verecundum* misid.
- Simulium reptans* (Linnaeus, 1758)
- Simulium rostratum* (Lundström, 1911)
 = *sublacustre* Davies, 1966
- Simulium rubtzovi* Smart, 1945
- Simulium transiens* Rubtsov, 1940
- Simulium truncatum* (Lundström, 1911)
- Simulium tuberosum* (Lundström, 1911)
- Simulium tumulosum* Rubtsov, 1956
- Simulium vulgare* Dorogostaisky, Rubtsov & Vlasenko, 1935
- sg. *Wilhelmia*** Enderlein, 1921
- Simulium equinum* (Linnaeus, 1758)
 = *zetlandense* (Davies, 1966)
- STEGOPTERNA** Enderlein, 1930
- Stegopterna trigonium* (Lundström, 1911)
 = *richteri* (Enderlein, 1930)

Excluded species

- Simulium fuscipes* (Fries, 1824) see Notes
- Simulium lineatum* (Meigen, 1804) misidentified, most likely *S. equinum*
- Simulium meigeni* Rubzov & Carlsson, 1965 see Notes
 = *pygmaeum* of some authors
- Simulium tsheburovae* (Rubtsov, 1956) see Notes

Notes

- Simulium fuscipes* (Fries, 1824).** Adler and Crosskey (2014) treat *fuscipes* as a valid species of *S. ruficorne* species group in the subgenus *Nevermannia*, but no known records exist from Finland.
- Simulium meigeni* Rubzov & Carlsson, 1965.** Adler and Crosskey (2014) recognize the identity of *S. meigeni* within the subgenus *Hellichella*, but there are no known records of this species in Finland. The name *pygmaeum* in Kuusela (1971) refers to the form of *pygmaeum* that is a synonym for *pusillum*, not *meigeni* (see Adler and Crosskey 2014).
- Simulium tsheburovae* (Rubtsov, 1956).** No confirmed records of this species exist from Finland (Raastad et al. 2010), and the name probably subsumes one or more of the existing species within the subgenus *Hellichella* (Adler and Crosskey 2014).

References

- Adler PH, Crosskey RW (2014) World blackflies (Diptera: Simuliidae): a comprehensive revision of the taxonomic and geographical inventory. <http://www.clemson.edu/cafls/biomia/pdfs/blackflyinventory.pdf>
- Ilmonen J, Adler P (2008) Updated checklist of the black flies (Diptera: Simuliidae) of Finland. *British Simuliid Group Bulletin* 29: 9–15.
- Kuusela K (1971) Preliminary notes on the blackfly species (Dipt., Simuliidae) of Finland. *Annales Entomologici Fennici* 37: 190–194.
- Raastad JE, Usova ZV, Kuusela K (2010) Blackflies of Northern Europe (Diptera: Simuliidae). CD-ROM. ETI Bioinformatics, Amsterdam.