

Araneae Sloveniae: a national spider species checklist

Rok Kostanjšek¹, Matjaž Kuntner^{2,3,4}

1 Department of Biology, University of Ljubljana, Slovenia **2** Institute of Biology, Scientific Research Centre, Slovenian Academy of Sciences and Arts, Ljubljana, Slovenia **3** Centre for Behavioural Ecology & Evolution, College of Life Sciences, Hubei University, Wuhan, China **4** National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Corresponding authors: Rok Kostanjšek (rok.kostanjsek@bf.uni-lj.si); Matjaž Kuntner (kuntner@gmail.com)

Academic editor: Jeremy Miller | Received 23 August 2014 | Accepted 3 December 2014 | Published 21 January 2015

<http://zoobank.org/EFE37A9D-CF8E-4CCF-8C1A-14A8E893B3F9>

Citation: Kostanjšek R, Kuntner M (2015) Araneae Sloveniae: a national spider species checklist. ZooKeys 474: 1–91. doi: 10.3897/zookeys.474.8474

Abstract

The research of the spider fauna of Slovenia dates back to the very beginning of binomial nomenclature, and has gone through more and less prolific phases with authors concentrating on taxonomy, faunistics, ecology and zoogeographic reviews. Although the body of published works is remarkable for a small nation, the faunistic data has remained too scattered for a thorough understanding of regional biotic diversity, for comparative and ecological research, and for informed conservation purposes. A national checklist is long overdue. Here, a critical review of all published records in any language is provided. The species list currently comprises 738 species, is published online at <http://www.biportal.si/katalog/araneae.php> under the title Araneae Sloveniae, and will be updated in due course. This tool will fill the void in cataloguing regional spider faunas and will facilitate further araneological research in central and southern Europe.

Keywords

Faunistics, ecology, regional faunas, Slovenia, Palearctic, species richness

Introduction

At roughly 20,000 km², Slovenia's territory may be relatively small, but its position in between the Mediterranean, Alpine, Dinaric and Pannonic biogeographic regions is unique, and consequently, its native biota is rich and remarkable. Despite several active episodes of spider research in Slovenia, reviewed by Kuntner and Šereg (2002), a comprehensive national spider checklist has not been available, yet is long overdue. Our aim is to provide a critically filtered list of all relevant literature, in any language, that listed data relevant for Slovenian spider faunistics, and a list of all spider species recorded in this territory, cleaned for dubious, erroneous, and synonymous records. This checklist is simultaneously published online facilitating regular updates.

Historic setting

The beginnings go back to the 18th century, when Scopoli (1763) described 44 spider species from Carniola following Linné's nomenclature. Scopoli's cataloguing (Scopoli 1763, 1772) included both plants and animals, with spiders taking a prominent part. Most of the 19th century works were also taxonomic and cataloguing in nature (Damin 1900; Dobljka 1853; Doleschall 1852; Hamann 1896; Joseph 1881, 1882; Schiödte 1847; Simon 1868, 1882), adding to the recognition of the territory's biotic importance, particularly in karstic caves (Hamann 1896; Schiödte 1847).

Early 20th century brought more taxonomic investigations and numerous species descriptions. Again, cave faunas played a prominent role and Slovenia's karst (a word deriving from the geographic name Kras) became the cradle of subterranean biology in large part due to lively araneological research (Absolon and Kratochvíl 1932, 1933; Bohinec 1926; Caporiacco 1938; Fage 1919, 1931; Kratochvíl 1933, 1934, 1936, 1939, 1948; Kratochvíl and Miller 1940; Megušar 1914; Roewer 1931; Wichmann 1926). These and other authors from the first half of 20th century also documented the epigeic spider fauna (Caporiacco 1949; Drenski 1936; Giltay 1932; Hafner 1925; Kratochvíl 1935; Kulczynski 1915; Miller 1940; Reimoser 1919; Šilhavy 1944).

The second part of the 20th century saw numerous important taxonomic additions, either stand alone or within revisions. Among them, several authors stand out as highly influential. Paolo Marcello Brignoli, as an example, revised numerous genera from several families contributing to the Mediterranean spider taxonomy (Brignoli 1971a, b, 1975, 1976, 1978, 1980). In her numerous revisions, Christa Deeleman-Reinhold provided a solid basis for understanding cave and surface linyphiids and dysderids from Slovenia and the Balkans (Deeleman-Reinhold 1971a, b, 1973a, b, 1975, 1977a, b, 1978, 1980, 1981, 1983, 1985, 1993; Deeleman-Reinhold and Deeleman 1988). Furthermore, Hermann Wiehle contributed with descriptions of new Slovenian taxa (Wiehle 1961, 1964), and Konrad Thaler published numerous regional, particularly Alpine, revisions encompassing several families (Thaler 1972, 1973, 1976, 1978a, b, 1981a, b, 1982, 1986,

1990a, b, c, 1994, 1997; Thaler and Buchar 1994; Thaler and Polenec 1974). In addition, other contemporary authors also added to taxonomic understanding of the regional fauna (Maurer 1982a, b; Miller and Polenec 1975a, b; Millidge 1979; Pesarini 1989; Tongiorgi 1966; Van Helsdingen 1969; Vanuytven et al. 1994; Wunderlich 1980).

However, this time should also be known as the “Polenec era” (Kuntner and Šereg 2002). Although Anton Polenec only touched on taxonomy, his several decades-long investigations of Slovenia’s spiders have made a lasting imprint on the faunistics and community ecology, in particular of ground spider assemblages. Polenec published numerous sampling checklists and/or observations (Polenec 1952, 1954, 1957, 1958, 1959, 1960, 1961a, b, c, d, 1962a, b, c, 1963a, b, c, d, e, 1964a, b, 1965a, b, 1966a, b, 1967a, b, 1968a, b, 1969a, b, c, 1970a, b, 1971a, b, c, 1972, 1973a, b, c, d, e, 1974a, b, 1975a, b, 1976a, b, 1977, 1978a, b, c, d, 1979a, b, 1980a, b, 1981, 1982a, b, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1992; Polenec and Thaler 1980). He also coauthored the only catalogue of Yugoslav spider fauna (Nikolić and Polenec 1981), where the republic of Slovenia was within the same geographic borders as today.

Other authors of the end of the 20th century have also contributed to the overall understanding of spider species distributions in Slovenia (Alicata 1966; Balarin 1984; Bedjanič 1999; Blick et al. 1995; Bole 1974; Bole et al. 1980, 1982, 1993; Bosmans 1997; Brenčič 1999; Buchar and Polenec 1974; Deltshv 1999; Drovenik 1971; Fuhn and Polenec 1967; Gasparo 1995, 1996, 2000; Gasparo and Thaler 2000; Grimm 1985, 1986; Kiauta 1960; Knoflach 1994, 1996; Knoflach and Thaler 2000; Komposch and Steinberger 1999; Kranjc and Novak 1977; Kratochvíl 1970; Kuntner 1994, 1996, 1997a, b, c, d, 1998, 1999a, b; Kuntner and Baxter 1997; Kuntner et al. 1999a, 1999b; Mršič 1997; Nikolić 1957, 1961, 1963; Novak 1967, 1971, 1981, 2005a; Novak et al. 1981; Novak 1982; Novak and Sivec 1976; Pesarini 1989; Polak 1994, 1997; Růžička et al. 2005; Sket 1979, 1993, 1999, 2000; Spazzapan-Breljih 1964; Töpfer-Hofmann et al. 2000; Zingerle 1999; Zupančič 1984).

The 21st century began with some higher level systematics and taxonomic works that used Slovenia’s exemplars (Agnarson 2004; Arnedo et al. 2004, 2009; Gregorič 2008; Kuntner et al. 2008; Řezáč et al. 2008a, b; Van Helsdingen et al. 2001; Wang et al. 2010), but mostly continued to document the fauna through faunistic contributions (Buchar and Dolansky 2011; Buchar and Thaler 2002; Čandek et al. 2013, 2015; Decae 2010; Fišer and Kostanjšek 2001; Franc 2004; Gorjan and Fišer 2010; Gregorič and Kuntner 2009; Kostanjšek 2000, 2001, 2002a, b, 2003, 2004a, b, 2005, 2007, 2010, 2011, 2013, 2014; Kostanjšek and Celestina 2008; Kostanjšek and Fišer 2005; Kostanjšek and Gorjan 2013; Kostanjšek and Kuntner 2002; Kostanjšek and Miller 2004; Kostanjšek and Ramšak 2005; Kuntner 2001; Kuntner and Kostanjšek 2000; Kuntner et al. 2007; Neuhauser et al. 1995; Pipan et al. 2008; Polak et al. 2012), ecological and behavioral studies (Kralj-Fišer et al. 2013; Nentwig and M. 2010; Novak 2005b; Novak et al. 2004, 2010; Tkavc 2008) and zoogeographical reviews (Blick et al. 2004; Decae 2010; Deltshv 2005, 2008; Finch et al. 2008; Knapič 2012; Kuntner and Šereg 2002; Le Peru 2011, Řezáč et al. 2014).

Materials and methods

The present checklist is based on all published literature containing information on spiders found in the territory of Slovenia but also includes several new records based on recently collected material. The classification and nomenclature follow the World Spider Catalog version 15.5 (2014). Families, genera and species are listed alphabetically. For each species, all relevant literature regarding its presence in Slovenia is followed by synonyms (as they occur in the literature) indicated by an equals sign (=). In this paper, all references relevant to Slovenian spider fauna are marked with [*] in order to distinguish them from other cited literature sources.

The new, previously unrecorded species in the list are marked by an asterisk and followed by a description of the collecting site, geographic data (latitude, longitude, altitude), date of collection and sampling method, and the data on the collector/material provider and species identifying authority. The specimens of previously unrecorded species are deposited in the collections of the Department of Biology, University of Ljubljana, Slovenia, and the Institute of Biology, Scientific Research Centre, Slovenian Academy of Sciences and Arts, Ljubljana, Slovenia.

Species list

The Slovenian spider species list, published online as *Araneae Sloveniae* ver. 1.0 (<http://www.biportal.si/katalog/araneae.php>), currently comprises 738 species belonging to 286 genera and 43 families (Table 1) and will be updated in due course. This list considerably exceeds the 590 spider species recorded to occur in Slovenia in *Fauna Europaea* (Van Helsdingen 2013) and almost doubles the records reported in the outdated checklist of Slovenian (within the Yugoslavian) spider fauna (Nikolić and Polenec 1981). This number was largely reached by adding original data published since the old catalogue but also by adding numerous overlooked records.

Numerous ambiguous records from the Yugoslav list (Nikolić and Polenec 1981) are clarified; these included 149 species and subspecies, marked by question marks, whose presence in Slovenia was expected but never confirmed. Although these dubious data were clearly marked as such in the *Fauna Europaea* Database (Van Helsdingen 2013), they continued to puzzle. For example, the widely used online identification key for European Spiders (Nentwig et al. 2014) marks the presence of both dubious and valid records on the Slovenia's map. Of these dubious records, 75 species are retained in the checklist as they have recently been confirmed in the literature. The remaining 74 species and subspecies, however, are omitted. Together with other omissions from the list, such as *nomina dubia*, *nomina nuda* and redeterminations of published records, these are given at the end of the list.

Table I. A taxonomic count of Slovenian spiders. See *Araneae Sloveniae* (<http://www.biportal.si/katalog/araneae.php>) for updates.

Family	Genus	Species
Agelenidae	10	25
Amaurobiidae	2	8
Anapidae	1	1
Anyphaenidae	1	2
Araneidae	19	37
Atypidae	1	3
Clubionidae	1	20
Cybaeidae	2	4
Dictynidae	6	13
Dysderidae	7	21
Eresidae	1	1
Eutichuridae	1	9
Filistatidae	1	1
Gnaphosidae	16	53
Hahniidae	3	7
Leptonetidae	1	1
Linyphiidae	95	216
Liocranidae	5	9
Lycosidae	11	60
Mimetidae	1	3
Miturgidae	1	3
Mysmenidae	2	2
Nemesiidae	2	3
Nesticidae	2	4
Oecobiidae	2	2
Oxyopidae	1	3
Philodromidae	3	18
Pholcidae	4	5
Phrurolithidae	1	2
Pisauridae	2	3
Salticidae	29	66
Scytodidae	1	1
Segestriidae	1	5
Sparassidae	1	1
Tetragnathidae	4	13
Theridiidae	24	55
Theridiosomatidae	1	1
Thomisidae	13	43
Titanoecidae	2	4
Trachelidae	1	1
Uloboridae	2	3
Zodariidae	1	5
Zoropsidae	1	1
43	286	738

Slovenian spider species checklist (alphabetically by families)

Family AGELENIDAE

Agelena labyrinthica (Clerck, 1757)

Brignoli 1976, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1964a, 1967b, 1970b, 1971a, 1971c, 1973e, 1974a, 1975b, 1978b, 1980a, 1989, Tarman 2003

= *Aranea roeselii* Scopoli, 1763

Scopoli 1763

Allagelena gracilens (C. L. Koch, 1841)

= *Agelena gracilens* C. L. Koch, 1838

Brignoli 1976, Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

= *Agelena similis* Keyserling, 1863

Polenec 1957, 1958, 1973c, 1974a, 1978b

Coelotes alpinus Polenec, 1972

Maurer 1982a, 1982b, Nikolić and Polenec 1981, Polenec 1972, 1973a, 1973b, 1973e, 1978b, 1982a, 1989, Tarman 2003, Thaler 1976, Zingerle 1999, Zupančič et al. 1984

Coelotes atropos (Walckenaer, 1830)

Polenec 1959

Coelotes poleneci Wiehle, 1964

Bole et al. 1980, Mršič 1997, Nikolić and Polenec 1981, Polenec 1961d, 1963d, 1964b, 1966a, 1966b, 1967a, 1967b, 1968a, 1969b, 1970a, 1970b, 1973b, 1973d, 1974b, 1975b, 1976a, 1976b, 1977, 1978c, 1979a, 1980b, 1982b, 1983, 1984, 1986, 1987, 1989, Tarman 2003, Thaler 1976, Wiehle 1964, Zupančič et al. 1984

Coelotes solitarius L. Koch, 1868

Kostanjšek 2007, Novak 2005b, Thaler 1976

Coelotes terrestris (Wider, 1834)

Čandek et al. 2013

Eratigena agrestis (Walckenaer, 1802)

= *Tegenaria agrestis* (Walckenaer, 1802)

Brignoli 1976, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1984, Stražar 2001

Eratigena atrica (C. L. Koch, 1843)

= *Tegenaria atrica* C. L. Koch, 1843

Čandek et al. 2013, Kostanjšek 2012, Polenec 1962b

Hadites teganarioides Keyserling, 1862

Joseph 1881, 1882

Histopona luxurians (Kulczyński, 1897)

Deeleman-Reinhold 1983, Nikolić and Polenec 1981, Novak 2005b

= *Tegenaria luxurians* Kulczyński, 1897

Bole et al. 1980, 1982, Polenec 1960, 1961d, 1962a, 1963d, 1964a, 1965a, 1966a, 1966b, 1967a, 1967b, 1968a, 1969b, 1970b, 1971a, 1971c, 1973b, 1973d, 1974b, 1975b, 1976a, 1976b, 1977, 1978c, 1979a, 1980a, 1980b, 1982b, 1983, 1984, 1985, 1986, 1989, Wiehle 1964, Zupančič et al. 1984

Histopona torpida (C. L. Koch, 1837)

Bole et al. 1980, Brignoli 1976, Budja 2008, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polak 1997, Polenec 1957, 1958, 1959, 1963e, 1964b, 1967b, 1970b, 1973e, 1974a, 1975a, 1975b, 1979a, 1984, 1985, 1986, 1987, 1989, Rebeušek et al. 2008

Inermocoelotes anoplus (Kulczyński, 1897)

Čandek et al. 2013

= *Coelotes anoplus* Kulczyński, 1897

Bole et al. 1980, 1982, Brignoli 1975, 1976, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1962a, 1963e, 1965b, 1966a, 1968a, 1968b, 1969a, 1973b, 1978d, 1979a, 1982b, 1985, 1989, Wiehle 1964

= *Eurocoelotes anoplus* (Kulczyński, 1897)

Wang et al. 2010

Inermocoelotes inermis (L. Koch, 1855)

Gorjan 2014

= *Coelotes inermis* (L. Koch, 1855)

Bole et al. 1980, 1982, Brignoli 1976, Budja 2008, Kuntner 1997a, 1997c, 1999b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1960, 1961d, 1962a, 1962c, 1963c, 1963d, 1964a, 1964b, 1965a, 1966a, 1966b, 1967a, 1967b, 1968a, 1969b, 1970a, 1970b, 1971a, 1971c, 1973c, 1973d, 1973e, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1977, 1978b, 1978c, 1979a, 1980a, 1981, 1982a, 1982b, 1983, 1984, 1985, 1986, 1987, 1989, Tarman 2003, Thaler 1976, Zupančič et al. 1984

= *Eurocoelotes inermis* (L. Koch, 1855)

Gregorič and Kuntner 2009, Wang et al. 2010

Tegenaria campestris (C. L. Koch, 1834)

Kuntner 1999b, 2001, 2002, Polenec 1976a, ULRŠ 2002

Tegenaria domestica (Clerck, 1757)

Kostanjšek 2004a, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1962b, 1978a, Tarman 2003

= *Tegenaria derhamii* Scopoli

Megušar 1914

Tegenaria ferruginea (Panzer, 1804)

Kostanjšek 2004a, Nikolić and Polenec 1981, Novak 2005b, Polenec 1962b, 1989

Tegenaria pagana* (C. L. Koch, 1840)

1♀ - meadow, 2,5 km N from Kostanjevica na Krki; 45°52,5'N; 15°25,4'E,
150 m a. s. l.; 26.7.2009; leg. & det. Kostanjšek R.

Tegenaria parietina (Fourcroy, 1785)

Kostanjšek 2004a, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b,
1989, Tarman 2003

Tegenaria parvula Thorell, 1875

= *Tetrilus strandi* Caporiacco, 1936

Caporiacco 1938, Nikolić and Polenec 1981

Tegenaria silvestris L. Koch, 1872

Bole et al. 1980, Brignoli 1976, 1980, Budja 2008, Kostanjšek 2003, 2004a,
Kratochvíl 1934, Kratochvíl and Miller 1940, Kuntner 1997d, 1998, 1999b,
Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981,
2005b, Novak and Kuštor 1982, Polenec 1957, 1958, 1959, 1960, 1963e,
1965b, 1967b, 1969a, 1969b, 1970a, 1970b, 1971c, 1974a, 1975a, 1975b,
1976b, 1978d, 1979a, 1980b, 1981, 1982a, 1984, 1985, 1986, 1987, 1989

= *Malthonica silvestris* (L. Koch, 1872)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009

Tegenaria tridentina L. Koch, 1872

Nikolić and Polenec 1981, Novak 2005b, Polenec 1964a, Wiehle 1964

Textrix caudata L. Koch, 1872

Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1978d, 1992

Textrix denticulata (Olivier, 1789)

Kostanjšek 2001

Urocoras munieri (Simon, 1880)

= *Coelotes munieri* Simon, 1880

Bole et al. 1980, Nikolić and Polenec 1981

Family AMAUROBIIDAE***Amaurobius erberi*** (Keyserling, 1863)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2002a, Polenec
1992

Amaurobius fenestralis (Ström, 1768)

Bole et al. 1980, Fage 1931, Nikolić and Polenec 1981, Novak 2005b, Pole-
nec 1979a, 1989, Tarman 2003

Amaurobius ferox (Walckenaer, 1830)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner
1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak
2005b, Polenec 1989

Amaurobius jugorum L. Koch, 1868

Budja 2008, Čandek et al. 2013, Kostanjšek 2004a, Nikolić and Polenec 1981,
Polenec 1957, 1958, 1959, 1961d, 1963d, 1963e, 1964b, 1967b, 1968a,
1970b, 1971c, 1973c, 1974a, 1975a, 1975b, 1976b, 1985, 1989, Thaler 1990a

Amaurobius minor (Kulczyński, 1915)

Nikolić and Polenec 1981, Polenec 1978d, 1979b, 1992

Amaurobius obustus L. Koch, 1868

Bole et al. 1980, 1982, Nikolić and Polenec 1981, Polenec 1960, 1961d, 1962a, 1962c, 1963d, 1963e, 1964a, 1964b, 1965a, 1966a, 1966b, 1967a, 1967b, 1969a, 1969b, 1970a, 1970b, 1971a, 1973b, 1974b, 1975b, 1976a, 1976b, 1977, 1979a, 1980b, 1981, 1982a, 1982b, 1983, 1984, 1985, 1986, 1987, 1989, Thaler 1990a

Amaurobius scopolii Thorell, 1871

Kratochvíl 1935

Callobius claustrarius (Hahn, 1833)

Kostanjšek 2007, Nikolić and Polenec 1981

= *Amaurobius claustrarius* (Hahn, 1833)

Novak 2005b, Zupančič et al. 1984

Family ANAPIDAE***Comaroma simoni*** Bertkau, 1889

Budja 2008, Gorjan 2014, Kostanjšek 2002b, Kuntner 1997c, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1964b, 1966a, 1966b, 1970b, 1971a, 1971c, 1973b, 1983, 1989, Thaler 1978a

Family ANYPHAENIDAE***Anyphaena accentuata*** (Walckenaer, 1802)

Budja 2008, Čandek et al. 2013, Kostanjšek 2013, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958, 1959, 1960, 1964b, 1973e, 1974a, 1985, 1986, 1987, 1989

Anyphaena sabina L. Koch, 1866

Čandek et al. 2013

Family ARANEIDAE***Aculepeira ceropegia*** (Walckenaer, 1802)

Čandek et al. 2013, Kuntner 1997d, Nikolić and Polenec 1981

= *Aranea ceropegia* Walckenaer, 1802

Polenec 1964b, 1971a, 1971c, 1973e, 1975b, 1976b

= *Araneus ceropegius* Lessert, 1910

Polenec 1989

Agalenatea redii (Scopoli, 1763)

Čandek et al. 2013, Kostanjšek 2003

= *Aranea aldrovandi* Scopoli, 1763

Scopoli 1763

= *Aranea redii* Scopoli, 1763

Polenec 1954, Scopoli 1763

Araneus alsine (Walckenaer, 1802)

Brigić et al. 2009, Čandek et al. 2013, Kostanjšek 2001, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polak 1997, Polenec 1983, 1989
 = *Aranea alsine* Walckenaer, 1802
 Polenec 1957, 1958, 1973c, 1992

Araneus angulatus Clerck, 1757

Čandek et al. 2013, Giltay 1932, Kostanjšek 2004a, 2005, Kuntner 1996, 1997a, 1997d, 1999b, 2002

Araneus circe (Audouin, 1826)

Nikolić and Polenec 1981
 = *Aranea circe* (Audouin, 1827)
 Polenec 1992

Araneus diadematus Clerck, 1757

Bedjanič 1999, Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Kuntner et al. 2008, Neuhauser et al. 1995, Nikolić 1963, Polak 1994, 1997, Polenec 1985, 1986, 1987, Tarman 2003, Vogrin 2002
 = *Aranea duadema* Linnaeus, 1758
 Polenec 1957, 1958, 1960, 1961b, 1964a, 1964b, 1965a, 1967b, 1969a, 1970b, 1971c, 1973c, 1974a, 1980a
 = *Araneus diademus* Clerck, 1757
 Polenec 1989

Araneus marmoreus Clerck, 1757

Čandek et al. 2013, Kostanjšek 2004a, 2007, Kuntner 1997d, 1999b, Nikolić and Polenec 1981
 = *Aranea raji* Scopoli, 1763
 Polenec 1954, 1961b, 1980a, Scopoli 1763
 = *Aranea raji* var. *betulae* Sulzer, 1776
 Polenec 1961b, 1963d, 1964a, 1964b, 1965a, 1970b, 1989
 = *Araneus marmoreus pyramidatus* Clerck, 1757
 Kuntner 1997c, Nikolić and Polenec 1981

Araneus quadratus Clerck, 1757

Čandek et al. 2013, Kuntner 1996, 1997c, 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989, Tarman 2003
 = *Aranea quadrata* Clerck, 1757
 Polenec 1978b
 = *Aranea reaumiri* Scopoli, 1763
 Polenec 1954
 = *Aranea reaumurii* Scopoli, 1763
 Scopoli 1763

Araneus sturmi (Hahn, 1831)

Čandek et al. 2013, Kuntner 1997c, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

- = *Aranea sturmi* (Hahn, 1831)
 Polenec 1957, 1958, 1960, 1973c
- = *Atea sturmi* C.L.Koch, 1837
 Budja 2008
- Araneus triguttatus*** (Fabricius, 1793)
 Kostanjšek 2010
- Araniella alpica*** (L. Koch, 1869)
 Kuntner et al. 2008
- Araniella cucurbitina*** (Clerck, 1757)
 Čandek et al. 2013, 2015, Kostanjšek 2004a, 2005, Kuntner 1996, 1997c, 1997d, Nikolić and Polenec 1981, Novak 1981, Polenec 1984, Tarman 2003
- = *Aranea cucurbitina* Linnaeus, 1758
 Polenec 1963d, 1964a, 1967b, 1969a, 1969b, 1970b, 1971a, 1978b, 1980a
- = *Aranea frischii* Scopoli, 1763
 Scopoli 1763
- = *Araneus cucurbitinus* Clerck, 1757
 Novak 2005b, Polenec 1978d, 1985, 1989
- Araniella opistographa*** (Kulczyński, 1905)
 Čandek et al. 2015
- Argiope bruennichi*** (Scopoli, 1772)
 Bedjanič 1999, Čandek et al. 2013, Kaligarič 1996, Kostanjšek 2000, 2004a, 2004b, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Kuštor 2006, Nikolić and Polenec 1981, Polenec 1952, 1954, 1963b, 1966a, 1989, Tarman 2003, Vogrin 2002, 2005
- = *Aranea brünnichii* Scopoli, 1772
 Scopoli 1772
- Cercidia prominens*** (Westring, 1851)
 Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1978d, 1986, 1989
- Cyclosa conica*** (Pallas, 1772)
 Budja 2008, Čandek et al. 2013, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Kuntner et al. 2008, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1963d, 1964a, 1970b, 1973c, 1989
- Cyclosa oculata*** (Walckenaer, 1802)
 Nikolić and Polenec 1981, Polenec 1957, 1958, 1964b, 1989
- Gibbaranea bituberculata*** (Walckenaer, 1802)
 Budja 2008, Čandek et al. 2013, Kostanjšek 2003, Kuntner 2002
- = *Aranea bituberculata* Walckenaer, 1802
 Polenec 1969a
- Hypsosinga albovittata*** (Westring, 1851)
 = *Singa albovittata* Westring, 1851
 Polenec 1992

Hypsosinga heri (Hahn, 1831)

Kostanjšek 2002b, 2014, Kuntner 1997c, 1999b, 2001, 2002, ULRS 2002

Hypsosinga pygmaea (Sundevall, 1831)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1999b

= *Singa pygmaea* (Sundevall, 1831)

Nikolić and Polenec 1981

Hypsosinga sanguinea (C. L. Koch, 1844)

Čandek et al. 2013, Gorjan 2014, Kuntner 1997d

= *Singa sanguinea* C. L. Koch, 1844

Bole et al. 1980, Polenec 1989

Larinioides cornutus (Clerck, 1757)

Kostanjšek 2004a, Kuntner 2002

= *Aranea cornuta* Clerck, 1757

Polenec 1992

= *Aranea leuvenhoekii* Scopoli, 1763

Scopoli 1763

Larinioides sclopetarius (Clerck, 1757)

Čandek et al. 2013, Kostanjšek 2012, Kuntner 1997a, 1999b, 2002

Larinioides suspicax (O. P.-Cambridge, 1876)

Kuntner 2002

Leviellus thorelli (Ausserer, 1871)

Čandek et al. 2013, Gregorič 2008, Kralj-Fišer et al. 2013

= *Zygiella thorelli* (Ausserer, 1871)

Kostanjšek 2004a, Kuntner 1999b, 2002

Mangora acalypha (Walckenaer, 1802)

Čandek et al. 2013, Kostanjšek 2003, 2004a, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1969a, 1969b, 1971a, 1973c, 1973e, 1989

Neoscona adianta (Walckenaer, 1802)

Čandek et al. 2013, Kuntner 1997d, 2002, Kuntner and Kostanjšek 2000

= *Araneus adianta* Walckenaer, 1802

Giltay 1932

Neoscona subfusca (C. L. Koch, 1837)

Kostanjšek and Kuntner 2002, Kuntner 2002, Kuntner and Kostanjšek 2000

Nuctenea umbratica (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Kuntner 1996, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000

= *Aranea sexpunctata* Linnaeus, 1758

Polenec 1962b, 1978b, 1980a

= *Aranea swammerdamii* Scopoli, 1763

Scopoli 1763

- = *Araneus sexpunctatus* Linnaeus, 1758
Tarman 2003
- = *Chinestela umbratica* (Clerck, 1757)
Nikolić and Polenec 1981
- Parazygiella montana*** (C. L. Koch, 1834)
Čandek et al. 2013, Gregorič 2008
- = *Zilla montana* C. L. Koch, 1834
Polenec 1970a
- = *Zygiella montana* (C. L. Koch, 1839)
Nikolić and Polenec 1981, Polenec 1979a, 1989
- Singa hamata*** (Clerck, 1757)
Kuntner 1997c, Nikolić and Polenec 1981
- Singa nitidula*** C. L. Koch, 1844
Čandek et al. 2013, Kuntner 1996, 1997c, 1999b, Nikolić and Polenec 1981
- Stroemiellus stroemi*** (Thorell, 1870)
Čandek et al. 2013, Gregorič 2008
- = *Zygiella stroemi* (Thorell, 1870)
Gregorič 2008, Kuntner 1999b, 2001, 2002, ULRS 2002
- Zilla diodia*** (Walckenaer, 1802)
Čandek et al. 2013, Kostanjšek 2003, Kuntner 1996, 1997c, 1997d, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981
- = *Aranea diodia* Walckenaer, 1802
Polenec 1958, 1969a
- Zygiella keyserlingi*** (Ausserer, 1871)
Gregorič 2008
- Zygiella x-notata*** (Clerck, 1757)
Gregorič 2008, Kuntner 2002, Kuntner and Kostanjšek 2000
- = *Zilla litterata* Wiehle, 1931
Polenec 1962b

Family ATYPIDAE

- Atypus affinis*** Eichwald, 1830
Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2000, 2004a, Le Peru 2011, Nikolić and Polenec 1981
- Atypus muralis*** Bertkau, 1890
Bole et al. 1980, Kostanjšek 2000, 2001, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1966a, 1969a
- Atypus piceus*** (Sulzer, 1776)
Čandek et al. 2013, Kostanjšek 2000, Kostanjšek and Kuntner 2002, Kuntner 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961c, 1978a, 1978d, 1979b, Tarman 2003
- = *Atypus picinus* O
Bole et al. 1980

Family CLUBIONIDAE***Clubiona brevipes*** Blackwall, 1841

Kuntner 1997d, Nikolić and Polenec 1981

Clubiona caerulescens L. Koch, 1867

Bole et al. 1980, Budja 2008, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1978d, 1979a, 1984, 1985, 1986, 1989

Clubiona comta C. L. Koch, 1839

Gorjan 2014, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1971a, 1978d

Clubiona corticalis (Walckenaer, 1802)Bole et al. 1982, Kuntner and Kostanjšek 2000, Polenec 1965b, 1992
= *Paraclubiona corticalis* (Walckenaer, 1802)

Nikolić and Polenec 1981

Clubiona genevensis L. Koch, 1866

Polenec 1969a

= *Microclubiona genevensis* L. Koch, 1866

Nikolić and Polenec 1981

Clubiona germanica Thorell, 1871

Čandek et al. 2013, Kuntner 1997c, 1999b, 2001, 2002, ULRS 2002

Clubiona leucaspis Simon, 1932

Gorjan 2014, Kostanjšek and Gorjan 2014

Clubiona lutescens Westring, 1851

Kuntner 1997c, 1997d, 1999b, Nikolić and Polenec 1981

Clubiona marmorata L. Koch, 1866

Kuntner 1996, Kuntner and Baxter 1997, Polenec 1978d

= *Microclubiona marmorata* L. Koch, 1866

Nikolić and Polenec 1981

Clubiona neglecta O. P.-Cambridge, 1862

Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1974b, 1989

Clubiona pallidula (Clerck, 1757)Bole et al. 1980, Kostanjšek 2004a, Nikolić and Polenec 1981, Novak 2005b,
Polenec 1989= *Clubiona holosericea* Linnaeus, 1758

Polenec 1969b

Clubiona phragmitis C. L. Koch, 1843

Kuntner 1997d, 2001, 2002, ULRS 2002

Clubiona pseudoneglecta Wunderlich, 1994Čandek et al. 2013, Kostanjšek 2014, Kuntner 1997d, 2001, 2002, ULRS
2002***Clubiona reclusa**** O. P.-Cambridge, 18631♂ - forest, Pokljuka, Zgornji Goreljek, 700 m W of Sivec peak; 46°20,05'N;
13°58,14'E, 1240 m a. s. l.; 1.11.2001; leg. & det. Kostanjšek R.

4♀ - forest, Pohorje, 500 m W from Lasina Peak, N of Rogla; 46°28,88'N; 15°20,24'E, 1300 m a. s. l.; 31.7.2005; leg. & det. Kostanjšek R.

4♀ - forest, Pohorje, Črne mlake marsh 1,6 km NE of Rogla; 46°28,12'N; 15°21,27'E, 1300 m a. s. l.; 31.7.2005; leg. & det. Kostanjšek R.

2♀ - damp meadow, 300 m E of Fara village near Kolpa river; 45°28,59'N; 14°53,18'E, 225 m a. s. l.; 23.7.2008; leg. & det. Kostanjšek R.

1♀ - meadow, Cerklje ob Krki; 150 m a. s. l.; 8.7.1981; det. Knapič T., Gregorič M.

1♀ - damp meadow, 3,6 km N of Kostanjevica na Krki; 45°52,73'N; 15°25,23'E, 150 m a. s. l.; 26.7.2009; leg. & det. Kostanjšek R.

Clubiona similis L. Koch, 1867

Kostanjšek and Celestina 2008

Clubiona stagnatilis Kulczyński, 1897

Kostanjšek 2000

Clubiona subsultans Thorell, 1875

Nikolić and Polenec 1981, Polenec 1979a, 1989

Clubiona subtilis L. Koch, 1867

Novak 1981, 2005b

Clubiona terrestris Westring, 1851

Bole et al. 1980, Budja 2008, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1959, 1963e, 1969a, 1969b, 1973e, 1974a, 1978d, 1984, 1986, 1989

Clubiona trivialis C. L. Koch, 1843

Polenec 1957, 1958, 1967b

= *Microclubiona trivialis* (C. L. Koch, 1843)

Nikolić and Polenec 1981

Family CYBAEIDAE

Argyroneta aquatica (Clerck, 1757)

Budihna et al. 1996, Gregori 1980, 1994, Kalan et al. 2007, Kmecl 2000, Kostanjšek 2002a, 2004a, Kuntner 1997a, 2001, Nikolić and Polenec 1981, Polenec 1971a, 1992, Tarman 2003, ULRS 1993, 2002

Cybaeus minor Chyzer, 1897

Bole et al. 1980, Maurer 1992, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1969b, 1970a, 1970b, 1971a, 1971c, 1973e, 1976a, 1977, 1978c, 1979a, 1980b, 1981, 1982b, 1983, 1984, 1985, 1986, 1989

Cybaeus raymondi (Simon, 1916)

Kuntner 1998, 2001, Kuntner and Kostanjšek 2000, ULRS 2002

Cybaeus tetricus (C. L. Koch, 1839)

Bole et al. 1980, Brignoli 1976, Kostanjšek 2004a, Maurer 1992, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958, 1959, 1960, 1961d, 1962a,

1963d, 1964b, 1966a, 1967a, 1967b, 1968a, 1969a, 1969b, 1970a, 1970b, 1971c, 1973d, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1978c, 1979a, 1980a, 1980b, 1981, 1982b, 1983, 1985, 1989, Rebeušek et al. 2008, Zupančič et al. 1984
 = *Cybaeus angustiarum* L. Koch, 1868
 Novak 2005b

Family DICTYNIDAE

- Argenna subnigra* (O. P.-Cambridge, 1861)
 Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009
- Cicurina cicur* (Fabricius, 1793)
 Bole et al. 1980, Brignoli 1976, Čandek et al. 2013, Novak 2005b, Polenec 1957, 1958, 1962a, 1963e, 1967b, 1974a, 1975a, 1976a, 1985, 1989, Roewer 1931
- Dictyna arundinacea* (Linnaeus, 1758)
 Nikolić and Polenec 1981, Polenec 1957, 1958
- Dictyna civica* (Lucas, 1850)
 Čandek et al. 2013, Kostanjšek 2012, Kostanjšek and Celestina 2008
- Dictyna latens* (Fabricius, 1775)
 Polenec 1971a
 = *Brigittea latens* (Fabricius, 1775)
 Nikolić and Polenec 1981
- Dictyna pusilla* Thorell, 1856
 Kuntner 1997c, 2002
- Dictyna uncinata* Thorell, 1856
 Čandek et al. 2013, Kuntner 1996, 1997a, 1997d, 2002
- Lathys humilis* (Blackwall, 1855)
 Čandek et al. 2013, 2015, Nikolić and Polenec 1981, Polenec 1978d
- Lathys nielseni* (Schenkel, 1932)
 Gregorič and Kuntner 2009
- Lathys stigmatisata* (Menge, 1869)
 Gorjan 2014, Kostanjšek and Gorjan 2014
- Mastigusa arietina* (Thorell, 1871)
 Gorjan 2014
 = *Tetrilus arietinus* Thorell, 1881
 Polenec 1981, 1989
 = *Tetrilus macrophthalmus* Kulczyński, 1891
 Novak 2005b, Polenec 1961d, 1963e, 1964a, 1966a, 1969a, 1975b, 1979a, 1989
- Mastigusa macrophthalma* (Kulczyński, 1897)
 Budja 2008, Kuntner and Kostanjšek 2000
 = *Tuberta macrophthalma* (Kulczyński, 1897)
 Nikolić and Polenec 1981
- Nigma walckenaeri* (Roewer, 1951)
 = *Dictyna viridissima* (Walckenaer, 1805)
 Polenec 1988, 1989

Family DYSDERIDAE

Dasumia canestrinii (L. Koch, 1876)

Bole et al. 1980, 1982, Budja 2008, Čandek et al. 2013, Gorjan 2014, Kuntner 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Novak 1981, Polenec 1957, 1958, 1959, 1960, 1962a, 1963e, 1965a, 1965b, 1966a, 1966b, 1969a, 1973b, 1973c, 1976a, 1978d, 1979a, 1982b, 1984, 1985, 1986, 1989, Zupančič et al. 1984

= *Dasumia istriaca* Simon, 1882

Simon 1882

Dasumia carpatica (Kulczyński, 1882)

= *Harpactea carpatica* (Kulczyński, 1882)

Polenec 1992

Dysdera adriatica Kulczyński, 1897

Čandek et al. 2013, 2015, Gorjan 2014, Le Peru 2011, Polenec 1986, Řezáč et al. 2008a

= *Dysdera hungarica adriatica* Kulczyński, 1897

Nikolić and Polenec 1981

Dysdera crocata C. L. Koch, 1838

Gregorič and Kuntner 2009

Dysdera dubrovinnii Deeleman-Reinhold, 1988

Deeleman-Reinhold and Deeleman 1988, Le Peru 2011, Řezáč et al. 2008a

Dysdera erythrina (Walckenaer, 1802)

Budja 2008, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a

Dysdera hungarica Kulczyński, 1897

Budja 2008, Gorjan 2014, Polenec 1957, 1958, 1965a, 1983, 1984, 1985, 1989

Dysdera kollari Doblíka, 1853

Le Peru 2011

Dysdera longirostris Doblíka, 1853

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1961d, 1964b, 1969b, 1970a, 1970b, 1971c, 1974a, 1975a, 1975b, 1978d, 1979a, 1980b

Dysdera microdonta Řezáč, 2014

Řezáč et al. 2014

Dysdera ninnii Canestrini, 1868

Bole et al. 1980, 1982, Budja 2008, Čandek et al. 2013, Deeleman-Reinhold and Deeleman 1988, Gorjan 2014, Kostanjšek 2003, Kuntner 1996, 1998, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Kuntner et al. 1999b, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963d, 1963e, 1965a, 1965b, 1966a, 1967b, 1968a, 1968b, 1969a, 1973b, 1973c, 1974a, 1975a, 1975b, 1977, 1978d, 1982a, 1984, 1985, 1986, 1987, 1989, Řezáč et al. 2008a, 2014, Roewer 1931

Harpactea grisea (Canestrini, 1868)

Alicata 1966, Bole et al. 1980, 1982, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1980b, 1981, 1989, 1992, Thaler 1976

Harpactea hombergi (Scopoli, 1763)

Budja 2008, Kuntner 1996, Kuntner and Baxter 1997, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989, 1992

= *Dysdera hombergi* Walckenaer, 1830

Damin 1900, Dobljka 1853, Řezáč et al. 2008a

= *Harpactes hombergi* Scopoli, 1763

Polenec 1954, 1964b

Harpactea lepida (C. L. Koch, 1838)

Bole et al. 1980, 1982, Budja 2008, Kuntner 1998, Kuntner et al. 1999b, Le Peru 2011, Nikolić and Polenec 1981, Novak 2005b, Polenec 1959, 1962c, 1966b, 1971a, 1977, 1978b, 1978c, 1979a, 1980a, 1980b, 1981, 1982a, 1982b, 1983, 1984, 1985, 1986, 1987, 1989, Thaler 1976, Zupančič et al. 1984

= *Harpactes lepidus* C. L. Koch, 1839

Polenec 1957, 1958, 1960, 1961a, 1961d, 1962a, 1962c, 1963d, 1963e, 1964a, 1964b, 1965a, 1966b, 1967a, 1967b, 1968a, 1969a, 1969b, 1970b, 1971a, 1971c, 1973c, 1973d, 1973e, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1978d

Harpactea rubicunda (C. L. Koch, 1838)

Kostanjšek 2004a

Mesostalita nocturna (Roewer, 1931)

Deeleman-Reinhold 1971a, Nikolić and Polenec 1981, Stepišnik and Ramšak 2006, ULRS 2002, 2004

= *Stalita nocturna* Roewer, 1931

Brignoli 1978, Caporiacco 1938, Gasparo 1996, Gasparo and Thaler 2000, Kratochvíl 1970, Le Peru 2011, Roewer 1931

Parastalita stygia (Joseph, 1882)

Absolon and Kratochvíl 1933, Bedek et al. 2009, Caporiacco 1938, Deeleman-Reinhold 1971a, Kratochvíl 1934, 1970, Kržič 2010, Kuntner 1998, Kuntner et al. 1999b, Mršić 1997, Nikolić 1963, Nikolić and Polenec 1981, Polak 1994, Sket 2000, Tarman 2003, ULRS 2002

= *Stalita stygia* Joseph, 1882

Brignoli 1978, Drensky 1936, Fage 1931, Hamann 1896, Joseph 1882, Le Peru 2011, Wichmann 1926

Rhode aspinifera (Nikolić, 1963)

Deeleman-Reinhold 1977a, 1993, Le Peru 2011, Nikolić and Polenec 1981, Tarman 2003, Thaler 1990b

= *Typhlorhode aspinifera* Nikolić, 1963

Nikolić 1961, 1963

Stalita hadzii Kratochvíl, 1934

Brignoli 1971b, 1978, Kiauta and Leben 1960, Kratochvíl 1934, 1970, Le Peru 2011, Nikolić 1963, Nikolić and Polenec 1981, Polenec 1973b, Tarman 2003, ULRS 2002

Stalita intermifemur Roewer, 1931

Caporiacco 1938, Kratochvíl 1970, Le Peru 2011, Nikolić and Polenec 1981, Roewer 1931

Stalita taenaria Schiödte, 1847

Absolon and Kratochvíl 1933, Brignoli 1971b, 1978, 1980, Caporiacco 1938, Deeleman-Reinhold 1977a, Doleschall 1852, Drensky 1936, Fage 1931, Gasparo and Thaler 2000, Hafner 1925, Hamann 1896, Joseph 1881, 1882, Kostanjšek and Kuntner 2002, Kratochvíl 1934, 1970, Kržič 2010, Kuntner 1998, Kuntner and Kostanjšek 2000, Kuntner et al. 1999b, Kuštor and Novak 1980, Lämmerman 1915, Le Peru 2011, Megušar 1914, Mršič 1997, Nikolić 1957, 1963, Novak 1976, Perko 1910, Pokorny 1853, Polak 1997, Polak et al. 2012, Polenec 1954, Pretner 1974, Reimoser 1919, Roewer 1931, Schiner 1854, Schiödte 1847, Sket 1979, 1993, 1999, 2000, 2006, Staut et al. 2008, Tarman 2003, ULRS 2002, Wichmann 1926

= *Stalita spinosissima* Kulczyński, 1897

Nikolić and Polenec 1981

Family ERESIDAE***Eresus kollari*** Rossi, 1846

Řezáč et al. 2008b

= *Eresus cinnaberinus* (Olivier, 1789)

Gregorič and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Tarman 2003

= *Eresus niger* Petagna, 1787

Kostanjšek and Kuntner 2002, Le Peru 2011, Polenec 1980a, 1989, 1992, ULRS 1993, 2002

Family EUTICHURIDAE***Cheiracanthium elegans*** Thorell, 1875

Gregorič and Kuntner 2009, Nikolić and Polenec 1981

Cheiracanthium erraticum (Walckenaer, 1802)

Čandek et al. 2013

= *Cheiracanthium dumetorum* (Hahn, 1833)

Nikolić and Polenec 1981, Tarman 2003

Cheiracanthium mildei L. Koch, 1864

Čandek et al. 2013, Kostanjšek 2012, Kostanjšek and Celestina 2008

Cheiracanthium montanum L. Koch, 1877

Polenec 1989

Cheiracanthium pennyi O. P.-Cambridge, 1873

Kostanjšek 2002b

Cheiracanthium punctorium (Villers, 1789)

Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, 2013, Kuntner 1996, 1997d, Nikolić and Polenec 1981, Polenec 1964b, 1989, Tarman 2003

- Cheiracanthium rupestre*** Herman, 1879
 Kratochvíl 1934, Nikolić and Polenec 1981
- Cheiracanthium striolatum*** Simon, 1878
 Bole et al. 1980, Polenec 1992
- Cheiracanthium virescens*** (Sundevall, 1833)
 Polenec 1989

Family FILISTATIDAE

- Filistata insidiatrix*** (Forsskål, 1775)
 Čandek et al. 2013, Kuntner 1997d, 2001, 2002, Le Peru 2011, ULRS 2002

Family GNAPHOSIDAE

- Aphantaulax cincta*** (L. Koch, 1866)
 Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm 1985
- Aphantaulax trifasciata*** (O. P.-Cambridge, 1872)
 Kostanjšek 2010
 = *Aphantaulax seminigra* Simon, 1878
 Grimm 1985
- Callilepis schuszeri*** (Herman, 1879)
 Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985,
 Kostanjšek 2005, Nikolić and Polenec 1981, Polenec 1978d
- Civizelotes pygmaeus*** (Miller, 1943)
 = *Zelotes pygmaeus* (Miller, 1943)
 Gregorič and Kuntner 2009
- Drassodes cupreus*** (Blackwall, 1834)
 Bole et al. 1980, Kuntner 1997d, 2002
- Drassodes lapidosus*** (Walckenaer, 1802)
 Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner
 2009, Grimm 1985, Kostanjšek 2004a, Kuntner 1997d, 1999b, Kuntner and
 Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1968b, 1969a, 1970a,
 1975a, 1978d, 1980b, 1981, 1982a, 1989
- Drassodes pubescens*** (Thorell, 1856)
 Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner
 2009, Grimm 1985, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić
 and Polenec 1981, Polenec 1957, 1958, 1963e, 1968b, 1969a, 1973c, 1975a,
 1978d, 1980b, 1981, 1982a, 1985, 1989, Zupančič et al. 1984
- Drassyllus lutetianus*** (L. Koch, 1866)
 Gorjan 2014, Kostanjšek 2004b
- Drassyllus praeficus*** (L. Koch, 1866)
 Gorjan 2014, Gregorič and Kuntner 2009
 = *Zelotes praeficus* (L. Koch, 1866)
 Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1968b, 1969a,
 1973c, 1975a, 1976b, 1989

- Drassyllus pumilus*** (C. L. Koch, 1839)
Gorjan 2014, Gregorič and Kuntner 2009
- Drassyllus pusillus*** (C. L. Koch, 1833)
= *Zelotes pusillus* (C. L. Koch, 1833)
Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1975b, 1989, 1992
- Drassyllus villicus*** (Thorell, 1875)
Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009
= *Zelotes villicus* (Thorell, 1875)
Bole et al. 1980, Giltay 1932, Grimm 1985, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1969a, 1978d, 1983, 1986, 1989
- Echemus angustifrons*** (Westring, 1861)
Grimm 1985
= *Boreoechemus angustifrons* (Westring, 1861)
Polenec 1978d
= *Boreoechemus rhenanus* (Bertkau, 1883)
Nikolić and Polenec 1981
- Gnaphosa badia*** (L. Koch, 1866)
Bole et al. 1982, Grimm 1985, Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1982a, 1989
- Gnaphosa bicolor*** (Hahn, 1833)
Bole et al. 1980, Čandek et al. 2013, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1982a, 1985, 1989
- Gnaphosa inconspicua*** Simon, 1878
Nikolić and Polenec 1981, Polenec 1992
- Gnaphosa lucifuga*** (Walckenaer, 1802)
Grimm 1985, Nikolić and Polenec 1981, Polenec 1968b, 1969a, 1975a, 1992
- Gnaphosa lugubris*** (C. L. Koch, 1839)
Grimm 1985
- Gnaphosa modestior*** Kulczyński, 1897
Grimm 1985
- Gnaphosa muscorum*** (L. Koch, 1866)
Grimm 1985, Nikolić and Polenec 1981, Polenec 1969a, 1992
- Gnaphosa occidentalis*** Simon, 1878
= *Gnaphosa lugubris occidentalis* (Simon, 1873)
Nikolić and Polenec 1981
- Gnaphosa opaca*** Herman, 1879
Grimm 1985, Nikolić and Polenec 1981, Polenec 1978d, 1992
- Haplodrassus dalmatensis*** (L. Koch, 1866)
Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Polenec 1992
- Haplodrassus kulczynskii*** Lohmander, 1942
Grimm 1985, Nikolić and Polenec 1981, Polenec 1976b, 1989

Haplodrassus signifer (C. L. Koch, 1839)

Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1970b, 1989

= *Drassodes signifer* C. L. Koch, 1839

Bole et al. 1980, Polenec 1967b, 1975b

Haplodrassus silvestris (Blackwall, 1833)

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm 1985, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1976b, 1978d, 1983, 1985, 1986, 1989

Kishidaia conspicua (L. Koch, 1866)

= *Poecilochroa conspicua* (L. Koch, 1866)

Grimm 1985, Nikolić and Polenec 1981, Polenec 1978d, 1992

Micaria aenea Thorell, 1871

Zupančič et al. 1984

Micaria albovittata (Lucas, 1846)

Gregorič and Kuntner 2009

= *Micaria rogenhoferi* Herman, 1879

Nikolić and Polenec 1981, Polenec 1968b, 1975a

= *Micaria scintilans* (Cambridge, 1871)

Nikolić and Polenec 1981, Polenec 1969a

Micaria dives (Lucas, 1846)

= *Micariolepis dives* (Lucas, 1846)

Nikolić and Polenec 1981, Polenec 1968b, 1975a, 1992

Micaria formicaria (Sundevall, 1831)

Gregorič and Kuntner 2009, Kuntner 1997d, 2002

Micaria fulgens (Walckenaer, 1802)

Bole et al. 1980, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1973c, 1978d, 1981, 1985, 1989

Micaria pulicaria (Sundevall, 1831)

Čandek et al. 2013, Polenec 1982a, 1989

Micaria silesiaca L. Koch, 1875

Bole et al. 1980, Kostanjšek 2004b

Nomisia aussereri (L. Koch, 1872)

Grimm 1985

Nomisia exornata (C. L. Koch, 1839)

Čandek et al. 2013, Gorjan 2014, Grimm 1985, Kostanjšek 2010

Phaeoedus braccatus (L. Koch, 1866)

Bole et al. 1982, Čandek et al. 2013, Polenec 1992

Poecilochroa variana (C. L. Koch, 1839)

Gregorič and Kuntner 2009

Scotophaeus scutulatus (L. Koch, 1866)

Čandek et al. 2013, Grimm 1985, Kostanjšek 2004a, 2005

Trachyzelotes pedestris (C. L. Koch, 1837)

Čandek et al. 2013, Gregorič and Kuntner 2009

= *Zelotes pedestris* (C. L. Koch, 1837)

Bole et al. 1980, Grimm 1985, Nikolić and Polenec 1981, Polenec 1965b, 1968b, 1971c, 1975a, 1975b, 1977, 1978d, 1989

Zelotes apricorum (L. Koch, 1876)

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1968a, 1970a, 1970b, 1973c, 1978d, 1983, 1985, 1986, 1989

Zelotes atrocaeruleus (Simon, 1878)

Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1966a, 1968b, 1969a, 1975a, 1983, 1989

Zelotes clivicola (L. Koch, 1870)

Nikolić and Polenec 1981, Polenec 1968a, 1989

= *Zelotes clivicolus* Grimm, 1985

Grimm 1985

Zelotes electus (C. L. Koch, 1839)

Grimm 1985, Nikolić and Polenec 1981, Polenec 1968b, 1969a, 1975a

Zelotes erebeus (Thorell, 1871)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1966a, 1968b, 1969a, 1973b, 1973c, 1976a, 1978d, 1986, 1989

= *Zelotes serotinus* L. Koch, 1866

Polenec 1957, 1958, 1959, 1963d, 1965a, 1965b, 1966a, 1973c

Zelotes exiguus (Müller & Schenkel, 1895)

Polenec 1992

Zelotes gracilis (Canestrini, 1868)

Grimm 1985, Nikolić and Polenec 1981

Zelotes hermani (Chyzer, 1897)

Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1969a

Zelotes latreillei (Simon, 1878)

Bole et al. 1980, Čandek et al. 2013, Grimm 1985, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1969a, 1969b, 1973c, 1975b, 1976b, 1977, 1978d, 1980b, 1984, 1986, 1989

Zelotes longipes (L. Koch, 1866)

Gorjan 2014, Grimm 1985

Zelotes oblongus (C. L. Koch, 1833)

Gorjan 2014, Gregorič and Kuntner 2009, Grimm 1985, Kuntner 2001, Polenec 1992, ULRS 2002

Zelotes petrensis (C. L. Koch, 1839)

Bole et al. 1980, Gregorič and Kuntner 2009, Grimm 1985, Nikolić and Polenec 1981, Polenec 1957, 1958, 1965b, 1969a, 1973c, 1976b, 1979a, 1981, 1989

Zelotes subterraneus (C. L. Koch, 1833)

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1961d, 1963e, 1969a, 1973c, 1978d, 1986, 1989

Family HAHNIIDAE***Antistea elegans*** (Blackwall, 1841)

Brignoli 1976, Nikolić and Polenec 1981, Polenec 1966b, 1967a, 1989

Cryphoeca silvicola (C. L. Koch, 1834)

Brignoli 1976, Kratochvíl 1934, Nikolić and Polenec 1981, Polenec 1961d, 1967a, 1967b, 1970a, 1976a, 1979a, 1989, Zupančič et al. 1984

Habnia helveola Simon, 1875

Gregorič and Kuntner 2009, Polenec 1976b, 1979a, 1982a, 1985

= *Habnia bressica* Simon, 1875

Nikolić and Polenec 1981, Polenec 1970b, 1974a, 1982a, 1989

Habnia montana (Blackwall, 1841)

Nikolić and Polenec 1981, Polenec 1970a, 1971b

Habania nava* (Blackwall, 1841)

1♂ - forest, 3 km S of Rače in NE Slovenia; 46°25,73'N; 15°40,83'E, 250 m a. s. l.; 22.7.2013; leg. Velkavrh M., det.: Kuralt Ž., Kostanjšek R.

1♀ - forest, 1 km N of Marjeta na Dravskem polju, E of Rače in NE Slovenia; N 46°27,00'N, 15°43,32'E, 250 m a. s. l.; 18.7. - 24.7.2013; leg. Kostanjšek R., det.: Velkavrh M., Kostanjšek R.

Habnia ononidum Simon, 1875

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1978d, 1985, 1989

= *Habnia mengei* Kulczyński, 1897

Polenec 1957, 1958, 1964b, 1973c

Habnia pusilla C. L. Koch, 1841

Budja 2008, Gorjan 2014, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1962a, 1962c, 1964a, 1965a, 1965b, 1968b, 1970b, 1973c, 1973d, 1974a, 1974b, 1975a, 1975b, 1976a, 1977, 1989

Family LEPTONETIDAE***Protoleptoneta italica*** (Simon, 1907)

Le Peru 2011

= *Paraleptoneta italica* Simon, 1917

Bole et al. 1982, Nikolić and Polenec 1981, Polenec 1973b, 1989

Family LINYPHIIDAE***Abacoproeces saltuum**** (L. Koch, 1872)

1♂ - forest, 3 km S of Rače in NE Slovenia; 46°25,73'N, 15°40,83'E, 250 m a. s. l.; 22.7.2013; leg. Velkavrh M., det.: Kostanjšek R.

- Agnyphantes expunctus*** (O. P.-Cambridge, 1875)
Kostanjšek and Miller 2004
- Agyneta affinis*** (Kulczyński, 1898)
= *Aprolagus beatus* (Cambridge, 1906)
Nikolić and Polenec 1981
= *Meioneta beata* (O. P.-Cambridge, 1906)
Bole et al. 1980, Polenec 1971b
- Agyneta equestris*** (L. Koch, 1881)
= *Meioneta equestris* (L. Koch, 1881)
Nikolić and Polenec 1981, Polenec 1968b
- Agyneta fuscipalpa*** (C. L. Koch, 1836)
= *Meioneta fuscipalpa* (C. L. Koch, 1836)
Čandek et al. 2013
- Agyneta gulosa*** (L. Koch, 1869)
= *Meioneta gulosa* (L. Koch, 1869)
Nikolić and Polenec 1981, Polenec 1968a, 1970a, 1971b, 1989, 1992
- Agyneta innotabilis*** (O. P.-Cambridge, 1863)
= *Meioneta innotabilis* (O. P.-Cambridge, 1863)
Kostanjšek and Gorjan 2013
- Agyneta rurestris*** (C. L. Koch, 1836)
= *Meioneta rurestris* (C. L. Koch, 1836)
Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1970b, 1971b, 1973b, 1978b, 1980a, 1989
- Agyneta saxatilis*** (Blackwall, 1844)
= *Aprolagus lugubris* (Blackwall, 1834)
Nikolić and Polenec 1981
= *Meioneta saxatilis* (Blackwall, 1844)
Bole et al. 1980, Čandek et al. 2013, Polenec 1957, 1958, 1973d, 1989, 1992
- Agyneta simplicatarsis*** (Simon, 1884)
= *Meioneta simplicatarsis* (Simon, 1884)
Čandek et al. 2013
- Anguliphantes monticola*** (Kulczyński, 1881)
= *Leptyphantes monticola* (Kulczyński, 1882)
Nikolić and Polenec 1981, Novak 2005b, Polenec 1968a, 1970a, 1971b, 1973b, 1978b, 1979a, 1989, Tarman 2003, Zupančič et al. 1984
- Araeoncus anguineus*** (L. Koch, 1869)
Nikolić and Polenec 1981, Polenec 1970a, 1971b
- Araeoncus humilis**** (Blackwall, 1841)
1♂ - primary forest, Rajhenavski Rog sanctuary, Kočevje region; 45°41'N, 15°01'E, 870-920 m a. s. l.; 25-28.6.1999; leg. Floren A., det. Miller J.
- Asthenargus bracianus*** Miller, 1938
Kostanjšek and Gorjan 2013

- Bathyphantes gracilis*** (Blackwall, 1841)
 Brignoli 1980, Kuntner 1997c, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1967a, 1969b, 1975b, 1989
- Bathyphantes nigrinus*** (Westring, 1851)
 Kuntner 1997c, 1999b, 2002, Polak 1997
- Bolyphantes alticeps*** (Sundevall, 1833)
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1971b, 1973b, 1978b, 1978c, 1980a, 1981, 1982a, 1989, Zupančič et al. 1984
- Bolyphantes kolosvaryi*** (Caporiacco, 1936)
 van Helsdingen et al. 2001
- Bolyphantes luteolus*** (Blackwall, 1833)
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1981, 1982a, 1989
- Centromerita bicolor*** (Blackwall, 1833)
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1981, 1982a, 1989
- Centromerus capucinus*** (Simon, 1884)
 Nikolić and Polenec 1981, Polenec 1962a, 1968b
- Centromerus cavernarum*** (L. Koch, 1872)
 = *Centromerus jacksoni* Denis, 1952
 Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1969c, 1973d, 1976b, 1979a, 1982b, 1983, 1989
- Centromerus incilium*** (L. Koch, 1881)
 Nikolić and Polenec 1981, Polenec 1962a, 1963e, 1965b, 1967b, 1969a, 1970a, 1975b, 1977, 1978d, 1979a, 1984, 1987, 1989
 = *Centromerus incilius* L. Koch, 1881
 Bole et al. 1980, Polenec 1961a, 1962a, 1962c, 1968b, 1969a, 1974b, 1975b, 1976a, 1981, 1989
- Centromerus leruthi*** Fage, 1933
 Nikolić and Polenec 1981, Polenec 1978c, 1989
- Centromerus pabulator*** (O. P.-Cambridge, 1875)
 Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1970a, 1979a, 1981, 1982a, 1982b, 1983, 1989, Zupančič et al. 1984
- Centromerus sellarius*** (Simon, 1884)
 Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1961d, 1964a, 1964b, 1966b, 1967a, 1968a, 1969b, 1970a, 1970b, 1971c, 1974a, 1975a, 1976a, 1977, 1978c, 1979a, 1980b, 1983, 1989
- Centromerus serratus*** (O. P.-Cambridge, 1875)
 Nikolić and Polenec 1981, Polenec 1978d, 1982a, 1985, 1989
- Centromerus silvicola*** (Kulczyński, 1887)
 Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1975b, 1978c, 1979a, 1980b, 1981, 1982a, 1982b, 1983, 1986, 1987, 1989, Zupančič et al. 1984

- = *Centromerus similis* Kulczyński, 1894
 Polenec 1957, 1958, 1959, 1960, 1961a, 1961d, 1962a, 1962c, 1963e, 1964a, 1964b, 1966a, 1966b, 1967a, 1967b, 1968a, 1968b, 1969a, 1969b, 1970b, 1971a, 1971c, 1973b, 1973c, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1977
- Centromerus subalpinus*** Lessert, 1907
 Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1973b, Zupančič et al. 1984
- Centromerus sylvaticus*** (Blackwall, 1841)
 Bole et al. 1980, Budja 2008, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1961a, 1962a, 1963e, 1969a, 1974b, 1975b, 1976a, 1978c, 1982a, 1984, 1989, Zupančič et al. 1984
- Centrophantes crosbyi*** (Fage & Kratochvíl, 1933)
 Miller and Polenec 1975a, Nikolić and Polenec 1981, Polenec 1976b, 1978b, 1979a, 1980a, 1980b, 1983, 1984, 1987, 1989
- = *Centromerus crosbyi* Fage & Kratochvíl, 1933
 Polenec 1970b, 1971a, 1971c, 1973b, 1974b, 1989
- Centrophantes roeweri*** (Wiehle, 1961)
 Bole et al. 1980, Komposch and Steinberger 1999, Nikolić and Polenec 1981, Novak 2005b, Polenec 1980a
- = *Lepthyphantes roeweri* Wiehle, 1961
 Carnelutti 1986, Nikolić and Polenec 1981, Polenec 1961d, 1966a, 1966b, 1967a, 1969c, Wiehle 1961
- Ceratinella brevipes*** (Westring, 1851)
 Nikolić and Polenec 1981, Polenec 1957, 1959, 1967a, 1970a, 1977, 1979a, 1989
- Ceratinella brevis*** (Wider, 1834)
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1958, 1961d, 1965a, 1970a, 1973c, 1989
- Ceratinella major*** Kulczyński, 1894
 Polenec 1963d, 1989
- Ceratinella scabrosa*** (O. P.-Cambridge, 1871)
 Gorjan 2014, Nikolić and Polenec 1981, Polenec 1958, 1975b, 1978c, 1989
- Cinetata gradata*** (Simon, 1881)
 Blick et al. 1995
- = *Cineta gradata* (Simon, 1881)
 Thaler 1972
- Cnephalocotes obscurus*** (Blackwall, 1834)
 Kostanjšek 2014
- Collinsia inerrans*** (O. P.-Cambridge, 1885)
 = *Milleriana inerrans* O. P.-Cambridge
 Polenec 1970a, 1971b
- Cresmatoneta mutinensis*** (Canestrini, 1868)
 Nikolić and Polenec 1981

Dicymbium nigrum (Blackwall, 1834)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1968a, 1989

Diplocentria bidentata (Emerton, 1882)

Kuntner 2002, Kuntner and Kostanjšek 2000

Diplocephalus alpinus (O. P.-Cambridge, 1872)

= *Diplocephalus conectens* Kulczyński, 1894

Novak 2005b, Polenec 1964b, 1967a, 1968a, 1970a, 1971a, 1989

= *Plaesiocraerus connectens* (Kulczyński, 1894)

Nikolić and Polenec 1981

Diplocephalus crassilobus (Simon, 1884)

Čandek et al. 2013, Novak 2005b, Rebeušek et al. 2008

= *Diplocephalus crassiloba* Simon, 1884

Mildage 1979

Diplocephalus cristatus (Blackwall, 1833)

Budja 2008, Kuntner 1997d, 2002, Novak 2005b

Diplocephalus helleri (L. Koch, 1869)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1992

Diplocephalus latifrons (O. P.-Cambridge, 1863)

Kuntner 1998, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1976a, 1978c, 1979a, 1982a, 1989

Diplocephalus picinus (Blackwall, 1841)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1969b, 1976a, 1983, 1985, 1989

= *Savignia picina* Blackwell, 1841

Polenec 1957, 1958, 1964a

Diplostyla concolor (Wider, 1834)

Čandek et al. 2013, Gorjan 2014, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1986, 1989

= *Bathyphantes concolor* (Wider, 1834)

Bole et al. 1980, Polenec 1965b, 1974a, 1975a

= *Bolyphantes concolor* 0

Bole et al. 1980

= *Stylophora concolor* Wider

Polenec 1974b

Dismodicus elevatus (C. L. Koch, 1838)

Nikolić and Polenec 1981, Polenec 1957, 1958

Drapetisca socialis (Sundevall, 1833)

Budja 2008, Čandek et al. 2013, Kratochvíl 1934, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1961d, 1962a, 1964a, 1964b, 1966b, 1967b, 1974a, 1975a, 1976b, 1977, 1979a, 1982a, 1985, 1987, 1989

= *Drapestica socialis* 0

Bole et al. 1980, Čandek et al. 2013

- Entelecara acuminata*** (Wider, 1834)
 Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1982a, 1989
- Entelecara congenera*** (O. P.-Cambridge, 1879)
 Polenec 1989
- Entelecara erythropus*** (Westring, 1851)
 Polenec 1982a, 1989
- Entelecara media*** Kulczyński, 1887
 Nikolić and Polenec 1981, Polenec 1970a, 1971b
- Erigone dentipalpis*** (Wider, 1834)
 Gregorič and Kuntner 2009, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1967a, 1968a, 1970a, 1970b, 1971a, 1989
- Erigone longipalpis*** (Sundevall, 1830)
 Polenec 1980b, 1989
- Erigonella hiemalis*** (Blackwall, 1841)
 Nikolić and Polenec 1981, Polenec 1970a, 1989
- Erigonella subelevata*** (L. Koch, 1869)
 Polenec 1971b, 1981, 1982a, 1989, Zupančič et al. 1984
- Floronia bucculenta*** (Clerck, 1757)
 Čandek et al. 2013, Kuntner 1997c, 1997d, 1999b, Nikolić and Polenec 1981
 = *Floronia frenata* (Wider, 1834)
 Polenec 1957, 1958
- Formiphantes lepthyphantiformis*** (Strand, 1907)
 = *Lepthyphantes lepthyphantiformis* (Strand, 1907)
 Nikolić and Polenec 1981, Polenec 1978b, 1978c, 1979a, 1980a, 1989
 = *Lepthyphantes pisai* Miller, 1951
 Bole et al. 1980, Polenec 1967a, 1968a, 1969c, 1973b, 1974b
- Frontinella frutetorum*** (C. L. Koch, 1834)
 Čandek et al. 2013, Kuntner 1997d
 = *Frontinella frutetorum* (C. L. Koch, 1834)
 Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981
 = *Linyphia frutetorum* C. L. Koch, 1834
 Polenec 1969a, 1969b, 1971a, 1973d, 1989
 = *Robertus frutetorum* 0
 Bole et al. 1980
- Gnathonarium dentatum*** (Wider, 1834)
 Polenec 1982a, 1989
- Gonatium hilare*** (Thorell, 1875)
 Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1966a, 1973c, 1989
- Gonatium paradoxum*** (L. Koch, 1869)
 = *Gonatium corallipes* (Cambridge, 1875)

- Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1965a, 1966b, 1974b, 1975b, 1978c, 1981, 1982a, 1983, 1984, 1985, 1986, 1989
- Gonatium rubellum*** (Blackwall, 1841)
Bole et al. 1980, Nikolić and Polenec 1981, Novak 2005b, Polenec 1964b, 1968a, 1969b, 1974b, 1978c, 1983, 1989, Thaler 1978a
= *Gonatium isabellinum* Menge, 1868
Polenec 1957, 1958, 1959, 1973c
- Gonatium rubens*** (Blackwall, 1833)
Bole et al. 1980, 1982, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1977, 1978d, 1981, 1989
- Gongylidiellum edentatum*** Miller, 1951
Komposch and Steinberger 1999, Millidge 1979, Thaler 1973
- Gongylidium rufipes*** (Linnaeus, 1758)
Kostanjšek and Miller 2004
- Helophora insignis*** (Blackwall, 1841)
Kostanjšek 2010
- Hylyphantes nigrinus*** (Simon, 1881)
Kostanjšek 2004a, Kostanjšek and Miller 2004
- Hypomma cornutum*** (Blackwall, 1833)
= *Enidia cornuta* (Blackwall, 1833)
Polenec 1988, 1989, 1992
- Hypocephalus pusillus*** (Menge, 1869)
= *Cnephalocotes pusillus* Menge
Polenec 1957, 1958
- Improphantes decolor*** (Westring, 1861)
= *Lepthyphantes zebrinus* (Menge, 1866)
Bole et al. 1980
- Incestophantes annulatus*** (Kulczyński, 1882)
= *Lepthyphantes annulatus* Kulczyński, 1882
Budja 2008
- Ipa keyserlingi*** (Ausserer, 1867)
= *Centromerus keyserlingi* Ausserer, 1867
Polenec 1992
= *Lepthyphantes keyserlingi* (Ausserer, 1867)
Bole et al. 1980
- Kaestneria dorsalis*** (Wider, 1834)
Čandek et al. 2013, Kuntner 1999b, 2002
- Labulla thoracica*** (Wider, 1834)
Budja 2008, Kuntner 1997d, Nikolić and Polenec 1981, Novak 2005b, Polenec 1964b, 1970b, 1989
- Lepthyphantes leprosus*** (Ohlert, 1865)
Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1989

- Leptyphantes minutus*** (Blackwall, 1833)
Čandek et al. 2013, Nikolić and Polenec 1981, Novak 2005b, Polenec 1979a, 1989, 1992
- Leptyphantes notabilis*** Kulczyński, 1887
Novak 2005b
- Linyphia hortensis*** Sundevall, 1830
Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997d, 2002, Polenec 1978d
- Linyphia triangularis*** (Clerck, 1757)
Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1961b, 1962a, 1963d, 1963e, 1967b, 1969a, 1969b, 1970b, 1971a, 1971c, 1973c, 1974a, 1974b, 1978b, 1980a, 1985, 1989, Tarman 2003
= *Aranea albini* (Scopoli, 1763)
Scopoli 1763
- Macrargus carpenteri*** (O. P.-Cambridge, 1894)
Polenec 1992
- Macrargus rufus*** Wider, 1834
Bole et al. 1980, 1982, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1961a, 1961d, 1962a, 1962c, 1963e, 1964a, 1964b, 1965a, 1965b, 1967a, 1967b, 1968a, 1969a, 1971c, 1973c, 1973d, 1973e, 1974b, 1975b, 1976a, 1976b, 1977, 1978d, 1982a, 1985, 1989
- Mansuphantes fragilis*** (Thorell, 1875)
= *Leptyphantes fragilis* (Thorell, 1875)
Nikolić and Polenec 1981, Novak 2005b, Polenec 1961d, 1967a, 1968a, 1970a, 1971b, 1976a, 1979a, 1989, Wiehle 1961
- Mansuphantes mansuetus*** (Thorell, 1875)
Gorjan 2014, Gregorič and Kuntner 2009
= *Leptyphantes mansuetus* (Thorell, 1875)
Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961a, 1961d, 1962a, 1963e, 1964b, 1965a, 1965b, 1966a, 1967a, 1967b, 1969a, 1969b, 1970b, 1973c, 1973e, 1974b, 1976a, 1978d, 1979a, 1981, 1982a, 1984, 1985, 1986, 1989, Thaler 1994, Zupančič et al. 1984
- Maso sundevalli*** (Westring, 1851)
Budja 2008, Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961d, 1969b, 1989
- Mecopisthes silus*** (O. P.-Cambridge, 1872)
Nikolić and Polenec 1981, Polenec 1963d, 1967b, 1969a, 1970b, 1978d, 1980b, 1989
- Mecynargus foveatus*** (Dahl, 1912)
Čandek et al. 2013
- Megaleptyphantes collinus*** (L. Koch, 1872)
Čandek et al. 2013

- Megalepthyphantes nebulosus*** (Sundevall, 1830)
 Gregorič and Kuntner 2009
 = *Lepthyphantes nebulosa* (Sundevall, 1830)
 Nikolić and Polenec 1981
- Mermessus trilobatus*** (Emerton, 1882)
 Čandek et al. 2013
- Micrargus herbigradus*** (Blackwall, 1854)
 Čandek et al. 2013, 2015, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1969a, 1971a, 1974a, 1975a, 1975b, 1976a, 1977, 1989
- Micrargus subaequalis*** (Westring, 1851)
 = *Notocyba subaequalis* (Westring, 1851)
 Zupančič et al. 1984
- Microlinyphia pusilla*** (Sundevall, 1830)
 Kuntner 1997c, 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1974b, 1984, 1989
 = *Linyphia carnica* Caporiacco, 1922
 Nikolić and Polenec 1981
 = *Linyphia pusilla* (Sundevall, 1830)
 Polenec 1957, 1958, 1973c
- Microneta viaria*** (Blackwall, 1841)
 Bole et al. 1980, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1960, 1961d, 1962a, 1964a, 1964b, 1965b, 1966b, 1967a, 1968a, 1969b, 1970b, 1971a, 1971c, 1973d, 1974b, 1975b, 1976a, 1976b, 1978c, 1979a, 1983, 1984, 1986, 1989, Thaler 1978a
- Minicia marginella*** (Wider, 1834)
 Čandek et al. 2013, Kuntner 1997d, 2002
- Minyriolus pusillus*** (Wider, 1834)
 Nikolić and Polenec 1981, Polenec 1957, 1958, 1969a
- Moebelia penicillata*** (Westring, 1851)
 Čandek et al. 2013, Polenec 1992
- Mughiphantes baebleri*** (Lessert, 1910)
 = *Lepthyphantes baebleri* Lessert, 1910
 Budja 2008
- Mughiphantes hadzii*** (Miller & Polenec, 1975)
 = *Lepthyphantes hadzii* Miller & Polenec, 1975
 Miller and Polenec 1975a, Nikolić and Polenec 1981, Tarman 2003
- Mughiphantes mughi*** (Fickert, 1875)
 = *Lepthyphantes mughi* (Fickert, 1875)
 Nikolić and Polenec 1981, Polenec 1970a, 1971b, Zupančič et al. 1984
- Mughiphantes triglavensis*** (Miller & Polenec, 1975)
 = *Lepthyphantes triglavensis* Miller & Polenec, 1975
 Komposch and Steinberger 1999, Miller and Polenec 1975a, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003, Thaler 1976, 1990c

- Mughiphantes variabilis*** (Kulczyński, 1887)
 = *Lepthyphantes variabilis* Kulczyński, 1887
 Polenec 1971b
- Nematogmus sanguinolentus*** (Walckenaer, 1841)
 Čandek et al. 2013, Kuntner and Kostanjšek 2000
- Neriene clathrata*** (Sundevall, 1830)
 Čandek et al. 2013, 2015, Gorjan 2014, Gregorič and Kuntner 2009,
 Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981,
 van Helsdingen 1969
 = *Linyphia clathrata* Sundevall, 1829
 Novak 2005b, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1968b, 1969a,
 1970b, 1975a, 1978b, 1978d, 1980a, 1989
- Neriene emphana*** (Walckenaer, 1841)
 Budja 2008, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Nikolić
 and Polenec 1981
 = *Linyphia emphana* (Walckenaer, 1841)
 Polenec 1974a, 1989
 = *Prolinyphia emphana* Walckenaer, 1841
 Polenec 1963d, 1964a, 1964b, 1970b, 1971a, 1971c
- Neriene furtiva*** (O. P.-Cambridge, 1871)
 Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner
 1997d, 2002
- Neriene montana*** (Clerck, 1757)
 Kuntner 1999b
 = *Linyphia montana* (Clerck, 1757)
 Polenec 1957, 1958, 1959, 1965a, 1968b, 1969a, 1978d
- Neriene peltata*** (Wider, 1834)
 Budja 2008, Gorjan 2014, Kuntner 1997c, Nikolić and Polenec 1981, Novak
 2005b, van Helsdingen 1969
 = *Linyphia peltata* Wider, 1834
 Novak 1981
 = *Prolinyphia peltata* (Wider, 1834)
 Polenec 1963d, 1964a, 1967b, 1969b, 1989
- Neriene radiata*** (Walckenaer, 1841)
 Čandek et al. 2013, Kuntner 1997c, 1999b, van Helsdingen 1969
 = *Linyphia marginata* C. L. Koch, 1834
 Polenec 1957, 1958, 1965a, 1973c, 1989
 = *Neriene marginata* C. L. Koch, 1834
 Nikolić and Polenec 1981
 = *Prolinyphia marginata* C. L. Koch, 1834
 Polenec 1963d, 1964a, 1967b, 1970b
- Nusoncus nasutus*** (Schenkel, 1925)
 = *Troxochrus nasutus* Schenkel, 1925
 Polenec 1992, Zupančič et al. 1984

- Obscuriphantes obscurus*** (Blackwall, 1841)
 = *Cnephalocotes obscurus* (Blackwall, 1834)
 Kostanjšek 2010, Polenec 1981, 1982a, 1989
 = *Lepthyphantes obscurus* (Blackwall, 1841)
 Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1969b, 1970b, 1989
- Oedothorax agrestis*** (Blackwall, 1853)
 Nikolić and Polenec 1981, Polenec 1966b, 1967a, 1968a, 1974b, 1989
- Oedothorax apicatus*** (Blackwall, 1850)
 Kostanjšek 2004a, Kostanjšek and Miller 2004
- Oedothorax retusus*** (Westring, 1851)
 Kuntner 1997c, 2002
- Oreoneta montigena*** (L. Koch, 1872)
 = *Hilaira montigena* (L. Koch, 1872)
 Polenec 1970a, 1971b
- Oreonetides glacialis*** (L. Koch, 1872)
 Polenec 1970a, 1971b
 = *Montitetrrix glacialis* (L. Koch, 1872)
 Nikolić and Polenec 1981
- Oryphantes angulatus*** (O. P.-Cambridge, 1881)
 Kuntner 2002
 = *Lepthyphantes angulatus* O. P.-Cambridge, 1881
 Kuntner and Kostanjšek 2000
- Ostearius melanopygius*** (O. P.-Cambridge, 1879)
 Čandek et al. 2013
- Palliduphantes alutacius*** (Simon, 1884)
 = *Lepthyphantes alutacius* Simon, 1884
 Kuntner 1999b, 2002
- Palliduphantes istrianus*** (Kulczyński, 1914)
 = *Lepthyphantes istrianus* Kulczyński, 1914
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec and Thaler 1980
- Palliduphantes pallidus*** (O. P.-Cambridge, 1871)
 Gorjan 2014
 = *Lepthyphantes pallidus* (O. P.-Cambridge, 1871)
 Bole et al. 1980, Deeleman-Reinhold 1985, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1962a, 1963e, 1965b, 1969a, 1974a, 1975a, 1976a
 = *Lepthyphantes pallidus alutacius* E. Simon, 1884 comb. nov. Miller, 1975
 Polenec 1987, 1989, Zupančič et al. 1984
- Palliduphantes pillichi*** (Kulczyński, 1915)
 = *Lepthyphantes pillichi* Kulczyński, 1915
 Bole et al. 1980
- Panamomops affinis*** Miller & Kratochvíl, 1939
 Bole et al. 1980, Polenec 1986, 1987, 1989

- Panamomops mengei*** Simon, 1926
Kostanjšek and Miller 2004
- Parapeleopsis nemoralis*** (Blackwall, 1841)
= *Peleopsis nemoralis* (Blackwall, 1841)
Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989
- Peleopsis elongata*** (Wider, 1834)
Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1962a, 1962c, 1970a, 1989
- Peleopsis radicola*** (L. Koch, 1872)
Gorjan 2014, Nikolić and Polenec 1981, Polenec 1965a, 1975b, 1977, 1989
= *Peleopsis thoracatus* Cambridge
Polenec 1957, 1958, 1973c
- Pityohyphantes pbrygianus*** (C. L. Koch, 1836)
Nikolić and Polenec 1981, Polenec 1979a, 1989
- Pocadicnemis carpatica*** (Chyzer, 1894)
Kuntner 1999b, 2001, 2002, ULRS 2002
- Pocadicnemis pumila*** (Blackwall, 1841)
Čandek et al. 2013, Gorjan 2014, Polenec 1978d
- Porrhomma campbelli**** F. O. P.-Cambridge, 1894
1 ♀ - chasm Unška Koliševka, central Slovenia; 45°18,81'N, 14°15,81'E, 600 m a. s. l.; 1.9.2000 - 15.9.2001; leg. & det. Řezáč M., Kuntner M., Polak S.
- Porrhomma convexum*** (Westring, 1851)
Novak 1981, 2005b, Novak and Kuštor 1982, Polenec 1967a, 1973b, 1974b, 1989
= *Porrhomma proserpina* (Simon, 1872)
Kratochvíl 1934, Nikolić and Polenec 1981
- Porrhomma egeria*** Simon, 1884
Kiauta and Leben 1960, Kratochvíl 1934, Miller and Kratochvíl 1940, Novak et al. 1981, Polenec 1973b
- Porrhomma microphthalmum*** (O. P.-Cambridge, 1871)
Kostanjšek and Gorjan 2013
- Porrhomma microps*** (Roewer, 1931)
Novak 2005b
= *Porrhomma kolosvaryi* Kratochvíl, 1934
Kratochvíl 1934, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003
- Porrhomma myops*** Simon, 1884
Novak 2005b
- Porrhomma pygmaeum*** (Blackwall, 1834)
Čandek et al. 2013, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Novak 2005b
- Porrhomma rosenbaueri*** (L. Koch, 1872)
Fage 1931, Nikolić and Polenec 1981, Polenec 1989, Tarman 2003
- Saaristoa firma*** (O. P.-Cambridge, 1905)
= *Oreonetides firmus* (O. P.-Cambridge, 1900)
Kratochvíl 1934, Nikolić and Polenec 1981, Novak 2005b, Polenec 1964b, 1969b, 1979a, 1989, Rebeušek et al. 2008, Thaler 1981b

Saloca diceros (O. P.-Cambridge, 1871)

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1963d, 1968a, 1973d, 1974b, 1979a, 1989

Sauron rayi (Simon, 1881)

Gorjan 2014

= *Metopobactrus rayi* (Simon, 1881)

Nikolić and Polenec 1981, Polenec 1978d

Scotargus pilosus Simon, 1913

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1968a, 1969c, 1970a, 1974a, 1974b, 1977, 1978c, 1979a, 1980b, 1989

= *Macrargus strandi* (Schenkel, 1934)

Polenec 1966b, 1967a, 1967b, 1969c

Sintula corniger (Blackwall, 1856)

Bole et al. 1980, Gorjan 2014, Polenec 1970a, 1976a

Sintula retroversus (O. P.-Cambridge, 1875)

Gorjan 2014, Nikolić and Polenec 1981

Sintula spiniger (Balogh, 1935)

Gorjan 2014, Gregorič and Kuntner 2009

= *Sintula spininigra* (Balogh, 1935)

Bole et al. 1982

Stemonyphantes conspersus (L. Koch, 1879)

= *Stemonyphantes pictus* Buchar, 1967

Polenec 1992

Stemonyphantes lineatus (Linnaeus, 1758)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961a, 1961d, 1962a, 1963e, 1965b, 1966a, 1967b, 1968a, 1968b, 1969a, 1970a, 1973c, 1974b, 1975b, 1976a, 1989, Zupančič et al. 1984

Styloctetor stativus (Simon, 1881)

Gorjan 2014

= *Anacotyle stativa* Simon, 1926

Bole et al. 1982

Syedra gracilis (Menge, 1869)

Bole et al. 1980, Polenec 1968b, 1975a

Tallusia experta (O. P.-Cambridge, 1871)

Gorjan 2014

= *Centromerus expertus* (O. P.-Cambridge, 1871)

Bole et al. 1980, Polenec 1992

Tallusia vindobonensis (Kulczyński, 1898)

Thaler 1997

= *Centromerus vindobonensis* Kulczyński, 1898

Polenec and Thaler 1980

Tapinocyba insecta (L. Koch, 1869)

Kuntner 1999b, Polenec 1976b, 1984, 1989

Tapinocyba pallens (O. P.-Cambridge, 1872)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1961d, 1963e, 1965a, 1965b, 1967b, 1969a, 1970a, 1971a, 1973c, 1973e, 1976a, 1989

Tapinopa longidens (Wider, 1834)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1957, 1958, 1961d, 1963e, 1968a, 1968b, 1969a, 1970a, 1970b, 1978b, 1989

Tenuiphantes alacris (Blackwall, 1853)= *Lepthyphantes alacris* (Blackwall, 1853)

Bole et al. 1980, Kuntner 1998, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1961d, 1967a, 1968a, 1970a, 1970b, 1973e, 1974b, 1978c, 1979a, 1989, Zupančič et al. 1984

Tenuiphantes cristatus (Menge, 1866)

Gorjan 2014, Gregorič and Kuntner 2009

= *Lepthyphantes cristatus* (Menge, 1866)

Bole et al. 1980, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Polenec 1957, 1958, 1959, 1960, 1961a, 1961d, 1962a, 1962c, 1963e, 1964a, 1964b, 1965a, 1966a, 1967a, 1967b, 1968a, 1969a, 1970a, 1971c, 1973c, 1973e, 1974a, 1974b, 1975a, 1976a, 1977, 1978c, 1979a, 1983, 1985, 1986, 1987, 1989, Zupančič et al. 1984

Tenuiphantes flavipes (Blackwall, 1854)

Čandek et al. 2013, Gorjan 2014

= *Lepthyphantes flavipes* (Blackwall, 1854)

Bole et al. 1980, Budja 2008, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1962a, 1963e, 1964a, 1965a, 1965b, 1967b, 1969a, 1970a, 1970b, 1973e, 1974a, 1974b, 1975a, 1975b, 1976b, 1977, 1978d, 1979a, 1982a, 1985, 1989, Thaler 1978a

Tenuiphantes mengei (Kulczyński, 1887)

Gorjan 2014

= *Lepthyphantes mengei* Kulczyński, 1887

Bole et al. 1980, Budja 2008, Kuntner and Kostanjšek 2000, Polenec 1957, 1958, 1961a, 1962a, 1963e, 1965b, 1968b, 1973c, 1976a, 1981, 1989

Tenuiphantes tenebricola (Wider, 1834)

Gorjan 2014, Kostanjšek 2004a

= *Lepthyphantes pygmaeus* (Menge, 1866)

Nikolić and Polenec 1981

= *Lepthyphantes tenebricola* (Wider, 1834)

Bole et al. 1980, 1982, Budja 2008, Kuntner 1997c, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957,

1958, 1959, 1960, 1961d, 1962a, 1963d, 1963e, 1964a, 1966b, 1967a, 1967b, 1968a, 1969a, 1969b, 1970a, 1970b, 1971a, 1971c, 1973d, 1973e, 1974a, 1974b, 1975a, 1975b, 1976a, 1976b, 1977, 1978b, 1978c, 1979a, 1980b, 1983, 1984, 1986, 1987, 1989, Zupančič et al. 1984

Tenuiphantes tenuis (Blackwall, 1852)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009

Tenuiphantes zimmermanni (Bertkau, 1890)

Gorjan 2014, Kostanjšek 2004a

= *Bathypantes simonii* Bösenberg, 1901

Nikolić 1963

= *Lepthyphantes zimmermanni* Bertkau, 1890

Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1971c, 1976b, 1977, 1989

Theonina cornix (Simon, 1881)

Čandek et al. 2013, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1978d

Thyreostenius parasiticus (Westring, 1851)

Polenec 1987, 1989, Tarman 2003

Tiso aestivus (L. Koch, 1872)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, Tarman 2003

Tiso vagans (Blackwall, 1834)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1978c, 1980b, 1982a, 1989

Trematocephalus cristatus (Wider, 1834)

Kuntner 1997c, 1997d, Polenec 1992

Trichoncus affinis Kulczyński, 1894

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1963e, 1986, 1989

Trichoncus hackmani Millidge, 1955

Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1978d

= *Trichoncus vasconicus hackmani* Millidge

Polenec 1971a

Trichoncus saxicola (O. P.-Cambridge, 1861)

Kostanjšek and Gorjan 2013

Trichoncus scrofa Simon, 1884

Polenec 1969a

Trichoncyboides simoni (Lessert, 1904)

= *Tapinocyboides simoni* (Lessert, 1904)

Polenec 1992

Trichopterna cito (O. P.-Cambridge, 1872)

Nikolić and Polenec 1981

Troglohyphantes brignolii Deeleman-Reinhold, 1978

Polak et al. 2012

Troglohyphantes confusus Kratochvíl, 1939

Bole et al. 1993, Deeleman-Reinhold 1973b, 1978, Kratochvíl 1939, Kuntner 2001, Nikolić and Polenec 1981, Polenec 1977, 1979a, 1983, 1986, 1989, 1992, Růžička et al. 2005, Sket 1979, Tarman 2003, Thaler 1986, ULRS 2002

Troglohyphantes croaticus (Chyzer, 1894)

Kratochvíl 1939

Troglohyphantes cruentus Brignoli, 1971

Brignoli 1971b, Deeleman-Reinhold 1978, Nikolić and Polenec 1981, ULRS 2002

Troglohyphantes diabolicus Deeleman-Reinhold, 1978

Batič et al. 1980, Bole et al. 1993, Deeleman-Reinhold 1978, Kuntner 2001, Mršić 1997, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Pipan et al. 2008, Polenec 1992, Puc et al. 1988, Rebeušek et al. 2008, ULRS 2002

Troglohyphantes diurnus Kratochvíl, 1932

Deeleman-Reinhold 1973b, Drensky 1936, Kratochvíl 1934, 1939, 1948, Nikolić and Polenec 1981, Novak 2005b, Thaler and Polenec 1974

Troglohyphantes excavatus Fage, 1919

Bole et al. 1980, Brignoli 1971b, 1980, Deeleman-Reinhold 1971b, 1973a, 1978, Fage 1919, 1931, Gasparo and Thaler 2000, Kratochvíl 1934, Nikolić 1963, Nikolić and Polenec 1981, Novak 2005b, Pesarini 1989, Polak et al. 2012, Polenec 1963d, 1966a, 1967a, 1969b, 1969c, 1971a, 1973b, 1977, 1978c, 1979a, 1982b, 1983, 1985, 1986, 1989, Rebeušek et al. 2008, Roewer 1931, Thaler 1986, Wiehle 1964, Zupančič et al. 1984

= *Troglohyphantes anellii* Capoiracco, 1938

Brignoli 1971b, Caporiacco 1938

Troglohyphantes fagei Roewer, 1931

Nikolić and Polenec 1981

Troglohyphantes gamsi Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003, ULRS 2002

Troglohyphantes gracilis Fage, 1919

Deeleman-Reinhold 1978, Drensky 1936, Fage 1919, 1931, Kratochvíl 1934, Nikolić and Polenec 1981, ULRS 2002

Troglohyphantes helsdingeni Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Kuntner 2001, Nikolić and Polenec 1981, Novak 2005b, Polenec 1992, Thaler 1986, ULRS 2002

Troglohyphantes jamatus Roewer, 1931

Deeleman-Reinhold 1978, Nikolić and Polenec 1981, Roewer 1931, Sket 1979, 2000, Tarman 2003, ULRS 2002

= *Troglohyphantes jugoslavicus* Kratochvíl, 1934

Drensky 1936, Kratochvíl 1934, 1939

Troglohyphantes karawankorum Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Nikolić and Polenec 1981, Novak 2005b, Tarman 2003, Thaler 1986, ULRS 2002

Troglohyphantes latzeli Thaler, 1986

Thaler 1986

Troglohyphantes novicordis Thaler, 1978

Novak 2005b

Troglohyphantes poleneci Wiehle, 1964

Carnelutti 1986, Deeleman-Reinhold 1973b, 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966a, 1966b, 1967a, 1969b, 1969c, 1970b, 1973d, 1974b, 1975b, 1976a, 1976b, 1980a, 1983, 1984, 1986, 1987, 1989, 1992, Tarman 2003, ULRS 2002, Wiehle 1964
= *Troglohyphantes montanus* Kratochvíl, 1934
Polenec 1970a, 1971c, 1973b

Troglohyphantes polyophthalmus Joseph, 1881

Brignoli 1971b, Deeleman-Reinhold 1971b, 1973b, 1975, 1978, Drensky 1936, Drovenik 1971, Fage 1919, Hamann 1896, Joseph 1881, 1882, Kratochvíl 1934, Nikolić and Polenec 1981, Novak 2005b, Novak et al. 2004, Pavlek and Ozimec 2009, Polenec 1973b, 1979a, 1989, Reimoser 1919, Stražar 2001, ULRS 2002, Zupančič et al. 1984

= *Nichthyphantes microphthalmus* Joseph, 1881

Hamann 1896, Joseph 1881, 1882

Troglohyphantes sbordonii Brignoli, 1975

Gasparo 2000, Novak 2005b

= *Troglohyphantes cornutus* Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Nikolić and Polenec 1981, Novak 2005b, Thaler 1982, ULRS 2002

Troglohyphantes scientificus Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, ULRS 2002

Troglohyphantes similis Fage, 1919

Deeleman-Reinhold 1978, Drensky 1936, Fage 1919, 1931, Nikolić and Polenec 1981, Tarman 2003, ULRS 2002

= *Troglohyphantes similis dubius* Kratochvíl, 1934

Kratochvíl 1934

Troglohyphantes sketi Deeleman-Reinhold, 1978

Deeleman-Reinhold 1978, Mršić 1997, Nikolić and Polenec 1981, Pavlek and Ozimec 2009, Tarman 2003, ULRS 2002

Troglohyphantes sordellii (Pavesi, 1875)

= *Troglohyphantes ghidinii* (Lessert, 1906)

Nikolić 1963

Troglohyphantes spinipes Fage, 1919

Deeleman-Reinhold 1978, Drensky 1936, Fage 1919, 1931, Nikolić and Polenec 1981, ULRS 2002

- = *Troglodyphantes similis spinipes* Fage, 1919
Kratochvíl 1934
- Troglodyphantes subalpinus*** Thaler, 1967
Novak 2005b, Pavlek and Ozimec 2009
- Troglodyphantes thaleri*** Miller & Polenec, 1975
Deeleman-Reinhold 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1992, Thaler 1978b, ULRS 2002
- Troglodyphantes trispinosus*** Miller & Polenec, 1975
Deeleman-Reinhold 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Polenec 1978c, 1979a, 1980b, 1981, 1982b, 1983, 1985, 1989, 1992, Tarman 2003, ULRS 2002
- Troglodyphantes typhlonetiformis*** Absolon & Kratochvíl, 1932
Absolon and Kratochvíl 1932, Deeleman-Reinhold 1973a, 1978, Kiauta and Leben 1960, Nikolić and Polenec 1981, Novak 2005b, Polenec 1973b, Tarman 2003, ULRS 2002
- Troglodyphantes vicinus*** Miller & Polenec, 1975
Deeleman-Reinhold 1978, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Polenec 1978b, 1983, 1989, 1992, ULRS 2002
- Troglodyphantes wiehlei*** Miller & Polenec, 1975
Deeleman-Reinhold 1978, Komposch and Steinberger 1999, Kuntner 2001, Miller and Polenec 1975b, Nikolić and Polenec 1981, Novak 2005b, Polenec 1983, 1986, 1989, 1992, Thaler 1986, ULRS 2002
- Walckenaeria acuminata*** Blackwall, 1833
Polenec 1974a
- = *Wideria acuminata* O
Bole et al. 1980
- Walckenaeria antica*** (Wider, 1834)
Gorjan 2014, Polenec 1957, 1958, 1973c
- = *Wideria antica* (Wider, 1834)
Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1963e, 1965a, 1965b, 1968b, 1969a, 1975b, 1981, 1986, 1989
- Walckenaeria atrotibialis*** (O. P.-Cambridge, 1878)
Gorjan 2014
- = *Walckenaeria melanocephala* Cambridge, 1881
Polenec 1957, 1958, 1973c
- = *Wideria atrotibialis* (Cambridge, 1878)
Nikolić and Polenec 1981
- = *Wideria melanocephala* Cambridge, 1881
Bole et al. 1980, Polenec 1964b, 1965a, 1967b, 1969a, 1971a, 1986, 1989
- Walckenaeria capito*** (Westring, 1861)
- = *Wideria capito* (Westring, 1861)
Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1970a

Walckenaeria corniculans (O. P.-Cambridge, 1875)

Gorjan 2014

= *Prosopotheca corniculans* (Cambridge, 1875)

Nikolić and Polenec 1981, Polenec 1969a, 1978d, 1985, 1989

Walckenaeria cucullata (C. L. Koch, 1836)

Gorjan 2014, Polenec 1957, 1959, 1960

= *Wideria cucullata* (C. L. Koch, 1836)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1962a, 1964a, 1964b, 1965b, 1966b, 1969b, 1973d, 1974a, 1974b, 1975a, 1976a, 1978d, 1983, 1989

Walckenaeria cuspidata Blackwall, 1833= *Cornicularia cuspidata* (Blackwall, 1833)

Nikolić and Polenec 1981, Polenec 1970a, 1971b, 1979a, 1982a, 1989

Walckenaeria furcillata (Menge, 1869)

Gorjan 2014, Gregorič and Kuntner 2009

= *Tigellinus furcillatus* (Menge, 1871)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1965a, 1986, 1989

Walckenaeria mitrata (Menge, 1868)

Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1957, 1958, 1960, 1968b

= *Wideria mitrata* (Menge, 1868)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1962a, 1964a, 1965a, 1968a, 1969a, 1970b, 1974a, 1975a, 1975b, 1977, 1983, 1985, 1989

Walckenaeria monoceros (Wider, 1834)= *Prosopotheca monoceros* (Wider, 1834)

Bole et al. 1980, Nikolić and Polenec 1981, Novak 2005b, Polenec 1962a, 1968b

Walckenaeria obtusa Blackwall, 1836

Zupančič et al. 1984

= *Trachynella obtusa* (Blackwall, 1836)

Nikolić and Polenec 1981, Polenec 1962a, 1963e, 1965b, 1968a, 1975b, 1984, 1989

Walckenaeria simplex Chyzer, 1894= *Prosopotheca simplex* Miller, 1971

Bole et al. 1980

= *Wideria simplex* (Chyzer, 1894)

Nikolić and Polenec 1981, Polenec 1989

Family LIOCRANIDAE***Agroeca brunnea*** (Blackwall, 1833)

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm and Bibel 1986, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1960, 1961a, 1962a, 1963e, 1964b, 1965a, 1965b, 1968a, 1973c, 1975b, 1976a, 1982a, 1989, Tarman 2003

Agroeca cuprea Menge, 1873

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1957, 1958, 1963e, 1965b, 1978d

= *Agroeca pullata* Thorell, 1875

Grimm and Bibel 1986, Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1984, 1985, 1989

Agroeca proxima (O. P.-Cambridge, 1871)

Bole et al. 1980

Apostenus fuscus Westring, 1851

Grimm and Bibel 1986, Polenec 1960, 1964b, 1974a, 1975a, 1976a, 1978d, 1983, 1986, 1989

Liocranum perarmatum Kulczyński, 1897

Nikolić and Polenec 1981, Polenec 1978d

Liocranum rupicola (Walckenaer, 1830)

Čandek et al. 2013, Gregorič and Kuntner 2009, Grimm and Bibel 1986, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1966b, 1989

Sagana rutilans Thorell, 1875

= *Liocranum rutilans* (Thorell, 1875)

Gregorič and Kuntner 2009, Kuntner and Kostanjšek 2000, Polenec 1979a, 1989, 1992

Scotina celans (Blackwall, 1841)

Bole et al. 1980, Grimm and Bibel 1986, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1965b, 1976a, 1982a, 1989

Scotina palliardii (L. Koch, 1881)

Bole et al. 1980, Polenec 1981, 1989

Family LYCOSIDAE***Acantholycosa lignaria*** (Clerck, 1757)

Bole et al. 1980, Polenec 1992, Thaler and Buchar 1994

Acantholycosa pedestris (Simon, 1876)

Nikolić and Polenec 1981, Polenec 1992, Tarman 2003

= *Acantholycosa strandi* (Kratochvíl, 1935)

Buchar and Polenec 1974, Polenec 1970a, 1971b

= *Lycosa longipes* Thorell, 1872

Polenec 1973a

= *Lycosa strandi* Kratochvíl, 1935

Kratochvíl 1935, Polenec 1973a, Růžička et al. 2005

Alopecosa accentuata (Latreille, 1817)

Thaler and Buchar 1994

= *Alopecosa barbipes* (Sundevall, 1833)

Gorjan 2014, Nikolić and Polenec 1981, Polenec 1989

- = *Tarentula barbipes* Sundevall, 1833
Polenec 1962a, 1968b, 1969a, 1970b, 1971c, 1975a
- Alopecosa aculeata*** (Clerck, 1757)
Gorjan 2014, Polenec 1978b, 1989, Zupančič et al. 1984
- = *Tarentula aculeata* (Clerck, 1757)
Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1966b, 1968a, 1969a, 1970a, 1970b, 1973c
- Alopecosa cuneata*** (Clerck, 1757)
Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1975b, 1976b, 1978c, 1986, 1989
- = *Tarentula cuneata* (Clerck, 1757)
Nikolić and Polenec 1981, Polenec 1969a, 1970a, 1970b, 1971c
- Alopecosa cursor*** (Hahn, 1831)
Polenec 1992
- = *Alopecosa cursor cursor* 0
Bole et al. 1980
- = *Tarentula cursor* (Hahn, 1831)
Nikolić and Polenec 1981
- Alopecosa fabrilis*** (Clerck, 1757)
Kuntner and Kostanjšek 2000
- Alopecosa inquilina*** (Clerck, 1757)
Bole et al. 1980, Polenec 1971b, 1989, 1992
- = *Tarentula inquilina* (Clerck, 1757)
Nikolić and Polenec 1981, Polenec 1967a, 1970a, 1973b, 1974b
- Alopecosa mariae*** (Dahl, 1908)
Bole et al. 1980, Buchar and Thaler 2004, Gregorič and Kuntner 2009, Polenec 1992
- = *Tarentula mariae* (Dahl, 1908)
Nikolić and Polenec 1981, Polenec 1968b, 1973e, 1975a
- Alopecosa pulverulenta*** (Clerck, 1757)
Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, Kuntner 1997c, Polenec 1968b, 1975a, 1978d, 1980b, 1981, 1982a, 1989, Zupančič et al. 1984
- = *Tarentula pulverulenta* (Clerck, 1757)
Nikolić and Polenec 1981, Polenec 1965b
- Alopecosa schmidtii*** (Hahn, 1835)
Bole et al. 1980
- = *Lycosa schmidtii* Hahn, 1835
Polenec 1954, Reimoser 1919
- Alopecosa sulzeri*** (Pavesi, 1873)
Čandek et al. 2013, Gregorič and Kuntner 2009, Polenec 1978d
- = *Tarentula sulzeri* (Pavesi, 1873)
Nikolić and Polenec 1981

Alopecosa trabalis (Clerck, 1757)

Bole et al. 1980, 1982, Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner 1997d, Polenec 1975b, 1976b, 1977, 1978b, 1978c, 1978d, 1980a, 1980b, 1981, 1983, 1984, 1986, 1989, Zupančič et al. 1984

= *Tarentula trabalis* (Clerck, 1757)

Giltay 1932, Polenec 1967a, 1968a, 1969b, 1970a, 1970b, 1971c, 1973d, 1973e, 1974b

Arctosa alpigena (Doleschall, 1852)

Tarman 2003

Arctosa cinerea (Fabricius, 1777)

Kostanjšek 2010, Kuntner et al. 2007

Arctosa figurata (Simon, 1876)

Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1975a, 1992

Arctosa fulvolineata (Lucas, 1846)

Čandek et al. 2013

Arctosa leopardus (Sundevall, 1833)

Nikolić and Polenec 1981, Polenec 1976b, 1989, 1992

Arctosa lutetiana (Simon, 1876)

Čandek et al. 2013, Gorjan 2014

= *Tricca lutetiana* Simon, 1889

Bole et al. 1982

Arctosa maculata (Hahn, 1822)

Čandek et al. 2013, Kostanjšek 2004a, Polenec 1967a

Arctosa perita (Latreille, 1799)

Gorjan 2014

Arctosa personata (Koch, 1872)

Gorjan 2014, Kostanjšek 2002a

Arctosa stigmosa (Thorell, 1875)

Polenec 1989, 1992

Aulonia albimana (Walckenaer, 1805)

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1996, 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1964b, 1965a, 1965b, 1968b, 1969a, 1970b, 1971a, 1973c, 1973d, 1973e, 1974b, 1975a, 1975b, 1976a, 1976b, 1977, 1978d, 1982a, 1985, 1989

Hogna radiata (Latreille, 1817)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2004a, Kostanjšek and Kuntner 2002, Kuntner 1997d, 1999a, 1999b, 2001, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

= *Lycosa radiata* (Latreille, 1817)

Polenec 1992, Thaler and Buchar 1994

= *Tarentula radiata* Latreille, 1872

Polenec 1968b

Lycosa singoriensis (Laxmann, 1770)

Polenec 1992

Pardosa agrestis (Westring, 1861)

Čandek et al. 2013, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

= *Lycosa agrestis* Westring, 1861

Polenec 1970b

Pardosa agricola (Thorell, 1856)

Kostanjšek 2010

Pardosa alacris (C. L. Koch, 1833)

Töpfer-Hofmann et al. 2000

Pardosa amentata (Clerck, 1757)

Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1976b, 1985, 1986, 1989, Tarman 2003, Tongiorgi 1966

= *Lycosa saccata* Linnaeus, 1758

Polenec 1970a, 1970b, 1971a, 1971c, 1973d, 1974a

Pardosa bifasciata (C. L. Koch, 1834)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1975a

= *Lycosa bifasciata* C. L. Koch, 1834

Polenec 1971a

Pardosa blanda (C. L. Koch, 1833)

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1971b, 1980a, 1980b, 1981, 1989

= *Lycosa blanda* C. L. Koch, 1833

Polenec 1970a, 1973b

Pardosa ferruginea (L. Koch, 1870)

Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1969a, 1971b, Zupančič et al. 1984

= *Lycosa ferruginea* L. Koch, 1870

Polenec 1970a

Pardosa hortensis (Thorell, 1872)

Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1989, Tongiorgi 1966

= *Lycosa hortensis* Thorell, 1872

Polenec 1970b, 1971a

Pardosa lugubris (Walckenaer, 1802)

Bole et al. 1980, 1982, Budja 2008, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polak 1997, Polenec 1975b, 1976a, 1977, 1978d, 1979a, 1983, 1984, 1985, 1986, 1989, Tarman 2003, Tongiorgi 1966, Zupančič et al. 1984

- = *Lycosa chelata* O.F. Müller
Bole et al. 1980, Novak 1981, Polenec 1957, 1958, 1959, 1960, 1963d, 1963e, 1964a, 1964b, 1965a, 1965b, 1969a, 1969b, 1970b, 1971a, 1973c, 1973d, 1973e, 1974a, 1975a
- Pardosa monticola*** (Clerck, 1757)
Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1969a, 1980b, 1989
- = *Lycosa monticola* Clerck
Polenec 1963e, 1970a, 1971a, 1973d, 1973e
- Pardosa morosa*** (L. Koch, 1870)
Nikolić and Polenec 1981, Polenec 1992
- Pardosa nigra*** (C. L. Koch, 1834)
Nikolić and Polenec 1981, Polenec 1971b, 1973a, Tarman 2003
- = *Lycosa ludovici* Dahl, 1908
Kratohvil 1935, Polenec 1970a
- = *Lycosa nigra* C. L. Koch, 1834
Doleschall 1852
- Pardosa palustris*** (Linnaeus, 1758)
Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1976b, 1980a, 1989, 1992, Zupančič et al. 1984
- = *Lycosa tarsalis* Thorell, 1856
Polenec 1967a, 1970a, 1970b
- Pardosa prativaga*** (L. Koch, 1870)
Kostanjšek 2010, 2014
- Pardosa proxima*** (C. L. Koch, 1847)
Čandek et al. 2013, Kostanjšek 2010
- Pardosa pseudostrigillata*** Tongiorgi, 1966
Buchar and Thaler 2002
- Pardosa pullata*** (Clerck, 1757)
Nikolić and Polenec 1981, Polenec 1971b, 1976a, 1989, Tarman 2003
- = *Lycosa pullata* Clerck
Polenec 1970a, 1970b, 1971a, 1973b, 1973d
- Pardosa riparia*** (C. L. Koch, 1833)
Bole et al. 1980, 1982, Čandek et al. 2013, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1971b, 1976a, 1978c, 1980a, 1981, 1989, Zupančič et al. 1984
- = *Alopecosa riparia* (C. L. Koch, 1833)
Polenec 1975b
- = *Lycosa cursoria* C. L. Koch, 1847
Polenec 1967a, 1969a, 1969b, 1970a, 1971c, 1973b, 1973e, 1974b
- = *Pardosa cursoria* (C. L. Koch, 1847)
Bole et al. 1980, Polenec 1969a
- Pardosa saltuaria*** (L. Koch, 1870)
Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1968a, 1971b, 1978b, 1980b, 1981, 1982a, 1989, Zupančič et al. 1984

- = *Lycosa saltuaria* L. Koch, 1870
Polenec 1970a, 1973b, 1974b
- Pardosa saturator*** Simon, 1937
Buchar and Thaler 2002, Kuntner 1999b, 2001, 2002, ULRs 2002
- Pardosa vittata*** (Keyserling, 1863)
Nikolić and Polenec 1981, Polenec 1974a, 1992
- Pardosa wagleri*** (Hahn, 1822)
Polenec 1992
- Pirata piraticus*** (Clerck, 1757)
Kostanjšek 2002b, 2011, 2014, Kuntner 1999b, 2001, 2002, Tarman 2003,
Tovornik 1983, 1990, ULRs 2002
- Pirata tenuitarsis*** Simon, 1876
Kuntner 1997c, 2001, 2002, ULRs 2002
- Pirata uliginosus*** (Thorell, 1856)
Kostanjšek 2013, 2014, Kuntner 1997c, 1999b, 2001, 2002, ULRs 2002
- Piratula hygrophyla*** (Thorell, 1872)
Čandek et al. 2013
- = *Pirata hydrophilus* Thorell, 1872
Polenec 1975b, 1986, 1989
- = *Pirata hygrophila* (Thorell, 1872)
Kuntner 1997c, Nikolić and Polenec 1981
- Piratula knorri*** (Scopoli, 1763)
Čandek et al. 2013
- = *Pirata knorri* (Scopoli, 1763)
Buchar and Polenec 1974, Kostanjšek 2001, 2002a, 2004a, Nikolić and Polenec 1981, Polenec 1954, 1989, 1992, Tarman 2003
- Piratula latitans*** (Blackwall, 1841)
Nikolić and Polenec 1981
- = *Pirata latitans* (Blackwall, 1841)
Kuntner 1997d, Polenec 1976b, 1986, 1989
- Trochosa hispanica*** Simon, 1870
Bole et al. 1980
- = *Trochosa manicata* Thorell, 1875
Bole et al. 1980
- Trochosa robusta*** (Simon, 1876)
Nikolić and Polenec 1981, Polenec 1978d, 1981
- Trochosa ruricola*** (De Geer, 1778)
Gregorič and Kuntner 2009, Polenec 1969a, 1976b, 1978d, 1989
- = *Trochosa lapidicola* Hahn, 1829
Polenec 1965b
- Trochosa spinipalpis*** (F. O. P.- Cambridge, 1895)
Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c,
1989, 1992

Trochosa terricola Thorell, 1856

Bole et al. 1980, 1982, Budja 2008, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Polenec 1957, 1958, 1959, 1960, 1961d, 1962a, 1963e, 1964b, 1965a, 1965b, 1966b, 1967a, 1967b, 1968a, 1968b, 1969a, 1970a, 1971a, 1971c, 1973c, 1973d, 1973e, 1974b, 1975b, 1976a, 1976b, 1977, 1978b, 1978c, 1978d, 1979a, 1980b, 1981, 1982a, 1983, 1984, 1985, 1986, 1987, 1989, Tarman 2003, Zupančič et al. 1984

Xerolycosa nemoralis (Westring, 1861)

Buchar and Dolansky 2011, Budja 2008, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1967a, 1970a, 1971a, 1971b, 1973b, 1974a, 1981, 1983, 1986, 1989

Family MIMETIDAE***Ero aphana*** (Walckenaer, 1802)

Kuntner 1997d, 2002, Le Peru 2011

Ero furcata (Villers, 1789)

Bole et al. 1980, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1971a, 1974a, 1975a, 1982a, 1983, 1989

Ero tuberculata (De Geer, 1778)

Kostanjšek 2005, Kuntner 1999b, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1978d

Family MITURGIDAE***Zora armillata*** Simon, 1878

Kostanjšek 2010, 2014

Zora nemoralis (Blackwall, 1861)

Bole et al. 1980, Gregorič and Kuntner 2009, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1964b, 1977, 1978d, 1984, 1985, 1989

Zora spinimana (Sundevall, 1833)

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1964b, 1965b, 1969a, 1971a, 1981, 1985, 1989

Family MYSMENIDAE***Mysmenella jobi*** (Kraus, 1967)

Le Peru 2011

= *Mysmena jobi* Kraus, 1967

Nikolić and Polenec 1981, Polenec 1992

Trogloneta granulum* Simon, 1922

1♂ - chasm Unška Koliševka, central Slovenia; 45°18,81'N, 14°15,81'E, 600 m a. s. l.; 1.9.2000; leg. & det. Řezáč M., Kuntner M., Polak S.

Family NEMESIIDAE***Brachythele media*** Kulczyński, 1897

Bole et al. 1980, 1982, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1978a, 1978d, 1979b, Tarman 2003

Nemesia caementaria (Latreille, 1799)

Reimoser 1919

= *Nemesia caementaria germanica* Ausserer, 1871

Polenec 1978a, 1992, Tarman 2003

Nemesia pannonica Herman, 1879

Čandek et al. 2013, Deceae 2010, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, Le Peru 2011, Polenec 1966a, 1968b, 1978a, 1978d, 1979b, Tarman 2003

= *Nemesia pannonica pannonica* Herman, 1879

Fuhn and Polenec 1967, Nikolić and Polenec 1981, Polenec 1975a, 1978a

Family NESTICIDAE***Nesticus cellulanus*** (Clerck, 1757)

Brignoli 1971b, 1980, Caporiacco 1938, Čandek et al. 2013, Drensky 1936, Gasparo and Thaler 2000, Kostanjšek 2004a, Kratochvíl 1933, 1936, Kuntner 1997d, 1999a, 1999b, Le Peru 2011, Novak 1981, 2005b, Novak and Kuštor 1982, Novak and Sivec 1976, Novak et al. 2004, Polak 1994, Polak et al. 2012, Polenec 1973b, 1989, 1992, Staut et al. 2008, Tarman 2003, Thaler 1981a

Nesticus eremita Simon, 1879

Brignoli 1971b, 1980, Kostanjšek 2003, Le Peru 2011, Polak et al. 2012

= *Nesticus speluncarum eremita* E. Simon, 1879

Kratochvíl 1934

Nesticus speluncarum Pavesi, 1873

Le Peru 2011, Nikolić 1963, Nikolić and Polenec 1981

Typhlonesticus idriacus (Roewer, 1931)= *Nesticus idriacus* Roewer, 1931

Deeleman-Reinhold 1975, 1978, 1980, 1981, Komposch and Steinberger 1999, Kostanjšek 2001, 2010, Kranjc and Novak 1978, Kratochvíl 1933, Le Peru 2011, Nikolić 1957, 1961, Nikolić and Polenec 1981, Novak 2005b, Polenec 1992, Roewer 1931, Thaler 1976, 1981a, ULRS 2002, 2004

Family OECOBIIDAE***Oecobius maculatus*** Simon, 1870

Kostanjšek and Gorjan 2013

Uroctea durandi (Latreille, 1809)

Čandek et al. 2013, Kostanjšek 2003, 2005, Kuntner 1997a, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1992, Tarman 2003

Family OXYOPIDAE***Oxyopes heterophthalmus*** (Latreille, 1804)

Kostanjšek 2000, 2003, Kuntner 1997a, 2001, 2002, ULRS 2002

Oxyopes lineatus Latreille, 1806

Gregorič and Kuntner 2009, Kostanjšek and Kuntner 2002, Kuntner 1997d, 2001, 2002, Kuntner and Kostanjšek 2000

Oxyopes ramosus (Martini & Goeze, 1778)

Brignoli 1976, Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958

Family PHILODROMIDAE***Philodromus albidus*** Kulczyński, 1911

Budja 2008, Čandek et al. 2013, Kuntner 1997c, 1997d, 1999b, 2002, Kuntner and Kostanjšek 2000

Philodromus aureolus (Clerck, 1757)

Čandek et al. 2013, Kuntner 1997d, Kuntner and Kostanjšek 2000, Polenec 1957, 1958, 1973c, 1989

Philodromus cespitum (Walckenaer, 1802)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 2002, Kuntner and Kostanjšek 2000

= *Philodromus aureolus caespiticolis* (Walckenaer, 1837)

Nikolić and Polenec 1981, Polenec 1969a

Philodromus collinus C. L. Koch, 1835

Kuntner 1997c, Polenec 1967b, 1984, 1985, 1989, Šilhavy 1944

Philodromus dispar Walckenaer, 1826

Budja 2008, Čandek et al. 2013, Kuntner 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958

Philodromus fuscolimbatus Lucas, 1846= *Philodromus buxi constellatus* (Simon, 1875)

Nikolić and Polenec 1981

Philodromus fuscomarginatus (De Geer, 1778)

Polenec 1970a

Philodromus longipalpis Simon, 1870

Budja 2008, Kostanjšek 2010, 2011

= *Philodromus aureolus pallens* Klulczinsky

Šilhavy 1944

Philodromus margaritatus (Clerck, 1757)

Kostanjšek 2013, Šilhavy 1944, Tarman 2003

Philodromus poecilus (Thorell, 1872)

Kostanjšek 2003

Philodromus praedatus O. P.-Cambridge, 1871

Čandek et al. 2013, Kostanjšek and Celestina 2008

Philodromus pulchellus Lucas, 1846

Čandek et al. 2013

Philodromus rufus Walckenaer, 1826

Kuntner 1997d, 2002

Thanatus arenarius L. Koch, 1872

Gregorič and Kuntner 2009

Thanatus atratus* Simon, 1875

20♂ - meadow on W slope of Sv. Katarin hill, N of Nova Gorica; 45°57,96'N, 13°39,51'E, 190 m a. s. l.; 14.6-5.7.2008; leg. Gorjan A. & det. Gorjan A., Kostanjšek R.

Thanatus formicinus (Clerck, 1757)

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Polenec 1980b, 1985, 1989

Tibellus macellus Simon, 1875

Čandek et al. 2013

Tibellus oblongus (Walckenaer, 1802)

Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1969a

Family PHOLCIDAE

Holocnemus pluchei (Scopoli, 1763)

Kostanjšek and Kuntner 2002, Kuntner 2001, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011, Polenec 1954, 1992, ULRS 2002

= *Aranea pluchii* Scopoli, 1763

Scopoli 1763

Pholcus opilionoides (Schrank, 1781)

Bole et al. 1980, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989, Tarman 2003

Pholcus phalangioides (Fuesslin, 1775)

Brignoli 1971a, Čandek et al. 2013, Kostanjšek 2004a, 2012, Kratochvíl 1934, Kuntner 1996, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 2005b, Novak et al. 2004, Polenec 1962b, 1966b, 1989, Stražar 2001, Tarman 2003

Psilochorus simoni (Berland, 1911)

Čandek et al. 2013, Kostanjšek 2012, Kostanjšek and Ramšak 2005

Spermophora senoculata (Dugès, 1836)

Kuntner 1997d, 2001, 2002, Le Peru 2011, Nentwig and Kobelt 2010, ULRS 2002

Family PHRULITHIDAE

Phrurolithus festivus (C. L. Koch, 1835)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Grimm and Bibel 1986, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1965a, 1965b, 1968b, 1973c, 1975a, 1989

Phrurolithus minimus C. L. Koch, 1839

Čandek et al. 2013, Gorjan 2014, Grimm and Bibel 1986, Nikolić and Polenec 1981, Polenec 1957, 1958, 1965a, 1973c, 1975b, 1984, 1989

Family PISAURIDAE***Dolomedes fimbriatus*** (Clerck, 1757)

Brignoli 1976, Kostanjšek 2003, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963d, 1969b, 1971c, 1973c, 1974a, 1986, 1989, 1992, Tarman 2003, Tovornik 1983, 1990, Vogrin 2002

Dolomedes plantarius (Clerck, 1757)

Kostanjšek 2014, Nikolić and Polenec 1981, Polenec 1992, ULRS 1993, 2002

Pisaura mirabilis (Clerck, 1757)

Brignoli 1976, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Neuhauser et al. 1995, Nikolić and Polenec 1981, Polenec 1978d, 1984, 1985, 1989, Tarman 2003

= *Pisaura listeri* Scopoli, 1763

Bole et al. 1980, Polenec 1952, 1954, 1957, 1958, 1963c, 1963e, 1964a, 1965a, 1965b, 1967b, 1969a, 1969b, 1970b, 1971a, 1975b

Family SALTICIDAE***Aelurillus v-insignitus*** (Clerck, 1757)

Gorjan 2014, Kostanjšek and Fišer 2005

Asianellus festivus (C. L. Koch, 1834)

Fišer and Kostanjšek 2001, Gorjan 2014

Ballus chalybeius (Walckenaer, 1802)

Gorjan 2014, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

Carrhotus xanthogramma (Latreille, 1819)

Kuntner 1997b, 1997d, 2002, Kuntner and Kostanjšek 2000, Tarman 2003

Chalcoscirtus infimus (Simon, 1868)

Fišer and Kostanjšek 2001

Dendryphantes hastatus (Clerck, 1757)

Kuntner 1997b, Nikolić and Polenec 1981

= *Dendryphantes pini* Hahn, 1831

Polenec 1957, 1958

Dendryphantes rudis (Sundevall, 1833)

Kuntner 1997b, 1997c, 1999b, 2002

Euophrys frontalis (Walckenaer, 1802)

Bole et al. 1980, Gorjan 2014, Kuntner 1997d, Polenec 1963e, 1968b, 1975a, 1978c, 1978d, 1981, 1986

= *Euophrys maculata* (Wider, 1834)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1985, 1989

Euophrys herbigrada (Simon, 1871)

Fišer and Kostanjšek 2001, Gorjan 2014, Gregorič and Kuntner 2009

Evarcha arcuata (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Knapič 2012, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1989

= *Aranea marcgravii* Scopoli, 1763

Scopoli 1763

= *Attus albociliatus* Simon, 1868

Simon 1868

= *Evarcha marcgravi* Scopoli

Polenec 1954, 1957, 1958, 1963e, 1969b, 1970b, 1971a, 1973c, 1975b, 1976b

= *Evarcha meregravi* Scopoli

Polenec 1965a

Evarcha falcata (Clerck, 1757)

Bole et al. 1980, Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Knapič 2012, Kostanjšek 2003, 2004a, Kuntner 1996, 1999b, Kuntner and Kostanjšek 2000, Polak 1997, Polenec 1977, 1978d, 1980a

= *Aranea blancardi* Scopoli, 1763

Scopoli 1763

= *Attus falcatus* Simon, 1868

Simon 1868

= *Evarcha blancardi* Scopoli, 1763

Bole et al. 1980, Polenec 1954, 1957, 1958, 1963d, 1964b, 1965a, 1967b, 1970a, 1973c, 1973e, 1974b, 1980a

= *Evarcha flammata* (Clerck, 1757)

Kuntner 1997c, 1997d, Nikolić and Polenec 1981, Polenec 1977, 1989

Evarcha jucunda (Lucas, 1846)

Čandek et al. 2013, Gorjan 2014, Knapič 2012, Kuntner 1997b, 2001, 2002, Polenec 1992, ULRS 2002

Evarcha laetabunda (C. L. Koch, 1846)

Čandek et al. 2013, 2015, Gorjan 2014, Gregorič and Kuntner 2009, Knapič 2012, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1971a, 1978d

Evarcha michailovi Logunov, 1992

Čandek et al. 2013, 2015, Fišer and Kostanjšek 2001, Knapič 2012

Hasarius adansoni (Audouin, 1826)

Čandek et al. 2013, Kostanjšek 2002b

Heliophanus aeneus (Hahn, 1832)

Čandek et al. 2013, Fišer and Kostanjšek 2001, Kostanjšek 2003

Heliophanus auratus C. L. Koch, 1835

Gregorič and Kuntner 2009, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1971a

Heliophanus cupreus (Walckenaer, 1802)

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1997b, 1997d, 1999b, 2002, Kuntner and Kostanjšek 2000

- Heliophanus dubius*** C. L. Koch, 1835
 Fišer and Kostanjšek 2001, Kostanjšek 2001, Tarman 2003
- Heliophanus flavipes*** (Hahn, 1832)
 Čandek et al. 2013, Kostanjšek 2001, 2004a, Kuntner 1999b
 = *Aranea ritteri* Scopoli, 1763
 Scopoli 1763
 = *Heliophanus ritteri* (Scopoli, 1763)
 Nikolić and Polenec 1981, Polenec 1954, 1971a, 1989
- Heliophanus kochii*** Simon, 1868
 Čandek et al. 2013, Fišer and Kostanjšek 2001, Gorjan 2014
- Heliophanus lineiventris*** Simon, 1868
 = *Heliophanus pouzdranensis* Miller, 1958
 Polenec 1992
- Heliophanus melinus*** L. Koch, 1867
 Fišer and Kostanjšek 2001
- Heliophanus patagiatus*** Thorell, 1875
 Fišer and Kostanjšek 2001
- Heliophanus tribulosus*** Simon, 1868
 Fišer and Kostanjšek 2001, Gorjan 2014
- Icius hamatus*** (C. L. Koch, 1846)
 Fišer and Kostanjšek 2001
- Icius subinermis*** Simon, 1937
 Čandek et al. 2013, Kostanjšek and Fišer 2005
- Leptorchestes berlinensis*** (C. L. Koch, 1846)
 Čandek et al. 2013, Kostanjšek 2003, Kuntner 1997a, 2002
 = *Leptorchestes cinctus* Thorell, 1869
 Polenec 1982a, 1989
- Macaroeris nidicolens*** (Walckenaer, 1802)
 Čandek et al. 2013, Kuntner 2002
 = *Eris nidicolens* (Walckenaer, 1802)
 Kuntner 1997b, 1997d, Kuntner and Kostanjšek 2000
- Marpissa muscosa*** (Clerck, 1757)
 Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner 1996,
 1999b, Kuntner and Baxter 1997, Nikolić and Polenec 1981, Polenec 1988, 1989
 = *Aranea rumpfi* Scopoli, 1763
 Scopoli 1763
 = *Marpissa rumpfi* Scopoli
 Polenec 1954
 = *Marpissus muscosus* Simon, 1868
 Simon 1868
- Marpissa nivoyi*** (Lucas, 1846)
 Čandek et al. 2013, Franc 2004, Gregorič and Kuntner 2009, Kuntner 1997b,
 2002, Polenec 1992

- Marpissa pomatia*** (Walckenaer, 1802)
 Fišer and Kostanjšek 2001
- Mendoza canestrinii*** (Ninni, 1868)
 Fišer and Kostanjšek 2001
- Menemerus semilimbatus*** (Hahn, 1829)
 Kuntner 1997b, 2001, 2002, ULRS 2002
- Myrmarachne formicaria*** (De Geer, 1778)
 Caporiacco 1949, Čandek et al. 2013, Gogala 1985, Gorjan 2014, Gregorič and Kuntner 2009
- = *Aranea joblotii* Scopoli, 1763
 Scopoli 1763
- = *Myrmarachne joblotii* (Scopoli, 1763)
 Nikolić and Polenec 1981, Polenec 1954, Tarman 2003
- Neon levis*** (Simon, 1871)
 Bole et al. 1982, Gorjan 2014
- Neon rayi*** (Simon, 1875)
 Fišer and Kostanjšek 2001
- Neon reticulatus*** (Blackwall, 1853)
 Budja 2008, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1974a, 1975a
- Pellenes nigrociliatus*** (Simon, 1875)
 Fišer and Kostanjšek 2001, Gorjan 2014
- Pellenes seriatus*** (Thorell, 1875)
 Čandek et al. 2013, 2015, Fišer and Kostanjšek 2001, Gregorič and Kuntner 2009
- Pellenes tripunctatus*** (Walckenaer, 1802)
 Bole et al. 1982, Franc 2004, Kostanjšek 2003, Polenec 1992
- Philaeus chrysops*** (Poda, 1761)
 Čandek et al. 2013, Franc 2004, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1966a, 1969a, 1992
- = *Aranea catesbaei* Scopoli, 1763
 Scopoli 1763
- = *Aranea sloanii* Scopoli, 1763
 Scopoli 1763
- Phlegra bresnieri*** (Lucas, 1846)
 Kostanjšek 2003, Kostanjšek and Fišer 2005
- Phlegra cinereofasciata*** (Simon, 1868)
 Kostanjšek and Fišer 2005
- = *Phlegra fuscipes* Kulczyński, 1891
 Bole et al. 1982
- Phlegra fasciata*** (Hahn, 1826)
 Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1968b, 1971a, 1975a

- Pseudeuophrys erratica*** (Walckenaer, 1826)
 Fišer and Kostanjšek 2001
- Pseudeuophrys lanigera*** (Simon, 1871)
 Čandek et al. 2013, Gregorič and Kuntner 2009, Kuntner 2001, 2002, ULRS 2002
 = *Euophrys lanigera* (Simon, 1871)
 Kuntner and Kostanjšek 2000
- Pseudeuophrys obsoleta*** (Simon, 1868)
 Gorjan 2014, Gregorič and Kuntner 2009
 = *Euophrys pictilis* (Simon, 1871)
 Polenec 1992
- Pseudeuophrys vafra*** (Blackwall, 1867)
 Kostanjšek and Fišer 2005
- Pseudicius encarpatus*** (Walckenaer, 1802)
 Fišer and Kostanjšek 2001
- Saitis barbipes*** (Simon, 1868)
 Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Nikolić
 and Polenec 1981, Polenec 1978d, 1979b
- Salticus scenicus*** (Clerck, 1757)
 Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1967b, Tarman 2003
- Salticus unciger*** (Simon, 1868)
 Kostanjšek and Fišer 2005
- Salticus zebraneus*** (C. L. Koch, 1837)
 = *Aranea olearii* Scopoli, 1763
 Scopoli 1763
 = *Salticus oleari* (Scopoli, 1763)
 Nikolić and Polenec 1981, Polenec 1954, 1958, 1973c, 1989
- Sibianor aurocinctus*** (Ohlert, 1865)
 Gorjan 2014
 = *Bianor aenescens* Simon, 1868
 Bole et al. 1980, Polenec 1975b, 1978d
 = *Bianor aurocinctus* (Ohlert, 1865)
 Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1989
- Sitticus atricapillus*** (Simon, 1882)
 = *Sitticus zimmermanni* (Simon, 1877)
 Bole et al. 1982, Polenec 1982a, 1989, 1992
- Sitticus floricola*** (C. L. Koch, 1837)
 Kuntner 1999b, 2002
 = *Sitticus littoralis* (Hahn, 1832)
 Polenec 1992, Tovornik 1990
- Sitticus inexpectus*** Logunov & Kronstedt, 1997
 Kostanjšek and Fišer 2005
- Sitticus pubescens*** (Fabricius, 1775)
 Franc 2004, Kostanjšek 2003, Polenec 1989, 1992

- = *Sitticus truncorum* (Linnaeus, 1758)
Polenec 1988
- Sitticus saxicola*** (C. L. Koch, 1846)
Kuntner and Kostanjšek 2000, Polenec 1989
- Sitticus terebratus*** (Clerck, 1757)
Kostanjšek and Fišer 2005
- Synageles hilarulus*** (C. L. Koch, 1846)
Fišer and Kostanjšek 2001
- Synageles venator*** (Lucas, 1836)
Fišer and Kostanjšek 2001, Kostanjšek 2003
- Talavera aequipes*** (O. P.-Cambridge, 1871)
Gorjan 2014
- = *Euophrys aequipes* (Cambridge, 1871)
Kostanjšek 2003, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989
- Talavera petrensis*** (C. L. Koch, 1837)
Gregorič and Kuntner 2009
- = *Euophrys petrensis* C. L. Koch, 1837
Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1965a, 1968b, 1973c, 1973e, 1989
- Talavera thorelli*** (Kulczyński, 1891)
Fišer and Kostanjšek 2001

Family SCYTODIDAE

- Scytodes thoracica*** (Latreille, 1802)
Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2005, Kuntner 1997a, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1988, 1989, 1992, Tarman 2003

Family SEGESTRIIDAE

- Segestria bavarica*** C. L. Koch, 1843
Gregorič and Kuntner 2009, Kuntner 1997d, 1999a, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989, 1992, Tarman 2003, Zupančič et al. 1984
- Segestria cavernicola*** Kulczyński, 1915
Le Peru 2011
- Segestria croatica*** Doleschall, 1852
Bole et al. 1982, Kulczyński 1915
- Segestria florentina*** (Rossi, 1790)
Kostanjšek and Kuntner 2002, Kuntner 1997a, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011, Tarman 2003

Segestria senoculata (Linnaeus, 1758)

Budja 2008, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997d, Kuntner and Baxter 1997, Le Peru 2011, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1960, 1963e, 1964b, 1976b, 1978c, 1979a, 1982b, 1985, 1986, 1987, 1989

Family SPARASSIDAE***Micrommata virescens*** (Clerck, 1757)

Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Polenec 1964a, 1978d

= *Micrommata roseum* (Clerck, 1757)

Nikolić and Polenec 1981, Polenec 1985, 1986, 1989, Tarman 2003

= *Micrommata viridissima* De Geer

Bole et al. 1980, Polenec 1957, 1958, 1965a, 1969b, 1971a, 1971c, 1973c

Micrommata virescens ornata (Walckenaer, 1802)

= *Micrommata roseum ornatum* (Walckenaer, 1802)

Nikolić and Polenec 1981

= *Micrommata viridissima* var. *ornata* Walckenaer

Polenec 1969a, 1974a

Family TETRAGNATHIDAE***Meta menardi*** (Latreille, 1804)

Batič et al. 1980, Brignoli 1971b, 1980, Caporiacco 1938, Čandek et al. 2013, Deeleman-Reinhold 1978, Ferk and Lipar 2011, Kiauta and Leben 1960, Kostanjšek 2007, Kratochvíl 1934, 1936, Kuntner et al. 2008, Nikolić 1963, Nikolić and Polenec 1981, Novak 1971, 1981, 2005a, 2005b, Novak and Kuštor 1982, Novak and Sivec 1976, Novak et al. 2004, 2010, Polak 1994, 1997, Polak et al. 2012, Polenec 1962b, 1973b, Preisinger 2010, Puc et al. 1988, Rebeušek et al. 2008, Roewer 1931, Stražar 2001, Tarman 2003, Tkavc 2008

= *Epeira fusca* Walckenaer

Joseph 1881, Pokorny 1853, Schiner 1854

Metellina mengei (Blackwall, 1870)

Budja 2008, Kostanjšek 2004a, Kuntner 1997c, 1997d, Kuntner and Kostanjšek 2000, Polak 1997

= *Meta mengei* (Blackwall, 1870)

Polenec 1976a

= *Meta reticulata* var. *mengei* Blackwall, 1869

Polenec 1958, 1963d, 1967b, 1969a, 1969b

= *Meta segmentata mengei* (Blackwall, 1869)

Nikolić and Polenec 1981, Polenec 1960, 1989

Metellina merianae (Scopoli, 1763)

Budja 2008, Čandek et al. 2013, 2015, Kostanjšek 2003, 2004a, Kuntner 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Novak 2005a, Polak 1994, 1997, Rebeušek et al. 2008, Stražar 2001, Tarman 2003

= *Aranea merianae* Scopoli, 1763

Scopoli 1763

= *Meta merianae* (Scopoli, 1863)

Batič et al. 1980, Brignoli 1971b, 1980, Caporiacco 1938, Čandek et al. 2013, Fage 1931, Kratochvíl 1934, Nikolić 1963, Nikolić and Polenec 1981, Novak 1981, 2005b, Novak and Kuštor 1982, Novak and Sivec 1976, Novak et al. 2004, 2010, Polenec 1954, 1967b, 1971c, 1989, Puc et al. 1988, Sket 1999, Spazzapan-Breljih 1964

Metellina segmentata (Clerck, 1757)

Čandek et al. 2013, 2015, Kuntner 1996, 1997c, 1997d, Kuntner and Kostanjšek 2000, Kuntner et al. 2008

= *Meta reticulata* (Linnaeus, 1758)

Polenec 1957, 1958, 1960, 1964a, 1969a, 1969b, 1970a, 1970b, 1971a, 1973c, 1978b, 1980a, 1989

= *Meta reticulata typica* 0

Polenec 1957

= *Meta segmentata* (Clerck, 1758)

Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1961b, 1975b, 1985

Pachygnatha clercki Sundevall, 1823

Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, 1992

Pachygnatha degeeri Sundevall, 1830

Bole et al. 1980, 1982, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1970a, 1973c, 1974a, 1975a, 1975b, 1976b, 1977, 1984, 1986, 1989

= *Aranea degeerii* Scopoli, 1763

Scopoli 1763

Pachygnatha listeri Sundevall, 1830

Bole et al. 1982, Čandek et al. 2013, Kuntner 1997c, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1973c, 1975b, 1989

Pachygnatha terilis Thaler, 1991

Kuntner 1997d, 2001, 2002, ULRS 2002

Tetragnatha extensa (Linnaeus, 1758)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997d, 1999b, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, Tarman 2003

= *Tetragnatha solandri* Scopoli, 1763

Polenec 1954

Tetragnatha montana Simon, 1874

Budja 2008, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Polenec 1971c, 1989

Tetragnatha nigrita Lendl, 1886

Čandek et al. 2013, Kuntner 1997d, 2002

Tetragnatha obtusa C. L. Koch, 1837

Kuntner 1997c, 2002, Kuntner et al. 2008, Novak 2005b

Tetragnatha pinicola L. Koch, 1870

Čandek et al. 2013, Kostanjšek 2002b, 2004a, Kuntner 1997c, 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1965a, 1969b, 1971a, 1973c, 1975b, 1989, 1992

Family THERIDIIDAE***Anelosimus vittatus*** (C. L. Koch, 1836)

Agnarsson 2004, Gregorič and Kuntner 2009, Kuntner 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Asagena italica (Knoflach, 1996)

= *Steatoda italica* Knoflach, 1996
Knoflach 1996

Asagena phalerata (Panzer, 1801)

Čandek et al. 2013, Polenec 1964b, 1970a, 1970b, 1971a, 1989
= *Steatoda phalerata* (Panzer, 1801)
Gregorič and Kuntner 2009, Knoflach 1996, Le Peru 2011, Nikolić and Polenec 1981

Crustulina guttata (Wider, 1834)

Agnarsson 2004, Čandek et al. 2013, Knoflach 1994, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1963e, 1964b, 1965b, 1969a, 1973c, 1978d, 1989

Crustulina scabripes Simon, 1881

Čandek et al. 2013, Gregorič and Kuntner 2009
= *Crustulina scabrosa* O
Bole et al. 1980

Cryptachaea riparia* (Blackwall, 1834)

1♀ - river bank at the confluence of Cerknica and Idrijca rivers; 46°06,12'N, 13°56,86'E, 240 m a. s. l.; 30.7.2000; leg & det. Kostanjšek R.

1♀ - shaft near house, Dragočajna 4A, Smeldnik; 46°10,41'N, 14°25,08'E, 360 m a. s. l.; 28.7.2003; leg. Štivec K., det. Knapič T., Gregorič M.

2♀ - forest, Krakovski gozd, 2,2 km N from Kostanjevica na Krki; 45°51,82'N, 15°25,28'E, 150 m a. s. l.; 26.7.2009; leg & det. Kostanjšek R.

1♂ - meadow, 700 m NE from Modrejce village; S of Tolmin; 46°10,14'N, 13°45,08'E, 160 m a. s. l.; 22.7.2010; leg & det. Kostanjšek R.

1♂ - Pond Ribnik NW of village Griblje; 45°34,56'N, 15°17,01'E, 150 m a. s. l.; 29.07.2001; leg. & det. Kostanjšek R.

1♀ - Meadow on slope E of Konjsko brdo, Davča, Cerkno; 46°10,44'N, 13°59,49'E, 1310 m a. s. l.; 29.07.2000; leg. & det. Kostanjšek R.

Dipoena braccata (C. L. Koch, 1841)

Kostanjšek 2004a, Le Peru 2011

Dipoena coracina (C. L. Koch, 1837)

Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958

Dipoena melanogaster (C. L. Koch, 1837)

Čandek et al. 2013, Kuntner 1996, 1997d, Kuntner and Baxter 1997, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989

Dipoena torva (Thorell, 1875)

Agnarsson 2004, Kuntner 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Enoplognatha afrodite Hippa & Oksala, 1983

Čandek et al. 2013

Enoplognatha latimana Hippa & Oksala, 1982

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997d, 1999b, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Enoplognatha ovata (Clerck, 1757)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Novak 2005b, Tarman 2003

= *Enoplognatha lineata* (Clerck, 1757)

Budja 2008, Kuntner 1996, Nikolić and Polenec 1981

= *Theridium redimitum* (Linnaeus, 1758)

Polenec 1957, 1958, 1963d, 1967b, 1969b, 1971a, 1973c, 1973e, 1980a, 1985, 1989

Enoplognatha thoracica (Hahn, 1833)

Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1963e, 1974b, 1989, 1992

Episinus angulatus (Blackwall, 1836)

Čandek et al. 2013

Episinus cavernicola (Kulczyński, 1897)

Le Peru 2011

= *Plocamis cavernicola* Kulczyński, 1897

Nikolić and Polenec 1981

Episinus maculipes Cavanna, 1876

Agnarsson 2004, Čandek et al. 2013, Kuntner 1996, 1997a, 2002, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011

Episinus truncatus Latreille, 1809

Bole et al. 1980, Budja 2008, Čandek et al. 2013, Gorjan 2014, Knoflach and Thaler 2000, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1959, 1961d, 1964a, 1965b, 1978d, 1985, 1989

Euryopsis flavomaculata (C. L. Koch, 1836)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1973c, 1977, 1981, 1985, 1989

Euryopsis laeta (Westring, 1861)

Kostanjšek and Gorjan 2013

Heterotheridion nigrovariegatum (Simon, 1873)

Čandek et al. 2013

= *Theridion nigrovariegatum* Simon, 1873

Kostanjšek 2004b

Lasaeola prona (Menge, 1868)

Kostanjšek and Gorjan 2013

Lasaeola tristis (Hahn, 1833)= *Dipoena tristis* (Hahn, 1831)

Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989, 1992

Neottiura bimaculata (Linnaeus, 1767)

Agnarsson 2004, Arnedo et al. 2004, Čandek et al. 2013, Gorjan 2014, Kuntner 1999b, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

= *Theridion bimaculatum* (Linnaeus, 1767)

Kuntner 1997d

Neottiura herbigrada (Simon, 1873)

Čandek et al. 2013

Neottiura suaveolens (Simon, 1879)

Čandek et al. 2013, Gorjan 2014, Kuntner 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Paidiscura pallens (Blackwall, 1834)

Čandek et al. 2013, Knoflach and Thaler 2000, Vanuytven et al. 1994

= *Theridion pallens* Blackwall, 1834

Budja 2008, Kuntner 1997d, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958

Parasteatoda lunata (Clerck, 1757)

Čandek et al. 2013

= *Achaeearanea lunata* (Clerck, 1757)

Budja 2008, Kuntner 1996, 1997d, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981

= *Theridion lunatum* C. L. Koch, 1841

Polenec 1957

= *Theridium lunatum* (Olivier, 1789)

Kratochvíl 1934, Polenec 1958, 1963d, 1964a, 1989

Parasteatoda simulans (Thorell, 1875)= *Achaeearanea simulans* (Thorell, 1875)

Budja 2008, Kuntner 1997d, 1999b, 2002, Le Peru 2011

Parasteatoda tepidariorum (C. L. Koch, 1841)

Čandek et al. 2013

= *Achaeearanea tepidariorum* (C. L. Koch, 1841)

Kostanjšek 2004a, Kuntner and Kostanjšek 2000, Le Peru 2011, Novak 2005b

= *Theridion tepidariorum* C. L. Koch, 1841

Polenec 1989

Pholcomma gibbum (Westring, 1851)

Bole et al. 1980, Gorjan 2014, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1976b, 1989

Phylloneta impressa (L. Koch, 1881)

= *Theridion impressum* L. Koch, 1881

Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981

= *Theridium impressum* L. Koch, 1881

Polenec 1971a, 1975b, 1981, 1989

Phylloneta sisypbia (Clerck, 1757)

= *Theridion sisyphium* (Clerck, 1757)

Le Peru 2011, Nikolić and Polenec 1981, Tarman 2003

= *Theridium notatum* Linnaeus

Polenec 1963c, 1964a, 1965a, 1967b, 1969b, 1971a, 1989

Platnickina tincta (Walckenaer, 1802)

Čandek et al. 2013

= *Theridion tinctum* (Walckenaer, 1802)

Kostanjšek 2002b, Kuntner 1996, 1997c, 1997d, 1999a, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1960, 1989

= *Theridium tinctum* C. L. Koch

Kuntner 1999b, Polenec 1957, 1958, 1960

Robertus lividus (Blackwall, 1836)

Gregorič and Kuntner 2009, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1960, 1961d, 1962a, 1963e, 1964a, 1965b, 1968a, 1969a, 1969c, 1970b, 1974a, 1974b, 1975b, 1977, 1980b, 1984, 1989

Robertus neglectus (O. P.-Cambridge, 1871)

Le Peru 2011, Nikolić and Polenec 1981, Polenec 1957, 1958

Robertus scoticus Jackson, 1914

Čandek et al. 2013

Robertus truncorum (L. Koch, 1872)

Bole et al. 1980, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1979a, 1981, 1989

Rugathodes bellicosus (Simon, 1873)

= *Theridion bellicosum* (Simon, 1873)

Polenec 1968a, 1992

= *Theridion instabile bellicosum* (Simon, 1873)

Nikolić and Polenec 1981

= *Theridium bellicosum* Simon, 1873

Polenec 1970a, 1971b, 1973b, 1989

Sardinidion blackwalli (O. P.-Cambridge, 1871)

Čandek et al. 2013

- = *Theridion blackwalli* Cambridge, 1870
Kuntner 1999a, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989, 1992
- = *Theridium blackwalli* Cambridge, 1870
Polenec 1958, 1988
- Simitidion simile*** (C. L. Koch, 1836)
Čandek et al. 2013, Kostanjšek 2003
- = *Theridion simile* C. L. Koch, 1836
Le Peru 2011, Nikolić and Polenec 1981, Polenec 1992
- = *Theridium simile* C. L. Koch, 1836
Polenec 1957, 1958, 1973c, 1989
- Steatoda bipunctata*** (Linnaeus, 1758)
Agnarsson 2004, Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997d, 1999b, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1962b, 1966b, 1968a, 1989, Tarman 2003
- Steatoda grossa*** (C. L. Koch, 1838)
Le Peru 2011, Nentwig and Kobelt 2010, Nikolić and Polenec 1981
- Steatoda paykulliana*** (Walckenaer, 1805)
Kuntner 1997d, Le Peru 2011, Polenec 1966a
- = *Lithyphantes paykullianus* (Walckenaer, 1805)
Nikolić and Polenec 1981, Polenec 1969a
- Steatoda triangulosa*** (Walckenaer, 1802)
Čandek et al. 2013, Kuntner 1999b, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011, Nentwig and Kobelt 2010
- Theridion betteni*** Wiehle, 1960
Kostanjšek 2002a, 2004a
- Theridion boesenbergi**** Strand, 1904
20♂, 166♀ - primary forest, Rajhenavski Rog sanctuary, Kočevje region; 45°41'N, 15°01'E, 870-920 m a. s. l.; 25-28.6.1999; leg. Floren A., det. Agnarsson I.
- Theridion familiare**** O. P.-Cambridge, 1871
1♀ - primary forest, Rajhenavski Rog sanctuary, Kočevje region; 45°41'N, 15°01'E, 870-920 m a. s. l.; 25-28.6.1999; leg. Floren A., det. Agnarsson I.
- Theridion melanurum*** Hahn, 1831
Kostanjšek 2003, Le Peru 2011, Nikolić and Polenec 1981
- = *Theridium denticulatum* Walckenaer
Polenec 1958
- Theridion mystaceum*** L. Koch, 1870
Budja 2008, Kuntner 2002, Le Peru 2011
- Theridion petraeum*** L. Koch, 1872
Le Peru 2011, Nikolić and Polenec 1981
- = *Theridium petraeum* L. Koch, 1872
Kratochvíl 1934

Theridion pictum (Walckneer, 1802)

Vanuytven et al. 1994

Theridion pinastri L. Koch, 1872

Budja 2008, Čandek et al. 2013, Kostanjšek 2002b, Kuntner 1997c, 2002, Kuntner and Kostanjšek 2000, Le Peru 2011

Theridion varians Hahn, 1833

Agnarsson 2004, Budja 2008, Čandek et al. 2013, Kuntner 1997c, 1997d, Kuntner and Kostanjšek 2000, Le Peru 2011, Nikolić and Polenec 1981, Polenec 1989

= *Theridium varians* Hahn, 1833

Kuntner 1999b, Polenec 1957, 1958, 1963d, 1974a

Theridula gonygaster (Simon, 1873)

Kostanjšek 2010, 2011, 2012

Family THERIDIOSOMATIDAE***Theridiosoma gemmosum*** (L. Koch, 1877)

Kuntner 1999b, 2001, 2002, Le Peru 2011, ULRS 2002

Family THOMISIDAE***Coriarachne depressa*** (C. L. Koch, 1837)

Nikolić and Polenec 1981, Polenec 1957, 1958, 1962a, 1965b, 1968b, 1973c, 1989

Cozyptila blackwalli (Simon, 1875)= *Oxyptila blackwalli* Simon, 1875

Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1976b, 1978d, 1989, Šilhavy 1944

= *Ozyptila blackwalli* Simon, 1875

Gorjan 2014

Diaea dorsata (Fabricius, 1777)

Budja 2008, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Novak 1981, 2005b, Polenec 1957, 1958, 1959, 1960, 1964a, 1965a, 1969b, 1970a, 1970b, 1973c, 1975b, 1986, 1989, Tarman 2003

Diaea livens Simon, 1876

Čandek et al. 2013

Ebrechtella tricuspидata (Fabricius, 1775)

Čandek et al. 2013

= *Misumenops tricuspидatus* (Fabricius, 1775)

Budja 2008, Kostanjšek 2004a, Kuntner 1996, 1997a, 1997c, 1997d, 2002

Heriaeus hirtus (Latreille, 1819)

Čandek et al. 2013, Kostanjšek 2010

Misumena vatia (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Kostanjšek 2003, 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1984, 1989, Tarman 2003, Vogrin 2005

- = *Misumena calycina* Linnaeus
 Polenec 1957, 1958, 1963a, 1964a, 1965a, 1969b, 1971a, 1971c, 1973c, 1973e, 1980a, 1985
- Ozyptila atomaria*** (Panzer, 1801)
 Gorjan 2014, Gregorič and Kuntner 2009
- = *Oxyptila atomaria* (Panzer, 1801)
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1961d, 1962a, 1965a, 1968b, 1969a, 1975a, 1975b, 1977, 1981, 1985, 1986, 1989
- = *Oxyptila horticola* (C. L. Koch, 1837)
 Polenec 1957, 1958, 1963e, 1973c, 1989, 1992
- Ozyptila brevipes*** (Hahn, 1826)
 = *Oxyptila brevipes* (Hahn, 1826)
 Polenec 1957, 1958, 1992
- Ozyptila claveata*** (Walckenaer, 1837)
 Čandek et al. 2013, Gorjan 2014
- = *Oxyptila nigrita* (Thorell, 1875)
 Bole et al. 1980, Polenec 1992
- Ozyptila praticola**** (C. L. Koch, 1837)
 1♀ - forest, 3 km S of Rače in NE Slovenia; 46°25,73'N, 15°40,83'E, 250 m a. s. l.; 18.7.2013; leg. & det. Kostanjšek R.
 5♂ - forest, 1 km N of Marjeta na Dravskem polju, E of Rače in NE Slovenia; N 46°27,00'N, 15°43,32'E, 250 m a. s. l.; 18.7. - 24.7.2013; leg. Kostanjšek & det. Kostanjšek R.
 1♀ - forest, Kozlarjeva gošča, Ljubljansko barje marsh, S of Ljubljana; 45°59,64'N, 14°30,28'E, 290 m a. s. l.; 28.9.2002; leg. Vrezec A, & det. Fišer C., Kostanjšek R.
- Ozyptila pullata*** (Thorell, 1875)
 = *Oxyptila kotulai* Kulczyński, 1898
 Polenec 1992
- Ozyptila rauda*** Simon, 1875
 = *Oxyptila rauda* Simon, 1875
 Nikolić and Polenec 1981, Polenec 1973e, 1992
- Ozyptila scabricula*** (Westring, 1851)
 = *Oxyptila scabricula* (Westring, 1851)
 Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1975a
- Ozyptila simplex*** (O. P.-Cambridge, 1862)
 Gorjan 2014
- = *Oxyptila simplex* (Cambridge, 1862)
 Bole et al. 1980, Polenec 1986, 1989, 1992
- Ozyptila trux*** (Blackwall, 1846)
 Kuntner and Kostanjšek 2000
- = *Oxyptila trux* (Blackwall, 1846)
 Bole et al. 1980, Nikolić and Polenec 1981, Polenec 1978c, 1982a, 1989

Pistius truncatus (Pallas, 1772)

Gorjan 2014, Kuntner 1996, 1997a, 1999b, 2002, Kuntner and Kostanjšek 2000

Runcinia grammica (C. L. Koch, 1837)

Kostanjšek 2005, 2010

Synema globosum (Fabricius, 1775)

Čandek et al. 2013, Kostanjšek 2004a, Kuntner 1996, 1997c, 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1973c, 1989

Thomisus onustus Walckenaer, 1805

Čandek et al. 2013, Kuntner 1996, 1997d, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

Tmarus piger (Walckenaer, 1802)

Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, 1999b, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981, Polenec 1957, 1958, 1960, 1969a, 1973c, 1978d, 1989

Tmarus stellio Simon, 1875

Kuntner 1997d, 1999b, 2002

Xysticus acerbus Thorell, 1872

Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003

Xysticus audax (Schrank, 1803)

Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Kuntner 1997c, Nikolić and Polenec 1981, Polenec 1986, 1989

= *Xysticus pini* Hahn

Polenec 1957, 1958, 1959, 1962a, 1965b, 1970a, 1971a, 1973c

= *Xysticus pini audax* Hahn

Polenec 1973e

Xysticus bifasciatus C. L. Koch, 1837

Bole et al. 1980, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2004a, Nikolić and Polenec 1981, Polenec 1970a, 1970b, 1975b, 1976b, 1978c, 1980b, 1981, 1982a, 1984, 1986, 1989, Šilhavy 1944, Tarman 2003

Xysticus bufo (Dufour, 1820)

= *Xysticus albimanus* Simon, 1932

Polenec 1992

Xysticus cristatus (Clerck, 1757)

Budja 2008, Čandek et al. 2013, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1997c, 1997d, Nikolić and Polenec 1981, Polenec 1963e, 1978b, 1980b, 1982a, 1984, 1985, 1989

= *Xysticus viaticus* Linnaeus

Polenec 1958, 1962a, 1971a

Xysticus desidosus Simon, 1875

Čandek et al. 2013

- Xysticus erraticus* (Blackwall, 1834)
Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1962a, 1968b, 1969a, 1973d, 1975a, 1980b, 1981, 1984, 1989
- Xysticus ferrugineus* Menge, 1876
Bole et al. 1980, Polenec 1992
- Xysticus gallicus* Simon, 1875
Bole et al. 1980, Gorjan 2014, Nikolić and Polenec 1981, Polenec 1977, 1978c, 1981, 1983, 1986, 1989
- Xysticus kempeleni* Thorell, 1872
Čandek et al. 2013
- Xysticus kochi* Thorell, 1872
Bole et al. 1980, Čandek et al. 2013, Gorjan 2014, Gregorič and Kuntner 2009, Kostanjšek 2003, 2004a, Kuntner 1999b, Polenec 1980b, 1981, 1986, 1989
- Xysticus lanio* C. L. Koch, 1835
Bole et al. 1980, Caporiacco 1949, Čandek et al. 2013, Gorjan 2014, Kostanjšek 2003, Kuntner 1997d, Nikolić and Polenec 1981, Polenec 1957, 1958, 1963e, 1969b, 1970a, 1985, 1989
- Xysticus lineatus* (Westring, 1851)
Bole et al. 1980, Čandek et al. 2013, Nikolić and Polenec 1981, Polenec 1957, 1958, 1980b, 1981
- Xysticus luctuosus* (Blackwall, 1836)
Gorjan 2014, Polenec 1980b, 1989, 1992
- Xysticus marmoratus* Thorell, 1875
= *Xysticus embriki* Kolosváry, 1935
Nikolić and Polenec 1981, Polenec 1992
- Xysticus ninnii* Thorell, 1872
Kostanjšek 2010, 2011
- Xysticus robustus* (Hahn, 1832)
Bole et al. 1980, Gregorič and Kuntner 2009, Kuntner 1997d, Polenec 1963e, 1965b, 1966a, 1978d, 1983, 1989
= *Proxysticus robustus* (Hahn, 1831)
Nikolić and Polenec 1981
- Xysticus sabulosus* (Hahn, 1832)
Kostanjšek 2004a
= *Xysticus cambridgei* (Blackwall, 1859)
Polenec 1986, 1992
- Xysticus striatipes* L. Koch, 1870
Gorjan 2014, Gregorič and Kuntner 2009, Polenec 1992
- Xysticus tenebrosus* Silhavy, 1944
Čandek et al. 2013
- Xysticus ulmi* (Hahn, 1831)
Kostanjšek 2004a, Kuntner 1996, 1999b, 2002

Family TITANOECIDAE

- Nurscia albomaculata* (Lucas, 1846)
Kostanjšek 2005, 2010
- Titanoeca quadriguttata* (Hahn, 1833)
Polenec 1989, 1992
= *Titanoeca obscura* O
Bole et al. 1982
- Titanoeca tristis* L. Koch, 1872
Čandek et al. 2013
- Titanoeca veteranica* Herman, 1879
Gregorič and Kuntner 2009, Polenec 1992

Family TRACHELIDAE

- Paratrachelas maculatus* (Thorell, 1875)
= *Trachelas maculatus* Thorell, 1875
Kuntner 1997a, 2001, 2002, ULRS 2002

Family ULOBORIDAE

- Hyptiotes paradoxus* (C. L. Koch, 1834)
Budja 2008, Čandek et al. 2013, Kostanjšek 2007, Kuntner 1996, 1997c, 1999b, Kuntner and Baxter 1997, Kuntner and Kostanjšek 2000, Le Peru 2011, Polenec 1958, 1961c, 1964b, 1967b, 1989
= *Uptiotes paradoxus* (C. L. Koch, 1877)
Nikolić and Polenec 1981
- Uloborus plumipes* Lucas, 1846
Čandek et al. 2013, Kuntner 1994, 2002, Tarman 2003
- Uloborus walckenaerius* Latreille, 1806
Čandek et al. 2013, Kuntner 2002, Le Peru 2011, Polenec 1992, Tarman 2003

Family ZODARIIDAE

- Zodarion germanicum* (C. L. Koch, 1837)
Nikolić and Polenec 1981, Polenec 1968a, 1970a, 1989, 1992
= *Zodarium germanicum* C. L. Koch, 1837
Polenec 1961d, 1965a
- Zodarion hamatum* Wiehle, 1964
Bole et al. 1982, Bosmans 1997, Gorjan 2014, Gregorič and Kuntner 2009, Nikolić and Polenec 1981, Polenec 1969a, 1978d, Tarman 2003, Wiehle 1964, Wunderlich 1980
- Zodarion italicum* (Canestrini, 1868)
Kuntner 2001, Polenec 1992, ULRS 2002, Wunderlich 1980
- Zodarion pusio* Simon, 1914
Kostanjšek and Gorjan 2013

Zodarion scutatum Wunderlich, 1980

Bosmans 2009, Kuntner 2001, Mršić 1997, Polenec 1992, ULRS 2002, Wunderlich 1980

Family ZOROPSIDAE***Zoropsis spinimana*** (Dufour, 1820)

Kostanjšek and Kuntner 2002, Kuntner 2001, Kuntner and Kostanjšek 2000, Nikolić and Polenec 1981

Redeterminations and omissions from the list

Family Amaurobiidae

Amaurobius pallidus L. Koch, 1868

The single specimen recorded (Kostanjšek 2005) was misidentified and the species should be omitted from the list.

Family Araneidae

Argiope lobata (Pallas, 1772)

The author (Polenec 1952) affiliates the species to Primorje, which in this case refers to coastal region of the former Yugoslavia. However, the species has never been recorded in Slovenia.

Araniella displicata (Hentz, 1847)

The single specimen (Kostanjšek 2005) was re-determined as *A. cucurbitina* (Clerck, 1757) by the author of the original paper.

Family Cybaeidae

Cybaeus angustiarum L. Koch, 1868

As the species is restricted to eastern parts of Central Europe, East and South-East Europe (Maurer 1992), the single specimen listed in Novak (2005b) most likely belongs to *Cybaeus tetricus* (C. L. Koch, 1839).

Family Dictynidae

Lathys nielseni (Schenkel, 1932)

The specimen listed in Čandek et al. (2013) has been re-determined as *Lathys humilis* (Blackwall, 1855) (Čandek et al. 2015).

Family Dysderidae

Dysdera erythrina (Walckenaer, 1802)

The specimen listed in Čandek et al. (2013) has been re-determined as *Dysdera adriatica* (Kulczyński, 1897) (Čandek et al. 2015).

Family Gnaphosidae

Callilepis nocturna (Linnaeus, 1758)

The single specimen (Kostanjšek 2005) was re-determined as *C. schuszteri* (Herman, 1879) by the author of the original paper.

Family Liocranidae

Scotina gracilipes (Blackwall, 1859)

The single record of the species in Slovenia (Polenec 1989) appears as “*S. palliardi* Reimoser, 1937 syn. *S. gracillipes* (Blackwall, 1859)”. Since these names are not synonyms (World Spider Catalog 2014) and the presence of *S. palliardi* in Slovenia is confirmed by other records (Bole 1980; Polenec 1981), we omitted *S. gracilipes* from the list.

Family Lycosidae

Alopecosa barbipes (Sundevall, 1833)

The species has an Atlantic distribution (Cordes and von Helversn 1990), and all Slovenian records belong to *A. accentuata* (Latreille, 1817).

Family Mimetidae

Ero cambridgei Kulczyński, 1911

The single specimen (Kostanjšek 2005) was re-determined as *E. tuberculata* (De Geer, 1778) by the author of the original paper.

Family Uloboridae

Uloborus glomosus (Walckenaer, 1841)

The species originally determined as *U. glomosus* (Kuntner 1994) was later re-determined as *U. plumipes*, Lucas, 1846 by the author (Kuntner and Šereg 2002). However, the re-determination was overlooked in a Slovenian fauna overview (Tarman 2003), where *U. glomosus* was falsely listed as introduced species.

Family Salticidae

Pellenes tripunctatus (Walckenaer, 1802)

The specimen listed in Čandek et al. (2013) has been re-determined as *Pellenes seriatus* (Thorell, 1875) (Čandek et al. 2015).

Sitticus zimmermanni (Simon, 1877)

The species encompass two attitudinally segregated species (Kronstedt and Logunov 2003) and since all Slovenian specimens were collected in alpine environments, the records belong to *S. atricapillus* (Simon, 1882).

Unconfirmed records

The following records were listed in the checklist of Yugoslav spiders (Nikolić and Polenec 1981) as expected in Slovenia, however their presence has not been confirmed.

<i>Agyneta arietans</i> (Cambridge, 1872)
<i>Allomengea scopigera</i> (Grube, 1859)
<i>Altella lucida</i> (Simon, 1874)
<i>Anacotyle austera</i> (Simon, 1884)
<i>Araneus carbonarus</i> (L. Koch, 1869)
<i>Araneus ocellatus</i> Clerck, 1757
<i>Bolyphantes crucifer</i> (Menge, 1866)
<i>Bolyphantes index</i> (Thorell, 1856)
<i>Bolyphantes nigropictus</i> Simon, 1884
<i>Cheiracanthium oncognathum</i> Thorell, 1871
<i>Cheiracanthium seidlitzii</i> L. Koch, 1864
<i>Clubiona corticalis nigra</i> , Simon, 1878
<i>Coelotes pabulator</i> Simon, 1875
<i>Coelotes simoni</i> , Strand, 1907
<i>Dictyna sedilloti</i> Simon, 1875
<i>Dipoena convexa</i> (Blackwall, 1870)
<i>Dismodicus bifrons</i> (Blackwall, 1834)
<i>Drassodes canaglenis</i> Di Caporiacco, 1926
<i>Drassodes difcilis</i> (Simon, 1878)
<i>Drassodes fugax</i> (Simon, 1878)
<i>Drassodes luteomicans</i> (Simon, 1878)
<i>Drassodes lutescens</i> (C.L. Koch, 1839)
<i>Drassodes villosus</i> (Thorell, 1856)
<i>Drassodes vinosus</i> (Simon, 1878)
<i>Dysdera subsquarrosa</i> Simon, 1914
<i>Enoplognatha testacea</i> Simon, 1884
<i>Erigone atra</i> Blackwall, 1833
<i>Erigone remota</i> L. Koch, 1869
<i>Euophrys acriceps</i> (Simon, 1871)
<i>Euophrys rufibarbis</i> (Simon, 1868)
<i>Euophrys sulphurea</i> (L. Koch, 1867)
<i>Euophrys testaceozonata</i> (Capoiracco, 1922)
<i>Euryopsis quinqueguttata</i> Thorell, 1875
<i>Gnaphosa petrobia</i> L. Koch, 1872
<i>Gongyliellum latebricola</i> (Cambridge, 1871)
<i>Gongyliellum murcidum</i> Simon, 1884
<i>Hahnia muscicola</i> Simon, 1875
<i>Haplodrassus umbratilis</i> (L. Koch, 1866)
<i>Hylyphantes graminicola</i> (Sundevall, 1830)
<i>Kaestneria approximata</i> (Cambridge, 1871)
<i>Lepthyphantes culicinus</i> Simon, 1884
<i>Lepthyphantes frigidus</i> Simon, 1884
<i>Lepthyphantes monachus</i> Simon, 1884
<i>Lepthyphantes pulcher</i> (Kulczyński, 1882)

Microclubiona diversa (Cambridge, 1862)

Neottiura bimaculata *pellucida* (Simon, 1873)

Nothocyba laudata (Cambridge, 1881)

Olios argelasius (Walckenaer, 1805)

Pardosa paludicola (Claerck, 1757)

Pardosa proxima *poetica* Simon, 1876

Pardosa strigilata Simon, 1876

Pardosa torrentum Simon, 1876

Phlodromus emarginatus (Schrank, 1803)

Phlodromus glaucinus Simon, 1870

Philodromus vagulus Simon, 1875

Poeciloneta variegata (Blackwall, 1841)

Scotinotylus antennatus (Cambridge, 1875)

Sitticus rupicila (C. L. Koch, 1837)

Tegenaria picta Simon, 1870

Textris coarctata (Dufour, 1831)

Theridion aulicum C. L. Koch, 1838

Theridion instabile Cambridge, 1871

Theridion musivum Simon, 1873

Theridion varians *rusticum* (Simon, 1873)

Trachelas minor Cambridge, 1872

Trichoncus sordidus Simon, 1884

Xerolycosa albofasciata (Brulle, 1832)

Xysticus gortanii Di Caporiacco, 1922

Xysticus nubilus Simon, 1875

Xysticus parallelus Simon, 1873

Zelotes barbatus (L. Koch, 1866)

Zelotes civicus (Simon, 1878)

Zelotes talpinus (L. Koch, 1866)

Nomina dubia

Family Hahniidae

Cryphoea cavicola Caporiacco, 1938 (Brignoli 1976; Nikolić and Polenec 1981; Polenec 1978d)

Family Philodromidae

Philodromus corticinus (C. L. Koch, 1837) (Kostanjšek 2004b)

Family Linyphiidae

Porrhomma fonsfrigidum Drensky, 1929 (Kratochvíl 1936; Nikolić and Polenec 1981)

Porrhomma calypso (Bertkau, 1883) (Nikolić and Polenec 1981)

Family Gnaphosidae

Zelotes ater (Hentz, 1832) listed in (Nikolić and Polenec 1981)

Nomina nuda

The following genus-species combinations used by authors in parentheses have not been used in any taxonomic literature.

Oxyptila blanckardii (Bole 1980)
Gnaphosa bifasciata (Bole 1980)
Aranea clerkii (Scopoli 1763)
Aranea derhamii (Scopoli 1763)
Aranea forskaelii (Scopoli 1763)
Aranea goedarti (Scopoli 1763)
Aranea hasselquistii (Scopoli 1763)
Aranea hombergii (Scopoli 1763)
Aranea jonstoni (Scopoli 1763)
Aranea kalmii (Scopoli 1763)
Aranea kleinii (Scopoli 1763)
Aranea knorrii (Scopoli 1763)
Aranea linnaei (Scopoli 1763)
Aranea listeria (Scopoli 1763)
Aranea lyonetti (Scopoli 1763)
Aranea malpighii (Scopoli 1763)
Aranea mouffeti (Scopoli 1763)
Aranea osbekii (Scopoli 1763)
Aranea petiverii (Scopoli 1763)
Aranea podae (Scopoli 1763)
Aranea roberti (Scopoli 1763)
Aranea rolandri (Scopoli 1763)
Aranea schaefferi (Scopoli 1763)
Aranea solandri (Scopoli 1763)
Aranea uddmanni (Scopoli 1763)
Aranea wilkii (Scopoli 1763)
Aranea sebae (Scopoli 1772)
Lepthyphantes berolinensis (Polenec 1992)

Conclusions

We provided a critical review of all literature relevant for the Slovenian spider fauna, and provided the first comprehensive national species list. This tool will fill the void in cataloguing regional European spider faunas and allow country wide comparisons (Kuntner and Šereg 2002). Additionally, it will facilitate further araneological research in Slovenia, perhaps solidifying the already existing trend for a shift away from strictly

descriptive biology towards large scale revisionary, phylogenetic, ecological, biogeographical and experimental science. Such a shift would reinforce this species list's utility and value as baseline biological data.

Acknowledgements

We are grateful to A. Šalamun, B. Ivanek and M. Kotarac from CKFF (Centre for Cartography of Fauna and Flora) for managing the database and maintaining the on-line version of the checklist, and A. Kostanjšek for help with data records. Many thanks go to our colleagues who contributed to Slovenian araneology in recent years: I. Agnarsson, I. H. Baxter, M. Bedjanič, G. Bergthaler, U. Budja, A. Celestina, R.-C. Cheng, T. Delić, K. Čandek, C. Fišer, A. Floren, F. Gasparo, A. Gorjan, M. Gregorič, T. Knapič, C. Komposch, S. Kralj-Fišer, I. Kuntner, Ž. Kuralt, L. Katušič, T. Lokovšek, M. Řezáč, T. Novak, J. Miller, M. Pipan, S. Polak, B. Sket, N. Sivec, T. Tkavc, T. Trilar, P. Trontelj, M. Velkavrh, M. Zagmajster.

References

- Absolon K, Kratochvíl J (1932) Zur Kenntnis der höhlenbewohnenden Araneae der illyrischen Karstgebiete. Mitteilungen über Höhlen- und Karstforschung 3: 1–9. [*]
- Absolon K, Kratochvíl J (1933) Über höhlenbewohnende Arachniden. Acta Musei Moraviensis 29: 1–6. [*]
- Agnarsson I (2004) Morphological phylogeny of cobweb spiders and their relatives (Araneae, Araneoidea, Theridiidae). Zoological Journal of the Linnean Society 141: 447–626. doi: 10.1111/j.1096-3642.2004.00120.x [*]
- Alicata P (1966) *Le Harpactea* (Araneae, Dysderidae) della fauna italiana e considerazioni sulla loro origine. Atti della accademia naturali in Catania 18: 190–221. [*]
- Arnedo MA, Coddington J, Agnarsson I, Gillespie RG (2004) From a comb to a tree: phylogenetic relationships of the comb-footed spiders (Araneae, Theridiidae) inferred from nuclear and mitochondrial genes. Molecular Phylogenetics and Evolution 31: 225–245. doi: 10.1016/S1055-7903(03)00261-6 [*]
- Balarin I, Polenc A (1984) Pauci, prirodni neprijatelj mrežaste stjenice platane. Zaštita bilja 35: 127–134. [*]
- Bedek J, Bilandžija H, Hamidović D, Cvitanović H, Dražina T, Jalžić B, Jalžić V, Kovač Konrad P, Lukić M, Miculinić K, Ozimec R, Pavlek M (2009) World Under World: Cave Fauna Biodiversity in Ogulin and Kamanje - Globally Important Subterranean Heritage Hidden in Karlovac Country. Croatian Biospelological Society, Zagreb, 79 pp. [*]
- Bedjanič M (1999) O nevretenčarjih. In: Vogrin MVN (Ed.) Krajinski park Rački ribniki - Požeg: vodnik. Društvo za proučevanje ptic in varstvo narave, Rače, 57–75, 124–126. [*]
- Blick T, Bosmans R, Buchar J, Gajdoš P, Hänggi A, Helsdingen PV, Růžička V, Starega W, Thaler K (2004) Checkliste der Spinnen Mitteleuropas. Checklist of the spider of Central

- Europe. (Arachnida: Araneae). Version 1, December 2004. http://www.arages.de/checklist.html#2004_Araneae [accessed on 10.01.2013]
- Blick T, Kleinhenz A, Büchs W (1995) *Cinetata gradata* (Araneae, Linyphiidae) auf einem Acker in Norddeutschland - mit Angaben zur Verbreitung. Beiträge zur Araneologie 4: 9–14. [*]
- Bohinec V (1926) Županova Jama. Geografski vestnik 2: 156–168. [*]
- Bole J (1974) Nevretenčarji Triglavskega narodnega parka. Proteus 36: 442–443.
- Bole J, Drovenik B, Brelih S, Kryštufek B, Polenc A (1980) Naravna in kulturna dediščina Slovenskega naroda: Floristične, vegetacijske in zoološke raziskave (M-618/3469/80). Ljubljana, 209 pp. [*]
- Bole J, Zupančič M, Šercelj A, Mayer E, Petkovšek V, Mršič N, Drovenik B (1982) Floristične, vegetacijske in zoološke raziskave (Poročilo za leto 1982). Naravna in kulturna dediščina Slovenskega naroda. Biološki inštitut Jovana Hadžija ZRC SAZU, Ljubljana, 70 pp. [*]
- Bole J, Drofnik B, Mršič N, Sket B (1993) Endemic animals in hypogean habitats in Slovenia. Naše jame 35: 43–55. [*]
- Bosmans R (1997) Revision of the genus *Zodarion* Walckenaer, 1833, part II. Western and Central Europe, including Italy (Araneae: Zodariidae). Bulletin – British Arachnological Society 10: 265–294. [*]
- Bosmans R (2009) Revision of the genus *Zodarion* Walckenaer, 1833, part III. South East Europe and Turkey (Araneae: Zodariidae). Contributions to Natural History 12: 211–295. [*]
- Brigić A, Alegro A, Šegota V (2009) *Araneus alsine* – a rare and likely threatened spider of the Croatian fauna. Nat Croat 18: 39–48. [*]
- Brenčič M, Perpar I, Sket B (1999) Šimenkovo brezno. Naše jame 41: 7–21.
- Brignoli PM (1971a) Beitrag zur Kenntnis der mediterranen Pholcidae (Arachnida, Araneae). Mitt Zool Museum Bd 47: 255–267. doi: 10.1002/mmnz.19710470203 [*]
- Brignoli PM (1971b) Contributo alla conoscenza dei ragni cavernicoli della Jugoslavia (Araneae). Fragmenta Entomologica 3: 103–119. [*]
- Brignoli PM (1975) Ragni d'Italia XXV. Su alcuni ragni cavernicoli dell'Italia settentrionale (Araneae). Notiziario del Circolo speleologico romano 20: 7–39. [*]
- Brignoli PM (1976) Ragni d'Italia XXVII. Nuovi dati su Agelenidae, Argyronetidae, Hahniidae, Oxyopidae e Pisauridae, cavernicoli ed epigei (Araneae). Quaderni del Museo di Speleologia "V Rivera" 2: 3–117. [*]
- Brignoli PM (1978) Araignées d'Italie, XXVIII. Une nouvelle *Stalita* cavernicole (Araneae, Dysderidae). Revue Arachnologique 2: 37–43. [*]
- Brignoli PM (1980) Secondo contributo alla conoscenza dei ragni cavernicoli della Jugoslavia (Araneae). Revue Suisse de Zoologie 87: 183–192. [*]
- Buchar J, Dolansky J (2011) New records of wolf spiders (Araneae: Lycosidae) in the Mediterranean. Klapalekiana 47: 5–11. [*]
- Buchar J, Polenc A (1974) Zur Lycosidenfauna Jugoslawiens (Araneae: Lycosidae). Věstník Československé zoologické společnosti 38: 81–85. [*]
- Buchar J, Thaler K (2002) Über *Pardosa atomaria* (C.L. Koch) und andere *Pardosa*-Arten an Geröllern in Süd- und Mitteleuropa (Araneae: Lycosidae). Linzer biol Beitr 34: 445–465. [*]
- Buchar J, Thaler K (2004) Ein Artproblem bei Wolfspinnen: Zur Differenzierung und vikiaranten Verbreitung von *Alopecosa striatipes* (C. L. Koch) und *A. mariae* (Dahl) (Araneae,

- Lycosidae). In: Thaler K (Ed.) Diversität und Biologie von Webspinnen, Skorpionen und anderen Spinnentieren. Denisia 12. Biologiezentrum/Oberösterreichisches Landesmuseum, Linz, 271–280. [*]
- Budihna N, Šumer S, Zabric D, Bertok M (1996) Ihtiološka raziskava Selške in skupne Sore. Zavod za ribištvo, Ljubljana, 99 pp. [*]
- Budja U (2008) Primerjava ocen vrstne pestrosti pajkov (Arachnida: Araneae) v treh gozdovih v Sloveniji. BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Caporiacco L (1938) Arachnidi cavernicoli e lucifigi di Postumia. Le Grotte d'Italia 2: 36–41. [*]
- Caporiacco L (1949) Aracnidi della Venezia Giulia. Atti del Museo civico di Storia Naturale di Trieste 17: 137–151. [*]
- Carnelutti J (1986) Proučenost favne žuželk v Sloveniji. Vršac. [*]
- Cordes D, von Helversen O (1990) Indications for the existence of *Albopecosa barbipes* (Sundevall 1832) as a sibling species to *Alopecosa accentuata* (Latreille 1817) – Results of morphological, ethological and biogeographical studies. Comptes rendus du XIIème Colloque européen d'Arachnologie, Paris, 70–74.
- Čandek K, Gregorič M, Kostanjšek R, Frick H, Kropf C, Kuntner M (2013) Targeting a portion of central European spider diversity for permanent preservation. Biodiversity Data Journal 1: 1–98. doi: 10.3897/BDJ.1.e980 [*]
- Čandek K, Gregorič M, Kostanjšek R, Frick H, Kropf C, Kuntner M (2015) Corrigendum: Targeting a portion of central European spider diversity for permanent preservation. Biodiversity Data Journal 3: e4301. doi: 10.3897/BDJ.3.e4301 [*]
- Damin N (1900) Pauci Dalmacije, Hrvatske, Slavonije i Istre. Rad 134 Jug Akad znan umjetn. [*]
- Decae AE (2010) Diversity and distribution of mygalomorph spiders in the Mediterranean region. PhD thesis, University of Gent, Gent, Belgium. [*]
- Deeleman-Reinhold CL (1971a) Beitrag zur Kenntnis der höhlenbewohnender Dysderidae (Araneida) aus Jugoslawien. Razprave Slov Ak Znan Umetn 14: 95–120. [*]
- Deeleman-Reinhold CL (1971b) Subterranean evolution and distribution pattern in the lynyphid genus *Troglohyphantes* Joseph, with special reference to the Yugoslavian species. Arachnologorum congressus internationalis V: 89–97. [*]
- Deeleman-Reinhold CL (1973a) Notes sur l'évolution régressive dans le genre *Troglohyphantes* Joseph (Araneae, Linyphiidae) dans les grottes Yougoslaves. In: Proceedings of the 6th International Congress of Speleology. Olomouc, 57–63. [*]
- Deeleman-Reinhold CL (1973b) Relations taxonomiques entre les *Troglohyphantes* (Linyphiidae) cavernicoles et les formes habitant les terriers des petits Mammifères. Proceedings of the 6th International Congress of Speleology. Olomouc, 59–63. [*]
- Deeleman-Reinhold CL (1975) Distribution patterns in European cave spiders. In: Proc Int Symp Cave Biol. Oudtshoorn, 25–36. [*]
- Deeleman-Reinhold CL (1977a) Les araignées du genre *Rhode* de Yougoslavie (Araneae, Dysderidae). International Journal of Speleology 9: 251–266. doi: 10.5038/1827-806X.9.3.4 [*]
- Deeleman-Reinhold CL (1977b) On the affinities of some Yugoslavian troglobitic spiders. Proceedings of 7th International Congress of Speleology, 146–150.

- Deeleman-Reinhold CL (1978) Revision of the Cave-Dwelling and Related Spiders of the Genus *Troglohyphantes* Joseph (Linyphiidae), with Special Reference to the Yugoslav Species. SAZU, Ljubljana. [*]
- Deeleman-Reinhold CL (1980) Remarks on troglobiotism in spiders. 8th Internationaler Arachnologen-Kongress, Wien, 433–438. [*]
- Deeleman-Reinhold CL (1981) Remarks on origin and distribution of troglobitic spiders. In: Proceedings of the 8. international congress of speleology, 305–308. [*]
- Deeleman-Reinhold CL (1983) The genus *Histopona* Thorell (Araneae, Agelenidae) with description of two new cave-dwelling species. Mémoires de Biospéologie 10: 325–337. [*]
- Deeleman-Reinhold CL (1985) Contribution à la connaissance des *Lepthyphantes* du groupe pallidus (Araneae, Linyphiidae) de Yougoslavie, Grèce et Chypre. Mémoires de Biospéologie 12: 37–50. [*]
- Deeleman-Reinhold CL (1993) The genus *Rhode* and the harpacteine genera *Stalagtia*, *Folkia*, *Minotauria*, and *Kaemis* (Araneae, Dysderidae) of Yugoslavia and Crete, with remarks on the genus *Harpactea*. Revue Arachnologique 10: 105–135. [*]
- Deeleman-Reinhold CL, Deeleman PR (1988) Revision des Dysderinae. Tijdschrift voor Entomologie 131: 141–269. [*]
- Deltshev C (1999) A faunistic and zoogeographical review of the spiders (Araneae) of the Balkan peninsula. Journal of Arachnology 27: 255–261. [*]
- Deltshev C (2005) Fauna and zoogeography of spiders (Araneae) in Bulgaria. The Journal of Arachnology 33: 306–312. doi: 10.1636/CH05-6.1 [*]
- Deltshev C (2008) Faunistic diversity and zoogeography of cave-dwelling spiders in the Balkan Peninsula. In: Makarov SE, Dimitrijević RN (Eds) Advances in Arachnology and Developmental Biology. Papers dedicated to Prof. Dr. Božidar Čurčić. Monographs 12, Vienna-Belgrade-Sofia, 327–348. [*]
- Doblika K (1853) Beitrag zur Monographie des Spinnengeschlechtes *Dysdera*. Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien 3: 115–124. [*]
- Doleschall L (1852) Systematisches Verzeichniss der im Kaiserthum Österreich vorkommenden Spinnen. Sitzungsberichte der Keisern Akademie Wissenschaften 9: 622–651. [*]
- Drenski P (1936) Katalog der echten Spinnen (Aranea) der Balkanhalbinsel. Sbornik na Balgarskata Akademia na Naukite 32: 1–223. [*]
- Drovenik B (1971) O jamski favni Domžal in Moravč. Naše jame 13: 41–44. [*]
- Fage L (1919) Etudes sur les Araigeenes cavernicoles III. le Genere *Troglohypanthes*. Biospeologica XL, Archives de Zoologie expérimentale et générale 85: 55–148. [*]
- Fage L (1931) Araneae cinquième série, précédée d'un essai sur l'évolution souterraine et son déterminisme. Biospeologica LV, Archives de Zoologie expérimentale et générale 71: 99–291. [*]
- Ferk M, Lipar M (2011) Jame v Udin borštu. Bilten, Jamarski klub Železničar 28: 44–47. [*]
- Finch O-D, Blick T, Schmidt A (2008) Macroecological patterns of spider species richness across Europe. Biodiversity & Conservation 17: 2849–2868. doi: 10.1007/s10531-008-9400-x
- Fišer C, Kostanjšek R (2001) Prispevek k poznavanju pajkov skakačev v Sloveniji (Araneae, Salticidae). Natura Sloveniae 3: 33–40. [*]

- Franc V (2004) Contribution on the knowledge on spiders (Araneae) of Strážovské vrchy Mts. In: Proceedings of the conference Belušké Slatiny. Belušké Slatiny, 67–76. [*]
- Fuhn JE, Polenc A (1967) Über die innerartliche Gliederung von *Nemesia pannonica* Herman. Senckenbergiana biologica 48: 295–300. [*]
- Gasparo F (1995) La fauna delle grotte delle acque carsiche sottolitorale della Venezi Giulia, stato delle ricerche e check list dell specie cavernicole. Atti e Memorie della Commissione Grotte “E Boegan” 32: 17–22.
- Gasparo F (1996) Sulla presenza del genere *Stalita* Schioedte (Araneae, Dysderidae) in Friuli (Italia nordorientale). Atti e Memorie della Commissione Grotte “E Boegan” 33: 47–53. [*]
- Gasparo F (2000) Notes on the synonymies and distribution of two species of the genus *Troglohyphantes* Joseph, 1881, from Eastern Alps (Araneae, Linyphiidae). Gortania – Atti Museo Friul di Storia Naturale 22: 201–209. [*]
- Gasparo F, Thaler K (2000) I ragni cavernicoli della Venezia Giulia (Italia nord-orientale) (Arachnida, Araneae). Atti e Memorie della Commissione Grotte “E Boegan” 37: 17–55. [*]
- Giltay L (1932) Arachnides recueillis par M. D’Orchymont au cours de ses voyages aux Balkans et en Asie Mineure en 1929, 1930 et 1931. Bulletin du Musée Royal d’Histoire Naturelle de Belgique 8: 1–40. [*]
- Gogala A (1985) Mravljeliko. Proteus 47: 211–212. [*]
- Gorjan A (2014) Diversity of ground spiders in vicinity of Solkan. BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Gorjan A, Fišer C (2010) Comparison of dynamics of ground spider species communities in two different habitats. Acta Zool Bulg 62(2): 181–185.
- Gregori J (1980) Zelenci, izvir Save Dolinke. Zbirka vodnikov kulturni in naravni spomeniki Slovenije 97. Zavod SR Slovenije za varstvo naravne in kulturne dediščine, Ljubljana. 30 pp. [*]
- Gregorič M (2008) Interspecific differences in web architecture of the spider genus *Zygiella* (Araneae: Araneidae): a behavioural approach to taxonomic problems. BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Gregorič M, Kuntner M (2009) Epigeian spider diversity of the classical Karst. Hacquetia 8: 67–78. doi: 10.2478/v10028-009-0005-z [*]
- Grimm U (1985) Die Gnaphosidae Mitteleuropas (Arachnida, Araneae). Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg 26: 1–318. [*]
- Grimm U (1986) Die Clubionidae Mitteleuropas: Corinninae und Liocraninae. Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg 27: 1–91. [*]
- Hafner M (1925) Alpiski varstveni park v Dolini sedmerih jezer. Geografski vestnik 1: 62–65. [*]
- Hamann O (1896) Europäische Höhlenfauna. Hermann Costenoble, Jena, 296 pp. [*]
- Joseph G (1881) Erfahrungen im wissenschaftlichen Sammeln und Beobachten der den Krainer Tropfsteingrotten eigenen Arthropoden. Berliner Entomologische Zeitschrift 25: 233–282. doi: 10.1002/mmnd.18810250214 [*]
- Joseph G (1882) Systematisches Verzeichnis der in den Tropfstein-Grotten von Krain einheimischen Arthropoden nebst Diagnosen der vom Verfasser entdeckten und bisher noch nicht beschriebenen Arten. Berliner entomologische Zeitschrift 26: 4–104. [*]
- Kalan G, Petkovšek M, Uratarič N, Polutnik M, Tomažič M (2007) Carne. Zavod RS za varstvo narave, Območna enota Celje, Celje. [*]

- Kaligarič M (1996) Še o bogomolki. *Proteus* 59: 1–139. [*]
- Kiauta B, Leben F (1960) Sistematski opis jam v okolici Škofje Loke. *Loški razgledi* 7: 157–178. [*]
- Kmecl P (2000) Cerkniško jezero. In: Polak S (Ed.) Mednarodno pomembna območja za ptice v Sloveniji [Important Bird Areas (IBA) in Slovenia]. Društvo za opazovanje in proučevanje ptic Slovenije, Ljubljana, 107–117. [*]
- Knapič T (2012) Biogeographic analysis of European species of spider genus *Evarcha* (Aranea, Salticidae). BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Knoflach B (1994) Zur Genitalmorphologie und Biologie der *Crustulina*-Arten Europas (Arachnida: Araneae, Theridiidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 67: 377–442. [*]
- Knoflach B (1996) Die Arten der *Steatoda phalerata*-Gruppe in Europa (Arachnida, Araneae, Theridiidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 69: 377–404. [*]
- Knoflach B, Thaler K (2000) Notes on Mediterranean Theridiidae (Araneae) - I. *Memorie della Società entomologica italiana* 78: 411–442. [*]
- Komposch C, Steinberger K-H (1999) Rote Liste der Spinnen Kärntens (Arachnida: Araneae). *Naturschutz in Kärnten* 15: 567–618. [*]
- Kostanjšek R (2000) Poročilo o delu araneološke skupine. In: Govedič M (Ed.) Raziskovalni tabor študentov biologije Šalovci '99. Zveza organizacij za tehnično kulturo Slovenije, Gibanje znanost mladini, Ljubljana, 35–37. [*]
- Kostanjšek R (2001) Poročilo o delu araneološke skupine na študentskem raziskovalnem taboru Cerknio '00. In: Gergeli A (Ed.) Raziskovalni tabor študentov biologije Cerknio 2000. Zveza za tehniško kulturo Slovenije, Ljubljana, 30–34. [*]
- Kostanjšek R (2002a) Poročilo o delu araneološke skupine. In: Gergeli A (Ed.) Raziskovalni tabor študentov biologije Semič 2001. Zveza za tehnično kulturo Slovenije, Ljubljana, 23–26. [*]
- Kostanjšek R (2002b) Poročilo o delu araneološke skupine. In: Planinc G, Presetnik P (Eds) Raziskovalni tabor študentov biologije Videm pri Ptujju 2002. Društvo študentov biologije, Ljubljana, 29–31. [*]
- Kostanjšek R (2003) Araneološka skupina. In: Ferletič U (Ed.) Pomladni biološki raziskovalni dnevi v Sv Petru nad Dragonjo 2003. Društvo študentov biologije, Ljubljana, 6–11. [*]
- Kostanjšek R (2004a) A contribution to the knowledge of the spider fauna of the wider Haloze region (northeast Slovenia). *Natura Sloveniae* 6: 5–13. [*]
- Kostanjšek R (2004b) Poročilo o delu araneološke skupine. In: Planinc G (Ed.) Raziskovalni tabor študentov biologije Žirovnica 2003. Društvo študentov biologije, Ljubljana, 27–30. [*]
- Kostanjšek R (2005) Poročilo o delu araneološke skupine. In: Planinc G (Ed.) Raziskovalni tabor študentov biologije Dekani 2004. Društvo študentov biologije, Ljubljana, 31–35. [*]
- Kostanjšek R (2007) Poročilo o delu araneološke skupine. In: Polajnar J, Stanković D (Eds) Raziskovalni tabor študentov biologije Lovrenc na Pohorju 2005. Društvo študentov biologije, Ljubljana, 33–38. [*]
- Kostanjšek R (2010) A contribution to the Slovenian spider fauna. I. *Nat Slov* 12: 23–33. [*]
- Kostanjšek R (2011) Poročilo o delu araneološke skupine. In: Vinko D, Erbida N (Eds) Raziskovalni tabor študentov biologije, Most na Soči 2010 = Biology Students Research Camp, Most na Soči 2010. Društvo študentov biologije, Ljubljana, 56–59. [*]

- Kostanjšek R (2012) Tujerodne vrste pajkov. In: Jogan N, Bačič M, Strgulc Krajšek S (Eds) Neobiota Slovenije. Ljubljana, 192–193. [*]
- Kostanjšek R (2013) Poročilo o delu skupine za pajke. In: Presetnik P, Stanković D (Eds) Raziskovalni tabor študentov biologije, Cerknica 2006. Društvo študentov biologije, Ljubljana, 17–23. [*]
- Kostanjšek R (2014) Poročilo o delu araneološke skupine. In: Sivec N, Bačič M (Eds) Raziskovalni tabor študentov biologije, Mokronog 2009. Društvo študentov biologije, Ljubljana, 30–33. [*]
- Kostanjšek R, Celestina A (2008) New records on synanthropic spider species (Arachnida: Araneae) in Slovenia. *Natura Sloveniae* 10: 51–55. [*]
- Kostanjšek R, Fišer C (2005) New records of jumping spiders (Araneae: Salticidae) for Slovenia. *Natura Sloveniae* 7: 5–11. [*]
- Kostanjšek R, Gorjan A (2013) A contribution to the Slovenian spider fauna – II. *Natura Sloveniae* 15: 5–12. [*]
- Kostanjšek R, Kuntner M (2002) Poročilo o delu araneološke skupine. In: Govedič M (Ed.) Raziskovalni tabor študentov biologije Šempas '98. Zveza za tehnično kulturo Slovenije, Gibanje znanost mladini & Društvo študentov biologije, Ljubljana, 23–25. [*]
- Kostanjšek R, Miller J (2004) New records of sheet web spiders from Slovenia (Arachnida: Araneae: Linyphiidae). *Natura Sloveniae* 6: 5–10. [*]
- Kostanjšek R, Ramšak L (2005) *Psilochorus simoni* (Berland, 1911) (Araneae, Pholcidae), a new record for Slovenian fauna from Postonjska jama cave. *Natura Sloveniae* 7: 37–40. [*]
- Kralj-Fišer S, Gregorič M, Lokovšek T, Čelik T, Kuntner M (2013) A glimpse into the sexual biology of the “zygiellid” spider genus *Leviellus*. *Journal of Arachnology* 41: 387–391. doi: 10.1636/Hi13-08.1 [*]
- Kranjc A, Novak T (1977) Golarjev ali Jamniški pekel pod Olševo. *Naše jame* 19: 29–36. [*]
- Kratochvíl J (1933) Les especes europeennes de la Famille Nestiidae Dahl. *Prace Moravske prirodovedecke spolčnosti* 8: 2–69. [*]
- Kratochvíl J (1934) Liste générale des Araignées cavernicoles en Yougoslavie / Pregled pećinskih paukova u Jugoslaviji. *Prirodoslovne razprave* 2: 165–226. [*]
- Kratochvíl J (1935) Araignées nouvelles ou non encore signalees en Yougoslavie. *Folia Zoologica* 3: 10–25. [*]
- Kratochvíl J (1936) Nouveau genre d'Araignes cavernicoles en Yougoslavie: *Typhlonyphia reimoseri* n. gen. n. sp. *Věstník Československé zoologické spolčnosti* 3: 69–79. [*]
- Kratochvíl J (1939) A propos des deux Araignées cavernicoles de Yougoslavie. *Věstník Československé zoologické spolčnosti* 6–7: 278–289. [*]
- Kratochvíl J (1948) Étude sur les araignées cavernicoles du genre *Stygohyphantes* gen. nov.. *Věstník Československé zoologické spolčnosti* 12: 3–24. [*]
- Kratochvíl J (1970) Cavernicole Dysderae. *Přírodovědné práce Ústavu Československé akademie věd v Brně* 4: 1–62. [*]
- Kratochvíl J, Miller F (1940) Neue Höhlenspinnen der Gattung *Tegenaria* aus Jugoslawien. *Zoologischer Anzeiger* 131. [*]
- Kronstedt T, Logunov DV (2003) Separation of two species standing as *Sitticus zimmermanni* (Simon, 1887) (Araneae, Salticidae), a pair of altitudinally segregated species. *Revue Suisse de zoologie* 110(4): 855–873.

- Kulczyński V (1915) Fragmenta arachnologica, X. XVIII. Araneorum species nonnullae novae aut minus cognitae. Descriptiones et adnotationes. Bulletin international de l'Académie des Sciences de Cracovie 9–10B: 57–942. [*]
- Kuntner M (1994) Ameriski pajek *Uloborus glomus* najden v Sloveniji. Proteus 57: 130. [*]
- Kuntner M (1996) Prispevek k poznavanju favne pajkov Kozjanskega, vzhodna Slovenija (Arachnida: Araneae). / Contribution to the knowledge of the spider fauna of the Kozjansko region, eastern Slovenia. In: Bedjanic M (Ed.) Raziskovalni tabor studentov biologije Kozje '95. Zveza organizacij za tehnično kulturo, Gibanje znanost mladini, Ljubljana, 49–60. [*]
- Kuntner M (1997a) A contribution to the knowledge of the Slovenian spider fauna: eleven species new for Slovenia and some other interesting findings (Arachnida, Araneae). In: Zabka M (Ed.) Proc 16th European Colloquium of Arachnology. Siedlce, Poland, 165–172. [*]
- Kuntner M (1997b) Jumping spiders new to Slovenia (Arachnida: Araneae: Salticidae). Acta Entomologica Slovenica 5: 117–122. [*]
- Kuntner M (1997c) Pajki (Araneae). In: Pobljsaj K (Ed.) Inventarizacija flore, favne in vegetacije in Porocilo o vplivih na okolje na območju zadrževalnika Drtijsca na odseku AC Blagovica - Sentjakob. Prirodoslovni muzej Slovenije, Ljubljana, 1–6. [*]
- Kuntner M (1997d) Prispevek k poznavanju favne pajkov jugozahodne Slovenije in ugotavljanje vrstnega bogastva pajkov gozda na Brkinih (Arachnida: Araneae). In: Bedjanic M (Ed.) Raziskovalni tabor studentov biologije Podgrad '96. Zveza organizacij za tehnično kulturo, Gibanje znanost mladini, Ljubljana, 11–32. [*]
- Kuntner M (1998) Primerjava zgradbe dihal pri jamskih in površinskih vrstah pajkov (Araneae: Dysderidae). BSc thesis, University of Ljubljana, Biotechnical faculty, Department of Biology, Ljubljana, Slovenia. [*]
- Kuntner M (1999a) Poročilo araneološke skupine. In: Govedič M (Ed.) Raziskovalni tabor študentov biologije Središče ob Dravi '97. Zveza za tehnično kulturo Slovenije, Gibanje Znanost mladini, Ljubljana, 51–54. [*]
- Kuntner M (1999b) Prispevek k poznavanju favnistike in ekologije pajkov severovzhodne Slovenije (Arachnida: Araneae). Natura Sloveniae 1: 29–44. [*]
- Kuntner M (2001) Analiza biotske raznovrstnosti za področje pajkov. Ekspertne študije za Pregled stanja biotske raznovrstnosti in krajinske pestrosti v Sloveniji. Ministrstvo za okolje in prostor, ARSO, Ljubljana, 83–91. [*]
- Kuntner M, Baxter IH (1997) A preliminary investigation of spider species richness in an eastern Slovenian broadleaf forest. In: Zabka M (Ed.) Proceedings of 16th European Colloquium of Arachnology. Siedlce, Poland, 173–182. [*]
- Kuntner M, Coddington JA, Hormiga G (2008) Phylogeny of extant nephilid orb-weaving spiders (Araneae, Nephilidae): Testing morphological and ethological homologies. Cladistics 24: 147–217. doi: 10.1111/j.1096-0031.2007.00176.x [*]
- Kuntner M, Komposch C, Podgornik G, Kreuels M (2007) Veliki obrežni volkec *Arctosa cinerea* - evropski pajek leta 2007. Proteus 69: 364–366. [*]
- Kuntner M, Kostanjsek R (2000) Prispevek k poznavanju favne pajkov zahodne Slovenije (Arachnida: Araneae). Natura Sloveniae 2: 13–28. [*]

- Kuntner M, Kostanjšek R, Coddington JA (1999a) Assessing spider species richness in two forests of submediterranean Slovenia. In: Ramjohn CLMS (Ed.) Proceeding of 23rd Annual Meeting of the American arachnological society. Department of Life Science: University of the West Indies, St. Augustine, Trinidad & Tobago, 23 pp.
- Kuntner M, Sket B, Blejec A (1999b) A comparison of the respiratory systems in some cave and surface species of spiders (Araneae, Dysderidae). *Journal of Arachnology* 27: 142–148. [*]
- Kuntner M, Šereg I (2002) Additions to the spider fauna of Slovenia, with a comparison of spider species richness among European countries. *Bulletin – British Arachnological Society* 12: 185–195. [*]
- Kuštor V (2006) Krajinski park Goričko živi z naravo. Javni zavod Krajinski park Goričko, Grad, 96 pp. [*]
- Kuštor V, Novak T (1980) Živi svet podzemlja (Vodnik 5: Kraška muzejska zbirka Inštituta za raziskovanje krasa SAZU). Inštitut za raziskovanje krasa SAZU, Postojna. [*]
- Lämmermayr L (1915) Die Höhle: Bilder vom Leben und den Wundern unter Tag. Deutsche Naturwissenschaftliche Gesellschaft Geschäftsstelle. Theod. Thomas Verlag, Leipzig, 87 pp. [*]
- Le Peru B (2011) The Spiders of Europe, a synthesis data. *Memoires de la societe Linneenne de Lyon*, 522 pp. [*]
- Maurer R (1982a) Zur Kenntnis der Gattung *Coelotes* (Araneae, Agelenidae) in Alpenländern I. *Revue suisse de Zoologie* 89: 313–336. [*]
- Maurer R (1982b) Zur Kenntnis der Gattung *Coelotes* (Araneae: Agelenidae) in den Alpenländern. II. *Bollettino del Museo civico di storia naturale di Verona* 8: 165–183. [*]
- Maurer R (1992) Zur Gattung *Cybaeus* im Alpenraum (Araneae: Agelenidae, Cybaeinae). *Revue Suisse de zoologie* 92: 147–162. [*]
- Megušar F (1914) Oekologischen Studien an Höhlentieren. *Carniola* 5: 63–83. [*]
- Miller F, Kratochvíl J (1940) Ein Beitrag zur Revision der mitteleuropäischen Spinnenarten aus der Gattung *Porrhomma* E. Sim. *Zoologischer Anzeiger* 130: 161–190. [*]
- Miller F, Polnec A (1975a) *Centrophantes* gen. n. und zwei neue *Lepthyphantes* Arten aus Slowenien (Chelicerata: Aranea). *Věstník Československé zoologické společnosti* 39: 126–134. [*]
- Miller F, Polnec A (1975b) Neue *Troglohyphantes*-Arten aus Slowenien (Araneae-Linyphiidae). *Acta entomologica bohemoslovaca* 72: 55–61. [*]
- Millidge AF (1979) Some erigonine spiders from southern Europe. *Bulletin - British Arachnological Society* 4: 316–328. [*]
- Mršič N (1997) Biotska raznovrstnost v Sloveniji – Slovenija – ‘vroča točka’ Evrope – Biotic diversity in Slovenia – the ‘hot spot’ of Europe. Ministrstvo za okolje in prostor, Uprava RS za varstvo narave, Ljubljana, 129 pp. [*]
- Nentwig W, Blick T, Gloor D, Hänggi A, Kropf C (2014): Araneae, Spiders of Europe. <http://www.araneae.unibe.ch/> [accessed on 01.08.2014]
- Nentwig W, Kobelt M (2010) Spiders (Araneae). In: Roques A et al. (Eds) Alien terrestrial arthropods of Europe. *BioRisk*, 131–147. [*]
- Neuhausser L, Paill W, Komposch C (1995) Arachnida & Insecta - Sampling methods, determination, systematics, faunistics, ecology and biology. In: Bedjanič M (Ed.) Tabor študentov biologije Raka '92, Smast '93, Črneče '94. Zveza organizacij za tehnično kulturo Slovenije, Ljubljana, 45–50. [*]

- Nikolić F (1957) Über die geographische Verbreitung und Abstammung der unterirdischen Spinnen in Jugoslawien. Verhandlungen der Deutschen Zoologischen Gesellschaft in Graz 1957: 487–494. [*]
- Nikolić F (1961) Prilog poznavanju geografskog rasprostranjenja i porijekla podzemnih paukova u Jugoslaviji. II. jugoslovenski speleološki kongres, Split i Dalmatinska Zagora, 189–197. [*]
- Nikolić F (1963) Pauci iz nekih pečina Slovenije. III. jugoslovenski speleološki kongres, Sarajevo, 157–167. [*]
- Nikolić F, Polenec A (1981) Aranea. Slovenska akademija znanosti in umetnosti, Ljubljana, 131 pp. [*]
- Novak T (1971) Še o Hudi luknji. Proteus 34: 127–128. [*]
- Novak T (1981) Prispevek k poznavanju dinamike favne treh štajerskih jam. BSc thesis, University of Ljubljana, Ljubljana. [*]
- Novak T (2005a) Karbelova jama. In: Gradišnik A et al. (Eds) Dravograd: na stičišču poti. Občina Dravograd, Dravograd, 177–179. [*]
- Novak T (2005b) Terrestrial fauna from cavities in northern and central Slovenia, and a review of systematically ecologically investigated cavities. Acta carsologica 34: 169–210. [*]
- Novak T, Kuštor V, Kranjc A, Sivec N (1981) Prispevek k poznavanju razporeditve favne v velikih rovih. Acta carsologica 9: 149–175. [*]
- Novak T, Kuštor V (1982) Zur Fauna der Wände dreier Höhlen Nordostsloweniens (Jugoslawien). Die Höhle 33: 82–89. [*]
- Novak T, Sambol J, Janžekovič F (2004) Faunal dynamics in the Železna jama cave. Acta carsologica 33: 249–267. [*]
- Novak T, Sivec N (1976) Biološke raziskave v pegmatitnih jamah pri Ravnah. Naše jame 18: 39–45. [*]
- Novak T, Tkavc T, Kuntner M, Arnett AE, Lipovšek Delakorda S, Perc M, Janžekovič F (2010) Niche partitioning in orbweaving spiders *Meta menardi* and *Metellina merianae* (Tetragnathidae). Acta oecologica 36: 522–529. doi: 10.1016/j.actao.2010.07.005 [*]
- Novak V (1967) *Stalita taenaria* Schiödt s posebnim ozirom na dihala. BSc thesis, University of Ljubljana, Ljubljana. [*]
- Pavlek M, Ozimec R (2009) New cave-dwelling species of the genus *Troglohyphantes* (Araneae, Linyphiidae) for the Croatian fauna. Natura Croatica 18: 29–37. [*]
- Perko G (1910) Die Adelsberger grotte in Wort und Bild. Komitee für den bau eines internationalen museums für höhlenkunde in Adelsberg, Adelsberg. [*]
- Pesarini C (1989) Note su alcune specie italiane di *Troglohyphantes* Joseph, con descrizione de sei nuove specie (Araneae Linyphiidae). Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano 130: 229–246. [*]
- Pipan T, Navodnik V, Janžekovič F, Novak T (2008) Studies of the fauna of percolation water of Huda luknja, a cave in isolated karst in northeast Slovenia. Acta carsologica 37: 141–151. [*]
- Pokorny A (1853) Zoologische Ausbeute der Karsthöhleu (Versammlung am 19. Jänner). Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien, Wien, 24–27. [*]
- Polak S (1994) Poročilo speleobiološke skupine. In: Žolgar I (Ed.) Ekološko-raziskovalni tabor “Cerkniško jezero ‘94”. Maldi forum Združene liste, 35–49. [*]

- Polak S (1997) Prispevek k poznavanju podzemeljske favne nekaterih jamskih objektov Matarskega podolja. In: Bedjanic M (Ed.) Raziskovalni tabor studentov biologije Podgrad '96. Zveza organizacij za tehnicno kulturo, Gibanje znanost mladini, Ljubljana, 45–54. [*]
- Polak S, Bedek J, Ozimec R, Zakšek V (2012) Subterranean fauna of twelve Istrian caves. *Annales Series Historia Naturalis* 22: 7–24. [*]
- Polnec A (1952) Pajki snubači. *Proteus* 14: 228–233. [*]
- Polnec A (1954) O proučevanju pajkov Slovenije. *Biološki vestnik* 3: 172–174. [*]
- Polnec A (1957) Ekološka raziskovanja terestrične, posebej arahnidske favne v nekaterih tipih gozdov Slovenije. PhD thesis, University of Ljubljana, Ljubljana. [*]
- Polnec A (1958) Ekološka raziskovanja arahnidske favne iz nekaterih gozdnih tipov v okolici Kranja. *Biološki vestnik* 6: 92–117. [*]
- Polnec A (1959) Pajki iz okolice Crngroba. *Loški razgledi* 6: 76–82. [*]
- Polnec A (1960) Pajki iz Male Hrastnice. *Loški razgledi* 7: 184–189. [*]
- Polnec A (1961a) Pajki pozimi. *Proteus* 24: 116–117. [*]
- Polnec A (1961b) Pajki v jeseni. *Proteus* 24: 21–22. [*]
- Polnec A (1961c) Posebnosti med našimi pajki. *Proteus* 23: 169–174. [*]
- Polnec A (1961d) Terestrična arahnidska favna na južnih pobočjih Storžiča. *Biološki vestnik* 9: 109–117. [*]
- Polnec A (1962a) Arahnidska favna in asociacije pozimi. *Biološki vestnik* 10: 71–114. [*]
- Polnec A (1962b) Hišni pajki. *Proteus* 24: 208–210. [*]
- Polnec A (1962c) Svatovanja pajkov pozimi (Raziskovanja pajkov v Mali Hrastnici). *Loški razgledi* 9: 66–70. [*]
- Polnec A (1963a) Kako spreminja barvo cvetni pajek. *Proteus* 25: 57–58. [*]
- Polnec A (1963b) Kako svatuje naš najlepši pajek. *Proteus* 25: 97–100. [*]
- Polnec A (1963c) Nega zaroda pri pajkih. *Proteus* 25: 161–165. [*]
- Polnec A (1963d) Raziskovanje pajkov v Selški dolini. *Loški razgledi* 10: 59–66. [*]
- Polnec A (1963e) Terestrična arahnidska favna v gozdovih pod Nanosom. *Biološki vestnik* 11: 79–88. [*]
- Polnec A (1964a) Ekološka raziskovanja arahnidske favne v *Anemone-Fagetum* v Bohinju. *Biološki vestnik* 12: 133–146. [*]
- Polnec A (1964b) Pajki iz Selške in Poljsanske doline. *Loški razgledi* 11: 175–182. [*]
- Polnec A (1965a) Ekološka in favnistična raziskovanja arahnidske favne v Bohinju. *Varstvo narave* 4: 61–67. [*]
- Polnec A (1965b) Raziskovanje arahnidske favne na Krasu. Nasad črnega bora (*Pinus nigra* Arn.) v združbi *Seslerio autumnalis-Ostryetum* pri Divači. *Biološki vestnik* 13: 77–85. [*]
- Polnec A (1966a) Ein ökologisch-faunistischer Beitrag zur Arachnidenfauna Sloweniens. *Biološki vestnik* 14: 109–113. [*]
- Polnec A (1966b) Pajki z Loškega pogorja (Stari vrh, 1205 m). *Loški razgledi* 13: 105–112. [*]
- Polnec A (1967a) Pajki z Blegoša. *Loški razgledi* 14: 98–105. [*]
- Polnec A (1967b) Raziskovanje arahnidske favne v *Abieto-Fagetum austroalpinum* na Jezerskem. *Biološki vestnik* 15: 79–85. [*]
- Polnec A (1968a) Pajki z Ratitovca. *Loški razgledi* 15: 177–183. [*]

- Polenec A (1968b) Raziskovanje terestrične arahnidske favne na Krasu. Pašniško področje v rastlinski združbi *Seslerio autumnalis-Ostryetum* pri Divači. Biološki vestnik 16: 77–85. [*]
- Polenec A (1969a) Favniščno ekološka raziskovanja arahnidske favne na Nanosu. Biološki vestnik 17: 113–123. [*]
- Polenec A (1969b) Pajki s Pasje ravni (1030 m). Loški razgledi 16: 210–217. [*]
- Polenec A (1969c) Zur Kenntnis der Mikrokavernikolen Spinnen-Arten Sloweniens. Bulletin du Museum National d'Histoire Naturelle 41: 201–204. [*]
- Polenec A (1970a) Ekološko favniščno raziskovanje visokogorske arahnidske favne v Sloveniji. Biološki vestnik 18: 59–68. [*]
- Polenec A (1970b) Pajki z Lubnika (1024 m). Loški razgledi 17: 219–224. [*]
- Polenec A (1971a) Arahnidska favna s pobočij Javornikov in Slivnice. Mladinski raziskovalni tabori 1970. [*]
- Polenec A (1971b) Ein Beitrag zur Ökologie der hochalpinen Spinnen Sloweniens. Proceedings of 5th International Congress of Arachnology, Brno, 1971, 207–212. [*]
- Polenec A (1971c) Pajki s Tošča (1021 m). Loški razgledi 18: 164–168. [*]
- Polenec A (1972) *Coelotes alpinus* n. sp. Biološki vestnik 20: 81–83. [*]
- Polenec A (1973a) Naši visokogorski pajki. Proteus 35: 401–403. [*]
- Polenec A (1973b) Nekaj posebnosti in zanimivosti iz živalstva Loškega ozemlja. Loški razgledi 19: 356–374. [*]
- Polenec A (1973c) Pajki izpod Šentjošta. Loški razgledi 19: 375–381. [*]
- Polenec A (1973d) Pajki z Ermanovca (1026 m). Loški razgledi 20: 227–231. [*]
- Polenec A (1973e) Pajki z območja Notranjskega Snežnika (1796 m). Mednarodni mladinski raziskovalni tabori 1971–1972, 55–60. [*]
- Polenec A (1974a) Ekološko favniščno raziskovanje arahnidske favne v Slovenskih Goricah v združbi *Querceto-Carpinetum subpannonicum*. Biološki vestnik 22: 235–240. [*]
- Polenec A (1974b) O pajkih z Ermanovca (1026 m) in Porezna (1622 m). Loški razgledi 21: 149–155. [*]
- Polenec A (1975a) Besonderheiten in der Spinnenfauna Sloweniens. Proceedings of 6th International Congress of Arachnology, 201–203. [*]
- Polenec A (1975b) Pajki z Osovnika (857 m). Loški razgledi 22: 154–162. [*]
- Polenec A (1976a) Die aktivitätsdominanten Bodenspinnen der Wälder Sloweniens (Arachnida: Araneae). Entomologica Germanica 3: 130–134. [*]
- Polenec A (1976b) Pajki s Planine. Loški razgledi 23: 186–192. [*]
- Polenec A (1977) Pajki z Žirovskega vrha, Suhi dol (681 m). Loški razgledi 24: 164–172. [*]
- Polenec A (1978a) O starinskih pajkih s Slavnika. Proteus 40: 183–185. [*]
- Polenec A (1978b) Pajki Ratitovca. In: Ramovš A (Ed.) Ratitovec (Vodniki po Loškem ozemlju 2). Muzejsko društvo Škofja Loka, Škofja Loka, 97–107. [*]
- Polenec A (1978c) Pajki z območja Porezna (1622 m). Loški razgledi 25: 173–178. [*]
- Polenec A (1978d) Zusammensetzung und Besonderheiten der epigäischen Spinnenfauna des *Seslerio-Ostryetum* am Berge Slavnik (1028 m) (Nord-Istrien, Jugoslawien). Symposia of the Zoological Society of London 42: 367–377. [*]

- Polenec A (1979a) Pajki z Jelovice. Mrzla dolina (860 m), Dražgoška gora (1180 m), Mosti (1130 m), Ledine (1180 m). Loški razgledi 26: 159–168. [*]
- Polenec A (1979b) Še o pajkih s Slavnika. Proteus 42: 19–21. [*]
- Polenec A (1980a) Pajki Blegoša. In: Ramovš A, Bole J (Eds) Blegoš (Vodniki po loškem ozemlju 3). Muzejsko društvo v Škofji Loki, Škofja Loka, 86–93. [*]
- Polenec A (1980b) Pajki s hribovja nad Sorico (Dravh 1547 m, sleme nad Soriško planino 1550 m, Ratitovec 1667 m). Loški razgledi 27: 199–207. [*]
- Polenec A (1981) Pajki s slemena nad Soriško planino. Loški razgledi 28: 276–284. [*]
- Polenec A (1982a) Nekaj novosti med pajki. Loški razgledi 29: 61–68. [*]
- Polenec A (1982b) Živalski svet na dražgoškem ozemlju: Pajki po Dražgoških gozdovih. In: Ramovš A (Ed.) Dražgoše (Vodniki po loškem ozemlju 4). Muzejsko društvo Škofja loka, Škofja Loka, 103–108. [*]
- Polenec A (1983) Pajki s Križnogorskega hribovja. Križna gora 678 m. Loški razgledi 30: 76–85. [*]
- Polenec A (1984) Pajki iz Martinj Vrha – Vancovec 1085 m. Loški razgledi 31: 77–86. [*]
- Polenec A (1985) Pajki iz gornjega dela Selške doline - termofilni bukov gozd nad Zalim logom, 650m. Loški razgledi 32: 98–107. [*]
- Polenec A (1986) Pajki iz dolnjega dela Selške doline – termofilni bukov gozd v Soteski. Loški razgledi 33: 99–109. [*]
- Polenec A (1987) Pajki iz dolnjega dela Selške doline - smrekov gozd na Hrastniku (806 m). Loški razgledi 34: 79–86. [*]
- Polenec A (1988) Nekaj novosti med pajki. Loški razgledi 35: 29–32. [*]
- Polenec A (1989) Pajki z Loškega pogorja – sistematski pregled. Loški razgledi 36: 69–82. [*]
- Polenec A (1992) Rdeči seznam ogroženih pajkov (Aranea) Slovenije (The red list of endangered Aranea in Slovenia). Varstvo narave 17: 173–176. [*]
- Polenec A, Thaler K (1980) Zwei wenig bekannte Deckenetzspinnen Südost-Europas: *Centromerus vindobonensis* Kulczynski und *Leptyphantes istrianus* Kulczynski (Arachnida: Araneae: Linyphiidae). Senckenbergiana biologica 61: 103–111. [*]
- Preisinger D (2010) Rudniki : opuščeni rudniki v Sloveniji. Založba Turistika, Golnik, 152 pp.
- Pretner E (1974) Zgodovinski pregled koleopteroloških raziskav v jamah Slovenije. Acta carologica 6. [*]
- Puc M, Skoberne P, Vidic J (1988) Huda luknja. In: Skoberne P, Peterlin S (Eds) Inventar najpomembnejše naravne dediščine Slovenije, 1 del: vzhodna Slovenija. Zavod SR Slovenije za varstvo naravne in kulturne dediščine, Ljubljana, 150–151. [*]
- Rebeušek F, Jakopič M, Novak T (2008) Presoja sprejemljivosti vplivov OPPN kamnolom Liboje na zavarovana območja (Natura 2000 območje pSCI 3000083 Ocvirkova jama). Okoljsko poročilo. Center za kartografijo favne in flore, Miklavž na Dravskem polju, 26 pp. [*]
- Reimoser E (1919) Katalog der echten Spinnen (Araneae) des paläarktischen Gebietes. Abhandlungen der Zoologisch-Botanischen Gesellschaft in Österreich, Wien 10: 1–280. [*]
- Řezáč M, Král J, Pekár S (2008a) The spider genus *Dysdera* (Araneae, Dysderidae) in central Europe: revision and natural history. The Journal of Arachnology 35: 432–462. doi: 10.1636/H06-38.1 [*]

- Řezáč M, Pekár S, Johannesen J (2008b) Taxonomic review and phylogenetic analysis of central European *Eresus* species (Araneae: Eresidae). *Zoologica Scripta* 37: 263–287. doi: 10.1111/j.1463-6409.2008.00328.x [*]
- Řezáč M, Gasparo F, Král J, Heneberg P (2014) Integrative taxonomy and evolutionary history of a newly revealed spider *Dysdera ninnii* complex (Araneae: Dysderidae). *Zoological Journal of the Linnean Society* 172(2): 451–474. doi: 10.1111/zoj.12177 [*]
- Roewer CF (1931) Arachnoideen aus südostalpinen Höhlen. Mittelteilungen über Höhlen- und Karsiforschung 2: 40–46. [*]
- Růžička V, Kůrka A, Buchar J, Řezáč M (2005) Czech Republic – the type material of spiders (Araneae). *Journal by the National Museum, Natural History Series* 174 (1–4): 13–64. [*]
- Schiner JR (1854) Fauna der Adelsberger-, Luege- und Magdalenen Grotte. In: Schmid A (Ed.) *Zur Höhlenkunde des Karstes, Die Grotten und Höhlen von Adelsberg, Luege, Planina und Laas, Mit Beiträgen von A Pokorny, J R Schiner und W Zippe*. Kaiserliche Akademie der Wissenschaften, Wien, 232–272. [*]
- Schödte JC (1847) Foreløbig Beretning om Untersøgelse om den underjordiske Fauna i Hulerne i Krain og Istrien. *Oversigt Kgl. danske Videnskabernes Selskabs Forhandling* 1847: 75–81. [*]
- Scopoli IA (1763) *Entomologia Carniolica: exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linnaeana*. Vindobonae: typis Ioannis Thomae Trattner, 420 pp. [Araneae: 392–404] [*]
- Scopoli IA (1772) *Observationes zoologicae. Annus V, Historico-naturalis Lipsiae 1772*: 70–128. [*]
- Simon E (1868) *Monographie des especes européennes de la famille des attides (Attidae Sundewall. - Saltigradae Latreille)*. *Annales de la Societé entomologique de France* (4) 8: 11–72, 529–726. [*]
- Simon E (1882) *Études arachnologiques XX. Descriptions d'espèces et de genres nouveaux de la Famille des Dysderidae*. *Annales de la Societé entomologique de France* 2: 201–240. [*]
- Sket B (1979) Jamska favna notranjskega trikotnika (Cerknica-Postojna-Planina), njena ogroženost in naravovarstveni pomen. *Varstvo narave* 12: 45–59. [*]
- Sket B (1993) Cave fauna and speleobiology in Slovenia. *Naše jame* 35: 35–42. [*]
- Sket B (1999) Živalstvo kraških jam. In: Kranjc A et al. (Eds) *Kras: pokrajina, življenje, ljudje*. Založba ZRC, ZRC SAZU, Ljubljana, 125–133. [*]
- Sket B (2000) Pregled in izbor jam, ki so pomembne za ohranjanje podzemne favne. Ljubljana, 36 pp. [*]
- Sket B (2006) Podzemna mokrišča? *Proteus* 68: 198–207. [*]
- Spazzapan-Brelih V (1964) Ekskurzija prirodoslovnih krožkov na Čaven. *Proteus* 27: 135–137. [*]
- Staut M, Ferran M, Polak S (2008) Ferranova buža. *Naše jame* 47: 5–24. [*]
- Stepišnik U, Ramšak L (2006) Tikina jama. *Naše jame* 46: 26–33. [*]
- Stražar A (2001) Favna Železne jame. Jamarsko društvo Simon Robič Domžale, Domžale. [*]
- Šilhavy V (1944) Pavouci čaledi Thomisidae ze zapadního Balkanu: s popisem čtyř nových druhu. *Sborník Klubu přírodovědeckého v Brně 1944*: 90–95. [*]
- Tarman K (2003) Pajki - Aranea. In: Sket B, Gogala M, Kuštor V (Eds) *Živalstvo Slovenije*. Tehniška založba Slovenije, Ljubljana, 163–175. [*]
- Thaler K (1972) Über einige wenig bekannte Zwergspinnen aus den Alpen II (Arachnida, Aranei, Erigonidae). *Berichte der naturwissenschaftlich-medizinischen Vereins in Innsbruck* 59: 29–50. [*]

- Thaler K (1973) Über wenig bekannte Zwergspinnen aus der Alpen, III (Arachnida: *Aranei*, *Erigonidae*). Berichte der naturwissenschaftlich-medizinischen Vereins in Innsbruck 60: 41–60. [*]
- Thaler K (1976) Endemiten und arktalpine Arten in der Spinnenfauna der Ostalpen (Arachnida: Araneae). Entomologica germanica 3: 135–141. [*]
- Thaler K (1978a) Bodenspinnen aus der Steiermark und ihren Nachbarländern, gesammelt von Prof. Dr. R. Schuster (Arachnida, Aranei). Mitteilungen der Abteilung für Zoologie am Landesmuseum Joanneum 7: 173–183. [*]
- Thaler K (1978b) *Troglohyphantes novicordis* n. sp. aus der Steiermark, Oesterreich (Arachnida: Araneae: Linyphiidae). Senckenbergiana biologica 59: 289–296. [*]
- Thaler K (1981a) Über *Nesticus idracus* Roewer 1931. Senckenbergiana biologica 61: 271–276. [*]
- Thaler K (1981b) Über *Oreonetides quadridentatus* (Wunderlich, 1972) nov. comb. (Arachnida: Aranei, Linyphiidae). Archives des sciences, Geneve 34: 143–152. [*]
- Thaler K (1982) Zwei weitere Deckennetzspinnen der Ostalpen: *Troglohyphantes tauriscus* n. sp. und *T. juris* n. sp. (Arachnida: Aranei, Linyphiidae). Archives des sciences, Geneve 35: 161–172. [*]
- Thaler K (1986) Über einige Funde von *Troglohyphantes*-Arten in Kaernten (Österreich) (Arachnida, Aranei: Linyphiidae). Carinthia II 176: 287–302. [*]
- Thaler K (1990a) *Amaurobius ruffoi* n.sp., eine weitere Reliktart der Suedalpen - mit Bemerkungen ueber die Amaurobiidae der Alpen (Arachnida: Aranei). Zoologischer Anzeiger 225: 241–252. [*]
- Thaler K (1990b) Das Männchen von *Rhode aspinifera* (Nikolić) (Arachnida, Araneae, Dysderidae). Mitt Schweiz ent Ges 63: 147–152. [*]
- Thaler K (1990c) *Lepthyphantes severus* n.sp., eine Reliktart der Noerdlichen Kalkalpen westlich des Inn (Österreich) (Arachnida: Aranei, Linyphiidae). Zoologischer Anzeiger 224: 257–262. [*]
- Thaler K (1994) Vikariante Verbreitung im Artenkreis von *Lepthyphantes mansuetus* in Mitteleuropa (Araneida: Linyphiidae). Entomologia generalis 18: 171–185. [*]
- Thaler K (1997) *Tallusia pindos* n. sp. aus N-Griechenland (Araneae, Linyphiidae). Linzer biologische Beiträge 29: 377–384. [*]
- Thaler K, Buchar J (1994) Die Wolfspinnen von Österreich 1: Gattungen Acantholycosa, Alopecosa, Lycosa (Arachnida, Araneida: Lycosidae) - Faunistisch-tiergeographische Übersicht. Carinthia II 184: 357–375. [*]
- Thaler K, Polenc A (1974) *Stygohyphantes (?) noricus* n. sp., eine neue Baldachinspinne aus Österreich (Arachnida, Aranei, Linyphiidae). Revue Suisse de zoologie 80: 763–771. [*]
- Tkavc T (2008) Letna dinamika založnih snovi pri pajku *Meta menardi* (Latreille) (Arachnida: Araneae: Tetragnathidae). MsSc thesis, University of Maribor, Maribor. [*]
- Tongiorgi P (1966) Italian wolf spiders of the genus *Pardosa* (Araneae: Lycosidae). Bulletin of The Museum of Comparative Zoology 134: 275–334. [*]
- Töpfer-Hofmann G, Cordes D, von Helversen O (2000) Cryptic species and behavioural isolation in the *Pardosa lugubris* group (Araneidae, Lycosidae), with description of two new species. Bulletin of the British Arachnological Society 11: 257–274. [*]
- Tovornik D (1983) *Culex (Neoculex) territans* Walker, 1856, id 1958–1974 registriran v Sloveniji kot *Culex (Neoculex) apicalis* Adams, 1903. Biološki Vestnik 31: 93–102. [*]

- Tovornik D (1990) O ekologiji larvalnih komarjev (Diptera: Culicidae) v manjši mirujoči mlaki na Ljubljanskem barju. *Biološki Vestnik* 38: 47–68. [*]
- ULRS (1993) Uredba o zavarovanju ogroženih živalskih vrst. Uradni list Republike Slovenije, 2851–2854. [*]
- ULRS (2002) Pravilnik o uvrstitvi ogroženih rastlinskih in živalskih vrst v rdeči seznam. Uradni list Republike Slovenije, 8994–8975. [*]
- ULRS (2004) Uredba o zavarovanih prosto živečih živalskih vrstah. Uradni list Republike Slovenije, 5963–6016. [*]
- Van Helsdingen PJ (1969) A reclassification of the species of *Linyphia* Latreille based on the functioning of the genitalia (Araneida, Linyphiidae). Part I. *Linyphia* Latreille and *Neriere* Blackwall. *Zoologische Verhandlungen* 105: 3–302. [*]
- Van Helsdingen PJ (2013) Araneae. In: Fauna Europaea Database (Version Sept. 30th 2013). <http://www.european-arachnology.org>
- Van Helsdingen PJ, Thaler K, Deltsev C (2001) The European species of *Bolyphantes* with an attempt of a phylogenetic analysis (Araneae Linyphiidae). *Memorie della Societa Entomologica Italiana* 80: 3–35. [*]
- Vanuytven H, Van Keer J, Poot P (1994) Kogelspinnen verzameld in Zuid-Europa door P. Poot (Araneae, Theridiidae). *Nieuwsbrief van de Belgische Arachnologische Vereniging* 9: 1–19. [*]
- Vogrin M (2002) Ostale zanimive živali. In: Vogrin M (Ed.) *Narava v občini Kidričevo*. Občina Kidričevo, Kidričevo, 107–111. [*]
- Wang X-P, Zhu M-S, Li S-Q (2010) A review of the coelotine genus *Eurocoelotes* (Araneae: Amaurobiidae). *The Journal of Arachnology* 38: 79–98. doi: 10.1636/A09-13.1 [*]
- Wichmann HE (1926) Untersuchungen über die Fauna der Höhlen. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin* 1924: 113–132. [*]
- Wiehle H (1961) Spinnen aus Slovenien. *Senckenbergiana biologica* 42: 409–415. [*]
- Wiehle H (1964) Spinnen aus Slovenien, II. *Senckenbergiana biologica* 45: 641–652. [*]
- World Spider Catalog (2014) World Spider Catalog. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, version 15.5 [accessed on 17 Oct 2014]
- Wunderlich J (1980) Drei Arten der Gattung *Zodarion* Walckenaer 1847 aus Nordjugoslawien (Arachnida: Araneae: Zodariidae). *Senckenbergiana biologica* 61: 113–117. [*]
- Zingerle V (1999) Spider and harvestman communities along a glaciation transect in the Italian Dolomites. *The Journal of Arachnology* 27: 222–228. [*]
- Zupančič M, Mayer E, Šercel A, Petkovšek V, Bole J, Munda IM, Polenec A, Mršič N, Tarmann K, Drovenik B (1984) Floristične, vegetacijske in zoološke raziskave (Poročilo za leto 1984). *Biološki inštitut Jovana Hadžija ZRC SAZU, Ljubljana*, 54 pp. [*]